



## **Cloud Native BNG Control Plane API Reference, Release 2022.02**

**First Published:** 2022-04-29

### **Americas Headquarters**

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
<http://www.cisco.com>  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

The documentation set for this product strives to use bias-free language. For purposes of this documentation set, bias-free is defined as language that does not imply discrimination based on age, disability, gender, racial identity, ethnic identity, sexual orientation, socioeconomic status, and intersectionality. Exceptions may be present in the documentation due to language that is hardcoded in the user interfaces of the product software, language used based on standards documentation, or language that is used by a referenced third-party product.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2022 Cisco Systems, Inc. All rights reserved.



## CONTENTS

---

### PREFACE

<a href="#">About this Guide</a>	<a href="#">xlvii</a>
<a href="#">Conventions Used</a>	<a href="#">xlvii</a>

---

### CHAPTER 1

<a href="#">cdl</a>	<a href="#">1</a>
<a href="#">Info</a>	<a href="#">1</a>
<a href="#">tags</a>	<a href="#">1</a>
<a href="#">Paths</a>	<a href="#">2</a>
<a href="#">/</a>	<a href="#">2</a>
<a href="#">/operations</a>	<a href="#">3</a>
<a href="#">/yang-library-version</a>	<a href="#">3</a>
<a href="#">/data</a>	<a href="#">4</a>
<a href="#">/data/cisco-smi-cdl:feature-gates</a>	<a href="#">7</a>
<a href="#">/data/cisco-smi-cdl:feature-gates/alpha</a>	<a href="#">11</a>
<a href="#">/data/cisco-smi-cdl:feature-gates/test</a>	<a href="#">14</a>
<a href="#">/data/cisco-smi-cdl:cdl</a>	<a href="#">17</a>
<a href="#">/data/cisco-smi-cdl:cdl/repository</a>	<a href="#">20</a>
<a href="#">/data/cisco-smi-cdl:cdl/system-id</a>	<a href="#">23</a>
<a href="#">/data/cisco-smi-cdl:cdl/node-type</a>	<a href="#">26</a>
<a href="#">/data/cisco-smi-cdl:cdl/enable-geo-replication</a>	<a href="#">29</a>
<a href="#">/data/cisco-smi-cdl:cdl/deployment-model</a>	<a href="#">32</a>
<a href="#">/data/cisco-smi-cdl:cdl/advanced-config-profile</a>	<a href="#">35</a>
<a href="#">/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}</a>	<a href="#">36</a>
<a href="#">/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/name</a>	<a href="#">39</a>
<a href="#">/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint</a>	<a href="#">42</a>
<a href="#">/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/write-response-queue-size</a>	<a href="#">46</a>
<a href="#">/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/write-worker-count</a>	<a href="#">49</a>

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/write-queue-size](#) 53

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/read-response-queue-size](#) 56

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/read-worker-count](#) 60

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/read-queue-size](#) 63

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/max-concurrent-operations](#) 66

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/operation-timeout](#) 70

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/index-timeout](#) 73

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/slot-timeout](#) 76

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/endpoint/remote-ep-connection-count](#) 80

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/index](#) 83

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/index/init-record-count](#) 87

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/index/audit](#) 91

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/index/audit/record-expiry-duration](#) 95

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/slot](#) 98

[/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/slot/init-record-count](#) 102

[/data/cisco-smi-cdl:cdl/remote-site](#) 105

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}](#) 106

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/system-id](#) 109

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/db-endpoint](#) 112

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/db-endpoint/host](#) 116

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/db-endpoint/port](#) 119

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server](#) 122

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server={kafka-server-host},{kafka-server-port}](#) 123

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server={kafka-server-host},{kafka-server-port}/host](#) 127

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server={kafka-server-host},{kafka-server-port}/port](#) 130

[/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server={kafka-server-host},{kafka-server-port}/ssl-port](#) 134

[/data/cisco-smi-cdl:cdl/label-config](#) 137

[/data/cisco-smi-cdl:cdl/label-config={label-config-name}](#) 138

[/data/cisco-smi-cdl:cdl/label-config={label-config-name}/name](#) 141

[/data/cisco-smi-cdl:cdl/label-config={label-config-name}/endpoint](#) 144

[/data/cisco-smi-cdl:cdl/label-config={label-config-name}/endpoint/key](#) 148

[/data/cisco-smi-cdl:cdl/label-config={label-config-name}/endpoint/value](#) 151

[/data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot](#) 154

[/data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map](#) 158



<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}</a>	158
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}/map-id</a>	162
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}/key</a>	165
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}/value</a>	169
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/index</a>	172
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map</a>	176
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map={map-map-id}</a>	176
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map={map-map-id}/map-id</a>	180
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map={map-map-id}/key</a>	183
<a href="#">/data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map={map-map-id}/value</a>	186
<a href="#">/data/cisco-smi-cdl:cdl/ssl-config</a>	190
<a href="#">/data/cisco-smi-cdl:cdl/ssl-config/enable</a>	193
<a href="#">/data/cisco-smi-cdl:cdl/ssl-config/certs</a>	196
<a href="#">/data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}</a>	197
<a href="#">/data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}/host</a>	200
<a href="#">/data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}/ssl-key</a>	203
<a href="#">/data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}/ssl-crt</a>	206
<a href="#">/data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}/ssl-ca</a>	209
<a href="#">/data/cisco-smi-cdl:cdl/logging</a>	212
<a href="#">/data/cisco-smi-cdl:cdl/logging/default-log-level</a>	216
<a href="#">/data/cisco-smi-cdl:cdl/logging/json-logging</a>	219
<a href="#">/data/cisco-smi-cdl:cdl/logging/logger</a>	222
<a href="#">/data/cisco-smi-cdl:cdl/logging/logger={logger-name}</a>	222
<a href="#">/data/cisco-smi-cdl:cdl/logging/logger={logger-name}/name</a>	225
<a href="#">/data/cisco-smi-cdl:cdl/logging/logger={logger-name}/level</a>	228
<a href="#">/data/cisco-smi-cdl:cdl/logging/sync-logging</a>	232
<a href="#">/data/cisco-smi-cdl:cdl/logging/error-stack</a>	235
<a href="#">/data/cisco-smi-cdl:cdl/datastore</a>	238
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}</a>	238
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/name</a>	241
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/cluster-id</a>	244
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/label-config</a>	247
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/geo-remote-site</a>	250
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/geo-remote-site={geo-remote-site-id}</a>	251

<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slice-names</a>	254
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slice-names={slice-names-id}</a>	255
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/advanced-config-profile</a>	258
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/find-by-nuk-prefixes</a>	261
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/find-by-nuk-prefixes={find-by-nuk-prefixes-id}</a>	262
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/metrics</a>	265
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/metrics/verbosity</a>	269
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features</a>	272
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notification</a>	276
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notification/enable</a>	280
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notification/system-id</a>	283
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notification/system-id={system-id-id}</a>	284
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notification/system-id={system-id-id}/id</a>	287
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/slot-stale-session-detection</a>	295
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/slot-stale-session-detection/disable-auto-deletion</a>	299
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/slot-stale-session-detection/notification-retry-count</a>	302
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection</a>	305
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/enable</a>	309
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/index-max-record-count</a>	313
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/slot-max-record-count</a>	316
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/slot-max-size</a>	319
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/hard-limit-percentage</a>	323
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/major-alert-threshold</a>	326
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/critical-alert-threshold</a>	330
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-detection</a>	333
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-detection/unique-keys-prefix</a>	337
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-detection/max-tps</a>	348
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-detection/queue-size</a>	351
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/overload-protection</a>	354
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/overload-protection/disable</a>	358
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint</a>	362
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/patch-url</a>	365
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/go-debug</a>	369
<a href="#">/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/cpu-request</a>	372

<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/cpu-limit</code>	375
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/memory-request</code>	378
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/memory-limit</code>	381
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/go-max-procs</code>	385
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/replica</code>	388
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/copies-per-node</code>	391
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/settings</code>	394
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/settings/index-timeout-ms</code>	398
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/settings/slot-timeout-ms</code>	401
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/settings/remote-ep-connection-count</code>	405
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/external-ip</code>	408
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/external-ipv6</code>	411
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/external-port</code>	415
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index</code>	418
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/patch-url</code>	422
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/go-debug</code>	425
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/cpu-request</code>	428
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/cpu-limit</code>	431
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/memory-request</code>	434
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/memory-limit</code>	437
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/go-max-procs</code>	441
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/replica</code>	444
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/map</code>	447
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/write-factor</code>	450
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot</code>	453
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/patch-url</code>	457
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/go-debug</code>	460
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/cpu-request</code>	463
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/cpu-limit</code>	467
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/memory-request</code>	470
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/memory-limit</code>	473
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/go-max-procs</code>	476
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/replica</code>	479
<code>/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/map</code>	482

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/write-factor](#) 486

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification](#) 489

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/connection-count](#) 493

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/dynamic-provisioning](#) 496

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/host](#) 499

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/port](#) 503

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/limit](#) 506

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/max-concurrent-bulk-notifications](#) 509

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/notification-retry-seconds](#) 512

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/include-conflict-data](#) 516

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/remote-system-id](#) 519

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/remote-system-id={remote-system-id-id}](#) 520

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/use-stream](#) 523

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/metrics](#) 526

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/metrics/report-idle-session-type](#) 530

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/test](#) 534

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/run](#) 537

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/patch-url](#) 540

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/loop](#) 544

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/txns](#) 547

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/txn-type](#) 550

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/wait-time-ns](#) 553

[/data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/max-non-unique-keys](#) 556

[/data/cisco-smi-cdl:cdl/zookeeper](#) 559

[/data/cisco-smi-cdl:cdl/zookeeper/data-storage-size](#) 563

[/data/cisco-smi-cdl:cdl/zookeeper/log-storage-size](#) 566

[/data/cisco-smi-cdl:cdl/zookeeper/log-level](#) 569

[/data/cisco-smi-cdl:cdl/zookeeper/replica](#) 572

[/data/cisco-smi-cdl:cdl/zookeeper/enable-JMX-metrics](#) 575

[/data/cisco-smi-cdl:cdl/zookeeper/enable-persistence](#) 578

[/data/cisco-smi-cdl:cdl/zookeeper/enable-parallel-pod-management](#) 581

[/data/cisco-smi-cdl:cdl/kafka](#) 584

[/data/cisco-smi-cdl:cdl/kafka/replica](#) 587

[/data/cisco-smi-cdl:cdl/kafka/log-level](#) 590

<a href="#">/data/cisco-smi-cdl:cdl/kafka/partition</a>	593
<a href="#">/data/cisco-smi-cdl:cdl/kafka/enable-JMX-metrics</a>	596
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ip</a>	599
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ip={external-ip-ip},{external-ip-port}</a>	599
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ip={external-ip-ip},{external-ip-port}/ip</a>	603
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ip={external-ip-ip},{external-ip-port}/port</a>	606
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ip={external-ip-ip},{external-ip-port}/ssl-port</a>	609
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ipv6</a>	613
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ipv6={external-ipv6-ip},{external-ipv6-port}</a>	613
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ipv6={external-ipv6-ip},{external-ipv6-port}/ip</a>	617
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ipv6={external-ipv6-ip},{external-ipv6-port}/port</a>	620
<a href="#">/data/cisco-smi-cdl:cdl/kafka/external-ipv6={external-ipv6-ip},{external-ipv6-port}/ssl-port</a>	623
<a href="#">/data/cisco-smi-cdl:cdl/kafka/enable-persistence</a>	627
<a href="#">/data/cisco-smi-cdl:cdl/kafka/storage</a>	630
<a href="#">/data/cisco-smi-cdl:cdl/kafka/ssl-settings</a>	633
<a href="#">/data/cisco-smi-cdl:cdl/kafka/ssl-settings/enable-ssl</a>	636
<a href="#">/data/cisco-smi-cdl:cdl/kafka/ssl-settings/disable-host-name-verification</a>	639
<a href="#">/data/cisco-smi-cdl:cdl/kafka/retention-time</a>	642
<a href="#">/data/cisco-smi-cdl:cdl/kafka/retention-size</a>	645
<a href="#">/data/cisco-smi-cdl:cdl/kafka/total-retention-size</a>	648
<a href="#">/data/cisco-smi-cdl:cdl/kafka/log-compaction</a>	651
<a href="#">/data/cisco-smi-cdl:cdl/kafka/log-compaction/disable</a>	655
<a href="#">/data/cisco-smi-cdl:cdl/kafka/log-compaction/delete-retention-ms</a>	658
<a href="#">/data/cisco-smi-cdl:cdl/kafka/label-config</a>	661
<a href="#">/data/cisco-smi-cdl:cdl/kafka/label-config/key</a>	664
<a href="#">/data/cisco-smi-cdl:cdl/kafka/label-config/value</a>	667
<a href="#">/data/cisco-smi-cdl:cdl/kafka/enable-parallel-pod-management</a>	670
<a href="#">/data/cisco-smi-cdl:cdl/kafka/describe</a>	673
<a href="#">/data/cisco-smi-cdl:cdl/kafka/list</a>	677
<a href="#">/data/cisco-smi-cdl:cdl/kafka/reset-offsets</a>	680
<a href="#">/data/cisco-smi-cdl:cdl/kafka/reset-offsets-dry-run</a>	684
<a href="#">/data/cisco-smi-cdl:cdl/mirror-maker</a>	687
<a href="#">/data/cisco-smi-cdl:cdl/mirror-maker/log-level</a>	691
<a href="#">/data/cisco-smi-cdl:cdl/mirror-maker/enable-JMX-metrics</a>	694

- [/data/cisco-smi-cdl:cdl/show](#) 697
- [/data/cisco-smi-cdl:cdl/show/sessions](#) 698
- [/data/cisco-smi-cdl:cdl/show/sessions/count](#) 699
- [/data/cisco-smi-cdl:cdl/clear](#) 700
- [/data/cisco-smi-cdl:cdl/actions](#) 702
- [/data/cisco-smi-cdl:cdl/actions/remote-index-sync](#) 703
- [/data/cisco-smi-cdl:cdl/network-policy](#) 704
- [/data/cisco-smi-cdl:cdl/network-policy/enable](#) 707

**CHAPTER 2**

- [cnbng\\_config](#) 979
  - [Info](#) 979
  - [tags](#) 979
  - [Paths](#) 980
    - [/](#) 980
    - [/operations](#) 981
    - [/yang-library-version](#) 982
    - [/data](#) 983
      - [/data/cnbng-cp:profile](#) 987
        - [/data/cnbng-cp:profile/dhcp](#) 990
          - [/data/cnbng-cp:profile/dhcp={dhcp-name}](#) 991
            - [/data/cnbng-cp:profile/dhcp={dhcp-name}/name](#) 994
            - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4](#) 997
              - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/mode](#) 1001
              - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server](#) 1004
                - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/pool-name](#) 1008
                - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers](#) 1011
                  - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers={dns-servers-id}](#) 1011
                  - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers](#) 1015
                    - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers={ntp-servers-id}](#) 1015
                    - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server](#) 1018
                      - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server={netbios-name-server-id}](#) 1019
                    - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/domain-name](#) 1022
                    - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/boot-filename](#) 1026
                    - [/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/next-server](#) 1029

|  |             |
|--|-------------|
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type</code>   | <b>1032</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/broadcast-node</code>                                | <b>1036</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hybrid-node</code>                                   | <b>1039</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/mixed-node</code>                                    | <b>1042</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/peer-to-peer-node</code>                             | <b>1046</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hexadecimal</code>                                   | <b>1049</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease</code>   | <b>1052</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/days</code>  | <b>1056</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/hours</code>   | <b>1059</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/minutes</code>   | <b>1062</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key</code>   | <b>1065</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key/identifier</code>  | <b>1069</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time</code>   | <b>1072</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time/minutes</code>   | <b>1076</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes</code>  | <b>1079</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code</code>  | <b>1083</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}</code>              | <b>1083</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/option-code</code>  | <b>1087</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ascii-string</code> | <b>1090</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/hex-string</code>   | <b>1094</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address</code>   | <b>1097</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/force-insert</code> | <b>1101</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class</code>  | <b>1105</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}</code>   | <b>1105</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/class-name</code>                                    | <b>1109</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches</code>                                       | <b>1112</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match</code>                                 | <b>1116</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}</code>                     | <b>1117</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/key</code>                 | <b>1120</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/ascii</code>               | <b>1124</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}</code>    | <b>1124</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/hex</code>                 | <b>1128</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/hex={hex-id}</code>        | <b>1129</b> |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match-type</code>                            | <b>1132</b> |



[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server](#) **1136**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/pool-name](#) **1140**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns-servers](#) **1143**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns-servers={dns-servers-id}](#) **1144**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers](#) **1147**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers={ntp-servers-id}](#) **1148**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server](#) **1151**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server={netbios-name-server-id}](#) **1152**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/domain-name](#) **1156**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/boot-filename](#) **1159**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/next-server](#) **1162**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type](#) **1166**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/broadcast-node](#) **1170**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/hybrid-node](#) **1173**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/mixed-node](#) **1177**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/peer-to-peer-node](#) **1180**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/hexadecimal](#) **1184**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease](#) **1187**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/days](#) **1192**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/hours](#) **1195**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/minutes](#) **1198**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/static-ip-key](#) **1202**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/static-ip-key/identifier](#) **1206**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/hold-time](#) **1209**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/hold-time/minutes](#) **1213**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes](#) **1217**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code](#) **1221**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6](#) **1244**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/mode](#) **1247**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server](#) **1250**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iana-pool-name](#) **1254**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iapd-pool-name](#) **1257**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers](#) **1260**

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers={dns-servers-id}](#) **1261**

|   |      |
|---|------|
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/domain-name</code>  | 1264 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/preference</code>   | 1267 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/aftr-name</code>  | 1270 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/rapid-commit</code>   | 1274 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease</code>  | 1277 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/days</code>   | 1280 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/hours</code>  | 1284 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/minutes</code>  | 1287 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key</code>  | 1290 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key/identifier</code>                                     | 1294 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time</code>  | 1297 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time/minutes</code>  | 1301 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class</code>   | 1304 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}</code>  | 1304 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/class-name</code>                                 | 1308 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches</code>                                    | 1311 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match</code>                              | 1315 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}</code>                  | 1315 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/key</code>              | 1319 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/ascii</code>            | 1323 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}</code> | 1323 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/hex</code>              | 1327 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/hex={hex-id}</code>     | 1327 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match-type</code>                         | 1331 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server</code>                                     | 1335 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iana-pool-name</code>                      | 1339 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iapd-pool-name</code>                      | 1342 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns-servers</code>                         | 1345 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns-servers={dns-servers-id}</code>        | 1346 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/domain-name</code>                         | 1350 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/preference</code>                          | 1353 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/aftr-name</code>                           | 1356 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/rapid-commit</code>                        | 1360 |
| <code>/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease</code>                               | 1363 |

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/days](#) 1367

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/hours](#) 1371

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/minutes](#) 1374

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/static-ip-key](#) 1378

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/static-ip-key/identifier](#) 1382

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/hold-time](#) 1385

[/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/hold-time/minutes](#) 1389

[/data/cnbng-cp:profile/pppoe](#) 1393

[/data/cnbng-cp:profile/pppoe={pppoe-name}](#) 1393

[/data/cnbng-cp:profile/pppoe={pppoe-name}/name](#) 1396

[/data/cnbng-cp:profile/pppoe={pppoe-name}/mtu](#) 1399

[/data/cnbng-cp:profile/pppoe={pppoe-name}/ctrl-pkt-priority](#) 1402

[/data/cnbng-cp:profile/pppoe={pppoe-name}/service-selection-disable](#) 1406

[/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload](#) 1409

[/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/deny](#) 1412

[/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/minimum](#) 1416

[/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/maximum](#) 1419

[/data/cnbng-cp:profile/pppoe={pppoe-name}/service-name](#) 1422

[/data/cnbng-cp:profile/pppoe={pppoe-name}/service-name={service-name-id}](#) 1422

[/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-name](#) 1426

[/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-cookie](#) 1429

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit](#) 1432

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max](#) 1435

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/value](#) 1439

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/threshold](#) 1442

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac](#) 1446

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/value](#) 1449

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/threshold](#) 1452

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id](#) 1456

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/value](#) 1459

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/threshold](#) 1463

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan](#) 1466

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/value](#) 1470

[/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/threshold](#) 1473

|  |      |
|--|------|
| <a href="#">/data/cnbng-cp:profile/pppoe={pppoe-name}/timeout-completion</a>                                       | 1476 |
| <a href="#">/data/cnbng-cp:profile/aaa</a>   | 1479 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}</a>  | 1480 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/name</a>   | 1483 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authentication</a>   | 1486 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order</a>                                  | 1490 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order={method-order-id}</a>                | 1490 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization</a>  | 1493 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type</a>   | 1497 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber</a>                                | 1501 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber/method-order</a>                   | 1505 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber/method-order={method-order-id}</a> | 1505 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username</a>                                       | 1509 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/value</a>                                 | 1512 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/format</a>                                | 1516 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/identifier</a>                            | 1519 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/authorization/password</a>                                       | 1522 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/accounting</a>   | 1525 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order</a>                                      | 1529 |
| <a href="#">/data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order={method-order-id}</a>                    | 1529 |
| <a href="#">/data/cnbng-cp:profile/server-group</a>  | 1533 |
| <a href="#">/data/cnbng-cp:profile/server-group={server-group-name}</a>  | 1533 |
| <a href="#">/data/cnbng-cp:profile/server-group={server-group-name}/name</a>                                       | 1536 |
| <a href="#">/data/cnbng-cp:profile/server-group={server-group-name}/radius-group</a>                               | 1539 |
| <a href="#">/data/cnbng-cp:profile/attribute-format</a>  | 1542 |
| <a href="#">/data/cnbng-cp:profile/attribute-format={attribute-format-name}</a>                                    | 1543 |
| <a href="#">/data/cnbng-cp:profile/attribute-format={attribute-format-name}/name</a>                               | 1546 |
| <a href="#">/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-string</a>                      | 1549 |
| <a href="#">/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order</a>                       | 1552 |
| <a href="#">/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order={format-order-id}</a>     | 1553 |
| <a href="#">/data/cnbng-cp:profile/subscriber</a>  | 1556 |
| <a href="#">/data/cnbng-cp:profile/subscriber={subscriber-name}</a>  | 1557 |
| <a href="#">/data/cnbng-cp:profile/subscriber={subscriber-name}/name</a>   | 1560 |
| <a href="#">/data/cnbng-cp:profile/subscriber={subscriber-name}/dhcp-profile</a>                                   | 1563 |

[/data/cnbng-cp:profile/subscriber={subscriber-name}/pppoe-profile](#) 1566

[/data/cnbng-cp:profile/subscriber={subscriber-name}/session-type](#) 1569

[/data/cnbng-cp:profile/subscriber={subscriber-name}/l2tp-profile](#) 1572

[/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa](#) 1576

[/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}](#) 1576

[/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option](#) 1580

[/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}/profile](#) 1583

[/data/cnbng-cp:profile/subscriber={subscriber-name}/activate-feature-templates](#) 1587

[/data/cnbng-cp:profile/subscriber={subscriber-name}/activate-feature-templates={activate-feature-templates-id}](#) 1587

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class](#) 1591

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}](#) 1591

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/class-name](#) 1595

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches](#) 1598

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match](#) 1602

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}](#) 1602

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/key](#) 1606

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/type](#) 1610

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/type={type-id}](#) 1610

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/ascii](#) 1614

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}](#) 1614

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/regex](#) 1618

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/regex={regex-id}](#) 1619

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match-type](#) 1623

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/activate-feature-templates](#) 1626

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa](#) 1630

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}](#) 1631

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option](#) 1634

[/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}/profile](#) 1638

[/data/cnbng-cp:profile/subscriber={subscriber-name}/apply-all-class](#) 1642

[/data/cnbng-cp:profile/subscriber={subscriber-name}/event](#) 1645

[/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}](#) 1645

[/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/event-name](#) 1649

[/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa](#) 1652

[/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}](#) 1653

|   |      |
|---|------|
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option</code> | 1656 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/profile</code>    | 1660 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates</code>                  | 1664 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/activate-feature-templates</code>                    | 1668 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/apply-all-class</code>                               | 1672 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class</code>   | 1676 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}</code>                      | 1676 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/class-name</code>           | 1680 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches</code>              | 1683 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match</code>        | 1688 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match-type</code>   | 1708 |
| <code>/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa</code>                  | 1720 |
| <code>/data/cnbng-cp:profile/feature-template</code>  | 1732 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}</code>  | 1733 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/name</code>   | 1736 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/vrf-name</code>   | 1739 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4</code>   | 1742 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/mtu</code>   | 1746 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/ingress-acl</code>   | 1749 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/egress-acl</code>  | 1753 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/disable-unreachables</code>                                  | 1756 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/verify-unicast-source</code>                                 | 1759 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/verify-unicast-source/reachable-via-rx</code>                | 1763 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6</code>   | 1767 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/mtu</code>   | 1771 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/ingress-acl</code>   | 1774 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/egress-acl</code>  | 1777 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/disable-unreachables</code>                                  | 1780 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/verify-unicast-source</code>                                 | 1784 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/verify-unicast-source/reachable-via-rx</code>                | 1788 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/http-policy</code>  | 1791 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/qos</code>  | 1794 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/in-policy</code>  | 1798 |
| <code>/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/out-policy</code>   | 1801 |

[/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/merge-level](#) 1805

[/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting](#) 1808

[/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/enable](#) 1812

[/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/aaa-profile](#) 1815

[/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/periodic-interval](#) 1819

[/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/dual-stack-delay](#) 1822

[/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting](#) 1825

[/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/enable](#) 1829

[/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/aaa-profile](#) 1833

[/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/periodic-interval](#) 1836

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp](#) 1839

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/authentication](#) 1843

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/authentication={authentication-id}](#) 1844

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap](#) 1847

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap/hostname](#) 1851

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap/password](#) 1854

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/service-type](#) 1858

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp](#) 1861

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns](#) 1865

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns/primary-address](#) 1869

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns/secondary-address](#) 1872

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/peer-address-pool](#) 1875

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/renegotiation](#) 1879

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/renegotiation/ignore](#) 1883

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins](#) 1886

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins/primary-address](#) 1890

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins/secondary-address](#) 1893

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp](#) 1897

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp/renegotiation](#) 1901

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp/renegotiation/ignore](#) 1905

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp](#) 1908

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay](#) 1912

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay/seconds](#) 1916

[/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay/milliseconds](#) 1919



|  |      |
|--|------|
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/renegotiation</a>        | 1922 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/renegotiation/ignore</a> | 1926 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-bad-auth</a>             | 1930 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-configure</a>            | 1933 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-failure</a>              | 1936 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/pap</a>                      | 1940 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/pap/accept-null-password</a> | 1943 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout</a>                  | 1947 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/absolute</a>         | 1951 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/absolute/minutes</a> | 1955 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/authentication</a>   | 1958 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/retry</a>            | 1961 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive</a>                | 1965 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/disable</a>        | 1969 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/interval</a>       | 1972 |
| <a href="#">/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/retry</a>          | 1975 |
| <a href="#">/data/cnbng-cp:profile/l2tp</a>  | 1978 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}</a>  | 1979 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/name</a>   | 1982 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/mode</a>   | 1985 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/encrypt-avp</a>  | 1988 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/dsl-info-forwarding</a>                                  | 1991 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/hostname</a>   | 1994 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/mtu</a>  | 1997 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/hello-interval</a>                                       | 2001 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/tcp</a>  | 2004 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/tcp/adjust-mss</a>                                       | 2007 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit</a>   | 2010 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial</a>                                   | 2014 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout</a>                           | 2018 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout/max</a>                       | 2022 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout/min</a>                       | 2025 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/retries</a>                           | 2028 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout</a>                                   | 2031 |

|   |      |
|---|------|
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/max</a>                            | 2035 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/min</a>                            | 2038 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/retries</a>                                | 2041 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/receive-window</a>                                    | 2044 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from</a>                                    | 2047 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}</a>          | 2048 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}/hostname</a> | 2051 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/domain</a>  | 2055 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}</a>                              | 2055 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name</a>                         | 2058 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/tun-assign-id</a>                | 2062 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/vrf</a>   | 2065 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/authentication</a>                                    | 2068 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos</a>  | 2071 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/value</a>                                      | 2075 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/reflect</a>                                    | 2078 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel</a>  | 2081 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/session-limit</a>                              | 2085 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout</a>                                    | 2088 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout/no-session</a>                         | 2092 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4</a>  | 2095 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/df-bit</a>                                       | 2098 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/source</a>                                       | 2102 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination</a>                                  | 2105 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}</a>            | 2105 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/dest-ip</a>    | 2108 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/weight</a>     | 2112 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/congestion-control</a>                                | 2115 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/tx-connect-speed</a>                                  | 2118 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/rx-connect-speed</a>                                  | 2121 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel-load-balancing</a>                             | 2125 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/password</a>  | 2128 |
| <a href="#">/data/cnbng-cp:profile/l2tp={l2tp-name}/force-lcp-renegotiation</a>                           | 2131 |
| <a href="#">/data/cnbng-cp:profile/radius</a>   | 2134 |

|   |                      |
|---|----------------------|
| <a href="#">/data/cnbng-cp:profile/radius/server</a>  | <a href="#">2137</a> |
| <a href="#">/data/cnbng-cp:profile/radius/server={server-ip},{server-port}</a>  | <a href="#">2138</a> |
| <a href="#">/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/ip</a>   | <a href="#">2141</a> |
| <a href="#">/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/port</a>                                       | <a href="#">2144</a> |
| <a href="#">/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/type</a>                                       | <a href="#">2148</a> |
| <a href="#">/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/secret</a>                                     | <a href="#">2151</a> |
| <a href="#">/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/priority</a>                                   | <a href="#">2154</a> |
| <a href="#">/data/cnbng-cp:profile/radius/algorithm</a>   | <a href="#">2157</a> |
| <a href="#">/data/cnbng-cp:profile/radius/deadtime</a>  | <a href="#">2160</a> |
| <a href="#">/data/cnbng-cp:profile/radius/detect-dead-server</a>  | <a href="#">2163</a> |
| <a href="#">/data/cnbng-cp:profile/radius/detect-dead-server/response-timeout</a>   | <a href="#">2167</a> |
| <a href="#">/data/cnbng-cp:profile/radius/max-retry</a>   | <a href="#">2170</a> |
| <a href="#">/data/cnbng-cp:profile/radius/timeout</a>   | <a href="#">2173</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute</a>   | <a href="#">2176</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/called-station-id</a>   | <a href="#">2179</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/called-station-id/format</a>  | <a href="#">2183</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}</a>                   | <a href="#">2183</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}/nas-port-type</a>     | <a href="#">2187</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}/format-name</a>       | <a href="#">2190</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/called-station-id/format-name</a>                                     | <a href="#">2193</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/called-station-id/value</a>   | <a href="#">2196</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/calling-station-id</a>  | <a href="#">2199</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/calling-station-id/format</a>   | <a href="#">2203</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}</a>                  | <a href="#">2203</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type</a>    | <a href="#">2207</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/format-name</a>      | <a href="#">2210</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/calling-station-id/format-name</a>                                    | <a href="#">2214</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/calling-station-id/value</a>  | <a href="#">2217</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-identifier</a>  | <a href="#">2220</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-identifier-format</a>   | <a href="#">2223</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format</a>                                      | <a href="#">2226</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-port-type}</a>               | <a href="#">2227</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-port-type}/nas-port-type</a> | <a href="#">2230</a> |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-port-type}/format-name</a>   | <a href="#">2233</a> |

|  |      |
|--|------|
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format-name</a>  | 2237 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port-id</a>  | 2240 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port-id/format</a>   | 2243 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}</a>                                | 2244 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/nas-port-type</a>                  | 2247 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/format-name</a>                    | 2251 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port-id/format-name</a>  | 2254 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port-id/value</a>  | 2257 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port</a>   | 2260 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list</a>   | 2263 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}</a>                     | 2264 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/nas-port-type</a>       | 2267 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/format-e</a>            | 2271 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port/format-e</a>  | 2274 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-port/value</a>   | 2277 |
| <a href="#">/data/cnbng-cp:profile/radius/attribute/nas-ip</a>   | 2280 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting</a>   | 2283 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/algorithm</a>   | 2286 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/deadtime</a>  | 2289 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/detect-dead-server</a>  | 2292 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/detect-dead-server/response-timeout</a>                                     | 2296 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/max-retry</a>   | 2299 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/timeout</a>   | 2302 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute</a>   | 2305 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id</a>   | 2308 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format</a>                                      | 2312 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}</a>               | 2312 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/nas-port-type</a> | 2316 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/format-name</a>   | 2319 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format-name</a>                                 | 2323 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/value</a>                                       | 2326 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id</a>  | 2329 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format</a>                                     | 2333 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}</a>              | 2333 |

|  |      |
|--|------|
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type</a>        | 2336 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/format-name</a>          | 2340 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format-name</a>  | 2343 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/value</a>  | 2346 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier</a>  | 2349 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format</a>   | 2352 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format</a>  | 2356 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}</a>                   | 2357 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/nas-port-type</a>     | 2360 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/format-name</a>       | 2363 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format-name</a>                                     | 2367 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id</a>   | 2370 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format</a>  | 2373 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-port-type}</a>                             | 2374 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-port-type}/nas-port-type</a>               | 2377 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-port-type}/format-name</a>                 | 2381 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format-name</a>   | 2384 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/value</a>   | 2387 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port</a>  | 2390 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list</a>  | 2394 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-list-nas-port-type}</a>                  | 2394 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/nas-port-type</a>    | 2398 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/format-e</a>         | 2401 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e</a>   | 2404 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/value</a>  | 2407 |
| <a href="#">/data/cnbng-cp:profile/radius/accounting/attribute/nas-ip</a>  | 2410 |
| <a href="#">/data/cnbng-cp:profile/radius/server-group</a>   | 2413 |
| <a href="#">/data/cnbng-cp:profile/radius/server-group={server-group-group-name}</a>   | 2414 |
| <a href="#">/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/group-name</a>  | 2417 |
| <a href="#">/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server</a>  | 2420 |
| <a href="#">/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}</a>      | 2421 |
| <a href="#">/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/type</a> | 2425 |
| <a href="#">/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/ip</a>   | 2428 |
| <a href="#">/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/port</a> | 2432 |

- [/data/cnbng-cp:profile/coa](#) 2436
- [/data/cnbng-cp:profile/coa/server-key](#) 2439
- [/data/cnbng-cp:profile/coa/client](#) 2442
- [/data/cnbng-cp:profile/coa/client={client-ip}](#) 2443
- [/data/cnbng-cp:profile/coa/client={client-ip}/ip](#) 2446
- [/data/cnbng-cp:profile/coa/client={client-ip}/server-key](#) 2449
- [/data/cnbng-cp:user-planes](#) 2452
- [/data/cnbng-cp:user-planes/user-plane](#) 2455
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}](#) 2456
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/name](#) 2459
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address](#) 2462
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address/ipv4](#) 2466
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/flowctrl-group](#) 2469
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/offline](#) 2472
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id](#) 2476
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}](#) 2476
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}/id](#) 2479
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}/subscriber-profile](#) 2483
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-profile](#) 2486
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy](#) 2490
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group](#) 2493
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}](#) 2494
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/group-name](#) 2497
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/disable](#) 2501
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/standby-mode](#) 2504
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/revertive-timer](#) 2511
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/peer-identifier](#) 2515
- [/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map](#) 2518
- [/data/cnbng-cp:coverage](#) 2534
- [/data/cnbng-cp:coverage/container-stop](#) 2538

---

CHAPTER 3

**cnbng\_oper** 3217

Info 3217

tags 3217

|  |      |
|--|------|
| Paths  | 3218 |
| /  | 3218 |
| /operations  | 3219 |
| /yang-library-version  | 3220 |
| /data  | 3221 |
| /data/cnbng-oper:radius  | 3224 |
| /data/cnbng-oper:radius/auth-server  | 3226 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}                      | 3227 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/ip-port              | 3228 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/ip-address           | 3229 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/port                 | 3231 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/priority             | 3232 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/status               | 3233 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/port-type            | 3234 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/requests             | 3236 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/pending-requests     | 3237 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/requests-retransmits | 3238 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/accepts              | 3239 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/responses            | 3241 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/rejects              | 3242 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/timeouts             | 3243 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/bad-responses        | 3245 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/bad-authenticators   | 3246 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/unknown-types        | 3247 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/dropped-responses    | 3248 |
| /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/rtt                  | 3250 |
| /data/cnbng-oper:radius/acct-server  | 3251 |
| /data/cnbng-oper:radius/acct-server={acct-server-ip-port}                      | 3252 |
| /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/ip-port              | 3253 |
| /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/ip-address           | 3255 |
| /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/port                 | 3256 |
| /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/priority             | 3257 |
| /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/status               | 3259 |
| /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/port-type            | 3260 |



|   |             |
|---|-------------|
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/requests</a>                | <b>3261</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/pending-requests</a>        | <b>3262</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/requests-retransmits</a>    | <b>3264</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/accepts</a>                 | <b>3265</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/responses</a>               | <b>3266</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/rejects</a>                 | <b>3267</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/timeouts</a>                | <b>3269</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/bad-responses</a>           | <b>3270</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/bad-authenticators</a>      | <b>3271</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/unknown-types</a>           | <b>3273</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/dropped-responses</a>       | <b>3274</b> |
| <a href="#">/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/rtt</a>                     | <b>3275</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth</a>  | <b>3276</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients</a>  | <b>3278</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}</a>                     | <b>3279</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/ip-address</a>          | <b>3280</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-req</a>             | <b>3281</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-inprocess-req</a>   | <b>3283</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-retry-req</a>       | <b>3284</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-bad-req</a>         | <b>3285</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-bad-auth</a>        | <b>3287</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-internal-error</a>  | <b>3288</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-ack</a>             | <b>3289</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-nak</a>             | <b>3290</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-req</a>            | <b>3292</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-inprocess-req</a>  | <b>3293</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-retry-req</a>      | <b>3294</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-bad-req</a>        | <b>3296</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-bad-auth</a>       | <b>3297</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-internal-error</a> | <b>3298</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-ack</a>            | <b>3300</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-nak</a>            | <b>3301</b> |
| <a href="#">/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/unknown-types</a>       | <b>3302</b> |
| <a href="#">/data/cnbng-oper:test-radius</a>  | <b>3303</b> |

---

**CHAPTER 4**

|                              |             |
|------------------------------|-------------|
| <b>cnbng_sync</b>            | <b>3355</b> |
| Info                         | 3355        |
| tags                         | 3355        |
| Paths                        | 3356        |
| /                            | 3356        |
| /operations                  | 3357        |
| /yang-library-version        | 3358        |
| /data                        | 3359        |
| /data/cnbng-infra:subscriber | 3362        |

---

**CHAPTER 5**

|   |             |
|---|-------------|
| <b>etcd</b>   | <b>3371</b> |
| Info  | 3371        |
| tags  | 3371        |
| Paths   | 3372        |
| /   | 3372        |
| /operations   | 3373        |
| /yang-library-version   | 3373        |
| /data   | 3374        |
| /data/cisco-smi-etcd:etcd   | 3377        |
| /data/cisco-smi-etcd:etcd/repository  | 3381        |
| /data/cisco-smi-etcd:etcd/node-affinity                                     | 3384        |
| /data/cisco-smi-etcd:etcd/replicas  | 3387        |
| /data/cisco-smi-etcd:etcd/volume  | 3390        |
| /data/cisco-smi-etcd:etcd/backup  | 3393        |
| /data/cisco-smi-etcd:etcd/backup/disable                                    | 3396        |
| /data/cisco-smi-etcd:etcd/backup/frequency                                  | 3399        |
| /data/cisco-smi-etcd:etcd/monitoring  | 3402        |
| /data/cisco-smi-etcd:etcd/monitoring/enabled                                | 3406        |
| /data/cisco-smi-etcd:etcd/monitoring/alerts                                 | 3409        |
| /data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize                          | 3412        |
| /data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize/major-alert-threshold    | 3416        |
| /data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize/critical-alert-threshold | 3419        |
| /data/cisco-smi-etcd:etcd/enable-daily-defragmentation                      | 3422        |

/data/cisco-smi-etc:etcd/daily-defragmentation-start-time 3425

/data/cisco-smi-etc:etcd/storage-label 3428

/data/cisco-smi-etc:etcd/external-ip 3431

/data/cisco-smi-etc:etcd/external-ip={external-ip-ip},{external-ip-port} 3431

/data/cisco-smi-etc:etcd/external-ip={external-ip-ip},{external-ip-port}/ip 3434

/data/cisco-smi-etc:etcd/external-ip={external-ip-ip},{external-ip-port}/port 3438

/data/cisco-smi-etc:etcd/external-ip={external-ip-ip},{external-ip-port}/label 3441

/data/cisco-smi-etc:etcd/network-policy 3445

/data/cisco-smi-etc:etcd/network-policy/enable 3448

CHAPTER 6

**infra** 3479

Info 3479

tags 3479

Paths 3480

    / 3480

    /operations 3481

    /yang-library-version 3481

    /data 3482

    /data/taif-mobile-infra:sessions 3485

    /data/taif-mobile-infra:sessions/commit-pending 3489

    /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance} 3490

    /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance}/podInstance 3491

    /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance}/grInstance 3493

    /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance}/count 3494

    /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance}/pendingCommit 3495

    /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance}/dbBinarySize 3497

    /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance}/lastDbSyncTime 3498

    /data/taif-mobile-infra:sessions/affinity 3499

    /data/taif-mobile-infra:sessions/affinity={affinity-podInstance} 3501

    /data/taif-mobile-infra:sessions/affinity={affinity-podInstance}/podInstance 3502

    /data/taif-mobile-infra:sessions/affinity={affinity-podInstance}/count 3503

    /data/taif-mobile-infra:peers 3504

    /data/taif-mobile-infra:peers/all 3508

    /data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress} 3509

|   |             |
|---|-------------|
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/grInstance</a>        | <b>3511</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/endpoint</a>          | <b>3512</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/localAddress</a>      | <b>3514</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/peerAddress</a>       | <b>3515</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/direction</a>         | <b>3516</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/podInstance</a>       | <b>3518</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/type</a>              | <b>3519</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/connectedTime</a>     | <b>3521</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/rpc</a>               | <b>3522</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/additionalDetails</a> | <b>3524</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/interfaceName</a>     | <b>3525</b> |
| <a href="#">/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/vrf</a>               | <b>3527</b> |
| <a href="#">/data/tailf-mobile-infra:rpc</a>  | <b>3528</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all</a>  | <b>3532</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}</a>   | <b>3533</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/podInstance</a>                             | <b>3534</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/name</a>                                    | <b>3536</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/remoteAddress</a>                           | <b>3537</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/remoteHost</a>                              | <b>3538</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/type</a>                                    | <b>3540</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/setName</a>                                 | <b>3541</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/status</a>                                  | <b>3543</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/connectedTime</a>                           | <b>3544</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/disconnectedTime</a>                        | <b>3545</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/monitorRPCHost</a>                          | <b>3547</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/processingInstanceInfo</a>                  | <b>3548</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/version</a>                                 | <b>3550</b> |
| <a href="#">/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/vrf</a>                                     | <b>3551</b> |
| <a href="#">/data/tailf-mobile-infra:resources</a>  | <b>3552</b> |
| <a href="#">/data/tailf-mobile-infra:resources/info</a>   | <b>3556</b> |
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}</a>  | <b>3557</b> |
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}/podInstance</a>  | <b>3558</b> |
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}/cpuUsage</a>   | <b>3560</b> |
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}/totalNodeMemoryInMB</a>  | <b>3561</b> |

|  |      |
|--|------|
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}/usedPodMemoryInMB</a>                             | 3562 |
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}/diskUsageInKbps</a>                               | 3564 |
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}/goRoutinesCount</a>                               | 3565 |
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}/gcCount</a>                                       | 3566 |
| <a href="#">/data/tailf-mobile-infra:resources/info={info-podInstance}/gcPauseInNS</a>                                   | 3567 |
| <a href="#">/data/tailf-mobile-infra:running-status</a>  | 3569 |
| <a href="#">/data/tailf-mobile-infra:running-status/info</a>   | 3572 |
| <a href="#">/data/tailf-mobile-infra:running-status/info={info-podInstance}</a>  | 3573 |
| <a href="#">/data/tailf-mobile-infra:running-status/info={info-podInstance}/podInstance</a>                              | 3575 |
| <a href="#">/data/tailf-mobile-infra:running-status/info={info-podInstance}/runningStatus</a>                            | 3576 |
| <a href="#">/data/tailf-mobile-infra:running-status/info={info-podInstance}/systemHealth</a>                             | 3577 |
| <a href="#">/data/tailf-mobile-infra:running-status/info={info-podInstance}/startTime</a>                                | 3579 |
| <a href="#">/data/tailf-mobile-infra:diagnostics</a>   | 3580 |
| <a href="#">/data/tailf-mobile-infra:diagnostics/info</a>  | 3583 |
| <a href="#">/data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}</a>                           | 3585 |
| <a href="#">/data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/podInstance</a>               | 3586 |
| <a href="#">/data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/diagnostic</a>                | 3587 |
| <a href="#">/data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/component</a>                 | 3589 |
| <a href="#">/data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/startTime</a>                 | 3590 |
| <a href="#">/data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/status</a>                    | 3591 |
| <a href="#">/data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/retries</a>                   | 3593 |
| <a href="#">/data/tailf-mobile-infra:infra</a>   | 3594 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics</a>   | 3598 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/experimental</a>  | 3601 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/experimental/version</a>  | 3605 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/verbose</a>   | 3608 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels</a>   | 3611 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}</a>                     | 3611 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/podType</a>             | 3615 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/level</a>               | 3618 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics</a>             | 3622 |
| <a href="#">/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList</a> | 3626 |
| <a href="#">/data/tailf-mobile-infra:infra/transaction</a>   | 3641 |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/limit</a>   | 3644 |

|  |                      |
|--|----------------------|
| <a href="#">/data/tailf-mobile-infra:infra/transaction/limit/stage</a>   | <a href="#">3648</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/limit/consecutive</a>   | <a href="#">3651</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/limit/consecutive/same</a>  | <a href="#">3654</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/limit/consecutive/same/stage</a>  | <a href="#">3658</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop</a>  | <a href="#">3661</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/detection</a>  | <a href="#">3664</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category</a>   | <a href="#">3667</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}</a>   | <a href="#">3668</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/name</a>  | <a href="#">3671</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold</a>                                     | <a href="#">3674</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/interval</a>                            | <a href="#">3678</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/thresholds</a>                          | <a href="#">3682</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/thresholds={thresholds-name}</a>        | <a href="#">3682</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/thresholds={thresholds-name}/name</a>   | <a href="#">3686</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/thresholds={thresholds-name}/count</a>  | <a href="#">3689</a> |
| <a href="#">/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/thresholds={thresholds-name}/action</a> | <a href="#">3693</a> |
| <a href="#">/data/tailf-mobile-infra:client</a>  | <a href="#">3696</a> |
| <a href="#">/data/tailf-mobile-infra:client/http</a>   | <a href="#">3700</a> |
| <a href="#">/data/tailf-mobile-infra:client/http/header</a>  | <a href="#">3703</a> |
| <a href="#">/data/tailf-mobile-infra:client/http/header/user-agent</a>   | <a href="#">3707</a> |
| <a href="#">/data/tailf-mobile-infra:client/http/ping</a>  | <a href="#">3710</a> |
| <a href="#">/data/tailf-mobile-infra:client/http/ping/timeout</a>  | <a href="#">3713</a> |
| <a href="#">/data/tailf-mobile-infra:client/http/ping/interval</a>   | <a href="#">3716</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound</a>   | <a href="#">3719</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface</a>   | <a href="#">3723</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}</a>   | <a href="#">3723</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/interface</a>                                     | <a href="#">3726</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit</a>   | <a href="#">3730</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/pending</a>                                 | <a href="#">3733</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/pending/response</a>                        | <a href="#">3737</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive</a>                             | <a href="#">3741</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive/failure</a>                     | <a href="#">3745</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive/failure/count</a>               | <a href="#">3749</a> |
| <a href="#">/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive/failure/codes</a>               | <a href="#">3752</a> |

[/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive/failure/codes={codes-id}](#) 3753

[/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host](#) 3756

[/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host/ping](#) 3760

[/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host/ping/timeout](#) 3764

[/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host/ping/interval](#) 3767

[/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host/ping/backoff](#) 3771

[/data/tailf-mobile-infra:client/outbound/limit](#) 3774

[/data/tailf-mobile-infra:client/outbound/limit/pending](#) 3778

[/data/tailf-mobile-infra:client/outbound/limit/pending/response](#) 3781

[/data/tailf-mobile-infra:client/outbound/limit/consecutive](#) 3784

[/data/tailf-mobile-infra:client/outbound/limit/consecutive/failure](#) 3788

[/data/tailf-mobile-infra:client/outbound/limit/consecutive/failure/count](#) 3792

[/data/tailf-mobile-infra:client/outbound/limit/consecutive/failure/codes](#) 3795

[/data/tailf-mobile-infra:client/outbound/limit/consecutive/failure/codes={codes-id}](#) 3795

[/data/tailf-mobile-infra:client/outbound/host](#) 3798

[/data/tailf-mobile-infra:client/outbound/host/ping](#) 3802

[/data/tailf-mobile-infra:client/outbound/host/ping/timeout](#) 3805

[/data/tailf-mobile-infra:client/outbound/host/ping/interval](#) 3808

[/data/tailf-mobile-infra:client/outbound/host/ping/backoff](#) 3811

[/data/tailf-mobile-infra:client/inbound](#) 3814

[/data/tailf-mobile-infra:client/inbound/interface](#) 3818

[/data/tailf-mobile-infra:client/inbound/interface={interface-interface}](#) 3818

[/data/tailf-mobile-infra:client/inbound/interface={interface-interface}/interface](#) 3822

[/data/tailf-mobile-infra:client/inbound/interface={interface-interface}/limit](#) 3825

[/data/tailf-mobile-infra:client/inbound/interface={interface-interface}/limit/pending](#) 3829

[/data/tailf-mobile-infra:client/inbound/interface={interface-interface}/limit/pending/request](#) 3833

[/data/tailf-mobile-infra:client/inbound/interface={interface-interface}/limit/overload](#) 3836

[/data/tailf-mobile-infra:client/inbound/interface={interface-interface}/limit/overload/reject-code](#) 3840

[/data/tailf-mobile-infra:client/inbound/limit](#) 3843

[/data/tailf-mobile-infra:client/inbound/limit/pending](#) 3847

[/data/tailf-mobile-infra:client/inbound/limit/pending/request](#) 3850

[/data/tailf-mobile-infra:client/inbound/limit/overload](#) 3853

[/data/tailf-mobile-infra:client/inbound/limit/overload/reject-code](#) 3857

[/data/tailf-mobile-infra:edr](#) 3860



|   |             |
|---|-------------|
| <a href="#">/data/tailf-mobile-infra:edr/reporting</a>  | <b>3863</b> |
| <a href="#">/data/tailf-mobile-infra:edr/edrsubscribers</a>   | <b>3866</b> |
| <a href="#">/data/tailf-mobile-infra:edr/edrsubscribers/subscribers</a>   | <b>3870</b> |
| <a href="#">/data/tailf-mobile-infra:edr/edrsubscribers/subscribers={subscribers-id}</a>  | <b>3870</b> |
| <a href="#">/data/tailf-mobile-infra:edr/all</a>  | <b>3874</b> |
| <a href="#">/data/tailf-mobile-infra:edr/all/subscribers</a>  | <b>3877</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file</a>   | <b>3880</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files</a>   | <b>3884</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}</a>  | <b>3884</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/name</a>   | <b>3887</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/reporting</a>  | <b>3890</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/verbose</a>  | <b>3893</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/limit</a>  | <b>3896</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/limit/size</a>   | <b>3900</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/limit/count</a>  | <b>3903</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/rate</a>   | <b>3906</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/flush</a>  | <b>3909</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/flush/interval</a>   | <b>3913</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/procedure</a>  | <b>3916</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id</a>  | <b>3920</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}</a>              | <b>3921</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/procedure</a>    | <b>3924</b> |
| <a href="#">/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner</a> | <b>3928</b> |
| <a href="#">/data/tailf-mobile-infra:instance</a>   | <b>3952</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id</a>   | <b>3955</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}</a>  | <b>3956</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/id</a>   | <b>3959</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint</a>   | <b>3962</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep</a>  | <b>3966</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}</a>                                  | <b>3966</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/eptype</a>                           | <b>3970</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/replicas</a>                         | <b>3973</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/nodes</a>                            | <b>3977</b> |
| <a href="#">/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/loopbackEth</a>                      | <b>3980</b> |

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/loopbackPort](#) 3984

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/instancetype](#) 3987

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip](#) 3991

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}](#) 3991

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}/vip-ip](#) 3995

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}/vip-port](#) 3999

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}/vip-interface](#) 4002

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}/offline](#) 4006

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}/vrf](#) 4009

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip6](#) 4013

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip6={vip6-vip-ipv6}](#) 4013

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip6={vip6-vip-ipv6}/vip-ipv6](#) 4017

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip6={vip6-vip-ipv6}/vip-ipv6-port](#) 4021

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip6={vip6-vip-ipv6}/offline](#) 4024

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip6={vip6-vip-ipv6}/vrf](#) 4028

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level](#) 4032

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/warn](#) 4036

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/critical](#) 4050

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/crash](#) 4065

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/uri-scheme](#) 4079

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/certificate-name](#) 4083

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service](#) 4086

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}](#) 4087

[/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface](#) 4240

[/data/tailf-mobile-infra:endpoint](#) 4382

[/data/tailf-mobile-infra:endpoint/info](#) 4386

[/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}](#) 4387

[/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/endpoint](#) 4388

[/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/address](#) 4389

[/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/type](#) 4391

[/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/status](#) 4392

[/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/Interface](#) 4393

[/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/internal](#) 4395

[/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/startTime](#) 4396

|   |      |
|---|------|
| <a href="#">/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/stoppedTime</a>               | 4397 |
| <a href="#">/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/grInstance</a>                | 4399 |
| <a href="#">/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/vrf</a>                       | 4400 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all</a>   | 4401 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}</a>             | 4403 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/grInstance</a>  | 4404 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/endpoint</a>    | 4405 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/address</a>     | 4407 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/type</a>        | 4408 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/status</a>      | 4410 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/Interface</a>   | 4411 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/internal</a>    | 4412 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/startTime</a>   | 4414 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/stoppedTime</a> | 4415 |
| <a href="#">/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/vrf</a>         | 4417 |
| <a href="#">/data/tailf-mobile-infra:vrf</a>  | 4418 |
| <a href="#">/data/tailf-mobile-infra:vrf/vrflist</a>  | 4421 |
| <a href="#">/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}</a>   | 4422 |
| <a href="#">/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/name</a>  | 4425 |
| <a href="#">/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/gateway</a>                                     | 4428 |
| <a href="#">/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/gatewayIpv6</a>                                 | 4431 |
| <a href="#">/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/device</a>                                      | 4434 |
| <a href="#">/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/linkDevice</a>                                  | 4437 |
| <a href="#">/data/tailf-mobile-infra:vrf-info</a>   | 4441 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all</a>   | 4444 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}</a>  | 4445 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}/name</a>   | 4447 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}/gateway</a>  | 4448 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}/gatewayIpv6</a>                                    | 4449 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}/device</a>   | 4450 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}/linkDevice</a>                                     | 4452 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}/tableId</a>  | 4453 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}/state</a>  | 4454 |
| <a href="#">/data/tailf-mobile-infra:vrf-info/all={all-name}/podName</a>  | 4455 |

|  |      |
|--|------|
| <a href="#">/data/tailf-mobile-infra:logging</a>   | 4457 |
| <a href="#">/data/tailf-mobile-infra:logging/transaction</a>                                   | 4460 |
| <a href="#">/data/tailf-mobile-infra:logging/transaction/persist</a>                           | 4464 |
| <a href="#">/data/tailf-mobile-infra:logging/transaction/max-file-size</a>                     | 4467 |
| <a href="#">/data/tailf-mobile-infra:logging/transaction/max-rotation</a>                      | 4470 |
| <a href="#">/data/tailf-mobile-infra:logging/transaction/message</a>                           | 4473 |
| <a href="#">/data/tailf-mobile-infra:logging/transaction/duplicate</a>                         | 4476 |
| <a href="#">/data/tailf-mobile-infra:logging/level</a>   | 4479 |
| <a href="#">/data/tailf-mobile-infra:logging/level/application</a>                             | 4482 |
| <a href="#">/data/tailf-mobile-infra:logging/level/transaction</a>                             | 4485 |
| <a href="#">/data/tailf-mobile-infra:logging/level/tracing</a>                                 | 4488 |
| <a href="#">/data/tailf-mobile-infra:logging/level/monitor-subscriber</a>                      | 4491 |
| <a href="#">/data/tailf-mobile-infra:logging/logger</a>  | 4494 |
| <a href="#">/data/tailf-mobile-infra:logging/logger={logger-name}</a>                          | 4494 |
| <a href="#">/data/tailf-mobile-infra:logging/logger={logger-name}/name</a>                     | 4497 |
| <a href="#">/data/tailf-mobile-infra:logging/logger={logger-name}/level</a>                    | 4501 |
| <a href="#">/data/tailf-mobile-infra:logging/logger={logger-name}/level/application</a>        | 4504 |
| <a href="#">/data/tailf-mobile-infra:logging/logger={logger-name}/level/transaction</a>        | 4508 |
| <a href="#">/data/tailf-mobile-infra:logging/logger={logger-name}/level/tracing</a>            | 4511 |
| <a href="#">/data/tailf-mobile-infra:logging/logger={logger-name}/level/monitor-subscriber</a> | 4514 |
| <a href="#">/data/tailf-mobile-infra:logging/async</a>   | 4517 |
| <a href="#">/data/tailf-mobile-infra:logging/async/application</a>                             | 4521 |
| <a href="#">/data/tailf-mobile-infra:logging/async/application/enable</a>                      | 4524 |
| <a href="#">/data/tailf-mobile-infra:logging/async/application/enable/buffer-size</a>          | 4528 |
| <a href="#">/data/tailf-mobile-infra:logging/async/application/disable</a>                     | 4531 |
| <a href="#">/data/tailf-mobile-infra:logging/async/transaction</a>                             | 4534 |
| <a href="#">/data/tailf-mobile-infra:logging/async/transaction/enable</a>                      | 4537 |
| <a href="#">/data/tailf-mobile-infra:logging/async/transaction/enable/buffer-size</a>          | 4541 |
| <a href="#">/data/tailf-mobile-infra:logging/async/transaction/disable</a>                     | 4544 |
| <a href="#">/data/tailf-mobile-infra:logging/async/tracing</a>                                 | 4547 |
| <a href="#">/data/tailf-mobile-infra:logging/async/tracing/enable</a>                          | 4551 |
| <a href="#">/data/tailf-mobile-infra:logging/async/tracing/enable/buffer-size</a>              | 4554 |
| <a href="#">/data/tailf-mobile-infra:logging/async/tracing/disable</a>                         | 4557 |
| <a href="#">/data/tailf-mobile-infra:logging/async/monitor-subscriber</a>                      | 4560 |

|   |                      |
|---|----------------------|
| <a href="#">/data/tailf-mobile-infra:logging/async/monitor-subscriber/enable</a>  | <a href="#">4564</a> |
| <a href="#">/data/tailf-mobile-infra:logging/async/monitor-subscriber/enable/buffer-size</a>                                    | <a href="#">4567</a> |
| <a href="#">/data/tailf-mobile-infra:logging/async/monitor-subscriber/disable</a>   | <a href="#">4570</a> |
| <a href="#">/data/tailf-mobile-infra:logging/error</a>  | <a href="#">4573</a> |
| <a href="#">/data/tailf-mobile-infra:logging/error/stack</a>  | <a href="#">4577</a> |
| <a href="#">/data/tailf-mobile-infra:nodemonitor</a>  | <a href="#">4580</a> |
| <a href="#">/data/tailf-mobile-infra:nodemonitor/mode</a>   | <a href="#">4583</a> |
| <a href="#">/data/tailf-mobile-infra:nodemonitor/interval</a>   | <a href="#">4586</a> |
| <a href="#">/data/tailf-mobile-infra:router</a>   | <a href="#">4589</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist</a>   | <a href="#">4593</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}</a>   | <a href="#">4593</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/bgp</a>   | <a href="#">4596</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/loopbackPort</a>  | <a href="#">4600</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/loopbackBFDPort</a>   | <a href="#">4603</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/learnDefaultRoute</a>   | <a href="#">4606</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList</a>   | <a href="#">4609</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}</a>                   | <a href="#">4610</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/interface</a>         | <a href="#">4613</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/bondingInterfaces</a> | <a href="#">4617</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/vrf</a>               | <a href="#">4624</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors</a>         | <a href="#">4628</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies</a>  | <a href="#">4643</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}</a>                           | <a href="#">4643</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/policy-name</a>               | <a href="#">4646</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/as-path-set</a>               | <a href="#">4650</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/ip-prefix</a>                 | <a href="#">4653</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/source-prefix</a>             | <a href="#">4657</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/mask-range</a>                | <a href="#">4660</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/interface</a>                 | <a href="#">4664</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/modifySourceIp</a>            | <a href="#">4667</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/isStaticRoute</a>             | <a href="#">4671</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/gateWay</a>                   | <a href="#">4674</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/bfd</a>   | <a href="#">4678</a> |
| <a href="#">/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/bfd/interval</a>  | <a href="#">4682</a> |

[/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/bfd/min\\_rx](#) 4685

[/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/bfd/multiplier](#) 4688

[/data/tailf-mobile-infra:router/bfd](#) 4691

[/data/tailf-mobile-infra:router/bfd/instance](#) 4695

[/data/tailf-mobile-infra:router/bfd/instance/instance-id](#) 4698

[/data/tailf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}](#) 4699

[/data/tailf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/id](#) 4702

[/data/tailf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list](#) 4705

[/data/tailf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}](#) 4706

[/data/tailf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/vrf](#) 4713

[/data/tailf-mobile-infra:router/monitor-interface](#) 4727

[/data/tailf-mobile-infra:router/monitor-interface/interface-list](#) 4731

[/data/tailf-mobile-infra:router/monitor-interface/interface-list={interface-list-interface}](#) 4731

[/data/tailf-mobile-infra:router/monitor-interface/interface-list={interface-list-interface}/interface](#) 4734

[/data/tailf-mobile-infra:router/monitor-interface/interface-list={interface-list-interface}/linked-interface](#) 4738

[/data/tailf-mobile-infra:router/monitor-interface/interface-list={interface-list-interface}/interface-type](#) 4741

[/data/tailf-mobile-infra:deployment](#) 4745

[/data/tailf-mobile-infra:deployment/app-name](#) 4748

[/data/tailf-mobile-infra:deployment/cluster-name](#) 4751

[/data/tailf-mobile-infra:deployment/dc-name](#) 4754

[/data/tailf-mobile-infra:deployment/model](#) 4757

[/data/tailf-mobile-infra:deployment/resource](#) 4760

[/data/tailf-mobile-infra:deployment/resource/cpu](#) 4763

[/data/tailf-mobile-infra:deployment/logical-nf-instance-id](#) 4766

[/data/tailf-mobile-infra:k8](#) 4769

[/data/tailf-mobile-infra:k8/label](#) 4773

[/data/tailf-mobile-infra:k8/label/pod-group-config](#) 4776

[/data/tailf-mobile-infra:geo](#) 4791

[/data/tailf-mobile-infra:show](#) 4792

[/data/tailf-mobile-infra:clear](#) 4793

[/data/tailf-mobile-infra:dump](#) 4795

[/data/tailf-mobile-infra:config-error](#) 4798

[/data/tailf-mobile-infra:config-error/info](#) 4802

[/data/tailf-mobile-infra:config-error/info={info-errorComponent}](#) 4803

|   |             |
|---|-------------|
| <a href="#">/data/tailf-mobile-infra:config-error/info={info-errorComponent}/errorComponent</a>                         | <b>4804</b> |
| <a href="#">/data/tailf-mobile-infra:config-error/info={info-errorComponent}/errorDescription</a>                       | <b>4805</b> |
| <a href="#">/data/tailf-mobile-infra:resource</a>   | <b>4807</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod</a>   | <b>4810</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}</a>   | <b>4811</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/podtype</a>   | <b>4814</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/cpu</a>   | <b>4817</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/cpu/request</a>   | <b>4821</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/cpu/limit</a>   | <b>4824</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/memory</a>  | <b>4827</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/memory/request</a>                                      | <b>4831</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/memory/limit</a>  | <b>4834</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/gomaxproc</a>   | <b>4837</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/labels</a>  | <b>4840</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/labels/key</a>  | <b>4844</b> |
| <a href="#">/data/tailf-mobile-infra:resource/pod={pod-podtype}/labels/value</a>  | <b>4847</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor</a>   | <b>4850</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/podmonitor</a>  | <b>4853</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/podmonitor/pods</a>   | <b>4857</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}</a>   | <b>4857</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/name</a>                                    | <b>4860</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryCount</a>                              | <b>4864</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryInterval</a>                           | <b>4867</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryFailOverInterval</a>                   | <b>4870</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/failedReplicaPercent</a>                    | <b>4873</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/remotecclustermonitor</a>   | <b>4877</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/remotecclustermonitor/retryCount</a>                                    | <b>4880</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/remotecclustermonitor/retryInterval</a>                                 | <b>4883</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/vipmonitor</a>  | <b>4886</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/vipmonitor/instance</a>   | <b>4890</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}</a>                          | <b>4890</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/instance-id</a>              | <b>4894</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips</a>                     | <b>4897</b> |
| <a href="#">/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}</a> | <b>4897</b> |

[/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/vipInterface](#) 4901

[/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/vipIp](#) 4904

[/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/vipPort](#) 4908

[/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/retryCount](#) 4911

[/data/tailf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/retryInterval](#) 4915

[/data/tailf-mobile-infra:geomonitor/trafficMonitor](#) 4922

[/data/tailf-mobile-infra:geomonitor/trafficMonitor/thresholdCount](#) 4925

[/data/tailf-mobile-infra:geomonitor/trafficMonitor/thresholdInterval](#) 4928

[/data/tailf-mobile-infra:instances](#) 4932

[/data/tailf-mobile-infra:instances/instance](#) 4935

[/data/tailf-mobile-infra:instances/instance={instance-instance-id}](#) 4935

[/data/tailf-mobile-infra:instances/instance={instance-instance-id}/instance-id](#) 4939

[/data/tailf-mobile-infra:instances/instance={instance-instance-id}/system-id](#) 4942

[/data/tailf-mobile-infra:instances/instance={instance-instance-id}/cluster-id](#) 4945

[/data/tailf-mobile-infra:instances/instance={instance-instance-id}/slice-name](#) 4948

[/data/tailf-mobile-infra:local-instance](#) 4952

[/data/tailf-mobile-infra:local-instance/instance](#) 4955

[/data/tailf-mobile-infra:datastore](#) 4958

[/data/tailf-mobile-infra:datastore/session-db](#) 4962

[/data/tailf-mobile-infra:datastore/session-db/endpoints](#) 4965

[/data/tailf-mobile-infra:datastore/session-db/endpoints={endpoints-host}](#) 4966

[/data/tailf-mobile-infra:datastore/session-db/endpoints={endpoints-host}/host](#) 4969

[/data/tailf-mobile-infra:datastore/session-db/endpoints={endpoints-host}/port](#) 4972

[/data/tailf-mobile-infra:datastore/dbs](#) 4975

[/data/tailf-mobile-infra:datastore/dbs={dbs-name}](#) 4976

[/data/tailf-mobile-infra:datastore/dbs={dbs-name}/name](#) 4979

[/data/tailf-mobile-infra:datastore/dbs={dbs-name}/endpoints](#) 4982

[/data/tailf-mobile-infra:datastore/dbs={dbs-name}/endpoints={endpoints-host}](#) 4982

[/data/tailf-mobile-infra:datastore/dbs={dbs-name}/endpoints={endpoints-host}/host](#) 4986

[/data/tailf-mobile-infra:datastore/dbs={dbs-name}/endpoints={endpoints-host}/port](#) 4989

[/data/tailf-mobile-infra:datastore/notification-ep](#) 4993

[/data/tailf-mobile-infra:datastore/notification-ep/host](#) 4996

[/data/tailf-mobile-infra:datastore/notification-ep/port](#) 4999



**CHAPTER 7**

|                                 |             |
|---------------------------------|-------------|
| <b>ipam_exec</b>                | <b>5661</b> |
| Info                            | 5661        |
| tags                            | 5661        |
| Paths                           | 5662        |
| /                               | 5662        |
| /operations                     | 5663        |
| /yang-library-version           | 5663        |
| /data                           | 5664        |
| /data/cisco-exec-ipam:reconcile | 5667        |

**CHAPTER 8**

|   |             |
|---|-------------|
| <b>ipam</b>   | <b>5673</b> |
| Info  | 5673        |
| tags  | 5673        |
| Paths   | 5674        |
| /   | 5674        |
| /operations   | 5675        |
| /yang-library-version   | 5675        |
| /data   | 5676        |
| /data/cisco-cn-ipam:ipam  | 5679        |
| /data/cisco-cn-ipam:ipam/instance   | 5683        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}  | 5683        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/instance-id  | 5686        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source   | 5689        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/local   | 5693        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external  | 5696        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external/ipam   | 5700        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external/ipam/host                                      | 5704        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external/ipam/port                                      | 5707        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external/ipam/vendor                                    | 5711        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool   | 5714        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}                          | 5714        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/pool-name                | 5718        |
| /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/address-quarantine-timer | 5721        |

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/address-quarantine-qsize](#) 5725

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/offline](#) 5728

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/vrf-name](#) 5732

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4](#) 5735

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range](#) 5739

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range](#) 5758

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/split-size](#) 5777

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/split-size/per-cache](#) 5781

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/split-size/per-dp](#) 5785

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/split-size/no-split](#) 5788

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/threshold](#) 5792

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6](#) 5800

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges](#) 5804

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges](#) 5860

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/cisco-bng-ipam:static](#) 5905

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/threshold](#) 5916

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/threshold/ipv4-addr](#) 5920

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/threshold/ipv6-addr](#) 5923

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/threshold/ipv6-prefix](#) 5926

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/min-dp-addr-size](#) 5930

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/min-dp-addr-size/ipv4-addr](#) 5934

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/min-dp-addr-size/ipv6-addr](#) 5937

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/min-dp-addr-size/ipv6-prefix](#) 5940

[/data/cisco-cn-ipam:ipam:pool](#) 5943

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}](#) 5945

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/pool-name](#) 5946

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/gr-inst-id](#) 5947

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/ipv4-total](#) 5948

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/ipv4-used](#) 5950

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/ipv4-threshold](#) 5951

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/ipv6-addr-total](#) 5952

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/ipv6-addr-used](#) 5953

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/ipv6-addr-threshold](#) 5955

[/data/cisco-cn-ipam:ipam:pool={pool-pool-name}/ipv6-pfx-total](#) 5956

|  |      |
|--|------|
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-pfx-used</a>                                     | 5957 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-pfx-threshold</a>                                | 5958 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-rsvd-addr</a>                                    | 5960 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/app-name-bng</a>                                      | 5961 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/static</a>  | 5962 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/offline</a>   | 5964 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr</a>   | 5965 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}</a>                  | 5966 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/start-addr</a>       | 5967 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/pool</a>             | 5969 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/index</a>            | 5970 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/end-addr</a>         | 5971 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/alloc-id</a>         | 5973 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/route</a>            | 5974 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/static</a>           | 5975 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/offline</a>          | 5977 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/native-inst-id</a>   | 5978 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/peer-inst-id</a>     | 5980 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/flag</a>             | 5981 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/native-peer-id</a>   | 5982 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/addr-alloc-thrs</a>  | 5984 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/alloc-addrs-list</a> | 5985 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr</a>   | 5986 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}</a>                  | 5988 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/start-addr</a>       | 5989 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/pool</a>             | 5990 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/index</a>            | 5992 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/end-addr</a>         | 5993 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/alloc-id</a>         | 5994 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/route</a>            | 5996 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/static</a>           | 5997 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/offline</a>          | 5998 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/native-inst-id</a>   | 6000 |
| <a href="#">/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/peer-inst-id</a>     | 6001 |

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/flag](#) 6003

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/native-peer-id](#) 6004

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/addr-alloc-thrs](#) 6005

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/alloc-addrs-list](#) 6007

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix](#) 6008

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}](#) 6009

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/start-addr](#) 6011

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/pool](#) 6012

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/index](#) 6013

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/end-addr](#) 6015

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/alloc-id](#) 6016

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/route](#) 6017

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/static](#) 6019

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/offline](#) 6020

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/native-inst-id](#) 6022

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/peer-inst-id](#) 6023

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/flag](#) 6024

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/native-peer-id](#) 6026

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/addr-alloc-thrs](#) 6027

[/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/alloc-addrs-list](#) 6028

[/data/cisco-cn-ipam:ipam/dp](#) 6030

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}](#) 6031

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/dp-name](#) 6032

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/gr-inst-id](#) 6033

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-total](#) 6035

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-used](#) 6036

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-threshold](#) 6037

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr-total](#) 6038

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr-used](#) 6040

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr-threshold](#) 6041

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-pfx-total](#) 6042

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-pfx-used](#) 6044

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-pfx-threshold](#) 6045

[/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-rsvd-addr](#) 6046

|   |             |
|---|-------------|
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/app-name-bng</code>  | <b>6047</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/static</code>  | <b>6049</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/offline</code>   | <b>6050</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr</code>   | <b>6051</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}</code>               | <b>6052</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/start-addr</code>    | <b>6054</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/pool</code>          | <b>6055</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/index</code>         | <b>6057</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/end-addr</code>      | <b>6058</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/alloc-id</code>      | <b>6060</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/route</code>         | <b>6061</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/static</code>        | <b>6062</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/offline</code>       | <b>6064</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/peer-inst-id</code>  | <b>6067</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/flag</code>          | <b>6068</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr</code>   | <b>6074</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}</code>               | <b>6075</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/start-addr</code>    | <b>6077</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/pool</code>          | <b>6078</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/index</code>         | <b>6079</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/end-addr</code>      | <b>6081</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/alloc-id</code>      | <b>6082</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/route</code>         | <b>6084</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/static</code>        | <b>6085</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/offline</code>       | <b>6087</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/peer-inst-id</code>  | <b>6090</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/flag</code>          | <b>6091</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix</code>   | <b>6097</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}</code>       | <b>6098</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/pool</code>  | <b>6101</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/index</code> | <b>6102</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/route</code> | <b>6107</b> |
| <code>/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/flag</code>  | <b>6114</b> |
| <code>/data/cisco-cn-ipam:ipam/dp-tag</code>  | <b>6119</b> |

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}](#) **6121**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/dp-tag](#) **6122**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/gr-inst-id](#) **6123**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-total](#) **6124**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-used](#) **6126**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-threshold](#) **6127**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr-total](#) **6128**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr-used](#) **6129**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr-threshold](#) **6131**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-pfx-total](#) **6132**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-pfx-used](#) **6133**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-pfx-threshold](#) **6134**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-rsvd-addr](#) **6136**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/app-name-bng](#) **6137**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/static](#) **6138**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/offline](#) **6139**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr](#) **6141**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}](#) **6142**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/pool](#) **6145**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/index](#) **6146**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/route](#) **6151**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/static](#) **6152**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/flag](#) **6158**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr](#) **6163**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}](#) **6165**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/pool](#) **6168**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/index](#) **6169**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/route](#) **6173**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/static](#) **6175**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/flag](#) **6180**

[/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix](#) **6186**



## About this Guide



**Note** The documentation set for this product strives to use bias-free language. For purposes of this documentation set, bias-free is defined as language that does not imply discrimination based on age, disability, gender, racial identity, ethnic identity, sexual orientation, socioeconomic status, and intersectionality. While any existing biased terms are being substituted, exceptions may be present in the documentation due to language that is hardcoded in the user interfaces of the product software, language used based on RFP documentation, or language that is used by a referenced third-party product.

This guide provides details about the APIs available for the Cloud Native Broadband Network Gateway (cnBNG) Control Plane (CP).

- [Conventions Used, on page xlvii](#)

## Conventions Used

The following tables describe the conventions used throughout this documentation.

| Notice Type      | Description  |
|------------------|--|
| Information Note | Provides information about important features or instructions.   |
| Caution          | Alerts you of potential damage to a program, device, or system.  |
| Warning          | Alerts you of potential personal injury or fatality. May also alert you of potential electrical hazards. |

| Typeface Conventions                 | Description   |
|--------------------------------------|---|
| Text represented as a screen display | This typeface represents displays that appear on your terminal screen, for example:<br><br>Login: |

| Typeface Conventions                                 | Description   |
|--|---|
| Text represented as <b>commands</b>                  | <p>This typeface represents commands that you enter, for example:</p> <p><b>show ip access-list</b></p> <p>This document always gives the full form of a command in lowercase letters. Commands are not case sensitive.</p> |
| Text represented as a <b>command</b> <i>variable</i> | <p>This typeface represents a variable that is part of a command, for example:</p> <p><b>show card</b> <i>slot_number</i></p> <p><i>slot_number</i> is a variable representing the desired chassis slot number.</p>         |
| Text represented as menu or sub-menu names           | <p>This typeface represents menus and sub-menus that you access within a software application, for example:</p> <p>Click the <b>File</b> menu, then click <b>New</b></p>  |





# CHAPTER 1

## cdl

---

- [Info](#), on page 1
- [tags](#), on page 1
- [Paths](#), on page 2

## Info

**Title:** cisco-smi-cdl  
**Description:** ''  
**Version:** '2022-03-16'  
**basePath:** /restconf

## tags

- **Name:** root  
**Description:** root resources
- **Name:** operations  
**Description:** operations resources
- **Name:** data  
**Description:** data resources
- **Name:** get  
**Description:** get resources
- **Name:** head  
**Description:** head resources
- **Name:** post  
**Description:** post resources
- **Name:** patch  
**Description:** patch resources
- **Name:** put  
**Description:** put resources
- **Name:** options  
**Description:** options resources
- **Name:** delete  
**Description:** delete resources

```

schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

## Paths

/

```

get:

Tags:
- root
- get
Summary: ''
Description: ''
Operation ID: root_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/root'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: ''
Description: ''

```

```
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /operations

```
get:

Tags:
- operations
- get
Summary: ''
Description: ''
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

## /yang-library-version

```
get:

Tags:
```

```

- yang-library-version
- get
Summary: ''
Description: ''
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: ''
Description: ''
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data

**get:**

```

Tags:
- data

```

```
- get
Summary: ''
Description: ''
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_post
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/data-post'

**Responses:**

'201':  
**Description:** Created  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data-put-patch'

**Responses:**

'201':  
**Description:** Created  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data-put-patch'

**Responses:**  
**'204':**  
  **Description:** No Content  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'  
**'409':**  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

## /data/cisco-smi-cdl:feature-gates

**get:**

**Tags:**  
- data  
- get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Description:** OK  
  **Schema:**  
    **Reference:** '#/definitions/data\_cisco-smi-cdl\_feature-gates'  
**'204':**  
  **Reference:** '#/responses/204'  
**'400':**

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_feature_gates_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_feature_gates_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_feature-gates-post'

  Responses:
  '201':
    Description: container feature-gates created
  '204':
    Reference: '#/responses/204'
  '400':

```



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_feature_gates_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_feature-gates'

  Responses:
  '201':
    Description: container feature-gates created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_feature_gates_patch
  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/data\_cisco-smi-cdl\_feature-gates'

**Responses:**

'204':  
**Description:** container feature-gates updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:feature-gates/alpha

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_alpha\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-cdl\_feature-gates\_alpha'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_alpha\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_alpha\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_feature-gates\_alpha'

**Responses:**

'201':  
 Description: leaf alpha created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_alpha\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_feature-gates\_alpha'

```
Responses:
  '204':
    Description: leaf alpha updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_feature_gates_alpha_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_feature_gates_alpha_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:feature-gates/test

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_test\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_feature-gates\_test'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_feature\_gates\_test\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_feature_gates_test_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_feature-gates_test'

Responses:
  '201':
    Description: leaf test created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_feature_gates_test_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_feature-gates_test'
```

```

Responses:
  '204':
    Description: leaf test updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_feature_gates_test_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_feature_gates_test_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```



## /data/cisco-smi-cdl:cdl

### get:

**Tags:**

- data
- get

**Summary:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Description:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Description:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**Method:** Post

**Tags:**  
 - data  
 - post

**Summary:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Description:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_post

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl-post'

**Responses:**  
 '201':  
   **Description:** container cdl created  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Summary:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Description:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl'

**Responses:**

- '201':
  - Description:** container cdl created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Description:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl'

**Responses:**

- '204':
  - Description:** container cdl updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: Configure cdl parameters for deployment. If cdl container is not configured,
the cdl chart wont be deployed
Description: Configure cdl parameters for deployment. If cdl container is not
configured, the cdl chart wont be deployed
Operation ID: data_cisco_smi_cdl_cdl_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: Configure cdl parameters for deployment. If cdl container is not configured,
the cdl chart wont be deployed
Description: Configure cdl parameters for deployment. If cdl container is not
configured, the cdl chart wont be deployed
Operation ID: data_cisco_smi_cdl_cdl_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/repository

```
get:
```

```
Tags:
- data
```

```

- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_repository_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_repository'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_repository_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':

```

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_repository_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_repository'

Responses:
  '201':
    Description: leaf repository created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_repository_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_repository'

Responses:
  '204':
    Description: leaf repository updated
  '400':
    Reference: '#/responses/400'
  '401':

```

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_repository_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_repository_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/system-id

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_system\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_system-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_system\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []



**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_system\_id\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_system-id'

**Responses:****'201':****Description:** leaf system-id created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_system\_id\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_system-id'

**Responses:****'204':****Description:** leaf system-id updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_system_id_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_system_id_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/node-type

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_node_type_get
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_node-type'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_node_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
```

```

- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_node_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_node-type'

Responses:
  '201':
    Description: leaf node-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_node_type_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_node-type'

Responses:
  '204':
    Description: leaf node-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_node_type_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_node_type_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/enable-geo-replication

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_enable_geo_replication_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_enable-geo-replication'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_enable\_geo\_replication\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

```
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_enable_geo_replication_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_enable-geo-replication'

Responses:
'201':
  Description: leaf enable-geo-replication created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_enable_geo_replication_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_enable-geo-replication'

Responses:
'204':
  Description: leaf enable-geo-replication updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_enable_geo_replication_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_enable_geo_replication_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/deployment-model

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_deployment_model_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```



```
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_deployment-model'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_deployment_model_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_deployment_model_put
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_deployment-model'

Responses:
  '201':
    Description: leaf deployment-model created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_deployment_model_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_deployment-model'

Responses:
  '204':
    Description: leaf deployment-model updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

```

```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_deployment_model_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_deployment_model_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/advanced-config-profile

```
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_advanced_config_profile_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

**/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name'
- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':

Description: list advanced-config-profile created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name'

Responses:
  '204':
    Description: list advanced-config-profile updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

```

Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
    head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []
    put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_name'

  Responses:
    '201':
      Description: leaf name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_name'

  Responses:
    '204':
      Description: leaf name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_name_delete
  produces:
    - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/e

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_post

```

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/advanced-config-profile-name'  
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint-post'

**Responses:**  
'201':  
  **Description:** container endpoint created  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_put

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/advanced-config-profile-name'  
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint'

**Responses:**  
'201':  
  **Description:** container endpoint created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint'

    Responses:
    '204':
        Description: container endpoint updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
    options:

Tags:
  - data
  - options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_options

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/e

```

get:

Tags:
  - data
  - get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_write_response_queue_size_get

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-response-queue-size'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-response-queue-size\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-response-queue-size\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-response-queue-size'

**Responses:**

'201':

**Description:** leaf write-response-queue-size created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-response-queue-size\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-response-queue-size'

**Responses:**

'204':

**Description:** leaf write-response-queue-size updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_write_response_queue_size_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_write_response_queue_size_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_write_worker_count_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-worker-count'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_write_worker_count_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco-smi-cdl:cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-worker-count\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl:cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-worker-count'

**Responses:**

'201':  
 Description: leaf write-worker-count created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_write\_worker\_count\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'

- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-worker-count'

**Responses:**

'204':

**Description:** leaf write-worker-count updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**delete:****Tags:**- data  
- delete**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_write\_worker\_count\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_write\_worker\_count\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []**/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}****get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_write\_queue\_size\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_write-queue-size'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_write_queue_size_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_write_queue_size_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-queue-size'

  Responses:
    '201':
      Description: leaf write-queue-size created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_write_queue_size_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-queue-size'

  Responses:
  '204':
    Description: leaf write-queue-size updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_write\_queue\_size\_delete

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'**Responses:**

'204':

**Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_write\_queue\_size\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/e

**get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_response\_queue\_size\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'- **\$ref:** '#/parameters/content'



- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_read-response-queue-size'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_read-response-queue-size\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_response\_queue\_size\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'

- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_read-response-queue-size'

**Responses:**

'201':

**Description:** leaf read-response-queue-size created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_response\_queue\_size\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'

- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_read-response-queue-size'

**Responses:**

'204':

```

    Description: leaf read-response-queue-size updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_read_response_queue_size_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_read_response_queue_size_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/e

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_worker\_count\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_read-worker-count'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_worker\_count\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/advanced-config-profile-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_worker\_count\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/advanced-config-profile-name'  
 - **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_read-worker-count'

**Responses:**  
 '201':  
   **Description:** leaf read-worker-count created or replaced

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_worker\_count\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_read-worker-count'

**Responses:**

'204':

**Description:** leaf read-worker-count updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_worker\_count\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_worker\_count\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_read\_queue\_size\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**  
#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_read-queue-size'

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_read_queue_size_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_read_queue_size_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref:
'/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-queue-size'
```



```

Responses:
  '201':
    Description: leaf read-queue-size created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_read_queue_size_patch

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-queue-size'

Responses:
  '204':
    Description: leaf read-queue-size updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_read_queue_size_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_read_queue_size_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/e

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_max_concurrent_operations_get

produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_max-concurrent-operations'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_max-concurrent-operations\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_max_concurrent_operations_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_max-concurrent-operations'

Responses:
    '201':
        Description: leaf max-concurrent-operations created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_max_concurrent_operations_patch

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref:

```

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_max-concurrent-operations'

**Responses:**

'204':

**Description:** leaf max-concurrent-operations updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_max-concurrent-operations\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_max-concurrent-operations\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/e

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_operation\_timeout\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/advanced-config-profile-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_operation-timeout'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_operation\_timeout\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_operation\_timeout\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_operation-timeout'

**Responses:**

'201':

**Description:** leaf operation-timeout created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_operation_timeout_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_operation-timeout'

Responses:
'204':
    Description: leaf operation-timeout updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_operation_timeout_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

```



```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
    options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_operation_timeout_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/advanced-config-profile-name'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_index_timeout_get

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/advanced-config-profile-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK

```

```

Schema:
  Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_index-timeout'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_index_timeout_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_index_timeout_put

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_index-timeout'

Responses:
'201':
  Description: leaf index-timeout created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_index-timeout_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_index-timeout'

Responses:
'204':
  Description: leaf index-timeout updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_index_timeout_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_index_timeout_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/e

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_slot_timeout_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_slot-timeout'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_slot_timeout_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_slot\_timeout\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_slot-timeout'

**Responses:**

- '201':
  - Description: leaf slot-timeout created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''****Description: ''**

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_slot\_timeout\_patch

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref**: '#/parameters/advanced-config-profile-name'- **\$ref**:

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_slot-timeout'

**Responses:**

'204':

**Description:** leaf slot-timeout updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth**: []**delete:****Tags:**

- data

- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_slot\_timeout\_delete

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref**: '#/parameters/advanced-config-profile-name'**Responses:**

'204':

**Reference:** '#/responses/204'**security:**- **basicAuth**: []**options:****Tags:**

- data

- options

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_slot\_timeout\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []**/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/e****get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_remote\_ep\_connection\_count\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_endpoint\_remote-ep-connection-count'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_remote_ep_connection_count_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_remote_ep_connection_count_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_remote-ep-connection-count'

  Responses:
    '201':
      Description: leaf remote-ep-connection-count created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_endpoint_remote_ep_connection_count_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_remote-ep-connection-count'

Responses:
  '204':
    Description: leaf remote-ep-connection-count updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_remote\_ep\_connection\_count\_delete

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref**: '#/parameters/advanced-config-profile-name'**Responses:**

'204':

**Reference**: '#/responses/204'**security:**- **basicAuth**: []**options:****Tags:**- data  
- options**Summary**: ''**Description**: ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_endpoint\_remote\_ep\_connection\_count\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref**: '#/parameters/advanced-config-profile-name'**Responses:**

'200':

**Reference**: '#/responses/200'**security:**- **basicAuth**: []**/data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}****get:****Tags:**- data  
- get**Summary**: ''**Description**: ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_index\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref**: '#/parameters/advanced-config-profile-name'- **\$ref**: '#/parameters/content'- **\$ref**: '#/parameters/depth'

```

- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
  - data

```

```

- post
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index-post'

Responses:
'201':
  Description: container index created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index'

Responses:
'201':
  Description: container index created or replaced
'204':
  Reference: '#/responses/204'
'400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index'

Responses:
  '204':
    Description: container index updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_delete
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_init_record_count_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '201':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_init-record-count'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_init_record_count_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```



**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_index\_init\_record\_count\_put

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_index\_init-record-count'

**Responses:**

'201':

**Description:** leaf init-record-count created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**patch:****Tags:**

- data

- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_index\_init\_record\_count\_patch

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/advanced-config-profile-name'- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_index\_init-record-count'

**Responses:**

'204':

**Description:** leaf init-record-count updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_init_record_count_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_init_record_count_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_index\_audit\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/advanced-config-profile-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_index\_audit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_index\_audit\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/advanced-config-profile-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**Method:** Post

**Tags:**  
 - data  
 - post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl:cdl/advanced-config-profile/advanced-config-profile-name/index/audit-post

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/advanced-config-profile-name'  
 - **\$ref:**

'#/parameters/data\_cisco-smi-cdl:cdl/advanced-config-profile/advanced-config-profile-name/index/audit-post'

**Responses:**  
 '201':  
   **Description:** container audit created

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_audit_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit'

Responses:
'201':
  Description: container audit created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_audit_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit'

Responses:

```

```

    '204':
      Description: container audit updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_audit_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_audit_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_index\_audit\_record\_expiry\_duration\_get

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Description: OK
  Schema:
  Reference:

```

'#/definitions/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_index\_audit\_record-expiry-duration'

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_index\_audit\_record\_expiry\_duration\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_advanced\_config\_profile\_advanced\_config\_profile\_name\_index\_audit\_record\_expiry\_duration\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/advanced-config-profile-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_advanced-config-profile\_advanced-config-profile-name\_index\_audit\_record-expiry-duration'

**Responses:**

'201':

**Description:** leaf record-expiry-duration created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'



```

security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_audit_record_expiry_duration_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit_record-expiry-duration'

Responses:
'204':
  Description: leaf record-expiry-duration updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_audit_record_expiry_duration_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
'204':
  Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_index_audit_record_expiry_duration_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/slot

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref:

```

```
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot-post'
```

**Responses:**

```
'201':
  Description: container slot created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**put:**

**Tags:**

```
- data
- put
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_put
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/advanced-config-profile-name'
- $ref:
```

```
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot'
```

**Responses:**

```
'201':
  Description: container slot created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```

    - basicAuth: []
  patch:
    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot'

  Responses:
    '204':
      Description: container slot updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:
    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/advanced-config-profile-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/advanced-config-profile={advanced-config-profile-name}/slot/init-record-count

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_init_record_count_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot_init-record-count'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_init_record_count_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_init_record_count_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot_init-record-count'
```

```

Responses:
  '201':
    Description: leaf init-record-count created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_init_record_count_patch

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/advanced-config-profile-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot_init-record-count'

Responses:
  '204':
    Description: leaf init-record-count updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

```



```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_init_record_count_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_advanced_config_profile_advanced_config_profile_name_slot_init_record_count_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/advanced-config-profile-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/remote-site

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_remote_site_options
produces:
- application/yang-data+json
Parameters: []

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/remote-site-system-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list remote-site created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:

```

```

    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id'

  Responses:
    '204':
      Description: list remote-site updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data

```

```

- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/system-id

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_system_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_system-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_system_id_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/remote-site-system-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_system_id_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/remote-site-system-id'
    - $ref:
      '#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_system-id'
  Responses:
    '201':
      Description: leaf system-id created or replaced
    '204':
      Reference: '#/responses/204'
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_system_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_system-id'

  Responses:
  '204':
    Description: leaf system-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_system_id_delete

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/remote-site-system-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_system_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/db-endpoint

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```



```

    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_post

  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'  
 - \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_db-endpoint-post'

**Responses:**

'201':  
 Description: container db-endpoint created  
 '204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_db-endpoint\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'  
 - \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_db-endpoint'

**Responses:**

'201':  
 Description: container db-endpoint created or replaced  
 '204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/remote-site-system-id'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint'

  Responses:
    '204':
      Description: container db-endpoint updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/remote-site-system-id'

  Responses:
    '204':
      Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/db-endpoint/host

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_host_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_remote_site_remote-site-system-id_db-endpoint_host'
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_host_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/remote-site-system-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_host_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/remote-site-system-id'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_host'
```

```

Responses:
  '201':
    Description: leaf host created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_host_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_host'

Responses:
  '204':
    Description: leaf host updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:
  - data
  - delete

```

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_host_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_host_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/db-endpoint/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_db-endpoint\_port'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_db\_endpoint\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data



```

- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_port_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_port'

Responses:
'201':
  Description: leaf port created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_port'

Responses:
'204':
  Description: leaf port updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_db_endpoint_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server

```
options:
```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server={kafka-

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/kafka-server-host'
- $ref: '#/parameters/kafka-server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/remote-site-system-id'
    - $ref: '#/parameters/kafka-server-host'
    - $ref: '#/parameters/kafka-server-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_put

  produces:
    - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/kafka-server-host'
- $ref: '#/parameters/kafka-server-port'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list kafka-server created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref: '#/parameters/kafka-server-host'
  - $ref: '#/parameters/kafka-server-port'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port'

Responses:
  '204':
    Description: list kafka-server updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref: '#/parameters/kafka-server-host'
  - $ref: '#/parameters/kafka-server-port'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref: '#/parameters/kafka-server-host'
  - $ref: '#/parameters/kafka-server-port'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server={kafka-

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_kafka\_server\_kafka\_server\_host\_kafka\_server\_port\_host\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/remote-site-system-id'
- **\$ref:** '#/parameters/kafka-server-host'
- **\$ref:** '#/parameters/kafka-server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_remote\_site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_host'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_kafka\_server\_kafka\_server\_host\_kafka\_server\_port\_host\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/kafka-server-host'
- \$ref: '#/parameters/kafka-server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_kafka\_server\_kafka\_server\_host\_kafka\_server\_port\_host\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/kafka-server-host'
- \$ref: '#/parameters/kafka-server-port'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_host'

**Responses:**

'201':

Description: leaf host created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':



```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_host_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/kafka-server-host'
- $ref: '#/parameters/kafka-server-port'
- $ref:
'#/parameters/data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_host'

Responses:
'204':
  Description: leaf host updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_host_delete

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/kafka-server-host'
- \$ref: '#/parameters/kafka-server-port'

**Responses:**

- '204':
  - Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_kafka\_server\_kafka\_server\_host\_kafka\_server\_port\_host\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/kafka-server-host'
- \$ref: '#/parameters/kafka-server-port'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server={kafka-server-host},{kafka-server-port}/port

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_kafka\_server\_kafka\_server\_host\_kafka\_server\_port\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/kafka-server-host'
- \$ref: '#/parameters/kafka-server-port'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/kafka-server-host'
- \$ref: '#/parameters/kafka-server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_kafka\_server\_kafka\_server\_host\_kafka\_server\_port\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/remote-site-system-id'
- **\$ref:** '#/parameters/kafka-server-host'
- **\$ref:** '#/parameters/kafka-server-port'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_port'

**Responses:**

'201':

**Description:** leaf port created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_kafka\_server\_kafka\_server\_host\_kafka\_server\_port\_port\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/remote-site-system-id'
- **\$ref:** '#/parameters/kafka-server-host'
- **\$ref:** '#/parameters/kafka-server-port'

**- \$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_port'

**Responses:**

'204':

**Description:** leaf port updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_port\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/remote-site-system-id'  
- **\$ref:** '#/parameters/kafka-server-host'  
- **\$ref:** '#/parameters/kafka-server-port'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_port\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/kafka-server-host'
- \$ref: '#/parameters/kafka-server-port'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cisco-smi-cdl:cdl/remote-site={remote-site-system-id}/kafka-server={kafka-server-host},{kafka-server-port}/ssl-port****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_remote\_site\_remote\_site\_system\_id\_kafka\_server\_kafka\_server\_host\_kafka\_server\_port\_ssl\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/remote-site-system-id'
- \$ref: '#/parameters/kafka-server-host'
- \$ref: '#/parameters/kafka-server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
  - Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_ssl-port'

- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_ssl_port_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref: '#/parameters/kafka-server-host'
  - $ref: '#/parameters/kafka-server-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_ssl_port_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/remote-site-system-id'
  - $ref: '#/parameters/kafka-server-host'
  - $ref: '#/parameters/kafka-server-port'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port_ssl-port'

  Responses:

```

```

    '201':
      Description: leaf ssl-port created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_ssl_port_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/remote-site-system-id'
    - $ref: '#/parameters/kafka-server-host'
    - $ref: '#/parameters/kafka-server-port'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port_ssl-port'

  Responses:
    '204':
      Description: leaf ssl-port updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

```



```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_ssl_port_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/kafka-server-host'
- $ref: '#/parameters/kafka-server-port'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_remote_site_remote_site_system_id_kafka_server_kafka_server_host_kafka_server_port_ssl_port_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/remote-site-system-id'
- $ref: '#/parameters/kafka-server-host'
- $ref: '#/parameters/kafka-server-port'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config

```

options:

Tags:
- data
- options
Summary: ''
Description: ''

```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_label\_config\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}

**get:**

**Tags:**

- data

- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list label-config created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name'

  Responses:
    '204':
      Description: list label-config updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/name

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_name'

  Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_name'

  Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'

  Responses:

```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/endpoint

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint'
    '204':
      Reference: '#/responses/204'

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint-post'

  Responses:
    '201':

```

```

    Description: container endpoint created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint'

  Responses:
  '201':
    Description: container endpoint created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch

```

```
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint'

Responses:
'204':
  Description: container endpoint updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_options
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/endpoint/key

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_key_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_key'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_key_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_key_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref:
      '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_key'

  Responses:
    '201':
      Description: leaf key created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_key_patch

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref:
    '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_key'

    Responses:
    '204':
        Description: leaf key updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_key_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/label-config-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
  - data
  - options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_key_options
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/label-config-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/endpoint/value

```

get:

Tags:
  - data
  - get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_value_get

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_value'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_value_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_value_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'

```



```

- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_value_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_value_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_endpoint_value_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_slot'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_slot\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/label-config-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**Method:** Post**Tags:**

```

- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot-post'

Responses:
  '201':
    Description: container slot created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot'

Responses:
  '201':
    Description: container slot created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot'

  Responses:
    '204':
      Description: container slot updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'

  Responses:
    '204':

```

```

      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map

```

  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}

```

  get:

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

/data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_slot\_map\_map\_map\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/label-config-name'
- \$ref: '#/parameters/map-map-id'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_slot\_map\_map-map-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list map created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**



```

data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref: '#/parameters/map-map-id'
    - $ref:
      '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id'

  Responses:
    '204':
      Description: list map updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref: '#/parameters/map-map-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_options

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/label-config-name'  
 - **\$ref:** '#/parameters/map-map-id'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}/map-id

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**  
 data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_slot\_map\_map\_map\_id\_map\_id\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/label-config-name'  
 - **\$ref:** '#/parameters/map-map-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_slot\_map\_map-map-id\_map-id'

  '204':  
     **Reference:** '#/responses/204'

  '400':  
     **Reference:** '#/responses/400'

  '401':  
     **Reference:** '#/responses/401'

  '404':  
     **Reference:** '#/responses/404'

  '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_map_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/map-map-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_map_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/map-map-id'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_map-id'

  Responses:
  '201':
    Description: leaf map-id created or replaced
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_map_id_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref: '#/parameters/map-map-id'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_map-id'

  Responses:
    '204':
      Description: leaf map-id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_map_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_map_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_key_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'

```

```

- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_key'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_key_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

```

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_key_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_key'

Responses:
'201':
  Description: leaf key created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_key_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_key'

Responses:
'204':

```

```

    Description: leaf key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_key_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/map-map-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_key_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/map-map-id'

  Responses:
  '200':
    Reference: '#/responses/200'

```



```

security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/slot/map={map-map-id}

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_slot\_map\_map\_map\_id\_value\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_slot\_map\_map-map-id\_value'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_value_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_value_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref: '#/parameters/map-map-id'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_value'

  Responses:
    '204':
      Description: leaf value updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_value_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/label-config-name'
    - $ref: '#/parameters/map-map-id'

  Responses:
    '204':

```

```

      Reference: '#/responses/204'
    security:
      - basicAuth: []
    options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_slot_map_map_map_id_value_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/label-config-name'
      - $ref: '#/parameters/map-map-id'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/index

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_index_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/label-config-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
'#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index'
      '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_index_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_index_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_index-post'

  Responses:

```

```

    '201':
      Description: container index created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_index_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_index'

Responses:
    '201':
      Description: container index created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch

```

```
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_index_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_index'

Responses:
'204':
  Description: container index updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_index_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_label_config_label_config_name_index_options
produces:
- application/yang-data+json
```

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map={map-map-id}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'
- **\$ref:** '#/parameters/map-map-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'



- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_index\_map\_map-map-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_index\_map\_map-map-id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/label-config-name'
- \$ref: '#/parameters/map-map-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list map created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id'

Responses:
  '204':
    Description: list map updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/map-map-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/map-map-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map={map-map-id}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_map\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'
- **\$ref:** '#/parameters/map-map-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_index\_map\_map-map-id\_map-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_map\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'
- **\$ref:** '#/parameters/map-map-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

- '200':

- Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

- Summary:** ''

- Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_map\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'
- **\$ref:** '#/parameters/map-map-id'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_index\_map\_map-map-id\_map-id'

**Responses:**

- '201':

- Description:** leaf map-id created or replaced

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_map_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_map-id'

Responses:
  '204':
    Description: leaf map-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_map_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_map_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map={map-map-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_key_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_key'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_key_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/map-map-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_key_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/label-config-name'
  - $ref: '#/parameters/map-map-id'
  - $ref:

```



'#/parameters/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_index\_map\_map-map-id\_key'

**Responses:**

'201':  
**Description:** leaf key created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_key\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'  
 - **\$ref:** '#/parameters/map-map-id'  
 - **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_index\_map\_map-map-id\_key'

**Responses:**

'204':  
**Description:** leaf key updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_key\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'
- **\$ref:** '#/parameters/map-map-id'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_key\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/label-config-name'
- **\$ref:** '#/parameters/map-map-id'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cisco-smi-cdl:cdl/label-config={label-config-name}/index/map={map-map-id}****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_value\_get

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_value'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:****- data**  
**- put****Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_value\_put

**produces:****- application/yang-data+json****Parameters:****- \$ref:** '#/parameters/label-config-name'**- \$ref:** '#/parameters/map-map-id'**- \$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_label-config\_label-config-name\_index\_map\_map-map-id\_value'

**Responses:****'201':****Description:** leaf value created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:****- data**  
**- patch****Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_label\_config\_label\_config\_name\_index\_map\_map\_map\_id\_value\_patch

**produces:****- application/yang-data+json****Parameters:**

```

- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_value'

```

**Responses:**

```

'204':
  Description: leaf value updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary: ''****Description: ''****Operation ID:**

```
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_value_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/label-config-name'
- $ref: '#/parameters/map-map-id'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary: ''****Description: ''****Operation ID:**

```
data_cisco_smi_cdl_cdl_label_config_label_config_name_index_map_map_map_id_value_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/label-config-name'
- \$ref: '#/parameters/map-map-id'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/ssl-config

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_ssl\_config\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference: '#/definitions/data\_cisco-smi-cdl\_cdl\_ssl-config'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data

```

- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config-post'

Responses:
  '201':
    Description: container ssl-config created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data

```

```

- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config'

Responses:
  '201':
    Description: container ssl-config created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config'

Responses:
  '204':
    Description: container ssl-config updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```



```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_ssl_config_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
        security:
          - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_ssl_config_options
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/ssl-config/enable

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_ssl_config_enable_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_ssl-config\_enable'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_ssl\_config\_enable\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

```
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_enable_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_enable'

Responses:
'201':
  Description: leaf enable created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_enable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_enable'

Responses:
'204':
  Description: leaf enable updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_enable_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_enable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/ssl-config/certs

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_head
produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/certs-host'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_ssl\_config\_certs\_certs\_host\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/certs-host'
- \$ref: '#/parameters/data\_cisco\_smi\_cdl\_cdl\_ssl\_config\_certs\_certs-host'
- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list certs created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_ssl\_config\_certs\_certs\_host\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/certs-host'  
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_ssl-config\_certs\_certs-host'

**Responses:**  
**'204':**  
  **Description:** list certs updated  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'  
**'409':**  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**delete:**

**Tags:**  
- data  
- delete

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_ssl\_config\_certs\_certs\_host\_delete  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/certs-host'

**Responses:**  
**'204':**  
  **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_ssl\_config\_certs\_certs\_host\_options  
**produces:**  
- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/certs-host'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}/host

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_host_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_host'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
- basicAuth: []
head:

```



```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_host_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_host_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_host'

Responses:
  '201':
    Description: leaf host created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
```

```

    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/certs-host'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_host'

  Responses:
    '204':
      Description: leaf host updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_host_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/certs-host'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data

```

```

- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_host_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}/ssl-key

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_key_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-key'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_key_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/certs-host'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_key_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/certs-host'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-key'

    Responses:
    '201':
        Description: leaf ssl-key created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':

```

```
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_key_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-key'

Responses:
  '204':
    Description: leaf ssl-key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_key_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'

Responses:
  '204':
    Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_key_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/certs-host'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}/ssl-crt

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_crt_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/certs-host'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-crt'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_crt_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/certs-host'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_crt_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/certs-host'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-crt'

  Responses:
    '201':
      Description: leaf ssl-crt created or replaced
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_crt_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-crt'

Responses:
  '204':
    Description: leaf ssl-crt updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_crt_delete
produces:
- application/yang-data+json

Parameters:

```



```

- $ref: '#/parameters/certs-host'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_cert_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/ssl-config/certs={certs-host}/ssl-ca

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_ca_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_cisco-smi-cdl_cdl_ssl-config/certs_certs-host_ssl-ca'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_ca_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/certs-host'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_ca_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/certs-host'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config/certs_certs-host_ssl-ca'

```

```
Responses:
  '201':
    Description: leaf ssl-ca created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_ca_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-ca'

Responses:
  '204':
    Description: leaf ssl-ca updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
```

```

Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_ca_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_ssl_config_certs_certs_host_ssl_ca_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/certs-host'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/logging

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_post
produces:
- application/yang-data+json

Parameters:
```

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging-post'

**Responses:**

'201':  
 Description: container logging created  
 '204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging'

**Responses:**

'201':  
 Description: container logging created or replaced  
 '204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

```
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_logging'

Responses:
  '204':
    Description: container logging updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_options
produces:
- application/yang-data+json
Parameters: []
```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/logging/default-log-level

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_default\_log\_level\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_logging\_default-log-level'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''



**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_default\_log\_level\_head  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'  
**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_default\_log\_level\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_logging\_default-log-level'

**Responses:**  
**'201':**  
    **Description:** leaf default-log-level created or replaced  
**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**  
    **Reference:** '#/responses/404'  
**'405':**  
    **Reference:** '#/responses/405'  
**'409':**  
    **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch  
**Summary:** ''

```

Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_default_log_level_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_logging_default-log-level'

Responses:
  '204':
    Description: leaf default-log-level updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_default_log_level_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_default_log_level_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/logging/json-logging

get:

```

  Tags:
  - data
  - get
  summary: 'Enable or disable logging in json format. Example value: true'

  description: 'Enable or disable logging in json format. Example value:
true'
  Operation ID: data_cisco_smi_cdl_cdl_logging_json_logging_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      description: 'Enable or disable logging in json format. Example
value: true'
      Schema:
        Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_json-logging'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  summary: 'Enable or disable logging in json format. Example value: true'

```

**description:** 'Enable or disable logging in json format. Example value: true'

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_json\_logging\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**summary:** 'Enable or disable logging in json format. Example value: true'

**description:** 'Enable or disable logging in json format. Example value: true'

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_json\_logging\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging\_json-logging'

**Responses:**

'201':

**Description:** leaf json-logging created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

```
Tags:
- data
- patch
summary: 'Enable or disable logging in json format. Example value: true'

description: 'Enable or disable logging in json format. Example value:
true'
Operation ID: data_cisco_smi_cdl_cdl_logging_json_logging_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_logging_json-logging'

Responses:
'204':
  Description: leaf json-logging updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
summary: 'Enable or disable logging in json format. Example value: true'

description: 'Enable or disable logging in json format. Example value:
true'
Operation ID: data_cisco_smi_cdl_cdl_logging_json_logging_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
summary: 'Enable or disable logging in json format. Example value: true'
```

```

    description: 'Enable or disable logging in json format. Example value:
true'
    Operation ID: data_cisco_smi_cdl_cdl_logging_json_logging_options
    produces:
    - application/yang-data+json
    Parameters: []

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/logging/logger

```

options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_logging_logger_options
    produces:
    - application/yang-data+json
    Parameters: []

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/logging/logger={logger-name}

```

get:

    Tags:
    - data
    - get
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_get
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/logger-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_logging\_logger\_logger-name'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_logger\_logger\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_logger\_logger\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging\_logger\_logger-name'
- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description:** list logger created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_logger\_logger\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging\_logger\_logger-name'

**Responses:**

- '204':
  - Description:** list logger updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_delete
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/logger-name'
  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/logger-name'
  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/logging/logger={logger-name}/name

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_name_get

```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_logging\_logger\_logger-name\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_logger\_logger\_name\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_logging_logger_logger-name_name'

Responses:
'201':
  Description: leaf name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_logging_logger_logger-name_name'

Responses:
'204':
  Description: leaf name updated
'400':
  Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/logging/logger={logger-name}/level

```
get:
```

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_level_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_logger_logger_name_level'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_level_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
```

- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**put:**

**Tags:**

- data  
- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cisco\_smi\_cdl\_cdl\_logging\_logger\_logger\_name\_level\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/logger-name'

- **\$ref**: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging\_logger\_logger\_name\_level'

**Responses:**

'201':

**Description**: leaf level created or replaced

'204':

**Reference**: '#/responses/204'

'400':

**Reference**: '#/responses/400'

'401':

**Reference**: '#/responses/401'

'404':

**Reference**: '#/responses/404'

'405':

**Reference**: '#/responses/405'

'409':

**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:**

**Tags:**

- data  
- patch

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cisco\_smi\_cdl\_cdl\_logging\_logger\_logger\_name\_level\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/logger-name'

- **\$ref**: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging\_logger\_logger\_name\_level'

```
Responses:
  '204':
    Description: leaf level updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_level_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_logger_logger_name_level_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/logging/sync-logging

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_sync\_logging\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_logging\_sync-logging'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_sync\_logging\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'



```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_sync_logging_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_logging_sync-logging'

Responses:
  '201':
    Description: leaf sync-logging created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_sync_logging_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_logging_sync-logging'
```

**Responses:**

'204':  
**Description:** leaf sync-logging updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_sync\_logging\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_sync\_logging\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/logging/error-stack

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_error\_stack\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_logging\_error-stack'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_error\_stack\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_error\_stack\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging\_error-stack'

**Responses:**

'201':  
 Description: leaf error-stack created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_logging\_error\_stack\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_logging\_error-stack'

```
Responses:
  '204':
    Description: leaf error-stack updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_error_stack_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_logging_error_stack_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/datastore

### options:

#### Tags:

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_options

#### produces:

- application/yang-data+json

**Parameters:** []

#### Responses:

'200':

**Reference:** '#/responses/200'

#### security:

- basicAuth: []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

#### Schema:

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list datastore created or replaced
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name'

Responses:
  '204':
    Description: list datastore updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_delete
produces:
- application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_name'

```

```
Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
```

```

Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/cluster-id

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_cluster_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_cluster-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_datastore_datastore-name_cluster-id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_datastore_datastore-name_cluster-id_put

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/datastore-name'
- **\$ref**: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_cluster-id'

**Responses:**

- '201':
  - Description**: leaf cluster-id created or replaced
- '204':
  - Reference**: '#/responses/204'
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:****Tags:**

- data
- patch

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_cluster\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/datastore-name'
- **\$ref**: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_cluster-id'

**Responses:**

- '204':
  - Description**: leaf cluster-id updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

```

- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_cluster_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_cluster_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/label-config

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_label_config_get
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_label-config'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_label\_config\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**



```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_label_config_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_label-config'

Responses:
'201':
  Description: leaf label-config created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_label_config_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_label-config'

Responses:
'204':
  Description: leaf label-config updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_label_config_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_label_config_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/geo-remote-site

```

options:

Tags:
- data
- options

```

```

Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_geo_remote_site_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/geo-remote-site={geo-remote-site-id}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_geo_remote_site_geo_remote_site_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/geo-remote-site-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_geo-remote-site_geo-remote-site-id'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_geo_remote_site_geo_remote_site_id_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/geo-remote-site-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_geo_remote_site_geo_remote_site_id_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/geo-remote-site-id'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_geo-remote-site_geo-remote-site-id'

    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

    Responses:

```

```

    '201':
      Description: leaf-list geo-remote-site created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_smi_cdl_cdl_datastore_datastore_name_geo_remote_site_geo_remote_site_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/geo-remote-site-id'
  - $ref:
    '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_geo-remote-site_geo-remote-site-id'

  Responses:
    '204':
      Description: leaf-list geo-remote-site updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_geo_remote_site_geo_remote_site_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/geo-remote-site-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_geo_remote_site_geo_remote_site_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/geo-remote-site-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slice-names

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slice_names_options
produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/datastore-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slice-names={slice-names-id}

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slice\_names\_slice\_names\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'  
- \$ref: '#/parameters/slice-names-id'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slice-names\_slice-names-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slice\_names\_slice\_names\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/slice-names-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slice\_names\_slice\_names\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/slice-names-id'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slice-names\_slice-names-id'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list slice-names created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'



```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slice_names_slice_names_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/slice-names-id'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slice-names_slice-names-id'

  Responses:
    '204':
      Description: leaf-list slice-names updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slice_names_slice_names_id_delete
  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/slice-names-id'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slice_names_slice_names_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/slice-names-id'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/advanced-config-profile

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_advanced_config_profile_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_advanced-config-profile'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_advanced_config_profile_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_advanced_config_profile_put
  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_advanced-config-profile'

**Responses:**

'201':

**Description:** leaf advanced-config-profile created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_advanced-config-profile\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_advanced-config-profile'

**Responses:**

'204':

**Description:** leaf advanced-config-profile updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_advanced_config_profile_delete
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_advanced_config_profile_options
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/find-by-nuk-prefixes

```

  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_find_by_nuk_prefixes_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/find-by-nuk-prefixes={find-by-nuk-prefixes-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_find_by_nuk_prefixes_find_by_nuk_prefixes_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/find-by-nuk-prefixes-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_find-by-nuk-prefixes_find-by-nuk-prefixes-id'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_find_by_nuk_prefixes_find_by_nuk_prefixes_id_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/datastore-name'
        - $ref: '#/parameters/find-by-nuk-prefixes-id'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_find_by_nuk_prefixes_find_by_nuk_prefixes_id_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/datastore-name'
        - $ref: '#/parameters/find-by-nuk-prefixes-id'
        - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_find-by-nuk-prefixes_find-by-nuk-prefixes-id'

        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

      Responses:
        '201':

```

```

    Description: leaf-list find-by-nuk-prefixes created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_find_by_nuk_prefixes_find_by_nuk_prefixes_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/find-by-nuk-prefixes-id'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_find-by-nuk-prefixes_find-by-nuk-prefixes-id'

  Responses:
  '204':
    Description: leaf-list find-by-nuk-prefixes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data

```



```

- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_find_by_nuk_prefixes_find_by_nuk_prefixes_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/find-by-nuk-prefixes-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_find_by_nuk_prefixes_find_by_nuk_prefixes_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/find-by-nuk-prefixes-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/metrics

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

```

```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics-post'

Responses:
'201':
  Description: container metrics created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics'

Responses:
'201':
  Description: container metrics created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics'

Responses:
  '204':
    Description: container metrics updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/metrics/verbosity

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_verbosity_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics_verbosity'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_verbosity_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_verbosity_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics_verbosity'

  Responses:

```

```

    '201':
      Description: leaf verbosity created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:
  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_verbosity_patch
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics_verbosity'
  Responses:
    '204':
      Description: leaf verbosity updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''

```

```

Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_verbosity_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_metrics_verbosity_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_features_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```



- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

Summary: ''

Description: ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features-post'

**Responses:**

'201':

**Description:** container features created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features'

**Responses:**

'201':

**Description:** container features created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_features_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features'

    Responses:
      '204':
        Description: container features updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_features_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:
```

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notifi

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':**

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification-post'

  Responses:
  '201':
    Description: container instance-aware-notification created

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification'

  Responses:
    '201':
      Description: container instance-aware-notification created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch

```

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification'

Responses:
  '204':
    Description: container instance-aware-notification updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

**Description:** ''

**Operation ID:**  
data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notifi

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_enable\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**  
#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification\_enable'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':



```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_enable_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_enable_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_enable'

  Responses:
    '201':
      Description: leaf enable created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_enable_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_enable'

  Responses:
    '204':
      Description: leaf enable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_enable_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_enable_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-not

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_system_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notifi

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/system-id-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification\_system-id\_system-id-id'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/system-id-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/system-id-id'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification\_system-id\_system-id-id'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list system-id created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_system_id_system_id_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/system-id-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id'

Responses:
    '204':
        Description: list system-id updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/system-id-id'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/system-id-id'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-not

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_id\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'

- \$ref: '#/parameters/system-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification\_system-id\_system-id-id\_id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification\_system-id\_system-id-id\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/system-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**



```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_system_id_system_id_id_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/system-id-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id_id'

Responses:
'201':
  Description: leaf id created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_system_id_system_id_id_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/system-id-id'
- $ref:

```

```
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id-id'
```

**Responses:**

```
'204':
  Description: leaf id updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id-id_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/system-id-id'
```

**Responses:**

```
'204':
  Reference: '#/responses/204'
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id-id_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/datastore-name'
```

- \$ref: '#/parameters/system-id-id'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notification/system-id={system-id-id}/slice-names  
: options:

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_slice\_names\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'  
- \$ref: '#/parameters/system-id-id'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/instance-aware-notification/system-id={system-id-id}/slice-names={slice-names-id}  
: get:

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_slice\_names\_slice\_names\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'  
- \$ref: '#/parameters/system-id-id'  
- \$ref: '#/parameters/slice-names-id'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

```

'/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id_slice-names_slice-names-id'

```

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**- data  
- head**Summary:** ''**Description:** ''**Operation ID:**

```

data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id_slice-names_slice-names-id_head

```

**produces:**

- application/yang-data+json

**Parameters:**

```

- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/system-id-id'
- $ref: '#/parameters/slice-names-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_system_id_system_id_id_slice_names_slice_names_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/system-id-id'
- $ref: '#/parameters/slice-names-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore_name_features_instance-aware-notification_system-id_system-id-id_slice-names_slice-names-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list slice-names created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_instance_aware_notification_system_id_system_id_id_slice_names_slice_names_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/system-id-id'
- $ref: '#/parameters/slice-names-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore_name_features_instance-aware-notification_system-id_system-id-id_slice-names_slice-names-id'

```

**Responses:**

'204':  
**Description:** leaf-list slice-names updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl:cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_slice\_names\_slice\_names\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/system-id-id'  
 - **\$ref:** '#/parameters/slice-names-id'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl:cdl\_datastore\_datastore\_name\_features\_instance\_aware\_notification\_system\_id\_system\_id\_id\_slice\_names\_slice\_names\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

- \$ref: '#/parameters/system-id-id'
- \$ref: '#/parameters/slice-names-id'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/slot-stale-session-d

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_slot\_stale\_session\_detection\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_slot\_stale\_session\_detection\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_slot\_stale\_session\_detection\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection-post'

**Responses:****'201':****Description:** container slot-stale-session-detection created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':**



```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_slot_stale_session_detection_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection'

Responses:
'201':
  Description: container slot-stale-session-detection created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_slot_stale_session_detection_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

```

- $ref:
  '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection'

Responses:
  '204':
    Description: container slot-stale-session-detection updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_slot_stale_session_detection_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_slot_stale_session_detection_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/slot-stale-session-d

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_slot\_stale\_session\_detection\_disable\_auto\_deletion\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection\_disable-auto-deletion'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_slot\_stale\_session\_detection\_disable\_auto\_deletion\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_slot\_stale\_session\_detection\_disable\_auto\_deletion\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl:cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection\_disable-auto-deletion'

**Responses:**

'201':

**Description:** leaf disable-auto-deletion created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_slot_stale_session_detection_disable_auto_deletion_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection_disable-auto-deletion'

  Responses:
    '204':
      Description: leaf disable-auto-deletion updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_slot_stale_session_detection_disable_auto_deletion_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

```

**Responses:****'204':****Reference:** '#/responses/204'**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_slot\_stale\_session\_detection\_disable\_auto\_deletion\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/slot-stale-session-det****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_slot\_stale\_session\_detection\_notification\_retry\_count\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':**

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection\_notification-retry-count'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection\_notification-retry-count\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection\_notification-retry-count\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection\_notification-retry-count'

**Responses:**

'201':

**Description:** leaf notification-retry-count created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot\_stale\_session\_detection\_notification\_retry\_count\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_slot-stale-session-detection\_notification-retry-count'

**Responses:**

'204':

**Description:** leaf notification-retry-count updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_slot_stale_session_detection_notification_retry_count_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_slot_stale_session_detection_notification_retry_count_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection-post'

**Responses:**

'201':  
 Description: container overload-protection created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_put

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/datastore-name'  
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection'

**Responses:**  
 '201':  
   **Description:** container overload-protection created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_patch

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/datastore-name'  
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection'

**Responses:**  
 '204':  
   **Description:** container overload-protection updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection

get:

```

  Tags:
  - data
  - get

```

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_enable_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_enable'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_enable_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_enable\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_enable'

**Responses:**

'201':

Description: leaf enable created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_enable\_patch

**produces:**

- application/yang-data+json

**Parameters:**

```

- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_enable'

```

**Responses:**

```

'204':
  Description: leaf enable updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_enable_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/datastore-name'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_enable_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/datastore-name'
```



**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_index\_max\_record\_count\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_index-max-record-count'

  '204':  
     **Reference:** '#/responses/204'

  '400':  
     **Reference:** '#/responses/400'

  '401':  
     **Reference:** '#/responses/401'

  '404':  
     **Reference:** '#/responses/404'

  '405':  
     **Reference:** '#/responses/405'

  '409':  
     **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_index\_max\_record\_count\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_index\_max\_record\_count\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_index-max-record-count'

**Responses:**

'201':

**Description:** leaf index-max-record-count created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_index_max_record_count_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_index-max-record-count'

  Responses:
    '204':
      Description: leaf index-max-record-count updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_index_max_record_count_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

```

**Responses:****'204':****Reference:** '#/responses/204'**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_index\_max\_record\_count\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/slot-max-record-count****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_slot\_max\_record\_count\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':**

```

    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_slot-max-record-count'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_slot_max_record_count_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_slot_max_record_count_put

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_slot-max-record-count'

**Responses:**

'201':

**Description:** leaf slot-max-record-count created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_slot\_max\_record\_count\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_slot-max-record-count'

**Responses:**

'204':

**Description:** leaf slot-max-record-count updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_slot_max_record_count_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_slot_max_record_count_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_slot_max_size_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_slot-max-size'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_slot_max_size_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```



- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_slot\_max\_size\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_slot-max-size'

**Responses:**

'201':  
 Description: leaf slot-max-size created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_slot\_max\_size\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_slot-max-size'

**Responses:**

'204':

**Description:** leaf slot-max-size updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**delete:****Tags:**

- data

- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_slot\_max\_size\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**

- data

- options

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_slot\_max\_size\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/datastore-name'**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []**/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection****get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_hard\_limit\_percentage\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/datastore-name'- **\$ref:** '#/parameters/content'- **\$ref:** '#/parameters/depth'- **\$ref:** '#/parameters/fields'- **\$ref:** '#/parameters/filter'- **\$ref:** '#/parameters/with-defaults'**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_hard-limit-percentage'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_hard_limit_percentage_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_hard_limit_percentage_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_hard-limit-percentage'

  Responses:
    '201':
      Description: leaf hard-limit-percentage created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_hard_limit_percentage_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_hard-limit-percentage'

  Responses:
  '204':
    Description: leaf hard-limit-percentage updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_hard\_limit\_percentage\_delete

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/datastore-name'**Responses:**

'204':

**Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_hard\_limit\_percentage\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/datastore-name'**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/m

**get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_major\_alert\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/datastore-name'  
- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_major-alert-threshold'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_major-alert-threshold\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_major_alert_threshold_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_major-alert-threshold'

Responses:
  '201':
    Description: leaf major-alert-threshold created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_major_alert_threshold_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_major-alert-threshold'

Responses:
  '204':

```



```

    Description: leaf major-alert-threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_major_alert_threshold_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_major_alert_threshold_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/overload-protection/c

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_critical\_alert\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_critical-alert-threshold'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_critical\_alert\_threshold\_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_overload_protection_critical_alert_threshold_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_critical-alert-threshold'

Responses:
  '201':
    Description: leaf critical-alert-threshold created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_critical\_alert\_threshold\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_critical-alert-threshold'

**Responses:**

'204':

**Description:** leaf critical-alert-threshold updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_critical\_alert\_threshold\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_overload\_protection\_critical\_alert\_threshold\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-det****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection'

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection-post'

Responses:

```

```

    '201':
      Description: container index-overwrite-detection created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection'

  Responses:
    '201':
      Description: container index-overwrite-detection created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection'

Responses:
'204':
  Description: container index-overwrite-detection updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data

```



```

- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-det

```

options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-detection/unique-keys-prefix={unique-keys-prefix-key-prefix}
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_get

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/unique-keys-prefix-key-prefix'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

```

#/definitions/data_cisco-smi-cdl:cdl_datastore_datastore-name_features_index-overwrite-detection_unique-keys-prefix_unique-keys-prefix-key-prefix'

```

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

```

data_cisco-smi-cdl:cdl_datastore_datastore-name_features_index-overwrite-detection_unique-keys-prefix_unique-keys-prefix-key-prefix_head

```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/unique-keys-prefix-key-prefix'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref: '#/parameters/unique-keys-prefix-key-prefix'
      - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_unique-keys-prefix_unique-keys-prefix-key-prefix'

      - $ref: '#/parameters/insert'
      - $ref: '#/parameters/point'

    Responses:
      '201':
        Description: list unique-keys-prefix created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_patch

    produces:
      - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/unique-keys-prefix-key-prefix'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix'

**Responses:**

'204':

**Description:** list unique-keys-prefix updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix-delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/unique-keys-prefix-key-prefix'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix-options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/unique-keys-prefix-key-prefix'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

**/data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-detection/unique-keys-prefix={unique-keys-prefix-key-prefix}/key-prefix**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_unique\_keys\_prefix\_unique\_keys\_prefix\_key\_prefix\_key\_prefix\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/unique-keys-prefix-key-prefix'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix\_key-prefix'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_key_prefix_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/unique-keys-prefix-key-prefix'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_key_prefix_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/unique-keys-prefix-key-prefix'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore_name_features_index-overwrite-detection-unique-keys-prefix-unique-keys-prefix-key-prefix-key-prefix'

  Responses:
  '201':
    Description: leaf key-prefix created or replaced
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_key_prefix_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/unique-keys-prefix-key-prefix'
    - $ref:
'#/parameters/data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_key_prefix'

  Responses:
    '204':
      Description: leaf key-prefix updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_unique\_keys\_prefix\_unique\_keys\_prefix\_key\_prefix\_key\_prefix\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/unique-keys-prefix-key-prefix'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

Summary: ''

Description: ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_unique\_keys\_prefix\_unique\_keys\_prefix\_key\_prefix\_key\_prefix\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/unique-keys-prefix-key-prefix'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-smi-cdl:cdl/datastore=(datastore-name)/features/index-overwrite-detection/unique-keys-prefix=(unique-keys-prefix-key-prefix)/action

: get:

**Tags:**

- data
- get

Summary: ''

Description: ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_unique\_keys\_prefix\_unique\_keys\_prefix\_key\_prefix\_action\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/unique-keys-prefix-key-prefix'



- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

```

#/definitions/data_cisco-smi-cdl:cdl_datastore_datastore-name_features_index-overwrite-detection_unique-keys-prefix_unique-keys-prefix-key-prefix_action

```

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

```

data_cisco-smi-cdl:cdl_datastore_datastore-name_features_index-overwrite-detection_unique-keys-prefix_unique-keys-prefix-key-prefix_action_head

```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/unique-keys-prefix-key-prefix'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_unique\_keys\_prefix\_unique\_keys\_prefix\_key\_prefix\_action\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/unique-keys-prefix-key-prefix'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix\_action'

**Responses:**

'201':

**Description:** leaf action created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_unique\_keys\_prefix\_unique\_keys\_prefix\_key\_prefix\_action\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/unique-keys-prefix-key-prefix'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix\_action'

```

Responses:
  '204':
    Description: leaf action updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_action_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/unique-keys-prefix-key-prefix'

Responses:
  '204':
    Reference: '#/responses/204'
security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_unique_keys_prefix_unique_keys_prefix_key_prefix_action_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/unique-keys-prefix-key-prefix'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-detection

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_max\_tps\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_max-tps'

  '204':  
     **Reference:** '#/responses/204'

  '400':  
     **Reference:** '#/responses/400'

  '401':  
     **Reference:** '#/responses/401'

  '404':  
     **Reference:** '#/responses/404'

  '405':  
     **Reference:** '#/responses/405'

  '409':  
     **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_max\_tps\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_max\_tps\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_max-tps'

**Responses:**

'201':

**Description:** leaf max-tps created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_max_tps_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_max-tps'

  Responses:
    '204':
      Description: leaf max-tps updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_max_tps_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

```

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_max\_tps\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/features/index-overwrite-det

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_features\_index\_overwrite\_detection\_queue\_size\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':

```

    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_queue-size'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_queue_size_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_queue_size_put

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_queue-size'

Responses:
  '201':
    Description: leaf queue-size created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_queue_size_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_queue-size'

Responses:
  '204':
    Description: leaf queue-size updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_queue_size_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_features_index_overwrite_detection_queue_size_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/overload-protection

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_overload\_protection\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_overload-protection-post'

**Responses:**

'201':  
 Description: container overload-protection created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_overload\_protection\_put**produces:**

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection'

Responses:
'201':
  Description: container overload-protection created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection'

Responses:
'204':
  Description: container overload-protection updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/overload-protection/disable

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_disable_get
  produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection_disable'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco-smi-cdl_cdl_datastore_datastore_name_overload-protection_disable_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_disable_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection_disable'

    Responses:
      '201':
        Description: leaf disable created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_disable_patch
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection_disable'

    Responses:
      '204':

```



```

    Description: leaf disable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_disable_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_overload_protection_disable_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_head

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint-post'

**Responses:**

'201':  
 Description: container endpoint created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint'

**Responses:**

- '201':
  - Description:** container endpoint created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_endpoint\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint'

**Responses:**

- '204':
  - Description:** container endpoint updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/patch-url

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_patch_url_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_patch-url'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_endpoint\_patch\_url\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_patch_url_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_patch-url'

Responses:
'201':
  Description: leaf patch-url created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_patch_url_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_patch-url'

Responses:
'204':
  Description: leaf patch-url updated
'400':
  Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_patch_url_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_patch_url_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```



## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/go-debug

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_go\_debug\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**
**'200':**
**Description:** OK

**Schema:**
**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_go-debug'

**'204':**
**Reference:** '#/responses/204'

**'400':**
**Reference:** '#/responses/400'

**'401':**
**Reference:** '#/responses/401'

**'404':**
**Reference:** '#/responses/404'

**'405':**
**Reference:** '#/responses/405'

**'409':**
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_go\_debug\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_go\_debug\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_go-debug'

**Responses:**

- '201':
  - Description: leaf go-debug created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''****Description: ''****Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_go\_debug\_patch

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-debug'

Responses:
  '204':
    Description: leaf go-debug updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-debug_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-debug_options

produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/datastore-name'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/cpu-request

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_cpu\_request\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:**
 '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_cpu-request'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_cpu\_request\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_cpu\_request\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_cpu-request'

**Responses:**

'201':

**Description:** leaf cpu-request created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_request_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-request'

Responses:
'204':
    Description: leaf cpu-request updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_request_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_request_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/cpu-limit

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_limit_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-limit'
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_limit_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_limit_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
    '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-limit'

```



```

Responses:
  '201':
    Description: leaf cpu-limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_limit_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
    '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-limit'

  Responses:
  '204':
    Description: leaf cpu-limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data

```

```

- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_limit_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_cpu_limit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/memory-request

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_request_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_memory-request'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_memory\_request\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_request_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-request'

Responses:
  '201':
    Description: leaf memory-request created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_request_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-request'

Responses:
  '204':
    Description: leaf memory-request updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_request_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_request_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/memory-limit

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_limit_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-limit'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_memory\_limit\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_memory-limit'

**Responses:**

'201':  
 Description: leaf memory-limit created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_memory\_limit\_patch

**produces:**

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-limit'

Responses:
'204':
  Description: leaf memory-limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_limit_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_memory_limit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```



**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/go-max-procs

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_go\_max\_procs\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_go-max-procs'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_go_max_procs_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_go_max_procs_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-max-procs'

Responses:
  '201':
    Description: leaf go-max-procs created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_go_max_procs_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-max-procs'

  Responses:
    '204':
      Description: leaf go-max-procs updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_go_max_procs_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_go\_max\_procs\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/replica****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_replica\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_replica'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_replica_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_replica_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_replica'

  Responses:
  '201':
    Description: leaf replica created or replaced
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_replica_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_replica'

  Responses:
    '204':
      Description: leaf replica updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_replica_delete

  produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_replica_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/copies-per-node

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_copies_per_node_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_copies-per-node'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_copies_per_node_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_copies_per_node_put

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_copies-per-node'

Responses:
'201':
  Description: leaf copies-per-node created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco-smi-cdl_cdl_datastore_datastore_name_endpoint_copies_per_node_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_copies-per-node'

Responses:
'204':
  Description: leaf copies-per-node updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_copies_per_node_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
    security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_copies_per_node_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
    security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/settings

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_settings\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_settings'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_settings\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
Method: Post

Tags:
  - data
  - post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_post

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings-post'

Responses:
  '201':
    Description: container settings created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings'

Responses:

```

```

    '201':
      Description: container settings created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings'

  Responses:
    '204':
      Description: container settings updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_settings\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

**'204':**

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_settings\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/settings/index-timeout-ms

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_settings\_index\_timeout\_ms\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_settings\_index-timeout-ms'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_settings\_index\_timeout\_ms\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_index_timeout_ms_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_index-timeout-ms'

Responses:
  '201':
    Description: leaf index-timeout-ms created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_index_timeout_ms_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_index-timeout-ms'

Responses:
  '204':
    Description: leaf index-timeout-ms updated
  '400':
    Reference: '#/responses/400'
  '401':

```



```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_index_timeout_ms_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_index_timeout_ms_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/settings/slot-timeout-ms

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_slot_timeout_ms_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_slot-timeout-ms'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_slot_timeout_ms_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_settings\_slot\_timeout\_ms\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_settings\_slot-timeout-ms'

**Responses:**

'201':  
 Description: leaf slot-timeout-ms created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

```

data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_slot_timeout_ms_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
      '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_slot-timeout-ms'

  Responses:
    '204':
      Description: leaf slot-timeout-ms updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_slot_timeout_ms_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_slot_timeout_ms_options
  produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/settings/remote-ep-

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_remote_ep_connection_count_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_remote-ep-connection-count'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_remote_ep_connection_count_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_remote_ep_connection_count_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_remote-ep-connection-count'

  Responses:
    '201':
      Description: leaf remote-ep-connection-count created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_remote_ep_connection_count_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_remote-ep-connection-count'

  Responses:
  '204':
    Description: leaf remote-ep-connection-count updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_remote_ep_connection_count_delete

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_settings_remote_ep_connection_count_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/external-ip

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_ip_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```



```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ip'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_ip_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_ip_put

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_external-ip'

**Responses:**  
 '201':  
   **Description:** leaf external-ip created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_external-ip\_patch

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_external-ip'

**Responses:**  
 '204':  
   **Description:** leaf external-ip updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_ip_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_ip_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/external-ipv6

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_external\_ipv6\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_external-ipv6'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_external\_ipv6\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_ipv6_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ipv6'

    Responses:
      '201':
        Description: leaf external-ipv6 created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_ipv6_patch
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ipv6'

```

**Responses:**

'204':  
**Description:** leaf external-ipv6 updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_external\_ipv6\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_external\_ipv6\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/endpoint/external-port

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-port'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''

```

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_external\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_endpoint\_external\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_endpoint\_external-port'

**Responses:**

'201':

**Description:** leaf external-port created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:**



```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-port'

Responses:
  '204':
    Description: leaf external-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_port_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_endpoint_external_port_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index-post'

  Responses:
  '201':
    Description: container index created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index'

    Responses:
    '201':
        Description: container index created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index'

```

```
Responses:
  '204':
    Description: container index updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/patch-url

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_patch\_url\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_patch-url'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_patch\_url\_head

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''**

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_patch\_url\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_patch-url'

**Responses:**

'201':  
 Description: leaf patch-url created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''****Description: ''**

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_patch\_url\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_patch-url'

**Responses:**

'204':  
   **Description:** leaf patch-url updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_patch\_url\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'204':  
   **Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_patch\_url\_options

**produces:**

- application/yang-data+json

**Parameters:**



- \$ref: '#/parameters/datastore-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/go-debug

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_go\_debug\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_go-debug'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_go_debug_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_go_debug_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_go-debug'

Responses:
  '201':
    Description: leaf go-debug created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_go\_debug\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_go-debug'

**Responses:****'204':****Description:** leaf go-debug updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_go\_debug\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_go\_debug\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/cpu-request

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_cpu\_request\_get  
**produces:**  
 - application/yang-data+json  
**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
         **Reference:**  
         '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_cpu-request'  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':  
     **Reference:** '#/responses/401'  
 '404':  
     **Reference:** '#/responses/404'  
 '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_request_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_request_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-request'

  Responses:
  '201':
    Description: leaf cpu-request created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_request_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-request'

Responses:
    '204':
        Description: leaf cpu-request updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_request_delete

produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_request_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/cpu-limit

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_limit_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-limit'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_limit_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_limit_put
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-limit'
```



```
Responses:
  '201':
    Description: leaf cpu-limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-limit'

Responses:
  '204':
    Description: leaf cpu-limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
```

```

- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_limit_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_cpu_limit_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/memory-request

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_memory_request_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_memory-request'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_memory\_request\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_memory_request_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-request'

Responses:
  '201':
    Description: leaf memory-request created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_index_memory_request_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-request'

Responses:
  '204':
    Description: leaf memory-request updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_index_memory_request_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_index_memory_request_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/memory-limit

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_memory\_limit\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_memory-limit'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_memory\_limit\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_memory\_limit\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_memory-limit'

**Responses:**

'201':  
 Description: leaf memory-limit created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_memory\_limit\_patch**produces:**

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-limit'

Responses:
'204':
  Description: leaf memory-limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-limit_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-limit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```



**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/go-max-procs

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_go\_max\_procs\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_go-max-procs'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_go\_max\_procs\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_go\_max\_procs\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_index\_go-max-procs'

**Responses:**

'201':

**Description:** leaf go-max-procs created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_go_max_procs_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
      '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_go-max-procs'

  Responses:
    '204':
      Description: leaf go-max-procs updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_go_max_procs_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_go\_max\_procs\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/replica****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_replica\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_replica'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_replica_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_replica_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_replica'

  Responses:
  '201':
    Description: leaf replica created or replaced
  '204':
    Reference: '#/responses/204'
  '400':

```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_replica_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_replica'

Responses:
    '204':
        Description: leaf replica updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_replica_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_replica_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/map

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_map_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_map'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_map_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_map_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_map'

  Responses:

```



```

    '201':
      Description: leaf map created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_map_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_map'

  Responses:
    '204':
      Description: leaf map updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_map\_delete  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Summary:** ''  
**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_map\_options  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/index/write-factor

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_index\_write\_factor\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_write-factor'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_write_factor_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_write_factor_put

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

- **\$ref:**

```
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_write-factor'
```

**Responses:**

- '201':

- Description:** leaf write-factor created or replaced

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

- Summary:** ''

- Description:** ''

- Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index\_write\_factor\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

- **\$ref:**

```
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_write-factor'
```

**Responses:**

- '204':

- Description:** leaf write-factor updated

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_index_write_factor_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_index_write_factor_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot-post'

  Responses:
    '201':
      Description: container slot created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot'

  Responses:
    '201':
      Description: container slot created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:
  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot'

  Responses:
    '204':
      Description: container slot updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_delete
  produces:

```



```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/patch-url

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_patch_url_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```

    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_patch-url'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_patch_url_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_patch_url_put
    produces:
    - application/yang-data+json

    Parameters:

```

- **\$ref**: '#/parameters/datastore-name'
- **\$ref**: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_patch-url'

**Responses:**

- '201':
  - Description**: leaf patch-url created or replaced
- '204':
  - Reference**: '#/responses/204'
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_slot\_patch\_url\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/datastore-name'
- **\$ref**: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_patch-url'

**Responses:**

- '204':
  - Description**: leaf patch-url updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**delete:**

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_patch_url_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_patch_url_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/go-debug

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_debug_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_go-debug'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_go-debug\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_debug_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-debug'

Responses:
  '201':
    Description: leaf go-debug created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_debug_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-debug'

Responses:
  '204':
    Description: leaf go-debug updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_debug_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_debug_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/cpu-request

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_cpu\_request\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_cpu-request'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_cpu\_request\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':



```

    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_cpu_request_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_cpu-request'

Responses:
  '201':
    Description: leaf cpu-request created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_cpu_request_patch

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_cpu-request'

Responses:

```

```

    '204':
      Description: leaf cpu-request updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_cpu_request_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_cpu_request_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/cpu-limit

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_cpu\_limit\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_cpu-limit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_cpu\_limit\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_cpu\_limit\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_cpu-limit'

**Responses:**

- '201':
  - Description: leaf cpu-limit created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''****Description: ''****Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_cpu\_limit\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_cpu-limit'

**Responses:**

- '204':
  - Description:** leaf cpu-limit updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_slot\_cpu\_limit\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_slot\_cpu\_limit\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/memory-request

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_memory\_request\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_memory-request'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_request_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_request_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-request'

Responses:
  '201':
    Description: leaf memory-request created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_request_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
      '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-request'

  Responses:
    '204':
      Description: leaf memory-request updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
      data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_request_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []

```



**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_memory\_request\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/memory-limit

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_memory\_limit\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_memory-limit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_limit_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_limit_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-limit'
  Responses:
  '201':
    Description: leaf memory-limit created or replaced
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_limit_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-limit'

  Responses:
  '204':
    Description: leaf memory-limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_limit_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_memory_limit_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/go-max-procs

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_max_procs_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-max-procs'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_max_procs_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_max_procs_put
  produces:

```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_go-max-procs'

**Responses:**

- '201':
  - Description:** leaf go-max-procs created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_go\_max\_procs\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_go-max-procs'

**Responses:**

- '204':
  - Description:** leaf go-max-procs updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_max_procs_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_go_max_procs_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/replica

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_replica_get

```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':

- Description:** OK

- Schema:**

- Reference:**

- '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_replica'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

- Summary:** ''

- Description:** ''

- Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_replica\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':

- Reference:** '#/responses/200'



```
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_replica_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_replica'

Responses:
'201':
  Description: leaf replica created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_replica_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_replica'

Responses:
'204':
  Description: leaf replica updated
'400':
  Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_replica_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_replica_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/map

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_map_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_map'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_map_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_map\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_map'

**Responses:**

'201':

Description: leaf map created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_map\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_map'

```
Responses:
  '204':
    Description: leaf map updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_map_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_map_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/write-factor

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_write\_factor\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_write-factor'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_write\_factor\_head

#### produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_write_factor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_write-factor'

Responses:
  '201':
    Description: leaf write-factor created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_write_factor_patch

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_write-factor'

Responses:
  '204':
    Description: leaf write-factor updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_write-factor_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_write-factor_options

produces:
- application/yang-data+json

```



**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':  
   **Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_post**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification-post'

**Responses:****'201':****Description:** container notification created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification'

  Responses:
    '201':
      Description: container notification created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification'

```

```

Responses:
  '204':
    Description: container notification updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/connection-count

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_connection_count_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_connection-count'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_connection\_count\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_connection\_count\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_connection-count'

**Responses:**

'201':

**Description:** leaf connection-count created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

```

patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_connection_count_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_connection-count'

  Responses:
  '204':
    Description: leaf connection-count updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_connection_count_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_connection_count_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/dynamic-provi

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_dynamic_provisioning_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_dynamic-provisioning'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```



```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_dynamic_provisioning_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_dynamic_provisioning_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_dynamic-provisioning'

  Responses:
  '201':

```

```

    Description: leaf dynamic-provisioning created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_dynamic_provisioning_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref:
  '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_dynamic-provisioning'

  Responses:
  '204':
    Description: leaf dynamic-provisioning updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete

```

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_dynamic_provisioning_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_dynamic_provisioning_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/host

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_host_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_host'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_host\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_host_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_host'

Responses:
'201':
  Description: leaf host created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_host_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_host'

Responses:
'204':
  Description: leaf host updated
'400':
  Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_host_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_host_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/port

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_port_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_port'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_port_head
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_port'

**Responses:**

- '201':
  - Description: leaf port created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''



```

Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_port'

Responses:
'204':
  Description: leaf port updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_port_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_port_options

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/limit

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**  
 data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_limit\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
 '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_limit'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_limit_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_limit_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_limit'

    Responses:
      '201':
        Description: leaf limit created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_limit'

Responses:
'204':
    Description: leaf limit updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_limit_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

    - **basicAuth:** []

**options:**

**Tags:**

    - data

    - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_limit\_options

**produces:**

    - application/yang-data+json

**Parameters:**

    - **\$ref:** '#/parameters/datastore-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

    - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/max-concurr

**get:**

**Tags:**

    - data

    - get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_max\_concurrent\_bulk\_notifications\_get

**produces:**

    - application/yang-data+json

**Parameters:**

    - **\$ref:** '#/parameters/datastore-name'

    - **\$ref:** '#/parameters/content'

    - **\$ref:** '#/parameters/depth'

    - **\$ref:** '#/parameters/fields'

    - **\$ref:** '#/parameters/filter'

    - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_max-concurrent-bulk-notifications'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
```

```
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_max_concurrent_bulk_notifications_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/datastore-name'
```

```
- $ref: '#/parameters/content'
```

```
- $ref: '#/parameters/depth'
```

```
- $ref: '#/parameters/fields'
```

```
- $ref: '#/parameters/filter'
```

```
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
  Reference: '#/responses/200'
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_max_concurrent_bulk_notifications_put
```

```
produces:
```

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_max-concurrent-bulk-notifications'

**Responses:**

'201':

**Description:** leaf max-concurrent-bulk-notifications created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_max\_concurrent\_bulk\_notifications\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_max-concurrent-bulk-notifications'

**Responses:**

'204':

**Description:** leaf max-concurrent-bulk-notifications updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_max_concurrent_bulk_notifications_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/datastore-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_max_concurrent_bulk_notifications_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/datastore-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/notification-re

get:

```

      Tags:
        - data
        - get

```



```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_notification_retry_seconds_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_notification-retry-seconds'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_notification_retry_seconds_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_notification\_retry\_seconds\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_notification-retry-seconds'

**Responses:**

'201':  
 Description: leaf notification-retry-seconds created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_notification\_retry\_seconds\_patch

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_notification-retry-seconds'

Responses:
  '204':
    Description: leaf notification-retry-seconds updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_notification_retry_seconds_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_notification_retry_seconds_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/include-conflict-data

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_include_conflict_data_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_include-conflict-data'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_include_conflict_data_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_include_conflict_data_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_include-conflict-data'

  Responses:
    '201':
      Description: leaf include-conflict-data created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_include_conflict_data_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore_name_slot_notification_include-conflict-data'

  Responses:
    '204':
      Description: leaf include-conflict-data updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_include_conflict_data_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_include_conflict_data_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/remote-system-id

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_remote_system_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/remote-system-id={remote-system-id-id}

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_remote\_system\_id\_remote\_system\_id\_id\_get

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/remote-system-id-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':
  Description: OK
  Schema:
    Reference:

```

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_remote-system-id\_remote-system-id-id'

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

**head:**

```

Tags:
- data
- head

```



**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_remote\_system\_id\_remote\_system\_id\_id\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/remote-system-id-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_remote\_system\_id\_remote\_system\_id\_id\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/datastore-name'  
 - **\$ref:** '#/parameters/remote-system-id-id'  
 - **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_remote-system-id\_remote-system-id-id'

- **\$ref:** '#/parameters/insert'  
 - **\$ref:** '#/parameters/point'

**Responses:**  
 '201':  
   **Description:** leaf-list remote-system-id created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_remote_system_id_remote_system_id_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/remote-system-id-id'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_remote-system-id_remote-system-id-id'

Responses:
'204':
    Description: leaf-list remote-system-id updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_remote_system_id_remote_system_id_id_delete

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/remote-system-id-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_remote_system_id_remote_system_id_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/remote-system-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/notification/use-stream

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_use_stream_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_use-stream'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_use_stream_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_use\_stream\_put

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/datastore-name'- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_use-stream'

**Responses:**

'201':

**Description:** leaf use-stream created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**patch:****Tags:**

- data

- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_notification\_use\_stream\_patch

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/datastore-name'- **\$ref:**

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_notification\_use-stream'

**Responses:**

'204':

**Description:** leaf use-stream updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_use_stream_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_notification_use_stream_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/metrics

get:

Tags:

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Method:** Post**Tags:**- data  
- post**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_metrics\_post**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/datastore-name'**- \$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_metrics-post'**Responses:****'201':****Description:** container metrics created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**put:****Tags:**- data  
- put**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_slot\_metrics\_put**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/datastore-name'**- \$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot\_metrics'



```

Responses:
  '201':
    Description: container metrics created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics'

Responses:
  '204':
    Description: container metrics updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:
  - data
  - delete
Summary: ''

```

```

Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/slot/metrics/report-idle-session

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_report_idle_session_type_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics_report-idle-session-type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_report_idle_session_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''

```

```

Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_report_idle_session_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics_report-idle-session-type'

Responses:
  '201':
    Description: leaf report-idle-session-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_report_idle_session_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics_report-idle-session-type'

Responses:
  '204':
    Description: leaf report-idle-session-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_report_idle_session_type_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_slot_metrics_report_idle_session_type_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/datastore-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/test

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_head

#### produces:

- application/yang-data+json

#### Parameters:

```
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test-post'

Responses:
  '201':
    Description: container test created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_put
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test'

**Responses:**

- '201':
  - Description:** container test created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_test\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test'

**Responses:**

- '204':
  - Description:** container test updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**



```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/run

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_run_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_run'

'204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_run\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_run_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_run'

Responses:
  '201':
    Description: leaf run created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_run_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_run'

Responses:
  '204':
    Description: leaf run updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
```

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_run_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_run_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/patch-url

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_patch\_url\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_patch-url'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_patch\_url\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_patch_url_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_patch-url'

Responses:
  '201':
    Description: leaf patch-url created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_patch_url_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_patch-url'

Responses:
  '204':

```

```
    Description: leaf patch-url updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_patch_url_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_patch_url_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/loop

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_loop\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_loop'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_loop\_head

#### produces:

- application/yang-data+json

#### Parameters:



```

- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_loop_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_loop'

Responses:
  '201':
    Description: leaf loop created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_loop_patch
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_loop'

**Responses:**

- '204':
  - Description:** leaf loop updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_test\_loop\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco-smi-cdl\_cdl\_datastore\_datastore\_name\_test\_loop\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/txns

get:

```

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_txns_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
            '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txns'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''

```

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_txns\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_txns\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_txns'

**Responses:**

'201':

Description: leaf txns created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_txns_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txns'

Responses:
  '204':
    Description: leaf txns updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_txns_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_txns_options
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/txn-type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_txn_type_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txn-type'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_txn\_type\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_txn\_type\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/datastore-name'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_txn-type'

**Responses:**

'201':

**Description:** leaf txn-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_txn_type_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txn-type'

    Responses:
      '204':
        Description: leaf txn-type updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_txn_type_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/datastore-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:

```



```

- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_txn_type_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/wait-time-ns

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_wait_time_ns_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_wait-time-ns'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_wait_time_ns_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_wait_time_ns_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_wait-time-ns'
  Responses:
    '201':
      Description: leaf wait-time-ns created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_wait_time_ns_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_wait-time-ns'

  Responses:
    '204':
      Description: leaf wait-time-ns updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_wait_time_ns_delete

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_datastore_datastore_name_test_wait_time_ns_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/datastore={datastore-name}/test/max-non-unique-keys

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_test_max_non_unique_keys_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/datastore-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```

    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_max-non-unique-keys'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_test_max_non_unique_keys_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/datastore-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_test_max_non_unique_keys_put
    produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_max-non-unique-keys'

**Responses:**

- '201':
  - Description:** leaf max-non-unique-keys created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_datastore\_datastore\_name\_test\_max\_non\_unique\_keys\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/datastore-name'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_test\_max-non-unique-keys'

**Responses:**

- '204':
  - Description:** leaf max-non-unique-keys updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

```

- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_test_max_non_unique_keys_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_datastore_datastore_name_test_max_non_unique_keys_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/datastore-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/zookeeper

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_zookeeper_get
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_zookeeper'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**



```
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper-post'

Responses:
  '201':
    Description: container zookeeper created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper'

Responses:
  '201':
    Description: container zookeeper created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper'

Responses:
'204':
    Description: container zookeeper updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/zookeeper/data-storage-size

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_data_storage_size_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_data-storage-size'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_zookeeper_data_storage_size_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_zookeeper_data_storage_size_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper_data-storage-size'

    Responses:
      '201':
        Description: leaf data-storage-size created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'

```

```
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_zookeeper_data_storage_size_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper_data-storage-size'

    Responses:
      '204':
        Description: leaf data-storage-size updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_zookeeper_data_storage_size_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
```

```

Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_data_storage_size_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/zookeeper/log-storage-size

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_log_storage_size_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_log-storage-size'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

**head:**

```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_log_storage_size_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_log_storage_size_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper_log-storage-size'

Responses:
  '201':
    Description: leaf log-storage-size created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:
```

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_log\_storage\_size\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_zookeeper\_log-storage-size'

**Responses:****'204':****Description:** leaf log-storage-size updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_log\_storage\_size\_delete**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_log\_storage\_size\_options**produces:**



```

- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/zookeeper/log-level

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_log_level_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_log-level'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data

```

- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_log\_level\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_log\_level\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_zookeeper\_log-level'

**Responses:**

'201':

**Description:** leaf log-level created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

```
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_log_level_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper_log-level'

Responses:
  '204':
    Description: leaf log-level updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_log_level_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_log_level_options
produces:
- application/yang-data+json
Parameters: []
```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/zookeeper/replica

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_replica\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_zookeeper\_replica'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''

```
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_replica_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_replica_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper_replica'

Responses:
'201':
  Description: leaf replica created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_replica\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_zookeeper\_replica'

**Responses:**

'204':

**Description:** leaf replica updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_replica\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_replica\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

```
security:  
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/zookeeper/enable-JMX-metrics

get:

**Tags:**

```
- data  
- get
```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_JMX\_metrics\_get

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_zookeeper\_enable-JMX-metrics'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
```

head:

**Tags:**

```
- data  
- head
```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_JMX\_metrics\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_JMX\_metrics\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_zookeeper\_enable-JMX-metrics'

**Responses:**

'201':  
 Description: leaf enable-JMX-metrics created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_JMX\_metrics\_patch

**produces:**



- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_zookeeper\_enable-JMX-metrics'

**Responses:**

'204':

**Description:** leaf enable-JMX-metrics updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_JMX\_metrics\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_JMX\_metrics\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/zookeeper/enable-persistence

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_persistence\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_zookeeper\_enable-persistence'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_persistence\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'

```
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_enable_persistence_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper_enable-persistence'

Responses:
  '201':
    Description: leaf enable-persistence created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_zookeeper_enable_persistence_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_zookeeper_enable-persistence'
```

**Responses:**

'204':  
**Description:** leaf enable-persistence updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_persistence\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_persistence\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/zookeeper/enable-parallel-pod-management

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_parallel\_pod\_management\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_zookeeper\_enable-parallel-pod-management'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_parallel\_pod\_management\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_parallel\_pod\_management\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_zookeeper\_enable-parallel-pod-management'

**Responses:**

'201':  
 Description: leaf enable-parallel-pod-management created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_parallel\_pod\_management\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_zookeeper\_enable-parallel-pod-management'

**Responses:**

'204':  
  **Description:** leaf enable-parallel-pod-management updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_parallel\_pod\_management\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
  **Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_zookeeper\_enable\_parallel\_pod\_management\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
  **Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/kafka

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

#### Schema:

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_head

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'



- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':  
  **Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**Method**: Post

**Tags:**

- data
- post

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cisco\_smi\_cdl\_cdl\_kafka\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka-post'

**Responses:**

'201':  
  **Description**: container kafka created

'204':  
  **Reference**: '#/responses/204'

'400':  
  **Reference**: '#/responses/400'

'401':  
  **Reference**: '#/responses/401'

'404':  
  **Reference**: '#/responses/404'

'405':  
  **Reference**: '#/responses/405'

'409':  
  **Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**put**:

**Tags:**

- data
- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cisco\_smi\_cdl\_cdl\_kafka\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka'

```

Responses:
  '201':
    Description: container kafka created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco-smi-cdl_cdl_kafka_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka'

Responses:
  '204':
    Description: container kafka updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_delete  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/kafka/replica

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_replica\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_replica'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_replica_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_replica_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_replica'

  Responses:
    '201':
      Description: leaf replica created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_replica_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_replica'

Responses:
'204':
  Description: leaf replica updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_replica_delete
produces:
- application/yang-data+json
```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_replica_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/log-level

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_log_level_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_log-level'
  '204':
    Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_log_level_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_log_level_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_log-level'

  Responses:
  '201':
    Description: leaf log-level created or replaced
  '204':
    Reference: '#/responses/204'
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_log_level_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_log-level'

  Responses:
    '204':
      Description: leaf log-level updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_log_level_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:

```



```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_log_level_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/partition

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_partition_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_partition'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_partition_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_partition_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_partition'

  Responses:
  '201':
    Description: leaf partition created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_partition_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_partition'

  Responses:
  '204':
    Description: leaf partition updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_partition_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_partition_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/enable-JMX-metrics

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_JMX_metrics_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_enable-JMX-metrics'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_JMX_metrics_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_JMX_metrics_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_enable-JMX-metrics'

  Responses:
    '201':
      Description: leaf enable-JMX-metrics created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_JMX_metrics_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_enable-JMX-metrics'

  Responses:
    '204':
      Description: leaf enable-JMX-metrics updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_JMX_metrics_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_JMX_metrics_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ip

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_external_ip_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ip={external-ip-ip},{external-ip-port}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'

```

- \$ref: '#/parameters/external-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_external-ip\_external-ip-ip\_external-ip-port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/external-ip-ip'
- \$ref: '#/parameters/external-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []



**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/external-ip-ip'
- **\$ref:** '#/parameters/external-ip-port'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_external-ip\_external-ip-ip\_external-ip-port'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list external-ip created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/external-ip-ip'
- **\$ref:** '#/parameters/external-ip-port'
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_external-ip\_external-ip-ip\_external-ip-port'

**Responses:**

'204':  
**Description:** list external-ip updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/external-ip-ip'  
 - **\$ref:** '#/parameters/external-ip-port'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/external-ip-ip'  
 - **\$ref:** '#/parameters/external-ip-port'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ip={external-ip-ip},{external-ip-port}/ip

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ip_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ip'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data

```

```

- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ip_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip_external-ip-port_ip'

Responses:
  '201':
    Description: leaf ip created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ip_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'
  - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ip'

  Responses:
    '204':
      Description: leaf ip updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ip_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'

  Responses:
    '204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ip_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ip={external-ip-ip},{external-ip-port}/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_port'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_port_head
  produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/external-ip-ip'
    - $ref: '#/parameters/external-ip-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_port_put
  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/external-ip-ip'
- \$ref: '#/parameters/external-ip-port'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_external-ip\_external-ip-ip\_external-ip-port\_port'

**Responses:**

- '201':
  - Description:** leaf port created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_port\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/external-ip-ip'
- \$ref: '#/parameters/external-ip-port'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_external-ip\_external-ip-ip\_external-ip-port\_port'

**Responses:**

- '204':
  - Description:** leaf port updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_port_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/external-ip-ip'
        - $ref: '#/parameters/external-ip-port'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_port_options
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/external-ip-ip'
        - $ref: '#/parameters/external-ip-port'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ip={external-ip-ip},{external-ip-port}/ssl-port

```

get:

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ssl_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ssl-port'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ssl_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_ssl\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/external-ip-ip'
- \$ref: '#/parameters/external-ip-port'
- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_external-ip\_external-ip-ip\_external-ip-port\_ssl-port'

**Responses:**

'201':  
 Description: leaf ssl-port created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''****Description: ''****Operation ID:**

```

data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ssl_port_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'
  - $ref:
    '#/parameters/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ssl-port'

  Responses:
    '204':
      Description: leaf ssl-port updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ssl_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_cisco_smi_cdl_cdl_kafka_external_ip_external_ip_ip_external_ip_port_ssl_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ipv6

```

options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_external_ipv6_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ipv6={external-ipv6-ip},{external-ipv6-port}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ipv6-ip'
  - $ref: '#/parameters/external-ipv6-port'
  - $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/external-ipv6-ip'
- \$ref: '#/parameters/external-ipv6-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ipv6-ip'
- $ref: '#/parameters/external-ipv6-port'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list external-ipv6 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ipv6-ip'
- $ref: '#/parameters/external-ipv6-port'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port'

```

**Responses:**

'204':  
**Description:** list external-ipv6 updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ipv6\_external\_ipv6\_ip\_external\_ipv6\_port\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/external-ipv6-ip'  
 - **\$ref:** '#/parameters/external-ipv6-port'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ipv6\_external\_ipv6\_ip\_external\_ipv6\_port\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/external-ipv6-ip'  
 - **\$ref:** '#/parameters/external-ipv6-port'

**Responses:**

'200':



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ipv6={external-ipv6-ip},{external-ipv6-port}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ip_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ipv6-ip'
  - $ref: '#/parameters/external-ipv6-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ip'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data

```

```

- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ipv6-ip'
- $ref: '#/parameters/external-ipv6-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ip_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ipv6-ip'
- $ref: '#/parameters/external-ipv6-port'
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ip'

Responses:
  '201':
    Description: leaf ip created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ip_patch
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/external-ipv6-ip'
        - $ref: '#/parameters/external-ipv6-port'
        - $ref:
'#/parameters/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ip'

      Responses:
        '204':
          Description: leaf ip updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ip_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/external-ipv6-ip'
        - $ref: '#/parameters/external-ipv6-port'

      Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ip_options
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/external-ipv6-ip'
        - $ref: '#/parameters/external-ipv6-port'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ipv6={external-ipv6-ip},{external-ipv6-port}/port

```

get:

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_port_get
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/external-ipv6-ip'
        - $ref: '#/parameters/external-ipv6-port'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Description: OK
          Schema:

```

```

Reference:
'#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_port'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_port_head
produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ipv6-ip'
  - $ref: '#/parameters/external-ipv6-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_port_put
produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/external-ipv6-ip'
- \$ref: '#/parameters/external-ipv6-port'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_port'

**Responses:**

'201':

**Description:** leaf port created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/external-ipv6-ip'
- \$ref: '#/parameters/external-ipv6-port'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_port'

**Responses:**

'204':

**Description:** leaf port updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ipv6-ip'
  - $ref: '#/parameters/external-ipv6-port'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ipv6-ip'
  - $ref: '#/parameters/external-ipv6-port'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/external-ipv6={external-ipv6-ip},{external-ipv6-port}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ssl_port_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ipv6-ip'
- $ref: '#/parameters/external-ipv6-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ssl-port'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ssl_port_head

produces:
- application/yang-data+json

Parameters:

```



- \$ref: '#/parameters/external-ipv6-ip'
- \$ref: '#/parameters/external-ipv6-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_cdl\_cdl\_kafka\_external\_ipv6\_external\_ipv6\_ip\_external\_ipv6\_port\_ssl\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/external-ipv6-ip'
- \$ref: '#/parameters/external-ipv6-port'
- \$ref:

'#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_ssl-port'

**Responses:**

'201':  
 Description: leaf ssl-port created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ssl_port_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ipv6-ip'
- $ref: '#/parameters/external-ipv6-port'
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ssl-port'

Responses:
  '204':
    Description: leaf ssl-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ssl_port_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ipv6-ip'
- $ref: '#/parameters/external-ipv6-port'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_external_ipv6_external_ipv6_ip_external_ipv6_port_ssl_port_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ipv6-ip'
- $ref: '#/parameters/external-ipv6-port'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/enable-persistence

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_persistence_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_enable-persistence'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_persistence_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_persistence_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_enable-persistence'
  Responses:
  '201':
    Description: leaf enable-persistence created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_persistence_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_enable-persistence'

  Responses:
  '204':
    Description: leaf enable-persistence updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_persistence_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:
```

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_enable\_persistence\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/kafka/storage

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_storage\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_storage'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_kafka_storage_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_kafka_storage_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_storage'

    Responses:
      '201':
        Description: leaf storage created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_kafka_storage_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_storage'

    Responses:
      '204':
        Description: leaf storage updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_kafka_storage_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data

```



```

- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_storage_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/ssl-settings

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_ssl-settings'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_ssl-settings-post'

Responses:
  '201':
    Description: container ssl-settings created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_ssl-settings'

Responses:
'201':
  Description: container ssl-settings created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_ssl-settings'

Responses:
'204':
  Description: container ssl-settings updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/ssl-settings/enable-ssl

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_enable_ssl_get
produces:

```

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_ssl-settings_enable-ssl'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_enable_ssl_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:
```

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_ssl\_settings\_enable\_ssl\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_ssl-settings\_enable-ssl'

**Responses:**

'201':

**Description:** leaf enable-ssl created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_ssl\_settings\_enable\_ssl\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_ssl-settings\_enable-ssl'

**Responses:**

'204':

**Description:** leaf enable-ssl updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_enable_ssl_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_ssl_settings_enable_ssl_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/kafka/ssl-settings/disable-host-name-verification

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_ssl_settings_disable_host_name_verification_get
  produces:
    - application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_kafka_ssl-settings_disable-host-name-verification'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_cdl_cdl_kafka_ssl_settings_disable_host_name_verification_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

```



```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_ssl_settings_disable_host_name_verification_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_kafka_ssl-settings_disable-host-name-verification'

Responses:
'201':
  Description: leaf disable-host-name-verification created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_cdl_cdl_kafka_ssl_settings_disable_host_name_verification_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cisco-smi-cdl_cdl_kafka_ssl-settings_disable-host-name-verification'

Responses:
'204':
  Description: leaf disable-host-name-verification updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_ssl_settings_disable_host_name_verification_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_cdl_cdl_kafka_ssl_settings_disable_host_name_verification_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/retention-time

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

```

Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_time_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_retention-time'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_time_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:

```

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_time_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_retention-time'

Responses:
'201':
  Description: leaf retention-time created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_time_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_retention-time'

Responses:
'204':
  Description: leaf retention-time updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_time_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_time_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/kafka/retention-size

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_size_get
  produces:
```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_retention-size'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_retention\_size\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_retention\_size\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_retention-size'

**Responses:**

- '201':  
**Description:** leaf retention-size created or replaced
- '204':  
**Reference:** '#/responses/204'
- '400':  
**Reference:** '#/responses/400'
- '401':  
**Reference:** '#/responses/401'
- '404':  
**Reference:** '#/responses/404'
- '405':  
**Reference:** '#/responses/405'
- '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_retention\_size\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_retention-size'

**Responses:**

- '204':  
**Description:** leaf retention-size updated
- '400':  
**Reference:** '#/responses/400'
- '401':  
**Reference:** '#/responses/401'
- '404':  
**Reference:** '#/responses/404'
- '405':  
**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_size_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_retention_size_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/total-retention-size

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_total_retention_size_get
produces:
- application/yang-data+json

Parameters:

```



```
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_total-retention-size'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_total_retention_size_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_total\_retention\_size\_put  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_total-retention-size'

**Responses:**

- '201':  
**Description:** leaf total-retention-size created or replaced
- '204':  
**Reference:** '#/responses/204'
- '400':  
**Reference:** '#/responses/400'
- '401':  
**Reference:** '#/responses/401'
- '404':  
**Reference:** '#/responses/404'
- '405':  
**Reference:** '#/responses/405'
- '409':  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_total\_retention\_size\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_total-retention-size'

**Responses:**

- '204':  
**Description:** leaf total-retention-size updated
- '400':  
**Reference:** '#/responses/400'
- '401':  
**Reference:** '#/responses/401'
- '404':  
**Reference:** '#/responses/404'
- '405':  
**Reference:** '#/responses/405'
- '409':  
**Reference:** '#/responses/409'

```
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_total_retention_size_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_total_retention_size_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/kafka/log-compaction

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_log_compaction_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_log-compaction'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_log-compaction-post'

**Responses:**

- '201':
  - Description:** container log-compaction created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_log-compaction'

**Responses:**

- '201':
  - Description:** container log-compaction created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_kafka_log_compaction_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_log-compaction'

    Responses:
      '204':
        Description: container log-compaction updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_cdl_cdl_kafka_log_compaction_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''

```

```
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_log_compaction_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/kafka/log-compaction/disable

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_log_compaction_disable_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_log-compaction_disable'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_disable\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_disable\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_log-compaction\_disable'

**Responses:****'201':****Description:** leaf disable created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []



**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_disable\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_log-compaction\_disable'

**Responses:****'204':****Description:** leaf disable updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_disable\_delete**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_disable\_options

```

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/log-compactio/delete-retention-ms

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_log_compactio_delete_retention_ms_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_log_compactio_delete-retention-ms'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_log_compaction_delete_retention_ms_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_log_compaction_delete_retention_ms_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_log-compaction_delete-retention-ms'

Responses:
  '201':
    Description: leaf delete-retention-ms created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_delete\_retention\_ms\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_log-compaction\_delete-retention-ms'

**Responses:****'204':****Description:** leaf delete-retention-ms updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_delete\_retention\_ms\_delete**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_log\_compaction\_delete\_retention\_ms\_options

```
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/kafka/label-config

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_label-config'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:
```

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_post**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_label-config-post'

**Responses:****'201':****Description:** container label-config created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**put:**

```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_label-config'

Responses:
'201':
  Description: container label-config created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_label-config'

Responses:
'204':
  Description: container label-config updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/label-config/key

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_key_get
produces:
- application/yang-data+json

Parameters:

```



- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_key'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_key\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_key\_put  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_key'

**Responses:**  
 '201':  
   **Description:** leaf key created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_key\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_key'

**Responses:**  
 '204':  
   **Description:** leaf key updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

```
    security:
      - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_key_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_key_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/kafka/label-config/value

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_label_config_value_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_value'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_value\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_value\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_value'

**Responses:**  
'201':  
  **Description:** leaf value created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Summary:** ''  
**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_value\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_value'

**Responses:**  
'204':  
  **Description:** leaf value updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_value\_delete**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_label\_config\_value\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/kafka/enable-parallel-pod-management

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_enable\_parallel\_pod\_management\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_kafka_enable-parallel-pod-management'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_parallel_pod_management_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_parallel_pod_management_put
produces:

```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_enable-parallel-pod-management'

**Responses:**

'201':

**Description:** leaf enable-parallel-pod-management created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_enable\_parallel\_pod\_management\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_enable-parallel-pod-management'

**Responses:**

'204':

**Description:** leaf enable-parallel-pod-management updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**



```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_parallel_pod_management_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_enable_parallel_pod_management_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/kafka/describe

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_describe_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_describe'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_describe_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_describe_post
  produces:
  - application/yang-data+json

  Parameters:

```

```
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_describe-post'
```

**Responses:**

- '201':
  - Description:** container describe created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_describe\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_describe'

**Responses:**

- '201':
  - Description:** container describe created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_describe_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_describe'

Responses:
  '204':
    Description: container describe updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_describe_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_describe_options
produces:
- application/yang-data+json
Parameters: []

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/kafka/list

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_list\_get  
**produces:**  
 - application/yang-data+json  
**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_list'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''

**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_list\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

**Method:** Post

**Tags:**

- data  
 - post

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_list\_post  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_list-post'

**Responses:**  
 '201':  
   **Description:** container list created  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_list\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_list'

**Responses:**  
'201':  
  **Description:** container list created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_list\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_list'

**Responses:**  
'204':  
  **Description:** container list updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_list_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_list_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/kafka/reset-offsets

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_reset_offsets_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```



- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_reset-offsets'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_reset\_offsets\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_reset\_offsets\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_reset-offsets-post'

**Responses:**

- '201':

- Description:** container reset-offsets created

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

- Summary:** ''

- Description:** ''

- Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_reset\_offsets\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_reset-offsets'

**Responses:**

- '201':

- Description:** container reset-offsets created or replaced

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_reset_offsets_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_reset-offsets'

  Responses:
  '204':
    Description: container reset-offsets updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_reset_offsets_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_reset\_offsets\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-cdl:cdl/kafka/reset-offsets-dry-run

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_reset\_offsets\_dry\_run\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_reset-offsets-dry-run'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_reset_offsets_dry_run_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_kafka_reset_offsets_dry_run_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_kafka_reset-offsets-dry-run-post'

Responses:
  '201':
    Description: container reset-offsets-dry-run created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:
```

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_reset\_offsets\_dry\_run\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_reset-offsets-dry-run'

**Responses:****'201':****Description:** container reset-offsets-dry-run created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_kafka\_reset\_offsets\_dry\_run\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-cdl\_cdl\_kafka\_reset-offsets-dry-run'

**Responses:****'204':****Description:** container reset-offsets-dry-run updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_reset_offsets_dry_run_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_kafka_reset_offsets_dry_run_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
```

## /data/cisco-smi-cdl:cdl/mirror-maker

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_get
  produces:
    - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_mirror-maker'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_mirror\_maker\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post



```
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_mirror-maker-post'

Responses:
'201':
  Description: container mirror-maker created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_mirror-maker'

Responses:
'201':
  Description: container mirror-maker created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_mirror-maker'

  Responses:
    '204':
      Description: container mirror-maker updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

  Tags:
  - data

```

```

- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/mirror-maker/log-level

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_log_level_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_mirror-maker_log-level'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_log_level_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_log_level_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_mirror-maker_log-level'

  Responses:
  '201':
    Description: leaf log-level created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:

```

```
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_log_level_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_mirror-maker_log-level'

Responses:
'204':
  Description: leaf log-level updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_log_level_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
```

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_mirror\_maker\_log\_level\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-cdl:cdl/mirror-maker/enable-JMX-metrics

**get:**

**Tags:**

- data

- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_mirror\_maker\_enable\_JMX\_metrics\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_mirror-maker\_enable-JMX-metrics'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_enable_JMX_metrics_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_mirror_maker_enable_JMX_metrics_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_mirror-maker_enable-JMX-metrics'

Responses:
  '201':
    Description: leaf enable-JMX-metrics created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_mirror\_maker\_enable\_JMX\_metrics\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-cdl\_cdl\_mirror-maker\_enable-JMX-metrics'

**Responses:****'204':****Description:** leaf enable-JMX-metrics updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_mirror\_maker\_enable\_JMX\_metrics\_delete**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_mirror\_maker\_enable\_JMX\_metrics\_options**produces:**



```

- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/show

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_show_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_show'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data

```

```

- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_show_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/show/sessions

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_show_sessions_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_show_sessions'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_show_sessions_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/show/sessions/count

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_show_sessions_count_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cisco-smi-cdl_cdl_show_sessions_count'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_show_sessions_count_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-cdl:cdl/clear

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_clear_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_clear'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_clear_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/actions

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_actions\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_actions'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_actions\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-cdl:cdl/actions/remote-index-sync

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_actions\_remote\_index\_sync\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference: '#/definitions/data\_cisco-smi-cdl\_cdl\_actions\_remote-index-sync'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_actions_remote_index_sync_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-cdl:cdl/network-policy

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_network_policy_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_network-policy'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```



```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_network_policy_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_network_policy_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cisco-smi-cdl_cdl_network-policy-post'

  Responses:
    '201':
      Description: container network-policy created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_network_policy_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_network-policy'

  Responses:
    '201':
      Description: container network-policy created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_cdl_cdl_network_policy_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-cdl_cdl_network-policy'

  Responses:

```

```
'204':
  Description: container network-policy updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_network_policy_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_network_policy_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-cdl:cdl/network-policy/enable

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_network\_policy\_enable\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_network-policy\_enable'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_cdl\_cdl\_network\_policy\_enable\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_network_policy_enable_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_network-policy_enable'

Responses:
  '201':
    Description: leaf enable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_network_policy_enable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-cdl_cdl_network-policy_enable'

Responses:
  '204':
    Description: leaf enable updated
  '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_network_policy_enable_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_cdl_cdl_network_policy_enable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

Parameters:
Content:
  name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Type: string
  Format: enumeration

```

**Default:** config

**enum:**

- config
- nonconfig
- all

**depth:**

**name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Type:** integer

**Format:** uint16

**fields:**

**name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Type:** string

**Format:** string

**filter:**

**name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Type:** string

**Format:** string

**with-defaults:**

**name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**insert:**

**name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first
- last
- before
- after

**point:**

**name:** point

```

    In: query
    Description: used to specify the insertion point
    Required/Optional: false
    Type: string
    Format: string
  advanced-config-profile-name:
    name: advanced-config-profile-name
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
  certs-host:
    name: certs-host
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
  data-post:
    name: data
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data-post'
  data-put-patch:
    name: data
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data-put-patch'
  data_cisco-smi-cdl_cdl:
    name: cdl
    In: body
    Description: Configure cdl parameters for deployment. If cdl container is not
      configured, the cdl chart wont be deployed
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl'
  data_cisco-smi-cdl_cdl-post:
    name: cdl
    In: body
    Description: Configure cdl parameters for deployment. If cdl container is not
      configured, the cdl chart wont be deployed
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl-post'
  data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name:
    name: advanced-config-profile

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint:

  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint-post:

  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint-post'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_index-timeout:

  name: index-timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_index-timeout'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_max-concurrent-operations:

  name: max-concurrent-operations
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_max-concurrent-operations'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_operation-timeout:

  name: operation-timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_operation-timeout'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-queue-size:

  name: read-queue-size

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-queue-size'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-response-queue-size:

  name: read-response-queue-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-response-queue-size'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-worker-count:

  name: read-worker-count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-worker-count'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_remote-ep-connection-count:

  name: remote-ep-connection-count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_remote-ep-connection-count'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_slot-timeout:

  name: slot-timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_slot-timeout'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-queue-size:

  name: write-queue-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-queue-size'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-response-queue-size:

  name: write-response-queue-size

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-response-queue-size'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-worker-count:

  name: write-worker-count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-worker-count'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index:

    name: index
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index-post:

      name: index
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index-post'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit:

        name: audit
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit-post:

          name: audit
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit-post'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit_record-expiry-duration:

            name: record-expiry-duration

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit-record-expiry-duration'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_init-record-count:

  name: init-record-count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_init-record-count'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_name:

  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_name'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot:

  name: slot
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot-post:

  name: slot
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot-post'
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot_init-record-count:

  name: init-record-count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot_init-record-count'
data_cisco-smi-cdl_cdl_datastore_datastore-name:

  name: datastore
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name'
data_cisco-smi-cdl_cdl_datastore_datastore-name_advanced-config-profile:
  name: advanced-config-profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_advanced-config-profile'
data_cisco-smi-cdl_cdl_datastore_datastore-name_cluster-id:
  name: cluster-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_cluster-id'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint-post:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint-post'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_copies-per-node:
  name: copies-per-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_copies-per-node'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-limit:
  name: cpu-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-limit'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-request:
  name: cpu-request

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-request'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ip:
  name: external-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ip'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ipv6:
  name: external-ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ipv6'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-port:
  name: external-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-port'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-debug:
  name: go-debug
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-debug'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-max-procs:
  name: go-max-procs
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-max-procs'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-limit:
  name: memory-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```

```

'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-limit'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-request:
  name: memory-request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-request'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_patch-url:
  name: patch-url
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_patch-url'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_replica:
  name: replica
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_replica'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings:
  name: settings
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings-post:
  name: settings
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings-post'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_index-timeout-ms:
  name: index-timeout-ms
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_index-timeout-ms'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_remote-ep-connection-count:
  name: remote-ep-connection-count

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_remote-ep-connection-count'
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_slot-timeout-ms:

  name: slot-timeout-ms
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_slot-timeout-ms'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features:
  name: features
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features-post:
  name: features
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features-post'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection:

  name: index-overwrite-detection
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection-post:

  name: index-overwrite-detection
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection-post'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_max-tps:

  name: max-tps
  In: body
  Description: ''
  Required/Optional: true

```



**Schema:****Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_max-tps'  
**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_queue-size:**

**name:** queue-size  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_queue-size'  
 ?  
 data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix

**name:** unique-keys-prefix  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix'  
 ?

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix\_action

**name:** action  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix\_action'  
 ?

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix\_key-prefix

**name:** key-prefix  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix\_key-prefix'

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification:**

**name:** instance-aware-notification  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification'

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification-post:**

**name:** instance-aware-notification  
**In:** body  
**Description:** ''  
**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification-post'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_enable:
```

```
name: enable
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_enable'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id:
```

```
name: system-id
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id_id:
```

```
name: id
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id_id'
?
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id_slice-names_slice-names-id
: name: slice-names
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id_slice-names_slice-names-id'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection:
```

```
name: overload-protection
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection'
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection-post:
```

```
name: overload-protection
In: body
Description: ''
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection-post'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_critical-alert-threshold:
```

```
name: critical-alert-threshold
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_critical-alert-threshold'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_enable:
```

```
name: enable
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_enable'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_hard-limit-percentage:
```

```
name: hard-limit-percentage
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_hard-limit-percentage'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_index-max-record-count:
```

```
name: index-max-record-count
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_index-max-record-count'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_major-alert-threshold:
```

```
name: major-alert-threshold
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_major-alert-threshold'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_slot-max-record-count:
```

```
name: slot-max-record-count
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_slot-max-record-count'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_slot-max-size:
```

```
name: slot-max-size  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_slot-max-size'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection:
```

```
name: slot-stale-session-detection  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection-post:
```

```
name: slot-stale-session-detection  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection-post'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection_disable-auto-deletion:
```

```
name: disable-auto-deletion  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection_disable-auto-deletion'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection_notification-retry-count:
```

```
name: notification-retry-count  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection_notification-retry-count'  
data_cisco-smi-cdl_cdl_datastore_datastore-name_find-by-nuk-prefixes_find-by-nuk-prefixes-id:
```

```
name: find-by-nuk-prefixes  
In: body  
Description: ''  
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_find-by-nuk-prefixes_find-by-nuk-prefixes-id'
data_cisco-smi-cdl_cdl_datastore_datastore-name_geo-remote-site_geo-remote-site-id:
```

```
name: geo-remote-site
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_geo-remote-site_geo-remote-site-id'
data_cisco-smi-cdl_cdl_datastore_datastore-name_index:
```

```
name: index
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index'

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_index-post:
```

```
name: index
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_index-post'

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-limit:
```

```
name: cpu-limit
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-limit'
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-request:
```

```
name: cpu-request
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-request'
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_go-debug:
```

```
name: go-debug
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_go-debug'
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_go-max-procs:
```

```
name: go-max-procs
In: body
```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_go-max-procs'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_index_map:
    name: map
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_map'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-limit:
    name: memory-limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-limit'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-request:
    name: memory-request
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-request'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_index_patch-url:
    name: patch-url
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_patch-url'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_index_replica:
    name: replica
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_replica'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_index_write-factor:
    name: write-factor
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_index_write-factor'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_label-config:

```

```

    name: label-config
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_label-config'
data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics:
    name: metrics
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics'
data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics-post:
    name: metrics
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics-post'
data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics_verbosity:
    name: verbosity
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics_verbosity'
data_cisco-smi-cdl_cdl_datastore_datastore-name_name:
    name: name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_name'
data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection:
    name: overload-protection
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection'
data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection-post:

    name: overload-protection
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection-post'

```

```

data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection_disable:

  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection_disable'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slice-names_slice-names-id:

  name: slice-names
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slice-names_slice-names-id'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot:

  name: slot
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot-post:

  name: slot
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot-post'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_cpu-limit:

  name: cpu-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_cpu-limit'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_cpu-request:

  name: cpu-request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_cpu-request'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-debug:

  name: go-debug
  In: body
  Description: ''
  Required/Optional: true

```



```
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-debug'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-max-procs:
  name: go-max-procs
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-max-procs'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_map:
  name: map
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_map'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-limit:
  name: memory-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-limit'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-request:
  name: memory-request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-request'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics:
  name: metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics-post:
  name: metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics-post'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics_report-idle-session-type:
  name: report-idle-session-type
  In: body
```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics_report-idle-session-type'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification:
    name: notification
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification-post:
    name: notification
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification-post'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_connection-count:
    name: connection-count
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_connection-count'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_dynamic-provisioning:
    name: dynamic-provisioning
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_dynamic-provisioning'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_host:
    name: host
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_host'
  data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_include-conflict-data:
    name: include-conflict-data
    In: body
    Description: ''
    Required/Optional: true

```

```

Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_include-conflict-data'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_limit:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_limit'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_max-concurrent-bulk-notifications:

  name: max-concurrent-bulk-notifications
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_max-concurrent-bulk-notifications'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_notification-retry-seconds:

  name: notification-retry-seconds
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_notification-retry-seconds'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_port:
  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_port'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_remote-system-id_remote-system-id-id:

  name: remote-system-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_remote-system-id_remote-system-id-id'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_use-stream:

  name: use-stream
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_use-stream'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_patch-url:
```

```
name: patch-url
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_patch-url'
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_replica:
```

```
name: replica
In: body
Description: ''
Required/Optional: true
Schema:
```

```
Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_replica'
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_write-factor:
```

```
name: write-factor
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_write-factor'
data_cisco-smi-cdl_cdl_datastore_datastore-name_test:
```

```
name: test
In: body
Description: ''
Required/Optional: true
Schema:
```

```
Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test'
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_test-post:
```

```
name: test
In: body
Description: ''
Required/Optional: true
Schema:
```

```
Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test-post'
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_test_loop:
```

```
name: loop
In: body
Description: ''
Required/Optional: true
Schema:
```

```
Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_loop'
```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_test_max-non-unique-keys:
```

```
name: max-non-unique-keys
In: body
Description: ''
Required/Optional: true
```

```

Schema:
  Reference:
  '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_max-non-unique-keys'
data_cisco-smi-cdl_cdl_datastore_datastore-name_test_patch-url:
  name: patch-url
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_patch-url'
data_cisco-smi-cdl_cdl_datastore_datastore-name_test_run:
  name: run
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_run'
data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txn-type:
  name: txn-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txn-type'
data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txns:
  name: txns
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txns'
data_cisco-smi-cdl_cdl_datastore_datastore-name_test_wait-time-ns:
  name: wait-time-ns
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-smi-cdl_cdl_datastore_datastore-name_test_wait-time-ns'
data_cisco-smi-cdl_cdl_deployment-model:
  name: deployment-model
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_deployment-model'
data_cisco-smi-cdl_cdl_enable-geo-replication:
  name: enable-geo-replication
  In: body
  Description: ''
  Required/Optional: true

```

```

Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_enable-geo-replication'
data_cisco-smi-cdl_cdl_kafka:
  name: kafka
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka'
data_cisco-smi-cdl_cdl_kafka-post:
  name: kafka
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka-post'
data_cisco-smi-cdl_cdl_kafka_describe:
  name: describe
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_describe'
data_cisco-smi-cdl_cdl_kafka_describe-post:
  name: describe
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_describe-post'
data_cisco-smi-cdl_cdl_kafka_enable-JMX-metrics:
  name: enable-JMX-metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_enable-JMX-metrics'
data_cisco-smi-cdl_cdl_kafka_enable-parallel-pod-management:
  name: enable-parallel-pod-management
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_enable-parallel-pod-management'
data_cisco-smi-cdl_cdl_kafka_enable-persistence:
  name: enable-persistence
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_enable-persistence'

```

```
data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port:
  name: external-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port'
data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ip'
data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_port:
  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_port'
data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ssl-port:
  name: ssl-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ssl-port'
data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port:
  name: external-ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port'
data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ip'
```

**data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_port:**

**name:** port  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_port'

**data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_ssl-port:**

**name:** ssl-port  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_external-ipv6\_external-ipv6-ip\_external-ipv6-port\_ssl-port'

**data\_cisco-smi-cdl\_cdl\_kafka\_label-config:**

**name:** label-config  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_label-config'

**data\_cisco-smi-cdl\_cdl\_kafka\_label-config-post:**

**name:** label-config  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_label-config-post'

**data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_key:**

**name:** key  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_key'

**data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_value:**

**name:** value  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-cdl\_cdl\_kafka\_label-config\_value'

**data\_cisco-smi-cdl\_cdl\_kafka\_list:**

**name:** list  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**



```
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_list'
data_cisco-smi-cdl_cdl_kafka_list-post:
  name: list
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_list-post'
data_cisco-smi-cdl_cdl_kafka_log-compaction:
  name: log-compaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_log-compaction'
data_cisco-smi-cdl_cdl_kafka_log-compaction-post:
  name: log-compaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_log-compaction-post'
data_cisco-smi-cdl_cdl_kafka_log-compaction_delete-retention-ms:
  name: delete-retention-ms
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_kafka_log-compaction_delete-retention-ms'
data_cisco-smi-cdl_cdl_kafka_log-compaction_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_log-compaction_disable'
data_cisco-smi-cdl_cdl_kafka_log-level:
  name: log-level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_log-level'
data_cisco-smi-cdl_cdl_kafka_partition:
  name: partition
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_partition'
data_cisco-smi-cdl_cdl_kafka_replica:
```

```

    name: replica
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_replica'
data_cisco-smi-cdl_cdl_kafka_reset-offsets:
  name: reset-offsets
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_reset-offsets'
data_cisco-smi-cdl_cdl_kafka_reset-offsets-dry-run:
  name: reset-offsets-dry-run
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_reset-offsets-dry-run'
data_cisco-smi-cdl_cdl_kafka_reset-offsets-dry-run-post:
  name: reset-offsets-dry-run
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_reset-offsets-dry-run-post'
data_cisco-smi-cdl_cdl_kafka_reset-offsets-post:
  name: reset-offsets
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_reset-offsets-post'
data_cisco-smi-cdl_cdl_kafka_retention-size:
  name: retention-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_retention-size'
data_cisco-smi-cdl_cdl_kafka_retention-time:
  name: retention-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_retention-time'
data_cisco-smi-cdl_cdl_kafka_ssl-settings:
  name: ssl-settings
  In: body

```

```
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_ssl-settings'
data_cisco-smi-cdl_cdl_kafka_ssl-settings-post:
  name: ssl-settings
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_ssl-settings-post'
data_cisco-smi-cdl_cdl_kafka_ssl-settings_disable-host-name-verification:

  name: disable-host-name-verification
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-cdl_cdl_kafka_ssl-settings_disable-host-name-verification'
data_cisco-smi-cdl_cdl_kafka_ssl-settings_enable-ssl:
  name: enable-ssl
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_ssl-settings_enable-ssl'
data_cisco-smi-cdl_cdl_kafka_storage:
  name: storage
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_storage'
data_cisco-smi-cdl_cdl_kafka_total-retention-size:
  name: total-retention-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_kafka_total-retention-size'
data_cisco-smi-cdl_cdl_label-config_label-config-name:
  name: label-config
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name'
data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint:
  name: endpoint
  In: body
  Description: ''
```

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint'
  data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint-post:
    name: endpoint
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint-post'
  data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_key:
    name: key
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_key'
  data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_value:
    name: value
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_value'
  data_cisco-smi-cdl_cdl_label-config_label-config-name_index:
    name: index
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index'
  data_cisco-smi-cdl_cdl_label-config_label-config-name_index-post:
    name: index
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index-post'
  data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id:
    name: map
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id'
  data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_key:

```

```

    name: key
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_key'
data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_map-id:

    name: map-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_map-id'
data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_value:

    name: value
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_value'
data_cisco-smi-cdl_cdl_label-config_label-config-name_name:
    name: name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_name'
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot:
    name: slot
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot'
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot-post:
    name: slot
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot-post'
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id:

    name: map
    In: body
    Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id'
    data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_key:

      name: key
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_key'
    data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_map-id:

      name: map-id
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_map-id'
    data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_value:

      name: value
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_value'
    data_cisco-smi-cdl_cdl_logging:

      name: logging
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging'
    data_cisco-smi-cdl_cdl_logging-post:

      name: logging
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging-post'
    data_cisco-smi-cdl_cdl_logging_default-log-level:

      name: default-log-level
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_default-log-level'
    data_cisco-smi-cdl_cdl_logging_error-stack:

```

```
name: error-stack
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_error-stack'
data_cisco-smi-cdl_cdl_logging_json-logging:
name: json-logging
In: body
description: 'Enable or disable logging in json format. Example value:
true'
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_json-logging'
data_cisco-smi-cdl_cdl_logging_logger_logger-name:
name: logger
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_logger_logger-name'
data_cisco-smi-cdl_cdl_logging_logger_logger-name_level:
name: level
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_logger_logger-name_level'
data_cisco-smi-cdl_cdl_logging_logger_logger-name_name:
name: name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_logger_logger-name_name'
data_cisco-smi-cdl_cdl_logging_sync-logging:
name: sync-logging
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_logging_sync-logging'
data_cisco-smi-cdl_cdl_mirror-maker:
name: mirror-maker
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_mirror-maker'
data_cisco-smi-cdl_cdl_mirror-maker-post:
name: mirror-maker
In: body
```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-cdl_cdl_mirror-maker-post'
data_cisco-smi-cdl_cdl_mirror-maker_enable-JMX-metrics:
  name: enable-JMX-metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_mirror-maker_enable-JMX-metrics'
data_cisco-smi-cdl_cdl_mirror-maker_log-level:
  name: log-level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_mirror-maker_log-level'
data_cisco-smi-cdl_cdl_network-policy:
  name: network-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_network-policy'
data_cisco-smi-cdl_cdl_network-policy-post:
  name: network-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_network-policy-post'
data_cisco-smi-cdl_cdl_network-policy_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_network-policy_enable'
data_cisco-smi-cdl_cdl_node-type:
  name: node-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_node-type'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id:
  name: remote-site
  In: body
  Description: ''
  Required/Optional: true

```



```

Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint:
  name: db-endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint-post:

  name: db-endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint-post'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_host:

  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_host'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_port:

  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_port'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port:

  name: kafka-server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port_host:

  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port_host'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port_port:
```

```
name: port
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port_port'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port_ssl-port:
```

```
name: ssl-port
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port_ssl-port'
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_system-id:
```

```
name: system-id
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_system-id'
data_cisco-smi-cdl_cdl_repository:
```

```
name: repository
In: body
Description: ''
Required/Optional: true
Schema:
```

```
Reference: '#/definitions/data_cisco-smi-cdl_cdl_repository'
```

```
data_cisco-smi-cdl_cdl_ssl-config:
```

```
name: ssl-config
In: body
Description: ''
Required/Optional: true
Schema:
```

```
Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config'
```

```
data_cisco-smi-cdl_cdl_ssl-config-post:
```

```
name: ssl-config
In: body
Description: ''
Required/Optional: true
Schema:
```

```
Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config-post'
```

```
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host:
```

```
name: certs
In: body
Description: ''
```

```
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host'
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_host:
  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_host'
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-ca:
  name: ssl-ca
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-ca'
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-crt:
  name: ssl-crt
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-crt'
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-key:
  name: ssl-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-key'
data_cisco-smi-cdl_cdl_ssl-config_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_ssl-config_enable'
data_cisco-smi-cdl_cdl_system-id:
  name: system-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_system-id'
data_cisco-smi-cdl_cdl_zookeeper:
  name: zookeeper
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

```

    Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper'
data_cisco-smi-cdl_cdl_zookeeper-post:
  name: zookeeper
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper-post'
data_cisco-smi-cdl_cdl_zookeeper_data-storage-size:
  name: data-storage-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_data-storage-size'
data_cisco-smi-cdl_cdl_zookeeper_enable-JMX-metrics:
  name: enable-JMX-metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_enable-JMX-metrics'
data_cisco-smi-cdl_cdl_zookeeper_enable-parallel-pod-management:
  name: enable-parallel-pod-management
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_enable-parallel-pod-management'
data_cisco-smi-cdl_cdl_zookeeper_enable-persistence:
  name: enable-persistence
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_enable-persistence'
data_cisco-smi-cdl_cdl_zookeeper_log-level:
  name: log-level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_log-level'
data_cisco-smi-cdl_cdl_zookeeper_log-storage-size:
  name: log-storage-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_log-storage-size'
data_cisco-smi-cdl_cdl_zookeeper_replica:

```

```
name: replica
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_cdl_zookeeper_replica'
data_cisco-smi-cdl_feature-gates:
name: feature-gates
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_feature-gates'
data_cisco-smi-cdl_feature-gates-post:
name: feature-gates
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_feature-gates-post'
data_cisco-smi-cdl_feature-gates_alpha:
name: alpha
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_feature-gates_alpha'
data_cisco-smi-cdl_feature-gates_test:
name: test
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-cdl_feature-gates_test'
datastore-name:
name: datastore-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string
external-ip-ip:
name: external-ip-ip
In: path
Description: ''
Required/Optional: true
Type: string
Format: string
external-ip-port:
name: external-ip-port
In: path
```

```
    Description: ''
    Required/Optional: true
    Type: integer
    Format: uint16
external-ipv6-ip:
  name: external-ipv6-ip
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
external-ipv6-port:
  name: external-ipv6-port
  In: path
  Description: ''
  Required/Optional: true
  Type: integer
  Format: uint16
find-by-nuk-prefixes-id:
  name: find-by-nuk-prefixes-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
geo-remote-site-id:
  name: geo-remote-site-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: leafref
kafka-server-host:
  name: kafka-server-host
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
kafka-server-port:
  name: kafka-server-port
  In: path
  Description: ''
  Required/Optional: true
  Type: integer
  Format: uint16
label-config-name:
  name: label-config-name
  In: path
  Description: ''
  Required/Optional: true
```

**Type:** string  
**Format:** string

**logger-name:**  
**name:** logger-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**map-map-id:**  
**name:** map-map-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** integer  
**Format:** uint16

**remote-site-system-id:**  
**name:** remote-site-system-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** integer  
**Format:** uint32

**remote-system-id-id:**  
**name:** remote-system-id-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** leafref

**slice-names-id:**  
**name:** slice-names-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**system-id-id:**  
**name:** system-id-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** integer  
**Format:** uint32

**unique-keys-prefix-key-prefix:**  
**name:** unique-keys-prefix-key-prefix  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**Responses:****'200':****Description:** OK**'201':****Description:** Created**'204':****Description:** No Content**'400':****Description:** Bad Request**'401':****Description:** Unauthorized**'404':****Description:** Not Found**'405':****Description:** Method Not Allowed**'409':****Description:** Conflict**securityDefinitions:****basicAuth:****Type:** basic**definitions:****data:****Type:** object**Properties:****ietf-restconf:data:****Type:** object**Description:** This resource represents the combined configuration and state data resources that can be accessed by a client and cannot be created or deleted by the client. See RESTCONF RFC 8040 for further information.**x-yang:****Type:** datastore**Properties:** {}**data-post:****Type:** object**Properties:****cisco-smi-cdl:feature-gates:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****alpha:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** boolean**test:****Description:** (leaf)**x-yang:****Type:** leaf



```
    Type: string
    Format: boolean
cisco-smi-cdl:cdl:
  Description: Configure cdl parameters for deployment. If cdl container is
    not configured, the cdl chart wont be deployed (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    repository:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
    system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    node-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    enable-geo-replication:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    deployment-model:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: large
      enum:
        - large
        - small
    advanced-config-profile:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
```

```

name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
endpoint:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  write-response-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  write-worker-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  write-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  read-response-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  read-worker-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  read-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  max-concurrent-operations:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  operation-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  index-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  slot-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
index:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    init-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  audit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      record-expiry-duration:
        Description: (leaf)
        x-yang:
```

```

        Type: leaf
        Type: integer
        Format: uint16
slot:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    init-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
remote-site:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      system-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
db-endpoint:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
kafka-server:
  Type: array

```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
        ssl-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
label-config:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoint:
        Description: (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string

```

```

    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
slot:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    map:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          map-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint16
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
index:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    map:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

```
    Items:
      Type: object
      Properties:
        map-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
  ssl-config:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
      certs:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            host:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            ssl-key:
              Description: (leaf)
              x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    ssl-crt:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    ssl-ca:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
logging:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        default-log-level:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
            Default: 'off'
            enum:
                - 'off'
                - error
                - warn
                - info
                - debug
                - trace
        json-logging:
            description: 'Enable or disable logging in json format. Example
value:
        true (leaf)'
            x-yang:
                Type: leaf
            Type: string
            Format: boolean
    logger:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                name:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
level:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: 'off'
    enum:
    - 'off'
    - error
    - warn
    - info
    - debug
    - trace
sync-logging:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
error-stack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
datastore:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cluster-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    label-config:
      Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: leafref
geo-remote-site:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: leafref
slice-names:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
advanced-config-profile:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
find-by-nuk-prefixes:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
metrics:
  Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  verbosity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: production
    enum:
      - production
      - debug
features:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  instance-aware-notification:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
        system-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              slice-names:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: leafref
      slot-stale-session-detection:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable-auto-deletion:
            Description: (leaf)
            x-yang:

```

```

    Type: leaf
    Type: string
    Format: boolean
notification-retry-count:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
overload-protection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  index-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  slot-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  slot-max-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  hard-limit-percentage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  major-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer

```

```
    Format: byte
critical-alert-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
index-overwrite-detection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  unique-keys-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key-prefix:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: notify-record
          enum:
            - notify-record
            - log-record
            - delete-record
  max-tps:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
overload-protection:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  endpoint:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      patch-url:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      go-debug:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      cpu-request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      cpu-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      memory-request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      memory-limit:
        Description: (leaf)
```

```
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
copies-per-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    index-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    slot-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    remote-ep-connection-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
external-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

    Type: string
    Format: string
  external-ipv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  external-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  index:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    patch-url:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    go-debug:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cpu-request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cpu-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    memory-request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32

```



```
memory-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
map:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
write-factor:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
slot:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    patch-url:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    go-debug:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cpu-request:
      Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  go-max-procs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  replica:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  map:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  write-factor:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  notification:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
```

```
is_presence: 'false'  
Properties:  
  connection-count:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
      Type: integer  
      Format: byte  
  dynamic-provisioning:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
      Type: string  
      Format: boolean  
  host:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
      Type: string  
      Format: string  
  port:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
      Type: integer  
      Format: uint16  
  limit:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
      Type: integer  
      Format: uint32  
  max-concurrent-bulk-notifications:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
      Type: integer  
      Format: byte  
  notification-retry-seconds:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
      Type: integer  
      Format: byte  
  include-conflict-data:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
      Type: string  
      Format: boolean  
  remote-system-id:
```

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
    use-stream:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
  metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      report-idle-session-type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
  test:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      run:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
      patch-url:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      loop:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32

```

```
    txns:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    txn-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
    wait-time-ns:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    max-non-unique-keys:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
zookeeper:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    data-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: fatal
    enum:
      - fatal
```

```

- error
- warn
- info
- debug
- trace
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
enable-parallel-pod-management:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
kafka:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    replica:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: fatal
    enum:
      - fatal
      - error
      - warn

```

```
- info
- debug
- trace
partition:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
external-ip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
      ssl-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
external-ipv6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  ssl-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
storage:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
ssl-settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  enable-ssl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  disable-host-name-verification:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
retention-time:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer

```



```
Format: byte
retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
total-retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
log-compaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    delete-retention-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
label-config:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```

enable-parallel-pod-management:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
describe:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
list:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
reset-offsets:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
reset-offsets-dry-run:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
mirror-maker:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  log-level:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: fatal
    enum:
    - fatal
    - error
    - warn

```

```

- info
- debug
- trace
enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
show:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    sessions:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties: {}
    clear:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties: {}
    actions:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        remote-index-sync:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties: {}
  network-policy:

```

```

    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
data-put-patch:
Type: object
Properties:
  ietf-restconf:data:
    Description: ''
    Type: object
    x-yang:
      Type: datastore
    Properties:
      cisco-smi-cdl:feature-gates:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          alpha:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
          test:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
      cisco-smi-cdl:cdl:
        Description: Configure cdl parameters for deployment. If cdl container
          is not configured, the cdl chart wont be deployed (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          repository:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```
    Type: string
    Format: leafref
system-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
node-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
enable-geo-replication:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
deployment-model:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: large
  enum:
  - large
  - small
advanced-config-profile:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      endpoint:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          write-response-queue-size:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
write-worker-count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
write-queue-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
read-response-queue-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
read-worker-count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
read-queue-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
max-concurrent-operations:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
operation-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
index-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```
    Type: integer
    Format: uint32
slot-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
remote-ep-connection-count:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
index:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    init-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    audit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        record-expiry-duration:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
slot:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    init-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

        Type: integer
        Format: uint32
remote-site:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    db-endpoint:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
    kafka-server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        port:
          Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
    ssl-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
label-config:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoint:
        Description: (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
      slot:
        Description: (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          map:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    map-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
      key:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    index:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        map:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              map-id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint16
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string

```

```
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
ssl-config:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    certs:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          host:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          ssl-key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          ssl-crt:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          ssl-ca:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
```

```

        Format: string
logging:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    default-log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: 'off'
      enum:
        - 'off'
        - error
        - warn
        - info
        - debug
        - trace
    json-logging:
      Description: 'Enable or disable logging in json format. Example
        value: true (leaf)'
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    logger:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: 'off'
            enum:
              - 'off'
              - error

```

- warn
- info
- debug
- trace

**sync-logging:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** boolean

**error-stack:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** boolean

**datastore:**  
**Type:** array  
**Description:** (list)  
**x-yang:**  
**Type:** list

**Items:**  
**Type:** object  
**Properties:**  
**name:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string

**cluster-id:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** byte

**label-config:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** leafref

**geo-remote-site:**  
**Type:** array  
**x-yang:**  
**Type:** leaf-list  
**Items:**  
**Description:** (leaf-list)  
**Type:** string  
**Format:** leafref

**slice-names:**  
**Type:** array

```

x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
advanced-config-profile:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
find-by-nuk-prefixes:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
metrics:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  verbosity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: production
    enum:
      - production
      - debug
features:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  instance-aware-notification:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: boolean
system-id:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
Type: object
Properties:
  id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    slice-names:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
slot-stale-session-detection:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  disable-auto-deletion:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  notification-retry-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
overload-protection:
Description: (non-presence)
Type: object
x-yang:
  Type: container

```

```

    is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  index-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  slot-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  slot-max-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hard-limit-percentage:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  major-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  critical-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  index-override-detection:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
Properties:

```



```
unique-keys-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    key-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    action:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: notify-record
      enum:
        - notify-record
        - log-record
        - delete-record
  max-tps:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
overload-protection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
endpoint:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  go-max-procs:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  replica:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```
    Type: integer
    Format: byte
copies-per-node:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  index-timeout-ms:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  slot-timeout-ms:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
external-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
external-ipv6:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
external-port:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
```

```
index:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    patch-url:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    go-debug:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cpu-request:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cpu-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    memory-request:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    memory-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    go-max-procs:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    replica:
      Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  map:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  write-factor:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
slot:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

    Type: integer
    Format: uint32
memory-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
map:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
write-factor:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
notification:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    connection-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    dynamic-provisioning:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean

```

```
host:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
max-concurrent-bulk-notifications:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
notification-retry-seconds:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
include-conflict-data:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
remote-system-id:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
use-stream:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
metrics:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  report-idle-session-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
test:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  run:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  loop:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  txns:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  txn-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  wait-time-ns:
    Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    max-non-unique-keys:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
zookeeper:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    data-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: fatal
      enum:
        - fatal
        - error
        - warn
        - info
        - debug
        - trace
    replica:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    enable-JMX-metrics:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: boolean
  enable-persistence:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  enable-parallel-pod-management:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
kafka:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    replica:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: fatal
      enum:
        - fatal
        - error
        - warn
        - info
        - debug
        - trace
    partition:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
  enable-JMX-metrics:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean

```

```
external-ip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
      ssl-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
external-ipv6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
      ssl-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
```

```

    Format: uint16
enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
storage:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
ssl-settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  enable-ssl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  disable-host-name-verification:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
retention-time:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
total-retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
log-compaction:

```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
    delete-retention-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
label-config:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
enable-parallel-pod-management:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
describe:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
list:
```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
reset-offsets:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
reset-offsets-dry-run:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
mirror-maker:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: fatal
      enum:
      - fatal
      - error
      - warn
      - info
      - debug
      - trace
    enable-JMX-metrics:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
show:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'

```

```
Properties:
  sessions:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties: {}
  clear:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  actions:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      remote-index-sync:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties: {}
  network-policy:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl:
  Type: object
```

**Properties:****cisco-smi-cdl:cdl:**

**Description:** Configure cdl parameters for deployment. If cdl container is not configured, the cdl chart wont be deployed (presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'true'

**Properties:****repository:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** leafref

**system-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**node-type:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**enable-geo-replication:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** boolean

**deployment-model:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** large

**enum:**

- large

- small

**advanced-config-profile:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**name:**



```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
endpoint:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  write-response-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  write-worker-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  write-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  read-response-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  read-worker-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  read-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  max-concurrent-operations:
    Description: (leaf)
    x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint16
  operation-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  index-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  slot-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  index:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    init-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    audit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        record-expiry-duration:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```
        Type: integer
        Format: uint16
slot:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    init-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
remote-site:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
db-endpoint:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
kafka-server:
  Type: array
  Description: (list)
```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
        ssl-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
label-config:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoint:
        Description: (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          value:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
slot:
Description: (presence)
Type: object
x-yang:
  Type: container
  is_presence: 'true'
Properties:
  map:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        map-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
            value:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
        index:
          Description: (presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'true'
          Properties:
            map:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
```

```

    Type: object
    Properties:
      map-id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
      key:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
  ssl-config:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
      certs:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            host:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            ssl-key:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```

        Type: string
        Format: string
    ssl-crt:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    ssl-ca:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
logging:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        default-log-level:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
            Default: 'off'
            enum:
            - 'off'
            - error
            - warn
            - info
            - debug
            - trace
        json-logging:
            description: 'Enable or disable logging in json format. Example
value:
        true (leaf)'
            x-yang:
                Type: leaf
            Type: string
            Format: boolean
    logger:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                name:
                    Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  level:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: 'off'
    enum:
      - 'off'
      - error
      - warn
      - info
      - debug
      - trace
  sync-logging:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  error-stack:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  datastore:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      cluster-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      label-config:
        Description: (leaf)
        x-yang:

```



```
    Type: leaf
  Type: string
  Format: leafref
geo-remote-site:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
slice-names:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
advanced-config-profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
find-by-nuk-prefixes:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
metrics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    verbosity:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: production
      enum:
        - production
        - debug
features:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  instance-aware-notification:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
      system-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            id:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
            slice-names:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: leafref
      slot-stale-session-detection:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable-auto-deletion:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```
    Type: string
    Format: boolean
notification-retry-count:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
overload-protection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  index-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  slot-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  slot-max-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  hard-limit-percentage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  major-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
```

```

critical-alert-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
index-overwrite-detection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    unique-keys-prefix:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key-prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          action:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: notify-record
            enum:
              - notify-record
              - log-record
              - delete-record
    max-tps:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
    queue-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
  overload-protection:
    Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
endpoint:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
go-debug:
Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
cpu-request:
Description: (leaf)
x-yang:
  Type: leaf
  Type: integer
  Format: uint32
cpu-limit:
Description: (leaf)
x-yang:
  Type: leaf
  Type: integer
  Format: uint32
memory-request:
Description: (leaf)
x-yang:
  Type: leaf
  Type: integer
  Format: uint32
memory-limit:
Description: (leaf)
x-yang:
```

```

    Type: leaf
  Type: integer
  Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
copies-per-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    index-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    slot-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    remote-ep-connection-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
external-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string

```

```
    Format: string
external-ipv6:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
external-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
index:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-limit:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
map:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
write-factor:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
slot:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpu-request:
    Description: (leaf)
    x-yang:

```



```
    Type: leaf
    Type: integer
    Format: uint32
cpu-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
memory-request:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
memory-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
map:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
write-factor:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
notification:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

**Properties:**

- connection-count:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** integer
  - Format:** byte
- dynamic-provisioning:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** boolean
- host:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** string
- port:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** integer
  - Format:** uint16
- limit:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** integer
  - Format:** uint32
- max-concurrent-bulk-notifications:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** integer
  - Format:** byte
- notification-retry-seconds:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** integer
  - Format:** byte
- include-conflict-data:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** boolean
- remote-system-id:**
  - Type:** array

```
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  use-stream:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      report-idle-session-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
  test:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      run:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      patch-url:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      loop:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  txns:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  txn-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  wait-time-ns:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  max-non-unique-keys:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
zookeeper:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    data-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: fatal
      enum:
        - fatal
        - error

```

```
- warn
- info
- debug
- trace
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
enable-parallel-pod-management:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
kafka:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  replica:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  log-level:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: fatal
    enum:
    - fatal
    - error
    - warn
    - info
```

```

- debug
- trace
partition:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
external-ip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
          ssl-port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint16
external-ipv6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```
    Type: string
    Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  ssl-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
storage:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
ssl-settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable-ssl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    disable-host-name-verification:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
retention-time:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
```

```
retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
total-retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
log-compaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    delete-retention-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
label-config:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
enable-parallel-pod-management:
```



```
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
describe:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
list:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
reset-offsets:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
reset-offsets-dry-run:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
mirror-maker:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: fatal
      enum:
      - fatal
      - error
      - warn
      - info
```

```

    - debug
    - trace
  enable-JMX-metrics:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  show:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      sessions:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          count:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties: {}
  clear:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  actions:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      remote-index-sync:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties: {}
  network-policy:
    Description: (presence)

```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
data_cisco-smi-cdl_cdl-post:
  Type: object
  Properties:
    cisco-smi-cdl:repository:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    cisco-smi-cdl:system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cisco-smi-cdl:node-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cisco-smi-cdl:enable-geo-replication:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    cisco-smi-cdl:deployment-model:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: large
        enum:
          - large
          - small
    cisco-smi-cdl:advanced-config-profile:
      Type: array
      Description: (list)
      x-yang:

```

```

Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    endpoint:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        write-response-queue-size:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        write-worker-count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        write-queue-size:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        read-response-queue-size:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        read-worker-count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        read-queue-size:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```
    Type: integer
    Format: uint32
max-concurrent-operations:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
operation-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
index-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
slot-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
remote-ep-connection-count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
index:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    init-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    audit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
```

```

    Properties:
      record-expiry-duration:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
  slot:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      init-record-count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
cisco-smi-cdl:remote-site:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      system-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  db-endpoint:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      host:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```
    Type: integer
    Format: uint16
kafka-server:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      host:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
      ssl-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
cisco-smi-cdl:label-config:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      endpoint:
        Description: (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          key:
            Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
slot:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    map:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          map-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint16
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
index:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    map:

```



```
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        map-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
cisco-smi-cdl:ssl-config:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    certs:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          host:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
```

```

    Format: string
  ssl-key:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ssl-crt:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ssl-ca:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
cisco-smi-cdl:logging:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    default-log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: 'off'
      enum:
        - 'off'
        - error
        - warn
        - info
        - debug
        - trace
    json-logging:
      description: 'Enable or disable logging in json format. Example
value:
      true (leaf)'
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    logger:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

```
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: 'off'
        enum:
          - 'off'
          - error
          - warn
          - info
          - debug
          - trace
  sync-logging:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  error-stack:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  cisco-smi-cdl:datastore:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cluster-id:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: integer
    Format: byte
  label-config:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  geo-remote-site:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  slice-names:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  advanced-config-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  find-by-nuk-prefixes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      verbosity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration

```

```
    Default: production
    enum:
    - production
    - debug
features:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  instance-aware-notification:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      system-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            id:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            slice-names:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: leafref
      slot-stale-session-detection:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
```

**Properties:**

- disable-auto-deletion:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** boolean
- notification-retry-count:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** byte
- overload-protection:**
  - Description:** (non-presence)
  - Type:** object
  - x-yang:**
    - Type:** container
    - is\_presence:** 'false'

**Properties:**

- enable:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** boolean
- index-max-record-count:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** uint32
- slot-max-record-count:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** uint32
- slot-max-size:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** uint32
- hard-limit-percentage:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** byte
- major-alert-threshold:**

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
critical-alert-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
index-overwrite-detection:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  unique-keys-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key-prefix:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          action:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: notify-record
            enum:
              - notify-record
              - log-record
              - delete-record
        max-tps:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
        queue-size:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: integer
        Format: uint16
    overload-protection:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            disable:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: boolean
    endpoint:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            patch-url:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            go-debug:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            cpu-request:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
            cpu-limit:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
            memory-request:
                Description: (leaf)
                x-yang:
                    Type: leaf

```



```
    Type: integer
    Format: uint32
memory-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
copies-per-node:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    index-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    slot-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    remote-ep-connection-count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
```

```
external-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
external-ipv6:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
external-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
index:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-request:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
memory-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
map:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
write-factor:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
slot:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

    Type: string
    Format: string
  cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  go-max-procs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  replica:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  map:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  write-factor:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  notification:

```

**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
  **Type:** container  
  **is\_presence:** 'false'  
**Properties:**  
  **connection-count:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** byte  
  **dynamic-provisioning:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** string  
      **Format:** boolean  
  **host:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** string  
      **Format:** string  
  **port:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint16  
  **limit:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint32  
  **max-concurrent-bulk-notifications:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** byte  
  **notification-retry-seconds:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** byte  
  **include-conflict-data:**  
    **Description:** (leaf)  
    **x-yang:**

```

    Type: leaf
    Type: string
    Format: boolean
  remote-system-id:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  use-stream:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      report-idle-session-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
  test:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      run:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      patch-url:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      loop:
        Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  txns:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  txn-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  wait-time-ns:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  max-non-unique-keys:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
cisco-smi-cdl:zookeeper:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    data-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

Type: string
Format: enumeration
Default: fatal
enum:
- fatal
- error
- warn
- info
- debug
- trace
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
enable-parallel-pod-management:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
cisco-smi-cdl:kafka:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
log-level:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration

```



**Default:** fatal

**enum:**

- fatal
- error
- warn
- info
- debug
- trace

**partition:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint16

**enable-JMX-metrics:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** boolean

**external-ip:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**ip:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**port:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint16

**ssl-port:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint16

**external-ipv6:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

```

Properties:
  ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  ssl-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
storage:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
ssl-settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  enable-ssl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  disable-host-name-verification:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
retention-time:

```

```

  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
total-retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
log-compaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
    delete-retention-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
label-config:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
Properties:
  key:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  enable-parallel-pod-management:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  describe:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  list:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  reset-offsets:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  reset-offsets-dry-run:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  cisco-smi-cdl:mirror-maker:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      log-level:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration

```

```

    Default: fatal
    enum:
    - fatal
    - error
    - warn
    - info
    - debug
    - trace
enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
cisco-smi-cdl:show:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    sessions:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties: {}
    cisco-smi-cdl:clear:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties: {}
    cisco-smi-cdl:actions:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        remote-index-sync:
          Description: (non-presence)
          Type: object
          x-yang:

```

```

        Type: container
        is_presence: 'false'
        Properties: {}
    cisco-smi-cdl:network-policy:
        Description: (presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'true'
        Properties:
            enable:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: boolean
data_cisco-smi-cdl_cdl_actions:
    Type: object
    Properties:
        cisco-smi-cdl:actions:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                remote-index-sync:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                        Type: container
                        is_presence: 'false'
                    Properties: {}
data_cisco-smi-cdl_cdl_actions_remote-index-sync:
    Type: object
    Properties:
        cisco-smi-cdl:remote-index-sync:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties: {}
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name:
    Type: object
    Properties:
        cisco-smi-cdl:advanced-config-profile:
            Type: array
            Description: (list)
            x-yang:
                Type: list

```

**Items:****Type:** object**Properties:****name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**endpoint:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****write-response-queue-size:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**write-worker-count:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**write-queue-size:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**read-response-queue-size:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**read-worker-count:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**read-queue-size:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer

```

    Format: uint32
max-concurrent-operations:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
operation-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
index-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
slot-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
remote-ep-connection-count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
index:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    init-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    audit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:

```



```

        record-expiry-duration:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint16
    slot:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            init-record-count:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: integer
                Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint:
    Type: object
    Properties:
        cisco-smi-cdl:endpoint:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                write-response-queue-size:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: integer
                    Format: uint32
                write-worker-count:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: integer
                    Format: uint32
                write-queue-size:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: integer
                    Format: uint32
                read-response-queue-size:
                    Description: (leaf)
                    x-yang:
                        Type: leaf

```

```

    Type: integer
    Format: uint32
  read-worker-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  read-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  max-concurrent-operations:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  operation-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  index-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  slot-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint-post:
  Type: object
  Properties:
    cisco-smi-cdl:write-response-queue-size:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```
    Type: integer
    Format: uint32
cisco-smi-cdl:write-worker-count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:write-queue-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:read-response-queue-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:read-worker-count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:read-queue-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:max-concurrent-operations:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
cisco-smi-cdl:operation-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:index-timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:slot-timeout:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  cisco-smi-cdl:remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_index-timeout:

Type: object
Properties:
  cisco-smi-cdl:index-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_max-concurrent-operations:

Type: object
Properties:
  cisco-smi-cdl:max-concurrent-operations:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_operation-timeout:

Type: object
Properties:
  cisco-smi-cdl:operation-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-queue-size:

Type: object
Properties:
  cisco-smi-cdl:read-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-response-queue-size:

```

```

Type: object
Properties:
  cisco-smi-cdl:read-response-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_read-worker-count:

Type: object
Properties:
  cisco-smi-cdl:read-worker-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_remote-ep-connection-count:

Type: object
Properties:
  cisco-smi-cdl:remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_slot-timeout:

Type: object
Properties:
  cisco-smi-cdl:slot-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-queue-size:

Type: object
Properties:
  cisco-smi-cdl:write-queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-response-queue-size:

Type: object
Properties:

```

```

    cisco-smi-cdl:write-response-queue-size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_endpoint_write-worker-count:

Type: object
Properties:
  cisco-smi-cdl:write-worker-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index:

Type: object
Properties:
  cisco-smi-cdl:index:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      init-record-count:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      audit:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          record-expiry-duration:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint16
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index-post:

Type: object
Properties:
  cisco-smi-cdl:init-record-count:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  cisco-smi-cdl:audit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      record-expiry-duration:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit:
Type: object
Properties:
  cisco-smi-cdl:audit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      record-expiry-duration:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit-post:
Type: object
Properties:
  cisco-smi-cdl:record-expiry-duration:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_audit_record-expiry-duration:
Type: object
Properties:
  cisco-smi-cdl:record-expiry-duration:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: integer
    Format: uint16
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_index_init-record-count:

Type: object
Properties:
  cisco-smi-cdl:init-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_name:

Type: object
Properties:
  cisco-smi-cdl:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot:

Type: object
Properties:
  cisco-smi-cdl:slot:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      init-record-count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot-post:

Type: object
Properties:
  cisco-smi-cdl:init-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_advanced-config-profile_advanced-config-profile-name_slot_init-record-count:

Type: object

```



```

Properties:
  cisco-smi-cdl:init-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cisco-smi-cdl_cdl_clear:
Type: object
Properties:
  cisco-smi-cdl:clear:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
data_cisco-smi-cdl_cdl_datastore_datastore-name:
Type: object
Properties:
  cisco-smi-cdl:datastore:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        cluster-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: byte
        label-config:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
        geo-remote-site:
          Type: array
          x-yang:
            Type: leaf-list
          Items:

```

```

    Description: (leaf-list)
    Type: string
    Format: leafref
slice-names:
    Type: array
    x-yang:
    Type: leaf-list
    Items:
    Description: (leaf-list)
    Type: string
    Format: string
advanced-config-profile:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: leafref
find-by-nuk-prefixes:
    Type: array
    x-yang:
    Type: leaf-list
    Items:
    Description: (leaf-list)
    Type: string
    Format: string
metrics:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    verbosity:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: production
    enum:
    - production
    - debug
features:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    instance-aware-notification:
    Description: (non-presence)
    Type: object

```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  system-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        slice-names:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: leafref
slot-stale-session-detection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  disable-auto-deletion:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  notification-retry-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
```

```
overload-protection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    index-max-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    slot-max-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    slot-max-size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hard-limit-percentage:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    major-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    critical-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    index-overwrite-detection:
      Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  unique-keys-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key-prefix:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          action:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: notify-record
            enum:
              - notify-record
              - log-record
              - delete-record
        max-tps:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
        queue-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
      overload-protection:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable:
            Description: (leaf)
            x-yang:

```

```

    Type: leaf
    Type: string
    Format: boolean
endpoint:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  go-max-procs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer

```

```
    Format: byte
  replica:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  copies-per-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  settings:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    index-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    slot-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    remote-ep-connection-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
  external-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  external-ipv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  external-port:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
index:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  go-max-procs:
    Description: (leaf)
    x-yang:
```



```
    Type: leaf
    Type: integer
    Format: byte
  replica:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  map:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  write-factor:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
slot:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    patch-url:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    go-debug:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cpu-request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cpu-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
```

```

    Format: uint32
memory-request:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
memory-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
map:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
write-factor:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
notification:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  dynamic-provisioning:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
host:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
max-concurrent-bulk-notifications:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
notification-retry-seconds:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
include-conflict-data:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
remote-system-id:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
use-stream:
  Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      report-idle-session-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
  test:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      run:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      patch-url:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      loop:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      txns:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      txn-type:
        Description: (leaf)
        x-yang:

```

```

        Type: leaf
        Type: integer
        Format: uint16
    wait-time-ns:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    max-non-unique-keys:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_advanced-config-profile:
    Type: object
    Properties:
        cisco-smi-cdl:advanced-config-profile:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: leafref
data_cisco-smi-cdl_cdl_datastore_datastore-name_cluster-id:
    Type: object
    Properties:
        cisco-smi-cdl:cluster-id:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint:
    Type: object
    Properties:
        cisco-smi-cdl:endpoint:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                patch-url:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                go-debug:
                    Description: (leaf)

```

```
  x-yang:
    Type: leaf
  Type: string
  Format: string
cpu-request:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cpu-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
memory-request:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
memory-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
copies-per-node:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
settings:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```
    is_presence: 'false'
  Properties:
    index-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    slot-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    remote-ep-connection-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
  external-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  external-ipv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  external-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint-post:
  Type: object
  Properties:
    cisco-smi-cdl:patch-url:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cisco-smi-cdl:go-debug:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
  cisco-smi-cdl:cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:go-max-procs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cisco-smi-cdl:replica:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cisco-smi-cdl:copies-per-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cisco-smi-cdl:settings:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:

```



```

    index-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    slot-timeout-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    remote-ep-connection-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
  cisco-smi-cdl:external-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:external-ipv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:external-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_copies-per-node:
  Type: object
  Properties:
    cisco-smi-cdl:copies-per-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-limit:
  Type: object
  Properties:
    cisco-smi-cdl:cpu-limit:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_cpu-request:
  Type: object
  Properties:
    cisco-smi-cdl:cpu-request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ip:
  Type: object
  Properties:
    cisco-smi-cdl:external-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-ipv6:
  Type: object
  Properties:
    cisco-smi-cdl:external-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_external-port:
  Type: object
  Properties:
    cisco-smi-cdl:external-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-debug:
  Type: object
  Properties:
    cisco-smi-cdl:go-debug:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_go-max-procs:
  Type: object
  Properties:

```

```
    cisco-smi-cdl:go-max-procs:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-limit:
  Type: object
  Properties:
    cisco-smi-cdl:memory-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_memory-request:
  Type: object
  Properties:
    cisco-smi-cdl:memory-request:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_patch-url:
  Type: object
  Properties:
    cisco-smi-cdl:patch-url:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_replica:
  Type: object
  Properties:
    cisco-smi-cdl:replica:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings:
  Type: object
  Properties:
    cisco-smi-cdl:settings:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
```

```

Properties:
  index-timeout-ms:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  slot-timeout-ms:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings-post:
Type: object
Properties:
  cisco-smi-cdl:index-timeout-ms:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:slot-timeout-ms:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_index-timeout-ms:
Type: object
Properties:
  cisco-smi-cdl:index-timeout-ms:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_remote-ep-connection-count:

```

```

Type: object
Properties:
  cisco-smi-cdl:remote-ep-connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_endpoint_settings_slot-timeout-ms:

Type: object
Properties:
  cisco-smi-cdl:slot-timeout-ms:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_features:
Type: object
Properties:
  cisco-smi-cdl:features:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      instance-aware-notification:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          enable:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
          system-id:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                id:
                  Description: (leaf)
                  x-yang:

```

```

    Type: leaf
    Type: integer
    Format: uint32
  slice-names:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
slot-stale-session-detection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable-auto-deletion:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    notification-retry-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
overload-protection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    index-max-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    slot-max-record-count:
      Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
slot-max-size:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
hard-limit-percentage:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
major-alert-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
critical-alert-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
index-overwrite-detection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    unique-keys-prefix:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key-prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          action:
            Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: notify-record
      enum:
        - notify-record
        - log-record
        - delete-record
  max-tps:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_features-post:
  Type: object
  Properties:
    cisco-smi-cdl:instance-aware-notification:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
        system-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              slice-names:

```



```
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
cisco-smi-cdl:slot-stale-session-detection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable-auto-deletion:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    notification-retry-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
cisco-smi-cdl:overload-protection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    index-max-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    slot-max-record-count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
```

```

slot-max-size:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
hard-limit-percentage:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
major-alert-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
critical-alert-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cisco-smi-cdl:index-overwrite-detection:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    unique-keys-prefix:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key-prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          action:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration

```

```

        Default: notify-record
        enum:
        - notify-record
        - log-record
        - delete-record
    max-tps:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint16
    queue-size:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection:
Type: object
Properties:
    cisco-smi-cdl:index-overwrite-detection:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            unique-keys-prefix:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        key-prefix:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                            Type: string
                            Format: string
                        action:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                            Type: string
                            Format: enumeration
                            Default: notify-record
                            enum:
                            - notify-record
                            - log-record
                            - delete-record

```

```

    max-tps:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    queue-size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection-post:
Type: object
Properties:
  cisco-smi-cdl:unique-keys-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key-prefix:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: notify-record
          enum:
            - notify-record
            - log-record
            - delete-record
  cisco-smi-cdl:max-tps:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  cisco-smi-cdl:queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer

```

```

    Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_max-tps:

Type: object
Properties:
  cisco-smi-cdl:max-tps:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_queue-size:

Type: object
Properties:
  cisco-smi-cdl:queue-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
?
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_unique-keys-prefix_unique-keys-prefix-key-prefix
: type: object
Properties:
  cisco-smi-cdl:unique-keys-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key-prefix:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: notify-record
        enum:
          - notify-record
          - log-record
          - delete-record
?
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_index-overwrite-detection_unique-keys-prefix_unique-keys-prefix-key-prefix_action
: type: object

```

**Properties:**  
**cisco-smi-cdl:action:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** notify-record  
**enum:**  
- notify-record  
- log-record  
- delete-record

?

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_index-overwrite-detection\_unique-keys-prefix\_unique-keys-prefix-key-prefix\_key-prefix

: **type:** object

**Properties:**  
**cisco-smi-cdl:key-prefix:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string

data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification:

**Type:** object**Properties:**

**cisco-smi-cdl:instance-aware-notification:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**enable:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** boolean  
**system-id:**  
**Type:** array  
**Description:** (list)  
**x-yang:**  
**Type:** list  
**Items:**  
**Type:** object  
**Properties:**  
**id:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint32

```

    slice-names:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification-post:
Type: object
Properties:
  cisco-smi-cdl:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  cisco-smi-cdl:system-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        slice-names:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: leafref
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_enable:
Type: object
Properties:
  cisco-smi-cdl:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_instance-aware-notification_system-id_system-id-id:

```

```

Type: object
Properties:
  cisco-smi-cdl:system-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        slice-names:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: leafref

```

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification\_system-id\_system-id-id\_id:**

```

Type: object
Properties:
  cisco-smi-cdl:id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32

```

?

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_instance-aware-notification\_system-id\_system-id-id\_slice-names\_slice-names-id**

: **type:** object

```

Properties:
  cisco-smi-cdl:slice-names:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref

```

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection:**

```

Type: object
Properties:
  cisco-smi-cdl:overload-protection:
    Description: (non-presence)

```



```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  index-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  slot-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  slot-max-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hard-limit-percentage:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  major-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  critical-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection-post:

Type: object
Properties:
  cisco-smi-cdl:enable:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  cisco-smi-cdl:index-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:slot-max-record-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:slot-max-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:hard-limit-percentage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cisco-smi-cdl:major-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cisco-smi-cdl:critical-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_critical-alert-threshold:
Type: object
Properties:
  cisco-smi-cdl:critical-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_overload-protection_enable:

```

**Type:** object  
**Properties:**  
  **cisco-smi-cdl:enable:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** string  
      **Format:** boolean

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_hard-limit-percentage:**

**Type:** object  
**Properties:**  
  **cisco-smi-cdl:hard-limit-percentage:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** byte

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_index-max-record-count:**

**Type:** object  
**Properties:**  
  **cisco-smi-cdl:index-max-record-count:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint32

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_major-alert-threshold:**

**Type:** object  
**Properties:**  
  **cisco-smi-cdl:major-alert-threshold:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** byte

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_slot-max-record-count:**

**Type:** object  
**Properties:**  
  **cisco-smi-cdl:slot-max-record-count:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint32

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_features\_overload-protection\_slot-max-size:**

**Type:** object  
**Properties:**

```

    cisco-smi-cdl:slot-max-size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection:

Type: object
Properties:
  cisco-smi-cdl:slot-stale-session-detection:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      disable-auto-deletion:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      notification-retry-count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection-post:

Type: object
Properties:
  cisco-smi-cdl:disable-auto-deletion:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  cisco-smi-cdl:notification-retry-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection_disable-auto-deletion:

Type: object
Properties:
  cisco-smi-cdl:disable-auto-deletion:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
    Type: string
    Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_features_slot-stale-session-detection_notification-retry-count:
    Type: object
    Properties:
      cisco-smi-cdl:notification-retry-count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_find-by-nuk-prefixes_find-by-nuk-prefixes-id:
    Type: object
    Properties:
      cisco-smi-cdl:find-by-nuk-prefixes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_geo-remote-site_geo-remote-site-id:
    Type: object
    Properties:
      cisco-smi-cdl:geo-remote-site:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: leafref
data_cisco-smi-cdl_cdl_datastore_datastore-name_index:
    Type: object
    Properties:
      cisco-smi-cdl:index:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          patch-url:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```
    Format: string
  go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  go-max-procs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  replica:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  map:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  write-factor:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_index-post:
Type: object
Properties:
  cisco-smi-cdl:patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:go-max-procs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cisco-smi-cdl:replica:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  cisco-smi-cdl:map:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  cisco-smi-cdl:write-factor:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-limit:
  Type: object
  Properties:
    cisco-smi-cdl:cpu-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_cpu-request:
  Type: object
  Properties:
    cisco-smi-cdl:cpu-request:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_go-debug:
  Type: object
  Properties:
    cisco-smi-cdl:go-debug:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_go-max-procs:
  Type: object
  Properties:
    cisco-smi-cdl:go-max-procs:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer

```



```
    Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_map:
  Type: object
  Properties:
    cisco-smi-cdl:map:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-limit:
  Type: object
  Properties:
    cisco-smi-cdl:memory-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_memory-request:
  Type: object
  Properties:
    cisco-smi-cdl:memory-request:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_patch-url:
  Type: object
  Properties:
    cisco-smi-cdl:patch-url:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_replica:
  Type: object
  Properties:
    cisco-smi-cdl:replica:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_index_write-factor:
  Type: object
  Properties:
    cisco-smi-cdl:write-factor:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_label-config:
  Type: object
  Properties:
    cisco-smi-cdl:label-config:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics:
  Type: object
  Properties:
    cisco-smi-cdl:metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        verbosity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: production
          enum:
            - production
            - debug
data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics-post:
  Type: object
  Properties:
    cisco-smi-cdl:verbosity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: production
      enum:
        - production
        - debug
data_cisco-smi-cdl_cdl_datastore_datastore-name_metrics_verbosity:
  Type: object
  Properties:
    cisco-smi-cdl:verbosity:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
  Type: string
  Format: enumeration
  Default: production
  enum:
  - production
  - debug
data_cisco-smi-cdl_cdl_datastore_datastore-name_name:
  Type: object
  Properties:
    cisco-smi-cdl:name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection:
  Type: object
  Properties:
    cisco-smi-cdl:overload-protection:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection-post:
  Type: object
  Properties:
    cisco-smi-cdl:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_overload-protection_disable:
  Type: object
  Properties:
    cisco-smi-cdl:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
```

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slice-names\_slice-names-id:**

**Type:** object

**Properties:**

**cisco-smi-cdl:slice-names:**

**Type:** array

**x-yang:**

**Type:** leaf-list

**Items:**

**Description:** (leaf-list)

**Type:** string

**Format:** string

**data\_cisco-smi-cdl\_cdl\_datastore\_datastore-name\_slot:**

**Type:** object

**Properties:**

**cisco-smi-cdl:slot:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**patch-url:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**go-debug:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**cpu-request:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**cpu-limit:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**memory-request:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

```
memory-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
go-max-procs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
map:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
write-factor:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
notification:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  dynamic-provisioning:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
host:
  Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  max-concurrent-bulk-notifications:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  notification-retry-seconds:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  include-conflict-data:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  remote-system-id:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  use-stream:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  metrics:
    Description: (non-presence)
    Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      report-idle-session-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot-post:
Type: object
Properties:
  cisco-smi-cdl:patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:go-debug:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:cpu-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:cpu-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:memory-request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:memory-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:go-max-procs:
    Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: integer
Format: byte
cisco-smi-cdl:replica:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: byte
cisco-smi-cdl:map:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint16
cisco-smi-cdl:write-factor:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: byte
cisco-smi-cdl:notification:
  Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
    dynamic-provisioning:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
  host:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf

```



```
    Type: integer
    Format: uint16
  limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  max-concurrent-bulk-notifications:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  notification-retry-seconds:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  include-conflict-data:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  remote-system-id:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  use-stream:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  cisco-smi-cdl:metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    report-idle-session-type:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_cpu-limit:
  Type: object
  Properties:
    cisco-smi-cdl:cpu-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_cpu-request:
  Type: object
  Properties:
    cisco-smi-cdl:cpu-request:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-debug:
  Type: object
  Properties:
    cisco-smi-cdl:go-debug:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_go-max-procs:
  Type: object
  Properties:
    cisco-smi-cdl:go-max-procs:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_map:
  Type: object
  Properties:
    cisco-smi-cdl:map:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-limit:
  Type: object
  Properties:
    cisco-smi-cdl:memory-limit:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_memory-request:
  Type: object
  Properties:
    cisco-smi-cdl:memory-request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics:
  Type: object
  Properties:
    cisco-smi-cdl:metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        report-idle-session-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics-post:
  Type: object
  Properties:
    cisco-smi-cdl:report-idle-session-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_metrics_report-idle-session-type:
  Type: object
  Properties:
    cisco-smi-cdl:report-idle-session-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification:
  Type: object
  Properties:

```

```
cisco-smi-cdl:notification:  
  Description: (non-presence)  
  Type: object  
  x-yang:  
    Type: container  
    is_presence: 'false'  
  Properties:  
    connection-count:  
      Description: (leaf)  
      x-yang:  
        Type: leaf  
        Type: integer  
        Format: byte  
    dynamic-provisioning:  
      Description: (leaf)  
      x-yang:  
        Type: leaf  
        Type: string  
        Format: boolean  
    host:  
      Description: (leaf)  
      x-yang:  
        Type: leaf  
        Type: string  
        Format: string  
    port:  
      Description: (leaf)  
      x-yang:  
        Type: leaf  
        Type: integer  
        Format: uint16  
    limit:  
      Description: (leaf)  
      x-yang:  
        Type: leaf  
        Type: integer  
        Format: uint32  
    max-concurrent-bulk-notifications:  
      Description: (leaf)  
      x-yang:  
        Type: leaf  
        Type: integer  
        Format: byte  
    notification-retry-seconds:  
      Description: (leaf)  
      x-yang:  
        Type: leaf  
        Type: integer  
        Format: byte  
    include-conflict-data:  
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  remote-system-id:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  use-stream:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification-post:
Type: object
Properties:
  cisco-smi-cdl:connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  cisco-smi-cdl:dynamic-provisioning:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  cisco-smi-cdl:host:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cisco-smi-cdl:port:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  cisco-smi-cdl:limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32

```

```

cisco-smi-cdl:max-concurrent-bulk-notifications:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cisco-smi-cdl:notification-retry-seconds:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cisco-smi-cdl:include-conflict-data:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
cisco-smi-cdl:remote-system-id:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
cisco-smi-cdl:use-stream:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_connection-count:
Type: object
Properties:
  cisco-smi-cdl:connection-count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_dynamic-provisioning:
Type: object
Properties:
  cisco-smi-cdl:dynamic-provisioning:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean

```

```
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_host:
  Type: object
  Properties:
    cisco-smi-cdl:host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_include-conflict-data:
  Type: object
  Properties:
    cisco-smi-cdl:include-conflict-data:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_limit:
  Type: object
  Properties:
    cisco-smi-cdl:limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_max-concurrent-bulk-notifications:
  Type: object
  Properties:
    cisco-smi-cdl:max-concurrent-bulk-notifications:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_notification-retry-seconds:
  Type: object
  Properties:
    cisco-smi-cdl:notification-retry-seconds:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_port:
  Type: object
  Properties:
    cisco-smi-cdl:port:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_remote-system-id_remote-system-id-id:
Type: object
Properties:
  cisco-smi-cdl:remote-system-id:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_notification_use-stream:
Type: object
Properties:
  cisco-smi-cdl:use-stream:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_patch-url:
Type: object
Properties:
  cisco-smi-cdl:patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_replica:
Type: object
Properties:
  cisco-smi-cdl:replica:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_slot_write-factor:
Type: object
Properties:
  cisco-smi-cdl:write-factor:
    Description: (leaf)
    x-yang:
      Type: leaf

```



```
    Type: integer
    Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_test:
  Type: object
  Properties:
    cisco-smi-cdl:test:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        run:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
        patch-url:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        loop:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        txns:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        txn-type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
        wait-time-ns:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        max-non-unique-keys:
          Description: (leaf)
          x-yang:
```

```

    Type: leaf
    Type: integer
    Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_test-post:
Type: object
Properties:
  cisco-smi-cdl:run:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  cisco-smi-cdl:patch-url:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:loop:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:txns:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:txn-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  cisco-smi-cdl:wait-time-ns:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-smi-cdl:max-non-unique-keys:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_datastore_datastore-name_test_loop:
Type: object
Properties:

```

```
    cisco-smi-cdl:loop:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  data_cisco-smi-cdl_cdl_datastore_datastore-name_test_max-non-unique-keys:
    Type: object
    Properties:
      cisco-smi-cdl:max-non-unique-keys:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
  data_cisco-smi-cdl_cdl_datastore_datastore-name_test_patch-url:
    Type: object
    Properties:
      cisco-smi-cdl:patch-url:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cisco-smi-cdl_cdl_datastore_datastore-name_test_run:
    Type: object
    Properties:
      cisco-smi-cdl:run:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
  data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txn-type:
    Type: object
    Properties:
      cisco-smi-cdl:txn-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
  data_cisco-smi-cdl_cdl_datastore_datastore-name_test_txns:
    Type: object
    Properties:
      cisco-smi-cdl:txns:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
```

```

data_cisco-smi-cdl_cdl_datastore_datastore-name_test_wait-time-ns:
  Type: object
  Properties:
    cisco-smi-cdl:wait-time-ns:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_deployment-model:
  Type: object
  Properties:
    cisco-smi-cdl:deployment-model:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: large
      enum:
        - large
        - small
data_cisco-smi-cdl_cdl_enable-geo-replication:
  Type: object
  Properties:
    cisco-smi-cdl:enable-geo-replication:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_kafka:
  Type: object
  Properties:
    cisco-smi-cdl:kafka:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        replica:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: byte
        log-level:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

**Format:** enumeration  
**Default:** fatal  
**enum:**  
- fatal  
- error  
- warn  
- info  
- debug  
- trace

**partition:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint16

**enable-JMX-metrics:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** boolean

**external-ip:**  
**Type:** array  
**Description:** (list)  
**x-yang:**  
**Type:** list  
**Items:**  
**Type:** object  
**Properties:**  
**ip:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string  
**port:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint16  
**ssl-port:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint16

**external-ipv6:**  
**Type:** array  
**Description:** (list)  
**x-yang:**  
**Type:** list  
**Items:**

```

Type: object
Properties:
  ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  ssl-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  enable-persistence:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  storage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  ssl-settings:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
Properties:
  enable-ssl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  disable-host-name-verification:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean

```

```
retention-time:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
total-retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
log-compaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    delete-retention-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
label-config:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  enable-parallel-pod-management:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  describe:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  list:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  reset-offsets:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
  reset-offsets-dry-run:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
data_cisco-smi-cdl_cdl_kafka-post:
  Type: object
  Properties:
    cisco-smi-cdl:replica:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    cisco-smi-cdl:log-level:
      Description: (leaf)
      x-yang:

```



```
    Type: leaf
Type: string
Format: enumeration
Default: fatal
enum:
- fatal
- error
- warn
- info
- debug
- trace
cisco-smi-cdl:partition:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
cisco-smi-cdl:enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
cisco-smi-cdl:external-ip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
          ssl-port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint16
cisco-smi-cdl:external-ipv6:
  Type: array
  Description: (list)
  x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
      ssl-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
  cisco-smi-cdl:enable-persistence:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  cisco-smi-cdl:storage:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  cisco-smi-cdl:ssl-settings:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-ssl:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
      disable-host-name-verification:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```
    Type: string
    Format: boolean
cisco-smi-cdl:retention-time:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
cisco-smi-cdl:retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:total-retention-size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-smi-cdl:log-compaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    delete-retention-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cisco-smi-cdl:label-config:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
```

```

    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
cisco-smi-cdl:enable-parallel-pod-management:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
cisco-smi-cdl:describe:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
cisco-smi-cdl:list:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
cisco-smi-cdl:reset-offsets:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
cisco-smi-cdl:reset-offsets-dry-run:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
data_cisco-smi-cdl_cdl_kafka_describe:
  Type: object
  Properties:
    cisco-smi-cdl:describe:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties: {}

```

```
data_cisco-smi-cdl_cdl_kafka_describe-post:
  Type: object
  Properties: {}
data_cisco-smi-cdl_cdl_kafka_enable-JMX-metrics:
  Type: object
  Properties:
    cisco-smi-cdl:enable-JMX-metrics:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_kafka_enable-parallel-pod-management:
  Type: object
  Properties:
    cisco-smi-cdl:enable-parallel-pod-management:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_kafka_enable-persistence:
  Type: object
  Properties:
    cisco-smi-cdl:enable-persistence:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port:
  Type: object
  Properties:
    cisco-smi-cdl:external-ip:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```

        Type: integer
        Format: uint16
    ssl-port:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint16
data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ip:
    Type: object
    Properties:
        cisco-smi-cdl:ip:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_port:
    Type: object
    Properties:
        cisco-smi-cdl:port:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint16
data_cisco-smi-cdl_cdl_kafka_external-ip_external-ip-ip_external-ip-port_ssl-port:
    Type: object
    Properties:
        cisco-smi-cdl:ssl-port:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint16
data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port:
    Type: object
    Properties:
        cisco-smi-cdl:external-ipv6:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    ip:
                        Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  ssl-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ip:
  Type: object
  Properties:
    cisco-smi-cdl:ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_port:
  Type: object
  Properties:
    cisco-smi-cdl:port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cisco-smi-cdl_cdl_kafka_external-ipv6_external-ipv6-ip_external-ipv6-port_ssl-port:
  Type: object
  Properties:
    cisco-smi-cdl:ssl-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cisco-smi-cdl_cdl_kafka_label-config:
  Type: object
  Properties:
    cisco-smi-cdl:label-config:
      Description: (presence)
      Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      key:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_kafka_label-config-post:
  Type: object
  Properties:
    cisco-smi-cdl:key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cisco-smi-cdl:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_kafka_label-config_key:
  Type: object
  Properties:
    cisco-smi-cdl:key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_kafka_label-config_value:
  Type: object
  Properties:
    cisco-smi-cdl:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_kafka_list:
  Type: object

```



```
Properties:
  cisco-smi-cdl:list:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
      Properties: {}
data_cisco-smi-cdl_cdl_kafka_list-post:
  Type: object
  Properties: {}
data_cisco-smi-cdl_cdl_kafka_log-compaction:
  Type: object
  Properties:
    cisco-smi-cdl:log-compaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
        delete-retention-ms:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cisco-smi-cdl_cdl_kafka_log-compaction-post:
  Type: object
  Properties:
    cisco-smi-cdl:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    cisco-smi-cdl:delete-retention-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_kafka_log-compaction_delete-retention-ms:
  Type: object
  Properties:
```

```

    cisco-smi-cdl:delete-retention-ms:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-cdl_cdl_kafka_log-compaction_disable:
  Type: object
  Properties:
    cisco-smi-cdl:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_kafka_log-level:
  Type: object
  Properties:
    cisco-smi-cdl:log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: fatal
      enum:
        - fatal
        - error
        - warn
        - info
        - debug
        - trace
data_cisco-smi-cdl_cdl_kafka_partition:
  Type: object
  Properties:
    cisco-smi-cdl:partition:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_kafka_replica:
  Type: object
  Properties:
    cisco-smi-cdl:replica:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_kafka_reset-offsets:
  Type: object
  Properties:

```

```
    cisco-smi-cdl:reset-offsets:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties: {}
  data_cisco-smi-cdl_cdl_kafka_reset-offsets-dry-run:
    Type: object
    Properties:
      cisco-smi-cdl:reset-offsets-dry-run:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties: {}
  data_cisco-smi-cdl_cdl_kafka_reset-offsets-dry-run-post:
    Type: object
    Properties: {}
  data_cisco-smi-cdl_cdl_kafka_reset-offsets-post:
    Type: object
    Properties: {}
  data_cisco-smi-cdl_cdl_kafka_retention-size:
    Type: object
    Properties:
      cisco-smi-cdl:retention-size:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  data_cisco-smi-cdl_cdl_kafka_retention-time:
    Type: object
    Properties:
      cisco-smi-cdl:retention-time:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
  data_cisco-smi-cdl_cdl_kafka_ssl-settings:
    Type: object
    Properties:
      cisco-smi-cdl:ssl-settings:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
```

```

    enable-ssl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    disable-host-name-verification:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_kafka_ssl-settings-post:
  Type: object
  Properties:
    cisco-smi-cdl:enable-ssl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    cisco-smi-cdl:disable-host-name-verification:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_kafka_ssl-settings_disable-host-name-verification:
  Type: object
  Properties:
    cisco-smi-cdl:disable-host-name-verification:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_kafka_ssl-settings_enable-ssl:
  Type: object
  Properties:
    cisco-smi-cdl:enable-ssl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_kafka_storage:
  Type: object
  Properties:
    cisco-smi-cdl:storage:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: integer
    Format: byte
data_cisco-smi-cdl_cdl_kafka_total-retention-size:
  Type: object
  Properties:
    cisco-smi-cdl:total-retention-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-cdl_cdl_label-config_label-config-name:
  Type: object
  Properties:
    cisco-smi-cdl:label-config:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          endpoint:
            Description: (presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'true'
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              value:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
          slot:
            Description: (presence)
            Type: object
```

```

x-yang:
  Type: container
  is_presence: 'true'
Properties:
  map:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        map-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
index:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'true'
Properties:
  map:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        map-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16

```

```

        key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint:
Type: object
Properties:
  cisco-smi-cdl:endpoint:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      key:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint-post:
Type: object
Properties:
  cisco-smi-cdl:key:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_key:
Type: object

```

```

Properties:
  cisco-smi-cdl:key:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_endpoint_value:
  Type: object
  Properties:
    cisco-smi-cdl:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_index:
  Type: object
  Properties:
    cisco-smi-cdl:index:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        map:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              map-id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint16
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              value:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string

```



```

        Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_index-post:
  Type: object
  Properties:
    cisco-smi-cdl:map:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          map-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint16
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id:
  Type: object
  Properties:
    cisco-smi-cdl:map:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          map-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint16
          key:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

        Type: string
        Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_key:

Type: object
Properties:
    cisco-smi-cdl:key:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_map-id:

Type: object
Properties:
    cisco-smi-cdl:map-id:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint16
data_cisco-smi-cdl_cdl_label-config_label-config-name_index_map_map-map-id_value:

Type: object
Properties:
    cisco-smi-cdl:value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_name:

Type: object
Properties:
    cisco-smi-cdl:name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot:

Type: object
Properties:
    cisco-smi-cdl:slot:
        Description: (presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'true'
Properties:
  map:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        map-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot-post:
Type: object
Properties:
  cisco-smi-cdl:map:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        map-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
        key:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id:

Type: object
Properties:
  cisco-smi-cdl:map:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        map-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_key:

Type: object
Properties:
  cisco-smi-cdl:key:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_map-id:

Type: object

```

```

Properties:
  cisco-smi-cdl:map-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
data_cisco-smi-cdl_cdl_label-config_label-config-name_slot_map_map-map-id_value:
Type: object
Properties:
  cisco-smi-cdl:value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cisco-smi-cdl_cdl_logging:
Type: object
Properties:
  cisco-smi-cdl:logging:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      default-log-level:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: 'off'
        enum:
        - 'off'
        - error
        - warn
        - info
        - debug
        - trace
      json-logging:
        description: 'Enable or disable logging in json format. Example
value:
      true (leaf)'
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
      logger:
        Type: array
        Description: (list)
        x-yang:

```

```

    Type: list
Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: 'off'
            enum:
            - 'off'
            - error
            - warn
            - info
            - debug
            - trace
          sync-logging:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
            error-stack:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: boolean
    data_cisco-smi-cdl_cdl_logging-post:
    Type: object
    Properties:
      cisco-smi-cdl:default-log-level:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: 'off'
          enum:
          - 'off'
          - error
          - warn
          - info
          - debug
          - trace
      cisco-smi-cdl:json-logging:

```

```

    description: 'Enable or disable logging in json format. Example value:
true
    (leaf)'
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
cisco-smi-cdl:logger:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      level:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: 'off'
          enum:
            - 'off'
            - error
            - warn
            - info
            - debug
            - trace
cisco-smi-cdl:sync-logging:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
cisco-smi-cdl:error-stack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
data_cisco-smi-cdl_cdl_logging_default-log-level:
  Type: object
  Properties:
    cisco-smi-cdl:default-log-level:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
  Type: string
  Format: enumeration
  Default: 'off'
  enum:
  - 'off'
  - error
  - warn
  - info
  - debug
  - trace
data_cisco-smi-cdl_cdl_logging_error-stack:
  Type: object
  Properties:
    cisco-smi-cdl:error-stack:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_logging_json-logging:
  Type: object
  Properties:
    cisco-smi-cdl:json-logging:
      description: 'Enable or disable logging in json format. Example value:
true
      (leaf)'
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_logging_logger_logger-name:
  Type: object
  Properties:
    cisco-smi-cdl:logger:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```



**Format:** enumeration

**Default:** 'off'

**enum:**

- 'off'
- error
- warn
- info
- debug
- trace

**data\_cisco-smi-cdl\_cdl\_logging\_logger\_logger-name\_level:**

**Type:** object

**Properties:**

**cisco-smi-cdl:level:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** 'off'

**enum:**

- 'off'
- error
- warn
- info
- debug
- trace

**data\_cisco-smi-cdl\_cdl\_logging\_logger\_logger-name\_name:**

**Type:** object

**Properties:**

**cisco-smi-cdl:name:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-smi-cdl\_cdl\_logging\_sync-logging:**

**Type:** object

**Properties:**

**cisco-smi-cdl:sync-logging:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** boolean

**data\_cisco-smi-cdl\_cdl\_mirror-maker:**

**Type:** object

**Properties:**

**cisco-smi-cdl:mirror-maker:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

```

    log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: fatal
      enum:
        - fatal
        - error
        - warn
        - info
        - debug
        - trace
    enable-JMX-metrics:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_mirror-maker-post:
  Type: object
  Properties:
    cisco-smi-cdl:log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: fatal
      enum:
        - fatal
        - error
        - warn
        - info
        - debug
        - trace
    cisco-smi-cdl:enable-JMX-metrics:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_mirror-maker_enable-JMX-metrics:
  Type: object
  Properties:
    cisco-smi-cdl:enable-JMX-metrics:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_mirror-maker_log-level:
  Type: object

```

```
Properties:
  cisco-smi-cdl:log-level:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: fatal
    enum:
      - fatal
      - error
      - warn
      - info
      - debug
      - trace
data_cisco-smi-cdl_cdl_network-policy:
  Type: object
  Properties:
    cisco-smi-cdl:network-policy:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        enable:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
data_cisco-smi-cdl_cdl_network-policy-post:
  Type: object
  Properties:
    cisco-smi-cdl:enable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_network-policy_enable:
  Type: object
  Properties:
    cisco-smi-cdl:enable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_node-type:
  Type: object
  Properties:
    cisco-smi-cdl:node-type:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id:
  Type: object
  Properties:
    cisco-smi-cdl:remote-site:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          system-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          db-endpoint:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              host:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              port:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint16
          kafka-server:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                host:
                  Description: (leaf)

```

```

        x-yang:
          Type: leaf
          Type: string
          Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
      ssl-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint:
Type: object
Properties:
  cisco-smi-cdl:db-endpoint:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      host:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint-post:
Type: object
Properties:
  cisco-smi-cdl:host:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-smi-cdl:port:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: integer
    Format: uint16
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_host:

Type: object
Properties:
  cisco-smi-cdl:host:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_db-endpoint_port:

Type: object
Properties:
  cisco-smi-cdl:port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cisco-smi-cdl_cdl_remote-site_remote-site-system-id_kafka-server_kafka-server-host_kafka-server-port:

Type: object
Properties:
  cisco-smi-cdl:kafka-server:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
        ssl-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16

```

**data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_host:**

**Type:** object  
**Properties:**  
 cisco-smi-cdl:host:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_port:**

**Type:** object  
**Properties:**  
 cisco-smi-cdl:port:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: integer  
 Format: uint16

**data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_kafka-server\_kafka-server-host\_kafka-server-port\_ssl-port:**

**Type:** object  
**Properties:**  
 cisco-smi-cdl:ssl-port:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: integer  
 Format: uint16

**data\_cisco-smi-cdl\_cdl\_remote-site\_remote-site-system-id\_system-id:**

**Type:** object  
**Properties:**  
 cisco-smi-cdl:system-id:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: integer  
 Format: uint32

**data\_cisco-smi-cdl\_cdl\_repository:**

**Type:** object  
**Properties:**  
 cisco-smi-cdl:repository:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: leafref

**data\_cisco-smi-cdl\_cdl\_show:**

**Type:** object  
**Properties:**  
 cisco-smi-cdl:show:

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  sessions:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties: {}
data_cisco-smi-cdl_cdl_show_sessions:
Type: object
Properties:
  cisco-smi-cdl:sessions:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties: {}
data_cisco-smi-cdl_cdl_show_sessions_count:
Type: object
Properties:
  cisco-smi-cdl:count:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
data_cisco-smi-cdl_cdl_ssl-config:
Type: object
Properties:
  cisco-smi-cdl:ssl-config:

```



```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  certs:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ssl-key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ssl-crt:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ssl-ca:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
  data_cisco-smi-cdl_cdl_ssl-config-post:
    Type: object
    Properties:
      cisco-smi-cdl:enable:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

    Type: string
    Format: boolean
  cisco-smi-cdl:certs:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ssl-key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ssl-crt:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ssl-ca:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
  data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host:
    Type: object
    Properties:
      cisco-smi-cdl:certs:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            host:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string

```

```
    ssl-key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ssl-crt:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ssl-ca:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_host:
  Type: object
  Properties:
    cisco-smi-cdl:host:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-ca:
  Type: object
  Properties:
    cisco-smi-cdl:ssl-ca:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-crt:
  Type: object
  Properties:
    cisco-smi-cdl:ssl-crt:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-cdl_cdl_ssl-config_certs_certs-host_ssl-key:
  Type: object
  Properties:
    cisco-smi-cdl:ssl-key:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
data_cisco-smi-cdl_cdl_ssl-config_enable:
  Type: object
  Properties:
    cisco-smi-cdl:enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_system-id:
  Type: object
  Properties:
    cisco-smi-cdl:system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-cdl_cdl_zookeeper:
  Type: object
  Properties:
    cisco-smi-cdl:zookeeper:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        data-storage-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
        log-storage-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
        log-level:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: fatal
          enum:
            - fatal

```

```

- error
- warn
- info
- debug
- trace
replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
enable-parallel-pod-management:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
data_cisco-smi-cdl_cdl_zookeeper-post:
Type: object
Properties:
  cisco-smi-cdl:data-storage-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cisco-smi-cdl:log-storage-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cisco-smi-cdl:log-level:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: fatal
    enum:
      - fatal

```

```

- error
- warn
- info
- debug
- trace
cisco-smi-cdl:replica:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cisco-smi-cdl:enable-JMX-metrics:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
cisco-smi-cdl:enable-persistence:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
cisco-smi-cdl:enable-parallel-pod-management:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
data_cisco-smi-cdl_cdl_zookeeper_data-storage-size:
Type: object
Properties:
  cisco-smi-cdl:data-storage-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cisco-smi-cdl_cdl_zookeeper_enable-JMX-metrics:
Type: object
Properties:
  cisco-smi-cdl:enable-JMX-metrics:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_zookeeper_enable-parallel-pod-management:
Type: object
Properties:
  cisco-smi-cdl:enable-parallel-pod-management:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-cdl_cdl_zookeeper_enable-persistence:
  Type: object
  Properties:
    cisco-smi-cdl:enable-persistence:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_cdl_zookeeper_log-level:
  Type: object
  Properties:
    cisco-smi-cdl:log-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: fatal
        enum:
          - fatal
          - error
          - warn
          - info
          - debug
          - trace
data_cisco-smi-cdl_cdl_zookeeper_log-storage-size:
  Type: object
  Properties:
    cisco-smi-cdl:log-storage-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cisco-smi-cdl_cdl_zookeeper_replica:
  Type: object
  Properties:
    cisco-smi-cdl:replica:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cisco-smi-cdl_feature-gates:
  Type: object
  Properties:
    cisco-smi-cdl:feature-gates:
      Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      alpha:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      test:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
data_cisco-smi-cdl_feature-gates-post:
  Type: object
  Properties:
    cisco-smi-cdl:alpha:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    cisco-smi-cdl:test:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_feature-gates_alpha:
  Type: object
  Properties:
    cisco-smi-cdl:alpha:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-cdl_feature-gates_test:
  Type: object
  Properties:
    cisco-smi-cdl:test:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
operations:

```



```
Type: object
Properties:
  ietf-restconf:operations:
    Type: object
    x-yang:
      Type: operations
    Description: This resource is a container that provides access to the
data-model-specific
    RPC operations supported by the server. See RESTCONF RFC 8040 for further
    information.
    Properties: {}
root:
Type: object
Properties:
  ietf-restconf:restconf:
    Type: object
    x-yang:
      Type: root
    Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
    Properties:
      data:
        Type: object
        Properties: {}
      operations:
        Type: object
        Properties: {}
      yang-library-version:
        Type: string
yang-library-version:
Type: object
Properties:
  ietf-restconf:yang-library-version:
    Type: object
    Description: This leaf identifies the revision date of the 'ietf-yang-library'
    YANG module that is implemented by this server. See RESTCONF RFC 8040 for
    further information.
    x-yang:
      Type: leaf
    Properties: {}
```





## CHAPTER 2

# cnbng\_config

---

- [Info](#), on page 979
- [tags](#), on page 979
- [Paths](#), on page 980

## Info

**Title:** cnbng-cp

**Description:** "This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

This module contains definitions for the following management objects:  
Endpoint  
and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved."

**Version:** '2020-12-12'

**basePath:** /restconf

## tags

- **Name:** root  
**Description:** root resources
- **Name:** operations  
**Description:** operations resources
- **Name:** data  
**Description:** data resources
- **Name:** get  
**Description:** get resources
- **Name:** head  
**Description:** head resources
- **Name:** post  
**Description:** post resources
- **Name:** patch  
**Description:** patch resources
- **Name:** put  
**Description:** put resources

```

- Name: options
  Description: options resources
- Name: delete
  Description: delete resources
schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

## Paths

/

**get:**

**Tags:**

```

- root
- get

```

**Summary:** "This is root module for Cisco Cloud-Native BNG Control-Plane configuration."

**This module contains definitions for the following management objects:**

```

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All
rights reserved."

```

**Description:** "This is root module for Cisco Cloud-Native BNG Control-Plane configuration."

**This module contains definitions for the following management objects:**

```

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved."

```

**Operation ID:** root\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:** []

**Responses:**

**'200':**

**Description:** "This is root module for Cisco Cloud-Native BNG Control-Plane configuration."

**This module contains definitions for the following management**

**objects:**

```

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved."

```

**Schema:**

**Reference:** '#/definitions/root'

**'204':**

**Reference:** '#/responses/204'

**'400':**

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - root
  - head
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."
  Operation ID: root_head
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /operations

```

get:

  Tags:
  - operations
  - get
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."

```

```

Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
    \ Cisco Systems, Inc.\nAll rights reserved."
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

## /yang-library-version

**get:**

**Tags:**

```
- yang-library-version
- get
```

**Summary:** "This is root module for Cisco\nCloud-Native BNG Control-Plane configuration.\n"

**\nThis module contains definitions for the following management objects:**\n

```
\ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
\ rights reserved."
```

**Description:** "This is root module for Cisco\nCloud-Native BNG Control-Plane\ configuration.\n\nThis module contains definitions for the following management\ \ **objects**:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\ \ Inc.\nAll rights reserved."

**Operation ID:** yang\_library\_version\_get

**produces:**

```
- application/yang-data+json
```

**Parameters:** []

**Responses:**

'200':

**Description:** "This is root module for Cisco\nCloud-Native BNG Control-Plane\

```

    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
    \ Cisco Systems, Inc.\nAll rights reserved."
Schema:
  Reference: '#/definitions/yang-library-version'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
\nEndpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
\nrights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
\nconfiguration.\n\nThis module contains definitions for the following management\
\nobjects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
\nInc.\nAll rights reserved."
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data

```

get:

Tags:
- data
- get
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane

```

```

configuration.\n\
  \nThis module contains definitions for the following management
objects:\n\
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ Inc.\nAll rights reserved."
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
    \ Cisco Systems, Inc.\nAll rights reserved."
    Schema:
      Reference: '#/definitions/data'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n\
  \nThis module contains definitions for the following management
objects:\n\
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ Inc.\nAll rights reserved."
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

```



```

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."
Operation ID: data_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-post'

Responses:
  '201':
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following\
  \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
  \
  \ Cisco Systems, Inc.\nAll rights reserved."
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
    security:
      - basicAuth: []
put:

Tags:
- data
- put
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n

```

```

    \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
    \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following management\
    \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
    \
    \ Inc.\nAll rights reserved."
Operation ID: data_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-put-patch'

Responses:
  '201':
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
    \
    \ Cisco Systems, Inc.\nAll rights reserved."
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n\
  \nThis module contains definitions for the following management
objects:\n\
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \
  \ rights reserved."
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."
  Operation ID: data_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data-put-patch'

  Responses:
    '204':

```

```

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
 \ configuration.\n\nThis module contains definitions for the following\
 \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
 \ Cisco Systems, Inc.\nAll rights reserved."
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile-post'

    Responses:
      '201':
        Description: container profile created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'

```

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:
    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile'

    Responses:
      '201':
        Description: container profile created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:
    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile'

    Responses:
      '204':
        Description: container profile updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp

```

options:

  Tags:
  - data
  - options
  Summary: ''

```

```

Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:****'201':****Description:** list dhcp created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'



```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name'

    Responses:
      '204':
        Description: list dhcp updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:
```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/name

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_name'

**'204':**

**Reference:** '#/responses/204'

**'400':**

**Reference:** '#/responses/400'

**'401':**

**Reference:** '#/responses/401'

**'404':**

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_name'

  Responses:
    '201':
      Description: leaf name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_name'

Responses:
    '204':
        Description: leaf name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4'
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4-post'

  Responses:
    '201':
      Description: container ipv4 created

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4'

Responses:
'201':
  Description: container ipv4 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4'

**Responses:**

'204':  
   **Description:** container ipv4 updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:**

'204':  
   **Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_options

**produces:**

- application/yang-data+json

**Parameters:**



- \$ref: '#/parameters/dhcp-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/mode

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_mode\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

Reference: '#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_mode'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode'

Responses:
  '201':
    Description: leaf mode created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

```

```
Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode'

Responses:
'204':
  Description: leaf mode updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_mode\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server-post'

  Responses:
    '201':
      Description: container server created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
```

```

    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'

Responses:
  '201':
    Description: container server created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'

Responses:
  '204':
    Description: container server updated
  '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/pool-name

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_head

#### produces:

- application/yang-data+json

#### Parameters:



- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool-name'

**Responses:**

'201':  
 Description: leaf pool-name created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_pool-name'

**Responses:**

- '204':
  - Description:** leaf pool-name updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers

options:

```

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers={dns-servers-id}

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/dns-servers-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list dns-servers created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/dns-servers-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

Responses:
'204':
  Description: leaf-list dns-servers updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/dns-servers-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/dns-servers-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers

options:

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_ntp\_servers\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers={ntp-servers-id}

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_ntp\_servers\_ntp\_servers\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/ntp-servers-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_ntp\_servers\_ntp\_servers-id'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/ntp-servers-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

```



```

- $ref: '#/parameters/ntp-servers-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list ntp-servers created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/ntp-servers-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

Responses:
  '204':
    Description: leaf-list ntp-servers updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/ntp-servers-id'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/ntp-servers-id'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server

```

options:

```

```

  Tags:
  - data
  - options

```

**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_options  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server={netb

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_get  
  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/netbios-name-server-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
     **Reference:**  
     '#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios-name-server\_netbios-name-server-id'  
  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':  
     **Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/netbios-name-server-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/netbios-name-server-id'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-name-server_netbios-name-server-id'
  - $ref: '#/parameters/insert'

```

- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list netbios-name-server created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'  
- \$ref: '#/parameters/netbios-name-server-id'  
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios-name-server\_netbios-name-server-id'

**Responses:**

'204':

**Description:** leaf-list netbios-name-server updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/netbios-name-server-id'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/netbios-name-server-id'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/domain-name

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'

Responses:
  '201':
    Description: leaf domain-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'

Responses:
  '204':
    Description: leaf domain-name updated
  '400':

```



```
      Reference: '#/responses/400'
'401':
      Reference: '#/responses/401'
'404':
      Reference: '#/responses/404'
'405':
      Reference: '#/responses/405'
'409':
      Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
      Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'200':
      Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/boot-filename

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot-filename'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_head

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''**

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot-filename'

**Responses:**

'201':  
 Description: leaf boot-filename created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''****Description: ''**

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_boot-filename'

**Responses:**

- '204':
  - Description:** leaf boot-filename updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/next-server

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_next\_server\_get  
**produces:**  
 - application/yang-data+json  
**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_next-server'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_next-server'

Responses:
  '201':
    Description: leaf next-server created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'

Responses:
  '204':
    Description: leaf next-server updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_next\_server\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios-node-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':



```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_post

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type-post'

  Responses:
    '201':
      Description: container netbios-node-type created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
    '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type'

  Responses:
    '201':
      Description: container netbios-node-type created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_patch

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'

Responses:
'204':
  Description: container netbios-node-type updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/broadcast-

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_broadcast\_node\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios-node-type\_broadcast-node'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

Responses:
  '201':
    Description: leaf broadcast-node created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_broadcast-node'

  Responses:
    '204':
      Description: leaf broadcast-node updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hybrid-node

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hybrid-node'
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hybrid-node'
```



```

Responses:
  '201':
    Description: leaf hybrid-node created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'

Responses:
  '204':
    Description: leaf hybrid-node updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

  Tags:
  - data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/mixed-node

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_mixed-node'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_mixed\_node\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

Responses:
'201':
  Description: leaf mixed-node created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

Responses:
'204':
  Description: leaf mixed-node updated
'400':
  Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/peer-to-peer-node

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios-node-type\_peer-to-peer-node'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**  
 - basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios-node-type\_peer-to-peer-node'

**Responses:**

'201':  
 Description: leaf peer-to-peer-node created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**  
 - basicAuth: []

**patch:**

**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_peer-to-peer-node'

Responses:
  '204':
    Description: leaf peer-to-peer-node updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options

```



```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hexadecimal

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hexadecimal'

    Responses:
      '201':
        Description: leaf hexadecimal created or replaced
      '204':
        Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

  Responses:
    '204':
      Description: leaf hexadecimal updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_lease'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_post
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_lease-post'

**Responses:**

- '201':
  - Description:** container lease created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_lease'

**Responses:**

- '201':
  - Description:** container lease created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease'

Responses:
  '204':
    Description: container lease updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/days

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```



```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'

  Responses:
  '201':
    Description: leaf days created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'

Responses:
  '204':
    Description: leaf days updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/hours

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours'

  Responses:
    '201':
      Description: leaf hours created or replaced
    '204':
      Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours'

Responses:
'204':
  Description: leaf hours updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_delete
produces:
- application/yang-data+json

Parameters:
```

```

- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/minutes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'  
  '204':  
    Reference: '#/responses/204'  
  '400':  
    Reference: '#/responses/400'  
  '401':  
    Reference: '#/responses/401'  
  '404':  
    Reference: '#/responses/404'  
  '405':  
    Reference: '#/responses/405'  
  '409':  
    Reference: '#/responses/409'  
  security:  
  - basicAuth: []  
head:  
  
  Tags:  
  - data  
  - head  
  Summary: ''  
  Description: ''  
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_head  
  produces:  
  - application/yang-data+json  
  
  Parameters:  
  - $ref: '#/parameters/dhcp-name'  
  - $ref: '#/parameters/content'  
  - $ref: '#/parameters/depth'  
  - $ref: '#/parameters/fields'  
  - $ref: '#/parameters/filter'  
  - $ref: '#/parameters/with-defaults'  
  
  Responses:  
  '200':  
    Reference: '#/responses/200'  
  security:  
  - basicAuth: []  
put:  
  
  Tags:  
  - data  
  - put  
  Summary: ''  
  Description: ''  
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_put  
  produces:  
  - application/yang-data+json  
  
  Parameters:  
  - $ref: '#/parameters/dhcp-name'  
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
```

```

Responses:
  '201':
    Description: leaf minutes created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes'

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete

```



```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key'

'204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

```
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post'

Responses:
  '201':
    Description: container static-ip-key created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key'

Responses:
  '201':
    Description: container static-ip-key created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key'

Responses:
'204':
    Description: container static-ip-key updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
    Reference: '#/responses/204'
security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key/identifier

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key_identifier'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key_identifier'

  Responses:

```

```

    '201':
      Description: leaf identifier created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
    '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-identifier'

  Responses:
    '204':
      Description: leaf identifier updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```



- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_hold-time'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold-time-post'

**Responses:**

'201':  
   **Description:** container hold-time created  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold-time'

**Responses:**

'201':  
   **Description:** container hold-time created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':

```
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time'

Responses:
  '204':
    Description: container hold-time updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time/minutes

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_minutes\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold-time\_minutes'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':**

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time_minutes'
  Responses:
  '201':
    Description: leaf minutes created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
    '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time_minutes'

  Responses:
    '204':
      Description: leaf minutes updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_head**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'**Responses:****'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []**Method:** Post**Tags:**- data  
- post**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_post**produces:**



```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post'

Responses:
'201':
  Description: container option-codes created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'

Responses:
'201':
  Description: container option-codes created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_option-codes'

Responses:
  '204':
    Description: container option-codes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code=

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_get

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_option-codes_option-code_option-code-option-code'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list option-code created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'
- **\$ref**: '#/parameters/option-code-option-code'
- **\$ref**:

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option-code\_option-code-option-code'

**Responses:**

'204':

**Description:** list option-code updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth**: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'
- **\$ref**: '#/parameters/option-code-option-code'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth**: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/option-code-option-code'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/option-code={option-code-option-code}

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/option-code-option-code'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option-code-option-code\_option-code'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'
- $ref:
  '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code'

```



```

Responses:
  '201':
    Description: leaf option-code created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_patch

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code-option-code_option-code'

Responses:
  '204':
    Description: leaf option-code updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

```

**Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ascii-string

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'
- **\$ref**: '#/parameters/option-code-option-code'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'
- **\$ref**: '#/parameters/option-code-option-code'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string'

**Responses:**

'201':  
**Description:** leaf ascii-string created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_patch

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string'

Responses:
  '204':
    Description: leaf ascii-string updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/hex-string

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string'

  Responses:

```

```

    '201':
      Description: leaf hex-string created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/option-code-option-code'
    - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string'

  Responses:
    '204':
      Description: leaf hex-string updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:

```



```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code=

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_options

```

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/option-code-option-code'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

?

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}**  
**: get:**

**Tags:**  
- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/option-code-option-code'  
- **\$ref:** '#/parameters/ip-address-id'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Description:** OK

**Schema:**

**Reference:**

    #/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id'

**'204':**  
    **Reference:** '#/responses/204'

**'400':**  
    **Reference:** '#/responses/400'

**'401':**  
    **Reference:** '#/responses/401'

**'404':**  
    **Reference:** '#/responses/404'

**'405':**  
    **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/option-code-option-code'
        - $ref: '#/parameters/ip-address-id'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/option-code-option-code'
        - $ref: '#/parameters/ip-address-id'
        - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id'

        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

```

**Responses:**

'201':  
**Description:** leaf-list ip-address created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/option-code-option-code'

- **\$ref:** '#/parameters/ip-address-id'

- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address-id'

**Responses:**

'204':  
**Description:** leaf-list ip-address updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/ip-address-id'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/ip-address-id'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}****get:****Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert'

**Responses:**

'201':  
 Description: leaf force-insert created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/option-code-option-code'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert'

**Responses:**

'204':

**Description:** leaf force-insert updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/option-code-option-code'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data



```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_get
produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list class created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

```

- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name'

**Responses:**

'204':  
**Description**: list class updated  
 '400':  
**Reference**: '#/responses/400'  
 '401':  
**Reference**: '#/responses/401'  
 '404':  
**Reference**: '#/responses/404'  
 '405':  
**Reference**: '#/responses/405'  
 '409':  
**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**delete:**

**Tags:**

- data  
 - delete

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'  
 - **\$ref**: '#/parameters/class-class-name'

**Responses:**

'204':  
**Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:**

**Tags:**

- data  
 - options

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'  
 - **\$ref**: '#/parameters/class-class-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/class-name

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_class\_name\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_class-name'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

Responses:
  '201':
    Description: leaf class-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

  Responses:
  '204':
    Description: leaf class-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```



**Schema:****Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**Method:** Post**Tags:**

```
- data
- post
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_post
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches-post'

**Responses:**

- '201':
  - Description:** container matches created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches'

**Responses:**

- '201':
  - Description:** container matches created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches'

  Responses:
    '204':
      Description: container matches updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match-key'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':

Description: list match created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key'

  Responses:
  '204':
    Description: list match updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_delete

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

- '204':
  - Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'



- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_key'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/match-key'
      - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key'

    Responses:
      '201':
        Description: leaf key created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'

```

```

- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'

```

**Responses:**

```

'204':
  Description: leaf key updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary:** ''**Description:** ''**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'

```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary:** ''**Description:** ''**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_options
```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':  
**Description:** leaf-list ascii created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/ascii-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

Responses:
'204':
  Description: leaf-list ascii updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/ascii-id'

Responses:
'204':
  Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/ascii-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/hex

```

  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```



## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/hex-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list hex created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/hex-id'
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

  Responses:
    '204':
      Description: leaf-list hex updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_type\_get

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data  
- put**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_type\_put

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/dhcp-name'**- \$ref:** '#/parameters/class-class-name'**- \$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_matches\_match-type'

**Responses:****'201':****Description:** leaf match-type created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data  
- patch**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

```

**Responses:**

```

'204':
  Description: leaf match-type updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**



```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post'

  Responses:
  '201':
    Description: container server created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server'

  Responses:
    '201':
      Description: container server created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_patch
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

Responses:
'204':
  Description: container server updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_options
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/pool-name

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_pool\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-name\_server\_pool-name'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'
      - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

    Responses:
      '201':
        Description: leaf pool-name created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
  '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool-name'

Responses:
  '204':
    Description: leaf pool-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_delete
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/d

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/dns-servers-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
      Reference:

```

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_dns-servers\_dns-servers-id'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:



**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/dns-servers-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/dns-servers-id'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_dns-servers\_dns-servers-id'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list dns-servers created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/dns-servers-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id'

Responses:
'204':
    Description: leaf-list dns-servers updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/dns-servers-id'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/dns-servers-id'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers/options****options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/ntp-servers-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_ntp-servers\_ntp-servers-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/ntp-servers-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/ntp-servers-id'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

```

**Responses:**

'201':  
**Description:** leaf-list ntp-servers created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:** '#/parameters/ntp-servers-id'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_ntp-servers\_ntp-servers-id'

**Responses:**

'204':  
**Description:** leaf-list ntp-servers updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/ntp-servers-id'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/ntp-servers-id'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server****options:****Tags:**

- data
- options

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server={netbios-name-server-id}

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

**get:**

**Tags:**

- data

- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

- **\$ref:** '#/parameters/netbios-name-server-id'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id'

'204':

**Reference:** '#/responses/204'

'400':



**Reference:** '#/responses/400'  
**'401':**  
**Reference:** '#/responses/401'  
**'404':**  
**Reference:** '#/responses/404'  
**'405':**  
**Reference:** '#/responses/405'  
**'409':**  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:** '#/parameters/netbios-name-server-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

```

- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/netbios-name-server-id'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list netbios-name-server created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/netbios-name-server-id'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

Responses:
  '204':
    Description: leaf-list netbios-name-server updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/netbios-name-server-id'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/netbios-name-server-id'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/don

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_head

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

Responses:
'201':
  Description: leaf domain-name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_domain-name'

Responses:
  '204':
    Description: leaf domain-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_domain\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/b****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_boot\_filename\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_boot-filename'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```



- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_boot-filename'

**Responses:**

'201':  
**Description:** leaf boot-filename created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_boot\_filename\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'  
 - \$ref: '#/parameters/class-class-name'  
 - \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_boot-filename'

**Responses:**

'204':  
**Description:** leaf boot-filename updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/next-server

get:

```

  Tags:
  - data
  - get

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_next\_server\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_next-server'

**Responses:**

'201':  
**Description:** leaf next-server created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_next\_server\_patch

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

Responses:
  '204':
    Description: leaf next-server updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_options

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_post

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type-post'

  Responses:
    '201':

```

```

    Description: container netbios-node-type created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type'

  Responses:
  '201':
    Description: container netbios-node-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```



```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type'

Responses:
  '204':
    Description: container netbios-node-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_broadcast\_node\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_put
  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node'

**Responses:**

- '201':
  - Description:** leaf broadcast-node created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_broadcast\_node\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node'

**Responses:**

- '204':
  - Description:** leaf broadcast-node updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/n

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node'

**Responses:**

'201':  
 Description: leaf hybrid-node created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node'

Responses:
  '204':
    Description: leaf hybrid-node updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

```



**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/n****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_mixed\_node\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_mixed-node'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_put

produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

```

**Responses:**

```

'201':
  Description: leaf mixed-node created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

```

**Responses:**

```

'204':
  Description: leaf mixed-node updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
          options:

          Tags:
            - data
            - options
          Summary: ''
          Description: ''
          Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_options

          produces:
            - application/yang-data+json

          Parameters:
            - $ref: '#/parameters/dhcp-name'
            - $ref: '#/parameters/class-class-name'

          Responses:
            '200':
              Reference: '#/responses/200'
              security:
                - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios-node-type\_peer-to-peer-node'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_peer-to-peer-node'

**Responses:**

- '201':
  - Description: leaf peer-to-peer-node created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type_peer-to-peer-node'

Responses:
'204':
  Description: leaf peer-to-peer-node updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hexadecimal\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hexadecimal'

'204':



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_put
  produces:
  - application/yang-data+json
  Parameters:

```

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

```

**Responses:**

```

'201':
  Description: leaf hexadecimal created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

```

**Responses:**

```

'204':
  Description: leaf hexadecimal updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/**

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_lease'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

```

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease-post'

**Responses:**

'201':  
 Description: container lease created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease'

**Responses:**

'201':

**Description:** container lease created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease'

**Responses:**

'204':

**Description:** container lease updated

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lea

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days\_head



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

  Responses:
  '201':
    Description: leaf days created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_days'

**Responses:**

'204':

**Description:** leaf days updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_hours\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_hours'

'204':

**Reference:** '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:

```

```
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

**Responses:**

```
'201':
  Description: leaf hours created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
```

```
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

**Responses:**

```
'204':
  Description: leaf hours updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_hours\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_hours\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lea****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data  
- put**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_minutes\_put

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/dhcp-name'**- \$ref:** '#/parameters/class-class-name'**- \$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_minutes'

**Responses:****'201':****Description:** leaf minutes created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data  
- patch**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_minutes\_patch

**produces:**

- application/yang-data+json



```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

Responses:
'204':
  Description: leaf minutes updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_options

produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/sta

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
        Method: Post

      Tags:
        - data
        - post
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_post
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'
        - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_static-ip-key-post'

      Responses:
        '201':
          Description: container static-ip-key created
        '204':
          Reference: '#/responses/204'
        '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static-ip-key'

Responses:
  '201':
    Description: container static-ip-key created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_static-ip-key'

**Responses:**

'204':

Description: container static-ip-key updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/sta

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static-ip-key_identifier'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier'
```

**Responses:**

'201':  
**Description:** leaf identifier created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static-ip-key\_identifier'

**Responses:**

'204':  
**Description:** leaf identifier updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []



**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/h****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_hold\_time\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_hold-time'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_hold\_time\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data  
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_hold\_time\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

- \$ref: '#/parameters/class-class-name'

- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_hold-time-post'

**Responses:**

'201':

Description: container hold-time created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_hold\_time\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_hold-time'

**Responses:**

- '201':
  - Description:** container hold-time created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_hold\_time\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_hold-time'

**Responses:**

- '204':
  - Description:** container hold-time updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_options
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/h

get:

```

      Tags:
        - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_hold-time_minutes'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

```

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_hold\_time\_minutes\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-name\_server\_hold-time\_minutes'

**Responses:**

'201':  
 Description: leaf minutes created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_hold-time_minutes'

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:

```



```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_post
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes-post'

```

```

Responses:
  '201':
    Description: container option-codes created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes'

Responses:
  '201':
    Description: container option-codes created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes'

Responses:
'204':
  Description: container option-codes updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code

```

  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  ?
  /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}
  : get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_head

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list option-code created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref:
#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code

  Responses:
    '204':
      Description: list option-code updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/option-code-option-code'

```



**Responses:****'204':****Reference:** '#/responses/204'**security:****- basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/option-code-option-code'**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/option-code

**: get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/option-code-option-code'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'**Responses:****'200':**

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cring\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code\_option-code'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cring\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code\_option-code\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/option-code-option-code'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code'

**Responses:**

'201':

**Description:** leaf option-code created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code'

**Responses:**

'204':

**Description:** leaf option-code updated

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
'200':

```

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ascii-string
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/option-code-option-code'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_crbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_crbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref:

'#/parameters/data\_crbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string'

**Responses:**

'201':

**Description:** leaf ascii-string created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

Responses:
  '204':
    Description: leaf ascii-string updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_delete

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/dhcp=(dhcp-name)/ipv4/class=(class-class-name)/server/option-codes/option-code=(option-code-option-code)/hex-string  
: get:**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'



- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string'

**Responses:**

'201':

**Description:** leaf hex-string created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:**

```
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string'
```

**Responses:**

```
'204':
  Description: leaf hex-string updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
```

**Responses:**

```
'204':
  Reference: '#/responses/204'
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address  
 : options:

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}  
 : get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_cring\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cring\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

```

    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref: '#/parameters/ip-address-id'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address-id'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: leaf-list ip-address created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_patch

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id'

**Responses:**

'204':

**Description:** leaf-list ip-address updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp=(dhcp-name)/ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

~~/data/cnbng-cp:profile/dhcp=(dhcp-name)/ipv4/class=(class-class-name)/server/option-codes/option-code=(option-code-option-code)/force-insert~~

**: get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp=(dhcp-name)/ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp=(dhcp-name)/ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

```

```

- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert'

```

**Responses:**

```

'201':
  Description: leaf force-insert created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert'

```

**Responses:**

```

'204':
  Description: leaf force-insert updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/option-code-option-code'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/option-code-option-code'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

#### Schema:

**Reference:** '#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_head

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6-post'

**Responses:**

'201':  
 Description: container ipv6 created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6'

**Responses:**

- '201':
  - Description:** container ipv6 created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6'

**Responses:**

- '204':
  - Description:** container ipv6 updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:**

**'204':**

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/mode

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_mode\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_mode'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_mode\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put



```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_mode'

Responses:
'201':
  Description: leaf mode created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_mode'

Responses:
'204':
  Description: leaf mode updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post'

Responses:
  '201':
    Description: container server created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'

Responses:
  '201':
    Description: container server created or replaced
  '204':
    Reference: '#/responses/204'
  '400':

```

```
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server'

  Responses:
  '204':
    Description: container server updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
```

```

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iana-pool-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana-pool-name'

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name'
```

```

Responses:
  '201':
    Description: leaf iana-pool-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_iana-pool-name'

Responses:
  '204':
    Description: leaf iana-pool-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete

```



```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iapd-pool-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_iapd-pool-name'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_iapd-pool-name'

**Responses:**  
'201':  
  **Description:** leaf iapd-pool-name created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_iapd-pool-name'

**Responses:**  
'204':  
  **Description:** leaf iapd-pool-name updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers

```

options:

Tags:
- data
- options
Summary: ''

```

**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_dns\_servers\_options  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers={dns-servers-id}

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_dns\_servers\_dns\_servers\_id\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/dns-servers-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_dns\_servers\_dns\_servers\_id'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref:
      '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_dns-servers_dns-servers-id'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':

```

```

    Description: leaf-list dns-servers created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/dns-servers-id'
  - $ref:
  '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns-servers_dns-servers-id'

  Responses:
  '204':
    Description: leaf-list dns-servers updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/dns-servers-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/dns-servers-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/domain-name

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'

```



- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_domain-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_domain\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_domain\_name\_put  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_domain-name'

**Responses:**  
 '201':  
   **Description:** leaf domain-name created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_domain\_name\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_domain-name'

**Responses:**  
 '204':  
   **Description:** leaf domain-name updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/preference

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_get

```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':

- Description:** OK

- Schema:**

- Reference:**

- '#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_preference'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

- Summary:** ''

- Description:** ''

- Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_preference\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':

- Reference:** '#/responses/200'

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_preference'

Responses:
'201':
  Description: leaf preference created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_preference'

Responses:
'204':
  Description: leaf preference updated
'400':
  Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/aftr-name

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**put:**

**Tags:**

- data  
- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'

- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr-name'

**Responses:**

'201':

**Description**: leaf aftr-name created or replaced

'204':

**Reference**: '#/responses/204'

'400':

**Reference**: '#/responses/400'

'401':

**Reference**: '#/responses/401'

'404':

**Reference**: '#/responses/404'

'405':

**Reference**: '#/responses/405'

'409':

**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:**

**Tags:**

- data  
- patch

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'

- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr-name'



```
Responses:
  '204':
    Description: leaf aftr-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/rapid-commit

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid\_commit\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid-commit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid\_commit\_head

#### produces:

- application/yang-data+json

#### Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_rapid-commit'

Responses:
  '201':
    Description: leaf rapid-commit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_patch
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_rapid-commit'

**Responses:**

- '204':
  - Description:** leaf rapid-commit updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid\_commit\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid\_commit\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease-post'

**Responses:**

'201':

Description: container lease created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

```
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease'

Responses:
'201':
  Description: container lease created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease'

Responses:
'204':
  Description: container lease updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/days

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```



**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_days\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_days'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_days\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'

Responses:
  '201':
    Description: leaf days created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'

Responses:
  '204':
    Description: leaf days updated
  '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_delete
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/hours

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_hours\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_hours'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_hours\_head

#### produces:

- application/yang-data+json

#### Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours'

Responses:
  '201':
    Description: leaf hours created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_patch
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_lease\_hours'

**Responses:**

- '204':
  - Description:** leaf hours updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_hours\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_hours\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/minutes

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_minutes\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_minutes\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_minutes'

**Responses:**

'201':

**Description:** leaf minutes created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**



```
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes'

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_minutes\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static-ip-key'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static-ip-key-post'

    Responses:
      '201':
        Description: container static-ip-key created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'

  Responses:
    '201':
      Description: container static-ip-key created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'

```

```
Responses:
  '204':
    Description: container static-ip-key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key/identifier

**get:**

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_identifier\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_static-ip-key\_identifier'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_identifier\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_identifier\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_static-ip-key\_identifier'

**Responses:**

'201':

**Description:** leaf identifier created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:**

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-identifier'

Responses:
  '204':
    Description: leaf identifier updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```



```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_hold-time-post'

  Responses:
    '201':
      Description: container hold-time created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time'

Responses:
'201':
  Description: container hold-time created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time'
```

```

Responses:
  '204':
    Description: container hold-time updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time/minutes

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold-time\_minutes'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold-time\_minutes'

**Responses:**

- '201':
  - Description: leaf minutes created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

```

Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time_minutes'

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'

```



- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list class created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name'

Responses:
  '204':
    Description: list class updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/class-name

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_class\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_class\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_class\_name\_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

  Responses:
  '201':
    Description: leaf class-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_class-name'

Responses:
  '204':
    Description: leaf class-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches-post'

```



```

Responses:
  '201':
    Description: container matches created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches'

  Responses:
  '201':
    Description: container matches created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

Responses:
'204':
  Description: container matches updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

**options:**

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

**get:**

```

Tags:
- data
- get
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_matches\_match\_match-key'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list match created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key'

**Responses:**

'204':

**Description:** list match updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'

**Responses:**

'204':

**Reference:** '#/responses/204'

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':

```

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_key'

**'204':**

**Reference:** '#/responses/204'

**'400':**

**Reference:** '#/responses/400'

**'401':**

**Reference:** '#/responses/401'

**'404':**

**Reference:** '#/responses/404'

**'405':**

**Reference:** '#/responses/405'

**'409':**

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

- **\$ref:** '#/parameters/match-key'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Summary:** ''

**Description:** ''



**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_key'

**Responses:**

'201':

**Description:** leaf key created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_key'

**Responses:**

'204':

**Description:** leaf key updated

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

options:

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_options

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/ascii-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/ascii-id'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii-id'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list ascii created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/ascii-id'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

```

**Responses:**

```

'204':
  Description: leaf-list ascii updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/ascii-id'

```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches****options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches****get:****Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'



- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: leaf-list hex created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/hex-id'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id'

  Responses:
    '204':
      Description: leaf-list hex updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

```

- \$ref: '#/parameters/hex-id'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'  
- \$ref: '#/parameters/class-class-name'  
- \$ref: '#/parameters/match-key'  
- \$ref: '#/parameters/hex-id'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'  
- \$ref: '#/parameters/class-class-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match-type'

Responses:
'201':
  Description: leaf match-type created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match-type'

Responses:
'204':
  Description: leaf match-type updated
'400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_head

#### produces:

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server-post'

**Responses:**

'201':

Description: container server created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**



```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

Responses:
'201':
  Description: container server created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

Responses:
'204':
  Description: container server updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/i

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_iana-pool-name'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_head

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
**Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Summary:** ''  
**Description:** ''

**Operation ID:**  
 data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iana\_pool\_name\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name'

**Responses:**  
 '201':  
**Description:** leaf iana-pool-name created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iana\_pool\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name'

**Responses:**

'204':

**Description:** leaf iana-pool-name updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iana\_pool\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iapd-pool-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:

```

```

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_put
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name'

**Responses:**

- '201':
  - Description:** leaf iapd-pool-name created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iapd\_pool\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name'

**Responses:**

- '204':
  - Description:** leaf iapd-pool-name updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':



```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/d**

options:

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_dns\_servers\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns-servers={dns-servers-id}****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/dns-servers-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_dns-servers\_dns-servers-id'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_put

  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/dns-servers-id'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_dns-servers\_dns-servers-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list dns-servers created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/dns-servers-id'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_dns-servers\_dns-servers-id'

**Responses:**

'204':

**Description:** leaf-list dns-servers updated

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/dns-servers-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/dns-servers-id'

  Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/domain-name

**get:**

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_domain\_name\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_domain\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

```

- data
- head

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_domain-name'

Responses:
  '201':
    Description: leaf domain-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_domain-name'

  Responses:
    '204':
      Description: leaf domain-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'

  Responses:
    '204':

```



```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/p

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:

```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
```

```
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/dhcp-name'
```

```
- $ref: '#/parameters/class-class-name'
```

```
- $ref: '#/parameters/content'
```

```
- $ref: '#/parameters/depth'
```

```
- $ref: '#/parameters/fields'
```

```
- $ref: '#/parameters/filter'
```

```
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
  Reference: '#/responses/200'
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_put
```

```
produces:
```

```
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

Responses:
'201':
  Description: leaf preference created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

Responses:
'204':
  Description: leaf preference updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/aftr-name

```
get:
```

```
Tags:
```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_aftr\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-name\_server\_aftr-name'

**Responses:**

- '201':
  - Description: leaf aftr-name created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_aftr\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_aftr-name'

**Responses:**

'204':

Description: leaf aftr-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_aftr\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_aftr\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/rapid-commit****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_rapid\_commit\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_rapid-commit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_rapid-commit'

  Responses:
    '201':
      Description: leaf rapid-commit created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit'

Responses:
  '204':
    Description: leaf rapid-commit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_rapid\_commit\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_rapid\_commit\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post'

Responses:
'201':
  Description: container lease created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

```

```

Responses:
  '201':
    Description: container lease created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease'

Responses:
  '204':
    Description: container lease updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_get
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_days'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_days\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

  Responses:
  '201':
    Description: leaf days created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

```

**Responses:**

```

'204':
  Description: leaf days updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**delete:****Tags:**

```

- data
- delete

```

```

Summary: ''

```

```

Description: ''

```

**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_delete

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

```

Summary: ''

```

```

Description: ''

```

**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_options

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_hours\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_hours'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_hours\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_hours\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_lease\_hours'

**Responses:**

'201':

**Description:** leaf hours created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_hours'

  Responses:
    '204':
      Description: leaf hours updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

```

- **\$ref**: '#/parameters/class-class-name'

**Responses:**

'204':

**Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:**

**Tags:**

- data  
- options

**Summary**: ''

**Description**: ''

**Operation ID**:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_hours\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'  
- **\$ref**: '#/parameters/class-class-name'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/minutes/get

**get:**

**Tags:**

- data  
- get

**Summary**: ''

**Description**: ''

**Operation ID**:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_minutes\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dhcp-name'  
- **\$ref**: '#/parameters/class-class-name'  
- **\$ref**: '#/parameters/content'  
- **\$ref**: '#/parameters/depth'  
- **\$ref**: '#/parameters/fields'  
- **\$ref**: '#/parameters/filter'  
- **\$ref**: '#/parameters/with-defaults'

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server_lease_minutes'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_lease_minutes_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_minutes\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_minutes'

**Responses:**

'201':

**Description:** leaf minutes created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_minutes\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_minutes'

**Responses:**

'204':

**Description:** leaf minutes updated

'400':

**Reference:** '#/responses/400'

'401':



```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/sta

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static-ip-key'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post'

Responses:
'201':
  Description: container static-ip-key created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

```

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key'

**Responses:**

'201':

**Description:** container static-ip-key created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key'

```

Responses:
  '204':
    Description: container static-ip-key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:
  - data
  - delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_delete

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
  - basicAuth: []
options:

Tags:
  - data
  - options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_options

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

Responses:

```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/sta

**get:**

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_get

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

**Responses:**

```

    '200':
      Description: OK
      Schema:
        Reference:

```

'#/definitions/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static-ip-key\_identifier'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_static-ip-key\_identifier'

**Responses:**

'201':

**Description:** leaf identifier created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static-ip-key_identifier'

Responses:
'204':
    Description: leaf identifier updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_delete

produces:
- application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/h

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post'

Responses:
'201':
  Description: container hold-time created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'

Responses:
'201':
  Description: container hold-time created or replaced
'204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_hold-time'

Responses:
  '204':
    Description: container hold-time updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_hold\_time\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_hold\_time\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/h

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_hold\_time\_minutes\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-name\_server\_hold-time\_minutes'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_hold\_time\_minutes\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_hold\_time\_minutes\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time\_minutes'

**Responses:**

'201':

**Description:** leaf minutes created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_hold\_time\_minutes\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time\_minutes'

**Responses:**

'204':  
**Description:** leaf minutes updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_hold\_time\_minutes\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/class-class-name'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_hold\_time\_minutes\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dhcp-name'  
 - **\$ref:** '#/parameters/class-class-name'



**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/pppoe

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/pppoe={pppoe-name}

**get:**

**Tags:**  
- data  
- get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/pppoe-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
  '200':  
    **Description:** OK

```

    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name'

```

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description:** list pppoe created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name'

**Responses:**

- '204':
  - Description:** list pppoe updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/name

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description**: OK
  - Schema**:
    - Reference**: '#/definitions/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_name'
- '204':
  - Reference**: '#/responses/204'
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/pppoe-name'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'

- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_name'

**Responses:**

'201':

**Description:** leaf name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'

- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_name'

**Responses:**

'204':

**Description:** leaf name updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pppoe-name'

    Responses:
      '204':
        Reference: '#/responses/204'
        security:
          - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pppoe-name'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/mtu

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_get
  produces:
```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_mtu'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_mtu\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- basicAuth: []



**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_mtu\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_mtu'

**Responses:**

'201':

**Description:** leaf mtu created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_mtu\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_mtu'

**Responses:**

'204':

**Description:** leaf mtu updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/ctrl-pkt-priority

```
get:
```

```
  Tags:
  - data
```

```
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'

Responses:
  '201':
    Description: leaf ctrl-pkt-priority created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'

Responses:
  '204':

```

```
    Description: leaf ctrl-pkt-priority updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/service-selection-disable

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_selection\_disable\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service-selection-disable'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_selection\_disable\_head

#### produces:

- application/yang-data+json

#### Parameters:

```
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_service-selection-disable'

Responses:
  '201':
    Description: leaf service-selection-disable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_patch
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'

Responses:
  '204':
    Description: leaf service-selection-disable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_options

produces:
- application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post'

Responses:
  '201':
    Description: container max-payload created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

```

```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload'

Responses:
'201':
  Description: container max-payload created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload'

Responses:
'204':
  Description: container max-payload updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/deny

```
get:
```

```

  Tags:
  - data
  - get

```

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'

Responses:
  '201':
    Description: leaf deny created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'

Responses:
  '204':

```

```
    Description: leaf deny updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/minimum

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_head

#### produces:

- application/yang-data+json

#### Parameters:



- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_max-payload\_minimum'

**Responses:**

'201':  
Description: leaf minimum created or replaced

'204':  
Reference: '#/responses/204'

'400':  
Reference: '#/responses/400'

'401':  
Reference: '#/responses/401'

'404':  
Reference: '#/responses/404'

'405':  
Reference: '#/responses/405'

'409':  
Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_max-payload\_minimum'

**Responses:**

- '204':
  - Description:** leaf minimum updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/maximum

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_maximum\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_maximum\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_max-payload\_maximum'

**Responses:**

'201':

Description: leaf maximum created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

```
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum'

Responses:
  '204':
    Description: leaf maximum updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_options
produces:
```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/service-name

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/service-name={service-name-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/service-name-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_service-name\_service-name-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_name\_service\_name\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/service-name-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/service-name-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list service-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/service-name-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id'

Responses:
  '204':
    Description: leaf-list service-name updated

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_delete
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/service-name-id'
  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/service-name-id'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/ac-name

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_name\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

#### Schema:

**Reference:** '#/definitions/data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_name\_head

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/pppoe-name'

```
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'

Responses:
  '201':
    Description: leaf ac-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_patch
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_ac-name'

**Responses:**

- '204':
  - Description:** leaf ac-name updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_name\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_name\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'

**Responses:**

- '200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/ac-cookie

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []

```

head:

```

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_head

```

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/pppoe-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_cookie\_put

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/pppoe-name'  
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_ac-cookie'

**Responses:**  
**'201':**  
    **Description:** leaf ac-cookie created or replaced

**'204':**  
    **Reference:** '#/responses/204'

**'400':**  
    **Reference:** '#/responses/400'

**'401':**  
    **Reference:** '#/responses/401'

**'404':**  
    **Reference:** '#/responses/404'

**'405':**  
    **Reference:** '#/responses/405'

**'409':**  
    **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_cookie\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/pppoe-name'  
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_ac-cookie'

**Responses:**  
**'204':**  
  **Description:** leaf ac-cookie updated  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'  
**'409':**  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**delete:**

**Tags:**  
- data  
- delete

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_cookie\_delete  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/pppoe-name'

**Responses:**  
**'204':**  
  **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_cookie\_options  
**produces:**  
- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**



**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit-post'

**Responses:**

- '201':
  - Description:** container session-limit created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit'

**Responses:****'201':****Description:** container session-limit created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit'

**Responses:****'204':****Description:** container session-limit updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max

```
get:

  Tags:
    - data
```

- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_max'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_session-limit_max-post'

Responses:
  '201':
    Description: container max created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_session-limit_max'

Responses:
  '201':
```

```

    Description: container max created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'

  Responses:
  '204':
    Description: container max updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/value

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_put
  produces:
  - application/yang-data+json

```



**Parameters:**

- **\$ref**: '#/parameters/pppoe-name'
- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_max\_value'

**Responses:**

- '201':
  - Description**: leaf value created or replaced
- '204':
  - Reference**: '#/responses/204'
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/pppoe-name'
- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_max\_value'

**Responses:**

- '204':
  - Description**: leaf value updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/threshold

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_threshold\_get**produces:**

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_threshold\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_threshold'

**Responses:**

'201':

**Description:** leaf threshold created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_threshold\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_threshold'

**Responses:**

'204':

**Description:** leaf threshold updated

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_head

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_mac-post'

**Responses:**

'201':  
Description: container mac created

'204':  
Reference: '#/responses/204'

'400':  
Reference: '#/responses/400'

'401':  
Reference: '#/responses/401'

'404':  
Reference: '#/responses/404'

'405':  
Reference: '#/responses/405'

'409':  
Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_mac'

**Responses:**

- '201':
  - Description:** container mac created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_mac'

**Responses:**

- '204':
  - Description:** container mac updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**



```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/value

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_mac\_value'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_value\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'

Responses:
'201':
  Description: leaf value created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'

Responses:
'204':
  Description: leaf value updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/threshold

```
get:
```

```

  Tags:
  - data

```

```
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
```

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'

- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold'

**Responses:**

'201':

Description: leaf threshold created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold\_patch

**produces:**

- application/yang-data+json

**Parameters:**

```

- $ref: '#/parameters/pppoe-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'

Responses:
  '204':
    Description: leaf threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:

```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id

**get:**

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_get
  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

**Responses:**

```

    '200':
      Description: OK
      Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []

```

**head:**

```

  Tags:
    - data
    - head
  Summary: ''

```



**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_head  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_post  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_circuit-id-post'

**Responses:**

'201':

**Description:** container circuit-id created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'

```

**Responses:**

```

'201':
  Description: container circuit-id created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_patch

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'

```

**Responses:**

```

'204':
  Description: container circuit-id updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/value

```

get:

  Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref:
  '#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_circuit-id_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_patch
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/threshold

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
- data

```

```

- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref:
'/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

Responses:
  '201':
    Description: leaf threshold created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:

```



```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

  Responses:
    '204':
      Description: leaf threshold updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_post
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_outer-vlan-post'

    Responses:
    '201':
        Description: container outer-vlan created
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_session-limit_outer-vlan'

  Responses:
    '201':
      Description: container outer-vlan created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_patch
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'

Responses:
  '204':
    Description: container outer-vlan updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/value

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_value\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/pppoe-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_outer-vlan\_value'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []  
**head:**  
  
**Tags:**  
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

  Responses:
    '204':
      Description: leaf value updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

```



```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/threshold

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

  Responses:
    '201':
      Description: leaf threshold created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

  Responses:
  '204':
    Description: leaf threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/timeout-completion

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_put
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_timeout-completion'

**Responses:**

- '201':
  - Description:** leaf timeout-completion created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_timeout\_completion\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_timeout-completion'

**Responses:**

- '204':
  - Description:** leaf timeout-completion updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/aaa

```
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_options
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_aaa_aaa_name'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''

```



**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_head  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/aaa-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'  
**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Summary:** ''  
**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/aaa-name'  
- **\$ref:** '#/parameters/data\_cnbng\_cp\_profile\_aaa\_aaa\_name'  
- **\$ref:** '#/parameters/insert'  
- **\$ref:** '#/parameters/point'

**Responses:**  
**'201':**  
    **Description:** list aaa created or replaced  
**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**  
    **Reference:** '#/responses/404'  
**'405':**  
    **Reference:** '#/responses/405'  
**'409':**  
    **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_aaa\_aaa\_name'

**Responses:****'204':****Description:** list aaa updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/aaa-name'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_options  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/aaa-name'

**Responses:**  
'200':  
  **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/aaa={aaa-name}/name

**get:**

**Tags:**  
- data  
- get

**Summary:** ''  
**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_name\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/aaa-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
'200':  
  **Description:** OK  
  **Schema:**  
    **Reference:** '#/definitions/data\_cnbng-cp\_profile\_aaa\_aaa-name\_name'  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_name'

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_name'

  Responses:
    '204':
      Description: leaf name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/aaa-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/aaa={aaa-name}/authentication

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authentication'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authentication-post'

  Responses:
    '201':
      Description: container authentication created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authentication'

  Responses:
    '201':
      Description: container authentication created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authentication'

```



```
Responses:
  '204':
    Description: container authentication updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order

### options:

#### Tags:

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_method\_order\_options

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/aaa-name'

#### Responses:

'200':

**Reference:** '#/responses/200'

#### security:

- **basicAuth:** []

## /data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order={method-order}

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_method\_order\_method\_order\_id\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/method-order-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_method-order\_method-order-id'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_put
produces:
- application/yang-data+json

Parameters:
```

```

- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

```

**Responses:**

```

'201':
  Description: leaf-list method-order created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

```

**Responses:**

```

'204':
  Description: leaf-list method-order updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_delete
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/method-order-id'

    Responses:
      '204':
        Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_options
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/method-order-id'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization

get:

Tags:

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization-post'

Responses:
  '201':
    Description: container authorization created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization'

Responses:
  '201':
```

```

    Description: container authorization created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization'

  Responses:
  '204':
    Description: container authorization updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_delete

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_post
  produces:
    - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post'

Responses:
  '201':
    Description: container type created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'

Responses:
  '201':
    Description: container type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type'

**Responses:****'204':****Description:** container type updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/aaa-name'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_options  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/aaa-name'  
  
**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber

get:

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_get  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/aaa-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref:
        '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_type_subscriber-post'

    Responses:
      '201':
        Description: container subscriber created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber'

  Responses:
  '201':
    Description: container subscriber created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'

```

- \$ref: '#/parameters/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_type\_subscriber'

**Responses:**

'204':  
**Description:** container subscriber updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/aaa-name'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/aaa-name'

**Responses:**

'200':



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber/method-order

options:

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber/method-order

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/method-order-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/method-order-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_method\_order\_method\_order\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/method-order-id'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_type\_subscriber\_method-order\_method-order-id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list method-order created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_method\_order\_method\_order\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/method-order-id'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_type\_subscriber\_method-order\_method-order-id'

**Responses:**

'204':

**Description:** leaf-list method-order updated

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/method-order-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/method-order-id'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/username

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_head

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/aaa-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**Method:** Post

**Tags:**

- data  
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_post

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/aaa-name'  
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_aaa\_aaa\_name\_authorization\_username-post'

**Responses:**  
**'201':**  
    **Description:** container username created  
**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**  
    **Reference:** '#/responses/404'  
**'405':**  
    **Reference:** '#/responses/405'  
**'409':**  
    **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_username'

Responses:
'201':
  Description: container username created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_username'

Responses:
'204':
  Description: container username updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/value

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_get

```



```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_value'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_username_value'

    Responses:
      '201':
        Description: leaf value created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_username_value'

    Responses:
      '204':
        Description: leaf value updated

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/format

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format\_head

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format'

**Responses:**

'201':  
Description: leaf format created or replaced

'204':  
Reference: '#/responses/204'

'400':  
Reference: '#/responses/400'

'401':  
Reference: '#/responses/401'

'404':  
Reference: '#/responses/404'

'405':  
Reference: '#/responses/405'

'409':  
Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_username\_format'

**Responses:**

- '204':
  - Description:** leaf format updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/aaa-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format\_options**produces:**

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/identifier

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

```

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_identifier\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_identifier\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_username\_identifier'

**Responses:****'201':****Description:** leaf identifier created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_patch
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/aaa-name'
        - $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'

      Responses:
        '204':
          Description: leaf identifier updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/aaa-name'

      Responses:
        '204':
          Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/password

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_cnbng_cp_profile_aaa_aaa_name_authorization_password'
    '204':
      Reference: '#/responses/204'
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_authorization_password'
  Responses:
  '201':
    Description: leaf password created or replaced
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_authorization_password'

Responses:
  '204':
    Description: leaf password updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_delete
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_accounting-post'

```

```
Responses:
  '201':
    Description: container accounting created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_accounting'

Responses:
  '201':
    Description: container accounting created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
```

```

- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_accounting'

Responses:
  '204':
    Description: container accounting updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_options
produces:

```



```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order={method-order-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_method-order\_method-order-id'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_method\_order\_method\_order\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/method-order-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa_name_accounting_method-order_method-order-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list method-order created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa_name_accounting_method-order_method-order-id'

Responses:
'204':
  Description: leaf-list method-order updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/method-order-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/method-order-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/server-group

```
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/server-group={server-group-name}

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_server_group_server_group_name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_server_group_server_group_name'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list server-group created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/data_cnbng_cp_profile_server_group_server_group_name'

Responses:
'204':
  Description: list server-group updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_delete
produces:
```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/server-group={server-group-name}/name

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-name'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':



```
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_server-group_server-group-name_name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/server-group-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_server-group\_server-group-name\_name'

**Responses:**

- '201':
  - Description:** leaf name created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_name\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_server-group\_server-group-name\_name'

**Responses:**

- '204':
  - Description:** leaf name updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/server-group={server-group-name}/radius-group

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_server-group\_server-group-name\_radius-group'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_radius\_group\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/data_cnbng-cp_profile_server-group_server-group-name_radius-group'

Responses:
'201':
  Description: leaf radius-group created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/data_cnbng-cp_profile_server-group_server-group-name_radius-group'

Responses:
'204':
  Description: leaf radius-group updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/attribute-format

```
options:
```

```
  Tags:
  - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_attribute_format_attribute_format_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/attribute-format-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/attribute-format-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_attribute_format_attribute_format_name'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list attribute-format created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':

```



```
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref: '#/parameters/data_cnbng_cp_profile_attribute_format_attribute_format_name'

Responses:
  '204':
    Description: list attribute-format updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
  '204':
    Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/attribute-format-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}/name

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/attribute-format-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
            '#/definitions/data_cnbng_cp_profile_attribute_format_attribute_format_name_name'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/attribute-format-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/attribute-format-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_attribute_format_attribute_format_name_name'

  Responses:
    '201':
      Description: leaf name created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/attribute-format-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_attribute_format_attribute_format_name_name'

  Responses:
    '204':
      Description: leaf name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-string

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/attribute-format-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```

```

Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

Responses:
'201':
  Description: leaf format-string created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

Responses:
'204':
  Description: leaf format-string updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
'204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order

```
options:
```

```
Tags:
- data
- options
```



```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order={for

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref: '#/parameters/format-order-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng_cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/attribute-format-name'
    - $ref: '#/parameters/format-order-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/attribute-format-name'
    - $ref: '#/parameters/format-order-id'
    - $ref:
'#/parameters/data_cnbng_cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'
    - $ref: '#/parameters/insert'
```

```
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list format-order created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref: '#/parameters/format-order-id'
- $ref:
  '#/parameters/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

Responses:
  '204':
    Description: leaf-list format-order updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
```

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_order\_format\_order\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/attribute-format-name'
- **\$ref:** '#/parameters/format-order-id'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_order\_format\_order\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/attribute-format-name'
- **\$ref:** '#/parameters/format-order-id'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''

```
Operation ID: data_cnbng_cp_profile_subscriber_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/subscriber={subscriber-name}

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:
```

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list subscriber created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name'

    Responses:
      '204':
        Description: list subscriber updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:
```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/name

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
  - Reference:** '#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_name'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':



```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_name'

  Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_name'

Responses:
    '204':
        Description: leaf name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/dhcp-profile

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile'

  Responses:
    '201':
      Description: leaf dhcp-profile created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_dhcp-profile'

Responses:
'204':
  Description: leaf dhcp-profile updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_delete
produces:
```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_dhcp\_profile\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/pppoe-profile

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_pppoe\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

```
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_pppoe-profile'

**Responses:**

- '201':
  - Description:** leaf pppoe-profile created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_pppoe\_profile\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_pppoe-profile'

**Responses:**

- '204':
  - Description:** leaf pppoe-profile updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**



**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_pppoe\_profile\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'

**Responses:**

**'204':**

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_pppoe\_profile\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/session-type

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_session\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_session-type'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_session\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'

Responses:
  '201':
    Description: leaf session-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'

Responses:
  '204':
    Description: leaf session-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/l2tp-profile

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_l2tp\_profile\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_l2tp\_profile'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_l2tp\_profile\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'

Responses:
  '201':
    Description: leaf l2tp-profile created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'

Responses:
  '204':
    Description: leaf l2tp-profile updated
  '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/aaa

### options:

#### Tags:

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_options

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/subscriber-name'

#### Responses:

'200':

**Reference:** '#/responses/200'

#### security:

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-pr

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa-aaa-option\_aaa-profile'



```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_put
  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** list aaa created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile'

**Responses:**

'204':

**Description:** list aaa updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-pr

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

**Responses:**

'201':

Description: leaf aaa-option created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

Responses:
'204':
    Description: leaf aaa-option updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []



**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile'

**Responses:**

'201':

**Description:** leaf profile created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'

## - \$ref:

```
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

**Responses:**

```
'204':
  Description: leaf profile updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
```

**Responses:**

```
'204':
  Reference: '#/responses/204'
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/activate-feature-templates

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/activate-feature-templates=

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/activate-feature-templates-id'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_activate-feature-templates\_activate-feature-templates-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates-id'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list activate-feature-templates created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'

**- \$ref:**

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_activate-feature-templates\_activate-feature-templates-id'

**Responses:**

'204':

**Description:** leaf-list activate-feature-templates updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/activate-feature-templates-id'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/activate-feature-templates-id'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put



```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list class created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

Responses:
'204':
  Description: list class updated
'400':

```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/c

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_head

```

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_class\_name\_put

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_class-name'

**Responses:**  
**'201':**  
    **Description:** leaf class-name created or replaced

**'204':**  
    **Reference:** '#/responses/204'

**'400':**  
    **Reference:** '#/responses/400'

**'401':**  
    **Reference:** '#/responses/401'

**'404':**  
    **Reference:** '#/responses/404'

**'405':**  
    **Reference:** '#/responses/405'

**'409':**  
    **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_class-name'

Responses:
  '204':
    Description: leaf class-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:

```

```
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post'
```

**Responses:**

```
'201':
  Description: container matches created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**put:**

**Tags:**

```
- data
- put
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_put
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref:
```

```
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'
```

**Responses:**

```
'201':
  Description: container matches created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```



```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'

  Responses:
    '204':
      Description: container matches updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

get:

```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class-class-name\_matches\_match\_match-key'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description: list match created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/match-key'
      - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key'

    Responses:
      '204':
        Description: list match updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/match-key'

```

**Responses:****'204':****Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'

**Responses:****'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []**/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:

```

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref:
'/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_key'

Responses:
'201':
  Description: leaf key created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref:
'/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_key'

```



```

Responses:
  '204':
    Description: leaf key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'

```

- \$ref: '#/parameters/match-key'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'

- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/match-key'
    - $ref: '#/parameters/type-id'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id'

    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: leaf-list type created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_patch

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/type-id'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id'

**Responses:**

'204':

**Description:** leaf-list type updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/type-id'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/type-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

get:

```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/ascii-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_head

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/match-key'  
- **\$ref:** '#/parameters/ascii-id'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put  
**Summary:** ''  
**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_put

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/match-key'  
- **\$ref:** '#/parameters/ascii-id'  
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

- **\$ref:** '#/parameters/insert'  
- **\$ref:** '#/parameters/point'

**Responses:**  
**'201':**  
    **Description:** leaf-list ascii created or replaced  
**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**  
    **Reference:** '#/responses/404'



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/match-key'
    - $ref: '#/parameters/ascii-id'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id'

  Responses:
    '204':
      Description: leaf-list ascii updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/regex-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_regex\_regex-id'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/regex-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/regex-id'
- $ref:
  '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_regex_regex-id'

```

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description:** leaf-list regex created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/regex-id'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id'

**Responses:**

- '204':
  - Description:** leaf-list regex updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/match-key'
    - $ref: '#/parameters/regex-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/match-key'
    - $ref: '#/parameters/regex-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match-type'

**Responses:**

'201':

Description: leaf match-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'



```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/class-class-name'
      - $ref:
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match-type'

    Responses:
      '204':
        Description: leaf match-type updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/class-class-name'

    Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/act

```

      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}

```

**: get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_head

**produces:**  
- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**  
'200':  
  **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_put

**produces:**  
- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**  
'201':  
  **Description:** leaf-list activate-feature-templates created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/activate-feature-templates-id'
        - $ref:
'#/parameters/data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id'

      Responses:
        '204':
          Description: leaf-list activate-feature-templates updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'

```

**/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa**

```

- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/activate-feature-templates-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/activate-feature-templates-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## **/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa**

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
    Reference:

```

```
'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```
/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}
```

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list aaa created or replaced

'204':



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
'/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

Responses:
  '204':
    Description: list aaa updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

**get:**

```

Tags:
- data
- get
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

**Responses:**

'201':  
**Description:** leaf aaa-option created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

**Responses:**

'204':

**Description:** leaf aaa-option updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'

**Responses:****'204':****Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/aaa-aaa-option'  
- **\$ref:** '#/parameters/aaa-profile'**Responses:****'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

**get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/aaa-aaa-option'  
- **\$ref:** '#/parameters/aaa-profile'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile'

**Responses:**

'201':

**Description:** leaf profile created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'



```

- $ref: '#/parameters/aaa-profile'
- $ref:
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

Responses:
  '204':
    Description: leaf profile updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_options

produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/apply-all-class

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_apply\_all\_class\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_apply-all-class'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':

```
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class'

  Responses:
    '201':
      Description: leaf apply-all-class created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class'

  Responses:
    '204':
      Description: leaf apply-all-class updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'

  Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_event_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}

```

get:

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list event created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name'

Responses:
  '204':
    Description: list event updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```



```

Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/event-name

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

Responses:
'201':
    Description: leaf event-name created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

  Responses:
    '204':
      Description: leaf event-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

```

- \$ref: '#/parameters/event-event-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'  
 - \$ref: '#/parameters/event-event-name'  
 - \$ref: '#/parameters/aaa-aaa-option'  
 - \$ref: '#/parameters/aaa-profile'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

```

**Responses:**

'201':  
**Description:** list aaa created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'  
 - **\$ref:** '#/parameters/event-event-name'  
 - **\$ref:** '#/parameters/aaa-aaa-option'  
 - **\$ref:** '#/parameters/aaa-profile'  
 - **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile'

**Responses:**

'204':  
**Description:** list aaa updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

```
get:
```



**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_head

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/event-event-name'  
- **\$ref:** '#/parameters/aaa-aaa-option'  
- **\$ref:** '#/parameters/aaa-profile'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put  
**Summary:** ''  
**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_put

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/event-event-name'  
- **\$ref:** '#/parameters/aaa-aaa-option'  
- **\$ref:** '#/parameters/aaa-profile'  
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

**Responses:**  
**'201':**  
    **Description:** leaf aaa-option created or replaced  
**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**  
    **Reference:** '#/responses/404'  
**'405':**  
    **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/event-event-name'
        - $ref: '#/parameters/aaa-aaa-option'
        - $ref: '#/parameters/aaa-profile'
        - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

      Responses:
        '204':
          Description: leaf aaa-option updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

      produces:
        - application/yang-data+json

      Parameters:

```

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option}/profile

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'

- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
    put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/event-event-name'
        - $ref: '#/parameters/aaa-aaa-option'
        - $ref: '#/parameters/aaa-profile'
        - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'

      Responses:
        '201':
          Description: leaf profile created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
    patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

      produces:
        - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

**Responses:**

'204':

**Description:** leaf profile updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates={deactivate-feature-templates-id}
: get:

Tags:
- data
- get
Summary: ''
Description: ''

```



**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: leaf-list deactivate-feature-templates created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/deactivate-feature-templates-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id'

Responses:
'204':
  Description: leaf-list deactivate-feature-templates updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/deactivate-feature-templates-id'

Responses:
'204':
  Reference: '#/responses/204'
security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/deactivate-feature-templates-id'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/act

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/activate-feature-templates={activate-feature-templates-id}
: get:

```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref:

#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate-feature-templates\_activate-feature-templates-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description: leaf-list activate-feature-templates created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/activate-feature-templates-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_patch'

Responses:
'204':
  Description: leaf-list activate-feature-templates updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/activate-feature-templates-id'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/activate-feature-templates-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/ap

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```



```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_apply\_all\_class\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'  
 - **\$ref:** '#/parameters/event-event-name'  
 - **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_apply-all-class'

**Responses:**

'201':

**Description:** leaf apply-all-class created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_apply\_all\_class\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'  
 - **\$ref:** '#/parameters/event-event-name'  
 - **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_apply-all-class'

**Responses:**

'204':

**Description:** leaf apply-all-class updated

'400':

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_apply_all_class_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_apply_all_class_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class

### options:

#### Tags:

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_options

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'

#### Responses:

'200':

**Reference:** '#/responses/200'

#### security:

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:****Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'  
 - **\$ref:** '#/parameters/event-event-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name\_class\_class-class-name'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list class created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'  
 - **\$ref:** '#/parameters/event-event-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name\_class\_class-class-name'

**Responses:**

'204':

```

    Description: list class updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'

Responses:

```

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/class-name

get:

```

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_class\_name\_get

```

    produces:
      - application/yang-data+json

```

```

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/event-event-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

Responses:

```

    '200':
      Description: OK
      Schema:
        Reference:

```

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_class-name'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []

```

head:



**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_class\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_class\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_class-name'

**Responses:**

'201':

**Description:** leaf class-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_class-name'

  Responses:
    '204':
      Description: leaf class-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_class\_name\_delete

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_class\_name\_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_get

```

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_matches'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_matches\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []**Method:** Post**Tags:**- data  
- post**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_post

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/event-event-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches-post'

**Responses:**

'201':

**Description:** container matches created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**put:****Tags:**- data  
- put**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches'

**Responses:**

- '201':
  - Description:** container matches created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches'

**Responses:**

- '204':
  - Description:** container matches updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_delete

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'

```

```

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_options

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match

### options:

#### Tags:

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_options

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'

#### Responses:

'200':

**Reference:** '#/responses/200'

#### security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}

: get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK



**Schema:****Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng-cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** list match created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key'

**Responses:**

'204':  
 Description: list match updated  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data  
 - delete

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'  
 - \$ref: '#/parameters/event-event-name'  
 - \$ref: '#/parameters/class-class-name'  
 - \$ref: '#/parameters/match-key'

**Responses:**

'204':  
 Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data  
 - options

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'

- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

**/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/key**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_key'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

```

security:
  - basicAuth: []
head:

```

```

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_head

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []

```

```

put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_put

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref:

```

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match\_key\_key'

```

Responses:
  '201':

```

```

    Description: leaf key created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key'

  Responses:
  '204':
    Description: leaf key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

**Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type={type-id}

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id'

'204':

Reference: '#/responses/204'

'400':



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/type-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_put

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id'

**Responses:**

'204':

**Description:** leaf-list type updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cpbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/type-id'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cpbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii  
 : options:

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}  
 : get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
    put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id.put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/event-event-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/match-key'
        - $ref: '#/parameters/ascii-id'
        - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id'

        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

      Responses:
        '201':
          Description: leaf-list ascii created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
    patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/subscriber-name'
- **\$ref**: '#/parameters/event-event-name'
- **\$ref**: '#/parameters/class-class-name'
- **\$ref**: '#/parameters/match-key'
- **\$ref**: '#/parameters/ascii-id'
- **\$ref**:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event\_name\_class\_class-class\_name\_matches\_match\_match\_key\_ascii\_ascii-id'

**Responses:**

'204':

**Description:** leaf-list ascii updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth**: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/subscriber-name'
- **\$ref**: '#/parameters/event-event-name'
- **\$ref**: '#/parameters/class-class-name'
- **\$ref**: '#/parameters/match-key'
- **\$ref**: '#/parameters/ascii-id'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

```

    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/ascii-id'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex
: options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex={regex-id}
: get:

```



**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/regex-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/regex-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/regex-id'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list regex created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_patch

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/regex-id'
- $ref:

```

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id'

```

Responses:
  '204':
    Description: leaf-list regex updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:**

data\_cring\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/regex-id'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cring\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/regex-id'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match-type

**get:****Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type'

**Responses:**

'201':  
 Description: leaf match-type created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_patch

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/subscriber-name'  
 - **\$ref:** '#/parameters/event-event-name'  
 - **\$ref:** '#/parameters/class-class-name'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type'

**Responses:**  
 '204':  
   **Description:** leaf match-type updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**delete:**

**Tags:**  
 - data  
 - delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/subscriber-name'  
 - **\$ref:** '#/parameters/event-event-name'  
 - **\$ref:** '#/parameters/class-class-name'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates

**: options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates={deactivate-feature-templates-id}

**: get:****Tags:**

- data
- get



**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_get

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
 Description: OK  
 Schema:

**Reference:**

#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id'

'204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''

**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_head

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref:

#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
**Description:** leaf-list deactivate-feature-templates created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
 - basicAuth: []  
**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_patch

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/subscriber-name'  
 - \$ref: '#/parameters/event-event-name'  
 - \$ref: '#/parameters/class-class-name'  
 - \$ref: '#/parameters/deactivate-feature-templates-id'  
 - \$ref:

#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id'

**Responses:**  
 '204':  
**Description:** leaf-list deactivate-feature-templates updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**  
 - basicAuth: []  
**delete:**

**Tags:**  
 - data  
 - delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/subscriber-name'  
 - \$ref: '#/parameters/event-event-name'

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'

**Responses:**

'204':  
 Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'200':  
 Reference: '#/responses/200'

```

    security:
      - basicAuth: []
  ?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/activate-feature-templates-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref:

#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list activate-feature-templates created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_patch

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/activate-feature-templates-id'
- $ref:

```

#/parameters/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id'

```

Responses:
  '204':
    Description: leaf-list activate-feature-templates updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cpbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_event\_name\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/activate-feature-templates-id'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cpbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_event\_name\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/activate-feature-templates-id'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**



data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

```

- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data\_cring-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

#### Responses:

'201':

**Description:** list aaa created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

#### patch:

#### Tags:

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cring-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_patch

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data\_cring-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile'

#### Responses:

'204':

**Description:** list aaa updated

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'

```

- \$ref: '#/parameters/aaa-profile'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}/aaa-option  
: get:

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/subscriber-name'  
- \$ref: '#/parameters/event-event-name'  
- \$ref: '#/parameters/class-class-name'  
- \$ref: '#/parameters/aaa-aaa-option'  
- \$ref: '#/parameters/aaa-profile'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

```

    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/aaa-aaa-option'
  - $ref: '#/parameters/aaa-profile'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/aaa-aaa-option'
  - $ref: '#/parameters/aaa-profile'
  - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

  Responses:

```

```

    '201':
      Description: leaf aaa-option created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
    - $ref: '#/parameters/data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

  Responses:
    '204':
      Description: leaf aaa-option updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:

```

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}/profile
: get:

```



**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_crbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_crbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_crbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_head

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/event-event-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/aaa-aaa-option'  
- **\$ref:** '#/parameters/aaa-profile'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put  
**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cring\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_put

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/subscriber-name'  
- **\$ref:** '#/parameters/event-event-name'  
- **\$ref:** '#/parameters/class-class-name'  
- **\$ref:** '#/parameters/aaa-aaa-option'  
- **\$ref:** '#/parameters/aaa-profile'  
- **\$ref:**

'#/parameters/data\_cring\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

**Responses:**  
**'201':**  
  **Description:** leaf profile created or replaced  
**'204':**  
  **Reference:** '#/responses/204'  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
'#/parameters/data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile'

  Responses:
    '204':
      Description: leaf profile updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_options
produces:
- application/yang-data+json

```

```

Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list feature-template created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```
- basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name'

  Responses:
    '204':
      Description: list feature-template updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```



```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_name'

  Responses:
    '201':
      Description: leaf name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_name'

Responses:
    '204':
        Description: leaf name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_delete

produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/vrf-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

```

    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_put

    produces:
      - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

Responses:
'201':
  Description: leaf vrf-name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

Responses:
'204':
  Description: leaf vrf-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:

```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_get
produces:
- application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4-post'

Responses:
'201':
  Description: container ipv4 created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4'

Responses:
'201':
  Description: container ipv4 created or replaced

```



```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4'

Responses:
'204':
  Description: container ipv4 updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_delete
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/mtu

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_mtu'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_mtu\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_mtu\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv4\_mtu'

**Responses:**

'201':

**Description:** leaf mtu created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_mtu\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv4\_mtu'

**Responses:**

'204':

**Description:** leaf mtu updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_delete
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_options
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/ingress-ac

```

get:

  Tags:
    - data
    - get

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

Responses:
  '201':
    Description: leaf ingress-acl created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_patch
produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

```

**Responses:**

```

'204':
  Description: leaf ingress-acl updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/feature-template-name'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/feature-template-name'
```



```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/egress-acl

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

Responses:
  '201':
    Description: leaf egress-acl created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

  Responses:
    '204':
      Description: leaf egress-acl updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/disable-unre

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable-unreachables'

```

**Responses:**

'201':  
**Description:** leaf disable-unreachables created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_disable\_unreachables\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_disable-unreachables'

**Responses:**

'204':  
**Description:** leaf disable-unreachables updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/verify-unicast-source

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_get

produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post'

Responses:
  '201':
    Description: container verify-unicast-source created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:

```

```
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'
```

**Responses:**

'201':

**Description:** container verify-unicast-source created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:**

```
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'
```

**Responses:**

'204':

**Description:** container verify-unicast-source updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/verify-unicast-source/reachable-via-rx****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source\_reachable-via-rx'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data  
- put**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_put

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/feature-template-name'**- \$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable-via-rx'

**Responses:****'201':****Description:** leaf reachable-via-rx created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data  
- patch**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_patch

**produces:**

- application/yang-data+json

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

```

**Responses:**

```

'204':
  Description: leaf reachable-via-rx updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/feature-template-name'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_head

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

**Method:** Post

**Tags:**

```

- data
- post

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_post

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:

```

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6-post'

```

Responses:
  '201':
    Description: container ipv6 created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```



```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'

    Responses:
      '201':
        Description: container ipv6 created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'

    Responses:
      '204':
```

```

    Description: container ipv6 updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/mtu

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**
**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_mtu'

**Responses:**

- '201':
  - Description: leaf mtu created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'

Responses:
  '204':
    Description: leaf mtu updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/ingress-acl

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

  Responses:
    '201':
      Description: leaf ingress-acl created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

  Responses:
    '204':
      Description: leaf ingress-acl updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_delete
  produces:
    - application/yang-data+json

  Parameters:

```



```

- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/egress-acl

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

```

    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_put
  produces:
    - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

Responses:
'201':
  Description: leaf egress-acl created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

Responses:
'204':
  Description: leaf egress-acl updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/disable-unre

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_disable-unreachables'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data  
- put**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_put

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/feature-template-name'**- \$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_disable-unreachables'

**Responses:****'201':****Description:** leaf disable-unreachables created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data  
- patch**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_patch

**produces:**

- application/yang-data+json

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'
- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

Responses:
  '204':
    Description: leaf disable-unreachables updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_options

  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/feature-template-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/verify-unicast-source

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature\_template\_feature-template-name\_ipv6\_verify-unicast-source'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []



**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source-post'

**Responses:**

'201':

**Description:** container verify-unicast-source created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify-unicast-source'

Responses:
'201':
    Description: container verify-unicast-source created or replaced
'204':
    Reference: '#/responses/204'
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_patch

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

Responses:
'204':
  Description: container verify-unicast-source updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_options

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

**Responses:**

- '200':

- Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/verify-unicast

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':

- Description: OK

- Schema:

- Reference:

- '#/definitions/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source\_reachable-via-rx'

- '204':

- Reference: '#/responses/204'

- '400':

- Reference: '#/responses/400'

- '401':

- Reference: '#/responses/401'

- '404':

- Reference: '#/responses/404'

- '405':

- Reference: '#/responses/405'

- '409':

- Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

  Responses:
    '201':
      Description: leaf reachable-via-rx created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx'

Responses:
    '204':
        Description: leaf reachable-via-rx updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_delete

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/http-policy

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_put

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

Responses:
'201':
  Description: leaf http-policy created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng-cp_profile_feature-template_feature-template-name_http-policy_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

Responses:
'204':
  Description: leaf http-policy updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_head  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
Method: Post

Tags:
  - data
  - post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_post
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_qos-post'

Responses:
  '201':
    Description: container qos created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_qos'

Responses:
  '201':

```

```

    Description: container qos created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_qos'

  Responses:
  '204':
    Description: container qos updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/in-policy

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_in\_policy\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_in\_policy\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'

Responses:
'201':
  Description: leaf in-policy created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'

Responses:
'204':
  Description: leaf in-policy updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/out-policy

```

get:

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_qos_out-policy'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_qos_out-policy'

Responses:
  '201':
    Description: leaf out-policy created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_patch
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

Responses:
  '204':
    Description: leaf out-policy updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/merge-level

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/feature-template-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_merge-level'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'

Responses:
  '201':
    Description: leaf merge-level created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_qos_merge-level'

  Responses:
    '204':
      Description: leaf merge-level updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

    - basicAuth: []
  options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
        '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting'

    '204':
      Reference: '#/responses/204'

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post'

```

```

Responses:
  '201':
    Description: container session-accounting created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
  '#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting'

Responses:
  '201':
    Description: container session-accounting created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature_template_feature_template_name_session-accounting'

Responses:
'204':
  Description: container session-accounting updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/enable

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

  Responses:
    '201':
      Description: leaf enable created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

  Responses:
    '204':
      Description: leaf enable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_enable\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

  '204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_enable\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/aaa-profile

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_aaa-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**



**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_aaa-profile'

**Responses:**

'201':

**Description:** leaf aaa-profile created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_aaa-profile'

**Responses:**

```

    '204':
      Description: leaf aaa-profile updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/periodic-interval

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_periodic-interval'

**Responses:**

'201':

**Description:** leaf periodic-interval created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_session-accounting_periodic-interval'

    Responses:
      '204':
        Description: leaf periodic-interval updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_put

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'/#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

```

**Responses:**

```

'201':
  Description: leaf dual-stack-delay created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'/#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

```

**Responses:**

```

'204':
  Description: leaf dual-stack-delay updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```



```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_service-accounting-post'

Responses:
  '201':
    Description: container service-accounting created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
```

- \$ref:  
 '#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting'

**Responses:**

'201':  
**Description:** container service-accounting created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting'

**Responses:**

'204':  
**Description:** container service-accounting updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/enable****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng-cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable'

    Responses:
      '201':
        Description: leaf enable created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_patch
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable'
```

**Responses:**

'204':  
**Description:** leaf enable updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'200':



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/aaa-profile

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_aaa\_profile\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
    Reference:

```

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_aaa-profile'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

```

  Tags:
  - data
  - head

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

Responses:
  '201':
    Description: leaf aaa-profile created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_service-accounting_aaa-profile'

  Responses:
    '204':
      Description: leaf aaa-profile updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```

- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
```

```

    '200':
      Reference: '#/responses/200'

```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_put
```

```
produces:
```

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_periodic-interval'

**Responses:**

- '201':
  - Description:** leaf periodic-interval created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_periodic\_interval\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_periodic-interval'

**Responses:**

- '204':
  - Description:** leaf periodic-interval updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp

```

get:

  Tags:
    - data
    - get
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data

- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**



```
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_post'

  Responses:
    '201':
      Description: container ppp created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp'

  Responses:
```

```

    '201':
      Description: container ppp created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp'

  Responses:
    '204':
      Description: container ppp updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/authentication

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/authentication

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_authentication\_authentication\_id\_get

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/authentication-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:

```

Reference:

'#/definitions/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_authentication\_authentication-id'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

head:

```

  Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/authentication-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/authentication-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list authentication created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/authentication-id'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id'

  Responses:
    '204':
      Description: leaf-list authentication updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_delete

  produces:
    - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/authentication-id'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/authentication-id'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''

```



```

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap-post'

Responses:
'201':
  Description: container chap created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap'

Responses:
'201':
  Description: container chap created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap'

Responses:
'204':
    Description: container chap updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap/hostname

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'/#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_put
  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

```

**Responses:**

```

'201':
  Description: leaf hostname created or replaced

```

```

'204':
  Reference: '#/responses/204'

```

```

'400':
  Reference: '#/responses/400'

```

```

'401':
  Reference: '#/responses/401'

```

```

'404':
  Reference: '#/responses/404'

```

```

'405':
  Reference: '#/responses/405'

```

```

'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

```

Summary: ''

```

```

Description: ''

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_patch

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'

```

```

- $ref:

```

```

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

```

**Responses:**

```

'204':
  Description: leaf hostname updated

```

```

'400':
  Reference: '#/responses/400'

```

```

'401':
  Reference: '#/responses/401'

```

```

'404':
  Reference: '#/responses/404'

```

```

'405':
  Reference: '#/responses/405'

```

```

'409':
  Reference: '#/responses/409'

```

**security:**

```

    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap/password

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_get
  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_password'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_password\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

  Responses:
    '201':
      Description: leaf password created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

```



```

Responses:
  '204':
    Description: leaf password updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/service-type

**get:**

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

```

- data
- head

```

**Summary:** ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_service-type'

Responses:
  '201':
    Description: leaf service-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type'

**Responses:**

'204':

**Description:** leaf service-type updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:**

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post'

  Responses:
    '201':
      Description: container ipcp created
    '204':

```

```

      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
    '#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp'

  Responses:
    '201':
      Description: container ipcp created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''

```

```

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

Responses:
'204':
  Description: container ipcp updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_options
produces:

```



```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'

  Responses:
    '201':
      Description: container dns created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

  Responses:
    '201':
      Description: container dns created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

Responses:
  '204':
    Description: container dns updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns/primary-address

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_primary\_address\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
    Reference:

```

'#/definitions/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_primary-address'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

```

  Tags:
  - data
  - head

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

Responses:
  '201':
    Description: leaf primary-address created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary-address'

  Responses:
  '204':
    Description: leaf primary-address updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns/sec

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```



```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'
```

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_head
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

```
put:
```

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_put
```

```

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_secondary-address'

**Responses:**

- '201':
  - Description:** leaf secondary-address created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_secondary\_address\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_secondary-address'

**Responses:**

- '204':
  - Description:** leaf secondary-address updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/peer-a

```

get:

  Tags:
    - data
    - get
  Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_peer-address-pool'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_peer-address-pool'

**Responses:**

'201':  
 Description: leaf peer-address-pool created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'  
 - **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_peer-address-pool'

**Responses:**

'204':  
**Description:** leaf peer-address-pool updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_options

**produces:**

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/reneg

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_post
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post'

    Responses:
      '201':
        Description: container renegotiation created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':

```



```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
    '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation'

  Responses:
  '201':
    Description: container renegotiation created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_patch
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation'

**Responses:**

- '204':
  - Description:** container renegotiation updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/reneg

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_ignore\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_ignore\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_ignore\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore'

**Responses:**

'201':

**Description:** leaf ignore created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore'

  Responses:
  '204':
    Description: leaf ignore updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_delete

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```

    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_post
    produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins-post'

**Responses:**

- '201':
  - Description:** container wins created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins'

**Responses:**

- '201':
  - Description:** container wins created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_patch
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/feature-template-name'
        - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

      Responses:
        '204':
          Description: container wins updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/feature-template-name'

      Responses:
        '204':
          Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins/primary-address

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_put
  produces:
    - application/yang-data+json
  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

```

**Responses:**

```

'201':
  Description: leaf primary-address created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

```

**Responses:**

```

'204':
  Description: leaf primary-address updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins/

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_secondary-address'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**put:**

**Tags:**

- data  
- put

**Summary**: ''

**Description**: ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/feature-template-name'

- **\$ref**:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_secondary-address'

**Responses:**

'201':

**Description**: leaf secondary-address created or replaced

'204':

**Reference**: '#/responses/204'

'400':

**Reference**: '#/responses/400'

'401':

**Reference**: '#/responses/401'

'404':

**Reference**: '#/responses/404'

'405':

**Reference**: '#/responses/405'

'409':

**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:**

**Tags:**

- data  
- patch

**Summary**: ''

**Description**: ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_secondary-address'

**Responses:**

- '204':
  - Description:** leaf secondary-address updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_options

**produces:**

- application/yang-data+json



**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

- '200':

- Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

- '200':

- Description:** OK

**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp-post'

**Responses:****'201':****Description:** container ipv6cp created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':**

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

  Responses:
  '201':
    Description: container ipv6cp created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:

```

```
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'
```

**Responses:**

```
'204':
  Description: container ipv6cp updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/feature-template-name'
```

**Responses:**

```
'204':
  Reference: '#/responses/204'
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/feature-template-name'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp/renegotiation

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation-post'

**Responses:**

'201':

**Description:** container renegotiation created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation'

**Responses:**

'201':

**Description:** container renegotiation created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation'

**Responses:**

```

    '204':
      Description: container renegotiation updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'

```



```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp/renegotiation/ignore

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation\_ignore'

**Responses:**

'201':

**Description:** leaf ignore created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore'

    Responses:
      '204':
        Description: leaf ignore updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp'
    '204':

```

```

      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_post

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp-post'

```

**Responses:**

'201':  
**Description:** container lcp created  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp'

**Responses:**

'201':  
**Description:** container lcp created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp'

Responses:
'204':
  Description: container lcp updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data

```

```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'

  Responses:
    '201':
      Description: container delay created
    '204':
      Reference: '#/responses/204'
    '400':

```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

    Responses:
    '201':
        Description: container delay created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_patch

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

Responses:
  '204':
    Description: container delay updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_options
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay/seconds****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_seconds\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay\_seconds'

- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_seconds\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_seconds\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay\_seconds'

**Responses:**

'201':

**Description:** leaf seconds created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
  '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds'

Responses:
  '204':
    Description: leaf seconds updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':

```

```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay/milliseconds

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_put

  produces:
  - application/yang-data+json

  Parameters:

```



```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

```

**Responses:**

```

'201':
  Description: leaf milliseconds created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'
- $ref:

```

```
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'
```

**Responses:**

```

'204':
  Description: leaf milliseconds updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/renegotiation

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Method:** Post**Tags:**

- data

- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_post

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/feature-template-name'**- \$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation-post'

**Responses:****'201':****Description:** container renegotiation created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**put:****Tags:**

- data

- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_put

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/feature-template-name'

- \$ref:  
'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation'

**Responses:**

'201':  
  **Description:** container renegotiation created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'  
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation'

**Responses:**

'204':  
  **Description:** container renegotiation updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/renegotia****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation\_ignore'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore'

  Responses:
  '201':
    Description: leaf ignore created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:

```



'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation\_ignore'

**Responses:**

'204':  
   **Description:** leaf ignore updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'204':  
   **Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-bad-auth

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

Responses:
  '201':
    Description: leaf max-bad-auth created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_patch
produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

Responses:
    '204':
        Description: leaf max-bad-auth updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_delete
produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-configure

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure'
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
      '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'

```

```
Responses:
  '201':
    Description: leaf max-configure created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-configure'

Responses:
  '204':
    Description: leaf max-configure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-failure

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'

```



- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-failure'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_max\_failure\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

Responses:
'201':
  Description: leaf max-failure created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

Responses:
'204':
  Description: leaf max-failure updated
'400':
  Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_delete
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/pap

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_head

#### produces:

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap-post'

Responses:
  '201':
    Description: container pap created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
```

```

Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap'

Responses:
  '201':
    Description: container pap created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap'

Responses:
  '204':
    Description: container pap updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/pap/accept

```

get:

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'

```



- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_accept\_null\_password\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap\_accept-null-password'

**Responses:**

'201':  
 Description: leaf accept-null-password created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_accept\_null\_password\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'  
 - **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap\_accept-null-password'

**Responses:**

'204':

**Description:** leaf accept-null-password updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_accept\_null\_password\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_accept\_null\_password\_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_head
produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_post
produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post'

    Responses:
    '201':
        Description: container timeout created
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout'

  Responses:
    '201':
      Description: container timeout created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_patch
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

Responses:
  '204':
    Description: container timeout updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/absolute

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/feature-template-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post'

Responses:
  '201':
    Description: container absolute created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```



```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

  Responses:
    '201':
      Description: container absolute created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

```

**Responses:****'204':****Description:** container absolute updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**delete:****Tags:**- data  
- delete**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_delete

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/feature-template-name'**Responses:****'204':****Reference:** '#/responses/204'**security:****- basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_options

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/feature-template-name'**Responses:****'200':****Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/absolute/minutes

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
```

```

'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_minutes\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_minutes\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'

- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute\_minutes'

**Responses:**

'201':

Description: leaf minutes created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes'

    Responses:
      '204':
        Description: leaf minutes updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/auth

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_put

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

```

**Responses:**

```

'201':
  Description: leaf authentication created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

```

Summary: ''

```

```

Description: ''

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_patch

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'
- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

```

**Responses:**

```

'204':
  Description: leaf authentication updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```



```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/retry

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_retry\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_retry\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

Responses:
  '201':
    Description: leaf retry created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

```

**Responses:**

```

'204':
  Description: leaf retry updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**delete:****Tags:**

```

- data
- delete

```

```

Summary: ''

```

```

Description: ''

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_delete

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'

```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

```

Summary: ''

```

```

Description: ''

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_options

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/feature-template-name'

```

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'

Responses:
  '201':
    Description: container keepalive created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'

  Responses:
    '201':
      Description: container keepalive created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'

  Responses:
    '204':
      Description: container keepalive updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```



## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/disable

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_disable'

**Responses:**

'201':

Description: leaf disable created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

Responses:
  '204':
    Description: leaf disable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/int

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_interval\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**  
#/definitions/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_interval'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

  Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

  Responses:
    '204':
      Description: leaf interval updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_delete
  produces:
    - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:

```



```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

Responses:
'201':
  Description: leaf retry created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

Responses:
'204':
  Description: leaf retry updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp

```
options:
```

```
  Tags:
  - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list l2tp created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name'

  Responses:
    '204':
      Description: list l2tp updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_name'

  Responses:
    '201':
      Description: leaf name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

```



**Responses:**

**'204':**

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/mode

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mode\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mode'

**'204':**

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_mode'

  Responses:
  '201':

```

```
    Description: leaf mode created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_mode'

Responses:
  '204':
    Description: leaf mode updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_delete
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/encrypt-avp

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_encrypt-avp'

**Responses:**

- '201':
  - Description:** leaf encrypt-avp created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_encrypt\_avp\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_encrypt-avp'

**Responses:**

- '204':
  - Description:** leaf encrypt-avp updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/dsl-info-forwarding

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

```
'#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
```

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_dsl\_info\_forwarding\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''



```
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_dsl-info-forwarding'

Responses:
'201':
  Description: leaf dsl-info-forwarding created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_dsl-info-forwarding'

Responses:
'204':
  Description: leaf dsl-info-forwarding updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
```

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/hostname

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_get
  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_hostname'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hostname\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hostname\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_hostname'

**Responses:****'201':****Description:** leaf hostname created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hostname\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_hostname'

**Responses:****'204':****Description:** leaf hostname updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/mtu

```

get:

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_mtu'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

**head:**

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_head
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_mtu'

Responses:
  '201':
    Description: leaf mtu created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_mtu'

Responses:
  '204':
```

```

    Description: leaf mtu updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```



## /data/cnbng-cp:profile/l2tp={l2tp-name}/hello-interval

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hello\_interval\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hello\_interval'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hello\_interval\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hello\_interval\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_hello-interval'

**Responses:**

- '201':
  - Description: leaf hello-interval created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hello\_interval\_patch**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'

Responses:
  '204':
    Description: leaf hello-interval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tcp

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_get
  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_tcp'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_head  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_tcp-post'

**Responses:**

'201':

**Description:** container tcp created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_put  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/l2tp-name'  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tcp'

**Responses:**  
 '201':  
   **Description:** container tcp created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/l2tp-name'  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tcp'

**Responses:**  
 '204':  
   **Description:** container tcp updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tcp/adjust-mss

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_get
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

- '200':

- Description**: OK

- Schema**:

- Reference**: '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tcp\_adjust-mss'

- '204':

- Reference**: '#/responses/204'

- '400':

- Reference**: '#/responses/400'

- '401':

- Reference**: '#/responses/401'

- '404':

- Reference**: '#/responses/404'

- '405':

- Reference**: '#/responses/405'

- '409':

- Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**head:****Tags:**

- data
- head

- Summary**: ''

- Description**: ''

- Operation ID**: data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_adjust\_mss\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

- '200':

- Reference**: '#/responses/200'



```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust-mss'

    Responses:
      '201':
        Description: leaf adjust-mss created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust-mss'

    Responses:
      '204':
        Description: leaf adjust-mss updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit

```
get:
```

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
```

- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**Method**: Post

**Tags:**

- data

- post

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'

- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_retransmit-post'

**Responses:**

'201':

**Description**: container retransmit created

'204':

**Reference**: '#/responses/204'

'400':

**Reference**: '#/responses/400'

'401':

**Reference**: '#/responses/401'

'404':

**Reference**: '#/responses/404'

'405':

**Reference**: '#/responses/405'

'409':

**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**put:**

**Tags:**

- data

- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'

- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_retransmit'

```
Responses:
  '201':
    Description: container retransmit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit'

Responses:
  '204':
    Description: container retransmit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
```

```

Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_post
produces:
```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial-post'

**Responses:**

- '201':
  - Description:** container initial created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial'

**Responses:**

- '201':
  - Description:** container initial created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'



```
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial'

    Responses:
      '204':
        Description: container initial updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout-post'

  Responses:
    '201':
      Description: container timeout created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_initial_timeout'

  Responses:
  '201':
    Description: container timeout created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_patch
  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_timeout'

**Responses:**

- '204':
  - Description:** container timeout updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout/max

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max'

Responses:
  '201':
    Description: leaf max created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max'

**Responses:**

'204':

**Description:** leaf max updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**



```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout/min

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref:
    '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min'

    Responses:
    '201':
        Description: leaf min created or replaced
    '204':
        Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref:
    '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min'

  Responses:
    '204':
      Description: leaf min updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_delete
  produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/retries

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_put
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_retries'

**Responses:**

- '201':
  - Description:** leaf retries created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_retries\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_retries'

**Responses:**

- '204':
  - Description:** leaf retries updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_retries\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_retries\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_timeout'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**Method:** Post



```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_timeout-post'

Responses:
'201':
  Description: container timeout created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_timeout'

Responses:
'201':
  Description: container timeout created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout'

Responses:
    '204':
        Description: container timeout updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/max

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
            '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'
      '204':
        Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'

  Responses:
    '201':
      Description: leaf max created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'

Responses:
'204':
  Description: leaf max updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_delete
produces:
```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/min

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_timeout\_min'

**Responses:**

- '201':
  - Description:** leaf min created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_min\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_timeout\_min'

**Responses:**

- '204':
  - Description:** leaf min updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**



```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/retries

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_retries'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_retries\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_retries\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/l2tp-name'  
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_retransmit\_retries'

**Responses:**  
'201':  
  **Description:** leaf retries created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_retries\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/l2tp-name'  
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_retransmit\_retries'

**Responses:**  
'204':  
  **Description:** leaf retries updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/receive-window

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_get
  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

  Description: OK

  Schema:

    Reference: '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_receive-window'

'204':

  Reference: '#/responses/204'

'400':

  Reference: '#/responses/400'

'401':

  Reference: '#/responses/401'

'404':

  Reference: '#/responses/404'

'405':

  Reference: '#/responses/405'

'409':

  Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_receive\_window\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

  Reference: '#/responses/200'

**security:**

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_receive-window'

Responses:
  '201':
    Description: leaf receive-window created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_receive-window'

Responses:
  '204':
    Description: leaf receive-window updated
  '400':
    Reference: '#/responses/400'
  '401':

```

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from

```
options:
```

```
  Tags:
```

```
/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}
```

```
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}

**get:**

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/terminate-from-hostname'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
```



```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/terminate-from-hostname'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/terminate-from-hostname'
    - $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

```

```

Responses:
  '201':
    Description: list terminate-from created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/terminate-from-hostname'
  - $ref:
'#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname'

Responses:
  '204':
    Description: list terminate-from updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:

```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/terminate-from-hostname'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/terminate-from-hostname'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}/hostname

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_get
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/terminate-from-hostname'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_terminate-from\_terminate-from-hostname\_hostname'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_terminate\_from\_terminate\_from\_hostname\_hostname\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/terminate-from-hostname'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/terminate-from-hostname'
    - $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname_hostname'

  Responses:
    '201':
      Description: leaf hostname created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/terminate-from-hostname'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

```

**Responses:**

```

'204':
  Description: leaf hostname updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**delete:****Tags:**

```

- data
- delete

```

```

Summary: ''

```

```

Description: ''

```

**Operation ID:**

```

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_delete

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/terminate-from-hostname'

```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

```

Summary: ''

```

```

Description: ''

```

**Operation ID:**

```

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_options

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/terminate-from-hostname'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/domain

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/domain-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''

```



**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_put  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/domain-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_domain\_domain-name'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list domain created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/domain-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_domain\_domain-name'

**Responses:**

'204':

**Description:** list domain updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/domain-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/domain-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name

get:

```

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_domain_domain-name_name'

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

```

- **\$ref**: '#/parameters/domain-name'
- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_domain\_domain-name\_name'

**Responses:**

- '204':
  - Description**: leaf name updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_name\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/domain-name'

**Responses:**

- '204':
  - Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_name\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/domain-name'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/tun-assign-id

**get:**

```

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_get

```

```

    produces:
      - application/yang-data+json

```

```

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/domain-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

**Responses:**

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun-assign-id'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []

```

**head:**

```

    Tags:
      - data

```

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun-assign-id'

Responses:
  '201':
    Description: leaf tun-assign-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/domain-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun-assign-id'

    Responses:
    '204':
        Description: leaf tun-assign-id updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/domain-name'

    Responses:
    '204':

```



```

      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/domain-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/vrf

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_vrf'
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_vrf'

  Responses:
    '201':
      Description: leaf vrf created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_vrf'

Responses:
'204':
  Description: leaf vrf updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_delete
produces:
```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/authentication

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_authentication'

**Responses:**

- '201':
  - Description:** leaf authentication created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_authentication\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_authentication'

**Responses:**

- '204':
  - Description:** leaf authentication updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

```
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ip-tos'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''



```
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos-post'

Responses:
'201':
  Description: container ip-tos created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos'

Responses:
'201':
  Description: container ip-tos created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ip-tos'

Responses:
  '204':
    Description: container ip-tos updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/value

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_value\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ip-tos\_value'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos_value'

  Responses:
    '201':
      Description: leaf value created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value'

Responses:
'204':
  Description: leaf value updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
```

**Responses:**

- '204':
  - Reference:** '#/responses/204'
- security:**
  - **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_value\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'

**Responses:**

- '200':
  - Reference:** '#/responses/200'
- security:**
  - **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/reflect

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_reflect\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip-tos\_reflect'
- '204':

```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ip-tos_reflect'
  Responses:
  '201':
```

```

    Description: leaf reflect created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos_reflect'

  Responses:
  '204':
    Description: leaf reflect updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_delete

```



```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
```

```

    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_post
  produces:
    - application/yang-data+json

  Parameters:

```

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel-post'

**Responses:**

- '201':
  - Description**: container tunnel created
- '204':
  - Reference**: '#/responses/204'
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel'

**Responses:**

- '201':
  - Description**: container tunnel created or replaced
- '204':
  - Reference**: '#/responses/204'
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel'

**Responses:****'204':****Description:** container tunnel updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_options  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/l2tp-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/session-limit

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_session\_limit\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/l2tp-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
 '#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_session-limit'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':

```

    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_head
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tunnel_session-limit'

Responses:
  '201':
    Description: leaf session-limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session-limit'

Responses:
  '204':
    Description: leaf session-limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_session\_limit\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'



```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tunnel_timeout-post'

  Responses:
    '201':
      Description: container timeout created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout'

  Responses:
    '201':
      Description: container timeout created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_patch
  produces:
  - application/yang-data+json

  Parameters:

```

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel\_timeout'

**Responses:**

- '204':
  - Description**: container timeout updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'

**Responses:**

- '204':
  - Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/l2tp-name'

**Responses:**

- '200':
  - Reference**: '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout/no-session

**get:**

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

```

'#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no-session'

```

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_head

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tunnel_timeout_no-session'

Responses:
  '201':
    Description: leaf no-session created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/l2tp-name'  
 - \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no-session'

**Responses:**  
 '204':  
   **Description:** leaf no-session updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**delete:**

**Tags:**  
 - data  
 - delete

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_delete  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/l2tp-name'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - basicAuth: []

**options:**

**Tags:**  
 - data  
 - options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_options

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp-name_ipv4'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
```

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_post**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_ipv4-post'

**Responses:****'201':****Description:** container ipv4 created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'



```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4'

    Responses:
      '201':
        Description: container ipv4 created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4'

    Responses:
      '204':
        Description: container ipv4 updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/df-bit

```
get:
```

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df-bit'

**'204':**

**Reference:** '#/responses/204'

**'400':**

**Reference:** '#/responses/400'

**'401':**

**Reference:** '#/responses/401'

**'404':**

**Reference:** '#/responses/404'

**'405':**

**Reference:** '#/responses/405'

**'409':**

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'

- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df-bit'

**Responses:**

'201':

Description: leaf df-bit created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'

- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df-bit'

```
Responses:
  '204':
    Description: leaf df-bit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/source

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

#### Schema:

**Reference:** '#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source\_head

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/l2tp-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source'

**Responses:**

- '201':
  - Description: leaf source created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_source'

**Responses:**

- '204':
  - Description:** leaf source updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'

**Responses:**

- '200':



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination

options:

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':

```

```

    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
      data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/destination-dest-ip'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
      data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_put
    produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'
- $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list destination created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'
- $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

Responses:
'204':
  Description: list destination updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/dest-ip

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/destination-dest-ip'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/destination-dest-ip'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

**/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/dest-**

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_destination_destination-dest-ip_dest-ip'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

```

- \$ref: '#/parameters/destination-dest-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_dest\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/destination-dest-ip'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_destination\_destination-dest-ip\_dest-ip'

**Responses:**

- '201':
  - Description: leaf dest-ip created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''**

```

Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'
- $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_destination_destination-dest-ip_dest-ip'

Responses:
  '204':
    Description: leaf dest-ip updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_dest\_ip\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/destination-dest-ip'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/weight

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_weight\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/destination-dest-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**  
#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination-dest-ip\_weight'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':



```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'
  - $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

  Responses:
  '201':
    Description: leaf weight created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'
  - $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_destination_destination-dest-ip_weight'

  Responses:
    '204':
      Description: leaf weight updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/congestion-control

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
  - Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_congestion-control'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_congestion\_control\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_congestion-control'

Responses:
'201':
  Description: leaf congestion-control created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_congestion-control'

Responses:
'204':
  Description: leaf congestion-control updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tx-connect-speed

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp-name_tx-connect-speed'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tx-connect-speed'

    Responses:
      '201':
        Description: leaf tx-connect-speed created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tx-connect-speed'

    Responses:
      '204':
        Description: leaf tx-connect-speed updated
      '400':
        Reference: '#/responses/400'

```



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_delete
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/l2tp-name'
  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/l2tp-name'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/rx-connect-speed

```
get:
```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_rx\_connect\_speed\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_rx-connect-speed'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_rx\_connect\_speed\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```
- $ref: '#/parameters/with-defaults'
```

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_rx\_connect\_speed\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_rx-connect-speed'

**Responses:**

- '201':
  - Description:** leaf rx-connect-speed created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_rx\_connect\_speed\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_rx-connect-speed'

```

Responses:
  '204':
    Description: leaf rx-connect-speed updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel-load-balancing

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_load\_balancing\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel-load-balancing'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_load\_balancing\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_load\_balancing\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_tunnel-load-balancing'

**Responses:**

- '201':
  - Description: leaf tunnel-load-balancing created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_load\_balancing\_patch**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'

Responses:
  '204':
    Description: leaf tunnel-load-balancing updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/password

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_get
  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_password'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```



**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_head  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_put  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_password'

**Responses:**

'201':

**Description:** leaf password created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/l2tp-name'  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_password'

**Responses:**  
 '204':  
   **Description:** leaf password updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**delete:**

**Tags:**  
 - data  
 - delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_delete  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/l2tp-name'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_options  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/l2tp-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/force-lcp-renegotiation

**get:**

**Tags:**

- data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_force\_lcp\_renegotiation\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':  
   **Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_force-lcp-renegotiation'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_force\_lcp\_renegotiation\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_force\_lcp\_renegotiation\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_force-lcp-renegotiation'

**Responses:****'201':****Description:** leaf force-lcp-renegotiation created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

```
- basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_force-lcp-renegotiation'

  Responses:
  '204':
    Description: leaf force-lcp-renegotiation updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius-post'

    Responses:
      '201':
        Description: container radius created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius'

  Responses:
    '201':
      Description: container radius created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius'

  Responses:
    '204':
      Description: container radius updated
    '400':
      Reference: '#/responses/400'
    '401':

```



```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/radius/server

```
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}

**get:**

**Tags:**

- data

- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-ip'

- **\$ref:** '#/parameters/server-port'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_server\_server-ip\_server-port'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-ip'
  - $ref: '#/parameters/server-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-ip'
  - $ref: '#/parameters/server-port'
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list server created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port'

Responses:
    '204':
        Description: list server updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/ip

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'

```

```
Responses:
  '201':
    Description: leaf ip created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'

Responses:
  '204':
    Description: leaf ip updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
```

```

- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

```



- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cnbng\_cp\_profile\_radius\_server\_server-ip\_server-port\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_port\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_port'

**Responses:****'201':****Description:** leaf port created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_port\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_port'

**Responses:****'204':****Description:** leaf port updated**'400':****Reference:** '#/responses/400'

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-ip'
  - $ref: '#/parameters/server-port'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-ip'
  - $ref: '#/parameters/server-port'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/type

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_type\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_server\_server-ip\_server-port\_type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_type\_head

#### produces:

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'

Responses:
  '201':
    Description: leaf type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
```

**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_type\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/server-ip'  
 - \$ref: '#/parameters/server-port'  
 - \$ref: '#/parameters/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_type'

**Responses:**

- '204':  
   **Description:** leaf type updated
- '400':  
   **Reference:** '#/responses/400'
- '401':  
   **Reference:** '#/responses/401'
- '404':  
   **Reference:** '#/responses/404'
- '405':  
   **Reference:** '#/responses/405'
- '409':  
   **Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**delete:**

**Tags:**  
 - data  
 - delete

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_type\_delete  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/server-ip'  
 - \$ref: '#/parameters/server-port'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - basicAuth: []

**options:**

**Tags:**  
 - data  
 - options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_type\_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/secret

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_radius_server_server-ip_server-port_secret'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/server-ip'
      - $ref: '#/parameters/server-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/server-ip'
      - $ref: '#/parameters/server-port'
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'

    Responses:
      '201':
        Description: leaf secret created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':

```



```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-ip'
  - $ref: '#/parameters/server-port'
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_server_server-ip_server-port_secret'

  Responses:
  '204':
    Description: leaf secret updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_delete

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_secret\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/priority

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_priority\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_priority_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_priority\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-ip'  
 - **\$ref:** '#/parameters/server-port'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_server\_server-ip\_server-port\_priority'

**Responses:**

'201':

**Description:** leaf priority created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_priority\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-ip'  
 - **\$ref:** '#/parameters/server-port'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_server\_server-ip\_server-port\_priority'

**Responses:**

'204':

**Description:** leaf priority updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/algorithm

```
get:
```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_algorithm\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng\_cp\_profile\_radius\_algorithm'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_algorithm\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_algorithm_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_algorithm'

Responses:
  '201':
    Description: leaf algorithm created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_algorithm_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_algorithm'

Responses:
  '204':
    Description: leaf algorithm updated
  '400':
```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_algorithm_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_algorithm_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/deadtime

```
get:
```

```

  Tags:
  - data
  - get

```



```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_deadtime_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_radius_deadtime'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_deadtime_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_deadtime_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_deadtime'

    Responses:
      '201':
        Description: leaf deadtime created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_deadtime_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_deadtime'

    Responses:
      '204':
        Description: leaf deadtime updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_deadtime_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_deadtime_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cnbng-cp:profile/radius/detect-dead-server

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_get
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

- '200':

- Description**: OK

- Schema**:

- Reference**: '#/definitions/data\_cnbng-cp\_profile\_radius\_detect-dead-server'

- '204':

- Reference**: '#/responses/204'

- '400':

- Reference**: '#/responses/400'

- '401':

- Reference**: '#/responses/401'

- '404':

- Reference**: '#/responses/404'

- '405':

- Reference**: '#/responses/405'

- '409':

- Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**head:****Tags:**

- data
- head

- Summary**: ''

- Description**: ''

- Operation ID**: data\_cnbng\_cp\_profile\_radius\_detect\_dead\_server\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

- '200':

- Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**Method**: Post

```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_detect-dead-server-post'

Responses:
'201':
  Description: container detect-dead-server created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:
```

```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_detect-dead-server'

Responses:
'201':
  Description: container detect-dead-server created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng_cp_profile_radius_detect-dead-server'

Responses:
    '204':
        Description: container detect-dead-server updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_detect\_dead\_server\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/detect-dead-server/response-timeout

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_detect\_dead\_server\_response\_timeout\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

  '200':

**Description:** OK

**Schema:**

**Reference:**

  '#/definitions/data\_cnbng\_cp\_profile\_radius\_detect-dead-server\_response-timeout'

  '204':

**Reference:** '#/responses/204'

  '400':

**Reference:** '#/responses/400'

  '401':

**Reference:** '#/responses/401'

  '404':

**Reference:** '#/responses/404'

  '405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'

    Responses:
      '201':
        Description: leaf response-timeout created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'

```



```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_detect-dead-server_response-timeout'

  Responses:
    '204':
      Description: leaf response-timeout updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/max-retry

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_max_retry_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_max-retry'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_max_retry_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_max_retry_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_max-retry'

  Responses:
  '201':
    Description: leaf max-retry created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_max_retry_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng_cp_profile_radius_max_retry'

Responses:
'204':
    Description: leaf max-retry updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_max_retry_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_max\_retry\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/timeout

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_timeout\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_timeout'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_timeout_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_timeout_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_timeout'

    Responses:
      '201':
        Description: leaf timeout created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'

```

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_timeout_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_timeout'

    Responses:
      '204':
        Description: leaf timeout updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_timeout_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_timeout_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```



```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute-post'

  Responses:
    '201':
      Description: container attribute created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
```

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute'

Responses:
  '201':
    Description: container attribute created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute'

Responses:
  '204':
    Description: container attribute updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cnbng-cp:profile/radius/attribute/called-station-id

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_get
  produces:
```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id-post'

Responses:
'201':
  Description: container called-station-id created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id'

Responses:
'201':
  Description: container called-station-id created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id'

  Responses:
    '204':
      Description: container called-station-id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/attribute/called-station-id/format

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id\_format\_format-nas-port-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []



```

put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list format created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

```

**Responses:**

'204':  
**Description:** list format updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**

'200':  
**Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}/nas-port-type

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id\_format\_fomat-nas-port-type\_nas-port-type'

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'
      - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

    Responses:
      '204':
        Description: leaf nas-port-type updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}/format-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_put

  produces:
    - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/format-nas-port-type'
- $ref:
'/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

```

**Responses:**

```

'201':
  Description: leaf format-name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/format-nas-port-type'
- $ref:
'/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

```

**Responses:**

```

'204':
  Description: leaf format-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```



```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/called-station-id/format-name

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''

```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_format-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref:
        '#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id_format-name'

    Responses:
      '201':
        Description: leaf format-name created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref:
        '#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id_format-name'

    Responses:
      '204':
        Description: leaf format-name updated
      '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/called-station-id/value

```
get:
```

```
  Tags:
```

```
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_value'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_value'

  Responses:
    '201':
      Description: leaf value created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_value'

  Responses:
    '204':
      Description: leaf value updated

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'



```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_calling-station-id-post'

Responses:
  '201':
    Description: container calling-station-id created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_calling-station-id'

Responses:
  '201':
    Description: container calling-station-id created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_calling-station-id'

  Responses:
    '204':
      Description: container calling-station-id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_delete
  produces:
  - application/yang-data+json

```

```
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format

```
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port

```
get:

Tags:
```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list format created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'

- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type'

**Responses:**

'204':

**Description:** list format updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data

- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**  
 data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/format-nas-port-type'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
 '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format-nas-port-type\_nas-port-type'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'/parameters/data_cnbng-cp_profile_radius_attribute_calling_station_id_format_format_nas-port-type_nas-port-type'

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
  '204':
    Reference: '#/responses/204'

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

  Responses:
    '204':
      Description: leaf nas-port-type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**  
  '204':  
    **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/format-name

**get:**

**Tags:**  
- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/format-nas-port-type'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name'

Responses:
  '201':
    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name'

Responses:
  '204':
    Description: leaf format-name updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_head
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_put

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

Responses:
  '201':
    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_patch
```

**produces:**  
- application/yang-data+json

**Parameters:**  
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format-name'

**Responses:**  
 '204':  
   **Description:** leaf format-name updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
- basicAuth: []

**delete:**

**Tags:**  
- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_name\_delete

**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
- basicAuth: []

**options:**

**Tags:**  
- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_name\_options

**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/value

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_head

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_value\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_value'

**Responses:**  
 '201':  
   **Description:** leaf value created or replaced

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_value\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_value'

**Responses:**

- '204':
  - Description:** leaf value updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_value\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_value\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_head  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'  
**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put  
**Summary:** ''  
**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier'

**Responses:**  
**'201':**  
  **Description:** leaf nas-identifier created or replaced  
**'204':**  
  **Reference:** '#/responses/204'  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'  
**'409':**  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch  
**Summary:** ''  
**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_patch  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier'

**Responses:**

'204':

**Description:** leaf nas-identifier updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_post  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format-post'

**Responses:**

'201':  
 Description: container nas-identifier-format created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_put



```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'

Responses:
'201':
  Description: container nas-identifier-format created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'

Responses:
'204':
  Description: container nas-identifier-format updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:
```

**Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_delete**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_options

**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-port-type}

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':

**Description:** list format created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'
        - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

      Responses:
        '204':
          Description: list format updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'

      Responses:
```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-port-type}/nas-port-type

```

get:

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_get

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Description: OK
          Schema:

```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type'

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type'

**Responses:**

'204':

**Description:** leaf nas-port-type updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-p

```

get:

  Tags:
    - data
    - get

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Responses:**

'201':  
 Description: leaf format-name created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_patch

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/format-nas-port-type'  
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Responses:**  
**'204':**  
**Description:** leaf format-name updated  
**'400':**  
**Reference:** '#/responses/400'  
**'401':**  
**Reference:** '#/responses/401'  
**'404':**  
**Reference:** '#/responses/404'  
**'405':**  
**Reference:** '#/responses/405'  
**'409':**  
**Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**delete:**

**Tags:**  
- data  
- delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_delete

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**  
**'204':**  
**Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format-name

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

  Responses:
    '201':
      Description: leaf format-name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_patch
      produces:
        - application/yang-data+json

      Parameters:
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

      Responses:
        '204':
          Description: leaf format-name updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_delete
      produces:
        - application/yang-data+json
      Parameters: []

      Responses:
        '204':
          Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```



```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id-post'

  Responses:
    '201':
      Description: container nas-port-id created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id'

Responses:
  '201':
    Description: container nas-port-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id'

Responses:
  '204':
    Description: container nas-port-id updated
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format

```

options:

  Tags:
  - data
  - options

```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []  
  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - basicAuth: []

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_get  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/format-nas-port-type'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
         **Reference:**  
         '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type'  
  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':  
     **Reference:** '#/responses/401'  
 '404':  
     **Reference:** '#/responses/404'  
 '405':  
     **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_put
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'
        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

      Responses:
        '201':
          Description: list format created or replaced
        '204':
          Reference: '#/responses/204'
        '400':

```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

Responses:
'204':
    Description: list format updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_delete
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '201':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```



**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/format-nas-port-type'- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**patch:****Tags:**

- data

- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/format-nas-port-type'- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

**Responses:**

'204':

**Description:** leaf nas-port-type updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name'

**Responses:**

'201':

**Description:** leaf format-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

Responses:
  '204':
    Description: leaf format-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format-name

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_attribute_nas-port-id_format-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'

  Responses:
    '201':
      Description: leaf format-name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'

Responses:
  '204':
    Description: leaf format-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'

```



```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_options

    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/value

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
            '#/definitions/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'

  Responses:
    '201':
      Description: leaf value created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'

  Responses:
    '204':
      Description: leaf value updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_value\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/attribute/nas-port

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':**

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-post'

  Responses:
    '201':
      Description: container nas-port created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port'

Responses:
'201':
    Description: container nas-port created or replaced
'204':
    Reference: '#/responses/204'
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port'

Responses:
'204':
    Description: container nas-port updated
'400':

```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list

```

options:

  Tags:
  - data
  - options

```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []  
  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_get  
  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/format-e-list-nas-port-type'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
         **Reference:**  
         '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type'  
  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':  
     **Reference:** '#/responses/401'  
 '404':  
     **Reference:** '#/responses/404'  
 '405':



```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list format-e-list created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-e-list-nas-port-type'
    - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

  Responses:
    '204':
      Description: list format-e-list updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

**Responses:**

**'204':**

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-p

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_nas-port-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-e-list-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_fomat-e-list-nas-port-type\_nas-port-type'

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_fomat-e-list-nas-port-type\_nas-port-type'

**Responses:**

```

    '204':
      Description: leaf nas-port-type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-p

```

get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_get

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```

'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```

head:

```

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-e-list-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-e-list-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

**Responses:**

'201':

**Description:** leaf format-e created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'



```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-e-list-nas-port-type'
      - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

    Responses:
      '204':
        Description: leaf format-e updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-e-list-nas-port-type'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_radius_attribute_nas-port_format-e'
    '204':
      Reference: '#/responses/204'
    '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'
  Responses:
    '201':
      Description: leaf format-e created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port_format-e'

Responses:
  '204':
    Description: leaf format-e updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':

```

```

      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/value

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_radius_attribute_nas-port_value'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_value'

  Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port_value'

  Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-ip

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-ip'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```



```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-ip'

  Responses:
    '201':
      Description: leaf nas-ip created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-ip'

  Responses:
    '204':
      Description: leaf nas-ip updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

```

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
- basicAuth: []

## /data/cnbng-cp:profile/radius/accounting

get:

**Tags:**  
- data  
- get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
  '200':  
    **Description:** OK  
    **Schema:**  
      **Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_accounting'  
  '204':  
    **Reference:** '#/responses/204'  
  '400':  
    **Reference:** '#/responses/400'  
  '401':  
    **Reference:** '#/responses/401'  
  '404':  
    **Reference:** '#/responses/404'  
  '405':  
    **Reference:** '#/responses/405'  
  '409':

```

    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_head
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
Method: Post

Tags:
  - data
  - post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_post
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting-post'

Responses:
  '201':
    Description: container accounting created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_accounting'

    Responses:
      '201':
        Description: container accounting created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_accounting'

    Responses:
      '204':
        Description: container accounting updated
      '400':
        Reference: '#/responses/400'
      '401':
```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/algorithm

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_algorithm\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_algorithm'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_algorithm\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_algorithm\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_algorithm'

**Responses:****'201':****Description:** leaf algorithm created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_algorithm\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_algorithm'

**Responses:****'204':****Description:** leaf algorithm updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'



```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cnbng-cp:profile/radius/accounting/deadtime

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_get
  produces:
    - application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_deadtime'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_deadtime\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_deadtime'

Responses:
  '201':
    Description: leaf deadtime created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_deadtime'

Responses:
  '204':
    Description: leaf deadtime updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
```

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/detect-dead-server

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server-post'

**Responses:**

'201':

**Description:** container detect-dead-server created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server'

**Responses:**

'201':

**Description:** container detect-dead-server created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_accounting_detect-dead-server'

    Responses:
      '204':
        Description: container detect-dead-server updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/detect-dead-server/response-timeout

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

        Tags:
        - data
        - head
        Summary: ''
        Description: ''
        Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

        Tags:
        - data
        - put
        Summary: ''
        Description: ''
        Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_put
      produces:
        - application/yang-data+json

      Parameters:
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

      Responses:
        '201':
          Description: leaf response-timeout created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

Responses:
'204':
    Description: leaf response-timeout updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
    Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/max-retry

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_max-retry'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_max-retry'

  Responses:
    '201':
      Description: leaf max-retry created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_accounting_max_retry'

  Responses:
    '204':
      Description: leaf max-retry updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_max\_retry\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/accounting/timeout

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_timeout\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_timeout'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':**

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_timeout'

    Responses:
      '201':
        Description: leaf timeout created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_timeout'

Responses:
'204':
    Description: leaf timeout updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```



```

- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute-post'

  Responses:
    '201':
      Description: container attribute created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute'

    Responses:
      '201':
        Description: container attribute created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute'

    Responses:
      '204':
        Description: container attribute updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_post

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id-post'

Responses:
'201':
  Description: container called-station-id created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_put

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id'

Responses:
'201':
  Description: container called-station-id created or replaced
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
    '#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id'

  Responses:
    '204':
      Description: container called-station-id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_delete
  produces:
  - application/yang-data+json

```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format}

```
get:
```



```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description: list format created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

Responses:
  '204':
    Description: list format updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/nas-port-type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'
  Responses:
    '201':

```

```

    Description: leaf nas-port-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

  Responses:
  '204':
    Description: leaf nas-port-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete

```

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={form

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_format-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []



**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_format-name'

**Responses:**

'201':

**Description:** leaf format-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_format-name'

**Responses:**

'204':  
**Description:** leaf format-name updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**

'200':  
**Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format-name

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_name\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format-name'

**Responses:**

'201':

**Description:** leaf format-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-format-name'

Responses:
'204':
  Description: leaf format-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/value

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_value'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []

```

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_value\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_value\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_value'

**Responses:**

'201':

**Description:** leaf value created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

  Responses:
    '204':
      Description: leaf value updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

```



```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_post

  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
    '#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id-post'

  Responses:
    '201':
      Description: container calling-station-id created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
    '#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id'

  Responses:
    '201':
      Description: container calling-station-id created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_patch
  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

Responses:
  '204':
    Description: container calling-station-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format

options:

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={form

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

```

```

- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list format created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

Responses:
'204':
  Description: list format updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

```

get:

  Tags:
  - data
  - get
  Summary: ''

```



**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type'

**Responses:**

'201':  
 Description: leaf nas-port-type created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'  
 - **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type'

**Responses:**

'204':  
**Description:** leaf nas-port-type updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/format-name

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

  Responses:
    '201':
      Description: leaf format-name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name'

Responses:
    '204':
        Description: leaf format-name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_put
  produces:

```



- application/yang-data+json

**Parameters:**

- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format-name'

**Responses:**

'201':

**Description:** leaf format-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format-name'

**Responses:**

'204':

**Description:** leaf format-name updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/value

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_get
  produces:
    - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_value'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_value\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_get

```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_put  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier'

**Responses:**

'201':

**Description:** leaf nas-identifier created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier'

**Responses:**

'204':

**Description:** leaf nas-identifier updated

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_delete

produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format

```
get:
```

```

Tags:
- data
- get

```



```
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
      Method: Post

      Tags:
        - data
        - post
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_post
      produces:
        - application/yang-data+json

      Parameters:
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post'

      Responses:
        '201':
          Description: container nas-identifier-format created
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_put
      produces:
        - application/yang-data+json

      Parameters:
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

      Responses:

```

```
'201':
  Description: container nas-identifier-format created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

Responses:
'204':
  Description: container nas-identifier-format updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

```

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'

**\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list format created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

Responses:
'204':
  Description: list format updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'204':
  Reference: '#/responses/204'
security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/nas-port-type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

'204':

```



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

```

**- \$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type'

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'

- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type'

**Responses:**

'204':

**Description:** leaf nas-port-type updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={f

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
 - head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data  
- put**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_put

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/format-nas-port-type'**- \$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Responses:****'201':****Description:** leaf format-name created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data  
- patch**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Responses:**

- '204':
  - Description:** leaf format-name updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_options

**produces:**

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format-name

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

Responses:
  '201':
    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```



```
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

  Responses:
    '204':
      Description: leaf format-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:
        Tags:
          - data
          - head
        Summary: ''
        Description: ''
        Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_head
        produces:
          - application/yang-data+json

        Parameters:
          - $ref: '#/parameters/content'
          - $ref: '#/parameters/depth'
          - $ref: '#/parameters/fields'
          - $ref: '#/parameters/filter'
          - $ref: '#/parameters/with-defaults'

        Responses:
          '200':
            Reference: '#/responses/200'
            security:
              - basicAuth: []
      Method: Post

      Tags:
        - data
        - post
      Summary: ''
      Description: ''
      Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_post
      produces:
        - application/yang-data+json

      Parameters:
        - $ref:
          '#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id-post'

      Responses:
        '201':
          Description: container nas-port-id created
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'

Responses:
  '201':
    Description: container nas-port-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'

Responses:
  '204':
    Description: container nas-port-id updated
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format

```

options:

  Tags:
  - data
  - options

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-p

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list format created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

  Responses:
    '204':
      Description: list format updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''

```



```

Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-port-type}/nas-port-type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_fomat\_format-nas-port-type\_nas-port-type'

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_fomat\_format-nas-port-type\_nas-port-type'

**Responses:**

```

    '204':
      Description: leaf nas-port-type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-port-type}/format-name

```

get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_get

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```

head:

```

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name'

**Responses:**

'201':

**Description:** leaf format-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'
      - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

    Responses:
      '204':
        Description: leaf format-name updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format-name'
    '204':
      Reference: '#/responses/204'

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

  Responses:
    '201':

```

```

    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
  '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

  Responses:
  '204':
    Description: leaf format-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/value

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK

```

```

    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_put

    produces:
    - application/yang-data+json

    Parameters:

```

```
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_patch

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_post
produces:
- application/yang-data+json
```

**Parameters:**

- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-post'

**Responses:**

'201':  
**Description**: container nas-port created  
 '204':  
**Reference**: '#/responses/204'  
 '400':  
**Reference**: '#/responses/400'  
 '401':  
**Reference**: '#/responses/401'  
 '404':  
**Reference**: '#/responses/404'  
 '405':  
**Reference**: '#/responses/405'  
 '409':  
**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**put:****Tags:**

- data  
 - put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port'

**Responses:**

'201':  
**Description**: container nas-port created or replaced  
 '204':  
**Reference**: '#/responses/204'  
 '400':  
**Reference**: '#/responses/400'  
 '401':  
**Reference**: '#/responses/401'  
 '404':  
**Reference**: '#/responses/404'  
 '405':  
**Reference**: '#/responses/405'  
 '409':  
**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []



**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port'

**Responses:****'204':****Description:** container nas-port updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_delete**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_options

```

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/format-e-list-nas-port-type'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
- put

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list format-e-list created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

Responses:
'204':
  Description: list format-e-list updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_delete

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/format-e-list-nas-port-type'
```

**Responses:**

```
'204':
```

```
  Reference: '#/responses/204'
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_options

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/format-e-list-nas-port-type'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_nas-port-type'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_nas-port-type'

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type'

**Responses:**

'204':

**Description:** leaf nas-port-type updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:**



**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref:
'/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
```

```
Responses:
  '201':
    Description: leaf format-e created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

Responses:
  '204':
    Description: leaf format-e updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:
```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_get

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

```

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e'

**Responses:**

'201':

**Description:** leaf format-e created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e'

**Responses:**

'204':

**Description:** leaf format-e updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/value

```
get:

  Tags:
    - data
    - get
  Summary: ''
```

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_value\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_value'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_value\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'



```
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'

Responses:
'201':
  Description: leaf value created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'

Responses:
'204':
  Description: leaf value updated
'400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-ip

```
get:
```

```
  Tags:
```

```
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'

    Responses:
      '201':
        Description: leaf nas-ip created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'

    Responses:
      '204':
        Description: leaf nas-ip updated
      '400':
        Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/server-group

```

options:

  Tags:
  - data
  - options
  Summary: ''

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}

**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_group\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/server-group-group-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-group-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_server_group_server-group-group-name'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list server-group created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_patch

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name'

    Responses:
    '204':
        Description: list server-group updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/server-group-group-name'

```



```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/group-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_cnbng_cp_profile_radius_server-group_server-group-group-name_group-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_put
  produces:
    - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/server-group-group-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

```

**Responses:**

```

'201':
  Description: leaf group-name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

**Summary:** ''**Description:** ''**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/server-group-group-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

```

**Responses:**

```

'204':
  Description: leaf group-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_options
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={s

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/server-type'
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/server-type'
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/server-type'
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port'
```

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description:** list server created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port'

**Responses:**

- '204':
  - Description:** list server updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/server-type'
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/server-type'
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```



## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={s

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_type'

**Responses:**

'201':

**Description:** leaf type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/server-type'
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type'

  Responses:
    '204':
      Description: leaf type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_delete

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/ip

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_ip'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip'

**Responses:**

'201':  
**Description:** leaf ip created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref:

'#/parameters/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip'

**Responses:**

'204':

Description: leaf ip updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/port****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':



**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_port'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-group-name'  
- **\$ref:** '#/parameters/server-type'  
- **\$ref:** '#/parameters/server-ip'  
- **\$ref:** '#/parameters/server-port'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-group-name'

- **\$ref:** '#/parameters/server-type'

- **\$ref:** '#/parameters/server-ip'

- **\$ref:** '#/parameters/server-port'

- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port'

**Responses:**

'201':

**Description:** leaf port created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/server-group-group-name'

- **\$ref:** '#/parameters/server-type'

- **\$ref:** '#/parameters/server-ip'

- **\$ref:** '#/parameters/server-port'

- **\$ref:**

'#/parameters/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port'

**Responses:**  
 '204':  
   **Description:** leaf port updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**delete:**

**Tags:**  
 - data  
 - delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/server-group-group-name'  
 - **\$ref:** '#/parameters/server-type'  
 - **\$ref:** '#/parameters/server-ip'  
 - **\$ref:** '#/parameters/server-port'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/server-group-group-name'

- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/coa

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_coa\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference: '#/definitions/data\_cnbng-cp\_profile\_coa'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

```
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa-post'

Responses:
  '201':
    Description: container coa created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
```

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa'

Responses:
  '201':
    Description: container coa created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa'

Responses:
  '204':
    Description: container coa updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
```

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_coa_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
        security:
          - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_coa_options
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
```

## /data/cnbng-cp:profile/coa/server-key

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_coa_server_key_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-cp\_profile\_coa\_server-key'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_coa\_server\_key\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''



```
Description: ''
Operation ID: data_cnbng_cp_profile_coa_server_key_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa_server-key'

Responses:
'201':
  Description: leaf server-key created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_server_key_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa_server-key'

Responses:
'204':
  Description: leaf server-key updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_server_key_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_server_key_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/coa/client

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'

```

```
security:  
- basicAuth: []
```

## /data/cnbng-cp:profile/coa/client={client-ip}

get:

**Tags:**

```
- data  
- get
```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_get

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/client-ip'  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_coa\_client\_client-ip'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
```

head:

**Tags:**

```
- data  
- head
```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/client-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/client-ip'
- \$ref: '#/parameters/data\_cnbng\_cp\_profile\_coa\_client\_client-ip'
- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list client created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/client-ip'
- $ref: '#/parameters/data_cnbng-cp_profile_coa_client_client-ip'

Responses:
'204':
  Description: list client updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/client-ip'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_options
produces:
- application/yang-data+json
```

**Parameters:**  
 - \$ref: '#/parameters/client-ip'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/coa/client={client-ip}/ip

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/client-ip'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cnbng\_cp\_profile\_coa\_client\_client-ip\_ip'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/client-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/client-ip'
- **\$ref:** '#/parameters/data\_cnbng-cp\_profile\_coa\_client\_client-ip\_ip'

**Responses:**

- '201':
  - Description:** leaf ip created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/client-ip'
- **\$ref:** '#/parameters/data\_cnbng\_cp\_profile\_coa\_client\_client-ip\_ip'

**Responses:****'204':****Description:** leaf ip updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/client-ip'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options



**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_options  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/client-ip'

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/coa/client={client-ip}/server-key

get:

**Tags:**  
- data  
- get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_server\_key\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/client-ip'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Description:** OK  
  **Schema:**  
    **Reference:** '#/definitions/data\_cnbng-cp\_profile\_coa\_client\_client-ip\_server-key'

**'204':**  
  **Reference:** '#/responses/204'

**'400':**  
  **Reference:** '#/responses/400'

**'401':**  
  **Reference:** '#/responses/401'

**'404':**  
  **Reference:** '#/responses/404'

**'405':**  
  **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/client-ip'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/client-ip'
      - $ref: '#/parameters/data_cnbng-cp_profile_coa_client_client-ip_server-key'

    Responses:
      '201':
        Description: leaf server-key created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/client-ip'
  - $ref: '#/parameters/data_cnbng_cp_profile_coa_client_client-ip_server-key'

  Responses:
    '204':
      Description: leaf server-key updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/client-ip'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/client-ip'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:user-planes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_user-planes'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post
  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_post
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/data_cnbng-cp_user-planes-post'
  Responses:
    '201':
      Description: container user-planes created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_user-planes'

  Responses:
    '201':
      Description: container user-planes created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_user-planes'

  Responses:

```

```

    '204':
      Description: container user-planes updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane

```
options:
```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'



```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list user-plane created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name'

  Responses:
    '204':
      Description: list user-plane updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_name'
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_name'

Responses:
  '201':

```

```
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_delete
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_post

  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_peer-address-post'

**Responses:**

- '201':
  - Description:** container peer-address created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_peer-address'

**Responses:**

- '201':
  - Description:** container peer-address created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':



```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_peer-address'

  Responses:
    '204':
      Description: container peer-address updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address/ipv4

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'

  Responses:

```

```

    '201':
      Description: leaf ipv4 created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'

  Responses:
    '204':
      Description: leaf ipv4 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/flowctrl-group

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_flowctrl-group'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_flowctrl\_group\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng_cp_user-planes_user-plane_user-plane-name_flowctrl-group'

Responses:
'201':
  Description: leaf flowctrl-group created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng_cp_user-planes_user-plane_user-plane-name_flowctrl-group'

Responses:
'204':
  Description: leaf flowctrl-group updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/offline

```
get:
```

```
  Tags:
```



```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_user_planes_user_plane_user_plane_name_offline'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_offline'

Responses:
  '201':
    Description: leaf offline created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_offline'

Responses:

```

```
'204':
  Description: leaf offline updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id

### options:

#### Tags:

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_options

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/user-plane-name'

#### Responses:

'200':

**Reference:** '#/responses/200'

#### security:

- **basicAuth:** []

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/port-id-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port-id\_port-id-id'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/port-id-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/port-id-id'

```

```

- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list port-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/port-id-id'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'

Responses:
  '204':
    Description: list port-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_delete
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/user-plane-name'
      - $ref: '#/parameters/port-id-id'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_options
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/user-plane-name'
      - $ref: '#/parameters/port-id-id'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}/id

```

get:

  Tags:
    - data
    - get
  Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/port-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/port-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'



- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'

- \$ref: '#/parameters/port-id-id'

- \$ref:

'#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_id'

**Responses:**

'201':

Description: leaf id created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_patch

**produces:**

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/port-id-id'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'

Responses:
  '204':
    Description: leaf id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/port-id-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id_options
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/port-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}/su

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/port-id-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/port-id-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/port-id-id'
  - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

  Responses:
  '201':
    Description: leaf subscriber-profile created or replaced
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/port-id-id'
    - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

  Responses:
    '204':
      Description: leaf subscriber-profile updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_delete

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/user-plane-name'- **\$ref:** '#/parameters/port-id-id'**Responses:**

'204':

**Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**

- data

- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/user-plane-name'- **\$ref:** '#/parameters/port-id-id'**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-profile

**get:****Tags:**

- data

- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_profile\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/user-plane-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_profile\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'

Responses:
  '201':
    Description: leaf subscriber-profile created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'

Responses:
  '204':
    Description: leaf subscriber-profile updated
  '400':
    Reference: '#/responses/400'

```



```
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber-redundancy'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_head

#### produces:

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy-post'

**Responses:**

'201':  
 Description: container subscriber-redundancy created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy'

Responses:
  '201':
    Description: container subscriber-redundancy created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy'

Responses:
  '204':
    Description: container subscriber-redundancy updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

```

options:

  Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'

```

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description:** list group created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_name'

**Responses:**

- '204':
  - Description:** list group updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'



```

    security:
      - basicAuth: []
  delete:

```

```

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:

```

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_delete

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'

```

```

  Responses:
    '204':
      Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []

```

```

options:

```

```

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:

```

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_options

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

```

get:

```

```

    Tags:
      - data
      - get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group-group-name\_group-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name'

**Responses:**

'201':  
 Description: leaf group-name created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'

- **\$ref:** '#/parameters/group-group-name'

- **\$ref:**

'#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_group-name'

**Responses:**

'204':

**Description:** leaf group-name updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'

- **\$ref:** '#/parameters/group-group-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'
  '204':
    Reference: '#/responses/204'
  '400':

```

**Reference:** '#/responses/400'  
**'401':**  
**Reference:** '#/responses/401'  
**'404':**  
**Reference:** '#/responses/404'  
**'405':**  
**Reference:** '#/responses/405'  
**'409':**  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/user-plane-name'  
 - **\$ref:** '#/parameters/group-group-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
**Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/user-plane-name'  
 - **\$ref:** '#/parameters/group-group-name'

**- \$ref:**

'#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_disable'

**Responses:**

'201':

**Description:** leaf disable created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'  
- **\$ref:** '#/parameters/group-group-name'  
- **\$ref:**

'#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_disable'

**Responses:**

'204':

**Description:** leaf disable updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

get:

```

  Tags:
  - data
  - get

```



**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/user-plane-name'  
 - **\$ref:** '#/parameters/group-group-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode'

'204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/user-plane-name'  
 - **\$ref:** '#/parameters/group-group-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode'

**Responses:**

'201':  
 Description: leaf standby-mode created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'  
 - **\$ref:** '#/parameters/group-group-name'  
 - **\$ref:**

'#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_standby-mode'

**Responses:**

'204':

**Description:** leaf standby-mode updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'  
 - **\$ref:** '#/parameters/group-group-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode_options

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

?

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/preferred-role-active
: get:

```

```

Tags:
- data
- get

```

```

Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_get

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK

```

```

Schema:
Reference:

```

```

'#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active'

```

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

security:
  - basicAuth: []

```

head:

```

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_head

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
  - basicAuth: []

```

put:

```

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:

```

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_put

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref:

```

'#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active'

**Responses:**

'201':  
**Description:** leaf preferred-role-active created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'  
 - **\$ref:** '#/parameters/group-group-name'  
 - **\$ref:**

'#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active'

**Responses:**

'204':  
**Description:** leaf preferred-role-active updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_revertive_timer_get

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_revertive\_timer\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'



- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_revertive\_timer\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'

- \$ref: '#/parameters/group-group-name'

- \$ref:

'#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_revertive\_timer'

**Responses:**

'201':

Description: leaf revertive-timer created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_revertive\_timer\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer'

**Responses:**

- '204':
  - Description:** leaf revertive-timer updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_peer-identifier'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref:
'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier'

  Responses:
    '201':

```

```

    Description: leaf peer-identifier created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref:
'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier'

  Responses:
  '204':
    Description: leaf peer-identifier updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_get

produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Method:** Post**Tags:**

- data

- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_post

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/user-plane-name'**- \$ref:** '#/parameters/group-group-name'**- \$ref:**

'#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_post'

**Responses:****'201':****Description:** container port-id-map created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**put:****Tags:**

- data

- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_put

**produces:**

- application/yang-data+json



**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map'

**Responses:**

'201':

**Description:** container port-id-map created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber\_redundancy\_group\_group-group-name\_port-id-map\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map'

**Responses:**

'204':

**Description:** container port-id-map updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name
: options:

Tags:
- data

```

```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/{port-name={port-name-port-id-name},(port-name-port-id)}
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/port-name-port-id-name'
- $ref: '#/parameters/port-name-port-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    %/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_name
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref: '#/parameters/port-name-port-id-name'
    - $ref: '#/parameters/port-name-port-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_name
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'

```

- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref:

#/parameters/data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name}/port-id={port-id}

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

#### Responses:

- '201':
  - Description:** list port-name created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

#### security:

- basicAuth: []

#### patch:

##### Tags:

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name}/port-id={port-id}/patch

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref:

#/parameters/data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name}/port-id={port-id}

#### Responses:

- '204':
  - Description:** list port-name updated
- '400':
  - Reference:** '#/responses/400'
- '401':

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/port-name-port-id-name'
- $ref: '#/parameters/port-name-port-id'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/port-name-port-id-name'
- $ref: '#/parameters/port-name-port-id'

Responses:
'200':
    Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []
  ?
/data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name-port-id-name}/port-name-port-id={port-name-port-id}
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane={user-plane-name}_subscriber_redundancy_group={group-group-name}_port_id_map_port_name={port-name-port-id-name}_port_name_port_id={port-id-name}

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref: '#/parameters/port-name-port-id-name'
    - $ref: '#/parameters/port-name-port-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
#/definitions/data_cnbng_cp_user_planes_user_plane={user-plane-name}_subscriber_redundancy_group={group-group-name}_port_id_map_port_name={port-name-port-id-name}_port_name_port_id={port-id-name}

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head

```

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref:

~~#/parameters/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map~~

**Responses:**

'201':

**Description:** leaf port-id-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':



```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data-cnbng-cp-user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref: '#/parameters/port-name-port-id-name'
  - $ref: '#/parameters/port-name-port-id'
  - $ref: '#/parameters/port-id-name'
  - $ref: '#/parameters/port-id-name'

  Responses:
  '204':
    Description: leaf port-id-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_port\_name\_port\_name\_port\_name\_port\_id\_name\_port\_name\_port\_id\_port\_id\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/port-name-port-id-name'
- **\$ref:** '#/parameters/port-name-port-id'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_port\_name\_port\_name\_port\_name\_port\_id\_name\_port\_name\_port\_id\_port\_id\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/port-name-port-id-name'
- **\$ref:** '#/parameters/port-name-port-id'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name-port-id-name},(port-name-port-id)/(port-id

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_port\_name\_port\_name\_port\_name\_port\_id\_name\_port\_name\_port\_id\_port\_id\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data-cnbng-cp-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-port-id-map-port-name-port-name-port-id-map-port-name-port-id-port-id

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data-cnbng-cp-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-port-id-map-port-name-port-name-port-id-map-port-name-port-id-port-id-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref:

#/parameters/data\_cnbng\_cp\_user\_planes\_user\_plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map

**Responses:**

'201':  
**Description:** leaf port-id created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/port-name-port-id-name'
- **\$ref:** '#/parameters/port-name-port-id'
- **\$ref:**

#/parameters/data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/patch

**Responses:**

- '204':
  - Description:** leaf port-id updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/port-name-port-id-name'
- **\$ref:** '#/parameters/port-name-port-id'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_cp\_user\_plane\_name\_user\_plane\_name\_group\_name\_group\_name\_port\_name\_port\_id\_port\_name\_port\_id\_port\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/port-name-port-id-name'
- **\$ref:** '#/parameters/port-name-port-id'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-cp:coverage

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_cp\_coverage\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng\_cp\_coverage'

'204':

**Reference:** '#/responses/204'

'400':

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_coverage_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post
  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_coverage_post
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_coverage-post'
  Responses:
  '201':
    Description: container coverage created
  '204':
    Reference: '#/responses/204'
  '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_coverage_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_coverage'

  Responses:
  '201':
    Description: container coverage created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_coverage_patch
  produces:
  - application/yang-data+json

  Parameters:

```



```
- $ref: '#/parameters/data_cnbng-cp_coverage'
```

**Responses:**

- '204':
  - Description:** container coverage updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_coverage\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_coverage\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-cp:coverage/container-stop

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_coverage\_container\_stop\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng\_cp\_coverage\_container-stop'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_cp\_coverage\_container\_stop\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_coverage_container_stop_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_coverage_container-stop'

Responses:
  '201':
    Description: leaf container-stop created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_coverage_container_stop_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_coverage_container-stop'
```

**Responses:**

```
'204':  
  Description: leaf container-stop updated  
'400':  
  Reference: '#/responses/400'  
'401':  
  Reference: '#/responses/401'  
'404':  
  Reference: '#/responses/404'  
'405':  
  Reference: '#/responses/405'  
'409':  
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data  
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID: data_cnbng_cp_coverage_container_stop_delete
```

**produces:**

```
- application/yang-data+json
```

```
Parameters: []
```

**Responses:**

```
'204':  
  Reference: '#/responses/204'
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data  
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID: data_cnbng_cp_coverage_container_stop_options
```

**produces:**

```
- application/yang-data+json
```

```
Parameters: []
```

**Responses:**

```
'200':  
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**Parameters:****Content:**

```
name: content
```

```
In: query
```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

**depth:**  
**name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Type:** integer  
**Format:** uint16

**fields:**  
**name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**filter:**  
**name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**with-defaults:**  
**name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**insert:**  
**name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
- first

- last
- before
- after

**point:**

- name:** point
- In:** query
- Description:** used to specify the insertion point
- Required/Optional:** false
- Type:** string
- Format:** string

**aaa-aaa-option:**

- name:** aaa-aaa-option
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** enumeration
- Default:** authenticate
- enum:**
  - authenticate
  - authorize

**aaa-name:**

- name:** aaa-name
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** string

**aaa-profile:**

- name:** aaa-profile
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** leafref

**activate-feature-templates-id:**

- name:** activate-feature-templates-id
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** leafref

**ascii-id:**

- name:** ascii-id
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** string

**attribute-format-name:**

- name:** attribute-format-name
- In:** path

```

Description: ''
Required/Optional: true
Type: string
Format: string
authentication-id:
  name: authentication-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: enumeration
  Default: pap
  enum:
    - pap
    - chap
class-class-name:
  name: class-class-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
client-ip:
  name: client-ip
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: union
data-post:
  name: data
  In: body
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n Endpoint\
\n and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll rights reserved."
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data-post'
data-put-patch:
  name: data
  In: body
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n Endpoint\
\n and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll rights reserved."
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data-put-patch'
data_cnbng-cp_coverage:
  name: coverage

```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_coverage'
data_cnbng-cp_coverage-post:
  name: coverage
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_coverage-post'
data_cnbng-cp_coverage_container-stop:
  name: container-stop
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_coverage_container-stop'
data_cnbng-cp_profile:
  name: profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile'
data_cnbng-cp_profile-post:
  name: profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile-post'
data_cnbng-cp_profile_aaa_aaa-name:
  name: aaa
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name'
data_cnbng-cp_profile_aaa_aaa-name_accounting:
  name: accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting'
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
  name: accounting
  In: body
  Description: ''
```



```

Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting-post'
data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:
  name: method-order
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'
data_cnbng-cp_profile_aaa_aaa-name_authentication:
  name: authentication
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
  name: authentication
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authentication-post'
data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:
  name: method-order
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'
data_cnbng-cp_profile_aaa_aaa-name_authorization:
  name: authorization
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization'
data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
  name: authorization
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization-post'
data_cnbng-cp_profile_aaa_aaa-name_authorization_password:
  name: password
  In: body

```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type:
  name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
  name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
  name: subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
  name: subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:
  name: method-order
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
  name: username
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post:
  name: username

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format:
  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier:
  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value'
data_cnbng-cp_profile_aaa_aaa-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_name'
data_cnbng-cp_profile_attribute-format_attribute-format-name:
  name: attribute-format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name'
data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:
  name: format-order
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

```

```

data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:
  name: format-string
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'
data_cnbng-cp_profile_attribute-format_attribute-format-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name_name'
data_cnbng-cp_profile_coa:
  name: coa
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa'
data_cnbng-cp_profile_coa-post:
  name: coa
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa-post'
data_cnbng-cp_profile_coa_client_client-ip:
  name: client
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa_client_client-ip'
data_cnbng-cp_profile_coa_client_client-ip_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa_client_client-ip_ip'
data_cnbng-cp_profile_coa_client_client-ip_server-key:
  name: server-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa_client_client-ip_server-key'

```

```
data_cnbng-cp_profile_coa_server-key:
  name: server-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa_server-key'
data_cnbng-cp_profile_dhcp_dhcp-name:
  name: dhcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
  name: class
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
  name: class-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
  name: matches
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:
```

```
name: matches
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type:
```

```
name: match-type
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key:
```

```
name: match
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id:
```

```
name: ascii
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id:
```

```
name: hex
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key:
```

```
name: key
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server:
```

```
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post:
```

```
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:
```

```
  name: boot-filename
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:
```

```
  name: dns-servers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:
```

```
  name: domain-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time:
```

```
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post:

  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes:

  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease:

  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post:

  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days:

  name: days
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours:

  name: hours
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```



```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes:  
  
  name: minutes  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id:  
  
  name: netbios-name-server  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type:  
  
  name: netbios-node-type  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post:  
  
  name: netbios-node-type  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node:  
  
  name: broadcast-node  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal:  
  
  name: hexadecimal  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:
```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node:
```

```
  name: hybrid-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node:
```

```
  name: mixed-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node:
```

```
  name: peer-to-peer-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server:
```

```
  name: next-server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id:
```

```
  name: ntp-servers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes:
```

```
  name: option-codes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post:

  name: option-codes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-code_option-code_option-code

  name: option-code
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code'
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ascii-string
: name: ascii-string
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ascii-string'
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_force-insert
: name: force-insert
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_force-insert'
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_hex-string
: name: hex-string
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_hex-string'
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id
: name: ip-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id'
```

```

?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_option-code
: name: option-code
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_option-code'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:

  name: pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key:

  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key-post:

  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier:

  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode:
  name: mode
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server:
  name: server

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
  name: boot-filename
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:
  name: dns-servers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
  name: domain-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time:
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post:
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes:

```

```

    name: minutes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
    name: lease
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
    name: lease
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
    name: days
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
    name: hours
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
    name: minutes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:
    name: netbios-name-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
  name: netbios-node-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:
  name: netbios-node-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node:
  name: broadcast-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal:
  name: hexadecimal
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node:
  name: hybrid-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node:
  name: mixed-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node:
```

```

    name: peer-to-peer-node
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server:
    name: next-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id:

    name: ntp-servers
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes:
    name: option-codes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post:
    name: option-codes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code:

    name: option-code
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_ascii-string:

    name: ascii-string
    In: body
    Description: ''
    Required/Optional: true

```



**Schema:****Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ascii-string'  
**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_force-insert:**

**name:** force-insert  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_force-insert'  
**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_hex-string:**

**name:** hex-string  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_hex-string'  
**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ip-address\_ip-address-id:**

**name:** ip-address  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ip-address\_ip-address-id'  
**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_option-code:**

**name:** option-code  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_option-code'  
**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_pool-name:**

**name:** pool-name  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_pool-name'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key:**

**name:** static-ip-key  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

```

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post:
  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier:

  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
  name: ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
  name: ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
  name: class
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:

  name: class-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:

  name: matches
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:

  name: matches
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:

    name: match-type
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:

      name: match
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id:

        name: ascii
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id:

          name: hex
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key:

            name: key
            In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post:

  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name:

  name: aftr-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id:

  name: dns-servers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name:

  name: domain-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time:

  name: hold-time
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post:

  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes:

  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name:

  name: iana-pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name:

  name: iapd-pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease:

  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post:

  name: lease
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days:

  name: days
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours:

  name: hours
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes:

  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference:

  name: preference
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit:

  name: rapid-commit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key:

  name: static-ip-key
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post:

  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-identifier:

  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-identifier'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode:
  name: mode
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
  name: aftr-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:

  name: dns-servers

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
  name: domain-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time:
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post:
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes:
  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
  name: iana-pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
  name: iapd-pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'

```



```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
  name: days
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
  name: hours
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
  name: preference
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
  name: rapid-commit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key:
  name: static-ip-key
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post:
  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier:

  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier'
data_cnbng-cp_profile_dhcp_dhcp-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_name'
data_cnbng-cp_profile_feature-template_feature-template-name:
  name: feature-template
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name'
data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:

  name: http-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:  
  name: ipv4  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables:  
  
  name: disable-unreachables  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl:  
  
  name: egress-acl  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl:  
  
  name: ingress-acl  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu:  
  name: mtu  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source:  
  
  name: verify-unicast-source  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post:
```

```

    name: verify-unicast-source
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx:

    name: reachable-via-rx
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6:
    name: ipv6
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post:
    name: ipv6
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables:

    name: disable-unreachables
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl:

    name: egress-acl
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl:

    name: ingress-acl

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu:
  name: mtu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:
  name: verify-unicast-source
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post:
  name: verify-unicast-source
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx:
  name: reachable-via-rx
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'
data_cnbng-cp_profile_feature-template_feature-template-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_name'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp:
  name: ppp
  In: body
  Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp'
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post:
    name: ppp
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post'
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id:
    name: authentication
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap:
    name: chap
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post:
    name: chap
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post'
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:
    name: hostname
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:
    name: password
    In: body
    Description: ''
    Required/Optional: true

```

```

Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:
  name: ipcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:

  name: ipcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:

  name: dns
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:

  name: dns
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:

  name: primary-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address:

  name: secondary-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool:
```

```
name: peer-address-pool
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation:
```

```
name: renegotiation
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post:
```

```
name: renegotiation
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore:
```

```
name: ignore
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins:
```

```
name: wins
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post:
```

```
name: wins
In: body
Description: ''
Required/Optional: true
Schema:
```



**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address:
```

```
name: primary-address
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address:
```

```
name: secondary-address
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp:
```

```
name: ipv6cp
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post:
```

```
name: ipv6cp
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation:
```

```
name: renegotiation
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post:
```

```
name: renegotiation
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore:

  name: ignore
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive:

  name: keepalive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post:

  name: keepalive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable:

  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval:

  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry:

  name: retry
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:  
  name: lcp  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:  
  
  name: lcp  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:  
  
  name: delay  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:  
  
  name: delay  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:  
  
  name: milliseconds  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:  
  
  name: seconds  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'
```

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation:

  name: renegotiation
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post:

  name: renegotiation
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore:

  name: ignore
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth:

  name: max-bad-auth
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure:

  name: max-configure
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure:

  name: max-failure
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

```

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap:
  name: pap
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post:

  name: pap
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password:

  name: accept-null-password
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type:

  name: service-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout:

  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post:

  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute:

```

```

    name: absolute
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post:

    name: absolute
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes:

    name: minutes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication:

    name: authentication
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry:

    name: retry
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'
data_cnbng-cp_profile_feature-template_feature-template-name_qos:
    name: qos
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos'
data_cnbng-cp_profile_feature-template_feature-template-name_qos-post:
    name: qos

```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos-post'
data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy:

  name: in-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'
data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level:

  name: merge-level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'
data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy:

  name: out-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting:

  name: service-accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post:

  name: service-accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile:

  name: aaa-profile
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable:

  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'
  data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval:

  name: periodic-interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'
  data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting:

  name: session-accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting'
  data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post:

  name: session-accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post'
  data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile:

  name: aaa-profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'
  data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay:

  name: dual-stack-delay

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable:

  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'
  data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval:

  name: periodic-interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'
  data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name:
  name: vrf-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'
  data_cnbng-cp_profile_12tp_12tp-name:
  name: 12tp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_12tp_12tp-name'
  data_cnbng-cp_profile_12tp_12tp-name_authentication:
  name: authentication
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_12tp_12tp-name_authentication'
  data_cnbng-cp_profile_12tp_12tp-name_congestion-control:
  name: congestion-control
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_12tp_12tp-name_congestion-control'

```

```

data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name:
  name: domain
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id:
  name: tun-assign-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'
data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding:
  name: dsl-info-forwarding
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp:
  name: encrypt-avp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation:
  name: force-lcp-renegotiation
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval:
  name: hello-interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'
data_cnbng-cp_profile_l2tp_l2tp-name_hostname:
  name: hostname

```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos:
  name: ip-tos
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post:
  name: ip-tos
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post'
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect:
  name: reflect
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:
  name: destination
  In: body
  Description: ''
```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip:
  name: dest-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight:
  name: weight
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit:
  name: df-bit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source:
  name: source
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source'
data_cnbng-cp_profile_l2tp_l2tp-name_mode:
  name: mode
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_mode'
data_cnbng-cp_profile_l2tp_l2tp-name_mtu:
  name: mtu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'
data_cnbng-cp_profile_l2tp_l2tp-name_name:
  name: name

```

**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**  
    **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_name'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_password:**  
    **name:** password  
    **In:** body  
    **Description:** ''  
    **Required/Optional:** true  
    **Schema:**  
        **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_password'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_receive-window:**  
    **name:** receive-window  
    **In:** body  
    **Description:** ''  
    **Required/Optional:** true  
    **Schema:**  
        **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_receive-window'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit:**  
    **name:** retransmit  
    **In:** body  
    **Description:** ''  
    **Required/Optional:** true  
    **Schema:**  
        **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit-post:**  
    **name:** retransmit  
    **In:** body  
    **Description:** ''  
    **Required/Optional:** true  
    **Schema:**  
        **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit-post'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial:**  
    **name:** initial  
    **In:** body  
    **Description:** ''  
    **Required/Optional:** true  
    **Schema:**  
        **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial-post:**  
    **name:** initial  
    **In:** body  
    **Description:** ''  
    **Required/Optional:** true  
    **Schema:**  
        **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial-post'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_retries:**  
    **name:** retries  
    **In:** body  
    **Description:** ''

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max:
    name: max
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min:
    name: min
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries:
    name: retries
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post:
    name: timeout

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max:
  name: max
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min:
  name: min
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'
data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed:
  name: rx-connect-speed
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed'
data_cnbng-cp_profile_l2tp_l2tp-name_tcp:
  name: tcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post:
  name: tcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post'
data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss:
  name: adjust-mss
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss'
data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname:
  name: terminate-from
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'
data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname:

  name: hostname
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel:
  name: tunnel
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing:
  name: tunnel-load-balancing
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post:
  name: tunnel
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit:
  name: session-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout:
  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post:
  name: timeout
  In: body
  Description: ''

```



**Required/Optional:** true  
**Schema:**  
  **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel\_timeout-post'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel\_timeout\_no-session:**  
  **name:** no-session  
  **In:** body  
  **Description:** ''  
  **Required/Optional:** true  
  **Schema:**  
    **Reference:**  
    '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel\_timeout\_no-session'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tx-connect-speed:**  
  **name:** tx-connect-speed  
  **In:** body  
  **Description:** ''  
  **Required/Optional:** true  
  **Schema:**  
    **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tx-connect-speed'

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_vrf:**  
  **name:** vrf  
  **In:** body  
  **Description:** ''  
  **Required/Optional:** true  
  **Schema:**  
    **Reference:** '#/definitions/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_vrf'

**data\_cnbng-cp\_profile\_pppoe\_pppoe-name:**  
  **name:** pppoe  
  **In:** body  
  **Description:** ''  
  **Required/Optional:** true  
  **Schema:**  
    **Reference:** '#/definitions/data\_cnbng-cp\_profile\_pppoe\_pppoe-name'

**data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_ac-cookie:**  
  **name:** ac-cookie  
  **In:** body  
  **Description:** ''  
  **Required/Optional:** true  
  **Schema:**  
    **Reference:** '#/definitions/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_ac-cookie'

**data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_ac-name:**  
  **name:** ac-name  
  **In:** body  
  **Description:** ''  
  **Required/Optional:** true  
  **Schema:**  
    **Reference:** '#/definitions/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_ac-name'

**data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_ctrl-pkt-priority:**  
  **name:** ctrl-pkt-priority  
  **In:** body  
  **Description:** ''  
  **Required/Optional:** true  
  **Schema:**

```

    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
  name: max-payload
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
  name: max-payload
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
  name: deny
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
  name: maximum
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
  name: minimum
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'
data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
  name: mtu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'
data_cnbng-cp_profile_pppoe_pppoe-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_name'
data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:

```

```
name: service-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
name: service-selection-disable
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
name: session-limit
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
name: session-limit
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
name: circuit-id
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
name: circuit-id
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:
name: threshold
In: body
Description: ''
Required/Optional: true
Schema:
```

```

Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
  name: mac
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
  name: mac
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
  name: max
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
  name: max
  In: body
  Description: ''
  Required/Optional: true

```

```
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
  name: outer-vlan
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
  name: outer-vlan
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'
data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
  name: timeout-completion
```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
data_cnbng-cp_profile_radius:
  name: radius
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius'
data_cnbng-cp_profile_radius-post:
  name: radius
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius-post'
data_cnbng-cp_profile_radius_accounting:
  name: accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting'
data_cnbng-cp_profile_radius_accounting-post:
  name: accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting-post'
data_cnbng-cp_profile_radius_accounting_algorithm:
  name: algorithm
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_algorithm'
data_cnbng-cp_profile_radius_accounting_attribute:
  name: attribute
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute'
data_cnbng-cp_profile_radius_accounting_attribute-post:
  name: attribute
  In: body
  Description: ''
```

```

Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute-post'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
  name: called-station-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:

  name: called-station-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type:

  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true

```

**Schema:****Reference:**

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:
```

```
name: value
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id:
```

```
name: calling-station-id
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post:
```

```
name: calling-station-id
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name:
```

```
name: format-name
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_name'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type:
```

```
name: format
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name:
```

```
name: format-name
In: body
Description: ''
Required/Optional: true
Schema:
```



**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name'  
**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type:**

**name:** nas-port-type  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type'  
**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_value:**

**name:** value  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_value'  
**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier:**

**name:** nas-identifier  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier'  
**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format:**

**name:** nas-identifier-format  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format'  
**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format-post:**

**name:** nas-identifier-format  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format-post'  
**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format-name:**

**name:** format-name  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format-name'

```

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type:
  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name:
  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:
  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-ip:
  name: nas-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port:
  name: nas-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id:
  name: nas-port-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post:
  name: nas-port-id
  In: body
  Description: ''
  Required/Optional: true

```

```
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_name'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:

  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format_name'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value:

  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post:

  name: nas-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

```

Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
  name: format-e
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:

  name: format-e-list
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

  name: format-e
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'
data_cnbng-cp_profile_radius_accounting_deadtime:
  name: deadtime
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_deadtime'
data_cnbng-cp_profile_radius_accounting_detect-dead-server:

```

```

    name: detect-dead-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server'
data_cnbng-cp_profile_radius_accounting_detect-dead-server-post:
    name: detect-dead-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server-post'
data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout:

    name: response-timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'
data_cnbng-cp_profile_radius_accounting_max-retry:
    name: max-retry
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_max-retry'
data_cnbng-cp_profile_radius_accounting_timeout:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_timeout'
data_cnbng-cp_profile_radius_algorithm:
    name: algorithm
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_algorithm'
data_cnbng-cp_profile_radius_attribute:
    name: attribute
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute'
data_cnbng-cp_profile_radius_attribute-post:

```

```

    name: attribute
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute-post'
data_cnbng-cp_profile_radius_attribute_called-station-id:
    name: called-station-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id'
data_cnbng-cp_profile_radius_attribute_called-station-id-post:
    name: called-station-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id-post'
data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
    name: format-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_format-name'
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:

    name: format
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format_format-nas-port-type'
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:

    name: format-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

    name: nas-port-type
    In: body
    Description: ''
    Required/Optional: true
    Schema:

```

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id\_format\_format-nas-port-type\_nas-port-type'

**data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id\_value:**

**name:** value  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id\_value'

**data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id:**

**name:** calling-station-id  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id'

**data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id-post:**

**name:** calling-station-id  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id-post'

**data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format-name:**

**name:** format-name  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format-name'

**data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type:**

**name:** format  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type'

**data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name:**

**name:** format-name  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name'

**data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type:**

```

    name: nas-port-type
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'
  data_cnbng-cp_profile_radius_attribute_calling-station-id_value:
    name: value
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id_value'
  data_cnbng-cp_profile_radius_attribute_nas-identifier:
    name: nas-identifier
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier'
  data_cnbng-cp_profile_radius_attribute_nas-identifier-format:
    name: nas-identifier-format
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'
  data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
    name: nas-identifier-format
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post'
  data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:
    name: format-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'
  data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:
    name: format
    In: body
    Description: ''
    Required/Optional: true
    Schema:

```



**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type'  
**data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name:**

**name:** format-name  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'  
**data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type:**

**name:** nas-port-type  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type'  
**data\_cnbng-cp\_profile\_radius\_attribute\_nas-ip:**

**name:** nas-ip  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-ip'

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-port:**

**name:** nas-port  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port'

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id:**

**name:** nas-port-id  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id'

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id-post:**

**name:** nas-port-id  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:** '#/definitions/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id-post'

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id\_format-name:**

**name:** format-name  
**In:** body  
**Description:** ''

```

Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:

  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-port-id_value:

  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'
data_cnbng-cp_profile_radius_attribute_nas-port-post:

  name: nas-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-post'
data_cnbng-cp_profile_radius_attribute_nas-port_format-e:

  name: format-e
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'
data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:

```

```

name: format-e-list
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

name: format-e
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

name: nas-port-type
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-port_value:
name: value
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_value'
data_cnbng-cp_profile_radius_deadtime:
name: deadtime
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_deadtime'
data_cnbng-cp_profile_radius_detect-dead-server:
name: detect-dead-server
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_detect-dead-server'
data_cnbng-cp_profile_radius_detect-dead-server-post:
name: detect-dead-server
In: body
Description: ''
Required/Optional: true
Schema:

```

```

    Reference: '#/definitions/data_cnbng-cp_profile_radius_detect-dead-server-post'
data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:
  name: response-timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'
data_cnbng-cp_profile_radius_max-retry:
  name: max-retry
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_max-retry'
data_cnbng-cp_profile_radius_server-group_server-group-group-name:
  name: server-group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name:
  name: group-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'
data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'
data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'

```

```

name: port
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'
data_cnbng-cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type:

name: type
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'
data_cnbng-cp_profile_radius_server_server-ip_server-port:
name: server
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port'
data_cnbng-cp_profile_radius_server_server-ip_server-port_ip:
name: ip
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'
data_cnbng-cp_profile_radius_server_server-ip_server-port_port:
name: port
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
name: priority
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
name: secret
In: body
Description: ''
Required/Optional: true
Schema:

```

```

Reference:
'#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
  name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
data_cnbng-cp_profile_radius_timeout:
  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_timeout'
data_cnbng-cp_profile_server-group_server-group-name:
  name: server-group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_server-group_server-group-name'
data_cnbng-cp_profile_server-group_server-group-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_server-group_server-group-name_name'
data_cnbng-cp_profile_server-group_server-group-name_radius-group:
  name: radius-group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_server-group_server-group-name_radius-group'
data_cnbng-cp_profile_subscriber_subscriber-name:
  name: subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name'
data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile:
  name: aaa
  In: body
  Description: ''
  Required/Optional: true

```

```
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'
  data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

  name: aaa-option
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
    data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile:

    name: profile
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'
      data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id:

      name: activate-feature-templates
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'
        data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class:

        name: apply-all-class
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
            '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class'
          data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name:

          name: class
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
              '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'
            data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile:

            name: aaa
            In: body
            Description: ''
            Required/Optional: true
            Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:
```

```
name: aaa-option
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile:
```

```
name: profile
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'
?
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id
: name: activate-feature-templates
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name:
```

```
name: class-name
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches:
```

```
name: matches
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post:
```

```
name: matches
In: body
Description: ''
Required/Optional: true
Schema:
```



**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type:
```

```
name: match-type  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key:
```

```
name: match  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id:
```

```
name: ascii  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key:
```

```
name: key  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id:
```

```
name: regex  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id:
```

```
name: type  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match match-key_type_type-id'
```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_dhcp-profile:**

```
name: dhcp-profile
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

```
Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'
```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name:**

```
name: event
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'
```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile:**

```
name: aaa
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'
```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option:**

```
name: aaa-option
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

```
name: profile
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

```
?
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id
```

```
: name: activate-feature-templates
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'
```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_apply-all-class:**

```

name: apply-all-class
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name:

  name: class
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
    ?
    data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile
  : name: aaa
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
      ?
      data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option
  : name: aaa-option
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
      ?
      data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile
  : name: profile
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'
      ?
      data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id
  : name: activate-feature-templates
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name:

```

```

    name: class-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'
        ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id
: name: deactivate-feature-templates
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches:

    name: matches
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post:

    name: matches
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type:

    name: match-type
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_key:

    name: match
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'
        ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id

```

```

: name: ascii
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'
data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key:

  name: key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'
?
data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id
: name: regex
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'
?
data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id
: name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'
?
data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id
: name: deactivate-feature-templates
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:

  name: event-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'
data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:
  name: l2tp-profile

```

```

    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'
data_cnbng-cp_profile_subscriber_subscriber-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_name'
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
  name: pppoe-profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:
  name: session-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'
data_cnbng-cp_user-planes:
  name: user-planes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes'
data_cnbng-cp_user-planes-post:
  name: user-planes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes-post'
data_cnbng-cp_user-planes_user-plane_user-plane-name:
  name: user-plane
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name'
data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group:
  name: flowctrl-group
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group'
data_cnbng-cp_user-planes_user-plane_user-plane-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_name'
data_cnbng-cp_user-planes_user-plane_user-plane-name_offline:
  name: offline
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_offline'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address:
  name: peer-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post:
  name: peer-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id:
  name: port-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id:
  name: id

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile:

  name: subscriber-profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile:
    name: subscriber-profile
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy:

    name: subscriber-redundancy
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post:

    name: subscriber-redundancy
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name:

    name: group
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable:

    name: disable
    In: body

```



```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name:

  name: group-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier:

  name: peer-identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map:

  name: port-id-map
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-post:

  name: port-id-map
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-post'
  ?
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_post-rate_post-rate-port-id-rate_post-rate-port-id
: name: port-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_post-rate_post-rate-port-id-rate_post-rate-port-id'
  ?
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_post-rate_post-rate-port-id-rate_post-rate-port-id
: name: port-id
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-rae_port-rae_port-rae_port-id-rae_port-rae_port-id-port-id'
  ?
  data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-rae_port-rae_port-rae_port-id-rae_port-rae_port-id-port-id-rae
  : name: port-id-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-rae_port-rae_port-rae_port-id-rae_port-rae_port-id-port-id-rae'
    data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active:
      name: preferred-role-active
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active'
        data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer:
          name: revertive-timer
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer'
            data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_standby-mode:
              name: standby-mode
              In: body
              Description: ''
              Required/Optional: true
              Schema:
                Reference:
                '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_standby-mode'
            deactivate-feature-templates-id:
              name: deactivate-feature-templates-id
              In: path
              Description: ''
              Required/Optional: true
              Type: string
              Format: leafref
            destination-dest-ip:
              name: destination-dest-ip
              In: path
              Description: ''
              Required/Optional: true

```

**Type:** string  
**Format:** string

**dhcp-name:**  
**name:** dhcp-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**dns-servers-id:**  
**name:** dns-servers-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**domain-name:**  
**name:** domain-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**event-event-name:**  
**name:** event-event-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
- session-activate

**feature-template-name:**  
**name:** feature-template-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**format-e-list-nas-port-type:**  
**name:** format-e-list-nas-port-type  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** int32

**format-nas-port-type:**  
**name:** format-nas-port-type  
**In:** path  
**Description:** ''  
**Required/Optional:** true

```
    Type: string
    Format: int32
format-order-id:
  name: format-order-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: union
group-group-name:
  name: group-group-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
hex-id:
  name: hex-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
ip-address-id:
  name: ip-address-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
l2tp-name:
  name: l2tp-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
match-key:
  name: match-key
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
method-order-id:
  name: method-order-id
```

**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** union

**netbios-name-server-id:**  
**name:** netbios-name-server-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**ntp-servers-id:**  
**name:** ntp-servers-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**option-code-option-code:**  
**name:** option-code-option-code  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** integer  
**Format:** uint32

**port-id-id:**  
**name:** port-id-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**port-name-port-id:**  
**name:** port-name-port-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** integer  
**Format:** uint32

**port-name-port-id-name:**  
**name:** port-name-port-id-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**pppoe-name:**  
**name:** pppoe-name  
**In:** path  
**Description:** ''

```
    Required/Optional: true
    Type: string
    Format: string
regex-id:
  name: regex-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
server-group-group-name:
  name: server-group-group-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
server-group-name:
  name: server-group-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
server-ip:
  name: server-ip
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: union
server-port:
  name: server-port
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: int32
server-type:
  name: server-type
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: enumeration
  Default: auth
  enum:
  - auth
  - acct
service-name-id:
  name: service-name-id
  In: path
```

**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**subscriber-name:**  
**name:** subscriber-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**terminate-from-hostname:**  
**name:** terminate-from-hostname  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**type-id:**  
**name:** type-id  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** enumeration  
**Default:** dhcp  
**enum:**  
- dhcp  
- ppp

**user-plane-name:**  
**name:** user-plane-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK

'201':  
**Description:** Created

'204':  
**Description:** No Content

'400':  
**Description:** Bad Request

'401':  
**Description:** Unauthorized

'404':  
**Description:** Not Found

'405':  
**Description:** Method Not Allowed

```

'409':
  Description: Conflict
  securityDefinitions:
  basicAuth:
    Type: basic
  definitions:
  data:
    Type: object
    Properties:
      ietf-restconf:data:
        Type: object
        Description: This resource represents the combined configuration and state
          data resources that can be accessed by a client and cannot be created or
          deleted by the client. See RESTCONF RFC 8040 for further information.
        x-yang:
          Type: datastore
          Properties: {}
  data-post:
    Type: object
    Properties:
      cnbng-cp:profile:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          dhcp:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
          ipv4:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              mode:
                Description: (leaf)
                x-yang:
                  Type: leaf

```



```
Type: string
Format: enumeration
Default: server
enum:
- server
- proxy
server:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  boot-filename:
    Description: (leaf)
    x-yang:
```

```
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```
    is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
    class:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object

```

```
Properties:
  class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  matches:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: dhcpv4-circuit-id
              enum:
                - dhcpv4-circuit-id
                - dhcpv4-remote-id
                - dhcpv4-vendor-class
                - dhcpv4-user-class
            ascii:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
            hex:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
      match-type:
        Description: (leaf)
```

```

x-yang:
  Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
    - any
    - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    ntp-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    netbios-name-server:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    boot-filename:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
Description: (non-presence)
Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
option-codes:

```



```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        force-insert:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
      ipv6:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container

```

```

    is_presence: 'false'
  Properties:
    mode:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: server
      enum:
        - server
        - proxy
    server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
    iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    preference:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    aftr-name:

```

```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
    enum:
      - client-mac-address
```

```

hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: dhcpv6-interface-id
              enum:
                - dhcpv6-interface-id
                - dhcpv6-remote-id

```

```
- dhcpv6-vendor-class
- dhcpv6-user-class
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
hex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  iana-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  iapd-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
```

```
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
preference:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
aftr-name:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
Properties:
    days:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    hours:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    minutes:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
```

```

        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
pppoe:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
ctrl-pkt-priority:
  Description: (leaf)

```

```
x-yang:
  Type: leaf
Type: integer
Format: byte
service-selection-disable:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: boolean
max-payload:
  Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  deny:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  minimum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  Maximum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
service-name:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
ac-name:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
ac-cookie:
  Description: (leaf)
```



```
x-yang:
  Type: leaf
Type: string
Format: string
session-limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    max:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
    mac:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
    circuit-id:
      Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  outer-vlan:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  timeout-completion:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      name:

```

```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
authentication:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
authorization:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
Type:
  Description: (non-presence)
  Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  subscriber:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    method-order:
      Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
username:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  Format:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: addr
    enum:
    - addr
    - circuit-id-tag
    - client-mac-address
    - client-mac-address-custom1
    - client-mac-address-custom2
    - client-mac-address-ietf
    - client-mac-address-raw
    - dhcp-client-id
    - dhcp-client-id-spl
    - dhcp-user-class
    - dhcp-vendor-class
    - dhcpv4-client-id-spl
    - dhcpv4-vendor-class
    - dhcpv6-client-id-ent-ident
    - dhcpv6-interface-id
    - dhcpv6-vendor-class-string
    - inner-vlan-id
    - outer-vlan-id
    - physical-adapter
    - physical-chassis
    - physical-port
    - physical-slot
    - physical-subslot
    - port-type
    - pppoe-session-id
    - remote-id-tag
    - service-name
    - username
    - user-plane
  password:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    method-order:
      Type: array
      x-yang:
        Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    radius-group:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
attribute-format:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
```

```
    Format: string
  format-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  format-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
subscriber:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dhcp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    pppoe-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    session-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
      Default: ipv4
      enum:
        - ipv4
        - ipv6
        - ipv4v6
```

```
l2tp-profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```

matches:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    match:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: protocol
            enum:
            - protocol
            - username
            - source-mac
            - circuit-id
            - remote-id
          Type:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: enumeration
              Default: dhcp
              enum:
              - dhcp
              - ppp
          ascii:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          regex:
            Type: array
            x-yang:
              Type: leaf-list
            Items:

```



```

        Description: (leaf-list)
        Type: string
        Format: string
    match-type:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: enumeration
        Default: any
        enum:
        - any
        - all
activate-feature-templates:
    Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
aaa:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            aaa-option:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: enumeration
                Default: authenticate
                enum:
                - authenticate
                - authorize
            profile:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: leafref
apply-all-class:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: '[null]'
event:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    event-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
      - session-activate
    aaa:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          aaa-option:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
            enum:
            - authenticate
            - authorize
          profile:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: leafref
        deactivate-feature-templates:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: leafref
        activate-feature-templates:
          Type: array
          x-yang:
            Type: leaf-list

```

```

Items:
  Description: (leaf-list)
  Type: string
  Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
                enum:
                  - protocol
                  - username
                  - source-mac
                  - circuit-id
                  - remote-id

```

```

Type:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: enumeration
    Default: dhcp
    enum:
      - dhcp
      - ppp
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
regex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
    - any
    - all
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)

```

```

        Type: string
        Format: leafref
    aaa:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                aaa-option:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: enumeration
                    Default: authenticate
                    enum:
                        - authenticate
                        - authorize
                profile:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: leafref
feature-template:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            vrf-name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            ipv4:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'

```

```

Properties:
  mtu:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  ingress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
  ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mtu:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32

```

```
ingress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
egress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disable-unreachables:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
httpr-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
qos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    out-policy:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  merge-level:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
session-accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    aaa-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    periodic-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    dual-stack-delay:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
service-accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
```



```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

**aaa-profile:**

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

**periodic-interval:**

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
```

**ppp:**

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

**Properties:**

```
  authentication:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: pap
      enum:
        - pap
        - chap
```

**chap:**

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

**Properties:**

```
  hostname:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  password:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

    Type: string
    Format: string
  service-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: outbound
    enum:
      - outbound
  ipcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      dns:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          primary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          secondary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
      peer-address-pool:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
lcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    delay:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  seconds:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
    milliseconds:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
max-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
pap:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  accept-null-password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
keepalive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
  12tp:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: lac
        enum:
          - lac
          - lns
      encrypt-avp:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      dsl-info-forwarding:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string

```

```
    Format: '[null]'
```

**hostname:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** string
  - Format:** string

**mtu:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**hello-interval:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**tcp:**

- Description:** (non-presence)
- Type:** object
- x-yang:**
  - Type:** container
  - is\_presence:** 'false'
- Properties:**
  - adjust-mss:**
    - Description:** (leaf)
    - x-yang:**
      - Type:** leaf
      - Type:** integer
      - Format:** uint16

**retransmit:**

- Description:** (non-presence)
- Type:** object
- x-yang:**
  - Type:** container
  - is\_presence:** 'false'
- Properties:**
  - initial:**
    - Description:** (non-presence)
    - Type:** object
    - x-yang:**
      - Type:** container
      - is\_presence:** 'false'
  - Properties:**
    - timeout:**
      - Description:** (non-presence)
      - Type:** object
      - x-yang:**
        - Type:** container

```

    is_presence: 'false'
  Properties:
    max:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    min:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    max:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    min:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  receive-window:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16

```



```
terminate-from:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      hostname:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
domain:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      tun-assign-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```

    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
  tunnel:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      session-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        no-session:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
  ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      df-bit:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```
    Type: string
    Format: enumeration
    Default: set
    enum:
    - set
    - reflect
  source:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      dest-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      weight:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
  congestion-control:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  tx-connect-speed:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  rx-connect-speed:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  tunnel-load-balancing:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: weighted
    enum:
      - weighted
      - equal
  password:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  force-lcp-renegotiation:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: union
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
      Type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string

```

```
    Format: enumeration
    Default: auth
    enum:
    - auth
    - acct
  secret:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  priority:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: first-server
  enum:
  - first-server
  - round-robin
deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
```

```

timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```

    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container

```

```

    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      nas-port-id:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-name:
              Description: (leaf)

```



```

        x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        format-e-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    nas-port-type:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: int32
                    format-e:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
        format-e:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
    value:
        Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    algorithm:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: first-server
      enum:
        - first-server
        - round-robin
    deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    detect-dead-server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response-timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    max-retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
```

```
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
```

```

    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container

```

```
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  nas-port-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
```

```

        x-yang:
          Type: leaf
          Type: string
          Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  format-e-list:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  format-e:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
value:
  Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      group-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      server:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            Type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: auth
              enum:
                - auth
                - acct
            ip:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
```

```

        Type: string
        Format: leafref
coa:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    server-key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    client:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: union
          server-key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
cnbng-cp:user-planes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    user-plane:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:

```



```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
peer-address:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ipv4:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
flowctrl-group:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
port-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        subscriber-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
subscriber-profile:
```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
subscriber-redundancy:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        group-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        standby-mode:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: hot
            enum:
              - hot
              - warm
        preferred-role-active:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        revertive-timer:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```

    Type: integer
    Format: uint32
peer-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port-id-map:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
cnbng-cp:coverage:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    container-stop:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data-put-patch:
  Type: object
  Properties:

```

```

ietf-restconf:data:
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ Inc.\nAll rights reserved."
  Type: object
  x-yang:
    Type: datastore
  Properties:
    cnbng-cp:profile:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dhcp:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              ipv4:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  mode:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                      Type: string
                      Format: enumeration
                      Default: server
                    enum:
                      - server
                      - proxy
                  server:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                      Type: container

```

```
    is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  netbios-node-type:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    peer-to-peer-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
lease:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  hours:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
```

```

Type: object
Properties:
  option-code:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  ascii-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  hex-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ip-address:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  force-insert:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      matches:
        Description: (presence)
        Type: object

```



```
x-yang:
  Type: container
  is_presence: 'true'
Properties:
  match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: dhcpv4-circuit-id
          enum:
            - dhcpv4-circuit-id
            - dhcpv4-remote-id
            - dhcpv4-vendor-class
            - dhcpv4-user-class
          ascii:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          hex:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
        match-type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: any
          enum:
            - any
            - all
server:
  Description: (non-presence)
  Type: object
```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

```
Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    peer-to-peer-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
```

```
hours:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
minutes:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
  ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: server
      enum:
        - server

```

```
- proxy
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    preference:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    aftr-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    rapid-commit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
```

```
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

        Type: integer
        Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      matches:
        Description: (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          match:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                key:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: enumeration
                  Default: dhcpv6-interface-id
                enum:
                  - dhcpv6-interface-id
                  - dhcpv6-remote-id
                  - dhcpv6-vendor-class
                  - dhcpv6-user-class
              ascii:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
              hex:

```



```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
  server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  preference:
    Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: integer
Format: uint32
aftr-name:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
rapid-commit:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: '[null]'
lease:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  identifier:
    Description: (leaf)
    x-yang:

```

```

        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
        enum:
        - client-mac-address
    hold-time:
        Description: (non-presence)
        Type: object
        x-yang:
        Type: container
        is_presence: 'false'
        Properties:
        minutes:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: integer
        Format: uint32
pppoe:
    Type: array
    Description: (list)
    x-yang:
    Type: list
    Items:
    Type: object
    Properties:
    name:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: string
        Format: string
    mtu:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ctrl-pkt-priority:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: integer
        Format: byte
    service-selection-disable:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: string
        Format: boolean
    max-payload:

```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  deny:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  minimum:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  Maximum:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
service-name:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
ac-name:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
ac-cookie:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
session-limit:
  Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
```

```
max:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
mac:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
circuit-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
```

```

        threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
      outer-vlan:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
            threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
      timeout-completion:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
    aaa:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        authentication:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```

Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
authorization:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Type:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  subscriber:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string

```

```

Format:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: addr
    enum:
      - addr
      - circuit-id-tag
      - client-mac-address
      - client-mac-address-custom1
      - client-mac-address-custom2
      - client-mac-address-ietf
      - client-mac-address-raw
      - dhcp-client-id
      - dhcp-client-id-spl
      - dhcp-user-class
      - dhcp-vendor-class
      - dhcpv4-client-id-spl
      - dhcpv4-vendor-class
      - dhcpv6-client-id-ent-ident
      - dhcpv6-interface-id
      - dhcpv6-vendor-class-string
      - inner-vlan-id
      - outer-vlan-id
      - physical-adapter
      - physical-chassis
      - physical-port
      - physical-slot
      - physical-subslot
      - port-type
      - pppoe-session-id
      - remote-id-tag
      - service-name
      - username
      - user-plane
password:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  method-order:

```



```
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        radius-group:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
attribute-format:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      format-string:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      format-order:
        Type: array
        x-yang:
          Type: leaf-list
```

```
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
subscriber:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dhcp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    pppoe-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    session-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: ipv4
      enum:
        - ipv4
        - ipv6
        - ipv4v6
    l2tp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
```

```
Items:
  Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: authenticate
      enum:
        - authenticate
        - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      matches:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          match:
            Type: array
            Description: (list)
            x-yang:
```

```

Type: list
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: protocol
        enum:
        - protocol
        - username
        - source-mac
        - circuit-id
        - remote-id
      Type:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: enumeration
          Default: dhcp
          enum:
          - dhcp
          - ppp
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
          regex:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
        match-type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: any
          enum:

```

```

    - any
    - all
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      aaa-option:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
event:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      event-name:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```

Type: string
Format: enumeration
Default: session-activate
enum:
- session-activate
aaa:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
aaa-option:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: authenticate
enum:
- authenticate
- authorize
profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref
deactivate-feature-templates:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: leafref
activate-feature-templates:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: leafref
apply-all-class:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'
class:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
                enum:
                - protocol
                - username
                - source-mac
                - circuit-id
                - remote-id
              Type:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: enumeration
                  Default: dhcp
                  enum:
                  - dhcp
                  - ppp
```

```

    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    regex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      aaa-option:
        Description: (leaf)

```



```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
  profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
feature-template:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ipv4:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        mtu:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        ingress-acl:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```

    Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
  ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mtu:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      ingress-acl:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      egress-acl:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string

```

```
disable-unreachables:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
httpr-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
qos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    out-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    merge-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
session-accounting:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
service-accounting:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  periodic-interval:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
ppp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    authentication:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: pap
        enum:
          - pap
          - chap
    chap:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        hostname:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        password:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    service-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: outbound
        enum:
          - outbound
    ipcp:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  dns:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        secondary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      peer-address-pool:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
      wins:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:

```

```
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  ipv6cp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        ignore:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
  lcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      delay:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        seconds:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
```

```

    Format: byte
  milliseconds:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
max-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'

```



```
timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
keepalive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
```

```

        retry:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: byte
12tp:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        mode:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
            Default: lac
            enum:
                - lac
                - lns
        encrypt-avp:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: '[null]'
        dsl-info-forwarding:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: '[null]'
    hostname:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
    mtu:
        Description: (leaf)
        x-yang:
            Type: leaf

```

```
    Type: integer
    Format: uint32
hello-interval:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    adjust-mss:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
retransmit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      timeout:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      min:
        Description: (leaf)
        x-yang:
```

```

        Type: leaf
        Type: integer
        Format: byte
    retries:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint16
timeout:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        max:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: byte
            min:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: byte
        retries:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint16
receive-window:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: integer
        Format: uint16
terminate-from:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        hostname:
            Description: (leaf)
            x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
domain:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      tun-assign-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  reflect:
    Description: (leaf)
    x-yang:
```

```

    Type: leaf
    Type: string
    Format: '[null]'
tunnel:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      no-session:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    df-bit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: set
      enum:
        - set
        - reflect
    source:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string

```

```
destination:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      dest-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      weight:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
congestion-control:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
tx-connect-speed:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rx-connect-speed:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
tunnel-load-balancing:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: weighted
  enum:
    - weighted
    - equal
password:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

    Type: string
    Format: string
  force-lcp-renegotiation:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: union
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          Type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: auth
          enum:
            - auth
            - acct
        secret:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        priority:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
  enum:
  - first-server
  - round-robin
deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

```

Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      calling-station-id:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          Format:
            Type: array
            Description: (list)
            x-yang:

```

```
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
    format-name:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  format-name:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
            format-e:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
accounting:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  algorithm:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: first-server
    enum:
      - first-server
      - round-robin
  deadtime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  detect-dead-server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response-timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
```

```
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
  calling-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
value:
  Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
server-group:
  Type: array

```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    group-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          Type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: auth
            enum:
              - auth
              - acct
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: leafref
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: leafref
        coa:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            server-key:
              Description: (leaf)
              x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
  client:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: union
          server-key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
cnbng-cp:user-planes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    user-plane:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          peer-address:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
        Properties:

```

```
    ipv4:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  flowctrl-group:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

port-id:

```
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      subscriber-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
```

subscriber-profile:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

subscriber-redundancy:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
```

```
group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      group-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      standby-mode:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: hot
        enum:
          - hot
          - warm
      preferred-role-active:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      revertive-timer:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      peer-identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port-id-map:
        Description: (non-presence)
        Type: object
        x-yang:
```

```

    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
  cnbng-cp:coverage:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      container-stop:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
  data_cnbng-cp_coverage:
    Type: object
  Properties:
    cnbng-cp:coverage:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      container-stop:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string

```

```

    Format: string
data_cnbng-cp_coverage-post:
  Type: object
  Properties:
    cnbng-cp:container-stop:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_coverage_container-stop:
  Type: object
  Properties:
    cnbng-cp:container-stop:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile:
  Type: object
  Properties:
    cnbng-cp:profile:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dhcp:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              ipv4:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  mode:

```



```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: server
enum:
- server
- proxy
server:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    ntp-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    netbios-name-server:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

```
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
```

```

option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          option-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          ascii-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          hex-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          ip-address:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          force-insert:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
    class:
      Type: array
      Description: (list)
      x-yang:

```

```
Type: list
Items:
Type: object
Properties:
  class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  matches:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: dhcpv4-circuit-id
              enum:
                - dhcpv4-circuit-id
                - dhcpv4-remote-id
                - dhcpv4-vendor-class
                - dhcpv4-user-class
            ascii:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
            hex:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
```

```

        Format: string
    match-type:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: any
        enum:
            - any
            - all
    server:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
        pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        dns-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        ntp-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        netbios-name-server:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        domain-name:
            Description: (leaf)
            x-yang:
                Type: leaf

```

```
    Type: string
    Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

```
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
```



```

    Type: integer
    Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        force-insert:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
  ipv6:
    Description: (non-presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  mode:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: server
    enum:
      - server
      - proxy
  server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      iana-pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      iapd-pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      dns-servers:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      domain-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      preference:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```
    Type: integer
    Format: uint32
  aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  lease:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      days:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      hours:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
```

```

    Format: enumeration
    Default: client-mac-address
    enum:
      - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      matches:
        Description: (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          match:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                key:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration

```

```

Default: dhcpv6-interface-id
enum:
- dhcpv6-interface-id
- dhcpv6-remote-id
- dhcpv6-vendor-class
- dhcpv6-user-class
ascii:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: string
hex:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: string
match-type:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: any
enum:
- any
- all
server:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
iana-pool-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
iapd-pool-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
dns-servers:
Type: array

```

```
x-yang:
  Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
```

```

        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
    static-ip-key:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        identifier:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: client-mac-address
          enum:
            - client-mac-address
    hold-time:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
pppoe:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer

```

```
    Format: uint32
ctrl-pkt-priority:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
service-selection-disable:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
max-payload:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    deny:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    minimum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    Maximum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
service-name:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
ac-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
```



```
    Format: string
ac-cookie:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
session-limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  max:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  mac:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
```

```

        Format: uint32
circuit-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
outer-vlan:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
timeout-completion:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:

```

```
Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  authentication:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      method-order:
        Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
  authorization:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Type:
        Description: (non-presence)
        Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      subscriber:
        Description: (non-presence)
        Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      method-order:
        Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
```

```

        Format: union
username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    Format:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: addr
    enum:
      - addr
      - circuit-id-tag
      - client-mac-address
      - client-mac-address-custom1
      - client-mac-address-custom2
      - client-mac-address-ietf
      - client-mac-address-raw
      - dhcp-client-id
      - dhcp-client-id-spl
      - dhcp-user-class
      - dhcp-vendor-class
      - dhcpv4-client-id-spl
      - dhcpv4-vendor-class
      - dhcpv6-client-id-ent-ident
      - dhcpv6-interface-id
      - dhcpv6-vendor-class-string
      - inner-vlan-id
      - outer-vlan-id
      - physical-adapter
      - physical-chassis
      - physical-port
      - physical-slot
      - physical-subslot
      - port-type
      - pppoe-session-id
      - remote-id-tag
      - service-name
      - username
      - user-plane

```

```
    password:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      method-order:
        Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    radius-group:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
attribute-format:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  format-string:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
  format-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
subscriber:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    dhcp-profile:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
    pppoe-profile:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  session-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
    Default: ipv4

```

```
enum:
- ipv4
- ipv6
- ipv4v6
l2tp-profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: string
matches:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    match:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: protocol
            enum:
              - protocol
              - username
              - source-mac
              - circuit-id
              - remote-id
          Type:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: enumeration
              Default: dhcp
            enum:
              - dhcp
              - ppp
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        regex:

```



```

        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    match-type:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: enumeration
        Default: any
        enum:
            - any
            - all
    activate-feature-templates:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: leafref
    aaa:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
        Properties:
            aaa-option:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: enumeration
                Default: authenticate
                enum:
                    - authenticate
                    - authorize
            profile:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: leafref
    apply-all-class:
        Description: (leaf)
        x-yang:

```

```

    Type: leaf
    Type: string
    Format: '[null]'
event:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      event-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: session-activate
        enum:
          - session-activate
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      aaa-option:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: authenticate
        enum:
          - authenticate
          - authorize
      profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref

```

```
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
                enum:
                  - protocol
```

- username
- source-mac
- circuit-id
- remote-id

**Type:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** enumeration**Default:** dhcp**enum:**

- dhcp
- ppp

**ascii:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**regex:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**match-type:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** any**enum:**

- any
- all

**deactivate-feature-templates:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** leafref**activate-feature-templates:****Type:** array**x-yang:**

```

        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
    aaa:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                aaa-option:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: enumeration
                    Default: authenticate
                    enum:
                        - authenticate
                        - authorize
                profile:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: leafref
feature-template:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            vrf-name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            ipv4:
                Description: (non-presence)
                Type: object

```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  mtu:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  ingress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mtu:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
    Type: integer
    Format: uint32
ingress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
egress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disable-unreachables:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
http-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
qos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```
    Type: string
    Format: string
  out-policy:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  merge-level:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  session-accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    aaa-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    periodic-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    dual-stack-delay:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  service-accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
```



```
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
ppp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    authentication:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: pap
        enum:
          - pap
          - chap
    chap:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        hostname:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        password:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
service-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: outbound
    enum:
      - outbound
ipcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    dns:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        primary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          secondary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        peer-address-pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        renegotiation:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```
Properties:
  ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
lcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```

    is_presence: 'false'
  Properties:
    delay:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        seconds:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
          milliseconds:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
        renegotiation:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            ignore:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
    max-bad-auth:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    max-configure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    max-failure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer

```

```
Format: byte
pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
keepalive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```

    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
  12tp:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        mode:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: lac
          enum:
            - lac
            - lns
        encrypt-avp:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
        dsl-info-forwarding:
          Description: (leaf)

```

```
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
hostname:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
hello-interval:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    adjust-mss:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
retransmit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      timeout:
        Description: (non-presence)
```

```
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      retries:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      retries:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
  receive-window:
    Description: (leaf)
    x-yang:
```



```
    Type: leaf
  Type: integer
  Format: uint16
terminate-from:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
domain:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    tun-assign-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
tunnel:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        no-session:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    df-bit:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: set
    enum:
      - set
      - reflect
  source:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      dest-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      weight:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
  congestion-control:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  tx-connect-speed:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  rx-connect-speed:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
```

```

    Format: uint32
  tunnel-load-balancing:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: weighted
    enum:
      - weighted
      - equal
  password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  force-lcp-renegotiation:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  radius:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
  server:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
  Properties:
  ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  Type:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
  secret:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  priority:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: first-server
  enum:
    - first-server
    - round-robin
deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
max-retry:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  value:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```



```

        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        format-e-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    nas-port-type:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: int32
                    format-e:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
        format-e:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string

```

```

    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
  accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    algorithm:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: first-server
      enum:
        - first-server
        - round-robin
    deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    detect-dead-server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response-timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    max-retry:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
    Type: string
    Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    value:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
nas-identifier-format:
  Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

    Format: int32
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    group-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: auth
          enum:
            - auth
            - acct
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
    port:
```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: leafref
    coa:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            server-key:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            client:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                Properties:
                    ip:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: union
                    server-key:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: string
    data_cnbng-cp_profile-post:
        Type: object
        Properties:
            cnbng-cp:dhcp:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                Properties:
                    name:
                        Description: (leaf)

```



```
x-yang:
  Type: leaf
  Type: string
  Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mode:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: server
      enum:
        - server
        - proxy
    server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pool-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        dns-servers:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        ntp-servers:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        netbios-name-server:
          Type: array
```

```
x-yang:
  Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
option-codes:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)

```

```

        Type: string
        Format: string
    force-insert:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: boolean
class:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        class-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        matches:
            Description: (presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'true'
            Properties:
                match:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
                    Items:
                        Type: object
                        Properties:
                            key:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: enumeration
                                    Default: dhcpv4-circuit-id
                                enum:
                                    - dhcpv4-circuit-id
                                    - dhcpv4-remote-id
                                    - dhcpv4-vendor-class
                                    - dhcpv4-user-class
                            ascii:
                                Type: array
                                x-yang:

```

```

        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
        Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
match-type:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
        - any
        - all
server:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        dns-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        ntp-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string

```

```
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
```

```

peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
      hours:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    static-ip-key:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        identifier:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: client-mac-address

```



```
    enum:
      - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  option-codes:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      option-code:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            option-code:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            ascii-string:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            hex-string:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            ip-address:
              Type: array
              x-yang:
                Type: leaf-list
```

```

        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean

ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mode:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: server
      enum:
        - server
        - proxy
    server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
    iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)

```

```
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
```

```

static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array

```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: dhcpv6-interface-id
      enum:
        - dhcpv6-interface-id
        - dhcpv6-remote-id
        - dhcpv6-vendor-class
        - dhcpv6-user-class
      ascii:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
        hex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
      match-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: any
        enum:
          - any
          - all
    server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        iana-pool-name:
          Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
iapd-pool-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:pppoe:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object

```

```
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  mtu:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  ctrl-pkt-priority:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  service-selection-disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  max-payload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    deny:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    minimum:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
    Maximum:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
  service-name:
```



```
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
ac-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
ac-cookie:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
session-limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    max:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
    mac:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
```

```
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
circuit-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
outer-vlan:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
```

```
    timeout-completion:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
cnbng-cp:aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    authentication:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: union
    authorization:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Type:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            subscriber:
              Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  method-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  Format:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: addr
  enum:
  - addr
  - circuit-id-tag
  - client-mac-address
  - client-mac-address-custom1
  - client-mac-address-custom2
  - client-mac-address-ietf
  - client-mac-address-raw
  - dhcp-client-id
  - dhcp-client-id-spl
  - dhcp-user-class
  - dhcp-vendor-class
  - dhcpv4-client-id-spl
  - dhcpv4-vendor-class
  - dhcpv6-client-id-ent-ident

```

```

- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane
password:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    method-order:
      Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
cnbng-cp:server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    radius-group:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: leafref
cnbng-cp:attribute-format:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    format-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    format-order:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
cnbng-cp:subscriber:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dhcp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    pppoe-profile:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
session-type:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: ipv4
enum:
- ipv4
- ipv6
- ipv4v6
l2tp-profile:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
aaa:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: authenticate
        enum:
- authenticate
- authorize
      profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
activate-feature-templates:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
```

```

    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
              enum:
                - protocol
                - username
                - source-mac
                - circuit-id
                - remote-id
            Type:
              Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: enumeration

```



```

        Default: dhcp
        enum:
        - dhcp
        - ppp
    ascii:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    regex:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
match-type:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
    - any
    - all
activate-feature-templates:
    Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
aaa:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            aaa-option:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: enumeration

```

```

        Default: authenticate
        enum:
        - authenticate
        - authorize
    profile:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: leafref
apply-all-class:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
event:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            event-name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration
                    Default: session-activate
                enum:
                - session-activate
aaa:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            aaa-option:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration
                    Default: authenticate
                enum:
                - authenticate
                - authorize
        profile:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      matches:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          match:
            Type: array
            Description: (list)
```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: protocol
      enum:
        - protocol
        - username
        - source-mac
        - circuit-id
        - remote-id
      Type:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: enumeration
          Default: dhcp
          enum:
            - dhcp
            - ppp
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        regex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
    match-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: any

```

```
    enum:
      - any
      - all
  deactivate-feature-templates:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  activate-feature-templates:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        aaa-option:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
cnbng-cp:feature-template:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
```

```
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
vrf-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

ipv6:

- Description: (non-presence)
- Type: object
- x-yang:
  - Type: container
  - is\_presence: 'false'
- Properties:
  - mtu:
    - Description: (leaf)
    - x-yang:
      - Type: leaf
      - Type: integer
      - Format: uint32
  - ingress-acl:
    - Description: (leaf)
    - x-yang:
      - Type: leaf
      - Type: string
      - Format: string
  - egress-acl:
    - Description: (leaf)
    - x-yang:
      - Type: leaf
      - Type: string
      - Format: string
  - disable-unreachables:
    - Description: (leaf)
    - x-yang:
      - Type: leaf
      - Type: string
      - Format: '[null]'
  - verify-unicast-source:
    - Description: (non-presence)
    - Type: object
    - x-yang:
      - Type: container
      - is\_presence: 'false'
    - Properties:
      - reachable-via-rx:
        - Description: (leaf)
        - x-yang:
          - Type: leaf
          - Type: string
          - Format: '[null]'
- http-policy:
  - Description: (leaf)
  - x-yang:

```
    Type: leaf
  Type: string
  Format: string
qos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    out-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    merge-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
session-accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    aaa-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    periodic-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
```



```
    Type: integer
    Format: uint32
  dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  service-accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
      aaa-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: leafref
      periodic-interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  ppp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      authentication:
        Type: array
        x-yang:
          Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: pap
      enum:
        - pap
        - chap
```

```
chap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    password:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  service-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: outbound
    enum:
      - outbound
ipcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    dns:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        primary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        secondary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```
    Type: string
    Format: string
peer-address-pool:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
renegotiation:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
```

```

    Type: container
    is_presence: 'false'
  Properties:
    ignore:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
lcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    delay:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        seconds:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: byte
        milliseconds:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ignore:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
max-bad-auth:
  Description: (leaf)
  x-yang:

```

```
    Type: leaf
  Type: integer
  Format: byte
max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
    Type: integer
    Format: byte
  retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  keepalive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
cnbng-cp:l2tp:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    mode:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
Type: string
Format: enumeration
Default: lac
enum:
- lac
- lns
encrypt-avp:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
dsl-info-forwarding:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
hostname:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
hello-interval:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    adjust-mss:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
retransmit:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  initial:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      retries:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      min:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
retries:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
receive-window:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
terminate-from:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      hostname:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
domain:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
tun-assign-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
tunnel:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
```

```
    no-session:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      df-bit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: set
          enum:
            - set
            - reflect
      source:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      destination:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
        Properties:
          dest-ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          weight:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint16
      congestion-control:
        Description: (leaf)
        x-yang:
```

```

    Type: leaf
    Type: string
    Format: '[null]'
tx-connect-speed:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rx-connect-speed:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
tunnel-load-balancing:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: weighted
  enum:
    - weighted
    - equal
password:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
force-lcp-renegotiation:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
  is_presence: 'false'
Properties:
  server:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:

```

```
    ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: auth
      enum:
        - auth
        - acct
    secret:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  algorithm:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
  deadtime:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  detect-dead-server:
    Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
```

```
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

```

    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-port-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'

```



```
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
```

```

        Type: leaf
        Type: string
        Format: int32
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    nas-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: union
    accounting:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
    algorithm:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: first-server
        enum:
            - first-server
            - round-robin
    deadtime:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    detect-dead-server:
        Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
```

```

    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

```
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

```

Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      format-e-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:

```

```

        Type: leaf
        Type: string
        Format: int32
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    nas-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: union
server-group:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        group-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        server:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
            Properties:
                Type:
                    Description: (leaf)

```

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
  ip:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
cnbng-cp:coa:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
  is_presence: 'false'
  Properties:
    server-key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    client:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: union
          server-key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string

```



```
      Format: string
data_cnbng-cp_profile_aaa_aaa-name:
  Type: object
  Properties:
    cnbng-cp:aaa:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          authentication:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              method-order:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: union
          authorization:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              Type:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
            Properties:
              subscriber:
                Description: (non-presence)
                Type: object
                x-yang:
```

```

    Type: container
    is_presence: 'false'
Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    Format:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: addr
    enum:
    - addr
    - circuit-id-tag
    - client-mac-address
    - client-mac-address-custom1
    - client-mac-address-custom2
    - client-mac-address-ietf
    - client-mac-address-raw
    - dhcp-client-id
    - dhcp-client-id-spl
    - dhcp-user-class
    - dhcp-vendor-class
    - dhcpv4-client-id-spl
    - dhcpv4-vendor-class
    - dhcpv6-client-id-ent-ident
    - dhcpv6-interface-id
    - dhcpv6-vendor-class-string
    - inner-vlan-id

```

```

        - outer-vlan-id
        - physical-adapter
        - physical-chassis
        - physical-port
        - physical-slot
        - physical-subslot
        - port-type
        - pppoe-session-id
        - remote-id-tag
        - service-name
        - username
        - user-plane
    password:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    accounting:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_accounting:
  Type: object
  Properties:
    cnbng-cp:accounting:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
  Type: object
  Properties:

```

```

cnbng-cp:method-order:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
data_cnbng-cp_profile_aaa_aaa-name_authentication:
Type: object
Properties:
  cnbng-cp:authentication:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      method-order:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:
Type: object

```

```
Properties:
  cnbng-cp:method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization:
Type: object
Properties:
  cnbng-cp:authorization:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Type:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        subscriber:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            method-order:
              Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: union
  username:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
Type: string
Format: string
Format:
Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: leafref
identifier:
Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: enumeration
  Default: addr
  enum:
  - addr
  - circuit-id-tag
  - client-mac-address
  - client-mac-address-custom1
  - client-mac-address-custom2
  - client-mac-address-ietf
  - client-mac-address-raw
  - dhcp-client-id
  - dhcp-client-id-spl
  - dhcp-user-class
  - dhcp-vendor-class
  - dhcpv4-client-id-spl
  - dhcpv4-vendor-class
  - dhcpv6-client-id-ent-ident
  - dhcpv6-interface-id
  - dhcpv6-vendor-class-string
  - inner-vlan-id
  - outer-vlan-id
  - physical-adapter
  - physical-chassis
  - physical-port
  - physical-slot
  - physical-subslot
  - port-type
  - pppoe-session-id
  - remote-id-tag
  - service-name
  - username
  - user-plane
password:
Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
Type: object
Properties:
  cnbng-cp:type:
    Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  subscriber:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      method-order:
        Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
cnbng-cp:username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    Format:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: addr
  enum:
    - addr
    - circuit-id-tag
    - client-mac-address
    - client-mac-address-custom1
    - client-mac-address-custom2
    - client-mac-address-ietf
```

- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

**cnbng-cp:password:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_password:****Type:** object**Properties:****cnbng-cp:password:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_type:****Type:** object**Properties:****cnbng-cp:type:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****subscriber:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****method-order:**



```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
  Type: object
  Properties:
    cnbng-cp:subscriber:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
  Type: object
  Properties:
    cnbng-cp:subscriber:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
  Type: object
  Properties:
    cnbng-cp:method-order:
      Type: array
    x-yang:
      Type: leaf-list
    Items:
```

```

    Description: (leaf-list)
    Type: string
    Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
Type: object
Properties:
  cnbng-cp:username:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        Format:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: addr
        enum:
        - addr
        - circuit-id-tag
        - client-mac-address
        - client-mac-address-custom1
        - client-mac-address-custom2
        - client-mac-address-ietf
        - client-mac-address-raw
        - dhcp-client-id

```

- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

**data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_username-post:**

**Type:** object

**Properties:**

**cnbng-cp:value:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**cnbng-cp:format:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** leafref

**cnbng-cp:identifier:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** addr

**enum:**

- addr
- circuit-id-tag
- client-mac-address
- client-mac-address-custom1
- client-mac-address-custom2
- client-mac-address-ietf
- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id

- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

**data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_username\_format:**

**Type:** object

**Properties:**

**cnbng-cp:format:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** leafref

**data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_username\_identifier:**

**Type:** object

**Properties:**

**cnbng-cp:identifier:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** addr

**enum:**

- addr
- circuit-id-tag
- client-mac-address
- client-mac-address-custom1
- client-mac-address-custom2
- client-mac-address-ietf
- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id

- remote-id-tag
- service-name
- username
- user-plane

**data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_username\_value:**

**Type:** object

**Properties:**

**cnbng-cp:value:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cnbng-cp\_profile\_aaa\_aaa-name\_name:**

**Type:** object

**Properties:**

**cnbng-cp:name:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cnbng-cp\_profile\_attribute-format\_attribute-format-name:**

**Type:** object

**Properties:**

**cnbng-cp:attribute-format:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**name:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**format-string:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**format-order:**

**Type:** array

**x-yang:**

**Type:** leaf-list

**Items:**

**Description:** (leaf-list)

**Type:** string

```

        Format: union
data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:
  Type: object
  Properties:
    cnbng-cp:format-order:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:
  Type: object
  Properties:
    cnbng-cp:format-string:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_attribute-format_attribute-format-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_coa:
  Type: object
  Properties:
    cnbng-cp:coa:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        server-key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        client:
          Type: array
          Description: (list)
          x-yang:

```

```
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: union
        server-key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_coa-post:
  Type: object
  Properties:
    cnbng-cp:server-key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:client:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: union
          server-key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_cnbng-cp_profile_coa_client_client-ip:
  Type: object
  Properties:
    cnbng-cp:client:
      Type: array
      Description: (list)
```

```

    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: union
        server-key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  data_cnbng-cp_profile_coa_client_client-ip_ip:
    Type: object
    Properties:
      cnbng-cp:ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: union
  data_cnbng-cp_profile_coa_client_client-ip_server-key:
    Type: object
    Properties:
      cnbng-cp:server-key:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_coa_server-key:
    Type: object
    Properties:
      cnbng-cp:server-key:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_dhcp_dhcp-name:
    Type: object
    Properties:
      cnbng-cp:dhcp:
        Type: array
        Description: (list)
        x-yang:

```



```
Type: list
Items:
Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: server
        enum:
          - server
          - proxy
      server:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          pool-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          dns-servers:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          ntp-servers:
            Type: array
            x-yang:
              Type: leaf-list
```

```
Items:
  Description: (leaf-list)
  Type: string
  Format: string
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  mixed-node:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
Type: string
Format: enumeration
Default: client-mac-address
enum:
- client-mac-address
hold-time:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
minutes:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32
option-codes:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
option-code:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
option-code:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32
ascii-string:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
hex-string:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string

```

```
    ip-address:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv4-circuit-id
                enum:
                  - dhcpv4-circuit-id
```

```

- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
hex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array

```

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
netbios-name-server:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

```

mixed-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
      hours:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    static-ip-key:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        identifier:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          option-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          ascii-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          hex-string:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```

        Type: string
        Format: string
    ip-address:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    force-insert:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: boolean

ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        mode:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
            Default: server
            enum:
                - server
                - proxy
        server:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                iana-pool-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                iapd-pool-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string

```

```
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
```

```

    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object

```

```
x-yang:
  Type: container
  is_presence: 'true'
Properties:
  match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: dhcpv6-interface-id
          enum:
            - dhcpv6-interface-id
            - dhcpv6-remote-id
            - dhcpv6-vendor-class
            - dhcpv6-user-class
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        hex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
      match-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: any
        enum:
          - any
          - all
server:
  Description: (non-presence)
  Type: object
```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  iana-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  iapd-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  preference:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

```
lease:
  Description: (non-presence)
  Type: object
```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
```

```
Type: object
Properties:
  cnbng-cp:ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: server
        enum:
          - server
          - proxy
      server:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          pool-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          dns-servers:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          ntp-servers:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          netbios-name-server:
            Type: array
            x-yang:
              Type: leaf-list
```



```
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

    Type: string
    Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  lease:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      days:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      hours:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object

```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
```

```

    force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv4-circuit-id
                enum:
                  - dhcpv4-circuit-id
                  - dhcpv4-remote-id
                  - dhcpv4-vendor-class
                  - dhcpv4-user-class
              ascii:
                Type: array
                x-yang:
                  Type: leaf-list
            Items:

```

```
    Description: (leaf-list)
    Type: string
    Format: string
  hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
server:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  netbios-name-server:
    Type: array
```

```
x-yang:  
  Type: leaf-list  
Items:  
  Description: (leaf-list)  
  Type: string  
  Format: string  
domain-name:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: string  
boot-filename:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: string  
next-server:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: string  
netbios-node-type:  
  Description: (non-presence)  
  Type: object  
  x-yang:  
    Type: container  
    is_presence: 'false'  
Properties:  
  broadcast-node:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
    Type: string  
    Format: '[null]'  
  hybrid-node:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
    Type: string  
    Format: '[null]'  
  mixed-node:  
    Description: (leaf)  
    x-yang:  
      Type: leaf  
    Type: string  
    Format: '[null]'  
  peer-to-peer-node:  
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
option-codes:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)

```



```

        Type: string
        Format: string
    force-insert:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
    Type: object
    Properties:
        cnbng-cp:mode:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
            Default: server
            enum:
                - server
                - proxy
        cnbng-cp:server:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
            is_presence: 'false'
        Properties:
            pool-name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            dns-servers:
                Type: array
                x-yang:
                    Type: leaf-list
                Items:
                    Description: (leaf-list)
                    Type: string
                    Format: string
            ntp-servers:
                Type: array
                x-yang:
                    Type: leaf-list
                Items:
                    Description: (leaf-list)
                    Type: string
                    Format: string
            netbios-name-server:
                Type: array
```

```
x-yang:
  Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
option-codes:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)

```

```

        Type: string
        Format: string
    force-insert:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: boolean
cnbng-cp:class:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        class-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        matches:
            Description: (presence)
            Type: object
            x-yang:
                Type: container
            is_presence: 'true'
        Properties:
            match:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                Properties:
                    key:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: enumeration
                        Default: dhcpv4-circuit-id
                    enum:
                        - dhcpv4-circuit-id
                        - dhcpv4-remote-id
                        - dhcpv4-vendor-class
                        - dhcpv4-user-class
            ascii:
                Type: array
                x-yang:

```

```

        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
  server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    ntp-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string

```

```
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
```

```

peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address

```



```
    enum:
      - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
```

```

        Items:
          Description: (leaf-list)
          Type: string
          Format: string
        force-insert:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
  Type: object
  Properties:
    cnbng-cp:class:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          class-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          matches:
            Description: (presence)
            Type: object
            x-yang:
              Type: container
            is_presence: 'true'
          Properties:
            match:
              Type: array
              Description: (list)
              x-yang:
                Type: list
              Items:
                Type: object
                Properties:
                  key:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                    Type: string
                    Format: enumeration
                    Default: dhcpv4-circuit-id
                    enum:
                      - dhcpv4-circuit-id
                      - dhcpv4-remote-id

```

```

- dhcpv4-vendor-class
- dhcpv4-user-class
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
hex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:

```

```

    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    mixed-node:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
```

```

x-yang:
  Type: leaf
  Type: string
  Format: enumeration
  Default: client-mac-address
  enum:
    - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          option-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          ascii-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          hex-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```

        Format: string
    ip-address:
        Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
    force-insert:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
Type: object
Properties:
  cnbng-cp:class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
Type: object
Properties:
  cnbng-cp:matches:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv4-circuit-id
            enum:

```

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

**ascii:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**hex:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**match-type:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** any**enum:**

- any
- all

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches-post:****Type:** object**Properties:****cnbng-cp:match:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****key:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** dhcpv4-circuit-id**enum:**

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class



```

    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match-type:**

```

Type: object
Properties:
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key:**

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id:
Type: object
Properties:
  cnbng-cp:ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id:
Type: object
Properties:
  cnbng-cp:hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key:

```

**Type:** object

**Properties:**

**cnbng-cp:key:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** dhcpv4-circuit-id

**enum:**

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-name\_server:**

**Type:** object

**Properties:**

**cnbng-cp:server:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**pool-name:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**dns-servers:**

**Type:** array

**x-yang:**

**Type:** leaf-list

**Items:**

**Description:** (leaf-list)

**Type:** string

**Format:** string

**ntp-servers:**

**Type:** array

**x-yang:**

**Type:** leaf-list

**Items:**

**Description:** (leaf-list)

**Type:** string

**Format:** string

**nethbios-name-server:**

**Type:** array

**x-yang:**

**Type:** leaf-list

**Items:**

**Description:** (leaf-list)

```

    Type: string
    Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  netbios-node-type:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    peer-to-peer-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'

```

```
    hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```

    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  option-codes:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      option-code:
        Type: array
        Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        force-insert:
          Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post:
Type: object
Properties:
  cnbng-cp:pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:next-server:
    Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: string
cnbng-cp:netbios-node-type:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    peer-to-peer-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:lease:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:

```



```
    Type: leaf
    Type: integer
    Format: uint32
hours:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
minutes:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
cnbng-cp:static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
cnbng-cp:hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
cnbng-cp:option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    option-code:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ascii-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    hex-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ip-address:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:
Type: object
Properties:
  cnbng-cp:boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:
Type: object

```

```
Properties:
  cnbng-cp:dns-servers:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:

Type: object
Properties:
  cnbng-cp:domain-name:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time:

Type: object
Properties:
  cnbng-cp:hold-time:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post:

Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes:

Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease:
Type: object
Properties:
  cnbng-cp:lease:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      days:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      hours:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post:
Type: object
Properties:
  cnbng-cp:days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days:

Type: object
Properties:
  cnbng-cp:days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours:

Type: object
Properties:
  cnbng-cp:hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes:

Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id:

Type: object
Properties:
  cnbng-cp:netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type:

Type: object
Properties:
  cnbng-cp:netbios-node-type:
    Description: (non-presence)
    Type: object

```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post:
Type: object
Properties:
  cnbng-cp:broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:mixed-node:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  cnbng-cp:peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  cnbng-cp:hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node:

Type: object
Properties:
  cnbng-cp:broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal:

Type: object
Properties:
  cnbng-cp:hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node:

Type: object
Properties:
  cnbng-cp:hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node:

Type: object
Properties:
  cnbng-cp:mixed-node:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_nethics-node-type_peer-to-peer-node:

Type: object
Properties:
  cnbng-cp:peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server:

Type: object
Properties:
  cnbng-cp:next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id:

Type: object
Properties:
  cnbng-cp:ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes:

Type: object
Properties:
  cnbng-cp:option-codes:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      option-code:
        Type: array
        Description: (list)
        x-yang:
          Type: list

```



**Items:**

**Type:** object  
**Properties:**  
**option-code:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint32  
**ascii-string:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string  
**hex-string:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string  
**ip-address:**  
**Type:** array  
**x-yang:**  
**Type:** leaf-list  
**Items:**  
**Description:** (leaf-list)  
**Type:** string  
**Format:** string  
**force-insert:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** boolean

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes-post:**

**Type:** object

**Properties:**

**cnbng-cp:option-code:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**option-code:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

```

    Format: uint32
  ascii-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  hex-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ip-address:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  force-insert:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean

```

**data\_cnbng\_cp\_profile\_chrp\_chrp\_name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code**

```

Type: object
Properties:
  cnbng-cp:option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:

```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
    ?
data_cnbng-cp_profile_chcp_chcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string
: type: object
  Properties:
    cnbng-cp:ascii-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ?
data_cnbng-cp_profile_chcp_chcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert
: type: object
  Properties:
    cnbng-cp:force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    ?
data_cnbng-cp_profile_chcp_chcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string
: type: object
  Properties:
    cnbng-cp:hex-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ?
data_cnbng-cp_profile_chcp_chcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id
: type: object
  Properties:

```

```

cnbng-cp:ip-address:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code
: type: object
  Properties:
    cnbng-cp:option-code:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:
  Type: object
  Properties:
    cnbng-cp:pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key:
  Type: object
  Properties:
    cnbng-cp:static-ip-key:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        identifier:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: client-mac-address
          enum:
            - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key-post:
  Type: object
  Properties:
    cnbng-cp:identifier:

```

**Description:** (leaf)  
**x-yang:**  
   **Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** client-mac-address  
**enum:**  
 - client-mac-address

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key\_identifier:**

**Type:** object  
**Properties:**  
   **cnbng-cp:identifier:**  
     **Description:** (leaf)  
     **x-yang:**  
       **Type:** leaf  
     **Type:** string  
     **Format:** enumeration  
     **Default:** client-mac-address  
     **enum:**  
       - client-mac-address

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_mode:**

**Type:** object  
**Properties:**  
   **cnbng-cp:mode:**  
     **Description:** (leaf)  
     **x-yang:**  
       **Type:** leaf  
     **Type:** string  
     **Format:** enumeration  
     **Default:** server  
     **enum:**  
       - server  
       - proxy

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server:**

**Type:** object  
**Properties:**  
   **cnbng-cp:server:**  
     **Description:** (non-presence)  
     **Type:** object  
     **x-yang:**  
       **Type:** container  
       **is\_presence:** 'false'  
     **Properties:**  
       **pool-name:**  
         **Description:** (leaf)  
         **x-yang:**  
           **Type:** leaf  
         **Type:** string  
         **Format:** string  
       **dns-servers:**  
         **Type:** array

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
ntp-servers:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
netbios-name-server:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```
    Type: string
    Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
```

```
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        ascii-string:
          Description: (leaf)
```



```

        x-yang:
            Type: leaf
        Type: string
        Format: string
    hex-string:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
    ip-address:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    force-insert:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post:
    Type: object
    Properties:
        cnbng-cp:pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        cnbng-cp:dns-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        cnbng-cp:ntp-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        cnbng-cp:netbios-name-server:
            Type: array
```

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
cnbng-cp:domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

hexadecimal:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

cnbng-cp:lease:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

```
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
```

cnbng-cp:static-ip-key:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

```
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
    enum:
      - client-mac-address
```

cnbng-cp:hold-time:

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
cnbng-cp:option-codes:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)

```

```

        Type: string
        Format: string
    force-insert:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
    Type: object
    Properties:
        cnbng-cp:boot-filename:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:
    Type: object
    Properties:
        cnbng-cp:dns-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
    Type: object
    Properties:
        cnbng-cp:domain-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time:
    Type: object
    Properties:
        cnbng-cp:hold-time:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                minutes:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
```

```

        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
  Type: object
  Properties:
    cnbng-cp:lease:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        days:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        hours:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
  Type: object
  Properties:

```

```
cnbng-cp:days:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cnbng-cp:hours:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cnbng-cp:minutes:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
  Type: object
  Properties:
    cnbng-cp:days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
  Type: object
  Properties:
    cnbng-cp:hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:
  Type: object
  Properties:
    cnbng-cp:netbios-name-server:
      Type: array
      x-yang:
```

```

    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
  Type: object
  Properties:
    cnbng-cp:netbios-node-type:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        broadcast-node:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
          hybrid-node:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
          mixed-node:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
          peer-to-peer-node:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
          hexadecimal:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:
  Type: object
  Properties:
    cnbng-cp:broadcast-node:
      Description: (leaf)
      x-yang:

```



```

    Type: leaf
  Type: string
  Format: '[null]'
cnbng-cp:hybrid-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:mixed-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node:
  Type: object
  Properties:
    cnbng-cp:broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal:
  Type: object
  Properties:
    cnbng-cp:hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node:
  Type: object
  Properties:
    cnbng-cp:hybrid-node:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node:

Type: object
Properties:
  cnbng-cp:mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node:

Type: object
Properties:
  cnbng-cp:peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server:

Type: object
Properties:
  cnbng-cp:next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id:

Type: object
Properties:
  cnbng-cp:ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes:

Type: object
Properties:
  cnbng-cp:option-codes:
    Description: (non-presence)
    Type: object

```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        force-insert:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post:
  Type: object
  Properties:
    cnbng-cp:option-code:
      Type: array
      Description: (list)
      x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
  data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code:
    Type: object
    Properties:
      cnbng-cp:option-code:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            option-code:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```

    Type: integer
    Format: uint32
  ascii-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  hex-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ip-address:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  force-insert:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_ascii-string:
  Type: object
  Properties:
    cnbng-cp:ascii-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_force-insert:
  Type: object
  Properties:
    cnbng-cp:force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_hex-string:
  Type: object
  Properties:

```

```

    cnbng-cp:hex-string:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id:
Type: object
Properties:
  cnbng-cp:ip-address:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_option-code:
Type: object
Properties:
  cnbng-cp:option-code:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_pool-name:
Type: object
Properties:
  cnbng-cp:pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key:
Type: object
Properties:
  cnbng-cp:static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string

```

```
    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post:
Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier:
Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
Type: object
Properties:
  cnbng-cp:ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: server
        enum:
        - server
        - proxy
      server:
        Description: (non-presence)
        Type: object
        x-yang:
```

```
  Type: container
  is_presence: 'false'
Properties:
  iana-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  iapd-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  preference:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  lease:
    Description: (non-presence)
    Type: object
    x-yang:
```



```
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
class:
  Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv6-interface-id
                enum:
                - dhcpv6-interface-id
                - dhcpv6-remote-id
                - dhcpv6-vendor-class
                - dhcpv6-user-class
              ascii:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
              hex:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:

```

```

        Description: (leaf-list)
        Type: string
        Format: string
match-type:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: any
    enum:
        - any
        - all
server:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
Properties:
    iana-pool-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    iapd-pool-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    dns-servers:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    domain-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    preference:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
```

```
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
```

```

        enum:
        - client-mac-address
    hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    minutes:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
Type: object
Properties:
cnbng-cp:mode:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: server
enum:
- server
- proxy
cnbng-cp:server:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
iana-pool-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
iapd-pool-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
dns-servers:
Type: array
x-yang:
Type: leaf-list
Items:

```

```
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
preference:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
aftr-name:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
Properties:
    days:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    hours:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    minutes:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
```

```
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: dhcpv6-interface-id
      enum:
      - dhcpv6-interface-id
      - dhcpv6-remote-id
      - dhcpv6-vendor-class
      - dhcpv6-user-class
    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
    - any
    - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    iana-pool-name:

```



```
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
iapd-pool-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
  Type: object
  Properties:
    cnbng-cp:class:
      Type: array
      Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv6-interface-id
              enum:
                - dhcpv6-interface-id
                - dhcpv6-remote-id
                - dhcpv6-vendor-class
                - dhcpv6-user-class
            ascii:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
            hex:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
```

```
    Type: string
    Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: any
    enum:
      - any
      - all
  server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    preference:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    aftr-name:
```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
    enum:
      - client-mac-address
```

```

    hold-time:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:
  Type: object
  Properties:
    cnbng-cp:class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:
  Type: object
  Properties:
    cnbng-cp:matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv6-interface-id
              enum:
                - dhcpv6-interface-id
                - dhcpv6-remote-id

```

```

- dhcpv6-vendor-class
- dhcpv6-user-class
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
hex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:
Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: dhcpv6-interface-id
          enum:
          - dhcpv6-interface-id
          - dhcpv6-remote-id
          - dhcpv6-vendor-class
          - dhcpv6-user-class
        ascii:

```

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:
  Type: object
  Properties:
    cnbng-cp:match-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: any
      enum:
        - any
        - all
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:
  Type: object
  Properties:
    cnbng-cp:match:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key:
            Description: (leaf)

```



```

    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: dhcpv6-interface-id
    enum:
      - dhcpv6-interface-id
      - dhcpv6-remote-id
      - dhcpv6-vendor-class
      - dhcpv6-user-class
  ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id:
Type: object
Properties:
  cnbng-cp:ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id:
Type: object
Properties:
  cnbng-cp:hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key:
Type: object

```

**Properties:****cnbng-cp:key:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** dhcpv6-interface-id**enum:**

- dhcpv6-interface-id
- dhcpv6-remote-id
- dhcpv6-vendor-class
- dhcpv6-user-class

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-name\_server:****Type:** object**Properties:****cnbng-cp:server:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****iana-pool-name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**iapd-pool-name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**dns-servers:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**domain-name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**preference:****Description:** (leaf)**x-yang:**

```
    Type: leaf
    Type: integer
    Format: uint32
  aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  lease:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server-post:
  Type: object
  Properties:
    cnbng-cp:iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    cnbng-cp:domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:preference:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```
    Type: integer
    Format: uint32
cnbng-cp:aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cnbng-cp:rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
cnbng-cp:lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
```

```

    Format: enumeration
    Default: client-mac-address
    enum:
      - client-mac-address
cnbng-cp:hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name:

Type: object
Properties:
  cnbng-cp:aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id:

Type: object
Properties:
  cnbng-cp:dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name:

Type: object
Properties:
  cnbng-cp:domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time:

Type: object

```

**Properties:****cnbng-cp:hold-time:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****minutes:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time-post:****Type:** object**Properties:****cnbng-cp:minutes:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time\_minutes:****Type:** object**Properties:****cnbng-cp:minutes:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name:****Type:** object**Properties:****cnbng-cp:iana-pool-name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name:****Type:** object**Properties:****cnbng-cp:iapd-pool-name:****Description:** (leaf)**x-yang:****Type:** leaf

```

    Type: string
    Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease:

Type: object
Properties:
  cnbng-cp:lease:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      days:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      hours:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post:

Type: object
Properties:
  cnbng-cp:days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer

```



```
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days:

Type: object
Properties:
  cnbng-cp:days:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours:

Type: object
Properties:
  cnbng-cp:hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes:

Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference:

Type: object
Properties:
  cnbng-cp:preference:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit:

Type: object
Properties:
  cnbng-cp:rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key:
```

```

Type: object
Properties:
  cnbng-cp:static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: client-mac-address
          enum:
            - client-mac-address

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key-post:**

```

Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key\_identifier:**

```

Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_mode:**

```

Type: object
Properties:
  cnbng-cp:mode:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string

```

```
    Format: enumeration
    Default: server
    enum:
    - server
    - proxy
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:
Type: object
Properties:
  cnbng-cp:server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      iana-pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      iapd-pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      dns-servers:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      domain-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      preference:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      aftr-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

    Format: string
  rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  lease:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      days:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      hours:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: client-mac-address
        enum:
          - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:
Type: object
Properties:
  cnbng-cp:iana-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cnbng-cp:iapd-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cnbng-cp:dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cnbng-cp:preference:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  cnbng-cp:aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cnbng-cp:rapid-commit:
```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: '[null]'
cnbng-cp:lease:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
cnbng-cp:static-ip-key:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
    enum:
      - client-mac-address
cnbng-cp:hold-time:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'

```

```

    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
  Type: object
  Properties:
    cnbng-cp:aftr-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:
  Type: object
  Properties:
    cnbng-cp:dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
  Type: object
  Properties:
    cnbng-cp:domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time:
  Type: object
  Properties:
    cnbng-cp:hold-time:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer

```

```

    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
  Type: object
  Properties:
    cnbng-cp:iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
  Type: object
  Properties:
    cnbng-cp:iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
  Type: object
  Properties:
    cnbng-cp:lease:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      days:
        Description: (leaf)
        x-yang:
          Type: leaf

```



```

    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
  Type: object
  Properties:
    cnbng-cp:days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
  Type: object
  Properties:
    cnbng-cp:days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
  Type: object
  Properties:
    cnbng-cp:hours:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
  Type: object
  Properties:
    cnbng-cp:preference:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
  Type: object
  Properties:
    cnbng-cp:rapid-commit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key:
  Type: object
  Properties:
    cnbng-cp:static-ip-key:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        identifier:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: client-mac-address
          enum:
            - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post:
  Type: object
  Properties:
    cnbng-cp:identifier:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
      - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier:

Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
      - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_name:

Type: object
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_feature-template_feature-template-name:

Type: object
Properties:
  cnbng-cp:feature-template:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        vrf-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```
Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

```
Properties:
  mtu:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  ingress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
  http-policy:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  qos:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
```

```
in-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
out-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
merge-level:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
session-accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
service-accounting:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
ppp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    authentication:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: pap
        enum:
          - pap
          - chap
    chap:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        hostname:
          Description: (leaf)
          x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
password:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
service-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: outbound
  enum:
    - outbound
ipcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    dns:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        primary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          secondary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        peer-address-pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        renegotiation:
          Description: (non-presence)

```



```
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
lcp:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  delay:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      seconds:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      milliseconds:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: '[null]'
      max-bad-auth:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      max-configure:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      max-failure:
```

```
Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: byte
pap:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  accept-null-password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
timeout:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  absolute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  authentication:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
keepalive:
```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
          retry:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:
  Type: object
  Properties:
    cnbng-cp:http-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
  Type: object
  Properties:
    cnbng-cp:ipv4:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        mtu:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          ingress-acl:
            Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cnbng-cp:ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:disable-unreachables:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables:
  Type: object
  Properties:
    cnbng-cp:disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl:
  Type: object
  Properties:
    cnbng-cp:egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl:
  Type: object
  Properties:
    cnbng-cp:ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:

```

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source:**

**Type:** object

**Properties:**

**cnbng-cp:verify-unicast-source:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**reachable-via-rx:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source-post:**

**Type:** object

**Properties:**

**cnbng-cp:reachable-via-rx:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source\_reachable-via-rx:**

**Type:** object

**Properties:**

**cnbng-cp:reachable-via-rx:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6:**

**Type:** object

**Properties:**

**cnbng-cp:ipv6:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

```

    mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
  data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post:
    Type: object
  Properties:
    cnbng-cp:mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```



```

    Format: string
cnbng-cp:egress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cnbng-cp:disable-unreachables:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
cnbng-cp:verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables:
  Type: object
  Properties:
    cnbng-cp:disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl:
  Type: object
  Properties:
    cnbng-cp:egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl:
  Type: object
  Properties:
    cnbng-cp:ingress-acl:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:
  Type: object
  Properties:
    cnbng-cp:verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post:
  Type: object
  Properties:
    cnbng-cp:reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx:
  Type: object
  Properties:
    cnbng-cp:reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_name:
  Type: object

```

```

Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp:
Type: object
Properties:
  cnbng-cp:ppp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      authentication:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: enumeration
          Default: pap
          enum:
            - pap
            - chap
      chap:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          hostname:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          password:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          service-type:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

Type: string
Format: enumeration
Default: outbound
enum:
- outbound
ipcp:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
dns:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
primary-address:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
secondary-address:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
peer-address-pool:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
renegotiation:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
ignore:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'
wins:
Description: (non-presence)

```

```
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      secondary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  ipv6cp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
```

```
  lcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      delay:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
    Properties:
```

```
seconds:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
milliseconds:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
renegotiation:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ignore:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
```

**max-bad-auth:**  
Description: (leaf)  
x-yang:  
Type: leaf  
Type: integer  
Format: byte

**max-configure:**  
Description: (leaf)  
x-yang:  
Type: leaf  
Type: integer  
Format: byte

**max-failure:**  
Description: (leaf)  
x-yang:  
Type: leaf  
Type: integer  
Format: byte

**pap:**  
Description: (non-presence)  
Type: object  
x-yang:  
Type: container  
is\_presence: 'false'  
Properties:  
accept-null-password:

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
timeout:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  absolute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  authentication:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
keepalive:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  interval:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post:
Type: object
Properties:
  cnbng-cp:authentication:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: pap
      enum:
        - pap
        - chap
  cnbng-cp:chap:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      hostname:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      password:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  cnbng-cp:service-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: outbound

```



```
enum:
- outbound
cnbng-cp:ipcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    dns:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        primary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          secondary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        peer-address-pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        renegotiation:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            ignore:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
        wins:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
```

```

    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
cnbng-cp:lcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    delay:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      seconds:
        Description: (leaf)
        x-yang:

```

```
    Type: leaf
    Type: integer
    Format: byte
  milliseconds:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    ignore:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
cnbng-cp:max-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cnbng-cp:max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cnbng-cp:max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cnbng-cp:pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: '[null]'
cnbng-cp:timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
cnbng-cp:keepalive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf

```

**Type:** integer  
**Format:** byte  
**retry:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** byte

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_authentication\_authentication-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:authentication:**  
**Type:** array  
**x-yang:**  
**Type:** leaf-list  
**Items:**  
**Description:** (leaf-list)  
**Type:** string  
**Format:** enumeration  
**Default:** pap  
**enum:**  
 - pap  
 - chap

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_chap:**

**Type:** object  
**Properties:**  
**cnbng-cp:chap:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**hostname:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string  
**password:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_chap-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:hostname:**  
**Description:** (leaf)

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  cnbng-cp:password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:

Type: object
Properties:
  cnbng-cp:hostname:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:

Type: object
Properties:
  cnbng-cp:password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:

Type: object
Properties:
  cnbng-cp:ipcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      dns:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          primary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```

    Format: string
  secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  peer-address-pool:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
  wins:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      secondary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:
    Type: object
  Properties:
    cnbng-cp:dns:
      Description: (non-presence)
      Type: object

```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:peer-address-pool:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:renegotiation:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
cnbng-cp:wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    secondary-address:
      Description: (leaf)
      x-yang:

```



```

        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:

Type: object
Properties:
  cnbng-cp:dns:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      secondary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:

Type: object
Properties:
  cnbng-cp:primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:

Type: object
Properties:
  cnbng-cp:primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_secondary-address:**

**Type:** object  
**Properties:**  
 cnbng-cp:secondary-address:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_peer-address-pool:**

**Type:** object  
**Properties:**  
 cnbng-cp:peer-address-pool:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation:**

**Type:** object  
**Properties:**  
 cnbng-cp:renegotiation:  
 Description: (non-presence)  
 Type: object  
 x-yang:  
 Type: container  
 is\_presence: 'false'  
**Properties:**  
 ignore:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:ignore:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore:**

**Type:** object  
**Properties:**  
 cnbng-cp:ignore:

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins:
Type: object
Properties:
  cnbng-cp:wins:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      secondary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post:
Type: object
Properties:
  cnbng-cp:primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address:
Type: object
Properties:
  cnbng-cp:primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: string
    Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address:
  Type: object
  Properties:
    cnbng-cp:secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp:
  Type: object
  Properties:
    cnbng-cp:ipv6cp:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        renegotiation:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            ignore:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post:
  Type: object
  Properties:
    cnbng-cp:renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ignore:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation:**

**Type:** object  
**Properties:**  
  **cnbng-cp:renegotiation:**  
    **Description:** (non-presence)  
    **Type:** object  
    **x-yang:**  
      **Type:** container  
      **is\_presence:** 'false'  
    **Properties:**  
      **ignore:**  
        **Description:** (leaf)  
        **x-yang:**  
          **Type:** leaf  
          **Type:** string  
          **Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation-post:**

**Type:** object  
**Properties:**  
  **cnbng-cp:ignore:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** string  
      **Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation\_ignore:**

**Type:** object  
**Properties:**  
  **cnbng-cp:ignore:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** string  
      **Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive:**

**Type:** object  
**Properties:**  
  **cnbng-cp:keepalive:**  
    **Description:** (non-presence)  
    **Type:** object  
    **x-yang:**  
      **Type:** container  
      **is\_presence:** 'false'  
    **Properties:**  
      **disable:**  
        **Description:** (leaf)  
        **x-yang:**  
          **Type:** leaf

```

    Type: string
    Format: '[null]'
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post:

Type: object
Properties:
  cnbng-cp:disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cnbng-cp:retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable:

Type: object
Properties:
  cnbng-cp:disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval:

Type: object
Properties:
  cnbng-cp:interval:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry:
Type: object
Properties:
  cnbng-cp:retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:
Type: object
Properties:
  cnbng-cp:lcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      delay:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          seconds:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: byte
          milliseconds:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:
Type: object
Properties:
  cnbng-cp:delay:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      seconds:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      milliseconds:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  cnbng-cp:renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:
Type: object
Properties:
  cnbng-cp:delay:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      seconds:

```



```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: byte
    milliseconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:
Type: object
Properties:
    cnbng-cp:seconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: byte
    cnbng-cp:milliseconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:
Type: object
Properties:
    cnbng-cp:milliseconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:
Type: object
Properties:
    cnbng-cp:seconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation:
Type: object
Properties:
    cnbng-cp:renegotiation:

```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post:

Type: object
Properties:
  cnbng-cp:ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore:

Type: object
Properties:
  cnbng-cp:ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth:

Type: object
Properties:
  cnbng-cp:max-bad-auth:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure:

Type: object
Properties:
  cnbng-cp:max-configure:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-failure:**

**Type:** object

**Properties:**

**cnbng-cp:max-failure:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** byte

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap:**

**Type:** object

**Properties:**

**cnbng-cp:pap:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**accept-null-password:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap-post:**

**Type:** object

**Properties:**

**cnbng-cp:accept-null-password:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap\_accept-null-password:**

**Type:** object

**Properties:**

**cnbng-cp:accept-null-password:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type:**

**Type:** object

**Properties:**

**cnbng-cp:service-type:**

**Description:** (leaf)

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: outbound
enum:
  - outbound
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout:

Type: object
Properties:
  cnbng-cp:timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      absolute:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          minutes:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          authentication:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: byte
          retry:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: byte
      data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post:

Type: object
Properties:
  cnbng-cp:absolute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container

```

```

    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:authentication:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  cnbng-cp:retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute:
Type: object
Properties:
  cnbng-cp:absolute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post:
Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes:
Type: object
Properties:
  cnbng-cp:minutes:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication:

Type: object
Properties:
  cnbng-cp:authentication:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry:

Type: object
Properties:
  cnbng-cp:retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_qos:

Type: object
Properties:
  cnbng-cp:qos:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      in-policy:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      out-policy:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      merge-level:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer

```

```
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_qos-post:
  Type: object
  Properties:
    cnbng-cp:in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:out-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:merge-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy:
  Type: object
  Properties:
    cnbng-cp:in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level:
  Type: object
  Properties:
    cnbng-cp:merge-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy:
  Type: object
  Properties:
    cnbng-cp:out-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting:**

**Type:** object  
**Properties:**  
**cnbng-cp:service-accounting:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**enable:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** '[null]'  
**aaa-profile:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** leafref  
**periodic-interval:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint32

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:enable:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** '[null]'  
**cnbng-cp:aaa-profile:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** leafref  
**cnbng-cp:periodic-interval:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint32

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_aaa-profile:**



```

Type: object
Properties:
  cnbng-cp:aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable:

Type: object
Properties:
  cnbng-cp:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval:

Type: object
Properties:
  cnbng-cp:periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting:

Type: object
Properties:
  cnbng-cp:session-accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      aaa-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref

```

```

    periodic-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    dual-stack-delay:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting-post:
Type: object
Properties:
  cnbng-cp:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  cnbng-cp:periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile:
Type: object
Properties:
  cnbng-cp:aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay:

```

```

Type: object
Properties:
  cnbng-cp:dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable:

Type: object
Properties:
  cnbng-cp:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval:

Type: object
Properties:
  cnbng-cp:periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name:

Type: object
Properties:
  cnbng-cp:vrf-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_l2tp_l2tp-name:

Type: object
Properties:
  cnbng-cp:l2tp:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```
    Type: string
    Format: string
mode:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: lac
  enum:
    - lac
    - lns
encrypt-avp:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
dsl-info-forwarding:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
hostname:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
hello-interval:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    adjust-mss:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
    Type: integer
    Format: uint16
retransmit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            max:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
            min:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
        retries:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        max:
          Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  min:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  receive-window:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  terminate-from:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        hostname:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  domain:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  tun-assign-id:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
tunnel:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    timeout:
      Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  no-session:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
ipv4:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  df-bit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: set
    enum:
      - set
      - reflect
  source:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        dest-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        weight:
          Description: (leaf)
          x-yang:
            Type: leaf

```



```

        Type: integer
        Format: uint16
    congestion-control:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
    tx-connect-speed:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    rx-connect-speed:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    tunnel-load-balancing:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: weighted
        enum:
            - weighted
            - equal
    password:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    force-lcp-renegotiation:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
data_cnbng-cp_profile_l2tp_l2tp-name_authentication:
    Type: object
    Properties:
        cnbng-cp:authentication:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control:

```

```

Type: object
Properties:
  cnbng-cp:congestion-control:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_domain\_domain-name:**

```

Type: object
Properties:
  cnbng-cp:domain:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          tun-assign-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_domain\_domain-name\_name:**

```

Type: object
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_domain\_domain-name\_tun-assign-id:**

```

Type: object
Properties:
  cnbng-cp:tun-assign-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_dsl-info-forwarding:**

```

Type: object
```

```
Properties:
  cnbng-cp:dsl-info-forwarding:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_encrypt-avp:
  Type: object
  Properties:
    cnbng-cp:encrypt-avp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_force-lcp-renegotiation:
  Type: object
  Properties:
    cnbng-cp:force-lcp-renegotiation:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_hello-interval:
  Type: object
  Properties:
    cnbng-cp:hello-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_hostname:
  Type: object
  Properties:
    cnbng-cp:hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_12tp_12tp-name_ip-tos:
  Type: object
  Properties:
    cnbng-cp:ip-tos:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
```

```

    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_ip-tos-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_ip-tos_reflect:
  Type: object
  Properties:
    cnbng-cp:reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_ip-tos_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_ipv4:
  Type: object
  Properties:
    cnbng-cp:ipv4:

```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  df-bit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: set
    enum:
      - set
      - reflect
  source:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        dest-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        weight:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
  data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
    Type: object
    Properties:
      cnbng-cp:df-bit:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: set
```

```

    enum:
    - set
    - reflect
  cnbng-cp:source:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cnbng-cp:destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        dest-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        weight:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
  data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:

Type: object
Properties:
  cnbng-cp:destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        dest-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        weight:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer

```

```

    Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip:
  Type: object
  Properties:
    cnbng-cp:dest-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight:
  Type: object
  Properties:
    cnbng-cp:weight:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit:
  Type: object
  Properties:
    cnbng-cp:df-bit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: set
      enum:
        - set
        - reflect
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source:
  Type: object
  Properties:
    cnbng-cp:source:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_mode:
  Type: object
  Properties:
    cnbng-cp:mode:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
```

```

    Default: lac
    enum:
    - lac
    - lns
data_cnbng-cp_profile_l2tp_l2tp-name_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_l2tp_l2tp-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_password:
  Type: object
  Properties:
    cnbng-cp:password:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_receive-window:
  Type: object
  Properties:
    cnbng-cp:receive-window:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit:
  Type: object
  Properties:
    cnbng-cp:retransmit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        initial:
          Description: (non-presence)

```



```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
    retries:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
    retries:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
  Type: object
  Properties:
    cnbng-cp:initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            max:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
            min:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
        retries:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
    cnbng-cp:timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        max:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer

```

```

    Format: byte
  min:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cnbng-cp:retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
  Type: object
  Properties:
    cnbng-cp:initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            max:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
            min:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
        retries:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
  Type: object
  Properties:

```

```

cnbng-cp:timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    max:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    min:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
cnbng-cp:retries:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries:
  Type: object
  Properties:
    cnbng-cp:retries:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        max:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: byte
        min:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_timeout-post:
  Type: object
  Properties:
    cnbng-cp:max:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    cnbng-cp:min:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_timeout_max:
  Type: object
  Properties:
    cnbng-cp:max:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_timeout_min:
  Type: object
  Properties:
    cnbng-cp:min:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_retries:
  Type: object
  Properties:
    cnbng-cp:retries:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  max:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  min:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout-post:
Type: object
Properties:
  cnbng-cp:max:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  cnbng-cp:min:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_max:
Type: object
Properties:
  cnbng-cp:max:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_min:
Type: object
Properties:
  cnbng-cp:min:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte

```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_rx-connect-speed:**

**Type:** object

**Properties:**

**cnbng-cp:rx-connect-speed:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tcp:**

**Type:** object

**Properties:**

**cnbng-cp:tcp:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**adjust-mss:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint16

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tcp-post:**

**Type:** object

**Properties:**

**cnbng-cp:adjust-mss:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint16

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tcp\_adjust-mss:**

**Type:** object

**Properties:**

**cnbng-cp:adjust-mss:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint16

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_terminate-from\_terminate-from-hostname:**

**Type:** object

**Properties:**

**cnbng-cp:terminate-from:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

```

Items:
  Type: object
  Properties:
    hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname:
  Type: object
  Properties:
    cnbng-cp:hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel:
  Type: object
  Properties:
    cnbng-cp:tunnel:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        session-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        timeout:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            no-session:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing:
  Type: object
  Properties:
    cnbng-cp:tunnel-load-balancing:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: weighted
    enum:
      - weighted
      - equal
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post:
Type: object
Properties:
  cnbng-cp:session-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  cnbng-cp:timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      no-session:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit:
Type: object
Properties:
  cnbng-cp:session-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout:
Type: object
Properties:
  cnbng-cp:timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      no-session:
        Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout-post:
  Type: object
  Properties:
    cnbng-cp:no-session:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout_no-session:
  Type: object
  Properties:
    cnbng-cp:no-session:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_tx-connect-speed:
  Type: object
  Properties:
    cnbng-cp:tx-connect-speed:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_vrf:
  Type: object
  Properties:
    cnbng-cp:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_pppoe_pppoe-name:
  Type: object
  Properties:
    cnbng-cp:pppoe:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
```

```
name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
ctrl-pkt-priority:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
service-selection-disable:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
max-payload:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    deny:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    minimum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    Maximum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
service-name:
  Type: array
```

```

x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
ac-name:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: string
ac-cookie:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: string
session-limit:
  Description: (non-presence)
  Type: object
  x-yang:
  Type: container
  is_presence: 'false'
Properties:
  max:
  Description: (non-presence)
  Type: object
  x-yang:
  Type: container
  is_presence: 'false'
  Properties:
  value:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: integer
  Format: uint32
  threshold:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: integer
  Format: uint32
mac:
  Description: (non-presence)
  Type: object
  x-yang:
  Type: container
  is_presence: 'false'
  Properties:

```

```
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  circuit-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  outer-vlan:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  timeout-completion:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:
  Type: object
  Properties:
    cnbng-cp:ac-cookie:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
  Type: object
  Properties:
    cnbng-cp:ac-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
  Type: object
  Properties:
    cnbng-cp:ctrl-pkt-priority:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
  Type: object
  Properties:
    cnbng-cp:max-payload:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        deny:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        minimum:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: integer
        Format: uint16
    Maximum:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
Type: object
Properties:
  cnbng-cp:deny:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:minimum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  cnbng-cp:maximum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
Type: object
Properties:
  cnbng-cp:deny:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
Type: object
Properties:
  cnbng-cp:maximum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
Type: object
Properties:
```

```

    cnbng-cp:minimum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
  data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
    Type: object
    Properties:
      cnbng-cp:mtu:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  data_cnbng-cp_profile_pppoe_pppoe-name_name:
    Type: object
    Properties:
      cnbng-cp:name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
  data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:
    Type: object
    Properties:
      cnbng-cp:service-name:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
  data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
    Type: object
    Properties:
      cnbng-cp:service-selection-disable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
  data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
    Type: object
    Properties:
      cnbng-cp:session-limit:
        Description: (non-presence)
        Type: object
        x-yang:

```



```
Type: container
is_presence: 'false'
Properties:
  max:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  mac:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  circuit-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
```

```

        Type: leaf
        Type: integer
        Format: uint32
    threshold:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    outer-vlan:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            value:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
            threshold:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
    Type: object
    Properties:
        cnbng-cp:max:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                value:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: integer
                        Format: uint32
                threshold:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: integer
                        Format: uint32
        cnbng-cp:mac:

```

**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
  **Type:** container  
  **is\_presence:** 'false'  
**Properties:**  
  **value:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint32  
    **threshold:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** integer  
        **Format:** uint32

**cnbng-cp:circuit-id:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
  **Type:** container  
  **is\_presence:** 'false'  
**Properties:**  
  **value:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint32  
    **threshold:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** integer  
        **Format:** uint32

**cnbng-cp:outer-vlan:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
  **Type:** container  
  **is\_presence:** 'false'  
**Properties:**  
  **value:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint32  
  **threshold:**

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
Type: object
Properties:
  cnbng-cp:circuit-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:
Type: object
Properties:
  cnbng-cp:threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32

```

```
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
  Type: object
  Properties:
    cnbng-cp:mac:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
  Type: object
  Properties:
    cnbng-cp:threshold:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
  Type: object
  Properties:
    cnbng-cp:max:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cnbng-cp:threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:

```

```
Type: object
Properties:
  cnbng-cp:threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
Type: object
Properties:
  cnbng-cp:outer-vlan:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  cnbng-cp:threshold:
    Description: (leaf)
    x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
    Type: object
    Properties:
      cnbng-cp:threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
    Type: object
    Properties:
      cnbng-cp:value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
    Type: object
    Properties:
      cnbng-cp:timeout-completion:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
data_cnbng-cp_profile_radius:
    Type: object
    Properties:
      cnbng-cp:radius:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          server:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                ip:
                  Description: (leaf)
                  x-yang:

```



```
    Type: leaf
    Type: string
    Format: union
port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: auth
  enum:
    - auth
    - acct
secret:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
  enum:
    - first-server
    - round-robin
deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```

    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array

```

```
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
```

```

    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-e:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
  accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    algorithm:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: first-server
      enum:
        - first-server
        - round-robin
    deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    detect-dead-server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container

```

```
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:

```



```
    Type: leaf
    Type: string
    Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
```

```

    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      format-e-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32

```

```

        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    group-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```

```

        Format: enumeration
        Default: auth
        enum:
        - auth
        - acct
    ip:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: leafref
    port:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: leafref
data_cnbng-cp_profile_radius-post:
    Type: object
    Properties:
        cnbng-cp:server:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    ip:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: union
                    port:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
                Type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: enumeration
                    Default: auth
                    enum:
                    - auth
                    - acct
                secret:
                    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  priority:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
cnbng-cp:algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
  enum:
    - first-server
    - round-robin
cnbng-cp:deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cnbng-cp:detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
cnbng-cp:max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cnbng-cp:timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cnbng-cp:attribute:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      calling-station-id:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'

```

```
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
```

```

Items:
  Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:

```



```
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
```

```

        Type: leaf
        Type: string
        Format: union
cnbng-cp:accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    algorithm:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: first-server
      enum:
        - first-server
        - round-robin
    deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    detect-dead-server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response-timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    max-retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  attribute:

```

**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
  **Type:** container  
  **is\_presence:** 'false'  
**Properties:**  
  **called-station-id:**  
    **Description:** (non-presence)  
    **Type:** object  
    **x-yang:**  
      **Type:** container  
      **is\_presence:** 'false'  
    **Properties:**  
      **Format:**  
        **Type:** array  
        **Description:** (list)  
      **x-yang:**  
        **Type:** list  
      **Items:**  
        **Type:** object  
        **Properties:**  
          **nas-port-type:**  
            **Description:** (leaf)  
            **x-yang:**  
              **Type:** leaf  
              **Type:** string  
              **Format:** int32  
          **format-name:**  
            **Description:** (leaf)  
            **x-yang:**  
              **Type:** leaf  
              **Type:** string  
              **Format:** string  
          **format-name:**  
            **Description:** (leaf)  
            **x-yang:**  
              **Type:** leaf  
              **Type:** string  
              **Format:** string  
          **value:**  
            **Description:** (leaf)  
            **x-yang:**  
              **Type:** leaf  
              **Type:** string  
              **Format:** string  
      **calling-station-id:**  
        **Description:** (non-presence)  
        **Type:** object  
        **x-yang:**  
          **Type:** container  
          **is\_presence:** 'false'

```

Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list

```

```
Items:
  Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:

```

```

    Type: leaf
    Type: string
    Format: union
cnbng-cp:server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      group-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      server:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            Type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: auth
              enum:
                - auth
                - acct
            ip:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
data_cnbng-cp_profile_radius_accounting:
  Type: object
  Properties:
    cnbng-cp:accounting:
      Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  algorithm:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
  deadtime:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  detect-dead-server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response-timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
```



```
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  calling-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
data_cnbng-cp_profile_radius_accounting-post:
  Type: object

```

**Properties:**

- cnbng-cp:algorithm:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** enumeration
  - Default:** first-server
  - enum:**
    - first-server
    - round-robin
- cnbng-cp:deadtime:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** int32
- cnbng-cp:detect-dead-server:**
  - Description:** (non-presence)
  - Type:** object
  - x-yang:**
    - Type:** container
    - is\_presence:** 'false'
  - Properties:**
    - response-timeout:**
      - Description:** (leaf)
      - x-yang:**
        - Type:** leaf
      - Type:** string
      - Format:** int32
- cnbng-cp:max-retry:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** int32
- cnbng-cp:timeout:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** int32
- cnbng-cp:attribute:**
  - Description:** (non-presence)
  - Type:** object
  - x-yang:**
    - Type:** container
    - is\_presence:** 'false'
  - Properties:**
    - called-station-id:**
      - Description:** (non-presence)
      - Type:** object

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:

```

```
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
```

```

        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-port-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```



```
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
data_cnbng-cp_profile_radius_accounting_algorithm:
  Type: object
  Properties:
    cnbng-cp:algorithm:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
  Type: string
  Format: enumeration
  Default: first-server
  enum:
  - first-server
  - round-robin
data_cnbng-cp_profile_radius_accounting_attribute:
  Type: object
  Properties:
    cnbng-cp:attribute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        called-station-id:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            Format:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                nas-port-type:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                format-name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      nas-port-id:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          Format:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                nas-port-type:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string

```

```

        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        format-e-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    nas-port-type:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: int32
                    format-e:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
        format-e:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string

```

```

    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
data_cnbng-cp_profile_radius_accounting_attribute-post:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
cnbng-cp:calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
cnbng-cp:nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cnbng-cp:nas-identifier-format:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
cnbng-cp:nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```



```

        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
format-name:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
value:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        format-e-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
            Properties:
                nas-port-type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                format-e:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
format-e:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string

```

```

    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:
Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name:
Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type:

```

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name:

Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:

Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

```
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id:
  Type: object
  Properties:
    cnbng-cp:calling-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post:
      Type: object
      Properties:
        cnbng-cp:format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
```

```

    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name:

  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type:

  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

        Type: string
        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name:
Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:
Type: object
Properties:
  cnbng-cp:nas-port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier:
Type: object
Properties:
  cnbng-cp:nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format:
Type: object
Properties:
  cnbng-cp:nas-identifier-format:
    Description: (non-presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post:
Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:

```



```

        Type: leaf
        Type: string
        Format: string
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name:

Type: object
Properties:
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type:

Type: object
Properties:
    cnbng-cp:format:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                nas-port-type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                format-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

Type: object
Properties:
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string

```

```

    Format: string
data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:
  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng_cp_profile_radius_accounting_attribute_nas-ip:
  Type: object
  Properties:
    cnbng-cp:nas-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: union
data_cnbng_cp_profile_radius_accounting_attribute_nas-port:
  Type: object
  Properties:
    cnbng-cp:nas-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        format-e-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-e:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
        format-e:
          Description: (leaf)

```

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id:
Type: object
Properties:
  cnbng-cp:nas-port-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string

```

```

    Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array

```

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**nas-port-type:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**format-name:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name:**

**Type:** object

**Properties:**

**cnbng-cp:format-name:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type:**

**Type:** object

**Properties:**

**cnbng-cp:nas-port-type:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_value:**

**Type:** object

**Properties:**

**cnbng-cp:value:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-post:**

**Type:** object

**Properties:**

**cnbng-cp:format-e-list:**

**Type:** array

```

    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    cnbng-cp:format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
    Type: object
    Properties:
      cnbng-cp:format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
    Type: object
    Properties:
      cnbng-cp:format-e-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:

```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
    Type: object
    Properties:
      cnbng-cp:format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
    Type: object
    Properties:
      cnbng-cp:nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
    Type: object
    Properties:
      cnbng-cp:value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  data_cnbng-cp_profile_radius_accounting_deadtime:
    Type: object
    Properties:
      cnbng-cp:deadtime:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_cnbng-cp_profile_radius_accounting_detect-dead-server:
    Type: object
    Properties:

```

```
cnbng-cp:detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_accounting_detect-dead-server-post:
  Type: object
  Properties:
    cnbng-cp:response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout:
  Type: object
  Properties:
    cnbng-cp:response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_accounting_max-retry:
  Type: object
  Properties:
    cnbng-cp:max-retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_accounting_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_algorithm:
  Type: object
```



```

Properties:
  cnbng-cp:algorithm:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
data_cnbng-cp_profile_radius_attribute:
  Type: object
Properties:
  cnbng-cp:attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  calling-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      format-e-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-e:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
      format-e:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
data_cnbng-cp_profile_radius_attribute-post:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
cnbng-cp:calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf

```

```
Type: string
Format: string
cnbng-cp:nas-identifier-format:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
cnbng-cp:nas-port-id:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    cnbng-cp:nas-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        format-e-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-e:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
        format-e:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
data_cnbng-cp_profile_radius_attribute_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```

    Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:

Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_attribute_called-station-id_value:

Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: string
    Format: string
data_cnbng-cp_profile_radius_attribute_calling-station-id:
  Type: object
  Properties:
    cnbng-cp:calling-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_cnbng-cp_profile_radius_attribute_calling-station-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:

```

```
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
```

```

        Type: leaf
        Type: string
        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name:
    Type: object
    Properties:
        cnbng-cp:format-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:
    Type: object
    Properties:
        cnbng-cp:nas-port-type:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
data_cnbng_cp_profile_radius_attribute_calling-station-id_value:
    Type: object
    Properties:
        cnbng-cp:value:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_cnbng_cp_profile_radius_attribute_nas-identifier:
    Type: object
    Properties:
        cnbng-cp:nas-identifier:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_cnbng_cp_profile_radius_attribute_nas-identifier-format:
    Type: object
    Properties:
        cnbng-cp:nas-identifier-format:
            Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:

Type: object
Properties:
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:

Type: object
Properties:
    cnbng-cp:format:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                nas-port-type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                format-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

Type: object
Properties:
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string

```



**Format:** string

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type:**

**Type:** object

**Properties:**

**cnbng-cp:nas-port-type:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-ip:**

**Type:** object

**Properties:**

**cnbng-cp:nas-ip:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** union

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-port:**

**Type:** object

**Properties:**

**cnbng-cp:nas-port:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**format-e-list:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**nas-port-type:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**format-e:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**format-e:**

**Description:** (leaf)

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_radius_attribute_nas-port-id:
  Type: object
  Properties:
    cnbng-cp:nas-port-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```
    Format: string
data_cnbng-cp_profile_radius_attribute_nas-port-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        cnbng-cp:format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        cnbng-cp:value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
```

```

    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:
    Type: object
    Properties:
      cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:
    Type: object
    Properties:
      cnbng-cp:nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_cnbng-cp_profile_radius_attribute_nas-port-id_value:
    Type: object
    Properties:
      cnbng-cp:value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_attribute_nas-port-post:
    Type: object
    Properties:
      cnbng-cp:format-e-list:
        Type: array
        Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:format-e:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_radius_attribute_nas-port_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
```

```

        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng_cp_profile_radius_attribute_nas-port_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng_cp_profile_radius_deadtime:
  Type: object
  Properties:
    cnbng-cp:deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng_cp_profile_radius_detect-dead-server:
  Type: object
  Properties:
    cnbng-cp:detect-dead-server:

```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response-timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_cnbng-cp_profile_radius_detect-dead-server-post:
Type: object
Properties:
  cnbng-cp:response-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:
Type: object
Properties:
  cnbng-cp:response-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_max-retry:
Type: object
Properties:
  cnbng-cp:max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_server-group_server-group-group-name:
Type: object
Properties:
  cnbng-cp:server-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        group-name:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  server:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: auth
            enum:
              - auth
              - acct
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: leafref
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: leafref
      data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name:
        Type: object
        Properties:
          cnbng-cp:group-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
      data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-part:
        Type: object
        Properties:
          cnbng-cp:server:
            Type: array
            Description: (list)

```



```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: auth
        enum:
          - auth
          - acct
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref

```

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_ip:**

```

Type: object
Properties:
  cnbng-cp:ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref

```

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_port:**

```

Type: object
Properties:
  cnbng-cp:port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref

```

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_type:**

```

Type: object
Properties:
  cnbng-cp:type:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
data_cnbng-cp_profile_radius_server_server-ip_server-port:
  Type: object
  Properties:
    cnbng-cp:server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: union
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          Type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: auth
            enum:
              - auth
              - acct
          secret:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          priority:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```
    Type: string
    Format: int32
data_cnbng-cp_profile_radius_server_server-ip_server-port_ip:
  Type: object
  Properties:
    cnbng-cp:ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
data_cnbng-cp_profile_radius_server_server-ip_server-port_port:
  Type: object
  Properties:
    cnbng-cp:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
  Type: object
  Properties:
    cnbng-cp:priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
  Type: object
  Properties:
    cnbng-cp:secret:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
  Type: object
  Properties:
    cnbng-cp:type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: auth
      enum:
        - auth
        - acct
data_cnbng-cp_profile_radius_timeout:
```

```

Type: object
Properties:
  cnbng-cp:timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_cnbng-cp_profile_server-group_server-group-name:
Type: object
Properties:
  cnbng-cp:server-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        radius-group:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
data_cnbng-cp_profile_server-group_server-group-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_server-group_server-group-name_radius-group:
Type: object
Properties:
  cnbng-cp:radius-group:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name:
Type: object

```

```
Properties:
  cnbng-cp:subscriber:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        dhcp-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        pppoe-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        session-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: ipv4
          enum:
            - ipv4
            - ipv6
            - ipv4v6
        l2tp-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        aaa:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
```

```
aaa-option:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  matches:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
```

```
Properties:
  key:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: protocol
    enum:
      - protocol
      - username
      - source-mac
      - circuit-id
      - remote-id
  Type:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: dhcp
      enum:
        - dhcp
        - ppp
  ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
  activate-feature-templates:
```

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        aaa-option:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
  apply-all-class:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  event:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        event-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: session-activate

```



```
enum:
- session-activate
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
      - authenticate
      - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
```

```
class:
  Type: array
  Description: (list)
  x-yang:
```

```

Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: enumeration
                  Default: protocol
                enum:
                  - protocol
                  - username
                  - source-mac
                  - circuit-id
                  - remote-id
              Type:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: enumeration
                  Default: dhcp
                  enum:
                    - dhcp
                    - ppp
              ascii:
                Type: array
                x-yang:

```

```

    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  regex:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  match-type:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
    - any
    - all
  deactivate-feature-templates:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
  activate-feature-templates:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
  aaa:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string

```

**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize  
**profile:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** leafref

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile:**

**Type:** object  
**Properties:**  
**cnbng-cp:aaa:**  
**Type:** array  
**Description:** (list)  
**x-yang:**  
**Type:** list  
**Items:**  
**Type:** object  
**Properties:**  
**aaa-option:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize  
**profile:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** leafref

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option:**

**Type:** object  
**Properties:**  
**cnbng-cp:aaa-option:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

**Type:** object  
**Properties:**  
**cnbng-cp:profile:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** leafref

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_activate-feature-templates\_activate-feature-templates-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:activate-feature-templates:**  
**Type:** array  
**x-yang:**  
**Type:** leaf-list  
**Items:**  
**Description:** (leaf-list)  
**Type:** string  
**Format:** leafref

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_apply-all-class:**

**Type:** object  
**Properties:**  
**cnbng-cp:apply-all-class:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** '[null]'

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name:**

**Type:** object  
**Properties:**  
**cnbng-cp:class:**  
**Type:** array  
**Description:** (list)  
**x-yang:**  
**Type:** list  
**Items:**  
**Type:** object  
**Properties:**  
**class-name:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string  
**matches:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**

```

Type: container
is_presence: 'false'
Properties:
match:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      key:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: protocol
        enum:
        - protocol
        - username
        - source-mac
        - circuit-id
        - remote-id
      Type:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: enumeration
          Default: dhcp
          enum:
          - dhcp
          - ppp
      ascii:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      regex:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
    match-type:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      aaa-option:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: authenticate
        enum:
          - authenticate
          - authorize
      profile:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: leafref
data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class_name_aaa_aaa-aaa-option_aaa-profile:
Type: object
Properties:
  cnbng-cp:aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object

```

```

Properties:
  aaa-option:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
  profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref

```

```
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:
```

```
Type: object
```

```

Properties:
  cnbng-cp:aaa-option:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize

```

```
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile:
```

```
Type: object
```

```

Properties:
  cnbng-cp:profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref

```

```
?
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id
```

```
: type: object
```

```

Properties:
  cnbng-cp:activate-feature-templates:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref

```



**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_class-name:**

**Type:** object  
**Properties:**  
**cnbng-cp:class-name:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches:**

**Type:** object  
**Properties:**  
**cnbng-cp:matches:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**match:**  
**Type:** array  
**Description:** (list)  
**x-yang:**  
**Type:** list  
**Items:**  
**Type:** object  
**Properties:**  
**key:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** protocol  
**enum:**  
- protocol  
- username  
- source-mac  
- circuit-id  
- remote-id  
**Type:**  
**Type:** array  
**x-yang:**  
**Type:** leaf-list  
**Items:**  
**Description:** (leaf-list)  
**Type:** string  
**Format:** enumeration  
**Default:** dhcp  
**enum:**  
- dhcp

```

    - ppp
  ascii:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  regex:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  match-type:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
    - any
    - all
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post:
  Type: object
  Properties:
    cnbng-cp:match:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key:
            Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: protocol
          enum:
            - protocol
            - username
            - source-mac
            - circuit-id
            - remote-id
          Type:

```

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: dhcp
      enum:
        - dhcp
        - ppp
  ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match-type:**

```

Type: object
Properties:
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key:**

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: protocol
          enum:
            - protocol
            - username
            - source-mac
            - circuit-id
            - remote-id
        Type:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: enumeration
            Default: dhcp
            enum:
              - dhcp
              - ppp
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        regex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
  data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id:

```

**Type:** object  
**Properties:**  
  **cnbng-cp:ascii:**  
    **Type:** array  
  **x-yang:**  
    **Type:** leaf-list  
  **Items:**  
    **Description:** (leaf-list)  
    **Type:** string  
    **Format:** string

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_key:**

**Type:** object  
**Properties:**  
  **cnbng-cp:key:**  
    **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
  **Type:** string  
  **Format:** enumeration  
  **Default:** protocol  
  **enum:**  
  - protocol  
  - username  
  - source-mac  
  - circuit-id  
  - remote-id

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_regex\_regex-id:**

**Type:** object  
**Properties:**  
  **cnbng-cp:regex:**  
    **Type:** array  
  **x-yang:**  
    **Type:** leaf-list  
  **Items:**  
    **Description:** (leaf-list)  
    **Type:** string  
    **Format:** string

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id:**

**Type:** object  
**Properties:**  
  **cnbng-cp:type:**  
    **Type:** array  
  **x-yang:**  
    **Type:** leaf-list  
  **Items:**  
    **Description:** (leaf-list)  
    **Type:** string  
    **Format:** enumeration  
    **Default:** dhcp  
  **enum:**

```

    - dhcp
    - ppp
data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile:
  Type: object
  Properties:
    cnbng-cp:dhcp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name:
  Type: object
  Properties:
    cnbng-cp:event:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          event-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: session-activate
            enum:
              - session-activate
          aaa:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                aaa-option:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: enumeration
                  Default: authenticate
                  enum:
                    - authenticate
                    - authorize
                profile:
                  Description: (leaf)
                  x-yang:

```

```

    Type: leaf
    Type: string
    Format: leafref
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
```

```
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol
      enum:
        - protocol
        - username
        - source-mac
        - circuit-id
        - remote-id
    Type:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: dhcp
        enum:
          - dhcp
          - ppp
    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    regex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
```



```

    - all
  deactivate-feature-templates:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  activate-feature-templates:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        aaa-option:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
  data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile:
    Type: object
    Properties:
      cnbng-cp:aaa:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object

```

```

Properties:
  aaa-option:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
  profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option:**

**Type:** object

**Properties:**

```

cnbng-cp:aaa-option:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

**Type:** object

**Properties:**

```

cnbng-cp:profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref

```

?

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_activate-feature-templates\_activate-feature-templates-id**

**: type:** object

**Properties:**

```

cnbng-cp:activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_apply-all-class:**

**Type:** object  
**Properties:**  
 cnbng-cp:apply-all-class:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: '[null]'

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name:**

**Type:** object  
**Properties:**  
 cnbng-cp:class:  
 Type: array  
 Description: (list)  
 x-yang:  
 Type: list  
**Items:**  
 Type: object  
**Properties:**  
 class-name:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string  
 matches:  
 Description: (non-presence)  
 Type: object  
 x-yang:  
 Type: container  
 is\_presence: 'false'  
**Properties:**  
 match:  
 Type: array  
 Description: (list)  
 x-yang:  
 Type: list  
**Items:**  
 Type: object  
**Properties:**  
 key:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: enumeration  
 Default: protocol  
 enum:  
 - protocol

- username
- source-mac
- circuit-id
- remote-id

**Type:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** enumeration**Default:** dhcp**enum:**

- dhcp
- ppp

**ascii:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**regex:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**match-type:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** any**enum:**

- any
- all

**deactivate-feature-templates:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** leafref**activate-feature-templates:****Type:** array**x-yang:**

```

    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        aaa-option:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref

```

?

data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile

: **type:** object

**Properties:**

**cnbng-cp:aaa:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**aaa-option:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** authenticate

**enum:**

- authenticate

- authorize

**profile:**

**Description:** (leaf)

```

        x-yang:
          Type: leaf
          Type: string
          Format: leafref
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option
: type: object
  Properties:
    cnbng-cp:aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: authenticate
      enum:
        - authenticate
        - authorize
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile
: type: object
  Properties:
    cnbng-cp:profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id
: type: object
  Properties:
    cnbng-cp:activate-feature-templates:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name:
Type: object
Properties:
  cnbng-cp:class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id
: type: object
  Properties:

```

**cnbng-cp:deactivate-feature-templates:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** leafref**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches:****Type:** object**Properties:****cnbng-cp:matches:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****match:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****key:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** protocol**enum:**

- protocol
- username
- source-mac
- circuit-id
- remote-id

**Type:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** enumeration**Default:** dhcp**enum:**

- dhcp
- ppp

**ascii:**

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post:

```

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: protocol
          enum:
            - protocol
            - username
            - source-mac
            - circuit-id
            - remote-id
          Type:
            Type: array
            x-yang:

```



```

    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: enumeration
    Default: dhcp
    enum:
      - dhcp
      - ppp
  ascii:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  regex:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
cnbng-cp:match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
    - any
    - all

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type:**

```

Type: object
Properties:
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key:**

```

Type: object
Properties:

```

```

cnbng-cp:match:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      key:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: protocol
        enum:
          - protocol
          - username
          - source-mac
          - circuit-id
          - remote-id
      Type:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: enumeration
          Default: dhcp
          enum:
            - dhcp
            - ppp
      ascii:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      regex:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string

```

?

data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id

: type: object

Properties:

```

cnbng-cp:ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key:
Type: object
Properties:
  cnbng-cp:key:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: protocol
    enum:
      - protocol
      - username
      - source-mac
      - circuit-id
      - remote-id
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id
: type: object
Properties:
  cnbng-cp:regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id
: type: object
Properties:
  cnbng-cp:type:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: dhcp
      enum:
        - dhcp
        - ppp
?

```

```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id
: type: object
  Properties:
    cnbng-cp:deactivate-feature-templates:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:
Type: object
Properties:
  cnbng-cp:event-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:
Type: object
Properties:
  cnbng-cp:l2tp-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
Type: object
Properties:
  cnbng-cp:pppoe-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:

```

```
Type: object
Properties:
  cnbng-cp:session-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: ipv4
    enum:
      - ipv4
      - ipv6
      - ipv4v6
data_cnbng-cp_user-planes:
Type: object
Properties:
  cnbng-cp:user-planes:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      user-plane:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            peer-address:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                ipv4:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                flowctrl-group:
                  Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: string
offline:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: '[null]'
port-id:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      subscriber-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
    subscriber-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    subscriber-redundancy:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        group:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:

```

```
group-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disable:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
standby-mode:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: hot
  enum:
    - hot
    - warm
preferred-role-active:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
revertive-timer:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-id-map:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
```

```

      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_user-planes-post:
  Type: object
  Properties:
    cnbng-cp:user-plane:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          peer-address:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              ipv4:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
          flowctrl-group:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string

```



```
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
port-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    subscriber-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
subscriber-profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
subscriber-redundancy:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
  is_presence: 'false'
  Properties:
    group:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        group-name:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```

    Type: string
    Format: string
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  standby-mode:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: hot
    enum:
      - hot
      - warm
  preferred-role-active:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  revertive-timer:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port-id-map:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      port-name:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            port-id-name:

```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    port-id:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_user-planes_user-plane_user-plane-name:
Type: object
Properties:
    cnbng-cp:user-plane:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                peer-address:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                        Type: container
                        is_presence: 'false'
                    Properties:
                        ipv4:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: string
                flowctrl-group:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                offline:
                    Description: (leaf)
                    x-yang:
                        Type: leaf

```

```

    Type: string
    Format: '[null]'
port-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        subscriber-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
      subscriber-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
    subscriber-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    subscriber-redundancy:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        group:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              group-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              disable:
                Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: '[null]'
standby-mode:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: hot
  enum:
    - hot
    - warm
preferred-role-active:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
revertive-timer:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-id-map:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
```

```

        Format: string
    port-id:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group:
    Type: object
    Properties:
        cnbng-cp:flowctrl-group:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_name:
    Type: object
    Properties:
        cnbng-cp:name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_offline:
    Type: object
    Properties:
        cnbng-cp:offline:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: '[null]'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address:
    Type: object
    Properties:
        cnbng-cp:peer-address:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                ipv4:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post:

```

```
Type: object
Properties:
  cnbng-cp:ipv4:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4:
Type: object
Properties:
  cnbng-cp:ipv4:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id:
Type: object
Properties:
  cnbng-cp:port-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        subscriber-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id:
Type: object
Properties:
  cnbng-cp:id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile:
```

```

Type: object
Properties:
  cnbng-cp:subscriber-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile:
Type: object
Properties:
  cnbng-cp:subscriber-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy:
Type: object
Properties:
  cnbng-cp:subscriber-redundancy:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      group:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            group-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
            standby-mode:
              Description: (leaf)
              x-yang:
                Type: leaf

```



```

    Type: string
    Format: enumeration
    Default: hot
    enum:
    - hot
    - warm
preferred-role-active:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
revertive-timer:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port-id-map:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post:

```

```
Type: object
Properties:
  cnbng-cp:group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        group-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        standby-mode:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: hot
            enum:
              - hot
              - warm
        preferred-role-active:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        revertive-timer:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        peer-identifier:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        port-id-map:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  port-name:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        port-id-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        port-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name:
Type: object
Properties:
  cnbng-cp:group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        group-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        standby-mode:
          Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: hot
enum:
- hot
- warm
preferred-role-active:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: '[null]'
revertive-timer:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
peer-identifier:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
port-id-map:
  Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  port-name:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      port-id-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer

```

**Format:** uint32

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_disable:**

**Type:** object

**Properties:**

**cnbng-cp:disable:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_group-name:**

**Type:** object

**Properties:**

**cnbng-cp:group-name:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_peer-identifier:**

**Type:** object

**Properties:**

**cnbng-cp:peer-identifier:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map:**

**Type:** object

**Properties:**

**cnbng-cp:port-id-map:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**port-name:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**port-id-name:**

**Description:** (leaf)

```

      x-yang:
        Type: leaf
      Type: string
      Format: string
    port-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng_cp_user_planes_user_plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-post:
Type: object
Properties:
  cnbng-cp:port-name:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        port-id-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        port-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
?
data_cnbng_cp_user_planes_user_plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rate_port-rate-port-id-map_port-rate-port-id
: type: object
Properties:
  cnbng-cp:port-name:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        port-id-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string

```

```

        port-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
?
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rate_port-rate-port-id-map_port-rate-port-id_port-id
: type: object
  Properties:
    cnbng-cp:port-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
?
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rate_port-rate-port-id-map_port-rate-port-id_port-id-rate
: type: object
  Properties:
    cnbng-cp:port-id-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active:
Type: object
Properties:
  cnbng-cp:preferred-role-active:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer:
Type: object
Properties:
  cnbng-cp:revertive-timer:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_standby-mode:
Type: object
Properties:
  cnbng-cp:standby-mode:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
  Type: string
  Format: enumeration
  Default: hot
  enum:
    - hot
    - warm
operations:
  Type: object
  Properties:
    ietf-restconf:operations:
      Type: object
      x-yang:
        Type: operations
      Description: This resource is a container that provides access to the
data-model-specific
        RPC operations supported by the server. See RESTCONF RFC 8040 for further
        information.
      Properties: {}
root:
  Type: object
  Properties:
    ietf-restconf:restconf:
      Type: object
      x-yang:
        Type: root
      Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
      Properties:
        data:
          Type: object
          Properties: {}
        operations:
          Type: object
          Properties: {}
        yang-library-version:
          Type: string
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
        YANG module that is implemented by this server. See RESTCONF RFC 8040 for
        further information.
      x-yang:
        Type: leaf
      Properties: {}

```





## CHAPTER 3

# cnbng\_oper

---

- [Info, on page 3217](#)
- [tags, on page 3217](#)
- [Paths, on page 3218](#)

## Info

**Title:** cnbng-oper

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Version:** '2020-12-12'

**basePath:** /restconf

## tags

- **Name:** root  
**Description:** root resources
- **Name:** operations  
**Description:** operations resources
- **Name:** data  
**Description:** data resources
- **Name:** get  
**Description:** get resources
- **Name:** head  
**Description:** head resources
- **Name:** post  
**Description:** post resources
- **Name:** patch  
**Description:** patch resources
- **Name:** put  
**Description:** put resources
- **Name:** options  
**Description:** options resources

```
- Name: delete
  Description: delete resources
schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json
```

## Paths

/

### get:

#### Tags:

```
- root
- get
```

**Summary:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** root\_get

#### produces:

```
- application/yang-data+json
```

**Parameters:** []

#### Responses:

'200':

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

#### Schema:

**Reference:** '#/definitions/root'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /operations

```

get:

Tags:
- operations
- get
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
    Schema:
    Reference: '#/definitions/operations'
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

## /yang-library-version

### get:

```

Tags:
- yang-library-version
- get
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- yang-library-version
- head

**Summary:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** yang\_library\_version\_head

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data

**get:**

**Tags:**

- data
- get

**Summary:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** data\_get

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Schema:**

**Reference:** '#/definitions/data'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-post'
```

**Responses:****'201':**

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**'400':**

**Reference:** '#/responses/400'

**'401':**

**Reference:** '#/responses/401'

**'404':**

**Reference:** '#/responses/404'

**'405':**

**Reference:** '#/responses/405'

**'409':**

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Summary:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** data\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data-put-patch'

**Responses:****'201':**

**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**'400':**

**Reference:** '#/responses/400'

**'401':**

**Reference:** '#/responses/401'

**'404':**

**Reference:** '#/responses/404'

**'405':**

**Reference:** '#/responses/405'

**'409':**

**Reference:** '#/responses/409'

```

security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-put-patch'

Responses:
  '204':
    Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_get
produces:
- application/yang-data+json

```



```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-oper_radius'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cnbng-oper:radius/auth-server

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cnbng-oper\_radius\_auth-server'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference: '#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/ip-port

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_ip\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

  '200':

**Description:** OK

**Schema:**

**Reference:**

      '#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_ip-port'

  '204':

**Reference:** '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_ip_port_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/auth-server-ip-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/ip-address

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_ip_address_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/auth-server-ip-port'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_ip-address'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_ip\_address\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/port

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_port'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/priority

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_priority\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference:
      - '#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_priority'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'



```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_priority_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/auth-server-ip-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/status

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_status_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/auth-server-ip-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:

```

```

      Reference:
'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_status'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_status_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/port-type

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_port_type_get
  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_port-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_port\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```
security:
- basicAuth: []
```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/requests

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_requests_get
produces:
- application/yang-data+json
```

```
Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Description: OK
  Schema:
  Reference:
```

```
'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_requests'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

```
security:
- basicAuth: []
```

head:

```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_requests_head
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/pending-requests

```

get:

Tags:
- data
- get

Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_pending_requests_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_oper_radius_auth-server_auth-server-ip-port_pending-requests'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_pending_requests_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/requests-retransmits

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_requests_retransmits_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_requests-retransmits'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_requests_retransmits_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/accepts

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_accepts\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_accepts'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_accepts\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'



- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/responses

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_responses\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:

**Reference:**

'#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_responses'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_responses\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/rejects

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_rejects\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_rejects'

'204':

**Reference:** '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_rejects_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/auth-server-ip-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/timeouts

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_timeouts_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/auth-server-ip-port'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_timeouts'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_timeouts\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/bad-responses

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_bad\_responses\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_bad-responses'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_bad\_responses\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'
- security:
  - basicAuth: []

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/bad-authenticators

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_bad\_authenticators\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference: '#/definitions/data\_cnbng-oper\_radius\_auth-server\_auth-server-ip-port\_bad-authenticators'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_bad_authenticators_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/unknown-types

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_unknown_types_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_unknown-types'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_unknown_types_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/dropped-responses

**get:**

**Tags:**  
- data



```

- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_dropped_responses_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_dropped-responses'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_dropped_responses_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

## /data/cnbng-oper:radius/auth-server={auth-server-ip-port}/rtt

**get:**

**Tags:**

```
- data
- get
```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_auth\_server\_auth\_server\_ip\_port\_rtt\_get

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Description: OK
```

**Schema:**

**Reference:**

```
'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_rtt'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_rtt_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius/acct-server

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-oper_radius_acct-server'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/ip-port

```

get:

Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_ip_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_oper_radius_acct-server_acct-server-ip-port_ip-port'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_ip_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/ip-address

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_ip\_address\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/acct-server-ip-port'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cnbng-oper\_radius\_acct-server\_acct-server-ip-port\_ip-address'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_ip_address_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/port

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_port'
  '204':
    Reference: '#/responses/204'
  '400':

```



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_port_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/priority

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_priority_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cnbng-oper\_radius\_acct-server\_acct-server-ip-port\_priority'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_priority\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/status

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_status\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_oper\_radius\_acct-server\_acct-server-ip-port\_status'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_status\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/port-type

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_port\_type\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference:
      - '#/definitions/data\_cnbng-oper\_radius\_acct-server\_acct-server-ip-port\_port-type'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_port_type_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/acct-server-ip-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/requests

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_requests_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/acct-server-ip-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:

```

```

Reference:
'#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_requests'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_requests_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/pending-requests

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_acct_server_acct_server_ip_port_pending_requests_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_pending-requests'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_acct_server_acct_server_ip_port_pending_requests_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/requests-retransmits

**get:**

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_requests\_retransmits\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-oper\_radius\_acct-server\_acct-server-ip-port\_requests-retransmits'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

```

- data
- head

```

**Summary:** ''



**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_requests\_retransmits\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/accepts

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_accepts\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_oper\_radius\_acct-server-acct-server-ip-port\_accepts'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_accepts_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/responses

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_responses_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_oper_radius_acct-server_acct-server-ip-port_responses'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_responses_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/rejects

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_rejects\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_oper\_radius\_acct-server\_acct-server-ip-port\_rejects'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_rejects\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/timeouts

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_timeouts\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/acct-server-ip-port'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-oper\_radius\_acct-server\_acct-server-ip-port\_timeouts'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_timeouts_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/bad-responses

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_bad_responses_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_bad-responses'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_bad_responses_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/bad-authenticators

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_acct_server_acct_server_ip_port_bad_authenticators_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-oper\_radius\_acct-server\_acct-server-ip-port\_bad-authenticators'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_bad\_authenticators\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []



## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/unknown-types

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_unknown\_types\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_unknown\_types'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_unknown\_types\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/dropped-responses

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_oper\_radius\_acct\_server\_acct\_server\_ip\_port\_dropped\_responses\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference:
      - '#/definitions/data\_cnbng-oper\_radius\_acct-server\_acct-server-ip-port\_dropped-responses'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_acct_server_acct_server_ip_port_dropped_responses_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-oper:radius/acct-server={acct-server-ip-port}/rtt

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_rtt_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_rtt'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_rtt_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/acct-server-ip-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth

get:

```

  Tags:
    - data
    - get
  Summary: ''

```

**Description:** ''  
**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Description:** OK  
  **Schema:**  
    **Reference:** '#/definitions/data\_cnbng-oper\_radius-dyn-auth'  
**'204':**  
  **Reference:** '#/responses/204'  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'  
**'409':**  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_head  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_clients_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-oper_radius-dyn-auth_clients'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

**head:**

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_clients_head
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients-ip-address'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/clients-ip-address'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/ip-address

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_ip_address_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/clients-ip-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK

```



```

    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_ip-address'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
    data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_ip_address_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/clients-ip-address'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-req

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''

```

**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_coa\_req\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_coa-req'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_coa\_req\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-inprocess-req

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_inprocess_req_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/clients-ip-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-inprocess-req'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data

```

```

- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_inprocess_req_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-retry-req

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_retry_req_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-retry-req'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_retry_req_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-bad-req

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_bad_req_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_coa-bad-req'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_coa\_bad\_req\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-bad-auth

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_bad_auth_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_cnbng_oper_radius_dyn_auth_clients_clients-ip-address_coa-bad-auth'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_bad_auth_head
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-internal-error

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_coa\_internal\_error\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_coa-internal-error'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_internal_error_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-ack

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_ack_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-ack'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_ack_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-nak

**get:**

**Tags:**

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_nak_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng_oper_radius-dyn-auth_clients_clients-ip-address_coa-nak'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_nak_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-req

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_req\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference:
      - '#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_disc-req'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_req\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/clients-ip-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-inprocess-req

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_inprocess\_req\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/clients-ip-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_disc-inprocess-req'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_inprocess_req_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-retry-req

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_retry_req_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-retry-req'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_retry_req_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-bad-req

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_bad\_req\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_disc-bad-req'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''



**Operation ID:**

data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_bad\_req\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/clients-ip-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-bad-auth

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_bad\_auth\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/clients-ip-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_disc-bad-auth'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_bad_auth_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-internal-error

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_internal_error_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_disc-internal-error'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_internal\_error\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-ack

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_ack\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/clients-ip-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients-ip-address\_disc-ack'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_ack\_head

#### produces:

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-nak

**get:****Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cnbng\_oper\_radius\_dyn\_auth\_clients\_clients\_ip\_address\_disc\_nak\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

'#/definitions/data\_cnbng-oper\_radius-dyn-auth\_clients\_clients-ip-address\_disc-nak'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_nak_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/unknown-types

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_unknown_types_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_unknown-types'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_unknown_types_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cnbng-oper:test-radius

**get:**

```

Tags:
- data

```

```

- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_test_radius_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-oper_test-radius'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_test_radius_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':

```



**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Parameters:**

**Content:**

**name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

**depth:**

**name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Type:** integer

**Format:** uint16

**fields:**

**name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Type:** string

**Format:** string

**filter:**

**name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Type:** string

**Format:** string

**with-defaults:**

**name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**insert:**

**name:** insert

**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
 - first  
 - last  
 - before  
 - after

**point:**  
**name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**acct-server-ip-port:**  
**name:** acct-server-ip-port  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**auth-server-ip-port:**  
**name:** auth-server-ip-port  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**clients-ip-address:**  
**name:** clients-ip-address  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**data-post:**  
**name:** data  
**In:** body  
**Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'  
**Required/Optional:** true  
**Schema:**  
**Reference:** '#/definitions/data-post'

**data-put-patch:**  
**name:** data  
**In:** body  
**Description:** 'This module contains a operational YANG definitions

for Cisco Cloud-Native BNG Control-Plane.  
 Copyright (c) 2020 by Cisco Systems, Inc.  
 All rights reserved.'

**Required/Optional:** true

**Schema:**

**Reference:** '#/definitions/data-put-patch'

**Responses:**

'200':

**Description:** OK

'201':

**Description:** Created

'204':

**Description:** No Content

'400':

**Description:** Bad Request

'401':

**Description:** Unauthorized

'404':

**Description:** Not Found

'405':

**Description:** Method Not Allowed

'409':

**Description:** Conflict

**securityDefinitions:**

**basicAuth:**

**Type:** basic

**definitions:**

**data:**

**Type:** object

**Properties:**

**ietf-restconf:data:**

**Type:** object

**Description:** This resource represents the combined configuration and state data resources that can be accessed by a client and cannot be created or deleted by the client. See RESTCONF RFC 8040 for further information.

**x-yang:**

**Type:** datastore

**Properties:** {}

**data-post:**

**Type:** object

**Properties:**

**cnbng-oper:radius:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**auth-server:**

**Type:** array

**Description:** (list)

**x-yang:**

```
Type: list
Items:
  Type: object
  Properties:
    ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    priority:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    requests:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    pending-requests:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
```

**Format:** uint32

**requests-retransmits:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**accepts:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**Responses:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**rejects:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**timeouts:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**bad-responses:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**bad-authenticators:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**unknown-types:**

- Description:** (leaf)
- x-yang:**
  - Type:** leaf
  - Type:** integer
  - Format:** uint32

**dropped-responses:**

- Description:** (leaf)

```

    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  rtt:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
acct-server:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port-type:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
    Type: string
    Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32

Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
```

```

    bad-authenticators:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    unknown-types:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    dropped-responses:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    rtt:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
cnbng-oper:radius-dyn-auth:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    clients:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        ip-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        coa-req:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32

```



```
coa-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-inprocess-req:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
  Type: integer
  Format: uint32
disc-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
cnbng-oper:test-radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'

```

```

    Properties: {}
data-put-patch:
  Type: object
  Properties:
    ietf-restconf:data:
      Description: 'This module contains a operational YANG definitions
        for Cisco Cloud-Native BNG Control-Plane.
        Copyright (c) 2020 by Cisco Systems, Inc.
        All rights reserved.'
      Type: object
      x-yang:
        Type: datastore
      Properties:
        cnbng-oper:radius:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            auth-server:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                ip-port:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                ip-address:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                port:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
                priority:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32

```

```
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32

Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
```

```
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
acct-server:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```
    Type: string
    Format: string
port:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
status:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
```

Responses:

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
cnbng-oper:radius-dyn-auth:
  Description: (non-presence)
  Type: object
  x-yang:
```

```
Type: container
is_presence: 'false'
Properties:
clients:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      coa-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-inprocess-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-retry-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-bad-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-bad-auth:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-internal-error:
        Description: (leaf)
        x-yang:
          Type: leaf
```



```
    Type: integer
    Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-ack:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
    disc-nak:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
    unknown-types:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  cnbng-oper:test-radius:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
data_cnbng-oper_radius:
  Type: object
  Properties:
    cnbng-oper:radius:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      auth-server:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            ip-port:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            ip-address:
              Description: (leaf)
              x-yang:

```

```
    Type: leaf
    Type: string
    Format: string
port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
```

```
Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
acct-server:
  Type: array
  Description: (list)
```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    requests:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    pending-requests:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32

Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
dropped-responses:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      rtt:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-oper_radius-dyn-auth:
Type: object
Properties:
  cnbng-oper:radius-dyn-auth:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      clients:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            ip-address:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            coa-req:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            coa-inprocess-req:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            coa-retry-req:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```
    Type: integer
    Format: uint32
coa-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-req:
```



```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
disc-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
data_cnbng-oper_radius-dyn-auth_clients:
Type: object
Properties:
  cnbng-oper:clients:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip-address:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```
    Format: string
coa-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-req:
  Description: (leaf)
```

```
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-inprocess-req:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-retry-req:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-bad-req:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-bad-auth:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-internal-error:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-ack:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-nak:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
unknown-types:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
```

```

    Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address:
  Type: object
  Properties:
    cnbng-oper:clients:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          coa-req:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          coa-inprocess-req:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          coa-retry-req:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          coa-bad-req:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          coa-bad-auth:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          coa-internal-error:
            Description: (leaf)
            x-yang:

```

```
    Type: leaf
  Type: integer
  Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-req:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
```

```

    disc-ack:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    disc-nak:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    unknown-types:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-ack:
    Type: object
    Properties:
      cnbng-oper:coa-ack:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-bad-auth:
    Type: object
    Properties:
      cnbng-oper:coa-bad-auth:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-bad-req:
    Type: object
    Properties:
      cnbng-oper:coa-bad-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-inprocess-req:
    Type: object
    Properties:
      cnbng-oper:coa-inprocess-req:
        Description: (leaf)
        x-yang:

```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-internal-error:
Type: object
Properties:
  cnbng-oper:coa-internal-error:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-nak:
Type: object
Properties:
  cnbng-oper:coa-nak:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-req:
Type: object
Properties:
  cnbng-oper:coa-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-retry-req:
Type: object
Properties:
  cnbng-oper:coa-retry-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-ack:
Type: object
Properties:
  cnbng-oper:disc-ack:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-bad-auth:
```

```
Type: object
Properties:
  cnbng-oper:disc-bad-auth:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-bad-req:
Type: object
Properties:
  cnbng-oper:disc-bad-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-inprocess-req:
Type: object
Properties:
  cnbng-oper:disc-inprocess-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-internal-error:
Type: object
Properties:
  cnbng-oper:disc-internal-error:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-nak:
Type: object
Properties:
  cnbng-oper:disc-nak:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-req:
Type: object
Properties:
  cnbng-oper:disc-req:
    Description: (leaf)
    x-yang:
```



```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-retry-req:
    Type: object
    Properties:
        cnbng-oper:disc-retry-req:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_ip-address:
    Type: object
    Properties:
        cnbng-oper:ip-address:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_unknown-types:
    Type: object
    Properties:
        cnbng-oper:unknown-types:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-oper_radius_acct-server:
    Type: object
    Properties:
        cnbng-oper:acct-server:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    ip-port:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
                    ip-address:
                        Description: (leaf)
                        x-yang:
```

```
    Type: leaf
  Type: string
  Format: string
port:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
status:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
```

```
Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port:
  Type: object
  Properties:
```

```
cnbnng-oper:acct-server:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ip-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      priority:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      status:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      requests:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      pending-requests:
```

**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
**Type:** integer  
**Format:** uint32

**requests-retransmits:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
**Type:** integer  
**Format:** uint32

**accepts:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
**Type:** integer  
**Format:** uint32

**Responses:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
**Type:** integer  
**Format:** uint32

**rejects:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
**Type:** integer  
**Format:** uint32

**timeouts:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
**Type:** integer  
**Format:** uint32

**bad-responses:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
**Type:** integer  
**Format:** uint32

**bad-authenticators:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
**Type:** integer  
**Format:** uint32

**unknown-types:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf

```

        Type: integer
        Format: uint32
    dropped-responses:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    rtt:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_accepts:
    Type: object
    Properties:
        cnbng-oper:accepts:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_bad-authenticators:
    Type: object
    Properties:
        cnbng-oper:bad-authenticators:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_bad-responses:
    Type: object
    Properties:
        cnbng-oper:bad-responses:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_dropped-responses:
    Type: object
    Properties:
        cnbng-oper:dropped-responses:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32

```

```
data_cnbng-oper_radius_acct-server_acct-server-ip-port_ip-address:
  Type: object
  Properties:
    cnbng-oper:ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_acct-server_acct-server-ip-port_ip-port:
  Type: object
  Properties:
    cnbng-oper:ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_acct-server_acct-server-ip-port_pending-requests:
  Type: object
  Properties:
    cnbng-oper:pending-requests:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_port:
  Type: object
  Properties:
    cnbng-oper:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_port-type:
  Type: object
  Properties:
    cnbng-oper:port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_acct-server_acct-server-ip-port_priority:
  Type: object
  Properties:
    cnbng-oper:priority:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_rejects:
  Type: object
  Properties:
    cnbng-oper:rejects:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_requests:
  Type: object
  Properties:
    cnbng-oper:requests:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_requests-retransmits:
  Type: object
  Properties:
    cnbng-oper:requests-retransmits:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_responses:
  Type: object
  Properties:
    cnbng-oper:responses:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_rtt:
  Type: object
  Properties:
    cnbng-oper:rtt:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_status:
  Type: object
  Properties:

```



```
cnbng-oper:status:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
data_cnbng-oper_radius_acct-server_acct-server-ip-port_timeouts:
  Type: object
  Properties:
    cnbng-oper:timeouts:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_unknown-types:
  Type: object
  Properties:
    cnbng-oper:unknown-types:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server:
  Type: object
  Properties:
    cnbng-oper:auth-server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip-port:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          ip-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```
    Type: integer
    Format: uint32
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32

Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  timeouts:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  bad-responses:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  bad-authenticators:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  unknown-types:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  dropped-responses:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  rtt:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port:
  Type: object
  Properties:
    cnbng-oper:auth-server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
```

**Properties:**

- ip-port:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- ip-address:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- port:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** uint32
- priority:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** uint32
- status:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- port-type:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- requests:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** uint32
- pending-requests:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** integer
    - Format:** uint32
- requests-retransmits:**
  - Description:** (leaf)

```
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  accepts:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32

  Responses:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  rejects:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  timeouts:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  bad-responses:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  bad-authenticators:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  unknown-types:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  dropped-responses:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
```

```

        Format: uint32
    rtt:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_accepts:
    Type: object
    Properties:
        cnbng-oper:accepts:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_bad-authenticators:
    Type: object
    Properties:
        cnbng-oper:bad-authenticators:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_bad-responses:
    Type: object
    Properties:
        cnbng-oper:bad-responses:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_dropped-responses:
    Type: object
    Properties:
        cnbng-oper:dropped-responses:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_ip-address:
    Type: object
    Properties:
        cnbng-oper:ip-address:
            Description: (leaf)
            x-yang:
                Type: leaf

```

```

    Type: string
    Format: string
data_cnbng-oper_radius_auth-server_auth-server-ip-port_ip-port:
  Type: object
  Properties:
    cnbng-oper:ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_auth-server_auth-server-ip-port_pending-requests:
  Type: object
  Properties:
    cnbng-oper:pending-requests:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_port:
  Type: object
  Properties:
    cnbng-oper:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_port-type:
  Type: object
  Properties:
    cnbng-oper:port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_auth-server_auth-server-ip-port_priority:
  Type: object
  Properties:
    cnbng-oper:priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_rejects:
  Type: object
  Properties:
    cnbng-oper:rejects:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_requests:
  Type: object
  Properties:
    cnbng-oper:requests:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_requests-retransmits:
  Type: object
  Properties:
    cnbng-oper:requests-retransmits:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_responses:
  Type: object
  Properties:
    cnbng-oper:responses:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_rtt:
  Type: object
  Properties:
    cnbng-oper:rtt:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_status:
  Type: object
  Properties:
    cnbng-oper:status:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-oper_radius_auth-server_auth-server-ip-port_timeouts:

```



```

Type: object
Properties:
  cnbng-oper:timeouts:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_unknown-types:
Type: object
Properties:
  cnbng-oper:unknown-types:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_test-radius:
Type: object
Properties:
  cnbng-oper:test-radius:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
operations:
Type: object
Properties:
  ietf-restconf:operations:
    Type: object
    x-yang:
      Type: operations
    Description: This resource is a container that provides access to the
data-model-specific
RPC operations supported by the server. See RESTCONF RFC 8040 for further
information.
    Properties: {}
root:
Type: object
Properties:
  ietf-restconf:restconf:
    Type: object
    x-yang:
      Type: root
    Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
    Properties:
      data:
        Type: object
        Properties: {}

```

```
    operations:
      Type: object
      Properties: {}
    yang-library-version:
      Type: string
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
        YANG module that is implemented by this server. See RESTCONF RFC 8040 for
        further information.
      x-yang:
        Type: leaf
      Properties: {}
```



## CHAPTER 4

# cnbng\_sync

---

- [Info](#), on page 3355
- [tags](#), on page 3355
- [Paths](#), on page 3356

## Info

**Title:** cnbng-infra

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Version:** '2021-06-23'

**basePath:** /restconf

## tags

- **Name:** root  
**Description:** root resources
- **Name:** operations  
**Description:** operations resources
- **Name:** data  
**Description:** data resources
- **Name:** get  
**Description:** get resources
- **Name:** head  
**Description:** head resources
- **Name:** post  
**Description:** post resources
- **Name:** patch  
**Description:** patch resources
- **Name:** put  
**Description:** put resources
- **Name:** options  
**Description:** options resources

```

- Name: delete
  Description: delete resources
schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

## Paths

/

**get:**

**Tags:**

```

- root
- get

```

**Summary:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** root\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:** []

**Responses:**

'200':

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Schema:**

**Reference:** '#/definitions/root'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
Reference: '#/responses/200'
security:
- basicAuth: []
```

## /operations

```
get:

Tags:
- operations
- get
Summary: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
Description: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Schema:
Reference: '#/definitions/operations'
'204':
```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

## /yang-library-version

### get:

#### Tags:

```
- yang-library-version
- get
```

**Summary:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** yang\_library\_version\_get

#### produces:

```
- application/yang-data+json
```

**Parameters:** []

### Responses:

'200':

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

#### Schema:

**Reference:** '#/definitions/yang-library-version'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- yang-library-version
- head

**Summary:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** yang\_library\_version\_head

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data

**get:**

**Tags:**

- data
- get

**Summary:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** data\_get

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Schema:**

**Reference:** '#/definitions/data'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-post'
```



**Responses:**

'201':

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Summary:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** data\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data-put-patch'

**Responses:**

'201':

**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-put-patch'

Responses:
'204':
  Description: 'This module contains a collection of YANG definitions
for Cisco Cloud-Native BNG Control-Plane configuration.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

## /data/cnbng-infra:subscriber

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_infra_subscriber_get
produces:
- application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-infra_subscriber'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_infra_subscriber_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
```

```

- post
Summary: ''
Description: ''
Operation ID: data_cnbng_infra_subscriber_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-infra_subscriber-post'

Responses:
  '201':
    Description: container subscriber created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_infra_subscriber_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-infra_subscriber'

Responses:
  '201':
    Description: container subscriber created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_infra_subscriber_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_infra_subscriber'

  Responses:
    '204':
      Description: container subscriber updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_infra_subscriber_delete
    produces:
      - application/yang-data+json
    Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_infra_subscriber_options
produces:
- application/yang-data+json
Parameters: []

```

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

**Parameters:****Content:**

```

name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

```

**depth:**

```

name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Type: integer
Format: uint16

```

**fields:**

```

name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Type: string
Format: string

```

**filter:**

```

name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Type: string
Format: string

```

**with-defaults:**

```

name: with-defaults
In: query
Description: controlling default values in response

```

**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**insert:**  
**name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
- first  
- last  
- before  
- after

**point:**  
**name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**data-post:**  
**name:** data  
**In:** body  
**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'  
**Required/Optional:** true  
**Schema:**  
**Reference:** '#/definitions/data-post'

**data-put-patch:**  
**name:** data  
**In:** body  
**Description:** 'This module contains a collection of YANG definitions for Cisco Cloud-Native BNG Control-Plane configuration. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'  
**Required/Optional:** true  
**Schema:**  
**Reference:** '#/definitions/data-put-patch'

**data\_cnbng-infra\_subscriber:**  
**name:** subscriber  
**In:** body  
**Description:** ''  
**Required/Optional:** true

```

Schema:
  Reference: '#/definitions/data_cnbng-infra_subscriber'
data_cnbng-infra_subscriber-post:
  name: subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-infra_subscriber-post'

Responses:
'200':
  Description: OK
'201':
  Description: Created
'204':
  Description: No Content
'400':
  Description: Bad Request
'401':
  Description: Unauthorized
'404':
  Description: Not Found
'405':
  Description: Method Not Allowed
'409':
  Description: Conflict
securityDefinitions:
basicAuth:
  Type: basic
definitions:
data:
  Type: object
  Properties:
    ietf-restconf:data:
      Type: object
      Description: This resource represents the combined configuration and state
        data resources that can be accessed by a client and cannot be created or
        deleted by the client. See RESTCONF RFC 8040 for further information.
      x-yang:
        Type: datastore
        Properties: {}
data-post:
  Type: object
  Properties:
    cnbng-infra:subscriber:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties: {}

```



```

data-put-patch:
  Type: object
  Properties:
    ietf-restconf:data:
      Description: 'This module contains a collection of YANG definitions
        for Cisco Cloud-Native BNG Control-Plane configuration.
        Copyright (c) 2020 by Cisco Systems, Inc.
        All rights reserved.'
      Type: object
      x-yang:
        Type: datastore
      Properties:
        cnbng-infra:subscriber:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
            Properties: {}
    data_cnbng-infra_subscriber:
      Type: object
      Properties:
        cnbng-infra:subscriber:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
            Properties: {}
    data_cnbng-infra_subscriber-post:
      Type: object
      Properties: {}
  operations:
    Type: object
    Properties:
      ietf-restconf:operations:
        Type: object
        x-yang:
          Type: operations
        Description: This resource is a container that provides access to the
          data-model-specific
          RPC operations supported by the server. See RESTCONF RFC 8040 for further
          information.
        Properties: {}
  root:
    Type: object
    Properties:
      ietf-restconf:restconf:
        Type: object
        x-yang:
          Type: root
        Description: This is the RESTCONF root resource for the RESTCONF datastore
          and operation resources. See RESTCONF RFC 8040 for further information.

```

```
Properties:
  data:
    Type: object
    Properties: {}
  operations:
    Type: object
    Properties: {}
  yang-library-version:
    Type: string
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
        YANG module that is implemented by this server. See RESTCONF RFC 8040 for
        further information.
    x-yang:
      Type: leaf
  Properties: {}
```



## CHAPTER 5

### etcd

---

- [Info, on page 3371](#)
- [tags, on page 3371](#)
- [Paths, on page 3372](#)

### Info

**Title:** cisco-smi-etcd  
**Description:** ''  
**Version:** '2022-03-16'  
**basePath:** /restconf

### tags

- **Name:** root  
**Description:** root resources
- **Name:** operations  
**Description:** operations resources
- **Name:** data  
**Description:** data resources
- **Name:** get  
**Description:** get resources
- **Name:** head  
**Description:** head resources
- **Name:** post  
**Description:** post resources
- **Name:** patch  
**Description:** patch resources
- **Name:** put  
**Description:** put resources
- **Name:** options  
**Description:** options resources
- **Name:** delete  
**Description:** delete resources

```

schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

## Paths

/

```

get:

Tags:
- root
- get
Summary: ''
Description: ''
Operation ID: root_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/root'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: ''
Description: ''

```

```
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /operations

```
get:

Tags:
- operations
- get
Summary: ''
Description: ''
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

## /yang-library-version

```
get:

Tags:
```

```

- yang-library-version
- get
Summary: ''
Description: ''
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: ''
Description: ''
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data

**get:**

```

Tags:
- data

```

```
- get
Summary: ''
Description: ''
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_post
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/data-post'

**Responses:**

'201':  
**Description:** Created  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data-put-patch'

**Responses:**

'201':  
**Description:** Created  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''



**Description:** ''  
**Operation ID:** data\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data-put-patch'

**Responses:**  
**'204':**  
  **Description:** No Content  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'  
**'409':**  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

## /data/cisco-smi-etcd:etcd

**get:**

**Tags:**  
- data  
- get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Description:** OK  
  **Schema:**  
    **Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd'  
**'204':**  
  **Reference:** '#/responses/204'  
**'400':**

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd-post'

  Responses:
  '201':
    Description: container etcd created
  '204':
    Reference: '#/responses/204'
  '400':

```

```
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd'

  Responses:
  '201':
    Description: container etcd created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_patch
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd'

**Responses:**

'204':  
 Description: container etcd updated  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
 Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-smi-etcd:etcd/repository

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_repository\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_repository'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_repository\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_repository\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_repository'

**Responses:**

'201':  
 Description: leaf repository created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_repository\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_repository'

```
Responses:
  '204':
    Description: leaf repository updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_repository_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_repository_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-etcd:etcd/node-affinity

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_node\_affinity\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_node-affinity'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_node\_affinity\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'



```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_node_affinity_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_node-affinity'

Responses:
  '201':
    Description: leaf node-affinity created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_node_affinity_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_node-affinity'
```

**Responses:**

'204':  
**Description:** leaf node-affinity updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_node\_affinity\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_node\_affinity\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-smi-etcd:etcd/replicas

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_replicas\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_replicas'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_replicas\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_replicas\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_replicas'

**Responses:**

'201':  
 Description: leaf replicas created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_replicas\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_replicas'

```
Responses:
  '204':
    Description: leaf replicas updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_replicas_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_replicas_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-etcd:etcd/volume

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_volume\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_volume'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_volume\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

**'200'**:  
    **Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**put:****Tags:**

- data
- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cisco\_smi\_etcd\_etcd\_volume\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_cisco-smi-etcd\_etcd\_volume'

**Responses:**

**'201'**:  
    **Description**: leaf volume created or replaced

**'204'**:  
    **Reference**: '#/responses/204'

**'400'**:  
    **Reference**: '#/responses/400'

**'401'**:  
    **Reference**: '#/responses/401'

**'404'**:  
    **Reference**: '#/responses/404'

**'405'**:  
    **Reference**: '#/responses/405'

**'409'**:  
    **Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:****Tags:**

- data
- patch

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cisco\_smi\_etcd\_etcd\_volume\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_cisco-smi-etcd\_etcd\_volume'

```
Responses:
  '204':
    Description: leaf volume updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_volume_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_volume_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```



## /data/cisco-smi-etcd:etcd/backup

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_backup\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_backup'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_backup\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_backup\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_backup-post'

**Responses:**

- '201':
  - Description: container backup created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_backup\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_backup'

```
Responses:
  '201':
    Description: container backup created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup'

Responses:
  '204':
    Description: container backup updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_backup\_delete  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_backup\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-etcd:etcd/backup/disable

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_backup\_disable\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_backup\_disable'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_disable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_disable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup_disable'

  Responses:
  '201':
    Description: leaf disable created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_disable_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup_disable'

  Responses:
    '204':
      Description: leaf disable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_disable_delete
  produces:
  - application/yang-data+json

```

```
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cisco-smi-etcd:etcd/backup/frequency

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup_frequency'
  '204':
    Reference: '#/responses/204'
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup_frequency'

  Responses:
    '201':
      Description: leaf frequency created or replaced
    '204':
      Reference: '#/responses/204'

```



```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup_frequency'

Responses:
'204':
  Description: leaf frequency updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-smi-etcd:etcd/monitoring

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post
  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_post
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring-post'
  Responses:
  '201':
    Description: container monitoring created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring'

Responses:
  '201':
    Description: container monitoring created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring'

```

```
Responses:
  '204':
    Description: container monitoring updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/cisco-smi-etcd:etcd/monitoring/enabled

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_enabled\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_monitoring\_enabled'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_enabled\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_enabled'

Responses:
  '201':
    Description: leaf enabled created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_enabled'
```

```
Responses:
  '204':
    Description: leaf enabled updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```



## /data/cisco-smi-etcd:etcd/monitoring/alerts

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_monitoring\_alerts'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_monitoring\_alerts-post'

**Responses:**

- '201':
  - Description: container alerts created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_monitoring\_alerts'

```
Responses:
  '201':
    Description: container alerts created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts'

Responses:
  '204':
    Description: container alerts updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_delete  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_dbsize\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_monitoring\_alerts\_dbsize'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post'

Responses:
'201':
  Description: container dbsize created
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'

  Responses:
    '201':
      Description: container dbsize created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_patch

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'

Responses:
'204':
  Description: container dbsize updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

## /data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize/major-alert-threshold

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference:
'#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```



data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_dbsize\_major\_alert\_threshold\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_smi\_etcd\_etcd\_monitoring\_alerts\_dbsize\_major\_alert\_threshold\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref:

'#/parameters/data\_cisco-smi-etcd\_etcd\_monitoring\_alerts\_dbsize\_major-alert-threshold'

**Responses:**

'201':

Description: leaf major-alert-threshold created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'

Responses:
  '204':
    Description: leaf major-alert-threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_options
produces:
- application/yang-data+json

```

```

Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize/critical-alert-threshold

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'

Responses:
  '201':
    Description: leaf critical-alert-threshold created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []

```

```

patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'

  Responses:
    '204':
      Description: leaf critical-alert-threshold updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''

```

```

Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-etcd:etcd/enable-daily-defragmentation

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'

  Responses:
  '201':
    Description: leaf enable-daily-defragmentation created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'

Responses:
  '204':
    Description: leaf enable-daily-defragmentation updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```



**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_enable\_daily\_defragmentation\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-etcd:etcd/daily-defragmentation-start-time

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_daily\_defragmentation\_start\_time\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**

'#/definitions/data\_cisco-smi-etcd\_etcd\_daily-defragmentation-start-time'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_daily\_defragmentation\_start\_time\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_daily\_defragmentation\_start\_time\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_cisco-smi-etcd\_etcd\_daily-defragmentation-start-time'

**Responses:****'201':****Description:** leaf daily-defragmentation-start-time created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:**

```
Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'

Responses:
'204':
  Description: leaf daily-defragmentation-start-time updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_options
produces:
```

```

- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-smi-etcd:etcd/storage-label

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-etcd_etcd_storage-label'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data

```

```
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_storage-label'

Responses:
  '201':
    Description: leaf storage-label created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
```

```

- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_storage-label'

Responses:
  '204':
    Description: leaf storage-label updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_options
produces:
- application/yang-data+json
Parameters: []

```

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
- **basicAuth:** []

## /data/cisco-smi-etcd:etcd/external-ip

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_external\_ip\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
- **basicAuth:** []

## /data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}

**get:**

**Tags:**  
- data  
- get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/external-ip-ip'  
- **\$ref:** '#/parameters/external-ip-port'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
  '200':

```

    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/external-ip-ip'
    - $ref: '#/parameters/external-ip-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_put

    produces:

```



```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list external-ip created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

Responses:
'204':
  Description: list external-ip updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/ip

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

**/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/ip**

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_smi\_etcd\_etcd\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/external-ip-ip'
- \$ref: '#/parameters/external-ip-port'
- \$ref:

'#/parameters/data\_cisco-smi-etcd\_etcd\_external-ip\_external-ip-ip\_external-ip-port\_ip'

**Responses:**

'201':  
 Description: leaf ip created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

```

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/external-ip-ip'
    - $ref: '#/parameters/external-ip-port'
    - $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

  Responses:
    '204':
      Description: leaf ip updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/external-ip-ip'
    - $ref: '#/parameters/external-ip-port'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_options

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/port

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/external-ip-ip'  
 - **\$ref:** '#/parameters/external-ip-port'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/port

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**  
 data\_cisco\_smi\_etcd\_etcd\_external\_ip\_external\_ip\_ip\_external\_ip\_port\_port\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/external-ip-ip'  
 - **\$ref:** '#/parameters/external-ip-port'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
 '#/definitions/data\_cisco-smi-etcd\_etcd\_external-ip\_external-ip-ip\_external-ip-port\_port'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/external-ip-ip'
        - $ref: '#/parameters/external-ip-port'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
        put:

        Tags:
          - data
          - put
        Summary: ''
        Description: ''
        Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_put
        produces:
          - application/yang-data+json

        Parameters:
          - $ref: '#/parameters/external-ip-ip'
          - $ref: '#/parameters/external-ip-port'
          - $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

      Responses:
        '201':
          Description: leaf port created or replaced
        '204':
          Reference: '#/responses/204'
        '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

Responses:
  '204':
    Description: leaf port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_delete
produces:

```



```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/label

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put

```

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

Responses:
'201':
  Description: leaf label created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

Responses:
'204':
  Description: leaf label updated
'400':
  Reference: '#/responses/400'
'401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
'204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-smi-etcd:etcd/network-policy

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_network\_policy\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_network-policy'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_network\_policy\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_network\_policy\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_network-policy-post'

**Responses:**

- '201':
  - Description: container network-policy created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_network\_policy\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_cisco-smi-etcd\_etcd\_network-policy'

```
Responses:
  '201':
    Description: container network-policy created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_network_policy_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_network-policy'

Responses:
  '204':
    Description: container network-policy updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_network\_policy\_delete  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_network\_policy\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-smi-etcd:etcd/network-policy/enable

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_smi\_etcd\_etcd\_network\_policy\_enable\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-smi-etcd\_etcd\_network-policy\_enable'



```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_network-policy_enable'

  Responses:
  '201':
    Description: leaf enable created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:
  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_patch
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/data_cisco-smi-etcd_etcd_network-policy_enable'
  Responses:
    '204':
      Description: leaf enable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_delete
  produces:
    - application/yang-data+json

```

```
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

Parameters:
Content:
  name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
depth:
  name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Type: integer
  Format: uint16
fields:
  name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Type: string
  Format: string
filter:
```

```
  name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Type: string
  Format: string
with-defaults:
  name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
insert:
  name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
point:
  name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Type: string
  Format: string
data-post:
  name: data
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data-post'
data-put-patch:
  name: data
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data-put-patch'
```

```
data_cisco-smi-etcd_etcd:
  name: etcd
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd'
data_cisco-smi-etcd_etcd-post:
  name: etcd
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd-post'
data_cisco-smi-etcd_etcd_backup:
  name: backup
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup'
data_cisco-smi-etcd_etcd_backup-post:
  name: backup
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup-post'
data_cisco-smi-etcd_etcd_backup_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup_disable'
data_cisco-smi-etcd_etcd_backup_frequency:
  name: frequency
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup_frequency'
data_cisco-smi-etcd_etcd_daily-defragmentation-start-time:
  name: daily-defragmentation-start-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
data_cisco-smi-etcd_etcd_enable-daily-defragmentation:
  name: enable-daily-defragmentation
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port:
  name: external-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label:
  name: label
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port:
  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'
data_cisco-smi-etcd_etcd_monitoring:
  name: monitoring
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring'
data_cisco-smi-etcd_etcd_monitoring-post:
  name: monitoring
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring-post'

```

```
data_cisco-smi-etcd_etcd_monitoring_alerts:
  name: alerts
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts'
data_cisco-smi-etcd_etcd_monitoring_alerts-post:
  name: alerts
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts-post'
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize:
  name: dbsize
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post:
  name: dbsize
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post'
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold:
  name: critical-alert-threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold:
  name: major-alert-threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'
data_cisco-smi-etcd_etcd_monitoring_enabled:
  name: enabled
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_enabled'
```

```

data_cisco-smi-etcd_etcd_network-policy:
  name: network-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_network-policy'
data_cisco-smi-etcd_etcd_network-policy-post:
  name: network-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_network-policy-post'
data_cisco-smi-etcd_etcd_network-policy_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_network-policy_enable'
data_cisco-smi-etcd_etcd_node-affinity:
  name: node-affinity
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_node-affinity'
data_cisco-smi-etcd_etcd_replicas:
  name: replicas
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_replicas'
data_cisco-smi-etcd_etcd_repository:
  name: repository
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_repository'
data_cisco-smi-etcd_etcd_storage-label:
  name: storage-label
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_storage-label'
data_cisco-smi-etcd_etcd_volume:
  name: volume

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-etcd_etcd_volume'
external-ip-ip:
  name: external-ip-ip
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: union
external-ip-port:
  name: external-ip-port
  In: path
  Description: ''
  Required/Optional: true
  Type: integer
  Format: uint16

Responses:
'200':
  Description: OK
'201':
  Description: Created
'204':
  Description: No Content
'400':
  Description: Bad Request
'401':
  Description: Unauthorized
'404':
  Description: Not Found
'405':
  Description: Method Not Allowed
'409':
  Description: Conflict
securityDefinitions:
basicAuth:
  Type: basic
definitions:
data:
  Type: object
  Properties:
    ietf-restconf:data:
      Type: object
      Description: This resource represents the combined configuration and state
        data resources that can be accessed by a client and cannot be created or
        deleted by the client. See RESTCONF RFC 8040 for further information.
      x-yang:
        Type: datastore
        Properties: {}

```

```

data-post:
  Type: object
  Properties:
    cisco-smi-etcd:etcd:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        repository:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        node-affinity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        replicas:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
        volume:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
        backup:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: boolean
            frequency:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```
    Type: integer
    Format: uint32
monitoring:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            major-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
            critical-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
    enable-daily-defragmentation:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    daily-defragmentation-start-time:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
  storage-label:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  external-ip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: union
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
        label:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  network-policy:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
  data-put-patch:
    Type: object
    Properties:
      ietf-restconf:data:

```

```
Description: ''
Type: object
x-yang:
  Type: datastore
Properties:
  cisco-smi-etcd:etcd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      repository:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
      node-affinity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      replicas:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      volume:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      backup:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
          frequency:
            Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  monitoring:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enabled:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      alerts:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          dbsize:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              major-alert-threshold:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              critical-alert-threshold:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
          enable-daily-defragmentation:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
          daily-defragmentation-start-time:
            Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  storage-label:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  external-ip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: union
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
      label:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  network-policy:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
  data_cisco-smi-etcd_etcd:
    Type: object
```

```
Properties:
  cisco-smi-etcd:etcd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      repository:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
      node-affinity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      replicas:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      volume:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      backup:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
          frequency:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
```



```
monitoring:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            major-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
            critical-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
    enable-daily-defragmentation:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    daily-defragmentation-start-time:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```

storage-label:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
external-ip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    label:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
network-policy:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
  is_presence: 'true'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-etcd_etcd-post:
  Type: object
  Properties:
    cisco-smi-etcd:repository:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
  Type: string
  Format: leafref
cisco-smi-etcd:node-affinity:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cisco-smi-etcd:replicas:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
cisco-smi-etcd:volume:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
cisco-smi-etcd:backup:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    frequency:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cisco-smi-etcd:monitoring:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: boolean
  alerts:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      dbsize:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          major-alert-threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          critical-alert-threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
  cisco-smi-etcd:enable-daily-defragmentation:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  cisco-smi-etcd:daily-defragmentation-start-time:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cisco-smi-etcd:storage-label:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cisco-smi-etcd:external-ip:
    Type: array
    Description: (list)
    x-yang:
      Type: list

```

```
Items:
  Type: object
  Properties:
    ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    label:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  cisco-smi-etcd:network-policy:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
  data_cisco-smi-etcd_etcd_backup:
    Type: object
    Properties:
      cisco-smi-etcd:backup:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: boolean
          frequency:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cisco-smi-etcd_etcd_backup-post:
  Type: object
  Properties:
    cisco-smi-etcd:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    cisco-smi-etcd:frequency:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-etcd_etcd_backup_disable:
  Type: object
  Properties:
    cisco-smi-etcd:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-etcd_etcd_backup_frequency:
  Type: object
  Properties:
    cisco-smi-etcd:frequency:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-etcd_etcd_daily-defragmentation-start-time:
  Type: object
  Properties:
    cisco-smi-etcd:daily-defragmentation-start-time:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-etcd_etcd_enable-daily-defragmentation:
  Type: object
  Properties:
    cisco-smi-etcd:enable-daily-defragmentation:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port:
Type: object
Properties:
  cisco-smi-etcd:external-ip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: union
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
        label:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip:
Type: object
Properties:
  cisco-smi-etcd:ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label:
Type: object
Properties:
  cisco-smi-etcd:label:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string

```

```

    Format: string
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port:
  Type: object
  Properties:
    cisco-smi-etcd:port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cisco-smi-etcd_etcd_monitoring:
  Type: object
  Properties:
    cisco-smi-etcd:monitoring:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enabled:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
        alerts:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            dbsize:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              major-alert-threshold:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              critical-alert-threshold:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer

```



```

    Format: uint32
data_cisco-smi-etcd_etcd_monitoring-post:
  Type: object
  Properties:
    cisco-smi-etcd:enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    cisco-smi-etcd:alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            major-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
            critical-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts:
  Type: object
  Properties:
    cisco-smi-etcd:alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
```

```

    is_presence: 'false'
  Properties:
    major-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    critical-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts-post:
  Type: object
  Properties:
    cisco-smi-etcd:dbsize:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        major-alert-threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        critical-alert-threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize:
  Type: object
  Properties:
    cisco-smi-etcd:dbsize:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        major-alert-threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer

```

```
        Format: uint32
    critical-alert-threshold:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post:
    Type: object
    Properties:
        cisco-smi-etcd:major-alert-threshold:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
        cisco-smi-etcd:critical-alert-threshold:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold:
    Type: object
    Properties:
        cisco-smi-etcd:critical-alert-threshold:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold:
    Type: object
    Properties:
        cisco-smi-etcd:major-alert-threshold:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cisco-smi-etcd_etcd_monitoring_enabled:
    Type: object
    Properties:
        cisco-smi-etcd:enabled:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: boolean
data_cisco-smi-etcd_etcd_network-policy:
    Type: object
```

```

Properties:
  cisco-smi-etcd:network-policy:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
data_cisco-smi-etcd_etcd_network-policy-post:
  Type: object
  Properties:
    cisco-smi-etcd:enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-etcd_etcd_network-policy_enable:
  Type: object
  Properties:
    cisco-smi-etcd:enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-etcd_etcd_node-affinity:
  Type: object
  Properties:
    cisco-smi-etcd:node-affinity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-etcd_etcd_replicas:
  Type: object
  Properties:
    cisco-smi-etcd:replicas:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cisco-smi-etcd_etcd_repository:

```

```
Type: object
Properties:
  cisco-smi-etcd:repository:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cisco-smi-etcd_etcd_storage-label:
Type: object
Properties:
  cisco-smi-etcd:storage-label:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cisco-smi-etcd_etcd_volume:
Type: object
Properties:
  cisco-smi-etcd:volume:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
operations:
Type: object
Properties:
  ietf-restconf:operations:
    Type: object
    x-yang:
      Type: operations
    Description: This resource is a container that provides access to the
data-model-specific
RPC operations supported by the server. See RESTCONF RFC 8040 for further
information.
    Properties: {}
root:
Type: object
Properties:
  ietf-restconf:restconf:
    Type: object
    x-yang:
      Type: root
    Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
    Properties:
      data:
        Type: object
        Properties: {}
      operations:
```

```
    Type: object
    Properties: {}
  yang-library-version:
    Type: string
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
        YANG module that is implemented by this server. See RESTCONF RFC 8040 for
        further information.
      x-yang:
        Type: leaf
      Properties: {}
```



## CHAPTER 6

### infra

---

- [Info](#), on page 3479
- [tags](#), on page 3479
- [Paths](#), on page 3480

### Info

**Title:** tailf-mobile-infra  
**Description:** ''  
**Version:** '2021-02-19'  
**basePath:** /restconf

### tags

- **Name:** root  
**Description:** root resources
- **Name:** operations  
**Description:** operations resources
- **Name:** data  
**Description:** data resources
- **Name:** get  
**Description:** get resources
- **Name:** head  
**Description:** head resources
- **Name:** post  
**Description:** post resources
- **Name:** patch  
**Description:** patch resources
- **Name:** put  
**Description:** put resources
- **Name:** options  
**Description:** options resources
- **Name:** delete  
**Description:** delete resources

```

schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

## Paths

/

```

get:

Tags:
- root
- get
Summary: ''
Description: ''
Operation ID: root_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/root'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: ''
Description: ''

```



```
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /operations

```
get:

Tags:
- operations
- get
Summary: ''
Description: ''
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

## /yang-library-version

```
get:

Tags:
```

```

- yang-library-version
- get
Summary: ''
Description: ''
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: ''
Description: ''
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data

**get:**

```

Tags:
- data

```

```
- get
Summary: ''
Description: ''
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_post
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/data-post'

**Responses:**

- '201':
  - Description:** Created
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data-put-patch'

**Responses:**

- '201':
  - Description:** Created
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

```
Description: ''  
Operation ID: data_patch  
produces:  
- application/yang-data+json  
  
Parameters:  
- $ref: '#/parameters/data-put-patch'  
  
Responses:  
  '204':  
    Description: No Content  
  '400':  
    Reference: '#/responses/400'  
  '401':  
    Reference: '#/responses/401'  
  '404':  
    Reference: '#/responses/404'  
  '405':  
    Reference: '#/responses/405'  
  '409':  
    Reference: '#/responses/409'  
security:  
- basicAuth: []
```

## /data/tailf-mobile-infra:sessions

get:

```
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_sessions_get  
produces:  
- application/yang-data+json  
  
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'  
  
Responses:  
  '200':  
    Description: OK  
    Schema:  
      Reference: '#/definitions/data_tailf-mobile-infra_sessions'  
  '204':  
    Reference: '#/responses/204'  
  '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_sessions_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_sessions_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_sessions-post'

  Responses:
  '201':
    Description: container sessions created
  '204':
    Reference: '#/responses/204'
  '400':

```

```
      Reference: '#/responses/400'
'401':
      Reference: '#/responses/401'
'404':
      Reference: '#/responses/404'
'405':
      Reference: '#/responses/405'
'409':
      Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_sessions_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_sessions'

Responses:
'201':
  Description: container sessions created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_sessions_patch
produces:
- application/yang-data+json

Parameters:
```

- \$ref: '#/parameters/data\_taulf-mobile-infra\_sessions'

**Responses:**

'204':  
**Description:** container sessions updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_sessions\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_sessions\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []



## /data/taif-mobile-infra:sessions/commit-pending

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_sessions\_commit-pending'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{c****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/commit-pending-podInstance'
- \$ref: '#/parameters/commit-pending-grInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference:

'#/definitions/data\_tailf-mobile-infra\_sessions\_commit-pending\_commit-pending-podInstance\_commit-pending-grInstance'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/commit-pending-podInstance'
    - $ref: '#/parameters/commit-pending-grInstance'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance}

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_podInstance_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/commit-pending-podInstance'
    - $ref: '#/parameters/commit-pending-grInstance'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_taillf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_podInstance'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_taillf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_podInstance_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/commit-pending-podInstance'
- $ref: '#/parameters/commit-pending-grInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_grInstance\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/commit-pending-podInstance'
- **\$ref:** '#/parameters/commit-pending-grInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_sessions\_commit-pending\_commit-pending-podInstance\_commit-pending-grInstance\_grInstance'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_grInstance\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/commit-pending-podInstance'
- **\$ref:** '#/parameters/commit-pending-grInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{c

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_count\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/commit-pending-podInstance'
- **\$ref:** '#/parameters/commit-pending-grInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_sessions\_commit-pending\_commit-pending-podInstance\_commit-pending-grInstance\_count'

'204':

**Reference:** '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_count\_head

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/commit-pending-podInstance'
- $ref: '#/parameters/commit-pending-grInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

## /data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance}

**get:****Tags:**

```
- data
- get
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_pendingCommit\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/commit-pending-podInstance'
- \$ref: '#/parameters/commit-pending-grInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_taulf-mobile-infra\_sessions\_commit-pending\_commit-pending-podInstance\_commit-pending-grInstance\_pendingCommit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_pendingCommit\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/commit-pending-podInstance'
- \$ref: '#/parameters/commit-pending-grInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'



**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance}

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_taiF\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_dbBinarySize\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/commit-pending-podInstance'  
 - **\$ref:** '#/parameters/commit-pending-grInstance'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**

'#/definitions/data\_taiF\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_dbBinarySize'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_dbBinarySize\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/commit-pending-podInstance'
- **\$ref:** '#/parameters/commit-pending-grInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{c

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_sessions\_commit\_pending\_commit\_pending\_podInstance\_commit\_pending\_grInstance\_lastDbSyncTime\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/commit-pending-podInstance'
- **\$ref:** '#/parameters/commit-pending-grInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

```

    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_lastDbSyncTime'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_lastDbSyncTime_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/commit-pending-podInstance'
  - $ref: '#/parameters/commit-pending-grInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:sessions/affinity

**get:**

**Tags:**

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_sessions_affinity_get
produces:
- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_sessions_affinity'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Summary:** ''**Description:** ''

```

Operation ID: data_tailf_mobile_infra_sessions_affinity_head

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:sessions/affinity={affinity-podInstance}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_sessions_affinity_affinity_podInstance_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/affinity-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_taulf-mobile-infra_sessions_affinity_affinity-podInstance'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''

```

**Operation ID:** data\_tailf\_mobile\_infra\_sessions\_affinity\_affinity\_podInstance\_head  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/affinity-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:sessions/affinity={affinity-podInstance}/podInstance

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_sessions\_affinity\_affinity\_podInstance\_podInstance\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/affinity-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

Reference:

'#/definitions/data\_tailf-mobile-infra\_sessions\_affinity\_affinity-podInstance\_podInstance'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_sessions_affinity_affinity_podInstance_podInstance_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/affinity-podInstance'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:sessions/affinity={affinity-podInstance}/count

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_sessions_affinity_affinity_podInstance_count_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/affinity-podInstance'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_sessions\_affinity\_affinity-podInstance\_count'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_tailf\_mobile\_infra\_sessions\_affinity\_affinity\_podInstance\_count\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/affinity-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:peers

**get:**



```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_peers_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_peers'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_peers_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_peers-post'

Responses:
  '201':
    Description: container peers created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_peers'

Responses:
  '201':
    Description: container peers created or replaced
  '204':

```

```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_peers_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_peers'

Responses:
  '204':
    Description: container peers updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_peers_delete
produces:
- application/yang-data+json
Parameters: []
```

```

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taillf-mobile-infra:peers/all

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_all_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_peers_all'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_peers_all_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-localAddress'

```

```
/data/taillf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}
```

- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all-grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_grInstance\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/all-grInstance'
  - $ref: '#/parameters/all-endpoint'
  - $ref: '#/parameters/all-localAddress'
  - $ref: '#/parameters/all-peerAddress'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:

```

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress\_grInstance'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_grInstance\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-localAddress'
- **\$ref:** '#/parameters/all-peerAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_endpoint\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-localAddress'
- **\$ref:** '#/parameters/all-peerAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'



```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_endpoint'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_endpoint_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-localAddress'
- $ref: '#/parameters/all-peerAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/localAddress

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_localAddress\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-localAddress'
- **\$ref:** '#/parameters/all-peerAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress\_localAddress'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_localAddress\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_peerAddress\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/direction**

```

Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_peerAddress'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_peerAddress_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-localAddress'
    - $ref: '#/parameters/all-peerAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

**/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}**

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_direction_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-localAddress'
- $ref: '#/parameters/all-peerAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_direction'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_direction_head

produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/podInstance

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_podInstance\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress\_podInstance'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_podInstance_head

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-localAddress'
- $ref: '#/parameters/all-peerAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress\_type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'



- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all-grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_connectedTime\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all\_endpoint\_all-localAddress\_all-peerAddress\_connectedTime'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_connectedTime_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-localAddress'
- $ref: '#/parameters/all-peerAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/rpc

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_rpc_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress\_rpc'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_rpc\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/additionalDetails

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_additionalDetails\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress\_additionalDetails'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_additionalDetails_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/all-grInstance'
        - $ref: '#/parameters/all-endpoint'
        - $ref: '#/parameters/all-localAddress'
        - $ref: '#/parameters/all-peerAddress'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

```

get:

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_interfaceName_get

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/all-grInstance'
        - $ref: '#/parameters/all-endpoint'
        - $ref: '#/parameters/all-localAddress'

```

- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress\_interfaceName'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all-grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_interfaceName\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_vrf\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/all-grInstance'
  - $ref: '#/parameters/all-endpoint'
  - $ref: '#/parameters/all-localAddress'
  - $ref: '#/parameters/all-peerAddress'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:

```

'#/definitions/data\_tailf-mobile-infra\_peers\_all\_all-grInstance\_all-endpoint\_all-localAddress\_all-peerAddress\_vrf'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_peers\_all\_all\_grInstance\_all\_endpoint\_all\_localAddress\_all\_peerAddress\_vrf\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-localAddress'
- **\$ref:** '#/parameters/all-peerAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:rpc

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_rpc\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:**



```
      Reference: '#/definitions/data_tailf-mobile-infra_rpc'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_rpc_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post
  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_rpc_post
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_rpc-post'
  Responses:
  '201':
```

```

    Description: container rpc created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_rpc_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_rpc'

Responses:
  '201':
    Description: container rpc created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''

```

**Operation ID:** data\_taulf\_mobile\_infra\_rpc\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_taulf-mobile-infra\_rpc'

**Responses:**  
**'204':**  
  **Description:** container rpc updated  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'  
**'409':**  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**delete:**

**Tags:**  
- data  
- delete

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_rpc\_delete  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
**'204':**  
  **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_rpc\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/taif-mobile-infra:rpc/all

### get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_rpc_all_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

### Responses:

```

'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_rpc_all'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

### head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_rpc_all_head
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/podInstance

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_podInstance_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_podInstance'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_podInstance\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taulf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/name

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-podInstance'
- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/all-remoteAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_taulf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**



```

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/remoteAddress

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteAddress_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteAddress'
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteAddress_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/remoteHost

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteHost_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteHost'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteHost_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

**/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/type**

- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

**'200':**  
**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

## **/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/type**

**get:**

**Tags:**

- data
- get

**Summary**: ''

**Description**: ''

**Operation ID:**

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/all-podInstance'
- **\$ref**: '#/parameters/all-name'
- **\$ref**: '#/parameters/all-remoteAddress'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

**'200':**  
**Description**: OK  
**Schema**:

**Reference**:

'#/definitions/data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_type'

**'204':**  
**Reference**: '#/responses/204'

**'400':**  
**Reference**: '#/responses/400'

**'401':**  
**Reference**: '#/responses/401'

**'404':**  
**Reference**: '#/responses/404'

**'405':**  
**Reference**: '#/responses/405'

**'409':**  
**Reference**: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_type_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-podInstance'
      - $ref: '#/parameters/all-name'
      - $ref: '#/parameters/all-remoteAddress'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/s

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_setName_get
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-podInstance'
      - $ref: '#/parameters/all-name'
      - $ref: '#/parameters/all-remoteAddress'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_setName'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_setName_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-podInstance'
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/all-remoteAddress'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/s

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_status\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-podInstance'
- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/all-remoteAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_taulf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_status'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_status\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-podInstance'
- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/all-remoteAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/con

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_connectedTime\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-podInstance'
- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/all-remoteAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_connectedTime'

'204':



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_connectedTime_head

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/d

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_disconnectedTime\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_disconnectedTime'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_disconnectedTime\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/m

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_monitorRPCHost\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_monitorRPCHost'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_monitorRPCHost_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-podInstance'
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/all-remoteAddress'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/pro

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_processingInstanceInfo_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-podInstance'
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/all-remoteAddress'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_taillf-mobile-infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_processingInstanceInfo'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_taillf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_processingInstanceInfo\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

```

security:
- basicAuth: []

```

## /data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/ver

**get:**

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_rpc\_all\_all\_podInstance\_all\_name\_all\_remoteAddress\_version\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_rpc\_all\_all\_podInstance\_all-name\_all-remoteAddress\_version'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

```

- data

```

```

- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_version_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/vrf

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_vrf_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

Reference:
'/#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_vrf'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_vrf_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-podInstance'
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/all-remoteAddress'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:resources

**get:**

```

Tags:
- data
- get

```



```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resources'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resources-post'

Responses:
  '201':
    Description: container resources created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resources'

Responses:
  '201':
    Description: container resources created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resources'

Responses:
'204':
  Description: container resources updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_resources_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taulf-mobile-infra:resources/info

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_resources_info_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_taulf-mobile-infra_resources_info'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:resources/info={info-podInstance}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:resources/info={info-podInstance}/podInstance

**get:**

```

Tags:
- data
- get

```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_podInstance\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/info-podInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

- Description:** OK
- Schema:**
- Reference:**  
'#/definitions/data\_tailf-mobile-infra\_resources\_info\_info-podInstance\_podInstance'

'204':

- Reference:** '#/responses/204'

'400':

- Reference:** '#/responses/400'

'401':

- Reference:** '#/responses/401'

'404':

- Reference:** '#/responses/404'

'405':

- Reference:** '#/responses/405'

'409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_podInstance\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/info-podInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:resources/info={info-podInstance}/cpuUsage

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_cpuUsage\_get  
**produces:**  
 - application/yang-data+json  
**Parameters:**  
 - **\$ref:** '#/parameters/info-podInstance'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_tailf-mobile-infra\_resources\_info\_info-podInstance\_cpuUsage'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data



```

- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_cpuUsage_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:resources/info={info-podInstance}/totalNodeMemoryInMB

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_resources_info_info_podInstance_totalNodeMemoryInMB_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_totalNodeMemoryInMB'

  '204':
    Reference: '#/responses/204'
  '400':

```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_resources_info_info_podInstance_totalNodeMemoryInMB_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:resources/info={info-podInstance}/usedPodMemoryInMB

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_resources_info_info_podInstance_usedPodMemoryInMB_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_resources\_info\_info-podInstance\_usedPodMemoryInMB'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_usedPodMemoryInMB\_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

## /data/taif-mobile-infra:resources/info={info-podInstance}/diskUsageInKbps

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_diskUsageInKbps\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/info-podInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_resources\_info\_info-podInstance\_diskUsageInKbps'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_diskUsageInKbps\_head

#### produces:

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:resources/info={info-podInstance}/goRoutinesCount

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_goRoutinesCount\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_resources\_info\_info-podInstance\_goRoutinesCount'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_resources_info_info_podInstance_goRoutinesCount_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:resources/info={info-podInstance}/gcCount

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_gcCount_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_gcCount'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_gcCount_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/info-podInstance'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:resources/info={info-podInstance}/gcPauseInNS

```

get:
  Tags:
    - data
    - get
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_gcPauseInNS\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_resources\_info\_info-podInstance\_gcPauseInNS'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resources\_info\_info\_podInstance\_gcPauseInNS\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'



```
Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/tailf-mobile-infra:running-status

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_running_status_get
produces:
- application/yang-data+json
```

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_running-status'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

head:

```
Tags:
- data
- head
Summary: ''
Description: ''
```

**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post

**Tags:**

- data  
 - post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_running-status-post'

**Responses:**

'201':

**Description:** container running-status created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_running-status'

**Responses:**  
'201':  
  **Description:** container running-status created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- basicAuth: []

**patch:**

**Tags:**  
- data  
- patch

**Summary:** ''  
**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_running-status'

**Responses:**  
'204':  
  **Description:** container running-status updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_delete**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/taif-mobile-infra:running-status/info

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_info\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_running-status_info'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_running_status_info_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:running-status/info={info-podInstance}

```

get:

Tags:
- data
- get

```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_info\_info\_podInstance\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/info-podInstance'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_running-status\_info\_info-podInstance'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_running\_status\_info\_info\_podInstance\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/info-podInstance'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:running-status/info={info-podInstance}/podInstance

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_tailf\_mobile\_infra\_running\_status\_info\_info\_podInstance\_podInstance\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/info-podInstance'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_running-status\_info\_info-podInstance\_podInstance'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data

```

- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_podInstance_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:running-status/info={info-podInstance}/runningStatus

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_runningStatus_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_running-status_info_info-podInstance_runningStatus'
  '204':
    Reference: '#/responses/204'
  '400':

```



```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_runningStatus_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:running-status/info={info-podInstance}/systemHealth

```

get:
  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_systemHealth_get
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/info-podInstance'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf-mobile-infra\_running-status\_info\_info-podInstance\_systemHealth'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_running\_status\_info\_info\_podInstance\_systemHealth\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/taif-mobile-infra:running-status/info={info-podInstance}/startTime

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_startTime_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_tailf-mobile-infra_running-status_info_info-podInstance_startTime'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_startTime_head
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'
- security:
  - basicAuth: []

## /data/taillf-mobile-infra:diagnostics

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_taillf\_mobile\_infra\_diagnostics\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference: '#/definitions/data\_taillf-mobile-infra\_diagnostics'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

```
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_diagnostics_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_diagnostics_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_diagnostics-post'

  Responses:
    '201':
      Description: container diagnostics created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_diagnostics_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_diagnostics'

    Responses:
      '201':
        Description: container diagnostics created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_diagnostics_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_diagnostics'

    Responses:
      '204':
        Description: container diagnostics updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_diagnostics_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_diagnostics_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/taif-mobile-infra:diagnostics/info

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_diagnostics_info_get
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

- '200':

- Description**: OK

- Schema**:

- Reference**: '#/definitions/data\_taulf-mobile-infra\_diagnostics\_info'

- '204':

- Reference**: '#/responses/204'

- '400':

- Reference**: '#/responses/400'

- '401':

- Reference**: '#/responses/401'

- '404':

- Reference**: '#/responses/404'

- '405':

- Reference**: '#/responses/405'

- '409':

- Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**head:****Tags:**

- data
- head

- Summary**: ''

- Description**: ''

- Operation ID**: data\_taulf\_mobile\_infra\_diagnostics\_info\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

- '200':

- Reference**: '#/responses/200'

**security:**

- **basicAuth**: []



## /data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_head
  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/podInstance

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_diagnostics\_info\_info\_podInstance\_info\_diagnostic\_podInstance\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_diagnostics\_info\_info-podInstance\_info-diagnostic\_podInstance'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_podInstance_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/diag

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_diagnostic_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_diagnostics\_info\_info-podInstance\_info-diagnostic\_diagnostic'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_diagnostics\_info\_info\_podInstance\_info\_diagnostic\_diagnostic\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/com

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_component_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_component'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_component_head

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/info-diagnostic'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taulf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/startTime

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_startTime_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/info-diagnostic'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_startTime'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_startTime_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/status

```

get:
  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_status_get
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/info-podInstance'

```

- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_diagnostics\_info\_info-podInstance\_info-diagnostic\_status'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_diagnostics\_info\_info\_podInstance\_info\_diagnostic\_status\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'



```

security:
- basicAuth: []

```

## /data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/retries

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_diagnostics\_info\_info\_podInstance\_info\_diagnostic\_retries\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/info-diagnostic'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_diagnostics\_info\_info\_podInstance\_info-diagnostic\_retries'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_diagnostics\_info\_info\_podInstance\_info\_diagnostic\_retries\_head  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/info-podInstance'  
 - **\$ref:** '#/parameters/info-diagnostic'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:infra

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_infra\_get  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
         **Reference:** '#/definitions/data\_tailf-mobile-infra\_infra'  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post
  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_post
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_infra-post'
  Responses:
    '201':
      Description: container infra created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_infra_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_infra'

    Responses:
    '201':
        Description: container infra created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_infra_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_infra'

```

```
Responses:
  '204':
    Description: container infra updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taulf-mobile-infra:infra/metrics

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_infra\_metrics\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_infra\_metrics'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_infra\_metrics\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

**'200':**  
  **Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**Method**: Post

**Tags:**

- data
- post

**Summary**: ''

**Description**: ''

**Operation ID**: data\_tailf\_mobile\_infra\_infra\_metrics\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_infra\_metrics-post'

**Responses:**

**'201':**  
  **Description**: container metrics created

**'204':**  
  **Reference**: '#/responses/204'

**'400':**  
  **Reference**: '#/responses/400'

**'401':**  
  **Reference**: '#/responses/401'

**'404':**  
  **Reference**: '#/responses/404'

**'405':**  
  **Reference**: '#/responses/405'

**'409':**  
  **Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**put**:

**Tags:**

- data
- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_tailf\_mobile\_infra\_infra\_metrics\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_infra\_metrics'

**Responses:**

'201':  
**Description:** container metrics created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_infra\_metrics'

**Responses:**

'204':  
**Description:** container metrics updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''



**Operation ID:** data\_taulf\_mobile\_infra\_infra\_metrics\_delete  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '204':  
    **Reference:** '#/responses/204'  
**security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_infra\_metrics\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
  - **basicAuth:** []

## /data/taulf-mobile-infra:infra/metrics/experimental

**get:**

**Tags:**  
- data  
- get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_infra\_metrics\_experimental\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
  '200':  
    **Description:** OK  
    **Schema:**  
      **Reference:** '#/definitions/data\_taulf-mobile-infra\_infra\_metrics\_experimental'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra_metrics_experimental-post'

  Responses:
    '201':
      Description: container experimental created

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_metrics_experimental'

Responses:
'201':
  Description: container experimental created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_patch
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_experimental'

**Responses:**

- '204':

- Description:** container experimental updated

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

- Summary:** ''

- Description:** ''

- Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_experimental\_delete

**produces:**

- application/yang-data+json

- Parameters:** []

**Responses:**

- '204':

- Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

- Summary:** ''

- Description:** ''

- Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_experimental\_options

**produces:**

- application/yang-data+json

- Parameters:** []

**Responses:**

- '200':

- Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/tailf-mobile-infra:infra/metrics/experimental/version

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_experimental\_version\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_infra\_metrics\_experimental\_version'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_experimental\_version\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_experimental\_version\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_experimental\_version'

**Responses:**

'201':  
 Description: leaf version created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_experimental\_version\_patch

**produces:**

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_infra_metrics_experimental_version'

Responses:
'204':
  Description: leaf version updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_infra_metrics_experimental_version_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_infra_metrics_experimental_version_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taillf-mobile-infra:infra/metrics/verbose

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_infra\_metrics\_verbose'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'



- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose-post'

**Responses:**

'201':  
 Description: container verbose created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose'

**Responses:**

'201':  
**Description:** container verbose created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose'

**Responses:**

'204':  
**Description:** container verbose updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

```

Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:infra/metrics/verbose/verboseLevels

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podT

```

get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

```

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list verboseLevels created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType'

Responses:
  '204':
    Description: list verboseLevels updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

```

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
    head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/verboseLevels-podType'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
    put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/verboseLevels-podType'
        - $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType'

      Responses:
        '201':
          Description: leaf podType created or replaced
        '204':
          Reference: '#/responses/204'
        '400':

```



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType'

Responses:
  '204':
    Description: leaf podType updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_level'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data

```

```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level'

Responses:
'201':
  Description: leaf level created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level'

Responses:
'204':
  Description: leaf level updated
'400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_metrics'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/verboseLevels-podType'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**Method:** Post

**Tags:**  
 - data  
 - post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_post

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/verboseLevels-podType'  
 - **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_metrics-post'

**Responses:**  
 '201':  
   **Description:** container metrics created

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_metrics'

**Responses:**

'201':

**Description:** container metrics created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_metrics'

**Responses:**



```

    '204':
      Description: container metrics updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/taillf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}

**options:**

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_metricsList\_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

?

~~/data/taillf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}~~

: get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_metricsList\_metricsList\_name\_get

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK

```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_put
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:** '#/parameters/metricsList-name'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_metrics\_metricsList\_metricsList-name'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list metricsList created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_metrics\_metricsList\_metricsList\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:** '#/parameters/metricsList-name'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_metrics\_metricsList\_metricsList-name'

**Responses:**

'204':

**Description:** list metricsList updated

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
?
```

**/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}/name**  
: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_metricsList\_metricsList\_name\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/verboseLevels-podType'
- \$ref: '#/parameters/metricsList-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_metricsList\_metricsList-name\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_metricsList\_metricsList\_name\_name\_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_name_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_name'

Responses:
'201':
  Description: leaf name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_metricsList\_metricsList\_name\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:** '#/parameters/metricsList-name'
- **\$ref:**

#/parameters/data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_metricsList\_metricsList-name\_name'

**Responses:**

'204':

**Description:** leaf name updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels\_podType\_metrics\_metricsList\_metricsList\_name\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:** '#/parameters/metricsList-name'

**Responses:**

'204':

**Reference:** '#/responses/204'



```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/taillf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}/level
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_taillf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList-name_level'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_put

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref:
'#/parameters/data_taillf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level'

Responses:
'201':
  Description: leaf level created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taillf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref:
'#/parameters/data_taillf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level'

Responses:
'204':
  Description: leaf level updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
    delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/verboseLevels-podType'
    - $ref: '#/parameters/metricsList-name'

    Responses:
      '204':
        Reference: '#/responses/204'
      security:
      - basicAuth: []
    options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/verboseLevels-podType'
    - $ref: '#/parameters/metricsList-name'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
      - basicAuth: []
?
/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}/granular-labels
: options:

    Tags:
    - data

```

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/taif-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}/granular-labels={granular-labels-id}
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/granular-labels-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList-name_granular-labels_granular-labels-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/granular-labels-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/granular-labels-id'

```

```

- $ref:
  '#/parameters/data_tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList-rate-granular-labels-granular-labels-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list granular-labels created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList-rate-granular-labels-granular-labels-id_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/verboseLevels-podType'
    - $ref: '#/parameters/metricsList-name'
    - $ref: '#/parameters/granular-labels-id'
    - $ref:
      '#/parameters/data_tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList-rate-granular-labels-granular-labels-id'

  Responses:
    '204':
      Description: leaf-list granular-labels updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':

```

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
    delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/verboseLevels-podType'
    - $ref: '#/parameters/metricsList-name'
    - $ref: '#/parameters/granular-labels-id'

    Responses:
      '204':
        Reference: '#/responses/204'
      security:
      - basicAuth: []
    options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/verboseLevels-podType'
    - $ref: '#/parameters/metricsList-name'
    - $ref: '#/parameters/granular-labels-id'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
      - basicAuth: []

```



## /data/taif-mobile-infra:infra/transaction

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_infra\_transaction'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_infra\_transaction\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_taulf-mobile-infra\_infra\_transaction-post'

**Responses:**

- '201':
  - Description: container transaction created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_infra\_transaction\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_taulf-mobile-infra\_infra\_transaction'

```
Responses:
  '201':
    Description: container transaction created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction'

Responses:
  '204':
    Description: container transaction updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

```

Operation ID: data_taulf_mobile_infra_infra_transaction_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_infra_transaction_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:infra/transaction/limit

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_infra_transaction_limit_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_infra_transaction_limit'

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit-post'

  Responses:
  '201':
    Description: container limit created
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit'

  Responses:
    '201':
      Description: container limit created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_patch

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit'

Responses:
'204':
  Description: container limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
```

```
security:
- basicAuth: []
```

## /data/tailf-mobile-infra:infra/transaction/limit/stage

**get:**

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_stage_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_stage'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
```

**head:**

```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_stage_head
produces:
```



```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_infra_transaction_limit_stage_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_infra_transaction_limit_stage'

Responses:
  '201':
    Description: leaf stage created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_infra_transaction_limit_stage_patch
produces:
```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_limit\_stage'

**Responses:**

'204':  
**Description:** leaf stage updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_limit\_stage\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_limit\_stage\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:infra/transaction/limit/consecutive

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_limit\_consecutive\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_infra\_transaction\_limit\_consecutive'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_limit\_consecutive\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_limit\_consecutive\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_limit\_consecutive-post'

**Responses:**

'201':  
 Description: container consecutive created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_limit\_consecutive\_put**produces:**

- application/yang-data+json

**Parameters:**

```
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive'
```

**Responses:**

- '201':
  - Description:** container consecutive created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_limit\_consecutive\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_limit\_consecutive'

**Responses:**

- '204':
  - Description:** container consecutive updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data
- delete

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/taif-mobile-infra:infra/transaction/limit/consecutive/same

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

```
    Schema:
      Reference:
'#/definitions/data_taulf-mobile-infra_infra_transaction_limit_consecutive_same'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_infra_transaction_limit_consecutive_same_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_infra_transaction_limit_consecutive_same_post
    produces:
    - application/yang-data+json

    Parameters:
    - $ref:
'#/parameters/data_taulf-mobile-infra_infra_transaction_limit_consecutive_same-post'
```

**Responses:**

'201':  
**Description:** container same created  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_limit\_consecutive\_same\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_limit\_consecutive\_same'

**Responses:**

'201':  
**Description:** container same created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**



```
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same'

Responses:
  '204':
    Description: container same updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_delete

produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_options
```

```

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:infra/transaction/limit/consecutive/same/stage

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

**head:**

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage'

Responses:
  '201':
    Description: leaf stage created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage'

  Responses:
    '204':
      Description: leaf stage updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data

```

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:infra/transaction/loop

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_loop'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_infra_transaction_loop_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_loop-post'

  Responses:
    '201':
      Description: container loop created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_loop'

Responses:
'201':
  Description: container loop created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_loop'

Responses:
'204':
  Description: container loop updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:infra/transaction/loop/detection

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_detection_get

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_infra_transaction_loop_detection'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_infra_transaction_loop_detection_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_detection\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_loop\_detection'

**Responses:****'201':****Description:** leaf detection created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_detection\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_loop\_detection'

**Responses:****'204':****Description:** leaf detection updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_detection_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_detection_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/taif-mobile-infra:infra/transaction/loop/category

```
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_category_options
  produces:
  - application/yang-data+json
```

`/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}`

```

Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## `/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}`

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_category_category_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_category_category_name_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list category created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name'

Responses:
'204':
    Description: list category updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
'204':

```

```

      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/category-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:infra/transaction/loop/category={category-name}/name

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/category-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_name'
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref:
  '#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name'

```



```

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/category-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:
  - data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

```

- data
- post
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold-post'

Responses:
'201':
  Description: container threshold created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold'

Responses:
'201':
  Description: container threshold created or replaced
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold'

  Responses:
    '204':
      Description: container threshold updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:infra/transaction/loop/category={category-name}/threshold/interval

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval'

Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval'

Responses:
  '204':
    Description: leaf interval updated
  '400':
    Reference: '#/responses/400'

```



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/

### options:

#### Tags:

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_options

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/category-name'

#### Responses:

'200':

**Reference:** '#/responses/200'

#### security:

- basicAuth: []

## /data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_put
```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/category-name'  
 - \$ref: '#/parameters/thresholds-name'  
 - \$ref:

'#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold\_thresholds\_thresholds-name'

- \$ref: '#/parameters/insert'  
 - \$ref: '#/parameters/point'

**Responses:**  
 '201':  
   **Description:** list thresholds created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_patch

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/category-name'  
 - \$ref: '#/parameters/thresholds-name'  
 - \$ref:

'#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold\_thresholds\_thresholds-name'

**Responses:**  
 '204':  
   **Description:** list thresholds updated  
 '400':  
   **Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref: '#/parameters/thresholds-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref: '#/parameters/thresholds-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:infra/transaction/loop/category={category-name}/threshold/

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_name\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/thresholds-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/thresholds-name'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds-name\_name'

**Responses:**

'201':

Description: leaf name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/category-name'
      - $ref: '#/parameters/thresholds-name'
      - $ref:
'#/parameters/data_taulf-mobile-infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds-name_name'

    Responses:
      '204':
        Description: leaf name updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/category-name'
      - $ref: '#/parameters/thresholds-name'

    Responses:

```



```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

```

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_name\_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/category-name'
        - $ref: '#/parameters/thresholds-name'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold

get:

```

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:

```

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_count\_get

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/category-name'
        - $ref: '#/parameters/thresholds-name'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

```

```

      Responses:
        '200':

```

```

Description: OK
Schema:
Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_count'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data\_taulf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_count\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/category-name'  
 - **\$ref:** '#/parameters/thresholds-name'  
 - **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_count'

**Responses:**

'201':

**Description:** leaf count created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_count\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/category-name'  
 - **\$ref:** '#/parameters/thresholds-name'  
 - **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_count'

**Responses:**

'204':

**Description:** leaf count updated

'400':

**Reference:** '#/responses/400'

'401':

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:infra/transaction/loop/category={category-name}/threshold

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_action\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_action'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_action\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/thresholds-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_infra\_transaction\_loop\_category\_category\_name\_threshold\_thresholds\_thresholds\_name\_action\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/thresholds-name'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold\_thresholds\_thresholds-name\_action'

**Responses:**

'201':

Description: leaf action created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action'

Responses:
  '204':
    Description: leaf action updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
      - basicAuth: []
    options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/category-name'
    - $ref: '#/parameters/thresholds-name'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:client

```

get:

    Tags:
    - data
    - get
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_get
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Description: OK
      Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client'
    '204':

```



```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post
  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_post
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client-post'
  Responses:
  '201':
    Description: container client created
  '204':
```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client'

  Responses:
  '201':
    Description: container client created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_patch
  produces:

```

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_client'

Responses:
'204':
  Description: container client updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:client/http

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_client\_http'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':  
  **Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**Method**: Post

**Tags:**

- data
- post

**Summary**: ''

**Description**: ''

**Operation ID**: data\_tailf\_mobile\_infra\_client\_http\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_client\_http-post'

**Responses:**

'201':  
  **Description**: container http created

'204':  
  **Reference**: '#/responses/204'

'400':  
  **Reference**: '#/responses/400'

'401':  
  **Reference**: '#/responses/401'

'404':  
  **Reference**: '#/responses/404'

'405':  
  **Reference**: '#/responses/405'

'409':  
  **Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**put**:

**Tags:**

- data
- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_tailf\_mobile\_infra\_client\_http\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_client\_http'

**Responses:**

'201':  
**Description:** container http created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_client\_http\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_taulf-mobile-infra\_client\_http'

**Responses:**

'204':  
**Description:** container http updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_delete  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '204':  
    **Reference:** '#/responses/204'  
**security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
  - **basicAuth:** []

## /data/taif-mobile-infra:client/http/header

**get:**

**Tags:**  
- data  
- get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_header\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
  '200':  
    **Description:** OK  
    **Schema:**  
      **Reference:** '#/definitions/data\_tailf-mobile-infra\_client\_http\_header'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_header_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_header_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_http_header-post'

  Responses:
    '201':
      Description: container header created

```



```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_header_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_http_header'
  Responses:
  '201':
    Description: container header created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:
  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_header_patch
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_client\_http\_header'

**Responses:**

- '204':

- Description:** container header updated

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

- Summary:** ''

- Description:** ''

- Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_header\_delete

**produces:**

- application/yang-data+json

- Parameters:** []

**Responses:**

- '204':

- Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

- Summary:** ''

- Description:** ''

- Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_header\_options

**produces:**

- application/yang-data+json

- Parameters:** []

**Responses:**

- '200':

- Reference:** '#/responses/200'

```
security:  
- basicAuth: []
```

## /data/taif-mobile-infra:client/http/header/user-agent

get:

**Tags:**

```
- data  
- get
```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_header\_user\_agent\_get

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_client\_http\_header\_user-agent'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
```

head:

**Tags:**

```
- data  
- head
```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_header\_user\_agent\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_header\_user\_agent\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_client\_http\_header\_user-agent'

**Responses:**

'201':  
 Description: leaf user-agent created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_header\_user\_agent\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_taulf-mobile-infra\_client\_http\_header\_user-agent'

**Responses:**

'204':

**Description:** leaf user-agent updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_client\_http\_header\_user\_agent\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_client\_http\_header\_user\_agent\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:client/http/ping

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_ping\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_client\_http\_ping'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_ping\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':  
  **Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**Method**: Post

**Tags:**

- data
- post

**Summary**: ''

**Description**: ''

**Operation ID**: data\_tailf\_mobile\_infra\_client\_http\_ping\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_client\_http\_ping-post'

**Responses:**

'201':  
  **Description**: container ping created

'204':  
  **Reference**: '#/responses/204'

'400':  
  **Reference**: '#/responses/400'

'401':  
  **Reference**: '#/responses/401'

'404':  
  **Reference**: '#/responses/404'

'405':  
  **Reference**: '#/responses/405'

'409':  
  **Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**put**:

**Tags:**

- data
- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_tailf\_mobile\_infra\_client\_http\_ping\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_client\_http\_ping'

**Responses:**

'201':  
**Description:** container ping created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_ping\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_client\_http\_ping'

**Responses:**

'204':  
**Description:** container ping updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''



**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_ping\_delete  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_ping\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:client/http/ping/timeout

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_client\_http\_ping\_timeout\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_tailf-mobile-infra\_client\_http\_ping\_timeout'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_client_http_ping_timeout'

  Responses:
    '201':
      Description: leaf timeout created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_http_ping_timeout'

Responses:
'204':
  Description: leaf timeout updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_delete
produces:
- application/yang-data+json
```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:client/http/ping/interval

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_interval_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_http_ping_interval'
  '204':
    Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_interval_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_interval_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_http_ping_interval'

  Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_interval_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_http_ping_interval'

  Responses:
    '204':
      Description: leaf interval updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_interval_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:

```

```
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_interval_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
```

## /data/taif-mobile-infra:client/outbound

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_client_outbound'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound-post'

  Responses:
    '201':
      Description: container outbound created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```



```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound'
  Responses:
    '201':
      Description: container outbound created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:
  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_patch
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound'
```

**Responses:**

'204':  
**Description:** container outbound updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:client/outbound/interface

options:

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_interface\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:client/outbound/interface={interface-interface}

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_client_outbound_interface_interface_interface_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_client_outbound_interface_interface_interface_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
    '#/parameters/data_taulf-mobile-infra_client_outbound_interface_interface-interface'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

```

```

Responses:
  '201':
    Description: list interface created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface'

  Responses:
  '204':
    Description: list interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:client/outbound/interface={interface-interface}/interface

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_interface_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_interface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_interface_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_taulf-mobile-infra_client_outbound_interface_interface-interface_interface'

Responses:
'201':
  Description: leaf interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_interface_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_taulf-mobile-infra_client_outbound_interface_interface-interface_interface'

Responses:
'204':
  Description: leaf interface updated
'400':
  Reference: '#/responses/400'

```



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_interface_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_interface_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_head

#### produces:

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit-post'

**Responses:**

'201':

Description: container limit created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit'

Responses:
  '201':
    Description: container limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit'

Responses:
  '204':
    Description: container limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit/pending

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_pending\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_pending-post'

**Responses:**

'201':  
 Description: container pending created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_pending\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/interface-interface'  
 - \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_pending'

**Responses:**  
 '201':  
   **Description:** container pending created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_pending\_patch

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/interface-interface'  
 - \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_pending'

**Responses:**  
 '204':  
   **Description:** container pending updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':



```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit/pending

```

get:

  Tags:
    - data
    - get

```

```

Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_response_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_response_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_pending\_response\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data\_taulf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_pending\_response'

**Responses:**

'201':  
 Description: leaf response created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_pending\_response\_patch

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/interface-interface'  
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_pending\_response'

**Responses:**  
 '204':  
   **Description:** leaf response updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**delete:**

**Tags:**  
- data  
- delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_pending\_response\_delete

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/interface-interface'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_pending\_response\_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit/cons

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_post

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive-post'

  Responses:
    '201':
      Description: container consecutive created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive'

  Responses:
    '201':
      Description: container consecutive created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'

- \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_consecutive'

**Responses:**

'204':

**Description:** container consecutive updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data

- options

**Summary:** ''

**Description:** ''

**Operation ID:**



data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/interface-interface'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/cons

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_failure\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/interface-interface'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_consecutive\_failure'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_post

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure-post'

  Responses:
    '201':
      Description: container failure created
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure'

  Responses:
    '201':
      Description: container failure created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure'

Responses:
  '204':
    Description: container failure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive/failure/count

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count'

    Responses:
    '201':
        Description: leaf count created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count'

  Responses:
    '204':
      Description: leaf count updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consec

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

```



**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/cons

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_failure\_codes\_codes\_id\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/interface-interface'  
 - **\$ref:** '#/parameters/codes-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_consecutive\_failure\_codes\_codes-id'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_failure\_codes\_codes\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/codes-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_failure\_codes\_codes\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/codes-id'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_consecutive\_failure\_codes\_codes-id'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list codes created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tai_f_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_codes_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/codes-id'
  - $ref:
'#/parameters/data_tai_f_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_codes-id'

  Responses:
  '204':
    Description: leaf-list codes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_failure\_codes\_codes\_id\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/interface-interface'  
 - **\$ref:** '#/parameters/codes-id'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_limit\_consecutive\_failure\_codes\_codes\_id\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/interface-interface'  
 - **\$ref:** '#/parameters/codes-id'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_host\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/interface-interface'  
 - **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host'
```

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

```
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_head
```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data

```

- post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host-post'

  Responses:
    '201':
      Description: container host created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host'

  Responses:
    '201':
      Description: container host created or replaced
    '204':
      Reference: '#/responses/204'
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host'

  Responses:
  '204':
    Description: container host updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_delete
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host/ping

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```



```

    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_post

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/interface-interface'  
 - \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_host\_ping-post'

**Responses:**  
 '201':  
   **Description:** container ping created  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**put:**

**Tags:**  
 - data  
 - put  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_host\_ping\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/interface-interface'  
 - \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_host\_ping'

**Responses:**  
 '201':  
   **Description:** container ping created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping'

  Responses:
    '204':
      Description: container ping updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/interface={interface-interface}/host/ping/tin

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
  Reference: '#/responses/200'
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_put
```

```
produces:
```

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data\_taulf-mobile-infra\_client\_outbound\_interface\_interface-interface\_host\_ping\_timeout'

**Responses:**

- '201':
  - Description:** leaf timeout created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_host\_ping\_timeout\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data\_taulf-mobile-infra\_client\_outbound\_interface\_interface-interface\_host\_ping\_timeout'

**Responses:**

- '204':
  - Description:** leaf timeout updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/interface-interface'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/interface-interface'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/taulf-mobile-infra:client/outbound/interface={interface-interface}/host/ping/interval

```

get:

  Tags:
    - data
    - get

```

```

Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_host_ping_interval_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_host_ping_interval_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```



- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_host\_ping\_interval\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_host\_ping\_interval'

**Responses:**

'201':  
 Description: leaf interval created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_host\_ping\_interval\_patch

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/interface-interface'  
 - \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_host\_ping\_interval'

**Responses:**  
 '204':  
   **Description:** leaf interval updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**delete:**

**Tags:**  
 - data  
 - delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_host\_ping\_interval\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/interface-interface'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_interface\_interface\_interface\_host\_ping\_interval\_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/interface={interface-interface}/host/ping/

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff'

  Responses:
    '201':
      Description: leaf backoff created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff'

  Responses:
    '204':
      Description: leaf backoff updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/limit

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_post
produces:
- application/yang-data+json

Parameters:
```

- \$ref: '#/parameters/data\_tailf-mobile-infra\_client\_outbound\_limit-post'

**Responses:**

'201':  
 Description: container limit created  
 '204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_client\_outbound\_limit'

**Responses:**

'201':  
 Description: container limit created or replaced  
 '204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**



```
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit'

Responses:
  '204':
    Description: container limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_options
produces:
- application/yang-data+json
Parameters: []
```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:client/outbound/limit/pending

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_pending\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_tailf-mobile-infra\_client\_outbound\_limit\_pending'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

```
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_outbound_limit_pending_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_outbound_limit_pending_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_client_outbound_limit_pending-post'

Responses:
'201':
  Description: container pending created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_client\_outbound\_limit\_pending\_put  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_taulf-mobile-infra\_client\_outbound\_limit\_pending'

**Responses:**  
 '201':  
   **Description:** container pending created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_client\_outbound\_limit\_pending\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_taulf-mobile-infra\_client\_outbound\_limit\_pending'

**Responses:**  
 '204':  
   **Description:** container pending updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

```
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:client/outbound/limit/pending/response

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_response_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_limit\_pending\_response'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_pending\_response\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_pending\_response\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_client\_outbound\_limit\_pending\_response'

**Responses:**

'201':

**Description:** leaf response created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_pending\_response\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_client\_outbound\_limit\_pending\_response'

**Responses:**

'204':

**Description:** leaf response updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_response_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_response_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:client/outbound/limit/consecutive

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```



- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_limit\_consecutive'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_client\_outbound\_limit\_consecutive-post'

**Responses:**

'201':

**Description:** container consecutive created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_client\_outbound\_limit\_consecutive'

**Responses:**

'201':

**Description:** container consecutive created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive'

  Responses:
    '204':
      Description: container consecutive updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []  
  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - basicAuth: []

## /data/tailf-mobile-infra:client/outbound/limit/consecutive/failure

get:

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_failure\_get  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
         **Reference:**  
         '#/definitions/data\_tailf-mobile-infra\_client\_outbound\_limit\_consecutive\_failure'  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':  
     **Reference:** '#/responses/401'  
 '404':  
     **Reference:** '#/responses/404'  
 '405':  
     **Reference:** '#/responses/405'  
 '409':  
     **Reference:** '#/responses/409'  
**security:**

```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_post

  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure-post'

  Responses:
  '201':
    Description: container failure created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure'

  Responses:
    '201':
      Description: container failure created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure'

  Responses:
    '204':

```

```
    Description: container failure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/tailf-mobile-infra:client/outbound/limit/consecutive/failure/count

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_failure\_count\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_limit\_consecutive\_failure\_count'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_failure\_count\_head

#### produces:

- application/yang-data+json



```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_count_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count'

Responses:
  '201':
    Description: leaf count created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_count_patch
```

**produces:**  
- application/yang-data+json

**Parameters:**  
- \$ref:

'#/parameters/data\_taulf-mobile-infra\_client\_outbound\_limit\_consecutive\_failure\_count'

**Responses:**  
 '204':  
   **Description:** leaf count updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**delete:**

**Tags:**  
- data  
- delete

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_taulf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_failure\_count\_delete

**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_taulf\_mobile\_infra\_client\_outbound\_limit\_consecutive\_failure\_count\_options

**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/limit/consecutive/failure/codes

options:

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/limit/consecutive/failure/codes={codes-id}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/codes-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:

```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
```

```
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/codes-id'
```

```
- $ref: '#/parameters/content'
```

```
- $ref: '#/parameters/depth'
```

```
- $ref: '#/parameters/fields'
```

```
- $ref: '#/parameters/filter'
```

```
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
  Reference: '#/responses/200'
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_put
```

```
produces:
```

```
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/codes-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list codes created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/codes-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id'

Responses:
'204':
  Description: leaf-list codes updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/codes-id'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_options
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/codes-id'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/tailf-mobile-infra:client/outbound/host

get:

```

      Tags:
        - data
        - get
      Summary: ''

```

```
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host-post'

Responses:
  '201':
    Description: container host created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host'

Responses:
  '201':
    Description: container host created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```



```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host'

  Responses:
    '204':
      Description: container host updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/host/ping

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping-post'

  Responses:
    '201':
      Description: container ping created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping'

  Responses:
    '201':
      Description: container ping created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping'

  Responses:
    '204':
      Description: container ping updated

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:client/outbound/host/ping/timeout

```
get:

Tags:
```

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_get
produces:
- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_tailf-mobile-infra_client_outbound_host_ping_timeout'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

**Summary:** ''**Description:** ''

```
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:
    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_timeout'

    Responses:
      '201':
        Description: leaf timeout created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:
    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_timeout'

    Responses:
      '204':
        Description: leaf timeout updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:client/outbound/host/ping/interval

```

get:

  Tags:
  - data
  - get
  Summary: ''

```



**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_host\_ping\_interval\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_outbound\_host\_ping\_interval'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_host\_ping\_interval\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_interval'

    Responses:
      '201':
        Description: leaf interval created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_interval'

    Responses:
      '204':
        Description: leaf interval updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/taif-mobile-infra:client/outbound/host/ping/backoff

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_backoff_get
```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':

- Description:** OK

- Schema:**

- Reference:**

- '#/definitions/data\_tailf-mobile-infra\_client\_outbound\_host\_ping\_backoff'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

- Summary:** ''

- Description:** ''

- Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_host\_ping\_backoff\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':

- Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_host\_ping\_backoff\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_client\_outbound\_host\_ping\_backoff'

**Responses:****'201':****Description:** leaf backoff created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_client\_outbound\_host\_ping\_backoff\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_client\_outbound\_host\_ping\_backoff'

**Responses:****'204':****Description:** leaf backoff updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_backoff_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_backoff_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:client/inbound

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_get
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_inbound'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
```

```

- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound-post'

Responses:
  '201':
    Description: container inbound created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound'

Responses:
  '201':
    Description: container inbound created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```



```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound'

  Responses:
    '204':
      Description: container inbound updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_delete
    produces:
      - application/yang-data+json
    Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_inbound_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taulf-mobile-infra:client/inbound/interface

**options:**

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_inbound_interface_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taulf-mobile-infra:client/inbound/interface={interface-interface}

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_inbound_interface_interface_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_client\_inbound\_interface\_interface-interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_inbound_interface_interface_interface_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_taulf-mobile-infra_client_inbound_interface_interface-interface'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list interface created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_client_inbound_interface_interface_interface_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_taulf-mobile-infra_client_inbound_interface_interface-interface'

Responses:
  '204':
    Description: list interface updated
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taillf-mobile-infra:client/inbound/interface={interface-interface}/interface

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_interface\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_taillf-mobile-infra\_client\_inbound\_interface\_interface-interface\_interface'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_interface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'
- security:
  - basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_interface\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_client\_inbound\_interface\_interface-interface\_interface'

**Responses:**

- '201':
  - Description: leaf interface created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_interface_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_interface'

Responses:
  '204':
    Description: leaf interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_interface_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```



**Description:** ''

**Operation ID:**  
data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_interface\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:client/inbound/interface={interface-interface}/limit

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**  
'#/definitions/data\_tailf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
    head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit-post'

  Responses:
    '201':
      Description: container limit created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit'

  Responses:
    '201':
      Description: container limit created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_patch
  produces:

```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'  
 - **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit'

**Responses:**

'204':  
   **Description:** container limit updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'

**Responses:**

'204':  
   **Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:client/inbound/interface={interface-interface}/limit/pending

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_pending\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit\_pending'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_pending\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_pending\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit\_pending-post'

**Responses:**

'201':

**Description:** container pending created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending'

  Responses:
    '201':
      Description: container pending created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending'

```

**Responses:**

'204':  
**Description:** container pending updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_pending\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_pending\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'

**Responses:**

'200':  
**Reference:** '#/responses/200'



```

security:
- basicAuth: []

```

## /data/taulf-mobile-infra:client/inbound/interface={interface-interface}/limit/pending/request

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_taulf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_pending\_request\_get

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

'#/definitions/data\_taulf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit\_pending\_request'

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_pending\_request\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_pending\_request\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit\_pending\_request'

**Responses:**

'201':

**Description:** leaf request created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/interface-interface'
      - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request'

    Responses:
      '204':
        Description: leaf request updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/interface-interface'

    Responses:
      '204':
        Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:client/inbound/interface={interface-interface}/limit/overload

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:

```

'#/parameters/data\_taulf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit\_overload-post'

**Responses:**

'201':  
**Description:** container overload created  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_overload\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'  
 - **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit\_overload'

**Responses:**

'201':  
**Description:** container overload created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taif_mobile_infra_client_inbound_interface_interface_interface_limit_overload_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_taif-mobile-infra_client_inbound_interface_interface-interface_limit_overload'

Responses:
'204':
  Description: container overload updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_taif_mobile_infra_client_inbound_interface_interface_interface_limit_overload_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_overload\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:client/inbound/interface={interface-interface}/limit/overload

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_overload\_reject\_code\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**  
#/definitions/data\_tailf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit\_overload\_reject-code'

'204':

**Reference:** '#/responses/204'

'400':



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code'
```

**Responses:**

'201':  
**Description:** leaf reject-code created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_client\_inbound\_interface\_interface\_interface\_limit\_overload\_reject\_code\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/interface-interface'

- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_client\_inbound\_interface\_interface-interface\_limit\_overload\_reject-code'

**Responses:**

'204':  
**Description:** leaf reject-code updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:client/inbound/limit

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_get
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_tailf-mobile-infra\_client\_inbound\_limit'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_client\_inbound\_limit\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data

```
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit-post'

Responses:
  '201':
    Description: container limit created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit'

Responses:
  '201':
    Description: container limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_inbound_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_client_inbound_limit'

Responses:
'204':
    Description: container limit updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_inbound_limit_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_inbound_limit_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taulf-mobile-infra:client/inbound/limit/pending

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_client_inbound_limit_pending_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_client_inbound_limit_pending'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending-post'

  Responses:
    '201':
      Description: container pending created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':

```



```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending'

    Responses:
      '201':
        Description: container pending created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending'

    Responses:
      '204':
        Description: container pending updated
      '400':
        Reference: '#/responses/400'
      '401':
```

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:client/inbound/limit/pending/request

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

**Operation ID:** data\_tailf\_mobile\_infra\_client\_inbound\_limit\_pending\_request\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_inbound\_limit\_pending\_request'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_inbound\_limit\_pending\_request\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending_request'

Responses:
  '201':
    Description: leaf request created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending_request'

Responses:
  '204':
    Description: leaf request updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/tailf-mobile-infra:client/inbound/limit/overload

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_get
  produces:
```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_client\_inbound\_limit\_overload'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_inbound\_limit\_overload\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload-post'

Responses:
'201':
  Description: container overload created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload'

Responses:
'201':
  Description: container overload created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload'

  Responses:
    '204':
      Description: container overload updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```



**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_inbound\_limit\_overload\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:client/inbound/limit/overload/reject-code

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_client\_inbound\_limit\_overload\_reject\_code\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_client\_inbound\_limit\_overload\_reject-code'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_client_inbound_limit_overload_reject_code_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_client_inbound_limit_overload_reject_code_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_taulf-mobile-infra_client_inbound_limit_overload_reject-code'

    Responses:
      '201':
        Description: leaf reject-code created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload_reject-code'

  Responses:
    '204':
      Description: leaf reject-code updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:edr

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_edr'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post
  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_post
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_edr-post'
  Responses:
  '201':
    Description: container edr created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_edr_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_edr'

    Responses:
    '201':
        Description: container edr created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_edr_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_edr'

    Responses:
    '204':

```

```
    Description: container edr updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/tailf-mobile-infra:edr/reporting

```
get:
```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_edr\_reporting\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_edr\_reporting'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_edr\_reporting\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**



```
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_edr_reporting_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_taulf-mobile-infra_edr_reporting'

    Responses:
      '201':
        Description: leaf reporting created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_edr_reporting_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_taulf-mobile-infra_edr_reporting'

    Responses:
      '204':
        Description: leaf reporting updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_reporting_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_reporting_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:edr/edrsubscribers

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_edr\_edrsubscribers\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Description:** OK  
  **Schema:**  
    **Reference:** '#/definitions/data\_tailf-mobile-infra\_edr\_edrsubscribers'  
**'204':**  
  **Reference:** '#/responses/204'  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'  
**'409':**  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_edr\_edrsubscribers\_head  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'

**security:**

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_edrsubscribers-post'

Responses:
  '201':
    Description: container edrsubscribers created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_edrsubscribers'

Responses:
  '201':
    Description: container edrsubscribers created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_edrsubscribers'

  Responses:
    '204':
      Description: container edrsubscribers updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:edr/edrsubscribers/subscribers

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_subscribers_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:edr/edrsubscribers/subscribers={subscribers-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_get

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/subscribers-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscribers-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:

```

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscribers-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list subscribers created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscribers-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id'

Responses:

```



```

    '204':
      Description: leaf-list subscribers updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscribers-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscribers-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taillf-mobile-infra:edr/all

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taillf\_mobile\_infra\_edr\_all\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_taillf-mobile-infra\_edr\_all'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taillf\_mobile\_infra\_edr\_all\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_all-post'

Responses:
  '201':
    Description: container all created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_all'
```

```

Responses:
  '201':
    Description: container all created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_all'

Responses:
  '204':
    Description: container all updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:** data\_tailf\_mobile\_infra\_edr\_all\_delete  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '204':  
    **Reference:** '#/responses/204'  
**security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_edr\_all\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
  - **basicAuth:** []

## /data/taulf-mobile-infra:edr/all/subscribers

**get:**

**Tags:**  
- data  
- get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_edr\_all\_subscribers\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
  '200':  
    **Description:** OK  
    **Schema:**  
      **Reference:** '#/definitions/data\_tailf-mobile-infra\_edr\_all\_subscribers'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_all_subscribers_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_all_subscribers_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_all_subscribers'

  Responses:
    '201':
      Description: leaf subscribers created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_subscribers_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_all_subscribers'

Responses:
'204':
  Description: leaf subscribers updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_subscribers_delete
produces:
- application/yang-data+json
```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_all_subscribers_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taulf-mobile-infra:edr/file

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_edr_file'
  '204':
    Reference: '#/responses/204'

```



```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file-post'

Responses:
'201':
  Description: container file created
'204':
  Reference: '#/responses/204'
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file'

  Responses:
    '201':
      Description: container file created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_patch
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file'

Responses:
  '204':
    Description: container file updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taillf-mobile-infra:edr/file/files

### options:

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taillf\_mobile\_infra\_edr\_file\_files\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/taillf-mobile-infra:edr/file/files={files-name}

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taillf\_mobile\_infra\_edr\_file\_files\_files\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**
**Reference:** '#/definitions/data\_taillf-mobile-infra\_edr\_file\_files\_files-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'
  Responses:
  '201':
    Description: list files created or replaced
  '204':
```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name'

Responses:
  '204':
    Description: list files updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_delete
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taulf-mobile-infra:edr/file/files={files-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

    Reference: '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_name'

```



```
Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_taulf-mobile-infra_edr_file_files_files-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
```

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:edr/file/files={files-name}/reporting

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_reporting_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_reporting'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_reporting_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_reporting_put

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/files-name'
- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_reporting'

**Responses:**

- '201':
  - Description**: leaf reporting created or replaced
- '204':
  - Reference**: '#/responses/204'
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_reporting\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/files-name'
- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_reporting'

**Responses:**

- '204':
  - Description**: leaf reporting updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

```
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_reporting_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_reporting_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/taif-mobile-infra:edr/file/files={files-name}/verbose

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_verbose_get
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_verbose'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_verbose\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_verbose_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_verbose'

Responses:
'201':
  Description: leaf verbose created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_verbose_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_verbose'

Responses:
'204':
  Description: leaf verbose updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_verbose_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_verbose_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:edr/file/files={files-name}/limit

get:

```

  Tags:
  - data
  - get

```



**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_edr\_file\_files\_files\_name\_limit\_get  
**produces:**  
- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:** '#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
- basicAuth: []

**head:**

**Tags:**  
- data  
- head

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_edr\_file\_files\_files\_name\_limit\_head  
**produces:**  
- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_limit-post'

Responses:
  '201':
    Description: container limit created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_limit'

Responses:
  '201':

```

```
    Description: container limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/data_taulf-mobile-infra_edr_file_files_files-name_limit'

  Responses:
  '204':
    Description: container limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_delete
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:edr/file/files={files-name}/limit/size

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_size_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_limit_size'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_size_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/files-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_size_put
  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_limit\_size'

**Responses:**

- '201':
  - Description:** leaf size created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_limit\_size\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_limit\_size'

**Responses:**

- '204':
  - Description:** leaf size updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_size_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_size_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:edr/file/files={files-name}/limit/count

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_count_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_limit\_count'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_limit\_count\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put



```
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_count_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_taulf-mobile-infra_edr_file_files_files-name_limit_count'

Responses:
'201':
  Description: leaf count created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_count_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_taulf-mobile-infra_edr_file_files_files-name_limit_count'

Responses:
'204':
  Description: leaf count updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_count_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_count_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:edr/file/files={files-name}/rate

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_rate'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_rate'

    Responses:
      '201':
        Description: leaf rate created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_rate'

    Responses:
      '204':
        Description: leaf rate updated
      '400':
        Reference: '#/responses/400'

```

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:edr/file/files={files-name}/flush

```
get:
```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_flush\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_edr\_file\_files\_files\_name\_flush'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_flush\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```
- $ref: '#/parameters/with-defaults'
```

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_flush\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_flush-post'

**Responses:**

- '201':
  - Description:** container flush created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_flush\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_flush'

**Responses:**

'201':  
**Description:** container flush created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_flush\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'  
 - **\$ref:** '#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_flush'

**Responses:**

'204':  
**Description:** container flush updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''



```

Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:edr/file/files={files-name}/flush/interval

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_flush_interval'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_put
  produces:

```

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_taulf-mobile-infra_edr_file_files_files-name_flush_interval'

Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_flush_interval_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_taulf-mobile-infra_edr_file_files_files-name_flush_interval'

Responses:
  '204':
    Description: leaf interval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/tailf-mobile-infra:edr/file/files={files-name}/procedure

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure-post'

  Responses:
    '201':
      Description: container procedure created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure'

  Responses:
    '201':
      Description: container procedure created or replaced
    '204':

```

```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure'

Responses:
  '204':
    Description: container procedure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_delete
produces:
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```



## /data/taif-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_procedure\_enable-event-id\_enable-event-id-procedure'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files\_name\_procedure\_enable-event-id\_enable-event-id-procedure'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':

Description: list enable-event-id created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/files-name'
        - $ref: '#/parameters/enable-event-id-procedure'
        - $ref:
'#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure'

      Responses:
        '204':
          Description: list enable-event-id updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/files-name'
        - $ref: '#/parameters/enable-event-id-procedure'

```

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enab

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_procedure\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_procedure'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:
  data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_head

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_procedure\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'

- \$ref: '#/parameters/enable-event-id-procedure'

- \$ref:

'#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_procedure\_enable-event-id\_enable-event-id-procedure\_procedure'

**Responses:**

'201':

**Description:** leaf procedure created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_procedure\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'

- \$ref: '#/parameters/enable-event-id-procedure'

- \$ref:

'#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_procedure\_enable-event-id\_enable-event-id-procedure\_procedure'

**Responses:**

'204':

**Description:** leaf procedure updated

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taillf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_procedure\_enable-event-id\_enable-event-id-procedure\_enable-inner'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**



data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/content'

'#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files\_name\_procedure\_enable-event-id\_enable-event-id-procedure\_enable-inner-post'

**Responses:**

'201':

Description: container enable-inner created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/enable-event-id-procedure'
      - $ref:
'#/parameters/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_enable-inner'

    Responses:
      '201':
        Description: container enable-inner created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/enable-event-id-procedure'

```

- \$ref:

'#/parameters/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_procedure\_enable-event-id\_enable-event-id-procedure\_enable-inner'

**Responses:**

'204':

**Description:** container enable-inner updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'

- \$ref: '#/parameters/enable-event-id-procedure'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_edr\_file\_files\_files-name\_procedure\_enable-event-id\_enable-event-id-procedure\_enable-inner\_event'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:**

'#/parameters/data\_taillf-mobile-infra\_edr\_file\_files\_files\_name\_procedure\_enable-event-id\_enable-event-id-procedure\_enable-inner\_event-post'

**Responses:**

'201':

**Description:** container event created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref:
'#/parameters/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event'

  Responses:
    '201':
      Description: container event created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_patch

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref:
'#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event'

Responses:
  '204':
    Description: container event updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'  
- \$ref: '#/parameters/enable-event-id-procedure'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event/enable-field-id  
: options:

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_enable\_field\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'  
- \$ref: '#/parameters/enable-event-id-procedure'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event/enable-field-id={enable-field-id-event}  
: get:

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_enable\_field\_id\_enable\_field\_id\_event\_get

**produces:**

- application/yang-data+json

**Parameters:**



- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data-tailf-mobile-infra:edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_enable\_field\_id\_enable\_field\_id\_event'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data-tailf-mobile-infra:edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_enable\_field\_id\_enable\_field\_id\_event\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
    put:
      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/files-name'
        - $ref: '#/parameters/enable-event-id-procedure'
        - $ref: '#/parameters/enable-field-id-event'
        - $ref:
          '#/parameters/data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event'
        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

      Responses:
        '201':
          Description: list enable-field-id created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
    patch:
      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_patch

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref: '#/parameters/enable-field-id-event'
- $ref: '#/parameters/enable-event-id-procedure/enable-inner/enable-field-id-event'

Responses:
  '204':
    Description: list enable-field-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure/enable-inner/enable-field-id-event/delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref: '#/parameters/enable-field-id-event'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```



```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_event_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref: '#/parameters/enable-field-id-event'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_event_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref: '#/parameters/enable-field-id-event'

```

- \$ref:

#/parameters/taile/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}

**Responses:**

'201':

**Description:** leaf event created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra:edr\_file\_files\_files\_name\_procedure\_enable\_event\_id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'

- \$ref: '#/parameters/enable-event-id-procedure'

- \$ref: '#/parameters/enable-field-id-event'

- \$ref:

#/parameters/taile/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}

**Responses:**

'204':

**Description:** leaf event updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref: '#/parameters/enable-field-id-event'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref: '#/parameters/enable-field-id-event'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable
: get:

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_enable_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref: '#/parameters/enable-field-id-event'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      #/definitions/data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_enable

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_enable_head

produces:
- application/yang-data+json

Parameters:

```



- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_enable\_field\_id\_enable\_field\_id\_event\_enable\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/content'

#/parameters/data\_tailf\_mobile\_infra\_edr\_file\_files\_files\_name\_procedure\_enable\_event\_id\_enable\_event\_id\_procedure\_enable\_inner\_event\_enable\_field\_id\_enable\_field\_id\_event\_enable\_post

**Responses:**

'201':  
 Description: container enable created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'
- **\$ref:**

#/parameters/{data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable'

**Responses:**

'201':

**Description:** container enable created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'
- **\$ref:**

#/parameters/{data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable'

**Responses:**

```
'204':
  Description: container enable updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data tailf mobile infra:edr file files_files_name procedure enable_event_id enable_event_id procedure enable_inner event_enable_field_id enable_field_id event_enable_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref: '#/parameters/enable-field-id-event'
```

**Responses:**

```
'204':
  Reference: '#/responses/204'
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data tailf mobile infra:edr file files_files_name procedure enable_event_id enable_event_id procedure enable_inner event_enable_field_id enable_field_id event_enable_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/files-name'
```

- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}

: options:

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}/options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}/field-id={enable-field-id-event}/field-id={enable-field-id-event}/get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/field-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

~~#/definitions/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}~~

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

~~data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}~~**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/field-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'
- **\$ref:** '#/parameters/field-id'
- **\$ref:**

#/parameters/data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** leaf-list field created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}/patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/field-id'
- \$ref:

#/parameters/files-name/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id}

#### Responses:

- '204':
  - Description: leaf-list field updated
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

#### security:

- basicAuth: []

#### delete:

#### Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id}

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/field-id'

#### Responses:

- '204':
  - Reference: '#/responses/204'

#### security:

- basicAuth: []

#### options:

#### Tags:

- data
- options

Summary: ''

Description: ''





```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_instance-post'

    Responses:
      '201':
        Description: container instance created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':

```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_instance_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_taulf-mobile-infra_instance'

    Responses:
      '201':
        Description: container instance created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_instance_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_taulf-mobile-infra_instance'

    Responses:
      '204':
        Description: container instance updated
      '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_instance_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_instance_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taulf-mobile-infra:instance/instance-id

```
options:

  Tags:
  - data
  - options
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_instance\_instance\_id\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []  
  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_get  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
         **Reference:**  
         '#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id'  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':  
     **Reference:** '#/responses/401'  
 '404':  
     **Reference:** '#/responses/404'  
 '405':  
     **Reference:** '#/responses/405'  
 '409':  
     **Reference:** '#/responses/409'

```
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_instance_instance_id_instance_id_id_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_instance_instance_id_instance_id_id_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id'
      - $ref: '#/parameters/insert'
      - $ref: '#/parameters/point'

    Responses:
      '201':
        Description: list instance-id created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id'

  Responses:
    '204':
      Description: list instance-id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_instance_instance_id_instance_id_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:instance/instance-id={instance-id}/id

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_instance_instance_id_instance_id_id_id_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_id'

  Responses:
  '201':
    Description: leaf id created or replaced
  '204':
    Reference: '#/responses/204'

```



```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_id'

Responses:
'204':
  Description: leaf id updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_delete
produces:
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```

    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_post

    produces:
    - application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint-post'

**Responses:**

- '201':
  - Description:** container endpoint created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint'

**Responses:**

- '201':
  - Description:** container endpoint created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint'

  Responses:
    '204':
      Description: container endpoint updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

    - basicAuth: []
  options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep

```

  options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ep-type}

get:

```

  Tags:
  - data
  - get

```

```

Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref:

'#/parameters/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':  
**Description:** list ep created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''



```

Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype'

Responses:
'204':
  Description: list ep updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_eptype\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_eptype'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype'

  Responses:

```

```

    '201':
      Description: leaf eptype created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype'

Responses:
    '204':
      Description: leaf eptype updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:

```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_get

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_replicas'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data  
 - head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_replicas\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas'

Responses:
  '201':
    Description: leaf replicas created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_patch

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_replicas'

**Responses:**

- '204':
  - Description:** leaf replicas updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_replicas\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_replicas\_options



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/nodes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes'

Responses:
'201':
    Description: leaf nodes created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes'

  Responses:
    '204':
      Description: leaf nodes updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_taulf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_loopbackEth'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_loopbackEth\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth'

    Responses:
      '201':
        Description: leaf loopbackEth created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
        - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_patch

    produces:
      - application/yang-data+json

    Parameters:

```

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth'

```

**Responses:**

```

'204':
  Description: leaf loopbackEth updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

**Responses:**

- '200':
  - Reference: '#/responses/200'
- security:**
- basicAuth: []

## /data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_loopbackPort\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
  - Reference: '#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_loopbackPort'

- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort'

      Responses:
        '201':
          Description: leaf loopbackPort created or replaced
        '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort'

Responses:
  '204':
    Description: leaf loopbackPort updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_instancetype'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_instancetype\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype'

  Responses:
  '201':
    Description: leaf instancetype created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

```

```

- $ref: '#/parameters/ep-eptype'
- $ref:
  '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype'

```

**Responses:**

```

'204':
  Description: leaf instancetype updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_options
```

**produces:**

```
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

## /data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

## /data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

```

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list vip created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_patch

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip'

**Responses:**

- '204':
  - Description:** list vip updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vip\_ip\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_vip-ip'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

```

- $ref: '#/parameters/vip-vip-ip'
- $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip'

```

**Responses:**

```

'201':
  Description: leaf vip-ip created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'
- $ref:

```

```
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip'
```

**Responses:**

```

'204':
  Description: leaf vip-ip updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

**/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}/vip-port****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taif\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vip\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_taif-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_vip-port'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vip\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vip\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip-vip-ip\_vip-port'

**Responses:**

'201':

Description: leaf vip-port created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':



```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_vip_vip-vip-ip_vip-port'

  Responses:
  '204':
    Description: leaf vip-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_delete

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}/vip-interface

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tairf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_vip-interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_tairf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_vip-interface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vip\_interface\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_vip-interface'

**Responses:**

'201':

**Description:** leaf vip-interface created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vip\_interface\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'

## - \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_vip-interface'

**Responses:**

'204':

**Description:** leaf vip-interface updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_ip\_vip\_interface\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/vip-vip-ip'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_ip\_vip\_interface\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_offline'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline'

  Responses:

```

```

    '201':
      Description: leaf offline created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_vip_vip-vip-ip_offline'

Responses:
    '204':
      Description: leaf offline updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```



```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vrf\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_taulf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_vrf'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vrf\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vrf\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip\_vip-vip-ip\_vrf'

**Responses:**

'201':

Description: leaf vrf created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vrf_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vrf'

Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vrf_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip\_vip\_vip\_ip\_vrf\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept****options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept****get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip6-vip-ipv6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref:

'#/parameters/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description: list vip6 created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/vip6-vip-ipv6'
      - $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6'

    Responses:
      '204':
        Description: list vip6 updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/vip6-vip-ipv6'

```



**Responses:**

  '204':

**Reference:** '#/responses/204'

**security:**

    - **basicAuth:** []

**options:**

**Tags:**

    - data

    - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_options

**produces:**

  - application/yang-data+json

**Parameters:**

  - **\$ref:** '#/parameters/instance-id-id'

  - **\$ref:** '#/parameters/ep-eptype'

  - **\$ref:** '#/parameters/vip6-vip-ipv6'

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

    - **basicAuth:** []

## /data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

**get:**

**Tags:**

    - data

    - get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_vip\_ipv6\_get

**produces:**

  - application/yang-data+json

**Parameters:**

  - **\$ref:** '#/parameters/instance-id-id'

  - **\$ref:** '#/parameters/ep-eptype'

  - **\$ref:** '#/parameters/vip6-vip-ipv6'

  - **\$ref:** '#/parameters/content'

  - **\$ref:** '#/parameters/depth'

  - **\$ref:** '#/parameters/fields'

  - **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:

```

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6'

Responses:
'201':
  Description: leaf vip-ipv6 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6'

```

**Responses:**

- '204':
  - Description:** leaf vip-ipv6 updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_vip\_ipv6\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip6-vip-ipv6'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_vip\_ipv6\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/vip6-vip-ipv6'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6\_vip-ipv6-port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/vip6-vip-ipv6'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6\_vip-ipv6-port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/vip6-vip-ipv6'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/vip6-vip-ipv6'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_vip6_vip6-vip-ipv6_vip_ipv6-port'

  Responses:
    '201':
      Description: leaf vip-ipv6-port created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip6-vip-ipv6'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port'

  Responses:
  '204':
    Description: leaf vip-ipv6-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-epty

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_offline_get

```



**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/vip6-vip-ipv6'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_taif-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6\_offline'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taif\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/vip6-vip-ipv6'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_offline\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref:

'#/parameters/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6\_offline'

**Responses:**

'201':  
 Description: leaf offline created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_offline\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip6-vip-ipv6'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6\_offline'

**Responses:**

'204':

**Description:** leaf offline updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip\_ipv6\_offline\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip6-vip-ipv6'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip6={vip6-vip-ipv6}/vrf

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_offline_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf'
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip6-vip-ipv6'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_put

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6\_vrf'

**Responses:**

- '201':
  - Description:** leaf vrf created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id-id\_endpoint\_ep\_ep\_eptype\_vip6\_vip6\_vip-ipv6\_vrf\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_vip6\_vip6-vip-ipv6\_vrf'

**Responses:**

- '204':
  - Description:** leaf vrf updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip6-vip-ipv6'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip6-vip-ipv6'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**



data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_system-health-level-post'

**Responses:**

'201':

Description: container system-health-level created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level'

    Responses:
      '201':
        Description: container system-health-level created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'

```

```

- $ref:
  '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level'

Responses:
  '204':
    Description: container system-health-level updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_options

  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_warn\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
  - Reference:

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_warn'

- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_post

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn-post'

    Responses:
      '201':
        Description: container warn created
      '204':
        Reference: '#/responses/204'
      '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id_id_endpoint_ep_ep-eptype_system-health-level_warn'

  Responses:
  '201':
    Description: container warn created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''

```

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_warn\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_warn'

**Responses:**

'204':

**Description:** container warn updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_warn\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/warn/cpu-percent
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```



```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent'
```

**Responses:**

'201':  
**Description:** leaf cpu-percent created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_warn\_cpu-percent\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_warn\_cpu-percent'

**Responses:**

'204':  
**Description:** leaf cpu-percent updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/warn/memory-in-ribs
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_ribs_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_warn\_memory-in-ribs'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system\_health\_level\_warn\_memory\_in\_ribs\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
    put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_rbs_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-rbs'

      Responses:
        '201':
          Description: leaf memory-in-mbs created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
    patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_rbs_patch

      produces:
        - application/yang-data+json

      Parameters:

```

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-ribs'

```

**Responses:**

```

'204':
  Description: leaf memory-in-mbs updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_ribs_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_ribs_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

~~/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/warn/num-of-goroutine~~

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_warn\_num\_of\_goroutine\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_taulf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_warn\_num-of-goroutine'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

```

    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_num-of-goroutine'

    Responses:
    '201':
      Description: leaf num-of-goroutine created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_system-health-level_warn_num-of-goroutine'

  Responses:
    '204':
      Description: leaf num-of-goroutine updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_taiff-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_taiff\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system\_health\_level\_critical\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system\_health\_level\_critical\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical-post'

**Responses:**

'201':

**Description:** container critical created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system\_health\_level\_critical\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical'

```

Responses:
  '201':
    Description: container critical created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical'

Responses:
  '204':
    Description: container critical updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

**/data/taulf-mobile-infra:**instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/critical/cpu-percent**: get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_cpu\_percent\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tai-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_cpu-percent'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tai-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_cpu-percent\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data  
- put**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_cpu\_percent\_put

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/instance-id-id'**- \$ref:** '#/parameters/ep-eptype'**- \$ref:**

'#/parameters/data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_cpu\_percent'

**Responses:****'201':****Description:** leaf cpu-percent created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data  
- patch**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_cpu\_percent\_patch

**produces:**

- application/yang-data+json



**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref:

'#/parameters/data\_taif-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_cpu-percent'

**Responses:**

'204':

**Description:** leaf cpu-percent updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taif-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_cpu-percent\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taif-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_cpu-percent\_options

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

?

**/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/critical/memory-in-ribs**  
**: get:**

**Tags:**  
- data  
- get

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_memory\_in\_ribs\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Description:** OK  
    **Schema:**  
    **Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_memory-in-ribs'

**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**  
    **Reference:** '#/responses/404'  
**'405':**  
    **Reference:** '#/responses/405'  
**'409':**

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_mbs_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_mbs_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_mbs_put'

  Responses:
    '201':
      Description: leaf memory-in-mbs created or replaced
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_mbs_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_system-health-level_critical_memory-in-mbs'

  Responses:
    '204':
      Description: leaf memory-in-mbs updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_memory\_in\_rbs\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_memory\_in\_rbs\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/critical/num-of-goroutine

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_num\_of\_goroutine\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

#/definitions/data\_tai-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_num-of-goroutine'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tai-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_num-of-goroutine\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_num-of-goroutine\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_num-of-goroutine'

**Responses:**

'201':

**Description:** leaf num-of-goroutine created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_num-of-goroutine\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_num-of-goroutine'

**Responses:**

- '204':
  - Description:** leaf num-of-goroutine updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_num\_of\_goroutine\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_critical\_num\_of\_goroutine\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'



**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash'

'204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash-post'

**Responses:**

'201':

**Description:** container crash created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash'

  Responses:
  '201':
    Description: container crash created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash'

**Responses:**

'204':

**Description:** container crash updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data

- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/crash/cpu-percent

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_cpu\_percent\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash\_cpu-percent'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_system-health-level_crash_cpu-percent'

Responses:

```

```

    '201':
      Description: leaf cpu-percent created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent'

  Responses:
    '204':
      Description: leaf cpu-percent updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:

```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/crash/memory-in-ribs
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_ribs_get

produces:
- application/yang-data+json

```



**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash\_memory-in-ribs'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system\_health\_level\_crash\_memory\_in\_ribs\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs'

  Responses:
  '201':
    Description: leaf memory-in-mbs created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

```

```

- $ref: '#/parameters/ep-eptype'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs'

Responses:
  '204':
    Description: leaf memory-in-mbs updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs_options

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/crash/num-of-goroutine**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_num\_of\_goroutine\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash\_num-of-goroutine'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_num\_of\_goroutine\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_system\_health\_level\_crash\_num\_of\_goroutine\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash\_num-of-goroutine'

**Responses:**

'201':

**Description:** leaf num-of-goroutine created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tai_f_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tai_f_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine'

Responses:
  '204':
    Description: leaf num-of-goroutine updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tai_f_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/uri-scheme

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_uri_scheme_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_uri-scheme'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_uri\_scheme\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**



**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_uri\_scheme\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_uri-scheme'

**Responses:**

'201':

**Description:** leaf uri-scheme created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_uri\_scheme\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_uri-scheme'

**Responses:**

'204':  
**Description:** leaf uri-scheme updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_uri\_scheme\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_uri\_scheme\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

```

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_certificate\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_certificate\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_certificate-name'

**Responses:**

'201':

**Description:** leaf certificate-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name'

  Responses:
    '204':
      Description: leaf certificate-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_delete

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:

```

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_service\_service-service-name'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_service\_service-service-name'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list service created or replaced

'204':

**Reference:** '#/responses/204'

'400':



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name'

  Responses:
  '204':
    Description: list service updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/service-name

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_service\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_service\_service-service-name\_service-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id-id\_endpoint\_ep\_ep-eptype\_service\_service\_service\_name\_service\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_service_name_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service-service-name_service_name'

    Responses:
    '201':
      Description: leaf service-name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_service_name_patch

    produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref:

'#/parameters/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_service\_service-service-name\_service-name'

**Responses:**

- '204':
  - Description:** leaf service-name updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_service\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_service\_name\_options

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/service-service-name'

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
  - **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface  
: options:

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_options

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/service-service-name'

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
  - **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}  
: get:

**Tags:**  
- data  
- get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_get

**produces:**  
- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_taill-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_service\_service-service-name\_interface\_interface-interface-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id-id\_endpoint\_ep\_ep-eptype\_service\_service-service-name\_interface\_interface-interface-type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list interface created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch



**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_patch

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:**

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service-service-name\_interface\_interface-interface-type'

**Responses:**  
 '204':  
   **Description:** list interface updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**delete:**

**Tags:**  
 - data  
 - delete  
**Summary:** ''

**Description:** ''  
**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

    security:
      - basicAuth: []
  options:

```

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_options

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

  security:
  - basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/interface-type

: get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_interface\_type\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK

```

**Schema:****Reference:**

```

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/interface-type

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Summary:** ''**Description:** ''**Operation ID:**

```

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/interface-type-head

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':
  Reference: '#/responses/200'

```

**security:**

```

- basicAuth: []

```

**put:****Tags:**

```

- data
- put

```

**Summary:** ''**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/interface-type/patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/interface-type'

**Responses:**

'201':

**Description:** leaf interface-type created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/interface-type/patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/interface-type'

**Responses:**

```

    '204':
      Description: leaf interface-type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/lookupEth

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_lookupEth\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_lookupEth'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_loopbackEth_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_loopbackEth_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'201':
  Description: leaf loopbackEth created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tai-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_loopbackEth_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
#/parameters/data_tai-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_loopbackEth

  Responses:
    '204':
      Description: leaf loopbackEth updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:

```



- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type localhost delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type localhost options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/localhost

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

data tailf-mobile-infra:instance:instance-id:instance-id-id:endpoint:ep:ep-eptype:service:service-service-name:interface:interface-interface-type:loopbackPort:get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data:tailf-mobile-infra:instance:instance-id:instance-id-id:endpoint:ep:ep-eptype:service:service-service-name:interface:interface-interface-type:loopbackPort

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance:instance-id:instance-id-id:endpoint:ep:ep-eptype:service:service-service-name:interface:interface-interface-type:loopbackPort:head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'

- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_loopbackPort\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_loopbackPort'

**Responses:**

'201':  
 Description: leaf loopbackPort created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type loopbackPort patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref:
#/parameters/data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type loopbackPort'

Responses:
  '204':
    Description: leaf loopbackPort updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type loopbackPort delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'

Responses:
  '204':

```

```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_lookupPort_options

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/uri-scheme
: get:

```

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_uri_scheme_get

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':

```

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/uri-scheme'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/uri-scheme-head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/service-service-name'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance\_instance\_id\_instance\_id-id:endpoint\_ep\_ep-eptype:service\_service-service-name:interface\_interface-interface-type:uri-scheme:put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:**

#/parameters/data tailf-mobile-infra:instance\_instance\_id\_instance\_id-id:endpoint\_ep\_ep-eptype:service\_service-service-name:interface\_interface-interface-type:uri-scheme'

**Responses:**

'201':

**Description:** leaf uri-scheme created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance\_instance\_id\_instance\_id-id:endpoint\_ep\_ep-eptype:service\_service-service-name:interface\_interface-interface-type:uri-scheme:patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:**

#/parameters/data tailf-mobile-infra:instance\_instance\_id\_instance\_id-id:endpoint\_ep\_ep-eptype:service\_service-service-name:interface\_interface-interface-type:uri-scheme'

**Responses:**

'204':  
**Description:** leaf uri-scheme updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_uri\_scheme\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_uri\_scheme\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'



- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

~~/data/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/instance-type~~  
 : get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

~~data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_instance\_type\_get~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

~~#/definitions/data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_instance\_type~~

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype'

  Responses:
    '201':

```

```

    Description: leaf instancetype created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype

  Responses:
  '204':
    Description: leaf instancetype updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-name interface interface-type instance-type delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-name interface interface-type instance-type options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/certificate

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_service\_name interface interface\_interface\_type certificate name get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_service\_name interface interface\_interface\_type certificate name

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_service\_name interface interface\_interface\_type certificate name head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_certificate\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_certificate\_name

**Responses:**

'201':  
**Description:** leaf certificate-name created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data tailf mobile infra instance instance-id instance-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name

**Responses:**

'204':

**Description:** leaf certificate-name updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

```

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_name\_interface\_interface\_interface\_type\_certificate\_name\_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/sla  
: get:

```

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_name\_interface\_interface\_interface\_type\_sla\_get

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

```

```

      Responses:

```



```

    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
  Method: Post

  Tags:
  - data
  - post

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance\_instance-id\_instance-id-id endpoint\_ep ep-eptype service\_service-service-name interface\_interface-interface-type sla post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/service-service-name'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id endpoint\_ep ep-eptype service\_service-service-name interface\_interface-interface-type sla-post'

**Responses:**

'201':

**Description:** container sla created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance\_instance-id\_instance-id-id endpoint\_ep ep-eptype service\_service-service-name interface\_interface-interface-type sla put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/service-service-name'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id endpoint\_ep ep-eptype service\_service-service-name interface\_interface-interface-type sla'

**Responses:**

'201':  
**Description:** container sla created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_service\_service-service-name\_interface\_interface-interface-type\_sla\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:**

#/parameters/data\_taillf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_service\_service-service-name\_interface\_interface-interface-type\_sla'

**Responses:**

'204':  
**Description:** container sla updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/sla/response
: get:

    Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_sla_response_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    #/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_sla_response'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_sla_response_head

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_sla\_response\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_sla\_response'

**Responses:**

- '201':
  - Description: leaf response created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_response_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_response'

Responses:
'204':
  Description: leaf response updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_response_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'

```

- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type sla response options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/service-service-name'  
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/sla/procedure

: get:

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type sla procedure get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/service-service-name'  
- \$ref: '#/parameters/interface-interface-type'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'



- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id/endpoint\_ep\_ep-eptype\_service\_service-service-name\_interface\_interface-interface-type\_sla\_procedure'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id/endpoint\_ep\_ep-eptype\_service\_service-service-name\_interface\_interface-interface-type\_sla\_procedure\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/service-service-name'  
- \$ref: '#/parameters/interface-interface-type'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type sla procedure put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type sla procedure'

**Responses:****'201':****Description:** leaf procedure created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type sla procedure patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

- \$ref:

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/sla/procedure

**Responses:**

'204':

**Description:** leaf procedure updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/sla/procedure/delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/service-service-name'  
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/sla/procedure/options

**produces:**

- application/yang-data+json

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

- '200':
- Reference: '#/responses/200'
- security:**
- basicAuth: []

?

~~/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip~~  
: options:

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_service\_name interface interface\_interface\_type vip options~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

- '200':
- Reference: '#/responses/200'
- security:**
- basicAuth: []

?

~~/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}~~  
: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_service\_name interface interface\_interface\_type vip vip\_ip get~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id/endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id/endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip/head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list vip created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip

Responses:
'204':
  Description: list vip updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-ip
: get:

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_ip_get

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'

```



- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vip-ip'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vip-ip/head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/service-service-name'  
- \$ref: '#/parameters/interface-interface-type'  
- \$ref: '#/parameters/vip-vip-ip'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:**

#/parameters/tailf-mobile-infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_ip'

**Responses:**

'201':

**Description:** leaf vip-ip created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_ip\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-ip'

#### Responses:

- '204':
  - Description: leaf vip-ip updated
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

#### security:

- basicAuth: []

#### delete:

#### Tags:

- data
- delete

#### Summary: ''

#### Description: ''

#### Operation ID:

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-ip/delete

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

#### Responses:

- '204':
  - Reference: '#/responses/204'

#### security:

- basicAuth: []

#### options:

#### Tags:

- data
- options

#### Summary: ''

#### Description: ''

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

#### Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-ip/opts

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

#### Responses:

'200':

Reference: '#/responses/200'

#### security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-port

: get:

#### Tags:

- data
- get

Summary: ''

Description: ''

#### Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-port.get

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

#### Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-port

'204':

Reference: '#/responses/204'

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_id/port/ep/ep_eptype/service/service_service_name/interface/interface_interface_type/vip/vip_vip_ip/vip_port/head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_id/port/ep/ep_eptype/service/service_service_name/interface/interface_interface_type/vip/vip_vip_ip/vip_port/put
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vip-port'

**Responses:**

- '201':
  - Description:** leaf vip-port created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vip-port/patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vip-port'

**Responses:**

- '204':
  - Description:** leaf vip-port updated

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary: ''****Description: ''****Operation ID:**

data.taillf.mobile.infra.instance.instance-id.instance-id-id.endpoint.ep-eptype.service.service-service-name.interface.interface-interface-type.vip.vip-ip.vip-port.delete

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
```

**Responses:**

```
'204':
  Reference: '#/responses/204'
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary: ''****Description: ''****Operation ID:**

data.taillf.mobile.infra.instance.instance-id.instance-id-id.endpoint.ep-eptype.service.service-service-name.interface.interface-interface-type.vip.vip-ip.vip-port.options

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-interface

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_interface\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:**

**Reference:**

#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_interface

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'



```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={vip-vip-ip}/interface/head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/service-service-name'
      - $ref: '#/parameters/interface-interface-type'
      - $ref: '#/parameters/vip-vip-ip'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={vip-vip-ip}/interface/put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/service-service-name'
      - $ref: '#/parameters/interface-interface-type'
      - $ref: '#/parameters/vip-vip-ip'
      - $ref:
%{parameters/ta

```

**Responses:**

```
'201':
  Description: leaf vip-interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type/vip/vip-ip/vip-interface/patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
```

```
#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type/vip/vip-ip/vip-interface'
```

**Responses:**

```
'204':
  Description: leaf vip-interface updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-interface/delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/service-service-name'
      - $ref: '#/parameters/interface-interface-type'
      - $ref: '#/parameters/vip-vip-ip'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-interface/options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/service-service-name'
      - $ref: '#/parameters/interface-interface-type'
      - $ref: '#/parameters/vip-vip-ip'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/option
: get:

```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_offline\_get

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data/tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/online/put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:**

#/parameters/data/tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/online/put

**Responses:**

'201':

**Description:** leaf offline created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_patch

Responses:
'204':
    Description: leaf offline updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data tailf mobile infra instance instance id instance id endpoint ep eptype service service service name interface interface interface type vip vip ip offline options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/vrf

: get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data tailf mobile infra instance instance id instance id endpoint ep eptype service service service name interface interface interface type vip vip ip vrf get

```

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vrf

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vrf-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'



- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vrf\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/vip-vip-ip'

#/parameters/data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vrf

**Responses:**

'201':  
 Description: leaf vrf created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf

Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6
: options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_name\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_name\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip6/vip-ip6/head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip6/vip-ip6/put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip6/vip-ip6

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list vip6 created or replaced

'204':

**Reference:** '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6

Responses:
'204':
  Description: list vip6 updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data

```

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/service-service-name'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:** '#/parameters/vip6-vip-ip6'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/service-service-name'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:** '#/parameters/vip6-vip-ip6'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vip6

: get:

**Tags:**

- data

- get

**Summary:** ''

**Description:** ''

**Operation ID:**

`data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip-ip6/vip-ip6/get`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

`#/definitions/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip-ip6/vip-ip6`

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

`data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip-ip6/vip-ip6/head`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'



- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_instance\_id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip-ip6-vip-ip6}/put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

#/parameters/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip-ip6-vip-ip6}/put

**Responses:**

'201':  
 Description: leaf vip-ip6 created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref:
#/parameters/instance-id-id_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

  Responses:
    '204':
      Description: leaf vip-ip6 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary: ''****Description: ''****Operation ID:**

data/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/ip6-ot

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/ip6-ot

**: get:****Tags:**

- data
- get

**Summary: ''****Description: ''****Operation ID:**

data/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/ip6-ot-get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip6-vip-ip6-port'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip6-vip-ip6-port-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':



**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref:

#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip6-vip-ip6/vip6-port'

**Responses:**

- '204':
  - Description:** leaf vip-ipv6-port updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep-eptype/service-service-name/interface-interface-type/vip6-vip-ip6/vip6-port/delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

```

- data
- options
Summary: ''
Description: ''
Operation ID:

```

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type=vip6/vip6/vip-ip6/vip-ip6/offline

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type=vip6/vip6/vip-ip6/offline

: get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type=vip6/vip6/vip-ip6/offline

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:

```

**Reference:**

#/definitions/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type=vip6/vip6/vip-ip6/offline

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_put

```



**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

#/parameters/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/offline

**Responses:**

'201':

**Description:** leaf offline created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/offline/patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

#/parameters/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/offline

**Responses:**

```

    '204':
      Description: leaf offline updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_identifier_ep_eptype_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_identifier_ep_eptype_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

```

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vrf={vrf-vrf-id}

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_vrf\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_vrf

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip6-vip-ip6'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip6-vip-ip6'
        - $ref:
          '#/parameters/ta_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_put'

```

**Responses:**

```
'201':
  Description: leaf vrf created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/vip6/vip6-vip-ip6/vrf/patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref:
```

```
#/parameters/data/taill-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/vip6/vip6-vip-ip6/vrf
```

**Responses:**

```
'204':
  Description: leaf vrf updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6/vip6/vip-ip6/vrf/delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6/vip6/vip-ip6/vrf/options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vrf

```

**: get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vrf\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vrf'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vrf\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type vrf put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type vrf

**Responses:**

'201':

**Description:** leaf vrf created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':



```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_patch'

Responses:
'204':
  Description: leaf vrf updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_delete

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_vrf\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**  
- **basicAuth:** []

**Method:** Post

**Tags:**

- data  
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/service-service-name'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:**

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_post

**Responses:**

'201':  
  **Description:** container dispatcher created  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher'

#### Responses:

'201':

**Description:** container dispatcher created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

#### patch:

#### Tags:

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher\_patch

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher'

#### Responses:

'204':

**Description:** container dispatcher updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'

```

```

Responses:
  '204':
    Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

```
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```
security:

```

```

- basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/court
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_court_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  #/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_court

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_count\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_count\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_count'

**Responses:**

'201':

**Description:** leaf count created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'



```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_court_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_court

  Responses:
    '204':
      Description: leaf count updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_court_delete

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

Summary: ''

Description: ''

**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type dispatcher controller options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/capacity

: get:

**Tags:**

- data
- get

Summary: ''

Description: ''

**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type dispatcher capacity get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher-capacity

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher-capacity/head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/dispatcher/capacity

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref:
  '#/parameters/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/dispatcher/capacity'

Responses:
  '201':
    Description: leaf capacity created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-interface-type}/dispatcher/capacity/patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-id-id'
- **\$ref**: '#/parameters/ep-eptype'
- **\$ref**: '#/parameters/service-service-name'
- **\$ref**: '#/parameters/interface-interface-type'
- **\$ref**: '#/parameters/data-taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-interface-type}/dispatcher/capacity'

**Responses:**

'204':

**Description:** leaf capacity updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-interface-type}/dispatcher/capacity/delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-id-id'
- **\$ref**: '#/parameters/ep-eptype'
- **\$ref**: '#/parameters/service-service-name'
- **\$ref**: '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_service\_name interface interface\_interface\_type dispatcher capacity options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/ottomrd

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_service\_name interface interface\_interface\_type dispatcher ottomrd get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_service\_name interface interface\_interface\_type dispatcher ottomrd

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID:

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_outboard\_head

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

put:

Tags:

```

- data
- put

```

Summary: ''

Description: ''

Operation ID:

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_outboard\_put

produces:

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/dispatcher/outbound'

**Responses:**

- '201':
  - Description:** leaf outbound created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/outbound/patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/dispatcher/outbound'

**Responses:**

- '204':
  - Description:** leaf outbound updated
- '400':



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_outbound_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_outbound_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

  Responses:

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  ?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/rate-limit
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_rate_limit_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          #/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_rate_limit

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:

```

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/{interface-interface-type}/dispatcher/rate-limit/head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/{interface-interface-type}/dispatcher/rate-limit/put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:**

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/{interface-interface-type}/dispatcher/rate-limit'

**Responses:**

'201':

**Description:** leaf rate-limit created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_rate_limit_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
#/parameters/tailf-mobile-infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_rate_limit

  Responses:
    '204':
      Description: leaf rate-limit updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_rate\_interface\_interface\_interface\_type\_dispatcher\_rate\_limit\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_rate\_interface\_interface\_interface\_type\_dispatcher\_rate\_limit\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/rate

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_rate\_interface\_interface\_interface\_type\_dispatcher\_cache\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher/cache'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher/cache-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_cache\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/dispatcher-cache'

#/parameters/data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_cache

**Responses:**

'201':  
 Description: leaf cache created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_name interface interface\_interface\_type dispatcher cache patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_name interface interface\_interface\_type dispatcher cache'

**Responses:**

- '204':
  - Description:** leaf cache updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype service service\_name interface interface\_interface\_type dispatcher cache delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []



**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_cache\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/threshold

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

```

#definitions/data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/eptype/service/service-service-name/interface/interface-interface-type/dispatcher/threshold

    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
        - basicAuth: []
    head:

    Tags:
        - data
        - head
    Summary: ''
    Description: ''
    Operation ID:
data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/eptype/service/service-service-name/interface/interface-interface-type/dispatcher/threshold

    produces:
        - application/yang-data+json

    Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

    Responses:
        '200':
            Reference: '#/responses/200'
    security:
        - basicAuth: []
    put:

    Tags:
        - data
        - put
    Summary: ''
    Description: ''
    Operation ID:
data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/eptype/service/service-service-name/interface/interface-interface-type/dispatcher/threshold.put

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/interface-interface-type-dispatcher-threshold'

Responses:
'201':
  Description: leaf threshold created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_threshold_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/interface-interface-type-dispatcher-threshold'

Responses:
'204':
  Description: leaf threshold updated

```

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

delete:

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type dispatcher threshold delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'

```

```

Responses:
'204':
  Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type dispatcher threshold options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'

```

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

?

**/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/epiry**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/epiry get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/epiry

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_expiry\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_expiry\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_expiry

**Responses:**

'201':

**Description:** leaf expiry created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tai_lf_mo_bil_e_infra_instanc_e_id_instanc_e_id_id_endp_o_int_ep_ep_eptype_servic_e_servic_e_name_inte_rfac_e_inte_rfac_e_inte_rfac_e_type_dispatc_her_expir_y_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref:

#/parameters/data_tai_lf_mo_bil_e_infra_instanc_e_id_instanc_e_id_id_endp_o_int_ep_ep_eptype_servic_e_servic_e_name_inte_rfac_e_inte_rfac_e_inte_rfac_e_type_dispatc_her_expir_y

Responses:
'204':
  Description: leaf expiry updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_expiry\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_expiry\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/response

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_response\_get

**produces:**



- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/dispatcher/response'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/dispatcher/response/head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_eptype\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_response\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_eptype\_service\_service\_name\_interface\_interface\_interface\_type\_dispatcher\_response'

**Responses:**

'201':  
 Description: leaf nonresponsive created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-responsive}/patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:**

#/parameters/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-responsive}'

**Responses:**

'204':

**Description:** leaf nonresponsive updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-responsive}/delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint/ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_response_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flood/gop
: options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint/ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_flood/gop_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flood/gop/{flood-gop-name}
: get:

```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flowctrl-group/flowctrl-group/rae/get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

%#/schemas/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flowctrl-group/flowctrl-group/rae'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flowctrl-group/flowctrl-group/rae/head

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/service-service-name'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/flowctrl-group-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Summary:** ''  
**Description:** ''  
**Operation ID:**

[data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/dispatcher/flowctrl-group/flowctrl-group-name/point](#)

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/service-service-name'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/flowctrl-group-name'  
- **\$ref:**

[#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/dispatcher/flowctrl-group/flowctrl-group-name/insert](#)

- **\$ref:** '#/parameters/insert'  
- **\$ref:** '#/parameters/point'

**Responses:**  
**'201':**  
  **Description:** list flowctrl-group created or replaced  
**'204':**  
  **Reference:** '#/responses/204'  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group-flowctrl-group-name}/patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'
  - $ref:

%{name}/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group-flowctrl-group-name}

  Responses:
    '204':
      Description: list flowctrl-group updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

~~data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type-dispatcher}/flowctrl-group/flowctrl-group-name/delete~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type-dispatcher}/flowctrl-group/flowctrl-group-name/get~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

~~data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type-dispatcher}/flowctrl-group/flowctrl-group-name/get~~

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type-dispatcher}/flowctrl-group/flowctrl-group-name/get~~

**produces:**



- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/schemas/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group-name={flowctrl-group-name}

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

#/schemas/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group-name={flowctrl-group-name}

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/flowctrl-group/flowctrl-group-name

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/instance-id-id'

data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/flowctrl-group/flowctrl-group-name

**Responses:**

- '201':
  - Description: leaf name created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/dispatcher/flowctrl-group/flowctrl-group-name/patch~~

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

~~#/parameters/instance-id-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/dispatcher/flowctrl-group/flowctrl-group-name/patch~~

**Responses:**

'204':

**Description:** leaf name updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/dispatcher/flowctrl-group/flowctrl-group-name/delete~~

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Responses:****'204':****Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/data-flowctrl-group-flowctrl-group-name={data-flowctrl-group-flowctrl-group-name}

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:** '#/parameters/flowctrl-group-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/data-flowctrl-group-flowctrl-group-name={data-flowctrl-group-flowctrl-group-name}/content={content}/depth={depth}/fields={fields}

**get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/data-flowctrl-group-flowctrl-group-name={data-flowctrl-group-flowctrl-group-name}/content={content}/depth={depth}/fields={fields}

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/service-service-name'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:** '#/parameters/flowctrl-group-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

~~#/responses/200~~

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

~~data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/data/flowctrl-group={flowctrl-group-name}~~**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group}/leaf-capacity

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

#/parameters/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group}/leaf-capacity

**Responses:**

'201':

**Description:** leaf capacity created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group}/leaf-capacity/patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref:

~~#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/flowctrl-group-name/capacity~~

#### Responses:

- '204':
  - Description: leaf capacity updated
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

#### security:

- basicAuth: []

#### delete:

#### Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

~~data/taillf-mobile-infra:instance-id={instance-id-id}/endpoint/ep-eptype/service-service-name/interface-interface-type/flowctrl-group-name/capacity/delete~~

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

#### Responses:

- '204':
  - Reference: '#/responses/204'

#### security:

- basicAuth: []

#### options:

#### Tags:

- data
- options

Summary: ''

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Description:** ''

**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interfa-  
ce={interface-interface-type}/data/flowctrl-group={flowctrl-group-name}/rate-limit

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interfa-  
ce={interface-interface-type}/data/flowctrl-group={flowctrl-group-name}/rate-limit

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interfa-  
ce={interface-interface-type}/data/flowctrl-group={flowctrl-group-name}/rate-limit

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interfa-  
ce={interface-interface-type}/data/flowctrl-group={flowctrl-group-name}/rate-limit

'204':





- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref:

#/parameters/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group/flowctrl-group-name}/rate-limit

**Responses:**

- '201':
  - Description:** leaf rate-limit created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data-flowctrl-group/flowctrl-group-name/rate-limit/patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref:

#/parameters/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group/flowctrl-group-name}/rate-limit

**Responses:**

- '204':

```

    Description: leaf rate-limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data/taillf-mobile-infra:instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group-name}/rate-limit-data

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data/taillf-mobile-infra:instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group-name}/rate-limit-options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/internal**  
**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_internal\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_internal'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_post

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_post'

  Responses:
    '201':

```

```

    Description: container internal created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_taiilf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref:
#/parameters/data_taiilf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal

Responses:
  '201':
    Description: container internal created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:

```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal'

Responses:
'204':
  Description: container internal updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type internal options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/service-service-name'  
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/internal/accept

: get:

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type internal base port get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/service-service-name'  
- \$ref: '#/parameters/interface-interface-type'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'



- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data-tailf-mobile-infra:instance:instance-id-id-endpoint-ep-eptype-service-service-name-interface-interface-interface-type-internal-base-port'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data-tailf-mobile-infra:instance:instance-id-id-endpoint-ep-eptype-service-service-name-interface-interface-interface-type-internal-base-port-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/service-service-name'  
- \$ref: '#/parameters/interface-interface-type'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype service service service name interface interface interface type internal base port post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/tailf/mobile-infra/instance/instance-id/instance-id-id/endpoint/ep/eptype/service/service-name/interface/interface-interface-type/internal/base/port/post'

**Responses:**

'201':

**Description:** container base-port created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype service service service name interface interface interface type internal base port put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

## - \$ref:

```
#/parameters/data_tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/interal_base-port'
```

**Responses:**

'201':

**Description:** container base-port created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/interal_base-port_patch
```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

- \$ref: '#/parameters/service-service-name'

- \$ref: '#/parameters/interface-interface-type'

- \$ref:

```
#/parameters/data_tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/interal_base-port'
```

**Responses:**

'204':

**Description:** container base-port updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_base_port_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type/interface_base_port_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/interface_base_port/status
: get:

```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id/endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_interface\_base\_port\_start\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id/endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_interface\_base\_port\_start\_get

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taill\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id/endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_interface\_base\_port\_start\_head

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/service-service-name'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

[data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/internal-base-port/stat/put](#)

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/service-service-name'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/content'

[#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/internal-base-port/stat/put](#)

**Responses:**  
**'201':**  
  **Description:** leaf start created or replaced  
**'204':**  
  **Reference:** '#/responses/204'  
**'400':**  
  **Reference:** '#/responses/400'  
**'401':**  
  **Reference:** '#/responses/401'  
**'404':**  
  **Reference:** '#/responses/404'  
**'405':**  
  **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data tailf-mobile-infra:instance_id=instance-id/endpoint/ep=eptype/service=service-service-name/interface=interface-interface-type/internal-base-port/start/patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref:
%/parameters/data tailf-mobile-infra:instance_id=instance-id/endpoint/ep=eptype/service=service-service-name/interface=interface-interface-type/internal-base-port/start/patch

      Responses:
        '204':
          Description: leaf start updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data tailf-mobile-infra:instance_id=instance-id/endpoint/ep=eptype/service=service-service-name/interface=interface-interface-type/internal-base-port/start/delete

      produces:
        - application/yang-data+json

      Parameters:

```

**/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

- '204':
  - Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_service\_service\_service\_name\_interface\_interface\_interface\_type\_interface\_type\_port\_start\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## **/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-epty**

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'



```

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

```

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_instance\_instance\_id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list interface created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type'

  Responses:
  '204':
    Description: list interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/interface-type

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_interface\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_interface-type'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_interface-type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/interface-interface-type'
      - $ref:
'#/parameters/data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_interface-type'

    Responses:
      '201':
        Description: leaf interface-type created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
        - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type_patch

    produces:
      - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type'

Responses:
'204':
  Description: leaf interface-type updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_interface\_type\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
 - \$ref: '#/parameters/ep-eptype'  
 - \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/loopbackEth

: get:

**Tags:**

- data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackEth\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
 - \$ref: '#/parameters/ep-eptype'  
 - \$ref: '#/parameters/interface-interface-type'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_loopbackEth'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':



```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackEth_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackEth_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_loopbackEth'
```

**Responses:**

'201':  
**Description:** leaf loopbackEth created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackEth\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:**

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_loopbackEth'

**Responses:**

'204':  
**Description:** leaf loopbackEth updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackEth\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackEth\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/loopbackPort

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackPort\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_loopbackPort'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackPort\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackPort\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_loopbackPort'

**Responses:**

'201':  
 Description: leaf loopbackPort created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackPort\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:**

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_loopbackPort'

**Responses:**

'204':

**Description:** leaf loopbackPort updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackPort\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_loopbackPort\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/uri-scheme

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_uri\_scheme\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance\_id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_uri-scheme'

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_uri\_scheme\_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_uri\_scheme\_put

```

produces:
- application/yang-data+json

```



**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_uri-scheme'

**Responses:**

- '201':
  - Description:** leaf uri-scheme created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface\_interface-type\_uri-scheme\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_uri-scheme'

**Responses:**

- '204':
  - Description:** leaf uri-scheme updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_uri_scheme_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_uri_scheme_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
```

**/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/instancetype**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_instancetype\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_taillf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_instancetype'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_instancetype\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_instancetype\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_instancetype'

**Responses:**

'201':

**Description:** leaf instancetype created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_instancetype'

  Responses:
  '204':
    Description: leaf instancetype updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_instancetype\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/certificate-name

: get:

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_certificate\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/interface-interface-type'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_certificate-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
- data
- put

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_certificate\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

- \$ref: '#/parameters/interface-interface-type'

- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_certificate-name'

**Responses:**

'201':

**Description:** leaf certificate-name created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_certificate\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

- \$ref: '#/parameters/interface-interface-type'

- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_certificate-name'

**Responses:**



```

    '204':
      Description: leaf certificate-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/sla
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla-post'

Responses:
  '201':
    Description: container sla created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla'

  Responses:
    '201':
      Description: container sla created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_sla\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_sla'

**Responses:**

'204':

**Description:** container sla updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_sla\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/sla/response
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_response_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_sla\_response\_head

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:****'200':**

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_sla\_response\_put

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
```

```

- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response'

```

**Responses:**

```

'201':
  Description: leaf response created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id-id_endpoint_ep_ep-eptype_interface_interface_interface_type_sla_response_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response'

```

**Responses:**

```

'204':
  Description: leaf response updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_response_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_response_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/sla/procedure
: get:

      Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_sla_procedure'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_head

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_sla\_procedure\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_sla\_procedure'

**Responses:**

'201':  
 Description: leaf procedure created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure'

Responses:
  '204':
    Description: leaf procedure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
  '204':
    Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip
: options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}
: get:

  Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_vip_vip-vip-ip'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_head

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list vip created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
    patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_patch

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip-vip-ip'
    - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_patch'

    Responses:
    '204':
        Description: list vip updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
    delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'

```



- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

**Responses:**

'204':  
 Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-ip

**: get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_ip\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_ip'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_ip\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:**

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_vip\_vip-vip-ip\_vip-ip'

**Responses:**

'201':

**Description:** leaf vip-ip created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_ip\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

```

- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'/parameters/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip'

```

**Responses:**

```

'204':
  Description: leaf vip-ip updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:**

**Tags:**

```
- data
- delete
```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vip\_vip-vip-ip\_vip-ip\_delete

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:**

**Tags:**

```
- data
- options
```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vip\_vip-vip-ip\_vip-ip\_options

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/vip-vip-ip'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

?

**/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-port**  
**: get:**

**Tags:**  
- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_port\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/vip-vip-ip'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Description:** OK  
    **Schema:**  
    **Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_port'

**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

```

```

- $ref:
  '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port'

Responses:
  '201':
    Description: leaf vip-port created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip-vip-ip'
    - $ref:
      '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port'

Responses:
  '204':
    Description: leaf vip-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-interface
: get:

```



**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_interface\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_vip\_vip-vip-ip\_vip-interface'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_interface\_head

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/vip-vip-ip'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put  
**Summary:** ''  
**Description:** ''

**Operation ID:**

[data\\_tailf\\_mobile\\_infra\\_instance\\_instance\\_id\\_instance\\_id\\_id\\_endpoint\\_ep\\_ep\\_eptype\\_interface\\_interface\\_interface\\_type\\_vip\\_vip\\_vip\\_ip\\_vip\\_interface\\_put](#)

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/vip-vip-ip'  
- **\$ref:**

[#/parameters/data\\_tailf\\_mobile\\_infra\\_instance\\_instance\\_id\\_instance\\_id\\_id\\_endpoint\\_ep\\_ep\\_eptype\\_interface\\_interface\\_interface\\_type\\_vip\\_vip\\_vip\\_ip\\_vip\\_interface'](#)

**Responses:**  
**'201':**  
    **Description:** leaf vip-interface created or replaced  
**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**  
    **Reference:** '#/responses/404'  
**'405':**  
    **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'
        - $ref:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface

      Responses:
        '204':
          Description: leaf vip-interface updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_delete

      produces:
        - application/yang-data+json

      Parameters:

```

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

**Responses:**

- '204':
  - Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vip\_interface\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/offline

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vip\_vip-vip-ip\_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vip\_vip-vip-ip\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- **basicAuth:** []  
**put:**

**Tags:**

- data  
 - put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_offline\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:** '#/parameters/vip-vip-ip'  
 - **\$ref:**

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_offline'

**Responses:**

'201':  
**Description:** leaf offline created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_offline\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

```

- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_offline'

```

**Responses:**

```

'204':
  Description: leaf offline updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_offline_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_offline\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/vrf

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vrf\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance\_id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_vip\_vip-vip-ip\_vrf'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':



```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vrf_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vrf_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

```

- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf'

```

**Responses:**

```

'201':
  Description: leaf vrf created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf'

```

**Responses:**

```

'204':
  Description: leaf vrf updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

```

```

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vrf\_delete

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip-vip-ip'

```

```

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

```

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip\_vip\_vip\_ip\_vrf\_options

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip-vip-ip'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6**  
: options:

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}**  
: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

```
security:
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
  Reference: '#/responses/200'
```

```
security:
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_put
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vip6\_vip6-vip-ip6'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

- '201':
  - Description:** list vip6 created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vip6\_vip6-vip-ip6\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vip6\_vip6-vip-ip6'

**Responses:**

```

    '204':
      Description: list vip6 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vip-ip6

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_vip\_ip6\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_vip6\_vip6-vip-ip6\_vip-ip6'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**



```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6'

  Responses:
  '201':
    Description: leaf vip-ip6 created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

  Responses:
    '204':
      Description: leaf vip-ip6 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:

```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vip-ip6-port
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype interface interface\_interface\_type vip6 vip6\_vip\_ip6 vip\_ip6 port get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype interface interface\_interface\_type vip6 vip6\_vip\_ip6 vip\_ip6 port'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra instance instance\_id instance\_id\_id endpoint ep ep\_eptype interface interface\_interface\_type vip6 vip6\_vip\_ip6 vip\_ip6 port head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_vip\_ip6\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_vip\_ip6\_port'

**Responses:**

'201':  
 Description: leaf vip-ip6-port created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_port_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_port_patch

Responses:
  '204':
    Description: leaf vip-ipv6-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_port_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '204':

```

```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_port_options

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/offline
: get:

```

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_get

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':

```

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_offline'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/vip6-vip-ip6'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''



**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_offline\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:** '#/parameters/vip6-vip-ip6'  
 - **\$ref:**

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6-vip-ip6\_offline'

**Responses:**

'201':

**Description:** leaf offline created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_offline\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:** '#/parameters/vip6-vip-ip6'  
 - **\$ref:**

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6-vip-ip6\_offline'

**Responses:**

'204':  
**Description:** leaf offline updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_offline\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'  
 - **\$ref:** '#/parameters/ep-eptype'  
 - **\$ref:** '#/parameters/interface-interface-type'  
 - **\$ref:** '#/parameters/vip6-vip-ip6'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_offline\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vrf  
 : get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_vrf\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference:

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vip6\_vip6-vip-ip6\_vrf'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

```

```

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_vrf\_head

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []

```

```

  put:

```

```

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vip6\_vip6\_vip\_ip6\_vrf\_put

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref:

```

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_vip6\_vip6-vip-ip6\_vrf'

```

  Responses:
    '201':

```

```

    Description: leaf vrf created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf

  Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vrf
: get:

Tags:
- data
- get
Summary: ''
Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vrf\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vrf'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vrf\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vrf\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_vrf'

**Responses:**

'201':  
 Description: leaf vrf created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch



```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vrf_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vrf'

Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vrf_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_vrf\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance\_id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_dispatcher'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_post

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_dispatcher-post'

**Responses:**

- '201':
  - Description:** container dispatcher created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface\_interface-type\_dispatcher\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_dispatcher'

**Responses:**

- '201':
  - Description:** container dispatcher created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher'

  Responses:
    '204':
      Description: container dispatcher updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_delete

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**  
  '204':  
    **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_options

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/count  
: **get:**

**Tags:**  
- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_count\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_dispatcher\_count'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_count\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_count'

  Responses:
    '201':
      Description: leaf count created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_patch

  produces:
    - application/yang-data+json

  Parameters:

```



```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count'

Responses:
  '204':
    Description: leaf count updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_options

```

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

?

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/capacity**  
**: get:**

**Tags:**  
- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_capacity\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/ep-eptype'  
- **\$ref:** '#/parameters/interface-interface-type'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Description:** OK  
    **Schema:**  
        **Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_capacity'

**'204':**  
    **Reference:** '#/responses/204'  
**'400':**  
    **Reference:** '#/responses/400'  
**'401':**  
    **Reference:** '#/responses/401'  
**'404':**  
    **Reference:** '#/responses/404'  
**'405':**

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity'

  Responses:

```

```

    '201':
      Description: leaf capacity created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_capacity'

  Responses:
    '204':
      Description: leaf capacity updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

```

**Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_capacity\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_capacity\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/outbound

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_outbound\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_dispatcher\_outbound'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_dispatcher\_outbound\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_outbound\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_dispatcher\_outbound'

**Responses:**

'201':  
 Description: leaf outbound created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_outbound\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_outbound'

**Responses:**

- '204':
  - Description:** leaf outbound updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_outbound\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**



```

- data
- options
Summary: ''
Description: ''
Operation ID:
data tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_outbound_options

```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

?

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/rate-limit
: get:

```

**Tags:**

```
- data
- get
```

**Summary:** ''**Description:** ''**Operation ID:**

```
data tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_get
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Description: OK
  Schema:
  Reference:
```

```
'#/definitions/data tailf-mobile-infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_rate-limit'
```

```
'204':
  Reference: '#/responses/204'
'400':
```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'

```

```

- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate-limit'

```

**Responses:**

```

'201':
  Description: leaf rate-limit created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate_limit_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:

```

```
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate-limit'
```

**Responses:**

```

'204':
  Description: leaf rate-limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/cache
: get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_cache'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_head

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_cache\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_dispatcher\_cache'

**Responses:**

- '201':
  - Description: leaf cache created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_taif\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_cache\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data\_taif-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_dispatcher\_cache'

**Responses:**

'204':

**Description:** leaf cache updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_taif\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_cache\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'204':

```

        Reference: '#/responses/204'
    security:
    - basicAuth: []
    options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/threshold
: get:

    Tags:
    - data
    - get
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_threshold_get

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Description: OK
        Schema:

```



**Reference:**

```
'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_threshold'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_threshold_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_threshold_put
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_dispatcher\_threshold'

**Responses:**

- '201':
  - Description:** leaf threshold created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface\_interface-type\_dispatcher\_threshold\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_dispatcher\_threshold'

**Responses:**

- '204':
  - Description:** leaf threshold updated
- '400':
  - Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

```

```

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_threshold\_delete

```

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

```

```

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:

```

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_threshold\_options

```

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:

```

```

    - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/expiry
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_expiry'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_expiry\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_expiry\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_expiry'

**Responses:**

'201':

Description: leaf expiry created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry'

Responses:
'204':
    Description: leaf expiry updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_delete

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'204':  
 Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_expiry\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/nonresponsive

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_nonresponsive\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:

```



```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_nonresponsive_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive'

Responses:
'201':
  Description: leaf nonresponsive created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_nonresponsive_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive'

```

**Responses:**

- '204':
  - Description:** leaf nonresponsive updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_nonresponsive\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_nonresponsive\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

~~/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/flowctrl-group~~  
: options:

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_flowctrl\_group\_options~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

~~/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/flowctrl-group={flowctrl-group-name}~~  
: get:

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

~~data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_flowctrl\_group\_flowctrl\_group\_name\_get~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'  
- \$ref: '#/parameters/ep-eptype'  
- \$ref: '#/parameters/interface-interface-type'  
- \$ref: '#/parameters/flowctrl-group-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/interface-interface-interface-type/dispatcher\_flowctrl\_group\_flowctrl\_group\_rate'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/interface-interface-interface-type/dispatcher\_flowctrl\_group\_flowctrl\_group\_rate\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_flowctrl\_group\_flowctrl\_group\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

#/parameters/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_flowctrl\_group\_flowctrl\_group\_name

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list flowctrl-group created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_flowctrl\_group\_flowctrl\_group\_name\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

```

- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'
- $ref:
#/parameters/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-name'

```

#### Responses:

```

'204':
  Description: list flowctrl-group updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

#### security:

```
- basicAuth: []
```

#### delete:

#### Tags:

```
- data
- delete
```

**Summary:** ''

**Description:** ''

**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-name/delete

#### produces:

```
- application/yang-data+json
```

#### Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'

```

#### Responses:

```

'204':
  Reference: '#/responses/204'

```

#### security:

```
- basicAuth: []
```

#### options:

#### Tags:

```
- data
- options
```

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/instance-id-id/ep-eptype/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group/rate/rate/get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group/rate/rate/get

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group/rate/rate/get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group/rate/rate

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```



```

- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'
- $ref:
#/parameters/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-name

```

**Responses:**

```

'201':
  Description: leaf name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-name/patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'
- $ref:

```

```
#/parameters/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-name
```

**Responses:**

```

'204':
  Description: leaf name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
```

**/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/flowctrl-group={flowctrl-group-name}/capacity**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype interface interface-interface-type dispatcher flowctrl-group flowctrl-group-name capacity get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype interface interface-interface-type dispatcher flowctrl-group flowctrl-group-name capacity

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-name/capacity

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-name/capacity

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

#/parameters/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-name/capacity

**Responses:**

'201':

**Description:** leaf capacity created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data tailf mobile infra instance instance-id instance-id-id endpoint ep-eptype interface interface interface-type dispatcher flowctrl-group flowctrl-group-name capacity patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'
  - $ref:

%/zanes/data tailf mobile infra instance instance-id instance-id-id endpoint ep-eptype interface interface interface-type dispatcher flowctrl-group flowctrl-group-name capacity

  Responses:
    '204':
      Description: leaf capacity updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data tailf mobile infra instance instance-id instance-id-id endpoint ep-eptype interface interface interface-type dispatcher flowctrl-group flowctrl-group-name capacity delete

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

Summary: ''

Description: ''

**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype interface interface-interface-type dispatcher flowctrl-group flowctrl-group-name capacity options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf/mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type/dispatcher/flowctrl-group(flowctrl-group-name)/rate-limit

: get:

**Tags:**

- data
- get

Summary: ''

Description: ''

**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype interface interface-interface-type dispatcher flowctrl-group flowctrl-group-name rate-limit get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/interface/interface-type/dispatcher/flowctrl-group/flowctrl-group-rate-limit'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/interface/interface-type/dispatcher/flowctrl-group/flowctrl-group-rate-limit-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_rate_limit_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/flowctrl-group-name'
    - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_rate_limit

    Responses:
    '201':
        Description: leaf rate-limit created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_rate_limit_patch

    produces:
    - application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'
- $ref:
"/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type={interface-type}/flowctrl-group={flowctrl-group}/rate-limit"

Responses:
'204':
  Description: leaf rate-limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type={interface-type}/flowctrl-group={flowctrl-group}/rate-limit/delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_dispatcher\_flowctrl\_group\_flowctrl\_group\_name\_rate\_limit\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/internal

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_internal'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_post

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'

```

```

- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal-post'

```

**Responses:**

```

'201':
  Description: container internal created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_put
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal'

```

**Responses:**

```

'201':
  Description: container internal created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_internal'

  Responses:
    '204':
      Description: container internal updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_delete

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

- '204':
  - Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/internal/base-port

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_internal\_base-port'

'204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_interface\_interface-interface-type\_internal\_base-port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_post'

**Responses:**

'201':

**Description:** container base-port created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data\_taulf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port'



**Responses:**

```
'201':
  Description: container base-port created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
```

```
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port'
```

**Responses:**

```
'204':
  Description: container base-port updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/internal/base-port/start
: get:

    Tags:
    - data
    - get
    Summary: ''

```

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_start\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance-id-id\_endpoint\_ep\_ep\_eptype\_interface\_interface-interface-type\_internal\_base-port\_start'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_start\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_start\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/data\_taillf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_start'

**Responses:**

- '201':
  - Description: leaf start created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start

Responses:
'204':
  Description: leaf start updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instance\_instance\_id\_instance\_id\_id\_endpoint\_ep\_ep\_eptype\_interface\_interface\_interface\_type\_internal\_base\_port\_start\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/tailf-mobile-infra:endpoint

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_endpoint\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_endpoint'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_endpoint-post'

  Responses:
    '201':
      Description: container endpoint created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_endpoint'

  Responses:
    '201':
      Description: container endpoint created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_endpoint'

```



```
Responses:
  '204':
    Description: container endpoint updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_endpoint_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_endpoint_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taulf-mobile-infra:endpoint/info

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_endpoint\_info\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_endpoint\_info'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_endpoint\_info\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taillf-mobile-infra:endpoint/info={info-endpoint},{info-address}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-endpoint'
- \$ref: '#/parameters/info-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_endpoint\_info\_info\_endpoint\_info-address'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/endpoint****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_endpoint\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:**

```

Reference:
'#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_endpoint'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_endpoint_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/address

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_address\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_endpoint\_info\_info-endpoint\_info-address\_address'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_address\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/type

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_type\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/info-endpoint'  
 - **\$ref:** '#/parameters/info-address'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_endpoint\_info\_info\_endpoint\_info\_address\_type'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/status

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_status_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```



```

'#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_status'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_status_head
  produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/info-endpoint'
    - $ref: '#/parameters/info-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/Interface

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_taulf_mobile_infra_endpoint_info_info_endpoint_info_address_Interface_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-endpoint'
    - $ref: '#/parameters/info-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_taulf-mobile-infra_endpoint_info_info-endpoint_info-address_Interface'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

  security:
    - basicAuth: []

  head:

    Tags:
      - data
      - head

    Summary: ''
    Description: ''
    Operation ID:
      data_taulf_mobile_infra_endpoint_info_info_endpoint_info_address_Interface_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/info-endpoint'
      - $ref: '#/parameters/info-address'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/internal

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_internal\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/info-endpoint'  
 - **\$ref:** '#/parameters/info-address'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_endpoint\_info\_info\_endpoint\_info-address\_internal'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

`/data/taillf-mobile-infra:endpoint/info={info-endpoint},{info-address}/startTime`

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_internal_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## `/data/taillf-mobile-infra:endpoint/info={info-endpoint},{info-address}/startTime`

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_startTime_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_startTime'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_startTime_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-endpoint'
    - $ref: '#/parameters/info-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/stoppedTime

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_stoppedTime_get

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/info-endpoint'  
 - \$ref: '#/parameters/info-address'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_taulf-mobile-infra\_endpoint\_info\_info-endpoint\_info-address\_stoppedTime'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_stoppedTime\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/info-endpoint'  
 - \$ref: '#/parameters/info-address'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []

```

## /data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/grInstance

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_grInstance_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_endpoint_info_info_endpoint_info_address_grInstance'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

```

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_grInstance\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/vrf

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_endpoint\_info\_info\_endpoint\_info\_address\_vrf\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**



```
'#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_vrf'  
  '204':  
    Reference: '#/responses/204'  
  '400':  
    Reference: '#/responses/400'  
  '401':  
    Reference: '#/responses/401'  
  '404':  
    Reference: '#/responses/404'  
  '405':  
    Reference: '#/responses/405'  
  '409':  
    Reference: '#/responses/409'  
  security:  
  - basicAuth: []  
head:  
  
  Tags:  
  - data  
  - head  
  Summary: ''  
  Description: ''  
  Operation ID: data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_vrf_head  
  
  produces:  
  - application/yang-data+json  
  
  Parameters:  
  - $ref: '#/parameters/info-endpoint'  
  - $ref: '#/parameters/info-address'  
  - $ref: '#/parameters/content'  
  - $ref: '#/parameters/depth'  
  - $ref: '#/parameters/fields'  
  - $ref: '#/parameters/filter'  
  - $ref: '#/parameters/with-defaults'  
  
  Responses:  
  '200':  
    Reference: '#/responses/200'  
  security:  
  - basicAuth: []
```

## /data/tailf-mobile-infra:endpoint/all

```
get:  
  
  Tags:  
  - data  
  - get  
  Summary: ''  
  Description: ''  
  Operation ID: data_tailf_mobile_infra_endpoint_all_get
```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_endpoint\_all'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_endpoint\_all\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-grInstance'
  - $ref: '#/parameters/all-endpoint'
  - $ref: '#/parameters/all-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/grInstance

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_grInstance_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_grInstance'

    '204':

```

```

      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_grInstance_head

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/e

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_endpoint_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_endpoint'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

  security:
    - basicAuth: []

  head:

  Tags:
    - data
    - head

  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_endpoint_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/a

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_endpoint\_all\_all-grInstance\_all\_endpoint\_all\_address\_address\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_endpoint\_all\_all-grInstance\_all\_endpoint\_all\_address\_address'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/type**

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_address_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-grInstance'
      - $ref: '#/parameters/all-endpoint'
      - $ref: '#/parameters/all-address'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## **/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/type**

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_type_get
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-grInstance'
      - $ref: '#/parameters/all-endpoint'
      - $ref: '#/parameters/all-address'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```



```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_taulf_mobile_infra_endpoint_all_all-grInstance_all_endpoint_all_address_type_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/status

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_endpoint\_all\_all\_grInstance\_all\_endpoint\_all\_address\_status\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_endpoint\_all\_all-grInstance\_all-endpoint\_all-address\_status'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

```

data_taulf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_status_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taulf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/Interface

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_Interface_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_Interface'

'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_Interface_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/internal

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_internal_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_internal'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all-grInstance_all_endpoint_all_address_internal_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/sta

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_endpoint\_all\_all-grInstance\_all\_endpoint\_all\_address\_startTime\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-grInstance'

- \$ref: '#/parameters/all-endpoint'

- \$ref: '#/parameters/all-address'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_endpoint\_all\_all-grInstance\_all\_endpoint\_all-address\_startTime'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_startTime_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/s

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_stoppedTime_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_stoppedTime'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_stoppedTime_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```



## /data/taulf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/v

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_vrf_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-grInstance'
  - $ref: '#/parameters/all-endpoint'
  - $ref: '#/parameters/all-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
        '#/definitions/data_taulf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_vrf'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_vrf_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:vrf

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_vrf'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_post
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_vrf-post'

    Responses:
    '201':
        Description: container vrf created
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_vrf'

    Responses:
    '201':
        Description: container vrf created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_vrf'

    Responses:
    '204':

```

```
    Description: container vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:vrf/vrflist

```
options:
```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_vrflist\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/taillf-mobile-infra:vrf/vrflist={vrflist-name}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_vrflist\_vrflist\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/vrflist-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_vrf\_vrflist\_vrflist-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/vrflist-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/vrflist-name'
      - $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name'
      - $ref: '#/parameters/insert'
      - $ref: '#/parameters/point'

    Responses:
      '201':
        Description: list vrflist created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name'

  Responses:
    '204':
      Description: list vrflist updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'

  Responses:
    '204':

```



```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_vrf_vrflist_vrflist_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:vrf/vrflist={vrflist-name}/name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_vrf_vrflist_vrflist_name_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_taulf-mobile-infra_vrf_vrflist_vrflist-name_name'
    '204':
      Reference: '#/responses/204'
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name'

  Responses:
  '201':
    Description: leaf name created or replaced
  '204':

```

```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name'

  Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_delete
  produces:
  - application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/gateway

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```
      Reference:
'#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/vrflist-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/vrflist-name'
    - $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway'
```

```

Responses:
  '201':
    Description: leaf gateway created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_vrf_vrflist_vrflist_name_gateway_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_taulf-mobile-infra_vrf_vrflist_vrflist-name_gateway'

Responses:
  '204':
    Description: leaf gateway updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete

```

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/gateway|pv6

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_put

```



```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6'

Responses:
'201':
  Description: leaf gatewayIpv6 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6'

Responses:
'204':
  Description: leaf gatewayIpv6 updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/device

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

```

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_vrflist\_vrflist\_name\_device\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/vrflist-name'
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_vrf\_vrflist\_vrflist-name\_device'

**Responses:**

- '201':
  - Description:** leaf device created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_vrflist\_vrflist\_name\_device\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/vrflist-name'
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_vrf\_vrflist\_vrflist-name\_device'

**Responses:**

- '204':
  - Description:** leaf device updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/linkDevice

```

get:

  Tags:
  - data
  - get

```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_vrflist\_vrflist\_name\_linkDevice\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/vrflist-name'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_vrf\_vrflist\_vrflist-name\_linkDevice'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_vrflist\_vrflist\_name\_linkDevice\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/vrflist-name'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice'

Responses:
  '201':
    Description: leaf linkDevice created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice'

Responses:
  '204':
```

```

    Description: leaf linkDevice updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```



## /data/taulf-mobile-infra:vrf-info

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_vrf\_info\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_taulf-mobile-infra\_vrf-info'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_vrf\_info\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_info\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_vrf-info-post'

**Responses:**

'201':  
 Description: container vrf-info created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_info\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_vrf-info'

```
Responses:
  '201':
    Description: container vrf-info created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_vrf-info'

Responses:
  '204':
    Description: container vrf-info updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

```

Operation ID: data_tailf_mobile_infra_vrf_info_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taillf-mobile-infra:vrf-info/all

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_all_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_vrf-info_all'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_vrf_info_all_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taulf-mobile-infra:vrf-info/all={all-name}

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_vrf_info_all_all_name_get
  produces:
    - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_tailf-mobile-infra\_vrf-info\_all\_all-name'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_info\_all\_all\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taillf-mobile-infra:vrf-info/all={all-name}/name

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_info\_all\_all\_name\_name\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_vrf-info\_all\_all-name\_name'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_info\_all\_all\_name\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/all-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taulf-mobile-infra:vrf-info/all={all-name}/gateway

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_vrf\_info\_all\_all\_name\_gateway\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference: '#/definitions/data\_taulf-mobile-infra\_vrf-info\_all\_all-name\_gateway'

- '204':
  - Reference: '#/responses/204'

- '400':
  - Reference: '#/responses/400'

- '401':
  - Reference: '#/responses/401'

- '404':
  - Reference: '#/responses/404'

- '405':
  - Reference: '#/responses/405'

- '409':
  - Reference: '#/responses/409'

**security:**



```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_gateway_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:vrf-info/all={all-name}/gatewayIpv6

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_gatewayIpv6_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_gatewayIpv6'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_gatewayIpv6_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:vrf-info/all={all-name}/device

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_device_get
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_device'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_device_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/tailf-mobile-infra:vrf-info/all={all-name}/linkDevice

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_info\_all\_all\_name\_linkDevice\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_vrf-info\_all\_all-name\_linkDevice'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_info\_all\_all\_name\_linkDevice\_head

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:vrf-info/all={all-name}/tableId

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_vrf\_info\_all\_all\_name\_tableId\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

Reference: '#/definitions/data\_tailf-mobile-infra\_vrf-info\_all\_all-name\_tableId'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_tableId_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/tailf-mobile-infra:vrf-info/all={all-name}/state

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_state_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:

```

```

    Reference: '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_state'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_state_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:vrf-info/all={all-name}/podName

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_podName_get
produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:** '#/definitions/data\_taulf-mobile-infra\_vrf-info\_all\_all-name\_podName'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_vrf\_info\_all\_all\_name\_podName\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'



```
security:  
- basicAuth: []
```

## /data/tailf-mobile-infra:logging

get:

```
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_logging_get  
produces:  
- application/yang-data+json
```

```
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

```
Responses:  
'200':  
  Description: OK  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging'  
'204':  
  Reference: '#/responses/204'  
'400':  
  Reference: '#/responses/400'  
'401':  
  Reference: '#/responses/401'  
'404':  
  Reference: '#/responses/404'  
'405':  
  Reference: '#/responses/405'  
'409':  
  Reference: '#/responses/409'
```

```
security:  
- basicAuth: []
```

head:

```
Tags:  
- data  
- head  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_logging_head  
produces:  
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_logging-post'

**Responses:**

- '201':
  - Description: container logging created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_put**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging'

Responses:
  '201':
    Description: container logging created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging'

Responses:
  '204':
    Description: container logging updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
```

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:logging/transaction

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_transaction_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_transaction_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction-post'
```

**Responses:**

'201':  
**Description:** container transaction created  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_transaction'

**Responses:**

'201':  
**Description:** container transaction created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data

```
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction'

Responses:
  '204':
    Description: container transaction updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_options
produces:
- application/yang-data+json
Parameters: []
```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:logging/transaction/persist

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_persist\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_transaction\_persist'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''



**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_persist\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

- Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_persist\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_transaction\_persist'

**Responses:**

'201':

- Description:** leaf persist created or replaced

'204':

- Reference:** '#/responses/204'

'400':

- Reference:** '#/responses/400'

'401':

- Reference:** '#/responses/401'

'404':

- Reference:** '#/responses/404'

'405':

- Reference:** '#/responses/405'

'409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

```

Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_persist'

Responses:
  '204':
    Description: leaf persist updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:logging/transaction/max-file-size

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_get
  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_transaction_max-file-size'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

```

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_head

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_max\_file\_size\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_transaction\_max-file-size'

**Responses:****'201':****Description:** leaf max-file-size created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_max\_file\_size\_patch

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_max-file-size'

Responses:
'204':
  Description: leaf max-file-size updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

## /data/tailf-mobile-infra:logging/transaction/max-rotation

**get:**

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_max\_rotation\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

```

'#/definitions/data_tailf-mobile-infra_logging_transaction_max-rotation'

```

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_max\_rotation\_head

**produces:**

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_rotation_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_max-rotation'

Responses:
  '201':
    Description: leaf max-rotation created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_rotation_patch
produces:
```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_transaction\_max-rotation'

**Responses:**

'204':  
**Description:** leaf max-rotation updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_max\_rotation\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_max\_rotation\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []



## /data/taif-mobile-infra:logging/transaction/message

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_message\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_transaction\_message'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_message\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_message\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_logging\_transaction\_message'

**Responses:**

'201':  
 Description: leaf message created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_message\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_logging\_transaction\_message'

```
Responses:
  '204':
    Description: leaf message updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_message_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_message_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:logging/transaction/duplicate

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_duplicate\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_transaction\_duplicate'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_transaction\_duplicate\_head

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/content'

```
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_duplicate'

Responses:
  '201':
    Description: leaf duplicate created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_duplicate'
```

```
Responses:
  '204':
    Description: leaf duplicate updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:logging/level

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_level\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_level'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_level\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_level\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_logging\_level-post'

**Responses:**

- '201':
  - Description: container level created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_level\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_logging\_level'



```
Responses:
  '201':
    Description: container level created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_level'

Responses:
  '204':
    Description: container level updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_level\_delete  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_logging\_level\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:** []

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:logging/level/application

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_logging\_level\_application\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_level\_application'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_application_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_application_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_application'

  Responses:
  '201':
    Description: leaf application created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_logging_level_application_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_taulf-mobile-infra_logging_level_application'

  Responses:
    '204':
      Description: leaf application updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_logging_level_application_delete
  produces:
    - application/yang-data+json

```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_application_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:logging/level/transaction

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_transaction_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_level_transaction'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_transaction_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_transaction_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_transaction'

  Responses:
    '201':
      Description: leaf transaction created or replaced
    '204':
      Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_level_transaction'

Responses:
'204':
  Description: leaf transaction updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_transaction_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_transaction_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:logging/level/tracing

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_tracing_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_logging_level_tracing'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```



```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_tracing_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_tracing_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_tracing'
  Responses:
  '201':
    Description: leaf tracing created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_tracing_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_level_tracing'

Responses:
    '204':
        Description: leaf tracing updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_tracing_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
    '204':
        Reference: '#/responses/204'
    security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_tracing_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:logging/level/monitor-subscriber

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_logging_level_monitor-subscriber'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_monitor-subscriber'

    Responses:
    '201':
        Description: leaf monitor-subscriber created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_level_monitor-subscriber'

Responses:
  '204':
    Description: leaf monitor-subscriber updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:
```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_level\_monitor\_subscriber\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:logging/logger

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:logging/logger={logger-name}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/logger-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_logger\_logger-name'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list logger created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name'

Responses:
  '204':
    Description: list logger updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```



```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/tailf-mobile-infra:logging/logger={logger-name}/name

```

get:

  Tags:
  - data
  - get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_logger\_logger-name\_name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_name'

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_name'

Responses:
  '204':
```

```

    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:logging/logger={logger-name}/level

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_logging\_logger\_logger\_name\_level\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/logger-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_taulf-mobile-infra\_logging\_logger\_logger\_name\_level'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_logging\_logger\_logger\_name\_level\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_level\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_logging\_logger\_logger\_name\_level-post'

**Responses:**

- '201':
  - Description: container level created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_level\_put**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_taulf-mobile-infra_logging_logger_logger-name_level'

Responses:
  '201':
    Description: container level created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_logging_logger_logger_name_level_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_taulf-mobile-infra_logging_logger_logger-name_level'

Responses:
  '204':
    Description: container level updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:
```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:logging/logger={logger-name}/level/application

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_application_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

```



- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_logging\_logger\_logger-name\_level\_application'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_level\_application\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_application_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_application'

Responses:
  '201':
    Description: leaf application created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_application_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_application'

Responses:
  '204':
    Description: leaf application updated
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_application_delete
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/logger-name'
  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_application_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/logger-name'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:logging/logger={logger-name}/level/transaction

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_level\_transaction\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/logger-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_logging\_logger\_logger\_name\_level\_transaction'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_logger\_logger\_name\_level\_transaction\_head

#### produces:

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_transaction'

Responses:
  '201':
    Description: leaf transaction created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_transaction'

Responses:
  '204':
    Description: leaf transaction updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taillf-mobile-infra:logging/logger={logger-name}/level/tracing

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_tracing'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_tracing'

Responses:
  '201':
    Description: leaf tracing created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```



```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_logging_logger_logger_name_level_tracing_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/logger-name'
      - $ref: '#/parameters/data_taulf-mobile-infra_logging_logger_logger_name_level_tracing'

    Responses:
      '204':
        Description: leaf tracing updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_logging_logger_logger_name_level_tracing_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/logger-name'

    Responses:
      '204':
        Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:logging/logger={logger-name}/level/monitor-subscriber

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_logging_logger_logger_name_level_monitor-subscriber'
    '204':

```

```

      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_logging_logger_logger_name_level_monitor-subscriber'
```

```

Responses:
  '201':
    Description: leaf monitor-subscriber created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_monitor-subscriber'

Responses:
  '204':
    Description: leaf monitor-subscriber updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:logging/async

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_taulf-mobile-infra\_logging\_async'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_logging\_async\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_post  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_async-post'

**Responses:**  
'201':  
  **Description:** container async created  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Summary:** ''  
**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_async'

**Responses:**  
'201':  
  **Description:** container async created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_logging_async'

    Responses:
      '204':
        Description: container async updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''

```



```
Description: ''  
Operation ID: data_tailf_mobile_infra_logging_async_options  
produces:  
- application/yang-data+json  
Parameters: []  
  
Responses:  
  '200':  
    Reference: '#/responses/200'  
security:  
- basicAuth: []
```

## /data/taif-mobile-infra:logging/async/application

get:

```
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_logging_async_application_get  
produces:  
- application/yang-data+json  
  
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'  
  
Responses:  
  '200':  
    Description: OK  
    Schema:  
      Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application'  
  '204':  
    Reference: '#/responses/204'  
  '400':  
    Reference: '#/responses/400'  
  '401':  
    Reference: '#/responses/401'  
  '404':  
    Reference: '#/responses/404'  
  '405':  
    Reference: '#/responses/405'  
  '409':  
    Reference: '#/responses/409'  
security:  
- basicAuth: []  
head:
```

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_application\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_application\_post**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_async\_application-post'

**Responses:****'201':****Description:** container application created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**put:**

```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_logging_async_application_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_logging_async_application'

Responses:
'201':
  Description: container application created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_logging_async_application_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_logging_async_application'

Responses:
'204':
  Description: container application updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/taif-mobile-infra:logging/async/application/enable

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_get
produces:
- application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_async_application_enable'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
```

```

- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_enable-post'

Responses:
  '201':
    Description: container enable created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_enable'

Responses:
  '201':
    Description: container enable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_application_enable_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_enable'

    Responses:
      '204':
        Description: container enable updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_application_enable_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:logging/async/application/enable/buffer-size

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_buffer_size_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_logging_async_application_enable_buffer-size'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```



```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_logging_async_application_enable_buffer_size_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_logging_async_application_enable_buffer_size_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref:
        '#/parameters/data_taulf-mobile-infra_logging_async_application_enable_buffer-size'

    Responses:
      '201':
        Description: leaf buffer-size created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
```

```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_application_enable_buffer_size_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_application_enable_buffer-size'

  Responses:
    '204':
      Description: leaf buffer-size updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_application_enable_buffer_size_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_application_enable_buffer_size_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:logging/async/application/disable

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_application_disable'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_disable'

  Responses:
    '201':
      Description: leaf disable created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_disable'

  Responses:
    '204':
      Description: leaf disable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_application\_disable\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/taif-mobile-infra:logging/async/transaction

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_transaction\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_async\_transaction'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':**

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction-post'

    Responses:
      '201':
        Description: container transaction created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction'

Responses:
'201':
    Description: container transaction created or replaced
'204':
    Reference: '#/responses/204'
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction'

Responses:
'204':
    Description: container transaction updated
'400':

```



```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:logging/async/transaction/enable

```
get:

  Tags:
  - data
  - get
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_transaction\_enable\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_logging\_async\_transaction\_enable'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**

- data  
 - head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_transaction\_enable\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable-post'

  Responses:
    '201':
      Description: container enable created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable'

  Responses:
    '201':
      Description: container enable created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable'

Responses:
  '204':
    Description: container enable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':

```

```

      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_options
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/taif-mobile-infra:logging/async/transaction/enable/buffer-size

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size'

    Responses:
    '201':
        Description: leaf buffer-size created or replaced
    '204':
        Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size'

  Responses:
    '204':
      Description: leaf buffer-size updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_delete
  produces:
  - application/yang-data+json

```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:logging/async/transaction/disable

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_async_transaction_disable'
  '204':

```



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_disable'

  Responses:
  '201':
    Description: leaf disable created or replaced
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:
  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_patch
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_disable'
  Responses:
  '204':
    Description: leaf disable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:
  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_delete
  produces:
  - application/yang-data+json
  Parameters: []

```

```

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:logging/async/tracing

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_tracing_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_tracing_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing-post'

  Responses:
    '201':
      Description: container tracing created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing'

Responses:
'201':
  Description: container tracing created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing'
```

**Responses:**

'204':  
  **Description:** container tracing updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
- delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
  **Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
  **Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:logging/async/tracing/enable

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_enable\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_async\_tracing\_enable'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_enable\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_enable\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_logging\_async\_tracing\_enable-post'

**Responses:**

'201':  
 Description: container enable created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_enable\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_logging\_async\_tracing\_enable'



```
Responses:
  '201':
    Description: container enable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_enable'

Responses:
  '204':
    Description: container enable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
```

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_enable\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

**'204':**

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_enable\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:logging/async/tracing/enable/buffer-size

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_tracing\_enable\_buffer\_size\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**

**Description:** OK

**Schema:**

```

Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size'

```

```

Responses:
  '201':
    Description: leaf buffer-size created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size'

Responses:
  '204':
    Description: leaf buffer-size updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''

```

```
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_delete

produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:logging/async/tracing/disable

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
```

```

    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing_disable'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_disable'

```

```
Responses:
  '201':
    Description: leaf disable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_logging_async_tracing_disable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_logging_async_tracing_disable'

Responses:
  '204':
    Description: leaf disable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
```

```

Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/taif-mobile-infra:logging/async/monitor-subscriber

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```



```

      Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber-post'

  Responses:
```

```

    '201':
      Description: container monitor-subscriber created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber'

  Responses:
    '201':
      Description: container monitor-subscriber created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''

```

```
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber'

Responses:
'204':
  Description: container monitor-subscriber updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
```

**Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:logging/async/monitor-subscriber/enable

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_monitor\_subscriber\_enable\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_logging\_async\_monitor-subscriber\_enable'

**'204':**  
**Reference:** '#/responses/204'  
**'400':**  
**Reference:** '#/responses/400'  
**'401':**  
**Reference:** '#/responses/401'  
**'404':**  
**Reference:** '#/responses/404'  
**'405':**  
**Reference:** '#/responses/405'  
**'409':**  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_monitor\_subscriber\_enable\_head

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_post
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable-post'

Responses:
  '201':
    Description: container enable created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
```

**Operation ID:** data\_taulf\_mobile\_infra\_logging\_async\_monitor\_subscriber\_enable\_put  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_taulf-mobile-infra\_logging\_async\_monitor-subscriber\_enable'

**Responses:**

'201':

**Description:** container enable created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_logging\_async\_monitor\_subscriber\_enable\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_taulf-mobile-infra\_logging\_async\_monitor-subscriber\_enable'

**Responses:**

'204':

**Description:** container enable updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:logging/async/monitor-subscriber/enable/buffer-size

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
```

```

- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data

```



```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size'

Responses:
'201':
  Description: leaf buffer-size created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size'

Responses:
'204':
  Description: leaf buffer-size updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:logging/async/monitor-subscriber/disable

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_disable'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_monitor\_subscriber\_disable\_put  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_async\_monitor-subscriber\_disable'

**Responses:****'201':****Description:** leaf disable created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_logging\_async\_monitor\_subscriber\_disable\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_logging\_async\_monitor-subscriber\_disable'

**Responses:****'204':****Description:** leaf disable updated**'400':****Reference:** '#/responses/400'**'401':**

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:logging/error

```
get:

  Tags:
  - data
  - get
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_logging\_error\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_tailf-mobile-infra\_logging\_error'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_logging\_error\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

```
    security:
      - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_error-post'

Responses:
  '201':
    Description: container error created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_error'

Responses:
  '201':
    Description: container error created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_error_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_error'

  Responses:
    '204':
      Description: container error updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_error_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'

```



```
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
```

## /data/taif-mobile-infra:logging/error/stack

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_stack_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_error_stack'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_error_stack_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_error_stack_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_error_stack'
  Responses:
  '201':
    Description: leaf stack created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_stack_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_error_stack'

Responses:
  '204':
    Description: leaf stack updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_stack_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:
```

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_logging\_error\_stack\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taulf-mobile-infra:nodemonitor

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_nodemonitor\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

  '200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_nodemonitor'

  '204':

**Reference:** '#/responses/204'

  '400':

**Reference:** '#/responses/400'

  '401':

**Reference:** '#/responses/401'

  '404':

**Reference:** '#/responses/404'

  '405':

**Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_nodemonitor_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_nodemonitor_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor-post'

    Responses:
      '201':
        Description: container nodemonitor created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_nodemonitor_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor'

    Responses:
      '201':
        Description: container nodemonitor created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_nodemonitor_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor'

    Responses:
      '204':
        Description: container nodemonitor updated
      '400':
        Reference: '#/responses/400'

```

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:nodemonitor/mode

```
get:

  Tags:
  - data
  - get
  Summary: ''
```

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_nodemonitor\_mode\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_nodemonitor\_mode'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_nodemonitor\_mode\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**



```
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_nodemonitor_mode_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor_mode'

Responses:
'201':
  Description: leaf mode created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_nodemonitor_mode_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor_mode'

Responses:
'204':
  Description: leaf mode updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_mode_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_mode_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taillf-mobile-infra:nodemonitor/interval

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_interval_get
  produces:

```

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor_interval'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_nodemonitor_interval_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:
```

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_nodemonitor\_interval\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_nodemonitor\_interval'

**Responses:****'201':****Description:** leaf interval created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_nodemonitor\_interval\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_nodemonitor\_interval'

**Responses:****'204':****Description:** leaf interval updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_nodemonitor_interval_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_nodemonitor_interval_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
```

## /data/taulf-mobile-infra:router

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_router_get
  produces:
    - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_tailf-mobile-infra\_router'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_router\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router-post'

Responses:
'201':
  Description: container router created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router'

Responses:
'201':
  Description: container router created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_router'

  Responses:
    '204':
      Description: container router updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_delete
    produces:
      - application/yang-data+json
    Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data

```



```

- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:router/bgplist

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:router/bgplist={bgplist-bgp}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_put  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/bgplist-bgp'  
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp'  
- **\$ref:** '#/parameters/insert'  
- **\$ref:** '#/parameters/point'

**Responses:**  
'201':  
  **Description:** list bgplist created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_patch  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/bgplist-bgp'  
- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp'

**Responses:**  
'204':  
  **Description:** list bgplist updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
    delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/bgplist-bgp'

    Responses:
      '204':
        Reference: '#/responses/204'
      security:
      - basicAuth: []
    options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/bgplist-bgp'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
      - basicAuth: []

```

## /data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/bgp

```

get:

    Tags:
    - data
    - get
    Summary: ''
    Description: ''

```

```
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
```

```

        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp'

    Responses:
    '201':
        Description: leaf bgp created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp'

    Responses:
    '204':
        Description: leaf bgp updated
    '400':

```

```
      Reference: '#/responses/400'
'401':
      Reference: '#/responses/401'
'404':
      Reference: '#/responses/404'
'405':
      Reference: '#/responses/405'
'409':
      Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
'204':
      Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
'200':
      Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/loopbackPort

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_loopbackPort\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_loopbackPort'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_loopbackPort\_head

#### produces:

- application/yang-data+json

#### Parameters:



```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackPort_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort'

Responses:
  '201':
    Description: leaf loopbackPort created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackPort_patch
produces:

```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'  
 - **\$ref:** '#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_loopbackPort'

**Responses:**

'204':  
   **Description:** leaf loopbackPort updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_loopbackPort\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'

**Responses:**

'204':  
   **Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_loopbackPort\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/loopbackBFDPort

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_loopbackBFDPort\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_loopbackBFDPort'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_loopbackBFDPort\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_loopbackBFDPort\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_loopbackBFDPort'

**Responses:****'201':****Description:** leaf loopbackBFDPort created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':**

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort'

  Responses:
    '204':
      Description: leaf loopbackBFDPort updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/learnDefaultRoute

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute'
  Responses:

```

```

    '201':
      Description: leaf learnDefaultRoute created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute'

  Responses:
    '204':
      Description: leaf learnDefaultRoute updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```



```

Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-inte

**get:**

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_taillf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_get

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/interfaceList-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

**Responses:**

```

  '200':
    Description: OK
    Schema:

```

**Reference:**

'#/definitions/data\_taillf-mobile-infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list interfaceList created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/interfaceList-interface'
  - $ref:
'#/parameters/data_taillf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface'

  Responses:
    '204':
      Description: list interfaceList updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_delete

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-in

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface\_interface'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_interface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_interface'

Responses:
'201':
  Description: leaf interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_interface'

```

**Responses:**

'204':  
**Description:** leaf interface updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_interface\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'  
 - **\$ref:** '#/parameters/interfaceList-interface'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_interface\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'  
 - **\$ref:** '#/parameters/interfaceList-interface'

**Responses:**



```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/bondingInterfaces={bondingInterfaces-bondingInterface}

options:

```

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:

```

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_bondingInterfaces\_options

```

    produces:
      - application/yang-data+json

```

```

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/interfaceList-interface'

```

```

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

?

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/bondingInterfaces={bondingInterfaces-bondingInterface}

: get:

```

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:

```

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_get

```

    produces:
      - application/yang-data+json

```

```

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/interfaceList-interface'
      - $ref: '#/parameters/bondingInterfaces-bondingInterface'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface\_bondingInterfaces\_bondingInterfaces-bondingInterface'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**head:****Tags:**- data  
- head**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/bondingInterfaces-bondingInterface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/bondingInterfaces-bondingInterface'
- $ref:
'#/parameters/data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list bondingInterfaces created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/bondingInterfaces-bondingInterface'
- $ref:
'#/parameters/data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface'

```

**Responses:**

- '204':
  - Description:** list bondingInterfaces updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/bondingInterfaces-bondingInterface'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'

- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/bondingInterfaces-bondingInterface'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

~~/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/bondingInterfaces={bondingInterfaces-bondingInterface}/bondingInterface~~

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

~~data\_taiif\_mobile\_infra\_router\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_bondingInterface\_get~~

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/bondingInterfaces-bondingInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

~~%/definitions/data\_taiif\_mobile\_infra\_router\_bgplist\_bgp\_interfaceList\_interfaceList-interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_bondingInterface'~~

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgp\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_bondingInterface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/bondingInterfaces-bondingInterface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgp\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_bondingInterface\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/bondingInterfaces-bondingInterface'
- **\$ref:**

'#/parameters/data\_tailf\_mobile\_infra\_router\_bgplist\_bgp\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_bondingInterface'

**Responses:**

'201':

**Description:** leaf bondingInterface created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tai-mobile-infra:router/bgplist-bgp/interfaceList-interface/bondingInterfaces/bondingInterfaces/bondingInterface/bondingInterface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/bondingInterfaces-bondingInterface'
- $ref: '#/parameters/data_tai-mobile-infra:router/bgplist-bgp/interfaceList-interface/bondingInterfaces/bondingInterfaces/bondingInterface/bondingInterface'

Responses:
  '204':
    Description: leaf bondingInterface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_bondingInterface\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/bondingInterfaces-bondingInterface'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_bondingInterfaces\_bondingInterfaces\_bondingInterface\_bondingInterface\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/bondingInterfaces-bondingInterface'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-inte

**get:****Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_vrf\_get

**produces:**

- application/yang-data+json



**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface\_vrf'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_vrf\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/bgplist-bgp'
        - $ref: '#/parameters/interfaceList-interface'
        - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf'

      Responses:
        '201':
          Description: leaf vrf created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_patch

      produces:
        - application/yang-data+json

      Parameters:

```

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf'

Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/interfaceList-interface'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_options

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-inte

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

**/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors={neighbors-neighbor}****: get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'

- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_taill-mobile-infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors-neighbor'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taill\_mobile\_infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors-neighbor\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/interfaceList-interface'
      - $ref: '#/parameters/neighbors-neighbor'
      - $ref:
'#/parameters/data_taulf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors_neighbor'

      - $ref: '#/parameters/insert'
      - $ref: '#/parameters/point'

    Responses:
      '201':
        Description: list neighbors created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_patch

    produces:
      - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor'

Responses:
'204':
  Description: list neighbors updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_taulf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'  
 - \$ref: '#/parameters/interfaceList-interface'  
 - \$ref: '#/parameters/neighbors-neighbor'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/taulf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors={neighbors-neighbor}/neighbor  
 : get:

**Tags:**

- data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_neighbor\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'  
 - \$ref: '#/parameters/interfaceList-interface'  
 - \$ref: '#/parameters/neighbors-neighbor'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference:

'#/definitions/data\_taulf-mobile-infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors-neighbor\_neighbor'

'204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':



```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_neighbor_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/interfaceList-interface'
    - $ref: '#/parameters/neighbors-neighbor'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_neighbor_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/interfaceList-interface'
    - $ref: '#/parameters/neighbors-neighbor'
    - $ref:
'#/parameters/data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_neighbor'
```

**Responses:**

- '201':
  - Description:** leaf neighbor created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_neighbor\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:**

#/parameters/data\_taillf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors\_neighbor\_neighbor'

**Responses:**

- '204':
  - Description:** leaf neighbor updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_neighbor\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_neighbor\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

**/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors={neighbors-neighbor}/terote-as****: get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_remote\_as\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors\_neighbor\_remote-as'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_remote\_as\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_remote\_as\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors-neighbor\_remote-as'

**Responses:**

'201':  
 Description: leaf remote-as created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_remote\_as\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'

- \$ref: '#/parameters/interfaceList-interface'

- \$ref: '#/parameters/neighbors-neighbor'

- \$ref:

'#/parameters/data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors\_neighbor\_remote-as'

**Responses:**

'204':

**Description:** leaf remote-as updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_remote\_as\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'

- \$ref: '#/parameters/interfaceList-interface'

- \$ref: '#/parameters/neighbors-neighbor'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_taif\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_rerote\_as\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

**/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors={neighbors-neighbor}/fail-over**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taif\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_fail\_over\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_taif-mobile-infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors\_neighbor\_fail-over'

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data\_taif\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_fail\_over\_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data\_taif\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_fail\_over\_put

```

produces:
- application/yang-data+json

```



**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors-neighbor\_fail-over'

**Responses:**

- '201':
  - Description:** leaf fail-over created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors-neighbor\_fail\_over\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors-neighbor\_fail-over'

**Responses:**

- '204':
  - Description:** leaf fail-over updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data\_taillf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_fail\_over\_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'

```

```

Responses:
'204':
  Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

```
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_taillf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_interfaceList\_interfaceList\_interface\_neighbors\_neighbors\_neighbor\_fail\_over\_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies

### options:

#### Tags:

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_policies\_options

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'

#### Responses:

'200':

**Reference:** '#/responses/200'

#### security:

- **basicAuth:** []

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_policies\_policies\_policy\_name\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/policies-policy-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
  '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list policies created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_router_bgplist_bgplist-bgp_policies_policies-policy_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref:
    '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name'

Responses:
  '204':
    Description: list policies updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/bgplist-bgp'
        - $ref: '#/parameters/policies-policy-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_options
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/bgplist-bgp'
        - $ref: '#/parameters/policies-policy-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

get:

```

      Tags:
        - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_policies\_policies\_policy\_name\_policy\_name\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_policy-name'

**Responses:**

- '201':
  - Description: leaf policy-name created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch



```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name'

Responses:
  '204':
    Description: leaf policy-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
'/#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set'

```

**Responses:**

```

'201':
  Description: leaf as-path-set created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'/#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set'

```

**Responses:**

```

'204':
  Description: leaf as-path-set updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_policies\_policies\_policy\_name\_ip\_prefix\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_ip-prefix'

**Responses:**

'201':  
 Description: leaf ip-prefix created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix'

Responses:
  '204':
    Description: leaf ip-prefix updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:

```



```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taulf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/source-prefix

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix'

```

**Responses:**

```

'201':
  Description: leaf source-prefix created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_taulf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:

```

```
'#/parameters/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix'
```

**Responses:**

```

'204':
  Description: leaf source-prefix updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

get:

```

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_mask-range'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_policies\_policies\_policy\_name\_mask\_range\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_mask-range'

**Responses:**

- '201':
  - Description: leaf mask-range created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_mask-range'

Responses:
  '204':
    Description: leaf mask-range updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist_bgp_policies_policies-policy-name_interface'
  '204':
    Reference: '#/responses/204'

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
  '#/parameters/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_interface'

```

**Responses:**

```

'201':
  Description: leaf interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_taulf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
  '#/parameters/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_interface'

```

**Responses:**

```

'204':
  Description: leaf interface updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_policies\_policies\_policy\_name\_modifySourceIp\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_modifySourceIp'

**Responses:**

'201':  
 Description: leaf modifySourceIp created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp'

Responses:
  '204':
    Description: leaf modifySourceIp updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/bgplist-bgp'

```



```

- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute'

```

**Responses:**

```

'201':
  Description: leaf isStaticRoute created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

**Summary:** ''**Description:** ''**Operation ID:**

```
data_tailf_mobile_infra_router_bgplist_bgplist-bgp_policies_policies-policy_name_isStaticRoute_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:

```

```
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute'
```

**Responses:**

```

'204':
  Description: leaf isStaticRoute updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

get:

```

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_policies\_policies\_policy\_name\_gateWay\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data\_taulf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_gateWay'

**Responses:**

- '201':
  - Description: leaf gateWay created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay'

Responses:
  '204':
    Description: leaf gateWay updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/bfd

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd-post'

  Responses:
    '201':
      Description: container bfd created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd'

  Responses:
    '201':
      Description: container bfd created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_patch
  produces:
  - application/yang-data+json

  Parameters:

```



- **\$ref**: '#/parameters/bgplist-bgp'
- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_bfd'

**Responses:**

- '204':
  - Description**: container bfd updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/bgplist-bgp'

**Responses:**

- '204':
  - Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/bgplist-bgp'

**Responses:**

- '200':
  - Reference**: '#/responses/200'

```

security:
- basicAuth: []

```

## /data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/bfd/interval

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_interval\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_bfd\_interval'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_interval\_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_interval_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval'

Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch

```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_interval\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/bgplist-bgp'  
 - **\$ref:** '#/parameters/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_bfd\_interval'

**Responses:**  
 '204':  
   **Description:** leaf interval updated  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**delete:**

**Tags:**  
 - data  
 - delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_interval\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/bgplist-bgp'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_interval\_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/bfd/min\_rx

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx'

    Responses:
      '201':
        Description: leaf min_rx created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'

```

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx'

    Responses:
      '204':
        Description: leaf min_rx updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:
```

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_min\_rx\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:router/bgplist={bgplist-bgp}/bfd/multiplier

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_router\_bgplist\_bgplist\_bgp\_bfd\_multiplier\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_bfd\_multiplier'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':**



```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier'

  Responses:
  '201':
    Description: leaf multiplier created or replaced
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist_bgp_bfd_multiplier'

Responses:
  '204':
    Description: leaf multiplier updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_delete

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taulf-mobile-infra:router/bfd

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_router_bfd_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

```

    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_router_bfd'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bfd_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bfd_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_router_bfd-post'

  Responses:

```

```
'201':
  Description: container bfd created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_bfd'

Responses:
'201':
  Description: container bfd created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
```

```

Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_bfd'

Responses:
  '204':
    Description: container bfd updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':

```

```
    Reference: '#/responses/200'  
security:  
- basicAuth: []
```

## /data/taif-mobile-infra:router/bfd/instance

get:

```
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_router_bfd_instance_get  
produces:  
- application/yang-data+json  
  
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'  
  
Responses:  
  '200':  
    Description: OK  
    Schema:  
      Reference: '#/definitions/data_tailf-mobile-infra_router_bfd_instance'  
  '204':  
    Reference: '#/responses/204'  
  '400':  
    Reference: '#/responses/400'  
  '401':  
    Reference: '#/responses/401'  
  '404':  
    Reference: '#/responses/404'  
  '405':  
    Reference: '#/responses/405'  
  '409':  
    Reference: '#/responses/409'  
security:  
- basicAuth: []
```

head:

```
Tags:  
- data  
- head  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_router_bfd_instance_head  
produces:
```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bfd\_instance\_post

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_router\_bfd\_instance-post'

**Responses:**

'201':  
 Description: container instance created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_router\_bfd\_instance\_put

**produces:**



```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_bfd_instance'

Responses:
'201':
  Description: container instance created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_instance_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_bfd_instance'

Responses:
'204':
  Description: container instance updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:
```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_instance_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_instance_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:router/bfd/instance/instance-id

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_instance_instance_id_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taulf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_head
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_router\_bfd\_instance\_instance-id\_instance-id-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

- '201':
  - Description: list instance-id created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id'

Responses:
  '204':
    Description: list instance-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

**Operation ID:**  
data\_taulf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_options  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'

**Responses:**  
'200':  
**Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

## /data/taulf-mobile-infra:router/bfd/instance/instance-id={instance-id}/id

**get:**

**Tags:**  
- data  
- get

**Summary:** ''  
**Description:** ''

**Operation ID:**  
data\_taulf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_id\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-id-id'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
'200':  
**Description:** OK  
**Schema:**  
**Reference:**  
'#/definitions/data\_taulf-mobile-infra\_router\_bfd\_instance\_instance-id\_instance-id-id\_id'  
'204':  
**Reference:** '#/responses/204'  
'400':  
**Reference:** '#/responses/400'  
'401':  
**Reference:** '#/responses/401'  
'404':  
**Reference:** '#/responses/404'  
'405':  
**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id'

    Responses:
      '201':
        Description: leaf id created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref:
'#/parameters/data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id'

Responses:
'204':
    Description: leaf id updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_delete
produces:
- application/yang-data+json

Parameters:

```



```

- $ref: '#/parameters/instance-id-id'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taulf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bfd\_instance\_instance-id\_instance-id-id\_interface-list\_interface-list-interface'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/content'

'#/parameters/data\_tailf-mobile-infra\_router\_bfd\_instance\_instance-id\_instance-id-id\_interface-list\_interface-list-interface'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':

Description: list interface-list created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/interface-list-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface'

  Responses:
    '204':
      Description: list interface-list updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/interface-list-interface'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/taif-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/interface
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id-id_interface_list_interface_list_interface_interface_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id-id_interface_list_interface_list_interface_interface_put
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface'

Responses:
  '201':
    Description: leaf interface created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_interface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface'

Responses:
  '204':
    Description: leaf interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_interface\_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'

```

```

Responses:
  '204':
    Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_interface\_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```



## /data/taif-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_vrf\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bfd\_instance\_instance-id\_instance-id-id\_interface-list\_interface-list-interface\_vrf'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_vrf\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_taulf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_vrf\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref:

'#/parameters/data\_taulf-mobile-infra\_router\_bfd\_instance\_instance-id\_instance-id-id\_interface-list\_interface-list-interface\_vrf'

**Responses:**

'201':

Description: leaf vrf created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/interface-list-interface'
      - $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf'

    Responses:
      '204':
        Description: leaf vrf updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/interface-list-interface'

    Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/interface-list-interface'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/neighbors
: options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/interface-list-interface'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/neighbors={neighbors-neighbor}
: get:

      Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/neighbors-neighbor'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_head

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'

#/parameters/data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor\_put

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list neighbors created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_tai/mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:**

#/parameters/data\_tai/mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor'

**Responses:**

'204':

**Description:** list neighbors updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tai/mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'

**Responses:**

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

```

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor\_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/interface-list-interface'
        - $ref: '#/parameters/neighbors-neighbor'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

?

/data/tailf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/neighbors={neighbors-neighbor}/neighbor  
: get:

```

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:

```

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor\_neighbor\_get

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/interface-list-interface'
        - $ref: '#/parameters/neighbors-neighbor'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

```

```

      Responses:
        '200':
          Description: OK

```



**Schema:****Reference:**

```
#/definitions/data_tai-mobile-infra_router_bfd_instance_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tai-mobile-infra_router_bfd_instance_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/neighbors-neighbor'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data tailf mobile infra router bfd instance instance-id instance-id-id interface-list interface-list-interface neighbors neighbors-neighbor neighbor neighbor put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:**

'#/parameters/data-tailf-mobile-infra-router-bfd-instance-instance-id-instance-id-id-interface-list-interface-list-interface-neighbors-neighbors-neighbor-neighbor'

**Responses:**

- '201':
  - Description:** leaf neighbor created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data tailf mobile infra router bfd instance instance-id instance-id-id interface-list interface-list-interface neighbors neighbors-neighbor neighbor neighbor patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:**

'#/parameters/data-tailf-mobile-infra-router-bfd-instance-instance-id-instance-id-id-interface-list-interface-list-interface-neighbors-neighbors-neighbor-neighbor'

**Responses:**

- '204':
  - Description:** leaf neighbor updated
- '400':

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data\_taif\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor\_neighbor\_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/neighbors-neighbor'

```

```

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []

```

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_taif\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_neighbors\_neighbors\_neighbor\_neighbor\_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/neighbors-neighbor'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []
  ?
/data/taif-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/gateway-ip
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/interface-list-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_gateway\_ip\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_bfd\_instance\_instance\_id\_instance\_id\_id\_interface\_list\_interface\_list\_interface\_gateway\_ip\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_router\_bfd\_instance\_instance-id\_instance-id-id\_interface-list\_interface-list-interface\_gateway-ip'

**Responses:**

'201':

**Description:** leaf gateway-ip created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_patch

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/interface-list-interface'
    - $ref:
'#/parameters/data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list-interface_gateway-ip'

Responses:
    '204':
        Description: leaf gateway-ip updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/interface-list-interface'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taulf-mobile-infra:router/monitor-interface

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_router_monitor_interface_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_router_monitor-interface'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_monitor_interface_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_monitor_interface_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_router_monitor-interface-post'

  Responses:
    '201':
      Description: container monitor-interface created

```



```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_monitor-interface'

Responses:
'201':
  Description: container monitor-interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_patch
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_monitor-interface'

Responses:
  '204':
    Description: container monitor-interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

## /data/taif-mobile-infra:router/monitor-interface/interface-list

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_interface_list_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:router/monitor-interface/interface-list={interface-list-inter

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

Reference:
'/#/definitions/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_put

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list interface-list created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface'

Responses:
'204':
  Description: list interface-list updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-list-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-list-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:router/monitor-interface/interface-list={interface-list-interfa

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_interface\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-list-interface'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_router\_monitor-interface\_interface-list\_interface-list-interface\_interface'

**Responses:**

'201':  
 Description: leaf interface created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''



**Operation ID:**

data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_interface\_patch

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/interface-list-interface'- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_router\_monitor-interface\_interface-list\_interface-list-interface\_interface'

**Responses:**

'204':

**Description:** leaf interface updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**delete:****Tags:**- data  
- delete**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_interface\_delete

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/interface-list-interface'**Responses:**

'204':

**Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''

**Operation ID:**  
data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_interface\_options

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/interface-list-interface'

**Responses:**  
**'200':**  
**Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

## /data/taif-mobile-infra:router/monitor-interface/interface-list={interface-list-interfa

**get:**

**Tags:**  
- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_linked\_interface\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/interface-list-interface'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
**Description:** OK  
**Schema:**  
**Reference:**  
'#/definitions/data\_tailf-mobile-infra\_router\_monitor-interface\_interface-list\_interface-list-interface\_linked-interface'

**'204':**  
**Reference:** '#/responses/204'

**'400':**  
**Reference:** '#/responses/400'

**'401':**  
**Reference:** '#/responses/401'

**'404':**  
**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'
  - $ref: '#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface'

  Responses:
    '201':
      Description: leaf linked-interface created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface'

Responses:
  '204':
    Description: leaf linked-interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_linked\_interface\_delete

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/interface-list-interface'**Responses:**

'204':

**Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_linked\_interface\_options

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/interface-list-interface'**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []**/data/tailf-mobile-infra:router/monitor-interface/interface-list={interface-list-inter****get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_interface\_type\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/interface-list-interface'- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_monitor-interface\_interface-list\_interface-list-interface\_interface-type'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_router\_monitor\_interface\_interface\_list\_interface\_list\_interface\_interface\_type\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type'

Responses:
'201':
  Description: leaf interface-type created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type'

Responses:
'204':

```

```

    Description: leaf interface-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```



## /data/taulf-mobile-infra:deployment

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_deployment\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_taulf-mobile-infra\_deployment'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_deployment\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_deployment-post'

**Responses:**

- '201':
  - Description: container deployment created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_deployment'

```
Responses:
  '201':
    Description: container deployment created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_deployment'

Responses:
  '204':
    Description: container deployment updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

```

Operation ID: data_tailf_mobile_infra_deployment_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:deployment/app-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_app_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_deployment_app-name'

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_app_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_app_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_app-name'

  Responses:
  '201':
    Description: leaf app-name created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_app_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_app-name'

  Responses:
    '204':
      Description: leaf app-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_app_name_delete
  produces:
  - application/yang-data+json

```

```
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_app_name_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/tailf-mobile-infra:deployment/cluster-name

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_cluster_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_deployment_cluster-name'
  '204':
    Reference: '#/responses/204'
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_cluster_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_cluster_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_deployment_cluster-name'

  Responses:
    '201':
      Description: leaf cluster-name created or replaced
    '204':
      Reference: '#/responses/204'

```



```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_cluster_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_deployment_cluster-name'

Responses:
'204':
  Description: leaf cluster-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_cluster_name_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_cluster_name_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/tailf-mobile-infra:deployment/dc-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_dc_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_deployment_dc-name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_dc_name_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_dc_name_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_dc-name'
  Responses:
  '201':
    Description: leaf dc-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_dc_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_deployment_dc-name'

Responses:
    '204':
        Description: leaf dc-name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_dc_name_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
    '204':
        Reference: '#/responses/204'
    security:

```

```
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_dc_name_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:deployment/model

```
get:

Tags:
- data
- get
Summary: Deployment Model default large
Description: Deployment Model default large
Operation ID: data_tailf_mobile_infra_deployment_model_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: Deployment Model default large
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_deployment_model'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: Deployment Model default large
  Description: Deployment Model default large
  Operation ID: data_tailf_mobile_infra_deployment_model_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: Deployment Model default large
  Description: Deployment Model default large
  Operation ID: data_tailf_mobile_infra_deployment_model_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_deployment_model'

  Responses:
    '201':
      Description: leaf model created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: Deployment Model default large
  Description: Deployment Model default large
  Operation ID: data_tailf_mobile_infra_deployment_model_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_model'

  Responses:
    '204':
      Description: leaf model updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: Deployment Model default large
  Description: Deployment Model default large
  Operation ID: data_tailf_mobile_infra_deployment_model_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
```

**Tags:**

- data
- options

**Summary:** Deployment Model default large

**Description:** Deployment Model default large

**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_model\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:deployment/resource

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_resource\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_deployment\_resource'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':



```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_deployment_resource_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_deployment_resource_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_deployment_resource-post'

    Responses:
      '201':
        Description: container resource created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_resource'

  Responses:
    '201':
      Description: container resource created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_resource'

  Responses:
    '204':
      Description: container resource updated
    '400':
      Reference: '#/responses/400'
    '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:deployment/resource/cpu

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
```

**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_resource\_cpu\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_deployment\_resource\_cpu'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_resource\_cpu\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_resource\_cpu\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_deployment\_resource\_cpu'

**Responses:****'201':****Description:** leaf cpu created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_resource\_cpu\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_deployment\_resource\_cpu'

**Responses:****'204':****Description:** leaf cpu updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_cpu_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_cpu_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:deployment/logical-nf-instance-id

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_logical_nf_instance_id_get
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_deployment_logical-nf-instance-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_logical_nf_instance_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

```

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_logical\_nf\_instance\_id\_put**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_deployment\_logical-nf-instance-id'

**Responses:****'201':****Description:** leaf logical-nf-instance-id created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_deployment\_logical\_nf\_instance\_id\_patch**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_deployment\_logical-nf-instance-id'

**Responses:****'204':****Description:** leaf logical-nf-instance-id updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'



```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_deployment_logical_nf_instance_id_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_deployment_logical_nf_instance_id_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
```

## /data/taulf-mobile-infra:k8

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_k8_get
  produces:
    - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_tailf-mobile-infra\_k8'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_k8\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8-post'

Responses:
'201':
  Description: container k8 created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8'

Responses:
'201':
  Description: container k8 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_k8_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_k8'

  Responses:
    '204':
      Description: container k8 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_k8_delete
    produces:
      - application/yang-data+json
    Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

    Tags:
      - data

```

```

- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra:k8/label

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_k8_label'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8_label-post'

Responses:
  '201':
    Description: container label created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8_label'

Responses:
'201':
  Description: container label created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8_label'

Responses:
'204':
  Description: container label updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_k8_label_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_k8_label_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:k8/label/pod-group-config

```

options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_k8_label_pod_group_config_options
  produces:

```



```

- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/taif-mobile-infra:k8/label/pod-group-config={pod-group-config-pod-group},{pod-group-config-key},{pod-group-config-value}
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []

```

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-group-config-pod-group'
- **\$ref:** '#/parameters/pod-group-config-key'
- **\$ref:** '#/parameters/pod-group-config-value'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-group-config-pod-group'
- **\$ref:** '#/parameters/pod-group-config-key'
- **\$ref:** '#/parameters/pod-group-config-value'
- **\$ref:**

'#/parameters/data\_taillf-mobile-infra\_k8\_label\_pod-group-config\_pod-group-config-pod-group\_pod-group-config-key\_pod-group-config-value'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

**Responses:**

'201':

**Description:** list pod-group-config created or replaced

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'
- $ref:
'#/parameters/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value'

Responses:
  '204':
    Description: list pod-group-config updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/taif-mobile-infra:k8/label/pod-group-config={pod-group-config-pod-group},{pod-group-config-key},{pod-group-config-value}/pod-group
: get:

Tags:
- data
- get
Summary: Group for the VMs
Description: Group for the VMs
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** Group for the VMs**Schema:****Reference:**

```
'#/definitions/data_taiif-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_pod-group'
```

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** Group for the VMs**Description:** Group for the VMs**Operation ID:**

```
data_taiif_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group_head
```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []**put:****Tags:**- data  
- put**Summary:** Group for the VMs**Description:** Group for the VMs**Operation ID:**

data\_taif\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_pod\_group\_put

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/pod-group-config-pod-group'  
- **\$ref:** '#/parameters/pod-group-config-key'  
- **\$ref:** '#/parameters/pod-group-config-value'  
- **\$ref:**

'#/parameters/data\_taif\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_pod\_group'

**Responses:****'201':****Description:** leaf pod-group created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**- **basicAuth:** []**patch:****Tags:**- data  
- patch**Summary:** Group for the VMs**Description:** Group for the VMs**Operation ID:**

data\_taif\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_pod\_group\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_k8\_label\_pod-group-config\_pod-group-config-pod-group\_pod-group-config-key\_pod-group-config-value\_pod-group'

**Responses:**

- '204':
  - Description:** leaf pod-group updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:**

**Tags:**

- data
- delete

**Summary:** Group for the VMs

**Description:** Group for the VMs

**Operation ID:**

data\_tailf-mobile-infra\_k8\_label\_pod-group-config\_pod-group-config-pod-group\_pod-group-config-key\_pod-group-config-value\_pod-group\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** Group for the VMs

**Description:** Group for the VMs

**Operation ID:**

data\_taillf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_pod\_group\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/taillf-mobile-infra:k8/label/pod-group-config=(pod-group-config-pod-group), (pod-group-config-key), (pod-group-config-value)/key

: get:

**Tags:**

- data
- get

**Summary:** Key for the label

**Description:** Key for the label

**Operation ID:**

data\_taillf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_key\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: Key for the label

Schema:

Reference:

'#/definitions/data\_taillf-mobile-infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'



```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: Key for the label
  Description: Key for the label
  Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-group-config-pod-group'
  - $ref: '#/parameters/pod-group-config-key'
  - $ref: '#/parameters/pod-group-config-value'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: Key for the label
  Description: Key for the label
  Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-group-config-pod-group'
  - $ref: '#/parameters/pod-group-config-key'
  - $ref: '#/parameters/pod-group-config-value'
  - $ref:
'#/parameters/data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key'
```

**Responses:**

'201':  
**Description:** leaf key created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** Key for the label

**Description:** Key for the label

**Operation ID:**

data\_tailf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_key\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-group-config-pod-group'

- **\$ref:** '#/parameters/pod-group-config-key'

- **\$ref:** '#/parameters/pod-group-config-value'

- **\$ref:**

'#/parameters/data\_tailf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_key'

**Responses:**

'204':  
**Description:** leaf key updated

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: Key for the label
    Description: Key for the label
    Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pod-group-config-pod-group'
    - $ref: '#/parameters/pod-group-config-key'
    - $ref: '#/parameters/pod-group-config-value'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: Key for the label
    Description: Key for the label
    Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pod-group-config-pod-group'
    - $ref: '#/parameters/pod-group-config-key'
    - $ref: '#/parameters/pod-group-config-value'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/taif-mobile-infra:k8/label/pod-group-config={pod-group-config-pod-group},{pod-group-config-key},{pod-group-config-value}/value
: get:

    Tags:
    - data
    - get
    Summary: Value for the label

```

**Description:** Value for the label

**Operation ID:**

data\_tailf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_value\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** Value for the label

**Schema:**

**Reference:**

'#/definitions/data\_tailf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_value'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** Value for the label

**Description:** Value for the label

**Operation ID:**

data\_tailf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_value\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'

- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** Value for the label

**Description:** Value for the label

**Operation ID:**

data\_taulf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_value\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref:

'#/parameters/data\_taulf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_value'

**Responses:**

'201':  
 Description: leaf value created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: Value for the label
Description: Value for the label
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'
- $ref:
'#/parameters/data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: Value for the label
Description: Value for the label
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** Value for the label

**Description:** Value for the label

**Operation ID:**

data\_tailf\_mobile\_infra\_k8\_label\_pod\_group\_config\_pod\_group\_config\_pod\_group\_pod\_group\_config\_key\_pod\_group\_config\_value\_value\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-group-config-pod-group'
- **\$ref:** '#/parameters/pod-group-config-key'
- **\$ref:** '#/parameters/pod-group-config-value'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:geo

**get:****Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_geo\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_geo'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geo_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:show

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_show_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'

```



```
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_show'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:**

**Tags:**

```
- data
- head
```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_show\_head

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

## /data/taif-mobile-infra:clear

**get:**

**Tags:**

```
- data
- get
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_clear\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_tailf-mobile-infra\_clear'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_clear\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

```
security:  
- basicAuth: []
```

## /data/taif-mobile-infra:dump

get:

```
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_dump_get  
produces:  
- application/yang-data+json
```

```
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':  
  Description: OK  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_dump'  
'204':  
  Reference: '#/responses/204'  
'400':  
  Reference: '#/responses/400'  
'401':  
  Reference: '#/responses/401'  
'404':  
  Reference: '#/responses/404'  
'405':  
  Reference: '#/responses/405'  
'409':  
  Reference: '#/responses/409'
```

```
security:  
- basicAuth: []
```

head:

```
Tags:  
- data  
- head  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_dump_head  
produces:  
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_dump\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_dump-post'

**Responses:**

- '201':
  - Description: container dump created
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_dump\_put**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_dump'

Responses:
  '201':
    Description: container dump created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_dump_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_dump'

Responses:
  '204':
    Description: container dump updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
```

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_dump_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_dump_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:config-error

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_config-error'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_config_error_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_config_error_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_config-error-post'
```

**Responses:**

'201':  
**Description:** container config-error created

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_config\_error\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_config-error'

**Responses:**

'201':  
**Description:** container config-error created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data



```
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_config-error'

Responses:
  '204':
    Description: container config-error updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_options
produces:
- application/yang-data+json
Parameters: []
```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:config-error/info

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_config\_error\_info\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_tailf-mobile-infra\_config-error\_info'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_config\_error\_info\_head  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taulf-mobile-infra:config-error/info={info-errorComponent}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_config\_error\_info\_info\_errorComponent\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/info-errorComponent'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_taulf-mobile-infra\_config-error\_info\_info-errorComponent'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_config_error_info_info_errorComponent_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-errorComponent'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:config-error/info={info-errorComponent}/errorComponent

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_config_error_info_info_errorComponent_errorComponent_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-errorComponent'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_config-error_info_info-errorComponent_errorComponent'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra_config_error_info_info_errorComponent_errorComponent_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-errorComponent'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:config-error/info={info-errorComponent}/errorDescription

**get:**

**Tags:**

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_config_error_info_info_errorComponent_errorDescription_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-errorComponent'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_taulf-mobile-infra_config-error_info_info-errorComponent_errorDescription'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_config_error_info_info_errorComponent_errorDescription_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-errorComponent'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/taif-mobile-infra:resource

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference: '#/definitions/data\_tailf-mobile-infra\_resource'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resource-post'

Responses:
  '201':
    Description: container resource created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:

```



```
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resource'

Responses:
  '201':
    Description: container resource created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resource'

Responses:
  '204':
    Description: container resource updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
```

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/taif-mobile-infra:resource/pod

```

options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:

```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:resource/pod={pod-podtype}

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype'
- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':

Description: list pod created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

```
Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_resource_pod_pod_podtype_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_taulf-mobile-infra_resource_pod_pod-podtype'

Responses:
'204':
  Description: list pod updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_resource_pod_pod_podtype_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
```

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:resource/pod={pod-podtype}/podtype

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_podtype\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_podtype'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_resource_pod_pod_podtype_podtype_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_resource_pod_pod_podtype_podtype_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_taulf-mobile-infra_resource_pod_pod-podtype_podtype'

  Responses:
  '201':
    Description: leaf podtype created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'
      - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_podtype'

    Responses:
      '204':
        Description: leaf podtype updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

```



```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:resource/pod={pod-podtype}/cpu

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_post
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod_podtype_cpu-post'

    Responses:
    '201':
        Description: container cpu created
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu'

  Responses:
    '201':
      Description: container cpu created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
```

- **\$ref**: '#/parameters/data\_taulf-mobile-infra\_resource\_pod\_pod-podtype\_cpu'

**Responses:**

'204':  
**Description**: container cpu updated  
 '400':  
**Reference**: '#/responses/400'  
 '401':  
**Reference**: '#/responses/401'  
 '404':  
**Reference**: '#/responses/404'  
 '405':  
**Reference**: '#/responses/405'  
 '409':  
**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**delete:**

**Tags:**

- data  
 - delete

**Summary**: ''

**Description**: ''

**Operation ID**: data\_taulf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/pod-podtype'

**Responses:**

'204':  
**Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:**

**Tags:**

- data  
 - options

**Summary**: ''

**Description**: ''

**Operation ID**: data\_taulf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/pod-podtype'

**Responses:**

'200':  
**Reference**: '#/responses/200'

```

security:
- basicAuth: []

```

## /data/taif-mobile-infra:resource/pod={pod-podtype}/cpu/request

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_request\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_cpu\_request'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_request\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/pod-podtype'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_request\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/pod-podtype'  
 - **\$ref:** '#/parameters/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_cpu\_request'

**Responses:**  
 '201':  
   **Description:** leaf request created or replaced

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

```
Description: ''
Operation ID: data_taulf_mobile_infra_resource_pod_pod_podtype_cpu_request_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_taulf-mobile-infra_resource_pod_pod-podtype_cpu_request'

Responses:
'204':
  Description: leaf request updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_resource_pod_pod_podtype_cpu_request_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_resource_pod_pod_podtype_cpu_request_options
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/pod-podtype'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:resource/pod={pod-podtype}/cpu/limit

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_limit\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
  - Reference: '#/definitions/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_cpu\_limit'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**



```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit'

Responses:
  '201':
    Description: leaf limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
```

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_limit\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_cpu\_limit'

**Responses:****'204':****Description:** leaf limit updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_limit\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_cpu\_limit\_options  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/pod-podtype'  
  
**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:resource/pod={pod-podtype}/memory

get:

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_memory\_get  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/pod-podtype'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:** '#/definitions/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_memory'  
  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'
      - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod_podtype_memory-post'

    Responses:
      '201':
        Description: container memory created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory'

  Responses:
    '201':
      Description: container memory created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory'

  Responses:
```

```

    '204':
      Description: container memory updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:resource/pod={pod-podtype}/memory/request

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_memory\_request\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_resource\_pod\_pod\_podtype\_memory\_request'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_memory\_request\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_memory\_request\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_resource\_pod\_pod\_podtype\_memory\_request'

**Responses:**

- '201':
  - Description: leaf request created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_memory\_request\_patch**produces:**



```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_request'

Responses:
  '204':
    Description: leaf request updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_request_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_request_options

produces:
- application/yang-data+json

Parameters:
```

- \$ref: '#/parameters/pod-podtype'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/tailf-mobile-infra:resource/pod={pod-podtype}/memory/limit

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_memory\_limit\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

Reference:

'#/definitions/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_memory\_limit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit'

Responses:
  '201':
    Description: leaf limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_memory\_limit\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_memory\_limit'

**Responses:**

- '204':
  - Description:** leaf limit updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_memory\_limit\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pod-podtype'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

```

Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:resource/pod={pod-podtype}/gomaxproc

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc'

  Responses:
    '201':
      Description: leaf gomaxproc created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':

```

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc'

  Responses:
    '204':
      Description: leaf gomaxproc updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_gomaxproc\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/tailf-mobile-infra:resource/pod={pod-podtype}/labels

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_labels'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'



```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post
  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_post
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod_podtype_labels-post'
  Responses:
    '201':
      Description: container labels created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_labels'

  Responses:
    '201':
      Description: container labels created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_patch
  produces:
  - application/yang-data+json

  Parameters:

```

- **\$ref**: '#/parameters/pod-podtype'
- **\$ref**: '#/parameters/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_labels'

**Responses:**

- '204':
  - Description**: container labels updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/pod-podtype'

**Responses:**

- '204':
  - Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/pod-podtype'

**Responses:**

- '200':
  - Reference**: '#/responses/200'

```

security:
- basicAuth: []

```

## /data/taulf-mobile-infra:resource/pod={pod-podtype}/labels/key

### get:

#### Tags:

```

- data
- get

```

**Summary:** Key for the label

**Description:** Key for the label

**Operation ID:** data\_taulf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_key\_get

#### produces:

```

- application/yang-data+json

```

#### Parameters:

```

- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

#### Responses:

'200':

**Description:** Key for the label

**Schema:**

**Reference:**

```

'#/definitions/data_taulf-mobile-infra_resource_pod_pod-podtype_labels_key'

```

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

### head:

#### Tags:

```

- data
- head

```

**Summary:** Key for the label

**Description:** Key for the label

**Operation ID:** data\_taulf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_key\_head

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: Key for the label
Description: Key for the label
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_key_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key'

Responses:
'201':
  Description: leaf key created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: Key for the label
```

**Description:** Key for the label

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_key\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_labels\_key'

**Responses:**

'204':

**Description:** leaf key updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data

- delete

**Summary:** Key for the label

**Description:** Key for the label

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_key\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Summary:** Key for the label

**Description:** Key for the label

**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_key\_options

**produces:**

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:resource/pod={pod-podtype}/labels/value

get:

```

Tags:
- data
- get
Summary: Value for the label
Description: Value for the label
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_value_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: Value for the label
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

```

**Tags:**

- data
- head

**Summary:** Value for the label

**Description:** Value for the label

**Operation ID:** data\_taulf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_value\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** Value for the label

**Description:** Value for the label

**Operation ID:** data\_taulf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_value\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/data\_taulf-mobile-infra\_resource\_pod\_pod-podtype\_labels\_value'

**Responses:**

'201':

**Description:** leaf value created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []



**patch:****Tags:**

- data
- patch

**Summary:** Value for the label

**Description:** Value for the label

**Operation ID:** data\_taulf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_value\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/data\_taulf-mobile-infra\_resource\_pod\_pod-podtype\_labels\_value'

**Responses:**

'204':

**Description:** leaf value updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** Value for the label

**Description:** Value for the label

**Operation ID:** data\_taulf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_value\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pod-podtype'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** Value for the label  
**Description:** Value for the label  
**Operation ID:** data\_tailf\_mobile\_infra\_resource\_pod\_pod\_podtype\_labels\_value\_options  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/pod-podtype'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/tailf-mobile-infra:geomonitor

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_tailf-mobile-infra\_geomonitor'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

```
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_geomonitor_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_geomonitor_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_taulf-mobile-infra_geomonitor-post'

  Responses:
    '201':
      Description: container geomonitor created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor'

    Responses:
      '201':
        Description: container geomonitor created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor'

    Responses:
      '204':
        Description: container geomonitor updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/taif-mobile-infra:geomonitor/podmonitor

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_get
```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_taulf-mobile-infra\_geomonitor\_podmonitor'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_taulf\_mobile\_infra\_geomonitor\_podmonitor\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**Method:** Post

```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor-post'

Responses:
  '201':
    Description: container podmonitor created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:
```

```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor'

Responses:
  '201':
    Description: container podmonitor created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor'

Responses:
  '204':
    Description: container podmonitor updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```



**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:geomonitor/podmonitor/pods

options:

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

  '200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra:geomonitor/podmonitor/pods={pods-name}

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_pods\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pods-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_tailf-mobile-infra\_geomonitor\_podmonitor\_pods\_pods-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_pods\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pods-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list pods created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name'

Responses:
'204':
  Description: list pods updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/name

get:

```

  Tags:
  - data
  - get

```

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/data_taulf-mobile-infra_geomonitor_podmonitor_pods_pods_name_name'

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/data_taulf-mobile-infra_geomonitor_podmonitor_pods_pods_name_name'

```

```
Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '200':
    Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryCount

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_pods\_name\_retryCount\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_geomonitor\_podmonitor\_pods\_pods-name\_retryCount'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''



**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_pods\_name\_retryCount\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pods-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_pods\_name\_retryCount\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pods-name'
- **\$ref:**

'#/parameters/data\_tailf-mobile-infra\_geomonitor\_podmonitor\_pods\_pods-name\_retryCount'

**Responses:**

'201':

**Description:** leaf retryCount created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:**

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryCount_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount'

Responses:
  '204':
    Description: leaf retryCount updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryCount_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```

**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_pods\_name\_retryCount\_options  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/pods-name'  
  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryInterval

get:

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_pods\_name\_retryInterval\_get  
**produces:**  
 - application/yang-data+json  
  
**Parameters:**  
 - **\$ref:** '#/parameters/pods-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
     **Reference:**  
     '#/definitions/data\_tailf-mobile-infra\_geomonitor\_podmonitor\_pods\_pods-name\_retryInterval'  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':  
     **Reference:** '#/responses/401'  
 '404':  
     **Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pods-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pods-name'
    - $ref:
      '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval'

  Responses:
    '201':
      Description: leaf retryInterval created or replaced
    '204':
      Reference: '#/responses/204'
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval'

  Responses:
  '204':
    Description: leaf retryInterval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_delete
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryFailOverInte

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_put

```

**produces:**  
- application/yang-data+json

**Parameters:**  
- \$ref: '#/parameters/pods-name'  
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_geomonitor\_podmonitor\_pods\_pods-name\_retryFailOverInterval'

**Responses:**  
'201':  
  **Description:** leaf retryFailOverInterval created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- basicAuth: []

**patch:**

**Tags:**  
- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_podmonitor\_pods\_pods\_name\_retryFailOverInterval\_patch

**produces:**  
- application/yang-data+json

**Parameters:**  
- \$ref: '#/parameters/pods-name'  
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_geomonitor\_podmonitor\_pods\_pods-name\_retryFailOverInterval'

**Responses:**  
'204':  
  **Description:** leaf retryFailOverInterval updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':



```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pods-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pods-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/podmonitor/pods={pods-name}/failedReplicaP

```

get:

  Tags:
    - data
    - get

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent'

Responses:
  '201':
    Description: leaf failedReplicaPercent created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_patch
produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/pods-name'
- $ref:
  '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent'

```

**Responses:**

```

'204':
  Description: leaf failedReplicaPercent updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/pods-name'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/pods-name'
```

```
Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:geomonitor/remotecclustermonitor

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecclustermonitor_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_remotecclustermonitor'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
```

**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_remotecustermonitor\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

**Method:** Post

**Tags:**  
 - data  
 - post  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_remotecustermonitor\_post  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data\_tailf-mobile-infra\_geomonitor\_remotecustermonitor-post'

**Responses:**  
 '201':  
   **Description:** container remotecustermonitor created  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Summary:** ''

```
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_remotecustermonitor'

Responses:
'201':
  Description: container remotecustermonitor created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_remotecustermonitor'

Responses:
'204':
  Description: container remotecustermonitor updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/tailf-mobile-infra:geomonitor/remotecustermonitor/retryCount

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```



- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_geomonitor\_remotecustermonitor\_retryCount'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_remotecustermonitor\_retryCount\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_remotecclustermonitor\_retryCount\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref:

'#/parameters/data\_tailf-mobile-infra\_geomonitor\_remotecclustermonitor\_retryCount'

**Responses:**

'201':

**Description:** leaf retryCount created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_remotecclustermonitor\_retryCount\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref:

'#/parameters/data\_tailf-mobile-infra\_geomonitor\_remotecclustermonitor\_retryCount'

**Responses:**

'204':

**Description:** leaf retryCount updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_delete

  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/remotecustermonitor/retryInterval

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryInterval_get

  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_geomonitor\_remotemonitor\_retryInterval'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_remotemonitor\_retryInterval\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecclustermonitor_retryInterval_put

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_remotecclustermonitor_retryInterval'

Responses:
  '201':
    Description: leaf retryInterval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_remotecclustermonitor_retryInterval_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_remotecclustermonitor_retryInterval'

Responses:
  '204':
    Description: leaf retryInterval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_remoteclustermonitor_retryInterval_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_remoteclustermonitor_retryInterval_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

```
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor-post'

Responses:
  '201':
    Description: container vipmonitor created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor'

Responses:
  '201':
    Description: container vipmonitor created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```



```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor'

  Responses:
    '204':
      Description: container vipmonitor updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_instance_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_id_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:

```

```

    - basicAuth: []
  put:
    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list instance created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:
    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id'

  Responses:

```

```

    '204':
      Description: list instance updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taillf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/inst

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_instance\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_taillf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_instance-id'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_instance\_id\_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_instance_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_instance-id'

Responses:
  '201':
    Description: leaf instance-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_instance\_id\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:**

'#/parameters/data\_taulf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_instance-id'

**Responses:**

'204':

**Description:** leaf instance-id updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_taulf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_instance\_id\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:**



```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_instance_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips

```

get:

Tags:
- data
- get
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_vips\_vips-vipInterface'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_vips\_vips-vipInterface'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list vips created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance_instance-id_vips_vips-vipInterface'

Responses:
  '204':
    Description: list vips updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/vipInterface

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

security:
  - basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data\_taillf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_vipInterface\_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
  - basicAuth: []

```

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data\_taillf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_vipInterface\_put

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

```

- $ref: '#/parameters/vips-vipInterface'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface'

Responses:
  '201':
    Description: leaf vipInterface created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/vips-vipInterface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface'

Responses:
  '204':
    Description: leaf vipInterface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips

```
get:
```

```
  Tags:
    - data
```



```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipIp'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_taiif\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_vipIp\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

'#/parameters/data\_taiif-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_vips\_vips-vipInterface\_vipIp'

**Responses:**

- '201':
  - Description: leaf vipIp created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips-vipInterface_vipIp'

Responses:
  '204':
    Description: leaf vipIp updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipPort'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'

```

```

- $ref: '#/parameters/vips-vipInterface'
- $ref:
  '#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort'

```

**Responses:**

```

'201':
  Description: leaf vipPort created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance-id_vips_vips_vipInterface_vipPort_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
  '#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort'

```

**Responses:**

```

'204':
  Description: leaf vipPort updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/retryCount

```

get:

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

```



- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryCount\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_vips\_vips-vipInterface\_retryCount'

**Responses:**

'201':  
 Description: leaf retryCount created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount'

Responses:
  '204':
    Description: leaf retryCount updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/retryInterval

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryInterval'
  '204':
    Reference: '#/responses/204'

```

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data\_taillf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryInterval\_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data\_taillf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryInterval\_put

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

```

- $ref: '#/parameters/vips-vipInterface'
- $ref:
'/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryInterval'

```

**Responses:**

```

'201':
  Description: leaf retryInterval created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
'/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryInterval'

```

**Responses:**

```

'204':
  Description: leaf retryInterval updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/taillf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/retryFailOverInterval
: get:

  Tags:
    - data
    - get
  Summary: ''

```

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryFailOverInterval\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/vips-vipInterface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_vips\_vips-vipInterface\_retryFailOverInterval'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryFailOverInterval\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/vips-vipInterface'
- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_taillf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryFailOverInterval\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

#/parameters/data\_taillf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_vips\_vips-vipInterface\_retryFailOverInterval'

**Responses:**

'201':  
 Description: leaf retryFailOverInterval created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''



**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryFailOverInterval\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

'#/parameters/data\_tailf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-instance-id\_vips\_vips-vipInterface\_retryFailOverInterval'

**Responses:**

'204':

Description: leaf retryFailOverInterval updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryFailOverInterval\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_vipmonitor\_instance\_instance\_instance\_id\_vips\_vips\_vipInterface\_retryFailOverInterval\_options  
**produces:**  
 - application/yang-data+json  
**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/vips-vipInterface'  
**Responses:**  
 '200':  
     **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/taif-mobile-infra:geomonitor/trafficMonitor

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_trafficMonitor\_get  
**produces:**  
 - application/yang-data+json  
**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'  
**Responses:**  
 '200':  
     **Description:** OK  
     **Schema:**  
         **Reference:** '#/definitions/data\_tailf-mobile-infra\_geomonitor\_trafficMonitor'  
 '204':  
     **Reference:** '#/responses/204'  
 '400':  
     **Reference:** '#/responses/400'  
 '401':  
     **Reference:** '#/responses/401'  
 '404':  
     **Reference:** '#/responses/404'  
 '405':

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor-post'

    Responses:
      '201':
        Description: container trafficMonitor created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor'

Responses:
'201':
    Description: container trafficMonitor created or replaced
'204':
    Reference: '#/responses/204'
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor'

Responses:
'204':
    Description: container trafficMonitor updated
'400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/taif-mobile-infra:geomonitor/trafficMonitor/thresholdCount

```
get:

  Tags:
  - data
  - get
```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_trafficMonitor\_thresholdCount\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_tailf-mobile-infra\_geomonitor\_trafficMonitor\_thresholdCount'

'204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_tailf\_mobile\_infra\_geomonitor\_trafficMonitor\_thresholdCount\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':

```
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount'

  Responses:
    '201':
      Description: leaf thresholdCount created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount'

  Responses:
    '204':
      Description: leaf thresholdCount updated
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:geomonitor/trafficMonitor/thresholdInterval

```
get:
```



```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_put

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval'

Responses:
  '201':
    Description: leaf thresholdInterval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_patch

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval'

```

```
Responses:
  '204':
    Description: leaf thresholdInterval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:instances

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_instances\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_tailf-mobile-infra\_instances'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_instances\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':  
  **Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**Method**: Post

**Tags:**

- data
- post

**Summary**: ''

**Description**: ''

**Operation ID**: data\_taulf\_mobile\_infra\_instances\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_taulf-mobile-infra\_instances-post'

**Responses:**

'201':  
  **Description**: container instances created

'204':  
  **Reference**: '#/responses/204'

'400':  
  **Reference**: '#/responses/400'

'401':  
  **Reference**: '#/responses/401'

'404':  
  **Reference**: '#/responses/404'

'405':  
  **Reference**: '#/responses/405'

'409':  
  **Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**put**:

**Tags:**

- data
- put

**Summary**: ''

**Description**: ''

**Operation ID**: data\_taulf\_mobile\_infra\_instances\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/data\_taulf-mobile-infra\_instances'

```

Responses:
  '201':
    Description: container instances created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_instances_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_taulf-mobile-infra_instances'

Responses:
  '204':
    Description: container instances updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

**Operation ID:** data\_taulf\_mobile\_infra\_instances\_delete  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '204':  
    **Reference:** '#/responses/204'  
**security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_instances\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
  - **basicAuth:** []

## /data/taulf-mobile-infra:instances/instance

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_taulf\_mobile\_infra\_instances\_instance\_options  
**produces:**  
- application/yang-data+json  
**Parameters:** []

**Responses:**  
  '200':  
    **Reference:** '#/responses/200'  
**security:**  
  - **basicAuth:** []

## /data/taulf-mobile-infra:instances/instance={instance-instance-id}

**get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_instances\_instance\_instance\_id\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instances\_instance\_instance-id'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_instances\_instance\_instance\_id\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'



```
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instances_instance_instance_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/data_tailf-mobile-infra_instances_instance_instance-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list instance created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instances_instance_instance_id_patch
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/data\_tailf-mobile-infra\_instances\_instance\_instance-id'

**Responses:**

- '204':
  - Description:** list instance updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_instances\_instance\_instance\_instance\_id\_delete**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_instances\_instance\_instance\_instance\_id\_options**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:instances/instance={instance-instance-id}/instance-id

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instances_instance_instance-instance-id_instance-id'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-id_instance-id'

Responses:
  '201':
    Description: leaf instance-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_patch
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-instance-id'
      - $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-id_instance-id'

    Responses:
      '204':
        Description: leaf instance-id updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_delete
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-instance-id'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []

```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instances\_instance\_instance\_instance\_id\_instance\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/tailf-mobile-infra:instances/instance={instance-instance-id}/system-id****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_instances\_instance\_instance\_instance\_id\_system\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_instances\_instance\_instance-instance-id\_system-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_system_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_system_id_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-id_system-id'

  Responses:
    '201':

```

```

    Description: leaf system-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_instances_instance_instance_id_system_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
'#/parameters/data_taulf-mobile-infra_instances_instance_instance-id_system-id'

  Responses:
  '204':
    Description: leaf system-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```



```

Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_system_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_system_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:instances/instance={instance-instance-id}/cluster-id

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_cluster_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_cluster-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra_instances_instance_instance_instance-id_cluster-id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_cluster_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-instance-id_cluster-id'

Responses:
'201':
  Description: leaf cluster-id created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_cluster_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-instance-id_cluster-id'

Responses:
'204':
  Description: leaf cluster-id updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_cluster_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_cluster_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/tailf-mobile-infra:instances/instance={instance-instance-id}/slice-name

get:

```

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_slice_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_slice-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_slice_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_slice_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-instance-id_slice-name'

Responses:
  '201':
    Description: leaf slice-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_slice_name_patch
produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_taulf-mobile-infra_instances_instance_instance-id_slice-name'

Responses:
  '204':
    Description: leaf slice-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_instances_instance_instance_instance_id_slice_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_instances_instance_instance_instance_id_slice_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:

```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra:local-instance

### get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_local_instance_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

### Responses:

```

  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_local-instance'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

### head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_local_instance_head

```



```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance-post'

Responses:
'201':
  Description: container local-instance created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_put
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance'

Responses:
  '201':
    Description: container local-instance created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance'

Responses:
  '204':
    Description: container local-instance updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

```

```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:local-instance/instance

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_local-instance_instance'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_put
produces:
- application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance_instance'

Responses:
  '201':
    Description: leaf instance created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance_instance'

Responses:
  '204':
    Description: leaf instance updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
```

```

- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/tailf-mobile-infra: datastore

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore-post'
```

```

Responses:
  '201':
    Description: container datastore created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datastore'

Responses:
  '201':
    Description: container datastore created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch

```



```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datstore'

Responses:
'204':
  Description: container datstore updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_options
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra: datastore/session-db

### get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_session_db_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_datastore_session-db'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []

```

### head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_session_db_head

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datastore_session-db-post'

Responses:
  '201':
    Description: container session-db created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_put
```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_datastore\_session-db'

**Responses:**

- '201':

- Description:** container session-db created or replaced

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

- Summary:** ''

- Description:** ''

- Operation ID:** data\_tailf\_mobile\_infra\_datastore\_session\_db\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/data\_tailf-mobile-infra\_datastore\_session-db'

**Responses:**

- '204':

- Description:** container session-db updated

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra:datastore/session-db/endpoints

```
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_endpoints_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /data/taif-mobile-infra: datastore/session-db/endpoints={endpoints-host}

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_datastore\_session\_db\_endpoints\_endpoints\_host\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/endpoints-host'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_datastore\_session-db\_endpoints\_endpoints-host'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- basicAuth: []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_tailf\_mobile\_infra\_datastore\_session\_db\_endpoints\_endpoints\_host\_head

#### produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list endpoints created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data

```

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host'

Responses:
  '204':
    Description: list endpoints updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```



**Operation ID:**

data\_tailf\_mobile\_infra\_datastore\_session\_db\_endpoints\_endpoints\_host\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/endpoints-host'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/taif-mobile-infra: datastore/session-db/endpoints={endpoints-host}/host

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_tailf\_mobile\_infra\_datastore\_session\_db\_endpoints\_endpoints\_host\_host\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/endpoints-host'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_tailf-mobile-infra\_datastore\_session-db\_endpoints\_endpoints-host\_host'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/endpoints-host'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/endpoints-host'
      - $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host'

    Responses:
      '201':
        Description: leaf host created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/endpoints-host'
  - $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host'

  Responses:
  '204':
    Description: leaf host updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_delete
  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/endpoints-host'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/taif-mobile-infra: datastore/session-db/endpoints={endpoints-host}/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_put
```

**produces:**

```
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port'

Responses:
  '201':
    Description: leaf port created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port'

Responses:
  '204':
    Description: leaf port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:

```

```

    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/endpoints-host'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/endpoints-host'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra:datastore/dbs

```

options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_dbs_options
  produces:
  - application/yang-data+json

```

**Parameters:** []

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taif-mobile-infra: datastore/dbs={dbs-name}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_tailf\_mobile\_infra\_datastore\_dbs\_dbs\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dbs-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_tailf-mobile-infra\_datastore\_dbs\_dbs-name'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data



```
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_dbs_dbs_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_dbs_dbs_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/data_tailf-mobile-infra_datstore_dbs_dbs-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list dbs created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name'

Responses:
  '204':
    Description: list dbs updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data

```

```

- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_datastore_dbs_dbs_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/taulf-mobile-infra: datastore/dbs={dbs-name}/name

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_datastore_dbs_dbs_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_datastore_dbs_dbs-name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_name'

  Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_datastore_dbs_dbs_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/data_taulf-mobile-infra_datastore_dbs_dbs_name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_datastore_dbs_dbs_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'

Responses:
  '204':
    Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_datastore_dbs_dbs_name_name_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dbs-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taulf-mobile-infra:datastore/dbs={dbs-name}/endpoints

```

  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_datastore_dbs_dbs_name_endpoints_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dbs-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/taulf-mobile-infra:datastore/dbs={dbs-name}/endpoints={endpoints-host}

```

  get:

    Tags:
      - data
      - get
    Summary: ''

```

**Description:** ''

**Operation ID:**  
data\_taulf\_mobile\_infra\_datastore\_dbs\_dbs\_name\_endpoints\_endpoints\_host\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dbs-name'
- **\$ref:** '#/parameters/endpoints-host'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**  
'#/definitions/data\_taulf-mobile-infra\_datastore\_dbs\_dbs-name\_endpoints\_endpoints-host'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_taulf\_mobile\_infra\_datastore\_dbs\_dbs\_name\_endpoints\_endpoints\_host\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dbs-name'
- **\$ref:** '#/parameters/endpoints-host'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_taulf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list endpoints created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_patch
produces:

```



```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host'

Responses:
  '204':
    Description: list endpoints updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'
  - $ref: '#/parameters/endpoints-host'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_options
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

## /data/taif-mobile-infra: datastore/dbs={dbs-name}/endpoints={endpoints-host}/host

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dbs-name'
    - $ref: '#/parameters/endpoints-host'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dbs-name'
    - $ref: '#/parameters/endpoints-host'
    - $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host'

  Responses:
    '201':
      Description: leaf host created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dbs-name'
    - $ref: '#/parameters/endpoints-host'
    - $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host'

  Responses:
    '204':
      Description: leaf host updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_delete
  produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/taif-mobile-infra: datastore/dbs={dbs-name}/endpoints={endpoints-host}/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data

```

```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port'

Responses:
'201':
  Description: leaf port created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port'

Responses:
'204':
  Description: leaf port updated
'400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'
  - $ref: '#/parameters/endpoints-host'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'
  - $ref: '#/parameters/endpoints-host'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```



## /data/taif-mobile-infra: datastore/notification-ep

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_datastore\_notification\_ep\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_tailf-mobile-infra\_datastore\_notification-ep'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_datastore\_notification\_ep\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_datastore\_notification\_ep\_post**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_datastore\_notification-ep-post'

**Responses:**

'201':  
 Description: container notification-ep created

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_datastore\_notification\_ep\_put**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data\_tailf-mobile-infra\_datastore\_notification-ep'

```
Responses:
  '201':
    Description: container notification-ep created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_notification_ep_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datstore_notification-ep'

Responses:
  '204':
    Description: container notification-ep updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

**Operation ID:** data\_taulf\_mobile\_infra\_datastore\_notification\_ep\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

**'204':**

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_datastore\_notification\_ep\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/taulf-mobile-infra: datastore/notification-ep/host

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_taulf\_mobile\_infra\_datastore\_notification\_ep\_host\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_datastore\_notification-ep\_host'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_host_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_host_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore_notification-ep_host'

  Responses:
  '201':
```

```

    Description: leaf host created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_datastore_notification_ep_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_taulf-mobile-infra_datastore_notification-ep_host'

  Responses:
  '204':
    Description: leaf host updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_datastore_notification_ep_host_delete
  produces:

```

```
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_datastore_notification_ep_host_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/taulf-mobile-infra: datastore/notification-ep/port

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_datastore_notification_ep_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_datastore_notification-ep_port'
  '204':
```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_port_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_port_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore_notification-ep_port'

  Responses:
  '201':
    Description: leaf port created or replaced
  '204':

```



```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_notification_ep_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datastore_notification-ep_port'

Responses:
  '204':
    Description: leaf port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_notification_ep_port_delete
produces:
- application/yang-data+json
Parameters: []
```

**Responses:****'204':****Reference:** '#/responses/204'**security:****- basicAuth:** []**options:****Tags:**- data  
- options**Summary:** ''**Description:** ''**Operation ID:** data\_tailf\_mobile\_infra\_datastore\_notification\_ep\_port\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Parameters:****Content:****name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Type:** string**Format:** enumeration**Default:** config**enum:**- config  
- nonconfig  
- all**depth:****name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Type:** integer**Format:** uint16**fields:****name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Type:** string**Format:** string**filter:****name:** filter**In:** query

**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**with-defaults:**  
**name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**insert:**  
**name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
- first  
- last  
- before  
- after

**point:**  
**name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**affinity-podInstance:**  
**name:** affinity-podInstance  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**all-address:**  
**name:** all-address  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**all-endpoint:**  
**name:** all-endpoint

```
In: path
Description: ''
Required/Optional: true
Type: string
Format: string
all-grInstance:
  name: all-grInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-localAddress:
  name: all-localAddress
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-name:
  name: all-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-peerAddress:
  name: all-peerAddress
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-podInstance:
  name: all-podInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-remoteAddress:
  name: all-remoteAddress
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
bgplist-bgp:
  name: bgplist-bgp
  In: path
  Description: ''
```

```
Required/Optional: true
Type: integer
Format: uint32
bondingInterfaces-bondingInterface:
  name: bondingInterfaces-bondingInterface
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
category-name:
  name: category-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
codes-id:
  name: codes-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
commit-pending-grInstance:
  name: commit-pending-grInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
commit-pending-podInstance:
  name: commit-pending-podInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
data-post:
  name: data
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data-post'
data-put-patch:
  name: data
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

```

    Reference: '#/definitions/data-put-patch'
data_taulf-mobile-infra_client:
  name: client
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client'
data_taulf-mobile-infra_client-post:
  name: client
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client-post'
data_taulf-mobile-infra_client_http:
  name: http
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_http'
data_taulf-mobile-infra_client_http-post:
  name: http
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_http-post'
data_taulf-mobile-infra_client_http_header:
  name: header
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_http_header'
data_taulf-mobile-infra_client_http_header-post:
  name: header
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_http_header-post'
data_taulf-mobile-infra_client_http_header_user-agent:
  name: user-agent
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_http_header_user-agent'
data_taulf-mobile-infra_client_http_ping:

```

```
name: ping
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_client_http_ping'
data_taulf-mobile-infra_client_http_ping-post:
name: ping
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_client_http_ping-post'
data_taulf-mobile-infra_client_http_ping_interval:
name: interval
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_client_http_ping_interval'
data_taulf-mobile-infra_client_http_ping_timeout:
name: timeout
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_client_http_ping_timeout'
data_taulf-mobile-infra_client_inbound:
name: inbound
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_client_inbound'
data_taulf-mobile-infra_client_inbound-post:
name: inbound
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_client_inbound-post'
data_taulf-mobile-infra_client_inbound_interface_interface-interface:
name: interface
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_interface:
name: interface
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_interface'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit:

  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit-post:

    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit-post'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload:

      name: overload
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload-post:

        name: overload
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload-post'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code:

          name: reject-code
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_pending:

            name: pending

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_pending'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_pending-post:

  name: pending
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_pending-post'
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request:

  name: request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request'
data_taulf-mobile-infra_client_inbound_limit:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_inbound_limit'
data_taulf-mobile-infra_client_inbound_limit-post:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_inbound_limit-post'
data_taulf-mobile-infra_client_inbound_limit_overload:
  name: overload
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_inbound_limit_overload'
data_taulf-mobile-infra_client_inbound_limit_overload-post:
  name: overload
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_inbound_limit_overload-post'

```

```

data_taulf-mobile-infra_client_inbound_limit_overload_reject-code:
  name: reject-code
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_client_inbound_limit_overload_reject-code'
data_taulf-mobile-infra_client_inbound_limit_pending:
  name: pending
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_inbound_limit_pending'
data_taulf-mobile-infra_client_inbound_limit_pending-post:
  name: pending
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_inbound_limit_pending-post'
data_taulf-mobile-infra_client_inbound_limit_pending_request:
  name: request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_inbound_limit_pending_request'
data_taulf-mobile-infra_client_outbound:
  name: outbound
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_outbound'
data_taulf-mobile-infra_client_outbound-post:
  name: outbound
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_outbound-post'
data_taulf-mobile-infra_client_outbound_host:
  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_host'
data_taulf-mobile-infra_client_outbound_host-post:
  name: host

```

```

    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_host-post'
data_taulf-mobile-infra_client_outbound_host_ping:
  name: ping
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_host_ping'
data_taulf-mobile-infra_client_outbound_host_ping-post:
  name: ping
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_host_ping-post'
data_taulf-mobile-infra_client_outbound_host_ping_backoff:
  name: backoff
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_host_ping_backoff'
data_taulf-mobile-infra_client_outbound_host_ping_interval:
  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_host_ping_interval'
data_taulf-mobile-infra_client_outbound_host_ping_timeout:
  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_host_ping_timeout'
data_taulf-mobile-infra_client_outbound_interface_interface-interface:
  name: interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface'
data_taulf-mobile-infra_client_outbound_interface_interface-interface_host:

  name: host
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host'
data_taulf-mobile-infra_client_outbound_interface_interface-interface_host-post:

  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host-post'
data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping:

  name: ping
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping'
data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping-post:

  name: ping
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping-post'
data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff:

  name: backoff
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff'
data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval:

  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval'
data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout:

  name: timeout
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface:

  name: interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit:

    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit-post:

      name: limit
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive:

        name: consecutive
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive-post:

          name: consecutive
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure:

            name: failure
            In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure-post:

  name: failure
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id:

    name: codes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count:

      name: count
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending:

        name: pending
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending-post:

          name: pending
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response:

            name: response
            In: body

```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response'
  data_taulf-mobile-infra_client_outbound_limit:
    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_limit'
  data_taulf-mobile-infra_client_outbound_limit-post:
    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_limit-post'
  data_taulf-mobile-infra_client_outbound_limit_consecutive:
    name: consecutive
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_client_outbound_limit_consecutive'
  data_taulf-mobile-infra_client_outbound_limit_consecutive-post:
    name: consecutive
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_client_outbound_limit_consecutive-post'
  data_taulf-mobile-infra_client_outbound_limit_consecutive_failure:
    name: failure
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_client_outbound_limit_consecutive_failure'
  data_taulf-mobile-infra_client_outbound_limit_consecutive_failure-post:
    name: failure
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_client_outbound_limit_consecutive_failure-post'
  data_taulf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id:

```

```

    name: codes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id'
  data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count:
    name: count
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count'
  data_tailf-mobile-infra_client_outbound_limit_pending:
    name: pending
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit_pending'
  data_tailf-mobile-infra_client_outbound_limit_pending-post:
    name: pending
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit_pending-post'
  data_tailf-mobile-infra_client_outbound_limit_pending_response:
    name: response
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_limit_pending_response'
  data_tailf-mobile-infra_config-error:
    name: config-error
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_config-error'
  data_tailf-mobile-infra_config-error-post:
    name: config-error
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_config-error-post'
  data_tailf-mobile-infra_datastore:

```



```

    name: datastore
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore'
  data_tailf-mobile-infra_datastore-post:
    name: datastore
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore-post'
  data_tailf-mobile-infra_datastore_dbs_dbs-name:
    name: dbs
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name'
  data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host:
    name: endpoints
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host'
  data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host:
    name: host
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host'
  data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port:
    name: port
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port'
  data_tailf-mobile-infra_datastore_dbs_dbs-name_name:
    name: name
    In: body
    Description: ''
    Required/Optional: true
    Schema:

```

```

    Reference: '#/definitions/data_taulf-mobile-infra_datastore_dbs_dbs-name_name'
data_taulf-mobile-infra_datastore_notification-ep:
  name: notification-ep
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_datastore_notification-ep'
data_taulf-mobile-infra_datastore_notification-ep-post:
  name: notification-ep
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_datastore_notification-ep-post'
data_taulf-mobile-infra_datastore_notification-ep_host:
  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_datastore_notification-ep_host'
data_taulf-mobile-infra_datastore_notification-ep_port:
  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_datastore_notification-ep_port'
data_taulf-mobile-infra_datastore_session-db:
  name: session-db
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_datastore_session-db'
data_taulf-mobile-infra_datastore_session-db-post:
  name: session-db
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_datastore_session-db-post'
data_taulf-mobile-infra_datastore_session-db_endpoints_endpoints-host:
  name: endpoints
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_datastore_session-db_endpoints_endpoints-host'
data_taulf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host:

```

```

name: host
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host'
data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port:

name: port
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port'
data_tailf-mobile-infra_deployment:
name: deployment
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment'
data_tailf-mobile-infra_deployment-post:
name: deployment
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment-post'
data_tailf-mobile-infra_deployment_app-name:
name: app-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment_app-name'
data_tailf-mobile-infra_deployment_cluster-name:
name: cluster-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment_cluster-name'
data_tailf-mobile-infra_deployment_dc-name:
name: dc-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment_dc-name'

```

```

data_taulf-mobile-infra_deployment_logical-nf-instance-id:
  name: logical-nf-instance-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_logical-nf-instance-id'
data_taulf-mobile-infra_deployment_model:
  name: model
  In: body
  Description: Deployment Model default large
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_model'
data_taulf-mobile-infra_deployment_resource:
  name: resource
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_resource'
data_taulf-mobile-infra_deployment_resource-post:
  name: resource
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_resource-post'
data_taulf-mobile-infra_deployment_resource_cpu:
  name: cpu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_resource_cpu'
data_taulf-mobile-infra_diagnostics:
  name: diagnostics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_diagnostics'
data_taulf-mobile-infra_diagnostics-post:
  name: diagnostics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_diagnostics-post'
data_taulf-mobile-infra_dump:
  name: dump

```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_dump'
data_tailf-mobile-infra_dump-post:
  name: dump
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_dump-post'
data_tailf-mobile-infra_edr:
  name: edr
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr'
data_tailf-mobile-infra_edr-post:
  name: edr
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr-post'
data_tailf-mobile-infra_edr_all:
  name: all
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr_all'
data_tailf-mobile-infra_edr_all-post:
  name: all
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr_all-post'
data_tailf-mobile-infra_edr_all_subscribers:
  name: subscribers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr_all_subscribers'
data_tailf-mobile-infra_edr_edrsubscribers:
  name: edrsubscribers
  In: body
  Description: ''
```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_edr_edrsubscribers'
data_taulf-mobile-infra_edr_edrsubscribers-post:
  name: edrsubscribers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_edrsubscribers-post'
data_taulf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id:
  name: subscribers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id'
data_taulf-mobile-infra_edr_file:
  name: file
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file'
data_taulf-mobile-infra_edr_file-post:
  name: file
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file-post'
data_taulf-mobile-infra_edr_file_files_files-name:
  name: files
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name'
data_taulf-mobile-infra_edr_file_files_files-name_flush:
  name: flush
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_flush'
data_taulf-mobile-infra_edr_file_files_files-name_flush-post:
  name: flush
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

**Reference:** '#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_flush-post'

**data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_flush\_interval:**

- name:** interval
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

**Reference:**

'#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_flush\_interval'

**data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit:**

- name:** limit
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit'

**data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit-post:**

- name:** limit
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit-post'

**data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit\_count:**

- name:** count
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit\_count'

**data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit\_size:**

- name:** size
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_limit\_size'

**data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_name:**

- name:** name
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_name'

**data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_procedure:**

- name:** procedure
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

**Reference:** '#/definitions/data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_procedure'

**data\_taulf-mobile-infra\_edr\_file\_files\_files-name\_procedure-post:**

```

    name: procedure
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_procedure-post'
data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure:

    name: enable-event-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure'
data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner:

    name: enable-inner
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner'
data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner-post:

    name: enable-inner
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner-post'
data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event:

    name: event
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event'
    ?
data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event-post
: name: event
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event-post'
    ?
data_taulf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event

```



```

: name: enable-field-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event'
    ?
data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event_enable
: name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event_enable'
    ?
data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event_enablepost
: name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event_enablepost'
    ?
data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event_enable_field_field-id
: name: field
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event_enable_field_field-id'
    ?
data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event_event
: name: event
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-intr_event_enable-field-id_enable-field-id-event_event'
    ?
data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_procedure
: name: procedure
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_procedure'
data_tailf-mobile-infra_edr_file_files_files-name_rate:
  name: rate

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_rate'
data_taulf-mobile-infra_edr_file_files_files-name_reporting:
  name: reporting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_reporting'
data_taulf-mobile-infra_edr_file_files_files-name_verbose:
  name: verbose
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_verbose'
data_taulf-mobile-infra_edr_reporting:
  name: reporting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_reporting'
data_taulf-mobile-infra_endpoint:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_endpoint'
data_taulf-mobile-infra_endpoint-post:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_endpoint-post'
data_taulf-mobile-infra_geomonitor:
  name: geomonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_geomonitor'
data_taulf-mobile-infra_geomonitor-post:
  name: geomonitor
  In: body
  Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_geomonitor-post'
  data_tailf-mobile-infra_geomonitor_podmonitor:
    name: podmonitor
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor'
  data_tailf-mobile-infra_geomonitor_podmonitor-post:
    name: podmonitor
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor-post'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name:
    name: pods
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent:
    name: failedReplicaPercent
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name:
    name: name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount:
    name: retryCount
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval:
    name: retryFailOverInterval

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval'
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval:
  name: retryInterval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval'
data_tailf-mobile-infra_geomonitor_remoteclustermonitor:
  name: remotecclustermonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_remoteclustermonitor'
data_tailf-mobile-infra_geomonitor_remoteclustermonitor-post:
  name: remotecclustermonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_remoteclustermonitor-post'
data_tailf-mobile-infra_geomonitor_remoteclustermonitor_retryCount:
  name: retryCount
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_remoteclustermonitor_retryCount'
data_tailf-mobile-infra_geomonitor_remoteclustermonitor_retryInterval:
  name: retryInterval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_remoteclustermonitor_retryInterval'
data_tailf-mobile-infra_geomonitor_trafficMonitor:
  name: trafficMonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor'

```

```
data_tailf-mobile-infra_geomonitor_trafficMonitor-post:
  name: trafficMonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor-post'
data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount:
  name: thresholdCount
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount'
data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval:
  name: thresholdInterval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval'
data_tailf-mobile-infra_geomonitor_vipmonitor:
  name: vipmonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor'
data_tailf-mobile-infra_geomonitor_vipmonitor-post:
  name: vipmonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor-post'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id:
  name: instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_instance-id:
  name: instance-id
  In: body
  Description: ''
  Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_instance-id'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface:
```

```
name: vips
In: body
Description: ''
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount:
```

```
name: retryCount
In: body
Description: ''
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryFailOverInterval:
```

```
name: retryFailOverInterval
In: body
Description: ''
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryFailOverInterval'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryInterval:
```

```
name: retryInterval
In: body
Description: ''
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryInterval'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface:
```

```
name: vipInterface
In: body
Description: ''
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipIp:
```

```
name: vipIp
In: body
Description: ''
Required/Optional: true
```

```

Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipIp'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort:
  name: vipPort
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort'
data_tailf-mobile-infra_infra:
  name: infra
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra'
data_tailf-mobile-infra_infra-post:
  name: infra
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra-post'
data_tailf-mobile-infra_infra_metrics:
  name: metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics'
data_tailf-mobile-infra_infra_metrics-post:
  name: metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics-post'
data_tailf-mobile-infra_infra_metrics_experimental:
  name: experimental
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics_experimental'
data_tailf-mobile-infra_infra_metrics_experimental-post:
  name: experimental
  In: body
  Description: ''
  Required/Optional: true

```

```

Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_infra_metrics_experimental-post'
data_taulf-mobile-infra_infra_metrics_experimental_version:
  name: version
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_infra_metrics_experimental_version'
data_taulf-mobile-infra_infra_metrics_verbose:
  name: verbose
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_infra_metrics_verbose'
data_taulf-mobile-infra_infra_metrics_verbose-post:
  name: verbose
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_infra_metrics_verbose-post'
data_taulf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType:
  name: verboseLevels
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType'
data_taulf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_level:
  name: level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_level'
data_taulf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics:
  name: metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics'
data_taulf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics-post:
  name: metrics

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics-post'
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name:

  name: metricsList
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name'
    ?
    data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_granular-labels_granular-labels-id
  : name: granular-labels
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_granular-labels_granular-labels-id'
      ?
      data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level
  : name: level
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level'
      ?
      data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_name
  : name: name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_name'
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType:

  name: podType
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType'
data_tailf-mobile-infra_infra_transaction:
  name: transaction
  In: body

```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_infra_transaction'
  data_taulf-mobile-infra_infra_transaction-post:
    name: transaction
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_infra_transaction-post'
  data_taulf-mobile-infra_infra_transaction_limit:
    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_infra_transaction_limit'
  data_taulf-mobile-infra_infra_transaction_limit-post:
    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_infra_transaction_limit-post'
  data_taulf-mobile-infra_infra_transaction_limit_consecutive:
    name: consecutive
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_infra_transaction_limit_consecutive'
  data_taulf-mobile-infra_infra_transaction_limit_consecutive-post:
    name: consecutive
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_infra_transaction_limit_consecutive-post'
  data_taulf-mobile-infra_infra_transaction_limit_consecutive_same:
    name: same
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_infra_transaction_limit_consecutive_same'
  data_taulf-mobile-infra_infra_transaction_limit_consecutive_same-post:
    name: same
    In: body
    Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same-post'
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage:
  name: stage
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage'
data_tailf-mobile-infra_infra_transaction_limit_stage:
  name: stage
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_stage'
data_tailf-mobile-infra_infra_transaction_loop:
  name: loop
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_loop'
data_tailf-mobile-infra_infra_transaction_loop-post:
  name: loop
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_loop-post'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name:
  name: category
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold:
  name: threshold

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold-post:

  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold-post'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval:

  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name:

  name: thresholds
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_action:

  name: action
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_action'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_count:

  name: count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_count'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_name:

  name: name

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_name'
data_tailf-mobile-infra_infra_transaction_loop_detection:
  name: detection
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_detection'
data_tailf-mobile-infra_instance:
  name: instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_instance'
data_tailf-mobile-infra_instance-post:
  name: instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_instance-post'
data_tailf-mobile-infra_instance_instance-id_instance-id-id:
  name: instance-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint-post:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint-post'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype:

```

```

name: ep
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype'
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name:

name: certificate-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name'
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype:

name: eptype
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype'
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype:

name: instancetype
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype'
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type:

name: interface
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type'
?
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_certificate-name
: name: certificate-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_certificate-name'
?

```

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher
: name: dispatcher
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher'
    ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher-post
: name: dispatcher
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher-post'
    ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_cache
: name: cache
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_cache'
    ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_capacity
: name: capacity
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_capacity'
    ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count
: name: count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count'
    ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_expiry
: name: expiry
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_expiry'
    ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-gap_flowctrl-gap-rate

```

```

: name: flowctrl-group
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_capacity
: name: capacity
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_capacity'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_rate
: name: name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_rate'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_rate-limit
: name: rate-limit
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_rate-limit'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive
: name: nonresponsive
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_outbound
: name: outbound
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_outbound'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate-limit
: name: rate-limit

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate-limit'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold
  : name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold'
    ?
    data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_instancetype
    : name: instancetype
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_instancetype'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type
      : name: interface-type
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type'
        ?
        data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal
        : name: internal
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal'
          ?
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal-post
          : name: internal
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal-post'
            ?
            data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port
            : name: base-port
            In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port-post
  : name: base-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port-post'
    ?
    data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port_start
    : name: start
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port_start'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackEth
      : name: loopbackEth
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackEth'
        ?
        data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackPort
        : name: loopbackPort
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackPort'
          ?
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla
          : name: sla
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla'
            ?
            data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla-post
            : name: sla
            In: body
            Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla-post'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_procedure
  : name: procedure
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_procedure'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response
      : name: response
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response'
          ?
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_uri-scheme
          : name: uri-scheme
            In: body
            Description: ''
            Required/Optional: true
            Schema:
              Reference:
              '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_uri-scheme'
              ?
              data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6
              : name: vip6
                In: body
                Description: ''
                Required/Optional: true
                Schema:
                  Reference:
                  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6'
                  ?
                  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_offline
                  : name: offline
                    In: body
                    Description: ''
                    Required/Optional: true
                    Schema:
                      Reference:
                      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_offline'
                      ?
                      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6
                      : name: vip-ip6
                        In: body
                        Description: ''
                        Required/Optional: true

```

**Schema:****Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6-port
: name: vip-ipv6-port
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ipv6-port'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
: name: vrf
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip
: name: vip
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_offline
: name: offline
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_offline'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-interface
: name: vip-interface
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-interface'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip
: name: vip-ip
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port
```

```
: name: vip-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf
```

```
: name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vrf
```

```
name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vrf'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth:
```

```
name: loopbackEth
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort:
```

```
name: loopbackPort
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes:
```

```
name: nodes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas:
```

```
name: replicas
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name:
```

```
name: service
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name'
?
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type
: name: interface
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type'
?
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_certificate-name
: name: certificate-name
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_certificate-name'
?
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_dispatcher
: name: dispatcher
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_dispatcher'
?
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_dispatcher-post
: name: dispatcher
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

**Reference:**

```

#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher-post'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_cache
: name: cache
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_cache'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_capacity
: name: capacity
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_capacity'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_count
: name: count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_count'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_expiry
: name: expiry
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_expiry'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate
: name: flowctrl-group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_capacity
: name: capacity
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_capacity'
?

```





```

data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_instancetype
: name: instancetype
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_instancetype'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_interface-type
: name: interface-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_interface-type'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal
: name: internal
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal-post
: name: internal
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal-post'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port
: name: base-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port-post
: name: base-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port-post'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port_start

```

```

: name: start
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_baseport_start'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_loopbackEth
: name: loopbackEth
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_loopbackEth'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_loopbackPort
: name: loopbackPort
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_loopbackPort'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla
: name: sla
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla_post
: name: sla
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla_post'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla_procedure
: name: procedure
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla_procedure'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla_response
: name: response

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_sla_response'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_uri-scheme
  : name: uri-scheme
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_uri-scheme'
    ?
    data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6
    : name: vip6
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_offline
      : name: offline
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_offline'
        ?
        data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6
        : name: vip-ip6
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6'
          ?
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6-port
          : name: vip-ip6-port
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6-port'
            ?
            data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
            : name: vrf
            In: body

```

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip6/vip-ip/vrf/
?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/
: name: vip
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/
?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/offline/
: name: offline
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/offline/
?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-interface/
: name: vip-interface
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-interface/
?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-ip/
: name: vip-ip
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-ip/
?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-port/
: name: vip-port
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-port/
?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vrf/
: name: vrf
```

**In:** body

**Description:** ''

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_vip_vip-vip-ip_vrf'
  ?
  data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_vrf
  : name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_vrf'
    ?
    data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_service-name
    : name: service-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_service-name'
      data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level:

      name: system-health-level
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level'
        data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level-post:

        name: system-health-level
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level-post'
          data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash:

          name: crash
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash'
            data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash-post:

            name: crash
            In: body
            Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash-post'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent:

  name: cpu-percent
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs:

  name: memory-in-mbs
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine:

  name: num-of-goroutine
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical:

  name: critical
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical-post:

  name: critical
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical-post'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent:

  name: cpu-percent
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_memory-in-mbs
  : name: memory-in-mbs
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_memory-in-mbs'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine
      : name: num-of-goroutine
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine'
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn:

          name: warn
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn'
            data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn-post:

            name: warn
            In: body
            Description: ''
            Required/Optional: true
            Schema:
              Reference:
              '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn-post'
              data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent:

              name: cpu-percent
              In: body
              Description: ''
              Required/Optional: true
              Schema:
                Reference:
                '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent'
                data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-mbs:

                name: memory-in-mbs
                In: body
                Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_wam_memory-in-rits'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_wam_num-of-goroutine
  : name: num-of-goroutine
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_wam_num-of-goroutine'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme:

  name: uri-scheme
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6:

  name: vip6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline:

  name: offline
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6:

  name: vip-ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port:

  name: vip-ipv6-port
  In: body
  Description: ''

```



```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf:

  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip:

    name: vip
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline:

      name: offline
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface:

        name: vip-interface
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip:

          name: vip-ip
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-port:

            name: vip-port
            In: body
            Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-port'
    data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vrf:

    name: vrf
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vrf'
    data_tailf-mobile-infra_instance_instance-id_instance-id-id_id:
    name: id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_id'
    data_tailf-mobile-infra_instances:
    name: instances
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_instances'
    data_tailf-mobile-infra_instances-post:
    name: instances
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_instances-post'
    data_tailf-mobile-infra_instances_instance_instance-id:
    name: instance
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id'
    data_tailf-mobile-infra_instances_instance_instance-id_cluster-id:

    name: cluster-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_cluster-id'
    data_tailf-mobile-infra_instances_instance_instance-id_instance-id:

```

```
name: instance-id
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_instance-id'
data_tailf-mobile-infra_instances_instance_instance-id_slice-name:

name: slice-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_slice-name'
data_tailf-mobile-infra_instances_instance_instance-id_system-id:

name: system-id
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_system-id'
data_tailf-mobile-infra_k8:
name: k8
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_k8'
data_tailf-mobile-infra_k8-post:
name: k8
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_k8-post'
data_tailf-mobile-infra_k8_label:
name: label
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_k8_label'
data_tailf-mobile-infra_k8_label-post:
name: label
In: body
Description: ''
Required/Optional: true
Schema:
```

```

Reference: '#/definitions/data_tailf-mobile-infra_k8_label-post'
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value:
  name: pod-group-config
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value'
    ?
    data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_key
    : name: key
      In: body
      Description: Key for the label
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_key'
        ?
        data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_pod-group
        : name: pod-group
          In: body
          Description: Group for the VMs
          Required/Optional: true
          Schema:
            Reference:
              '#/definitions/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_pod-group'
            ?
            data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_value
            : name: value
              In: body
              Description: Value for the label
              Required/Optional: true
              Schema:
                Reference:
                  '#/definitions/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_value'
                ?
data_tailf-mobile-infra_local-instance:
  name: local-instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_local-instance'
data_tailf-mobile-infra_local-instance-post:
  name: local-instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_local-instance-post'
data_tailf-mobile-infra_local-instance_instance:
  name: instance
  In: body

```

```
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_local-instance_instance'
data_taulf-mobile-infra_logging:
  name: logging
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging'
data_taulf-mobile-infra_logging-post:
  name: logging
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging-post'
data_taulf-mobile-infra_logging_async:
  name: async
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async'
data_taulf-mobile-infra_logging_async-post:
  name: async
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async-post'
data_taulf-mobile-infra_logging_async_application:
  name: application
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async_application'
data_taulf-mobile-infra_logging_async_application-post:
  name: application
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async_application-post'
data_taulf-mobile-infra_logging_async_application_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
```

```

Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application_disable'
data_tailf-mobile-infra_logging_async_application_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application_enable'
data_tailf-mobile-infra_logging_async_application_enable-post:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application_enable-post'
data_tailf-mobile-infra_logging_async_application_enable_buffer-size:
  name: buffer-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_async_application_enable_buffer-size'
data_tailf-mobile-infra_logging_async_monitor-subscriber:
  name: monitor-subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber'
data_tailf-mobile-infra_logging_async_monitor-subscriber-post:
  name: monitor-subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber-post'
data_tailf-mobile-infra_logging_async_monitor-subscriber_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_disable'
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

```

    Reference:
    '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable'
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable-post:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable-post'
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size:

  name: buffer-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size'
data_tailf-mobile-infra_logging_async_tracing:
  name: tracing
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing'
data_tailf-mobile-infra_logging_async_tracing-post:
  name: tracing
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing-post'
data_tailf-mobile-infra_logging_async_tracing_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing_disable'
data_tailf-mobile-infra_logging_async_tracing_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing_enable'
data_tailf-mobile-infra_logging_async_tracing_enable-post:
  name: enable
  In: body
  Description: ''
  Required/Optional: true

```

```

Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_logging_async_tracing_enable-post'
data_taulf-mobile-infra_logging_async_tracing_enable_buffer-size:
  name: buffer-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_logging_async_tracing_enable_buffer-size'
data_taulf-mobile-infra_logging_async_transaction:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async_transaction'
data_taulf-mobile-infra_logging_async_transaction-post:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async_transaction-post'
data_taulf-mobile-infra_logging_async_transaction_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async_transaction_disable'
data_taulf-mobile-infra_logging_async_transaction_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async_transaction_enable'
data_taulf-mobile-infra_logging_async_transaction_enable-post:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_logging_async_transaction_enable-post'
data_taulf-mobile-infra_logging_async_transaction_enable_buffer-size:
  name: buffer-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```



```
'#/definitions/data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size'  
data_tailf-mobile-infra_logging_error:  
  name: error  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_error'  
data_tailf-mobile-infra_logging_error-post:  
  name: error  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_error-post'  
data_tailf-mobile-infra_logging_error_stack:  
  name: stack  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_error_stack'  
data_tailf-mobile-infra_logging_level:  
  name: level  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level'  
data_tailf-mobile-infra_logging_level-post:  
  name: level  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level-post'  
data_tailf-mobile-infra_logging_level_application:  
  name: application  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level_application'  
data_tailf-mobile-infra_logging_level_monitor-subscriber:  
  name: monitor-subscriber  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level_monitor-subscriber'  
data_tailf-mobile-infra_logging_level_tracing:  
  name: tracing
```

```

    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_level_tracing'
data_tailf-mobile-infra_logging_level_transaction:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level_transaction'
data_tailf-mobile-infra_logging_logger_logger-name:
  name: logger
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name'
data_tailf-mobile-infra_logging_logger_logger-name_level:
  name: level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level'
data_tailf-mobile-infra_logging_logger_logger-name_level-post:
  name: level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level-post'
data_tailf-mobile-infra_logging_logger_logger-name_level_application:
  name: application
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_application'
data_tailf-mobile-infra_logging_logger_logger-name_level_monitor-subscriber:
  name: monitor-subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_monitor-subscriber'
data_tailf-mobile-infra_logging_logger_logger-name_level_tracing:
  name: tracing

```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_tracing'
data_tailf-mobile-infra_logging_logger_logger-name_level_transaction:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_transaction'
data_tailf-mobile-infra_logging_logger_logger-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_name'
data_tailf-mobile-infra_logging_transaction:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction'
data_tailf-mobile-infra_logging_transaction-post:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction-post'
data_tailf-mobile-infra_logging_transaction_duplicate:
  name: duplicate
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_duplicate'
data_tailf-mobile-infra_logging_transaction_max-file-size:
  name: max-file-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_max-file-size'
data_tailf-mobile-infra_logging_transaction_max-rotation:
  name: max-rotation
  In: body
```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_max-rotation'
data_tailf-mobile-infra_logging_transaction_message:
  name: message
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_message'
data_tailf-mobile-infra_logging_transaction_persist:
  name: persist
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_persist'
data_tailf-mobile-infra_nodemonitor:
  name: nodemonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor'
data_tailf-mobile-infra_nodemonitor-post:
  name: nodemonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor-post'
data_tailf-mobile-infra_nodemonitor_interval:
  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor_interval'
data_tailf-mobile-infra_nodemonitor_mode:
  name: mode
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor_mode'
data_tailf-mobile-infra_peers:
  name: peers
  In: body
  Description: ''
  Required/Optional: true

```

```

Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_peers'
data_tailf-mobile-infra_peers-post:
  name: peers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_peers-post'
data_tailf-mobile-infra_resource:
  name: resource
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource'
data_tailf-mobile-infra_resource-post:
  name: resource
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource-post'
data_tailf-mobile-infra_resource_pod_pod-podtype:
  name: pod
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype'
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu:
  name: cpu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu'
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu-post:
  name: cpu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu-post'
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit'

```

```

data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request:
  name: request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request'
data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc:
  name: gomaxproc
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc'
data_tailf-mobile-infra_resource_pod_pod-podtype_labels:
  name: labels
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels'
data_tailf-mobile-infra_resource_pod_pod-podtype_labels-post:
  name: labels
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels-post'
data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key:
  name: key
  In: body
  Description: Key for the label
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key'
data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value:
  name: value
  In: body
  Description: Value for the label
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value'
data_tailf-mobile-infra_resource_pod_pod-podtype_memory:
  name: memory
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory'
data_tailf-mobile-infra_resource_pod_pod-podtype_memory-post:
  name: memory

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory-post'
data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit'
data_tailf-mobile-infra_resource_pod_pod-podtype_memory_request:
  name: request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_request'
data_tailf-mobile-infra_resource_pod_pod-podtype_podtype:
  name: podtype
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_podtype'
data_tailf-mobile-infra_resources:
  name: resources
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resources'
data_tailf-mobile-infra_resources-post:
  name: resources
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resources-post'
data_tailf-mobile-infra_router:
  name: router
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router'
data_tailf-mobile-infra_router-post:
  name: router
  In: body
  Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_router-post'
  data_taulf-mobile-infra_router_bfd:
    name: bfd
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_router_bfd'
  data_taulf-mobile-infra_router_bfd-post:
    name: bfd
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_router_bfd-post'
  data_taulf-mobile-infra_router_bfd_instance:
    name: instance
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_router_bfd_instance'
  data_taulf-mobile-infra_router_bfd_instance-post:
    name: instance
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_router_bfd_instance-post'
  data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id:
    name: instance-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id'
  data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id:
    name: id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id'
  data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface:
    name: interface-list
    In: body

```



```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface'
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip:

  name: gateway-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip'
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface:

  name: interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface'
    ?
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor:
  name: neighbors
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor'
    ?
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor:
  name: neighbor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor'
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf:

  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp:
  name: bgplist
  In: body
  Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_router_bgplist_bgplist-bgp'
data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd:
  name: bfd
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd'
data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd-post:
  name: bfd
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd-post'
data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval:
  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval'
data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx:
  name: min_rx
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx'
data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier:
  name: multiplier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier'
data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bgp:
  name: bgp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_bgp'
data_taulf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface:
  name: interfaceList
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface'
  ?
  data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface
  : name: bondingInterfaces
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface'
      ?
      data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface_bondingInterface
      : name: bondingInterface
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface_bondingInterface'
          data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_interface_interface:

          name: interface
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_interface_interface'
            data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor:

            name: neighbors
            In: body
            Description: ''
            Required/Optional: true
            Schema:
              Reference:
              '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor'
              ?
              data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_fail-over
              : name: fail-over
                In: body
                Description: ''
                Required/Optional: true
                Schema:
                  Reference:
                  '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_fail-over'
                  ?
                  data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_neighbor
                  : name: neighbor
                    In: body
                    Description: ''
                    Required/Optional: true

```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_neighbor'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_remote-as
```

```
: name: remote-as
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_remote-as'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf:
```

```
name: vrf
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute:
```

```
name: learnDefaultRoute
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort:
```

```
name: loopbackBFDPort
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort:
```

```
name: loopbackPort
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name:
```

```
name: policies
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name'
```

**data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_as-path-set:**

**name:** as-path-set  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_as-path-set'

**data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_gateWay:**

**name:** gateWay  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_gateWay'

**data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_interface:**

**name:** interface  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_interface'

**data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_ip-prefix:**

**name:** ip-prefix  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_ip-prefix'

**data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_isStaticRoute:**

**name:** isStaticRoute  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_isStaticRoute'

**data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_mask-range:**

**name:** mask-range  
**In:** body  
**Description:** ''  
**Required/Optional:** true  
**Schema:**

**Reference:**

'#/definitions/data\_tailf-mobile-infra\_router\_bgplist\_bgplist-bgp\_policies\_policies-policy-name\_mask-range'

```

data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp:

  name: modifySourceIp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name:

  name: policy-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix:

  name: source-prefix
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix'
data_tailf-mobile-infra_router_monitor-interface:
  name: monitor-interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_monitor-interface'
data_tailf-mobile-infra_router_monitor-interface-post:
  name: monitor-interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_monitor-interface-post'
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface:

  name: interface-list
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface'
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface:

  name: interface

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface'
data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type:
  name: interface-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type'
data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface:
  name: linked-interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface'
data_taulf-mobile-infra_rpc:
  name: rpc
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_rpc'
data_taulf-mobile-infra_rpc-post:
  name: rpc
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_rpc-post'
data_taulf-mobile-infra_running-status:
  name: running-status
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_running-status'
data_taulf-mobile-infra_running-status-post:
  name: running-status
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_running-status-post'

```

```

data_tailf-mobile-infra_sessions:
  name: sessions
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_sessions'
data_tailf-mobile-infra_sessions-post:
  name: sessions
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_sessions-post'
data_tailf-mobile-infra_vrf:
  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf'
data_tailf-mobile-infra_vrf-info:
  name: vrf-info
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf-info'
data_tailf-mobile-infra_vrf-info-post:
  name: vrf-info
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf-info-post'
data_tailf-mobile-infra_vrf-post:
  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf-post'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name:
  name: vrflist
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device:
  name: device

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway:
  name: gateway
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6:
  name: gatewayIpv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice:
  name: linkDevice
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name'
dbs-name:
  name: dbs-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
enable-event-id-procedure:
  name: enable-event-id-procedure
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
enable-field-id-event:
  name: enable-field-id-event
  In: path
  Description: ''

```

```
    Required/Optional: true
    Type: string
    Format: string
endpoints-host:
  name: endpoints-host
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
ep-eptype:
  name: ep-eptype
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
field-id:
  name: field-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
files-name:
  name: files-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
flowctrl-group-name:
  name: flowctrl-group-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
granular-labels-id:
  name: granular-labels-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
info-address:
  name: info-address
  In: path
  Description: ''
  Required/Optional: true
  Type: string
```

```
Format: string
info-diagnostic:
  name: info-diagnostic
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
info-endpoint:
  name: info-endpoint
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
info-errorComponent:
  name: info-errorComponent
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
info-podInstance:
  name: info-podInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
instance-id-id:
  name: instance-id-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: leafref
instance-instance-id:
  name: instance-instance-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: int32
interface-interface:
  name: interface-interface
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
interface-interface-type:
```

```
    name: interface-interface-type
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: identityref
interface-list-interface:
    name: interface-list-interface
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
interfaceList-interface:
    name: interfaceList-interface
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
logger-name:
    name: logger-name
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
metricsList-name:
    name: metricsList-name
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
neighbors-neighbor:
    name: neighbors-neighbor
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
pod-group-config-key:
    name: pod-group-config-key
    In: path
    Description: Key for the label
    Required/Optional: true
    Type: string
    Format: string
pod-group-config-pod-group:
    name: pod-group-config-pod-group
    In: path
```

**Description:** Group for the VMs

**Required/Optional:** true

**Type:** string

**Format:** enumeration

**Default:** protocol-layer

**enum:**

- protocol-layer
- service-layer
- cdl-layer
- oam-layer

**pod-group-config-value:**

**name:** pod-group-config-value

**In:** path

**Description:** Value for the label

**Required/Optional:** true

**Type:** string

**Format:** string

**pod-podtype:**

**name:** pod-podtype

**In:** path

**Description:** ''

**Required/Optional:** true

**Type:** string

**Format:** identityref

**pods-name:**

**name:** pods-name

**In:** path

**Description:** ''

**Required/Optional:** true

**Type:** string

**Format:** string

**policies-policy-name:**

**name:** policies-policy-name

**In:** path

**Description:** ''

**Required/Optional:** true

**Type:** string

**Format:** string

**service-service-name:**

**name:** service-service-name

**In:** path

**Description:** ''

**Required/Optional:** true

**Type:** string

**Format:** string

**subscribers-id:**

**name:** subscribers-id

**In:** path

**Description:** ''

**Required/Optional:** true

**Type:** string

**Format:** string

**thresholds-name:**  
  **name:** thresholds-name  
  **In:** path  
  **Description:** ''  
  **Required/Optional:** true  
  **Type:** string  
  **Format:** enumeration  
  **Default:** low  
  **enum:**  
  - low  
  - high

**verboseLevels-podType:**  
  **name:** verboseLevels-podType  
  **In:** path  
  **Description:** ''  
  **Required/Optional:** true  
  **Type:** string  
  **Format:** enumeration  
  **Default:** protocol  
  **enum:**  
  - protocol  
  - load-balancer  
  - service  
  - application

**vip-vip-ip:**  
  **name:** vip-vip-ip  
  **In:** path  
  **Description:** ''  
  **Required/Optional:** true  
  **Type:** string  
  **Format:** string

**vip6-vip-ip6:**  
  **name:** vip6-vip-ip6  
  **In:** path  
  **Description:** ''  
  **Required/Optional:** true  
  **Type:** string  
  **Format:** string

**vip6-vip-ipv6:**  
  **name:** vip6-vip-ipv6  
  **In:** path  
  **Description:** ''  
  **Required/Optional:** true  
  **Type:** string  
  **Format:** string

**vips-vipInterface:**  
  **name:** vips-vipInterface  
  **In:** path  
  **Description:** ''  
  **Required/Optional:** true  
  **Type:** string  
  **Format:** string

**vrflist-name:**

**name:** vrflist-name  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**'201':**  
**Description:** Created  
**'204':**  
**Description:** No Content  
**'400':**  
**Description:** Bad Request  
**'401':**  
**Description:** Unauthorized  
**'404':**  
**Description:** Not Found  
**'405':**  
**Description:** Method Not Allowed  
**'409':**  
**Description:** Conflict

**securityDefinitions:**

**basicAuth:**

**Type:** basic

**definitions:**

**data:**

**Type:** object

**Properties:**

**ietf-restconf:data:**

**Type:** object

**Description:** This resource represents the combined configuration and state data resources that can be accessed by a client and cannot be created or deleted by the client. See RESTCONF RFC 8040 for further information.

**x-yang:**

**Type:** datastore

**Properties:** {}

**data-post:**

**Type:** object

**Properties:**

**taif-mobile-infra:sessions:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**commit-pending:**

**Type:** array

**Description:** (list)

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    pendingCommit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    dbBinarySize:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    lastDbSyncTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  affinity:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:peers:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        grInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        endpoint:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        localAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        peerAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        direction:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  rpc:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  additionalDetails:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:rpc:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container

```

```
is_presence: 'false'
Properties:
  all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteHost:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
      Type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      setName:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      status:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
```

```

    Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disconnectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  monitorRPCHost:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  processingInstanceInfo:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  version:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:resources:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object

```

```
Properties:
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpuUsage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  totalNodeMemoryInMB:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  usedPodMemoryInMB:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  diskUsageInKbps:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  goRoutinesCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcPauseInNS:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:running-status:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        runningStatus:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        systemHealth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        startTime:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
tailf-mobile-infra:diagnostics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object

```

```
Properties:
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  diagnostic:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  component:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:infra:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
```

```

experimental:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    version:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
verbose:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    verboseLevels:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        podType:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: protocol
          enum:
            - protocol
            - load-balancer
            - service
            - application
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: production
          enum:
            - production
            - debug
            - trace
            - 'off'
        metrics:

```



```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: production
            enum:
              - production
              - debug
              - trace
              - 'off'
          granular-labels:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string

transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container

```

```

    is_presence: 'false'
  Properties:
    stage:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        same:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            stage:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
loop:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    category:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object

```

```
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    thresholds:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: low
          enum:
            - low
            - high
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: noop
          enum:
```

- noop
- log-event
- kill-session

**tailf-mobile-infra:client:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**http:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**header:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**user-agent:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** cluster-name  
**enum:**  

- cluster-name
- app-name
- disable

**ping:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**timeout:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** int32  
**interval:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string

```

        Format: int32
outbound:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: identityref
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pending:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            response:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
        consecutive:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            failure:
              Description: (non-presence)

```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      codes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
  host:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ping:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          timeout:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32

```

```
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            count:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            codes:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: string
  host:
    Description: (non-presence)
    Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      inbound:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          interface:
            Type: array
            Description: (list)
            x-yang:
              Type: list
          Items:
            Type: object
            Properties:
              interface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
            limit:

```



```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

        Format: int32
    overload:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            reject-code:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
tailf-mobile-infra:edr:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        reporting:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: enable
            enum:
                - enable
                - disable
    edrsubscribers:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            subscribers:
                Type: array
                x-yang:
                    Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
    all:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'

```

```
Properties:
  subscribers:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
file:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  files:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        reporting:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
          enum:
            - enable
            - disable
        verbose:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
          enum:
            - enable
            - disable
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
```

```

    Type: container
    is_presence: 'false'
  Properties:
    size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  rate:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  flush:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
  procedure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-event-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            procedure:
              Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: string
enable-inner:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    event:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable-field-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              event:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              enable:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  field:
                    Type: array
                    x-yang:
                      Type: leaf-list
                    Items:
                      Description: (leaf-list)
                      Type: string
                      Format: string

taulf-mobile-infra:instance:
  Description: (non-presence)
  Type: object
  x-yang:

```

```

Type: container
is_presence: 'false'
Properties:
  instance-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
        endpoint:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            ep:
              Type: array
              Description: (list)
              x-yang:
                Type: list
              Items:
                Type: object
                Properties:
                  eptype:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                    Type: string
                    Format: identityref
                  replicas:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                    Type: string
                    Format: int32
                nodes:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                loopbackEth:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    warn:
      Description: (non-presence)
      Type: object
      x-yang:

```



```
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  critical:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
```

```

    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: http
    enum:
      - http
      - https
  certificate-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  service:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        service-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        interface:
          Type: array

```

```
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  interface-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  loopbackEth:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: http
    enum:
      - http
      - https
  instancetype:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: IPv4
    enum:
      - IPv4
      - IPv6
      - Dual
  certificate-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  sla:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        vip-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          vip-interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
            offline:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
          vrf:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    count:
```

```

Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:

```

```

    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      interface-type:

```

```

Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: identityref
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: http
    enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
    - IPv4
    - IPv6
    - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  procedure:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      vrf:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
vip6:
  Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    capacity:
      Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    capacity:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    rate-limit:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
        base-port:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                start:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
tailf-mobile-infra:endpoint:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        info:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    endpoint:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
address:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
internal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
startTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
stoppedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
grInstance:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

    Type: string
    Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
all:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      grInstance:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      endpoint:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      address:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    Interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```
    Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:vrf:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    vrflist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        gateway:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

    Format: string
  gatewayIpv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  device:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  linkDevice:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:vrf-info:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gatewayIpv6:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```



```
    Format: string
device:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
linkDevice:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
tableId:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
state:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
podName:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:logging:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    transaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      persist:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
```

```

    Default: enable
    enum:
    - enable
    - disable
max-file-size:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
max-rotation:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
message:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
duplicate:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
level:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
Properties:
application:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug

```

- info
- warn
- error
- 'off'

**transaction:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**tracing:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**monitor-subscriber:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**logger:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****name:****Description:** (leaf)

```

x-yang:
  Type: leaf
Type: string
Format: string
level:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  application:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: trace
    enum:
      - trace
      - debug
      - info
      - warn
      - error
      - 'off'
    transaction:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
      enum:
        - trace
        - debug
        - info
        - warn
        - error
        - 'off'
    tracing:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
      enum:
        - trace
        - debug
        - info
        - warn
        - error
        - 'off'
  monitor-subscriber:
    Description: (leaf)

```

```
x-yang:  
  Type: leaf  
Type: string  
Format: enumeration  
Default: trace  
enum:  
  - trace  
  - debug  
  - info  
  - warn  
  - error  
  - 'off'
```

**async:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:****application:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:****enable:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:****buffer-size:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**disable:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**transaction:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:****enable:**

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
tracing:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
monitor-subscriber:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:

```

```
enable:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
disable:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
```

**error:**

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  stack:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: enable
    enum:
      - enable
      - disable
```

**tailf-mobile-infra:nodemonitor:**

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  mode:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: '0'
    enum:
      - '0'
```

```

- '1'
- '2'
- '3'
interval:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:router:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    bgplist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bgp:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
            loopbackPort:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            loopbackBFDPort:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            learnDefaultRoute:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: boolean
          interfaceList:
            Type: array
            Description: (list)
            x-yang:

```



```
Type: list
Items:
  Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    bondingInterfaces:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bondingInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
    neighbors:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          remote-as:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          fail-over:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: bfd
          enum:
            - bfd
    policies:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          policy-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          as-path-set:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          ip-prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          source-prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          mask-range:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string

```

```
    modifySourceIp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    isStaticRoute:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    gateWay:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  bfd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      min_rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      multiplier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  bfd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      instance:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  instance-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
        interface-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              interface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
              vrf:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: leafref
            neighbors:
              Type: array
              Description: (list)
              x-yang:
                Type: list
              Items:
                Type: object
                Properties:
                  neighbor:
                    Description: (leaf)
                    x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    gateway-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
monitor-interface:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        interface-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    interface:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
                    linked-interface:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
                    interface-type:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
tailf-mobile-infra:deployment:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        app-name:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  cluster-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dc-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  model:
    Description: Deployment Model default large (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: small
    enum:
      - small
  resource:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  logical-nf-instance-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  taulf-mobile-infra:k8:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      label:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pod-group-config:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        pod-group:
          Description: Group for the VMs (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: protocol-layer
            enum:
              - protocol-layer
              - service-layer
              - cdl-layer
              - oam-layer
          key:
            Description: Key for the label (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          value:
            Description: Value for the label (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        tailf-mobile-infra:geo:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties: {}
        tailf-mobile-infra:show:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties: {}

```

```

tailf-mobile-infra:clear:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:dump:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:config-error:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          errorComponent:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          errorDescription:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
tailf-mobile-infra:resource:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pod:
      Type: array
      Description: (list)

```



```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    podtype:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
    cpu:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    memory:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    gomaxproc:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: int32
  labels:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      key:
        Description: Key for the label (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        value:
          Description: Value for the label (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
tailf-mobile-infra:geomonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    podmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      pods:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string

```

```
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    failedReplicaPercent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
remoteclustermonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vipmonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vipInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipIp:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipPort:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryCount:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32

```

```
        retryFailOverInterval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    trafficMonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        thresholdCount:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        thresholdInterval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    taulf-mobile-infra:instances:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance:
          Type: array
          Description: (list)
          x-yang:
            Type: list
        Items:
          Type: object
          Properties:
            instance-id:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            system-id:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
```

```

    Format: string
  cluster-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  slice-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:local-instance:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
tailf-mobile-infra:datastore:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-db:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    endpoints:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    port:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
dbs:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            endpoints:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        host:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: string
                        port:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: int32
notification-ep:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        host:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data-put-patch:
  Type: object
  Properties:
    ietf-restconf:data:
      Description: ''
      Type: object
      x-yang:
        Type: datastore
      Properties:
        tailf-mobile-infra:sessions:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            commit-pending:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                podInstance:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                grInstance:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            count:
              Description: (leaf)
              x-yang:
                Type: leaf

```



```
    Type: string
    Format: int32
  pendingCommit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  dbBinarySize:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  lastDbSyncTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  affinity:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
  tailf-mobile-infra:peers:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      all:
        Type: array
        Description: (list)
        x-yang:
```

```
Type: list
Items:
  Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    localAddress:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    peerAddress:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    direction:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    connectedTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
```

```
    Format: string
  rpc:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  additionalDetails:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:rpc:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
```

```
    Format: string
remoteAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
remoteHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
setName:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disconnectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
monitorRPCHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
processingInstanceInfo:
  Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  version:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:resources:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        cpuUsage:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        totalNodeMemoryInMB:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        usedPodMemoryInMB:
          Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
    diskUsageInKbps:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    goRoutinesCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    gcCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    gcPauseInNS:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  taif-mobile-infra:running-status:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        runningStatus:
          Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  systemHealth:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:diagnostics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        diagnostic:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        component:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      startTime:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:infra:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        experimental:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            version:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
    verbose:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        verboseLevels:

```



```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    podType:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol
      enum:
      - protocol
      - load-balancer
      - service
      - application
    level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: production
      enum:
      - production
      - debug
      - trace
      - 'off'
    metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        metricsList:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
              level:
```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: production
enum:
- production
- debug
- trace
- 'off'
granular-labels:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string

transaction:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      stage:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      consecutive:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        same:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```

    Properties:
      stage:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
loop:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    category:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
    threshold:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    thresholds:

```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: low
        enum:
        - low
        - high
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: noop
            enum:
            - noop
            - log-event
            - kill-session

```

```

tailf-mobile-infra:client:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  http:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    header:
      Description: (non-presence)
      Type: object
      x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    user-agent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: cluster-name
      enum:
        - cluster-name
        - app-name
        - disable
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  outbound:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```

    Type: string
    Format: identityref
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            count:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            codes:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: string
  host:

```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      limit:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          pending:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              response:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
```

```

consecutive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:

```



```

        Type: leaf
        Type: string
        Format: int32
    backoff:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
inbound:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        interface:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    interface:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: identityref
        limit:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                pending:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                        Type: container
                        is_presence: 'false'
                    Properties:
                        request:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: int32
        overload:

```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    overload:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reject-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
tailf-mobile-infra:edr:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'

```

```
Properties:
  reporting:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
  edrsubscribers:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      subscribers:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
  all:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      subscribers:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
  file:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      files:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
```

```

Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: identityref
  reporting:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
  verbose:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      size:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
  rate:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string

```

```
Format: int32
flush:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
procedure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable-event-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          procedure:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          enable-inner:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              event:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
            Properties:
              enable-field-id:
                Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  event:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      field:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string

```

**tailf-mobile-infra:instance:**

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  instance-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: leafref
      endpoint:
        Description: (non-presence)
        Type: object

```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ep:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        eptype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        replicas:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        nodes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        instancetype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: IPv4
          enum:
            - IPv4
            - IPv6
```

```

- Dual
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```



```
    Format: string
vip-ipv6-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
```

vrf:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

system-health-level:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

warn:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

cpu-percent:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
```

memory-in-mbs:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
```

num-of-goroutine:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
```

```

critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
uri-scheme:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: http
enum:
- http
- https
certificate-name:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
service:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
Type: object
Properties:
  service-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interface:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
```

```

    Type: leaf
  Type: string
  Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
  - http
  - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
```

```

        Format: int32
    internal:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            base-port:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    start:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
interface:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            interface-type:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: identityref
            loopbackEth:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            loopbackPort:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: int32
            uri-scheme:
                Description: (leaf)
                x-yang:
                    Type: leaf

```



```
Type: string
Format: enumeration
Default: http
enum:
- http
- https
instancetype:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
sla:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vip:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
vip-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: string
    Format: '[null]'
```

**vrf:**

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

**vrf:**

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

**dispatcher:**

```

    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
```

**Properties:**

**count:**

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
```

**capacity:**

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
```

**outbound:**

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: boolean
```

**rate-limit:**

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
```

**cache:**

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
```

```

    Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'

```

```

Properties:
  base-port:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32

tailf-mobile-infra:endpoint:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        endpoint:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        address:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        status:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```

    Type: string
    Format: string
  Interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
all:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```
    Format: string
  endpoint:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:vrf:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    vrflist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gatewayIpv6:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          device:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          linkDevice:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
tailf-mobile-infra:vrf-info:
  Description: (non-presence)

```



```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        gateway:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        gatewayIpv6:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        device:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        linkDevice:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        tableId:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        state:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  podName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:logging:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    transaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      persist:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
        enum:
          - enable
          - disable
      max-file-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      max-rotation:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      message:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration

```

```
    Default: enable
    enum:
    - enable
    - disable
duplicate:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: enable
  enum:
  - enable
  - disable
level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
  application:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
  transaction:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
  tracing:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
```

```

    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
logger:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      level:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          application:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: trace
            enum:
            - trace
            - debug
            - info
            - warn

```

```
- error
- 'off'
transaction:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
async:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    application:
      Description: (non-presence)
      Type: object
      x-yang:
```

```

Type: container
is_presence: 'false'
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
  transaction:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          buffer-size:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          disable:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
      tracing:
        Description: (non-presence)
        Type: object

```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
monitor-subscriber:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
error:
  Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      stack:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:
            - enable
            - disable
tailf-mobile-infra:nodemonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mode:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: '0'
        enum:
          - '0'
          - '1'
          - '2'
          - '3'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
tailf-mobile-infra:router:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    bgplist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:

```



```
Type: object
Properties:
  bgp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  loopbackBFDPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  learnDefaultRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  interfaceList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        bondingInterfaces:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              bondingInterface:
                Description: (leaf)
                x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
neighbors:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      neighbor:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      remote-as:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      fail-over:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: bfd
        enum:
          - bfd
policies:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      policy-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string

```

```
as-path-set:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ip-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
source-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
mask-range:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
modifySourceIp:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
isStaticRoute:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
gateWay:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
bfd:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  min_rx:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  multiplier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
bfd:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: leafref
              interface-list:

```

```

    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
        neighbors:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              neighbor:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
            gateway-ip:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
        monitor-interface:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            interface-list:
              Type: array
              Description: (list)
              x-yang:
                Type: list
```

```

    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        linked-interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
tailf-mobile-infra:deployment:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    app-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cluster-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dc-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    model:
      Description: Deployment Model default large (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```
    Format: enumeration
    Default: small
    enum:
    - small
resource:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    cpu:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
logical-nf-instance-id:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:k8:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    label:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    pod-group-config:
    Type: array
    Description: (list)
    x-yang:
    Type: list
    Items:
    Type: object
    Properties:
    pod-group:
    Description: Group for the VMs (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: protocol-layer
```

```

    enum:
      - protocol-layer
      - service-layer
      - cdl-layer
      - oam-layer
    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:geo:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:show:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:clear:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:dump:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:config-error:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:

```



```
info:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      errorComponent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      errorDescription:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
tailf-mobile-infra:resource:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pod:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podtype:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          cpu:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              request:
                Description: (leaf)
                x-yang:
```

```

    Type: leaf
    Type: string
    Format: int32
  limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
memory:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
gomaxproc:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
labels:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf

```

```

        Type: string
        Format: string
tailf-mobile-infra:geomonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    podmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pods:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              retryCount:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryFailOverInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              failedReplicaPercent:
                Description: (leaf)
                x-yang:
```

```

        Type: leaf
        Type: string
        Format: int32
remoteclustermonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vipmonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
    vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:

```

```
    vipInterface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vipIp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vipPort:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  trafficMonitor:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      thresholdCount:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      thresholdInterval:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:instances:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          system-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          cluster-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          slice-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
tailf-mobile-infra:local-instance:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
tailf-mobile-infra: datastore:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  session-db:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    endpoints:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
        dns:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
```

```

    Type: string
    Format: string
  endpoints:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
  notification-ep:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      host:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_taulf-mobile-infra_clear:
    Type: object
    Properties:
      taulf-mobile-infra:clear:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties: {}

```



```
data_tailf-mobile-infra_client:
  Type: object
  Properties:
    tailf-mobile-infra:client:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        http:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            header:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                user-agent:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: enumeration
                  Default: cluster-name
                  enum:
                    - cluster-name
                    - app-name
                    - disable
            ping:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                timeout:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
                interval:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
```

```

        Type: string
        Format: int32
    outbound:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            interface:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
            Items:
                Type: object
                Properties:
                    interface:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: identityref
            limit:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    pending:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'
                        Properties:
                            response:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                Type: string
                                Format: int32
                    consecutive:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'
                        Properties:
                            failure:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        backoff:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```

        Format: int32
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            count:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            codes:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: string
  host:
    Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      inbound:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          interface:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                interface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: identityref
```

```

limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    overload:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reject-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```

        Type: string
        Format: int32
    overload:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            reject-code:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_client-post:
    Type: object
    Properties:
        tailf-mobile-infra:http:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                header:
                    Description: (non-presence)
                    Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    user-agent:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: enumeration
                        Default: cluster-name
                    enum:
                        - cluster-name
                        - app-name
                        - disable
        ping:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                timeout:
                    Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:outbound:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          limit:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
          Properties:
            pending:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            response:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32

```



```
consecutive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
```

```

        Type: leaf
        Type: string
        Format: int32
    backoff:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    limit:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
        pending:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                response:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
        consecutive:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                failure:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                        Type: container
                        is_presence: 'false'
            Properties:
                count:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
        codes:
            Type: array

```

```
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  host:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ping:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          timeout:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
  tailf-mobile-infra:inbound:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
```

```

Type: object
Properties:
  interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        overload:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            reject-code:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_http:
  Type: object
  Properties:
    tailf-mobile-infra:http:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        header:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            user-agent:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: cluster-name
            enum:
              - cluster-name
              - app-name
              - disable
  ping:

```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_client_http-post:
Type: object
Properties:
  tailf-mobile-infra:header:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      user-agent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: cluster-name
        enum:
          - cluster-name
          - app-name
          - disable
      tailf-mobile-infra:ping:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          timeout:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32

```

```
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_http_header:
  Type: object
  Properties:
    tailf-mobile-infra:header:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        user-agent:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: cluster-name
          enum:
            - cluster-name
            - app-name
            - disable
data_tailf-mobile-infra_client_http_header-post:
  Type: object
  Properties:
    tailf-mobile-infra:user-agent:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: cluster-name
      enum:
        - cluster-name
        - app-name
        - disable
data_tailf-mobile-infra_client_http_header_user-agent:
  Type: object
  Properties:
    tailf-mobile-infra:user-agent:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: cluster-name
      enum:
        - cluster-name
```

```

    - app-name
    - disable
data_taulf-mobile-infra_client_http_ping:
  Type: object
  Properties:
    taulf-mobile-infra:ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_taulf-mobile-infra_client_http_ping-post:
  Type: object
  Properties:
    taulf-mobile-infra:timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    taulf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_taulf-mobile-infra_client_http_ping_interval:
  Type: object
  Properties:
    taulf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_taulf-mobile-infra_client_http_ping_timeout:
  Type: object
  Properties:
    taulf-mobile-infra:timeout:

```



```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound:
  Type: object
  Properties:
    tailf-mobile-infra:inbound:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        interface:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              interface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
            limit:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                pending:
                  Description: (non-presence)
                  Type: object
                  x-yang:
                    Type: container
                    is_presence: 'false'
                  Properties:
                    request:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                overload:
                  Description: (non-presence)

```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          request:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
      overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
  data_tailf-mobile-infra_client_inbound-post:
    Type: object
    Properties:
      tailf-mobile-infra:interface:
        Type: array
        Description: (list)
        x-yang:

```

```
  Type: list
Items:
  Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: identityref
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pending:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            request:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
        overload:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            reject-code:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
tailf-mobile-infra:limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface:
Type: object
Properties:
  tailf-mobile-infra:interface:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        limit:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            pending:
              Description: (non-presence)

```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_interface:
  Type: object
  Properties:
    tailf-mobile-infra:interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pending:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
        Properties:

```

```

    request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit-post:
Type: object
Properties:
  taulf-mobile-infra:pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  taulf-mobile-infra:overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload:
Type: object

```

```

Properties:
  tailf-mobile-infra:overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload-post:

Type: object
Properties:
  tailf-mobile-infra:reject-code:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code:

Type: object
Properties:
  tailf-mobile-infra:reject-code:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending:

Type: object
Properties:
  tailf-mobile-infra:pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending-post:

```

```

Type: object
Properties:
  tailf-mobile-infra:request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request:

Type: object
Properties:
  tailf-mobile-infra:request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound_limit:
Type: object
Properties:
  tailf-mobile-infra:limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          request:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          overload:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              reject-code:
                Description: (leaf)
                x-yang:

```



```

        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_inbound_limit-post:
Type: object
Properties:
  tailf-mobile-infra:pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      tailf-mobile-infra:overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_client_inbound_limit_overload:
Type: object
Properties:
  tailf-mobile-infra:overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_limit_overload-post:
Type: object
Properties:
```

```

tailf-mobile-infra:reject-code:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_client_inbound_limit_overload_reject-code:
  Type: object
  Properties:
    tailf-mobile-infra:reject-code:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_inbound_limit_pending:
  Type: object
  Properties:
    tailf-mobile-infra:pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_client_inbound_limit_pending-post:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_inbound_limit_pending_request:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound:
  Type: object

```

```
Properties:
  tailf-mobile-infra:outbound:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: identityref
      limit:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          pending:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              response:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: int32
          consecutive:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              failure:
                Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      codes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
  host:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ping:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          timeout:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32

```

```
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            count:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            codes:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: string
host:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      data_tailf-mobile-infra_client_outbound-post:
        Type: object
        Properties:
          tailf-mobile-infra:interface:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                interface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: identityref
                limit:
                  Description: (non-presence)
                  Type: object
                  x-yang:
                    Type: container

```

```
is_presence: 'false'
Properties:
  pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      failure:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          codes:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
      backoff:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
tailf-mobile-infra:limit:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:

```



```
failure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    codes:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
tailf-mobile-infra:host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      backoff:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_host:
  Type: object
  Properties:
    tailf-mobile-infra:host:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ping:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            timeout:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            interval:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            backoff:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_client_outbound_host-post:
  Type: object
  Properties:
    tailf-mobile-infra:ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```

    Type: string
    Format: int32
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  backoff:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_client_outbound_host_ping:
  Type: object
  Properties:
    tailf-mobile-infra:ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        backoff:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_outbound_host_ping-post:
  Type: object
  Properties:
    tailf-mobile-infra:timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
```

```

tailf-mobile-infra:interval:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:backoff:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_client_outbound_host_ping_backoff:
  Type: object
  Properties:
    tailf-mobile-infra:backoff:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_host_ping_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_host_ping_timeout:
  Type: object
  Properties:
    tailf-mobile-infra:timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface:
  Type: object
  Properties:
    tailf-mobile-infra:interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:

```

```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: identityref
limit:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      consecutive:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
        Properties:
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          codes:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
```

```

        Type: string
        Format: string
    host:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            ping:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    timeout:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
                    interval:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
                    backoff:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
    data_tailf-mobile-infra_client_outbound_interface_interface-interface_host:
        Type: object
        Properties:
            tailf-mobile-infra:host:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    ping:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'
                Properties:

```

```

    timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    backoff:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host-post:
Type: object
Properties:
  tailf-mobile-infra:ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      backoff:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping:
Type: object
Properties:
  tailf-mobile-infra:ping:

```

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**timeout:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**interval:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**backoff:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_host\_ping-post:**

**Type:** object

**Properties:**

**tailf-mobile-infra:timeout:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**tailf-mobile-infra:interval:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**tailf-mobile-infra:backoff:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_host\_ping\_backoff:**

**Type:** object

**Properties:**

**tailf-mobile-infra:backoff:**

**Description:** (leaf)



```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval:

Type: object
Properties:
  tailf-mobile-infra:interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout:

Type: object
Properties:
  tailf-mobile-infra:timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface:

Type: object
Properties:
  tailf-mobile-infra:interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit:

Type: object
Properties:
  tailf-mobile-infra:limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
```

```

    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      failure:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          codes:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit-post:
  Type: object
  Properties:
    tailf-mobile-infra:pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
    tailf-mobile-infra:consecutive:

```

**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
   **Type:** container  
   **is\_presence:** 'false'  
**Properties:**  
   **failure:**  
     **Description:** (non-presence)  
     **Type:** object  
     **x-yang:**  
       **Type:** container  
       **is\_presence:** 'false'  
     **Properties:**  
       **count:**  
         **Description:** (leaf)  
         **x-yang:**  
           **Type:** leaf  
           **Type:** string  
           **Format:** int32  
         **codes:**  
           **Type:** array  
           **x-yang:**  
             **Type:** leaf-list  
           **Items:**  
             **Description:** (leaf-list)  
             **Type:** string  
             **Format:** string

**data\_tailf-mobile-infra\_client\_outbound\_interface\_interface-interface\_limit\_consecutive:**

**Type:** object  
**Properties:**  
   **tailf-mobile-infra:consecutive:**  
     **Description:** (non-presence)  
     **Type:** object  
     **x-yang:**  
       **Type:** container  
       **is\_presence:** 'false'  
     **Properties:**  
       **failure:**  
         **Description:** (non-presence)  
         **Type:** object  
         **x-yang:**  
           **Type:** container  
           **is\_presence:** 'false'  
       **Properties:**  
         **count:**  
           **Description:** (leaf)  
           **x-yang:**  
             **Type:** leaf  
             **Type:** string  
             **Format:** int32  
         **codes:**

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive-post:

```

```

Type: object
Properties:
  tailf-mobile-infra:failure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      codes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string

```

```

data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure:

```

```

Type: object
Properties:
  tailf-mobile-infra:failure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      codes:
        Type: array
        x-yang:

```

```

        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure-post:
Type: object
Properties:
  tailf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id:
Type: object
Properties:
  tailf-mobile-infra:codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count:
Type: object
Properties:
  tailf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending:
Type: object
Properties:
  tailf-mobile-infra:pending:
    Description: (non-presence)
    Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending-post:

Type: object
Properties:
  tailf-mobile-infra:response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response:

Type: object
Properties:
  tailf-mobile-infra:response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_limit:

Type: object
Properties:
  tailf-mobile-infra:limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          response:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```

    Format: int32
consecutive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
data_tailf-mobile-infra_client_outbound_limit-post:
  Type: object
  Properties:
    tailf-mobile-infra:pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
    tailf-mobile-infra:consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'

```

```

Properties:
  failure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      codes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
data_tailf-mobile-infra_client_outbound_limit_consecutive:
Type: object
Properties:
  tailf-mobile-infra:consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      failure:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          codes:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)

```



```

        Type: string
        Format: string
data_taulf-mobile-infra_client_outbound_limit_consecutive-post:
  Type: object
  Properties:
    taulf-mobile-infra:failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
data_taulf-mobile-infra_client_outbound_limit_consecutive_failure:
  Type: object
  Properties:
    taulf-mobile-infra:failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
data_taulf-mobile-infra_client_outbound_limit_consecutive_failure-post:
```

```

Type: object
Properties:
  taulf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  taulf-mobile-infra:codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_taulf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id:

Type: object
Properties:
  taulf-mobile-infra:codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_taulf-mobile-infra_client_outbound_limit_consecutive_failure_count:

Type: object
Properties:
  taulf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_taulf-mobile-infra_client_outbound_limit_pending:

Type: object
Properties:
  taulf-mobile-infra:pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string

```

```
    Format: int32
data_tailf-mobile-infra_client_outbound_limit_pending-post:
  Type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_limit_pending_response:
  Type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_config-error:
  Type: object
  Properties:
    tailf-mobile-infra:config-error:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        info:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              errorComponent:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
              errorDescription:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_config-error-post:
  Type: object
```

```

Properties:
  tailf-mobile-infra:info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        errorComponent:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        errorDescription:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_config-error_info:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          errorComponent:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          errorDescription:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_tailf-mobile-infra_config-error_info_info-errorComponent:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:

```

```

    Type: list
  Items:
    Type: object
    Properties:
      errorComponent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      errorDescription:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_tailf-mobile-infra_config-error_info_info-errorComponent_errorComponent:
  Type: object
  Properties:
    tailf-mobile-infra:errorComponent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_config-error_info_info-errorComponent_errorDescription:
  Type: object
  Properties:
    tailf-mobile-infra:errorDescription:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_datstore:
  Type: object
  Properties:
    tailf-mobile-infra:datstore:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      session-db:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'

```

```
Properties:
  endpoints:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
dbs:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoints:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          host:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          port:
            Description: (leaf)
```

```

        x-yang:
            Type: leaf
            Type: string
            Format: int32
notification-ep:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        host:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        port:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_datastore-post:
    Type: object
    Properties:
        tailf-mobile-infra:session-db:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                endpoints:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
                Items:
                    Type: object
                    Properties:
                        host:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: string
                        port:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
```

```

        Type: string
        Format: int32
tailf-mobile-infra:dbs:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoints:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            host:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
tailf-mobile-infra:notification-ep:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    port:
      Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_datastore_dbs_dbs-name:
  Type: object
  Properties:
    tailf-mobile-infra:dbs:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          endpoints:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                host:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                port:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host:
  Type: object
  Properties:
    tailf-mobile-infra:endpoints:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
```

```

    Properties:
      host:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_taulf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host:
Type: object
Properties:
  taulf-mobile-infra:host:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port:
Type: object
Properties:
  taulf-mobile-infra:port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_taulf-mobile-infra_datastore_dbs_dbs-name_name:
Type: object
Properties:
  taulf-mobile-infra:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_datastore_notification-ep:
Type: object
Properties:
  taulf-mobile-infra:notification-ep:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:

```

```
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_datstore_notification-ep-post:
  Type: object
  Properties:
    tailf-mobile-infra:host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    tailf-mobile-infra:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_datstore_notification-ep_host:
  Type: object
  Properties:
    tailf-mobile-infra:host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_datstore_notification-ep_port:
  Type: object
  Properties:
    tailf-mobile-infra:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_datstore_session-db:
  Type: object
  Properties:
    tailf-mobile-infra:session-db:
      Description: (non-presence)
      Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  endpoints:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_datastore_session-db-post:
Type: object
Properties:
  tailf-mobile-infra:endpoints:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host:
Type: object
Properties:
  tailf-mobile-infra:endpoints:

```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32

```

**data\_tailf-mobile-infra\_datastore\_session-db\_endpoints\_endpoints-host\_host:**

```

Type: object
Properties:
  tailf-mobile-infra:host:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string

```

**data\_tailf-mobile-infra\_datastore\_session-db\_endpoints\_endpoints-host\_port:**

```

Type: object
Properties:
  tailf-mobile-infra:port:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32

```

**data\_tailf-mobile-infra\_deployment:**

```

Type: object
Properties:
  tailf-mobile-infra:deployment:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      app-name:
        Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
  cluster-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dc-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  model:
    Description: Deployment Model default large (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: small
    enum:
      - small
  resource:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  logical-nf-instance-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_taulf-mobile-infra_deployment-post:
  Type: object
  Properties:
    taulf-mobile-infra:app-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string

```

```
tailf-mobile-infra:cluster-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:dc-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:model:
  Description: Deployment Model default large (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: small
  enum:
    - small
tailf-mobile-infra:resource:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
tailf-mobile-infra:logical-nf-instance-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_deployment_app-name:
  Type: object
  Properties:
    tailf-mobile-infra:app-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_deployment_cluster-name:
  Type: object
  Properties:
```

```

tailf-mobile-infra:cluster-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
data_tailf-mobile-infra_deployment_dc-name:
  Type: object
  Properties:
    tailf-mobile-infra:dc-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_deployment_logical-nf-instance-id:
  Type: object
  Properties:
    tailf-mobile-infra:logical-nf-instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_deployment_model:
  Type: object
  Properties:
    tailf-mobile-infra:model:
      Description: Deployment Model default large (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: small
      enum:
        - small
data_tailf-mobile-infra_deployment_resource:
  Type: object
  Properties:
    tailf-mobile-infra:resource:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        cpu:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32

```



```
data_tailf-mobile-infra_deployment_resource-post:
  Type: object
  Properties:
    tailf-mobile-infra:cpu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_deployment_resource_cpu:
  Type: object
  Properties:
    tailf-mobile-infra:cpu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_diagnostics:
  Type: object
  Properties:
    tailf-mobile-infra:diagnostics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        info:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              podInstance:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              diagnostic:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              component:
                Description: (leaf)
                x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    startTime:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
    status:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
    retries:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_diagnostics-post:
    Type: object
    Properties:
        tailf-mobile-infra:info:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    podInstance:
                        Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                    diagnostic:
                        Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                    component:
                        Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                startTime:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_diagnostics_info:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          diagnostic:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          component:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          startTime:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
```

```

    Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic:
Type: object
Properties:
  taulf-mobile-infra:info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        diagnostic:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        component:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        startTime:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        status:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    retries:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_component:
    Type: object
    Properties:
        tailf-mobile-infra:component:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_diagnostic:
    Type: object
    Properties:
        tailf-mobile-infra:diagnostic:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_podInstance:
    Type: object
    Properties:
        tailf-mobile-infra:podInstance:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_retries:
    Type: object
    Properties:
        tailf-mobile-infra:retries:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_startTime:
    Type: object

```

```

Properties:
  taillf-mobile-infra:startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_status:
Type: object
Properties:
  taillf-mobile-infra:status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_dump:
Type: object
Properties:
  taillf-mobile-infra:dump:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
data_tailf-mobile-infra_dump-post:
Type: object
Properties: {}
data_tailf-mobile-infra_edr:
Type: object
Properties:
  taillf-mobile-infra:edr:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reporting:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
        enum:
          - enable
          - disable
      edrsubscribers:
        Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  subscribers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
all:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    subscribers:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
file:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    files:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: identityref
          reporting:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```

Type: string
Format: enumeration
Default: enable
enum:
- enable
- disable
verbose:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: enable
enum:
- enable
- disable
limit:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
rate:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
flush:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf

```



```
    Type: string
    Format: int32
procedure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable-event-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          procedure:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          enable-inner:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              event:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  enable-field-id:
                    Type: array
                    Description: (list)
                    x-yang:
                      Type: list
                    Items:
                      Type: object
                      Properties:
                        event:
                          Description: (leaf)
                          x-yang:
                            Type: leaf
                          Type: string
                          Format: string
```

```

enable:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    field:
      Type: array
      x-yang:
        Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string

data_tailf-mobile-infra_edr-post:
  Type: object
  Properties:
    tailf-mobile-infra:reporting:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    tailf-mobile-infra:edrsubscribers:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        subscribers:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
    tailf-mobile-infra:all:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        subscribers:
          Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

**taillf-mobile-infra:file:**

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  files:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        reporting:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
          enum:
            - enable
            - disable
        verbose:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
          enum:
            - enable
            - disable
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
```

```

    size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  rate:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  flush:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
  procedure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-event-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            procedure:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string

```

```

    Format: string
enable-inner:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    event:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable-field-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              event:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              field:
                Type: array
                x-yang:
                  Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
data_tailf-mobile-infra_edr_all:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Description: (non-presence)
      Type: object
      x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    subscribers:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_tailf-mobile-infra_edr_all-post:
  Type: object
  Properties:
    tailf-mobile-infra:subscribers:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_tailf-mobile-infra_edr_all_subscribers:
  Type: object
  Properties:
    tailf-mobile-infra:subscribers:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_tailf-mobile-infra_edr_edrsubscribers:
  Type: object
  Properties:
    tailf-mobile-infra:edrsubscribers:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        subscribers:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
data_tailf-mobile-infra_edr_edrsubscribers-post:
  Type: object
  Properties:
    tailf-mobile-infra:subscribers:
      Type: array
      x-yang:

```

```
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_tailf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id:
Type: object
Properties:
  tailf-mobile-infra:subscribers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_edr_file:
Type: object
Properties:
  tailf-mobile-infra:file:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      files:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: identityref
            reporting:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: enable
              enum:
                - enable
                - disable
            verbose:
              Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: enable
enum:
- enable
- disable
limit:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
rate:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
flush:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
procedure:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'

```



```

Properties:
  enable-event-id:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      procedure:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      enable-inner:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          event:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              enable-field-id:
                Type: array
                Description: (list)
                x-yang:
                  Type: list
                Items:
                  Type: object
                  Properties:
                    event:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                    enable:
                      Description: (non-presence)
                      Type: object
                      x-yang:
                        Type: container
                        is_presence: 'false'
                      Properties:
                        field:

```

```

Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string

data_tailf-mobile-infra_edr_file-post:
Type: object
Properties:
  tailf-mobile-infra:files:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        reporting:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
            enum:
              - enable
              - disable
        verbose:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
            enum:
              - enable
              - disable
        limit:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            size:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
rate:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flush:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
procedure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable-event-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        procedure:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
```

```

enable-inner:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    event:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable-field-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              event:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
              enable:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  field:
                    Type: array
                    x-yang:
                      Type: leaf-list
                    Items:
                      Description: (leaf-list)
                      Type: string
                      Format: string
data_tailf-mobile-infra_edr_file_files_files-name:
  Type: object
  Properties:
    tailf-mobile-infra:files:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

**Items:**

- Type:** object
- Properties:**
  - name:**
    - Description:** (leaf)
    - x-yang:**
      - Type:** leaf
      - Type:** string
      - Format:** identityref
  - reporting:**
    - Description:** (leaf)
    - x-yang:**
      - Type:** leaf
      - Type:** string
      - Format:** enumeration
      - Default:** enable
      - enum:**
        - enable
        - disable
  - verbose:**
    - Description:** (leaf)
    - x-yang:**
      - Type:** leaf
      - Type:** string
      - Format:** enumeration
      - Default:** enable
      - enum:**
        - enable
        - disable
  - limit:**
    - Description:** (non-presence)
    - Type:** object
    - x-yang:**
      - Type:** container
      - is\_presence:** 'false'
    - Properties:**
      - size:**
        - Description:** (leaf)
        - x-yang:**
          - Type:** leaf
          - Type:** string
          - Format:** int32
      - count:**
        - Description:** (leaf)
        - x-yang:**
          - Type:** leaf
          - Type:** string
          - Format:** int32
    - rate:**
      - Description:** (leaf)
      - x-yang:**
        - Type:** leaf

```

    Type: string
    Format: int32
  flush:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  procedure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-event-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            procedure:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            enable-inner:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                event:
                  Description: (non-presence)
                  Type: object
                  x-yang:
                    Type: container
                    is_presence: 'false'
              Properties:
                enable-field-id:

```

```

    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        event:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            field:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: string
data_tailf-mobile-infra_edr_file_files_files-name_flush:
  Type: object
  Properties:
    tailf-mobile-infra:flush:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_flush-post:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_flush_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_limit-post:
  Type: object
  Properties:
    tailf-mobile-infra:size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_limit_count:
  Type: object
  Properties:

```



```
tailf-mobile-infra:count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_limit_size:
  Type: object
  Properties:
    tailf-mobile-infra:size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_name:
  Type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: identityref
data_tailf-mobile-infra_edr_file_files_files-name_procedure:
  Type: object
  Properties:
    tailf-mobile-infra:procedure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable-event-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              procedure:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
            enable-inner:
              Description: (non-presence)
              Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  event:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-field-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            event:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              field:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
  data_tailf-mobile-infra_edr_file_files_files-name_procedure-post:
    Type: object
    Properties:
      tailf-mobile-infra:enable-event-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:

```

```

procedure:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
enable-inner:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  event:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-field-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            event:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              field:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
  data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure:
    Type: object

```

```

Properties:
  tailf-mobile-infra:enable-event-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        procedure:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        enable-inner:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            event:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                enable-field-id:
                  Type: array
                  Description: (list)
                  x-yang:
                    Type: list
                Items:
                  Type: object
                  Properties:
                    event:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                      Type: string
                      Format: string
                enable:
                  Description: (non-presence)
                  Type: object
                  x-yang:
                    Type: container
                    is_presence: 'false'
                  Properties:
                    field:

```

**Type:** array  
**x-yang:**  
**Type:** leaf-list  
**Items:**  
**Description:** (leaf-list)  
**Type:** string  
**Format:** string

**data\_tailf-mobile-infra\_ext\_file\_files\_files-name\_procedure\_enable-event-id\_enable-event-id-procedure\_enable-inner:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:enable-inner:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**event:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**enable-field-id:**  
**Type:** array  
**Description:** (list)  
**x-yang:**  
**Type:** list  
**Items:**  
**Type:** object  
**Properties:**  
**event:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string  
**enable:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**field:**  
**Type:** array  
**x-yang:**  
**Type:** leaf-list  
**Items:**  
**Description:** (leaf-list)

```

    Type: string
    Format: string
data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner-post:

```

```

Type: object
Properties:
  tailf-mobile-infra:event:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-field-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            event:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                field:
                  Type: array
                  x-yang:
                    Type: leaf-list
                  Items:
                    Description: (leaf-list)
                    Type: string
                    Format: string

```

```

data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event:

```

```

Type: object
Properties:
  tailf-mobile-infra:event:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'

```

```

Properties:
  enable-field-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        event:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            field:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
?

```

data\_tai-mobile-infra\_edr\_file\_files\_file-name\_procedure\_enable-event-id\_enable-event-id-procedure\_enable-imer\_event-post

```

: type: object
Properties:
  tai-mobile-infra:enable-field-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        event:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        enable:
          Description: (non-presence)
          Type: object
          x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    field:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
?
data tailf-mobile-infra:ex_file_files_files-rare-procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event
: type: object
  Properties:
    tailf-mobile-infra:enable-field-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          event:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          enable:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              field:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
?
data tailf-mobile-infra:ex_file_files_files-rare-procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event_enable
: type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:

```



```

    Type: container
    is_presence: 'false'
  Properties:
    field:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
?
data tailf-mobile-infra:edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event_enable-post
: type: object
  Properties:
    tailf-mobile-infra:field:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
?
data tailf-mobile-infra:edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event_enable_field_field-id
: type: object
  Properties:
    tailf-mobile-infra:field:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
?
data tailf-mobile-infra:edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event_event
: type: object
  Properties:
    tailf-mobile-infra:event:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data tailf-mobile-infra:edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_procedure:
  Type: object
  Properties:
    tailf-mobile-infra:procedure:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: string
data_tailf-mobile-infra_edr_file_files_files-name_rate:
  Type: object
  Properties:
    tailf-mobile-infra:rate:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_reporting:
  Type: object
  Properties:
    tailf-mobile-infra:reporting:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
data_tailf-mobile-infra_edr_file_files_files-name_verbose:
  Type: object
  Properties:
    tailf-mobile-infra:verbose:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
data_tailf-mobile-infra_edr_reporting:
  Type: object
  Properties:
    tailf-mobile-infra:reporting:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
data_tailf-mobile-infra_endpoint:
  Type: object
  Properties:

```

```
taulf-mobile-infra:endpoint:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          Type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          status:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          Interface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          internal:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
```

```

    startTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    stoppedTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      grInstance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoint:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    Type:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint-post:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object

```

**Properties:**

- endpoint:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- address:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- Type:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- status:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- Interface:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- internal:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- startTime:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- stoppedTime:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- grInstance:**
  - Description:** (leaf)

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:all:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  Interface:
    Description: (leaf)
    x-yang:
```

```

    Type: leaf
  Type: string
  Format: string
internal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
startTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
stoppedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_endpoint_all:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          grInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        address:

```



```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address:
  Type: object
  Properties:
    tailf-mobile-infra:all:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    Interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    internal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    startTime:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_Interface:
  Type: object
  Properties:
    tailf-mobile-infra:Interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_address:
  Type: object
  Properties:
    tailf-mobile-infra:address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_endpoint:
  Type: object
  Properties:
    tailf-mobile-infra:endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_grInstance:
  Type: object
  Properties:
    tailf-mobile-infra:grInstance:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_internal:

Type: object
Properties:
  tailf-mobile-infra:internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_startTime:

Type: object
Properties:
  tailf-mobile-infra:startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_status:

Type: object
Properties:
  tailf-mobile-infra:status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_stoppedTime:

Type: object
Properties:
  tailf-mobile-infra:stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_type:

Type: object
Properties:
  tailf-mobile-infra:type:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```
    Type: string
    Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_vrf:
  Type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          Type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          status:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          Interface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
```

```

    Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          address:
            Description: (leaf)
            x-yang:

```

```
    Type: leaf
  Type: string
  Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
internal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
startTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
stoppedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
grInstance:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

**data\_tailf-mobile-infra\_endpoint\_info\_info-endpoint\_info-address\_Interface:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:Interface:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_endpoint\_info\_info-endpoint\_info-address\_address:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:address:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_endpoint\_info\_info-endpoint\_info-address\_endpoint:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:endpoint:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_endpoint\_info\_info-endpoint\_info-address\_grInstance:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:grInstance:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_endpoint\_info\_info-endpoint\_info-address\_internal:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:internal:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_endpoint\_info\_info-endpoint\_info-address\_startTime:**

**Type:** object



```
Properties:
  tailf-mobile-infra:startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_status:
Type: object
Properties:
  tailf-mobile-infra:status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_stoppedTime:
Type: object
Properties:
  tailf-mobile-infra:stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_type:
Type: object
Properties:
  tailf-mobile-infra:type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_vrf:
Type: object
Properties:
  tailf-mobile-infra:vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_geo:
Type: object
Properties:
  tailf-mobile-infra:geo:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
```

```

    is_presence: 'false'
  Properties: {}
data_tailf-mobile-infra_geomonitor:
  Type: object
  Properties:
    tailf-mobile-infra:geomonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        podmonitor:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            pods:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                retryCount:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                retryInterval:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                retryFailOverInterval:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32

```

```
    failedReplicaPercent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
remoteclustermonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vipmonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        instance-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
```

```

Items:
  Type: object
  Properties:
    vipInterface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vipIp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vipPort:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  trafficMonitor:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      thresholdCount:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string

```

```
    Format: int32
  thresholdInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra:podmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pods:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              retryCount:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryFailOverInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              failedReplicaPercent:
                Description: (leaf)
```

```

        x-yang:
            Type: leaf
            Type: string
            Format: int32
tailf-mobile-infra:remotecclustermonitor:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        retryCount:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
        retryInterval:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
tailf-mobile-infra:vipmonitor:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        instance:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
            Properties:
                instance-id:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                vips:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
            Items:
                Type: object

```

```
Properties:
  vipInterface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vipIp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vipPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryFailOverInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:trafficMonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    thresholdCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    thresholdInterval:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor:
  Type: object
  Properties:
    tailf-mobile-infra:podmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pods:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              retryCount:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryFailOverInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              failedReplicaPercent:
                Description: (leaf)
                x-yang:
                  Type: leaf

```



```

        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra: pods:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          retryCount:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          retryInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          retryFailOverInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          failedReplicaPercent:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name:
  Type: object
  Properties:
    tailf-mobile-infra: pods:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

```

Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    failedReplicaPercent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent:
  Type: object
  Properties:
    tailf-mobile-infra:failedReplicaPercent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name:
  Type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string

```

```
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount:
  Type: object
  Properties:
    tailf-mobile-infra:retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval:
  Type: object
  Properties:
    tailf-mobile-infra:retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval:
  Type: object
  Properties:
    tailf-mobile-infra:retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_remotecustermonitor:
  Type: object
  Properties:
    tailf-mobile-infra:remotecustermonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        retryCount:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        retryInterval:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_geomonitor_remotecustermonitor-post:
```

```

Type: object
Properties:
  tailf-mobile-infra:retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_remotecclustermonitor_retryCount:
Type: object
Properties:
  tailf-mobile-infra:retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_remotecclustermonitor_retryInterval:
Type: object
Properties:
  tailf-mobile-infra:retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_trafficMonitor:
Type: object
Properties:
  tailf-mobile-infra:trafficMonitor:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      thresholdCount:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      thresholdInterval:
        Description: (leaf)
        x-yang:

```

```

    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_geomonitor_trafficMonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra:thresholdCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:thresholdInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount:
  Type: object
  Properties:
    tailf-mobile-infra:thresholdCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval:
  Type: object
  Properties:
    tailf-mobile-infra:thresholdInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_vipmonitor:
  Type: object
  Properties:
    tailf-mobile-infra:vipmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance:
          Type: array
          Description: (list)
          x-yang:
            Type: list
```

```

Items:
  Type: object
  Properties:
    instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vipInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipIp:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipPort:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryCount:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryFailOverInterval:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

    Type: string
    Format: int32
data_tailf-mobile-infra_geomonitor_vipmonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          vips:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                vipInterface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
                vipIp:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
                vipPort:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
                retryCount:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
```

```

    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id:
    Type: object
  Properties:
    tailf-mobile-infra:instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          vips:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                vipInterface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
                vipIp:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
                vipPort:
                  Description: (leaf)

```



```

    x-yang:
      Type: leaf
    Type: string
    Format: int32
  retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  retryFailOverInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_instance-id:
  Type: object
  Properties:
    tailf-mobile-infra:instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface:
  Type: object
  Properties:
    tailf-mobile-infra:vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vipInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipIp:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  vipPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryFailOverInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

**data\_tai-mobile-infra\_gomonitor\_vipmonitor\_instance\_instance-id\_vips\_vips-vipInterface\_retryCount:**

```

Type: object
Properties:
  tai-mobile-infra:retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

**data\_tai-mobile-infra\_gomonitor\_vipmonitor\_instance\_instance-id\_vips\_vips-vipInterface\_retryFailOverInterval:**

```

Type: object
Properties:
  tai-mobile-infra:retryFailOverInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

**data\_tai-mobile-infra\_gomonitor\_vipmonitor\_instance\_instance-id\_vips\_vips-vipInterface\_retryInterval:**

```

Type: object
Properties:

```

**tailf-mobile-infra:retryInterval:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_tailf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-id\_vips\_vips-vipInterface\_vipInterface:**

**Type:** object

**Properties:**

**tailf-mobile-infra:vipInterface:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_tailf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-id\_vips\_vips-vipInterface\_vipIp:**

**Type:** object

**Properties:**

**tailf-mobile-infra:vipIp:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_tailf-mobile-infra\_geomonitor\_vipmonitor\_instance\_instance-id\_vips\_vips-vipInterface\_vipPort:**

**Type:** object

**Properties:**

**tailf-mobile-infra:vipPort:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_tailf-mobile-infra\_infra:**

**Type:** object

**Properties:**

**tailf-mobile-infra:infra:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**metrics:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

```

Properties:
  experimental:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      version:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  verbose:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      verboseLevels:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          podType:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: protocol
            enum:
              - protocol
              - load-balancer
              - service
              - application
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: production
            enum:
              - production
              - debug
              - trace
              - 'off'

```

```
metrics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metricsList:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: production
            enum:
              - production
              - debug
              - trace
              - 'off'
          granular-labels:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string

transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
```

```

    Type: container
    is_presence: 'false'
  Properties:
    stage:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        same:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            stage:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
loop:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    category:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:

```

```
Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      thresholds:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: low
            enum:
              - low
              - high
            count:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            action:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: noop
```

```

        enum:
        - noop
        - log-event
        - kill-session
data_tailf-mobile-infra_infra-post:
  Type: object
  Properties:
    tailf-mobile-infra:metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        experimental:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            version:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
        verbose:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            verboseLevels:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
            Properties:
              podType:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
                enum:
                - protocol
                - load-balancer
                - service

```



```
- application
level:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: production
  enum:
  - production
  - debug
  - trace
  - 'off'
metrics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metricsList:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: production
            enum:
            - production
            - debug
            - trace
            - 'off'
          granular-labels:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
```

```

                                Format: string
tailf-mobile-infra:transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stage:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        consecutive:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            same:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                stage:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: integer
                  Format: uint32
    loop:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        detection:
          Description: (leaf)
          x-yang:

```

```
    Type: leaf
  Type: string
  Format: enumeration
  Default: enable
  enum:
  - enable
  - disable
category:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: identityref
      threshold:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          thresholds:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration
                    Default: low
                  enum:
                  - low
                  - high
```

```

        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: noop
          enum:
            - noop
            - log-event
            - kill-session
data_tailf-mobile-infra_infra_metrics:
  Type: object
  Properties:
    tailf-mobile-infra:metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        experimental:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            version:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
        verbose:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            verboseLevels:
              Type: array
              Description: (list)
              x-yang:
                Type: list

```

```
Items:
  Type: object
Properties:
  podType:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: protocol
    enum:
      - protocol
      - load-balancer
      - service
      - application
  level:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: production
    enum:
      - production
      - debug
      - trace
      - 'off'
  metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      metricsList:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            level:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
```

```

    Format: enumeration
    Default: production
    enum:
    - production
    - debug
    - trace
    - 'off'
  granular-labels:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_taulf-mobile-infra_infra_metrics-post:
Type: object
Properties:
  taulf-mobile-infra:experimental:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      version:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  taulf-mobile-infra:verbose:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      verboseLevels:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podType:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration

```

```
Default: protocol
enum:
- protocol
- load-balancer
- service
- application
level:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: production
enum:
- production
- debug
- trace
- 'off'
metrics:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: production
          enum:
            - production
            - debug
            - trace
            - 'off'
        granular-labels:
          Type: array
          x-yang:
```

```

        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    data_taulf-mobile-infra_infra_metrics_experimental:
      Type: object
      Properties:
        taulf-mobile-infra:experimental:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            version:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
    data_taulf-mobile-infra_infra_metrics_experimental-post:
      Type: object
      Properties:
        taulf-mobile-infra:version:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    data_taulf-mobile-infra_infra_metrics_experimental_version:
      Type: object
      Properties:
        taulf-mobile-infra:version:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    data_taulf-mobile-infra_infra_metrics_verbose:
      Type: object
      Properties:
        taulf-mobile-infra:verbose:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            verboseLevels:
              Type: array

```



```
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  podType:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: protocol
    enum:
    - protocol
    - load-balancer
    - service
    - application
  level:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: production
    enum:
    - production
    - debug
    - trace
    - 'off'
  metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    metricsList:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        level:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: production
    enum:
    - production
    - debug
    - trace
    - 'off'
  granular-labels:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_infra_metrics_verbose-post:
Type: object
Properties:
  tailf-mobile-infra:verboseLevels:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podType:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: protocol
          enum:
          - protocol
          - load-balancer
          - service
          - application
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: production
          enum:
          - production
          - debug
          - trace
          - 'off'
      metrics:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: production
            enum:
              - production
              - debug
              - trace
              - 'off'
          granular-labels:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
  data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType:
Type: object
Properties:
  tailf-mobile-infra:verboseLevels:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:

```

```

podType:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: protocol
  enum:
  - protocol
  - load-balancer
  - service
  - application
level:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: production
  enum:
  - production
  - debug
  - trace
  - 'off'
metrics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metricsList:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: production
            enum:

```

- production
- debug
- trace
- 'off'

**granular-labels:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_level:****Type:** object**Properties:****tailf-mobile-infra:level:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** production**enum:**

- production
- debug
- trace
- 'off'

**data\_tailf-mobile-infra\_infra\_metrics\_verbose\_verboseLevels\_verboseLevels-podType\_metrics:****Type:** object**Properties:****tailf-mobile-infra:metrics:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****metricsList:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string

```

    level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: production
      enum:
        - production
        - debug
        - trace
        - 'off'
    granular-labels:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics-post:
Type: object
Properties:
  tailf-mobile-infra:metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: production
          enum:
            - production
            - debug
            - trace
            - 'off'
        granular-labels:
          Type: array
          x-yang:

```

```

        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-rate:
Type: object
Properties:
  tailf-mobile-infra:metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: production
          enum:
            - production
            - debug
            - trace
            - 'off'
        granular-labels:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
?
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-rate_granular-labels_granular-labels-id
: type: object
Properties:
  tailf-mobile-infra:granular-labels:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)

```

```

    Type: string
    Format: string
?
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level
: type: object
  Properties:
    tailf-mobile-infra:level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: production
      enum:
        - production
        - debug
        - trace
        - 'off'
?
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_name
: type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType:
  Type: object
  Properties:
    tailf-mobile-infra:podType:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol
      enum:
        - protocol
        - load-balancer
        - service
        - application
data_tailf-mobile-infra_infra_transaction:
  Type: object
  Properties:
    tailf-mobile-infra:transaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:

```



```
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    stage:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        same:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            stage:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
loop:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    category:
      Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    thresholds:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: low
          enum:
            - low
            - high
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        action:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: enumeration
        Default: noop
        enum:
        - noop
        - log-event
        - kill-session
data_tailf-mobile-infra_infra_transaction-post:
Type: object
Properties:
  tailf-mobile-infra:limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      stage:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      consecutive:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          same:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              stage:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
  tailf-mobile-infra:loop:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      detection:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: enable
enum:
- enable
- disable
category:
  Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  thresholds:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: low
          enum:

```

```

- low
- high
count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
action:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: noop
  enum:
    - noop
    - log-event
    - kill-session
data_taulf-mobile-infra_infra_transaction_limit:
  Type: object
  Properties:
    taulf-mobile-infra:limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stage:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        consecutive:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            same:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              stage:
                Description: (leaf)
                x-yang:

```

```

        Type: leaf
        Type: integer
        Format: uint32
data_tailf-mobile-infra_infra_transaction_limit-post:
Type: object
Properties:
  tailf-mobile-infra:stage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  tailf-mobile-infra:consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      same:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          stage:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive:
Type: object
Properties:
  tailf-mobile-infra:consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      same:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          stage:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive-post:
  Type: object
  Properties:
    tailf-mobile-infra:same:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stage:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same:
  Type: object
  Properties:
    tailf-mobile-infra:same:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stage:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same-post:
  Type: object
  Properties:
    tailf-mobile-infra:stage:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage:
  Type: object
  Properties:
    tailf-mobile-infra:stage:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_stage:
  Type: object
  Properties:
    tailf-mobile-infra:stage:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_tailf-mobile-infra_infra_transaction_loop:
  Type: object
  Properties:
    tailf-mobile-infra:loop:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        detection:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
            enum:
              - enable
              - disable
        category:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
              threshold:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'

```



```
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  thresholds:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: low
          enum:
            - low
            - high
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: noop
          enum:
            - noop
            - log-event
            - kill-session
data_tailf-mobile-infra_infra_transaction_loop-post:
  Type: object
  Properties:
    tailf-mobile-infra:detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
```

```

enum:
- enable
- disable
taif-mobile-infra:category:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
    threshold:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        thresholds:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: low
            enum:
              - low
              - high
            count:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```

        Type: integer
        Format: uint32
    action:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: enumeration
        Default: noop
        enum:
            - noop
            - log-event
            - kill-session
data_tailf-mobile-infra_infra_transaction_loop_category_category-name:
Type: object
Properties:
    tailf-mobile-infra:category:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: identityref
                threshold:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                        Type: container
                        is_presence: 'false'
                Properties:
                    interval:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: integer
                        Format: uint32
                    thresholds:
                        Type: array
                        Description: (list)
                        x-yang:
                            Type: list
                        Items:
                            Type: object
                            Properties:
                                name:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: low
    enum:
      - low
      - high
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  action:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: noop
    enum:
      - noop
      - log-event
      - kill-session

```

**data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_name:**

```

Type: object
Properties:
  tailf-mobile-infra:name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: identityref

```

**data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold:**

```

Type: object
Properties:
  tailf-mobile-infra:threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32

```

```

thresholds:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: low
        enum:
        - low
        - high
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      action:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: noop
        enum:
        - noop
        - log-event
        - kill-session
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold-post:
Type: object
Properties:
  tailf-mobile-infra:interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  tailf-mobile-infra:thresholds:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:

```

```

name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: low
  enum:
    - low
    - high
count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
action:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: noop
  enum:
    - noop
    - log-event
    - kill-session

```

**data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold\_interval:**

```

Type: object
Properties:
  tailf-mobile-infra:interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32

```

**data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold\_thresholds\_thresholds-name:**

```

Type: object
Properties:
  tailf-mobile-infra:thresholds:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf

```

**Type:** string  
**Format:** enumeration  
**Default:** low  
**enum:**  
 - low  
 - high  
**count:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint32  
**action:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** noop  
**enum:**  
 - noop  
 - log-event  
 - kill-session

**data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold\_thresholds\_thresholds-name\_action:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:action:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** noop  
**enum:**  
 - noop  
 - log-event  
 - kill-session

**data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold\_thresholds\_thresholds-name\_count:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:count:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint32

**data\_tailf-mobile-infra\_infra\_transaction\_loop\_category\_category-name\_threshold\_thresholds\_thresholds-name\_name:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:name:**  
**Description:** (leaf)

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: low
    enum:
      - low
      - high
data_tailf-mobile-infra_infra_transaction_loop_detection:
  Type: object
  Properties:
    tailf-mobile-infra:detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
data_tailf-mobile-infra_instance:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: leafref
            endpoint:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:

```



```
ep:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      eptype:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: identityref
      replicas:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      nodes:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      loopbackEth:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      loopbackPort:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      instancetype:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: IPv4
        enum:
          - IPv4
          - IPv6
          - Dual
      vip:
        Type: array
        Description: (list)
```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ipv6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  warn:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
critical:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf

```

```

    Type: string
    Format: enumeration
    Default: http
    enum:
    - http
    - https
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
service:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      service-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface-type:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: identityref
            loopbackEth:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            loopbackPort:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
```

```
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
    - IPv4
    - IPv6
    - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
```

```
Type: object
Properties:
  vip-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

    Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
count:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          rate-limit:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      internal:
        Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      interface-type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: identityref
      loopbackEth:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      loopbackPort:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      uri-scheme:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: http

```

```
enum:
- http
- https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
```

```

    Format: string
vip-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'

```

```
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)

```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_instance-post:
  Type: object
  Properties:
    tailf-mobile-infra:instance-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: leafref
          endpoint:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              ep:
                Type: array
                Description: (list)
                x-yang:
                  Type: list
                Items:
                  Type: object
                  Properties:
                    eptype:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                      Type: string
                      Format: identityref
                    replicas:
                      Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: int32
nodes:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        vip-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```



```
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
```

vrf:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

vip6:

```
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
```

vrf:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

```
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    warn:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        cpu-percent:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        memory-in-mbs:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        num-of-goroutine:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    critical:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        cpu-percent:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        memory-in-mbs:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
```

```
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      memory-in-mbs:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      num-of-goroutine:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: http
    enum:
      - http
      - https
  certificate-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  service:
    Type: array
    Description: (list)
    x-yang:
      Type: list
```

```

Items:
  Type: object
  Properties:
    service-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        uri-scheme:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: http
          enum:
            - http
            - https
        instancetype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: IPv4

```

```
enum:
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf

```

```
Type: string
Format: leafref
dispatcher:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
count:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
```

```

nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          rate-limit:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      internal:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          base-port:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string

```



```

                                Format: int32
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      interface-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: identityref
      loopbackEth:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      loopbackPort:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      uri-scheme:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: http
        enum:
          - http
          - https
      instancetype:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: IPv4
        enum:
          - IPv4
          - IPv6
          - Dual
      certificate-name:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```
    Type: string
    Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```
is_presence: 'false'  
Properties:  
count:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: int32  
capacity:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: int32  
outbound:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: boolean  
rate-limit:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: int32  
cache:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: boolean  
threshold:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: int32  
expiry:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: int32  
nonresponsive:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: string  
  Format: int32  
flowctrl-group:
```

```

    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
    internal:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        base-port:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
    data_tailf-mobile-infra_instance_instance-id_instance-id-id:
      Type: object
      Properties:
        tailf-mobile-infra:instance-id:
          Type: array
          Description: (list)

```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    endpoint:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ep:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              eptype:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
              replicas:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              nodes:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              loopbackEth:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              loopbackPort:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
instancetype:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
vip:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
Type: object
Properties:
  vip-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
Type: string
Format: string
  vip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
Type: string
Format: int32
  vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
Type: string
Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
Type: string
Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    warn:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:

```



```
    Type: leaf
    Type: string
    Format: int32
memory-in-mbs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
num-of-goroutine:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: int32
memory-in-mbs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
num-of-goroutine:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
  - http
  - https
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
service:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      service-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:

```

```
interface-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: identityref
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: http
  enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
  enum:
    - IPv4
    - IPv6
    - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
```

```

response:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
procedure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    capacity:
```

```

Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)

```

```

        x-yang:
          Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        rate-limit:
          Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      internal:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          base-port:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              start:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface-type:
              Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
        loopbackEth:

```

```

Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: http
    enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
    - IPv4
    - IPv6
    - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  procedure:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
```

```

vip-ip6:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
vip-ipv6-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
count:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
outbound:
  Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
```

```

        Type: leaf
        Type: string
        Format: int32
    rate-limit:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            base-port:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    start:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint:
    Type: object
    Properties:
        tailf-mobile-infra:endpoint:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                ep:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
                    Items:
                        Type: object
                        Properties:
                            eptype:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf

```

```
    Type: string
    Format: identityref
replicas:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nodes:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-port:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  warn:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: http
    enum:
      - http
      - https
  certificate-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  service:

```



```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    service-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          loopbackEth:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          loopbackPort:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          uri-scheme:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: http
            enum:
              - http
              - https
          instancetype:
            Description: (leaf)
            x-yang:
```

```

    Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string

```

```
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
```

```
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: int32
nonresponsive:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
flowctrl-group:
  Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
    Properties:
      start:

```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32

interface:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        interface-type:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: identityref
        loopbackEth:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        loopbackPort:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
        uri-scheme:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: http
            enum:
                - http
                - https
        instancetype:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: IPv4
            enum:
                - IPv4
                - IPv6
                - Dual

```

```
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```

    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      vrf:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:

```



**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
  **Type:** container  
  **is\_presence:** 'false'  
**Properties:**  
  **count:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
    **Type:** string  
    **Format:** int32  
  **capacity:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
    **Type:** string  
    **Format:** int32  
  **outbound:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
    **Type:** string  
    **Format:** boolean  
  **rate-limit:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
    **Type:** string  
    **Format:** int32  
  **cache:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
    **Type:** string  
    **Format:** boolean  
  **threshold:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
    **Type:** string  
    **Format:** int32  
  **expiry:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
    **Type:** string  
    **Format:** int32  
  **nonresponsive:**  
    **Description:** (leaf)  
    **x-yang:**

```

    Type: leaf
    Type: string
    Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          capacity:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
            rate-limit:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint-post:
    Type: object

```

```
Properties:
  tailf-mobile-infra:ep:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        eptype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        replicas:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        nodes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        instancetype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: IPv4
          enum:
            - IPv4
            - IPv6
            - Dual
        vip:
          Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  vip-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  vip-ipv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vip-ipv6-port:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  warn:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      memory-in-mbs:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      num-of-goroutine:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  critical:
    Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:

```

```

    Type: leaf
Type: string
Format: enumeration
Default: http
enum:
- http
- https
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
service:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      service-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface-type:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: identityref
            loopbackEth:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            loopbackPort:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string

```

```

    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
    - IPv4
    - IPv6
    - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list

```



```
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

    Type: string
    Format: int32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

```
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
internal:
```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      interface-type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: identityref
      loopbackEth:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      loopbackPort:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      uri-scheme:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration

```

```
    Default: http
    enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
vip-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```
    Format: '[null]'
```

```
vrf:
```

```
  Description: (leaf)
```

```
  x-yang:
```

```
    Type: leaf
```

```
    Type: string
```

```
    Format: leafref
```

```
vrf:
```

```
  Description: (leaf)
```

```
  x-yang:
```

```
    Type: leaf
```

```
  Type: string
```

```
  Format: leafref
```

```
dispatcher:
```

```
  Description: (non-presence)
```

```
  Type: object
```

```
  x-yang:
```

```
    Type: container
```

```
    is_presence: 'false'
```

```
Properties:
```

```
  count:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: int32
```

```
  capacity:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: int32
```

```
  outbound:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: boolean
```

```
  rate-limit:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: int32
```

```
  cache:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: boolean
```

```
  threshold:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          capacity:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
            rate-limit:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
        internal:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            base-port:

```



```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype:
Type: object
Properties:
  tailf-mobile-infra:ep:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        eptype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        replicas:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        nodes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```

    Type: string
    Format: int32
  instancetype:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
      - IPv4
      - IPv6
      - Dual
  vip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        vip-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        vip-port:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        vip-interface:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        offline:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
  vip6:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
  system-health-level:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      warn:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          cpu-percent:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
```

```

    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
    - http
    - https
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
service:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      service-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface-type:
              Description: (leaf)
              x-yang:
```

```

    Type: leaf
    Type: string
    Format: identityref
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: http
    enum:
      - http
      - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
      - IPv4
      - IPv6
      - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
    Type: string
    Format: int32
  procedure:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      vrf:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  dispatcher:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf

```



```
    Type: string
    Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

        Format: string
    capacity:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    rate-limit:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            base-port:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    start:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: int32
interface:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            interface-type:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: identityref
    loopbackEth:
        Description: (leaf)
        x-yang:
            Type: leaf

```

```
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
  - http
  - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
    Type: string
    Format: string
vip-ipv6-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

```

    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32

```

```

        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        base-port:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name:
  Type: object
  Properties:
    tailf-mobile-infra:certificate-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype:
  Type: object
  Properties:
    tailf-mobile-infra:eptype:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype:
  Type: object
  Properties:
    tailf-mobile-infra:instancetype:
      Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual

```

**data tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-etype\_interface\_interface-interface-type:**

```

Type: object
Properties:
  tailf-mobile-infra:interface:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        uri-scheme:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: http
          enum:
- http
- https
        instancetype:
          Description: (leaf)
          x-yang:
            Type: leaf

```



```
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref
sla:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
response:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
procedure:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
vip:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
vip-ip:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
vip-port:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
```

```

    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
dispatcher:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
expiry:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        start:
          Description: (leaf)

```

```

        x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_certificate-name
: type: object
  Properties:
    tailf-mobile-infra:certificate-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher
: type: object
  Properties:
    tailf-mobile-infra:dispatcher:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        outbound:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        cache:
          Description: (leaf)
          x-yang:

```

```

    Type: leaf
  Type: string
  Format: boolean
  threshold:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
  expiry:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
  nonresponsive:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    capacity:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    rate-limit:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
?
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher-post
: type: object
  Properties:
    taulf-mobile-infra:count:

```

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
tailf-mobile-infra:rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
tailf-mobile-infra:threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_cache
: type: object
  Properties:
    tailf-mobile-infra:cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_capacity
: type: object
  Properties:
    tailf-mobile-infra:capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count
: type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?

```



```

data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_expiry
: type: object
  Properties:
    tailf-mobile-infra:expiry:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate
: type: object
  Properties:
    tailf-mobile-infra:flowctrl-group:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          capacity:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          rate-limit:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
?
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_capacity
: type: object
  Properties:
    tailf-mobile-infra:capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_rate
: type: object
  Properties:

```

```

tailf-mobile-infra:name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_flowctrl-gmp_flowctrl-gmp-rate_rate-limit
: type: object
  Properties:
    tailf-mobile-infra:rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_nonresponsive
: type: object
  Properties:
    tailf-mobile-infra:nonresponsive:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_outbound
: type: object
  Properties:
    tailf-mobile-infra:outbound:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_rate-limit
: type: object
  Properties:
    tailf-mobile-infra:rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_threshold
: type: object
  Properties:
    tailf-mobile-infra:threshold:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: string
    Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_instancetype
: type: object
  Properties:
    tailf-mobile-infra:instancetype:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: IPv4
      enum:
        - IPv4
        - IPv6
        - Dual
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type
: type: object
  Properties:
    tailf-mobile-infra:interface-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal
: type: object
  Properties:
    tailf-mobile-infra:internal:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        base-port:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal-post

```

```

: type: object
  Properties:
    tailf-mobile-infra:base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        start:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-ep-type_interface_interface-interface-type_internal_base-port
: type: object
  Properties:
    tailf-mobile-infra:base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        start:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-ep-type_interface_interface-interface-type_internal_base-port-start
: type: object
  Properties:
    tailf-mobile-infra:start:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-ep-type_interface_interface-interface-type_internal_base-port_start
: type: object
  Properties:
    tailf-mobile-infra:start:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?

```

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_loopbackEth
: type: object
  Properties:
    tailf-mobile-infra:loopbackEth:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_loopbackPort
: type: object
  Properties:
    tailf-mobile-infra:loopbackPort:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_sla
Type: object
Properties:
  tailf-mobile-infra:sla:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      procedure:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_sla-post
: type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    tailf-mobile-infra:procedure:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_sla_procedure
: type: object
  Properties:
    tailf-mobile-infra:procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_sla_response
: type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_uri-scheme
: type: object
  Properties:
    tailf-mobile-infra:uri-scheme:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: http
      enum:
      - http
      - https
  ?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip6_vip6-vip-ip6
: type: object
  Properties:
    tailf-mobile-infra:vip6:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vip-ip6:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  vip-ipv6-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip6_vip6-vip-ip6_offline
: type: object
  Properties:
    tailf-mobile-infra:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ipv6
: type: object
  Properties:
    tailf-mobile-infra:vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ipv6-port
: type: object
  Properties:
    tailf-mobile-infra:vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?

```

data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-etype\_interface\_interface-interface-type\_vip6\_vip6-vip-ip6\_vrf  
: **type:** object

**Properties:****tailf-mobile-infra:vrf:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** leafref

?

data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-etype\_interface\_interface-interface-type\_vip\_vip-vip-ip  
: **type:** object

**Properties:****tailf-mobile-infra:vip:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****vip-ip:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**vip-port:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**vip-interface:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**offline:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** '[null]'**vrf:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** leafref

?



```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_offline
: type: object
  Properties:
    tailf-mobile-infra:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_vip-interface
: type: object
  Properties:
    tailf-mobile-infra:vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip
: type: object
  Properties:
    tailf-mobile-infra:vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_vip-port
: type: object
  Properties:
    tailf-mobile-infra:vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_vrf
: type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vrf:
Type: object
Properties:

```

```

tailf-mobile-infra:vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth:

Type: object
Properties:
  tailf-mobile-infra:loopbackEth:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort:

Type: object
Properties:
  tailf-mobile-infra:loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes:

Type: object
Properties:
  tailf-mobile-infra:nodes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas:

Type: object
Properties:
  tailf-mobile-infra:replicas:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name:

Type: object
Properties:
  tailf-mobile-infra:service:
    Type: array

```

```
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    service-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          loopbackEth:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          loopbackPort:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          uri-scheme:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: http
            enum:
              - http
              - https
          instancetype:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```

Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32

```

```
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
dispatcher:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:

```

```
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
internal:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    start:
      Description: (leaf)
```

```

        x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type
: type: object
  Properties:
    tailf-mobile-infra:interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          loopbackEth:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          loopbackPort:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          uri-scheme:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: http
            enum:
              - http
              - https
          instancetype:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: IPv4
            enum:

```



```
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

        Type: string
        Format: string
    offline:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
    vrf:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: leafref
vip6:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        vip-ip6:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        vip-ipv6-port:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
        offline:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
        vrf:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: leafref
vrf:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string

```

```
Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        start:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32

```

?

```

data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_certificate-rate
: type: object
  Properties:
    tailf-mobile-infra:certificate-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_dispatcher
: type: object
  Properties:
    tailf-mobile-infra:dispatcher:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        outbound:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        cache:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
        threshold:
          Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-type_service_service-service-name_interface_interface-interface-type_dispatcher-post
: type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32

```

```
tailf-mobile-infra:capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
tailf-mobile-infra:rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
tailf-mobile-infra:threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint-ep-ep-etype-service-service-rate-interface-interface-interface-type-dispatcher-cache
: type: object
  Properties:
    tailf-mobile-infra:cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint-ep-ep-etype-service-service-rate-interface-interface-interface-type-dispatcher-capacity
: type: object
  Properties:
    tailf-mobile-infra:capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint-ep-ep-etype-service-service-rate-interface-interface-interface-type-dispatcher-count
: type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint-ep-ep-etype-service-service-rate-interface-interface-interface-type-dispatcher-expiry
: type: object
  Properties:
    tailf-mobile-infra:expiry:
      Description: (leaf)

```



```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance-id=instance-id=port-group-type=service-service=interface-interface=interface-type=dispatcher-flowctrl-group-flowctrl-group=
: type: object
Properties:
  tailf-mobile-infra:flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra:instance-id=instance-id=port-group-type=service-service=interface-interface=interface-type=dispatcher-flowctrl-group-flowctrl-group=capacity
: type: object
Properties:
  tailf-mobile-infra:capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance-id=instance-id=port-group-type=service-service=interface-interface=interface-type=dispatcher-flowctrl-group-flowctrl-group=rae
: type: object
Properties:
  tailf-mobile-infra:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string

```

```

    Format: string
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint _ep _ep-type _service _service-rate _interface _interface-interface-type _dispatcher _flood-gop _flood-gop-rate-limit
: type: object
  Properties:
    tailf-mobile-infra:rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint _ep _ep-type _service _service-rate _interface _interface-interface-type _dispatcher _nonresponsive
: type: object
  Properties:
    tailf-mobile-infra:nonresponsive:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint _ep _ep-type _service _service-rate _interface _interface-interface-type _dispatcher _outbound
: type: object
  Properties:
    tailf-mobile-infra:outbound:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint _ep _ep-type _service _service-rate _interface _interface-interface-type _dispatcher _rate-limit
: type: object
  Properties:
    tailf-mobile-infra:rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint _ep _ep-type _service _service-rate _interface _interface-interface-type _dispatcher _threshold
: type: object
  Properties:
    tailf-mobile-infra:threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint _ep _ep-type _service _service-rate _interface _interface-interface-type _instancetype
: type: object

```

```

Properties:
  tailf-mobile-infra:instancetype:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
      - IPv4
      - IPv6
      - Dual
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_interface-type
: type: object
Properties:
  tailf-mobile-infra:interface-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: identityref
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_internal
: type: object
Properties:
  tailf-mobile-infra:internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_internal-post
: type: object
Properties:
  tailf-mobile-infra:base-port:
    Description: (non-presence)
    Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_internal_base-port
: type: object
  Properties:
    tailf-mobile-infra:base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        start:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_internal_base-port-post
: type: object
  Properties:
    tailf-mobile-infra:start:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_internal_base-port_start
: type: object
  Properties:
    tailf-mobile-infra:start:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_loopbackEth
: type: object
  Properties:
    tailf-mobile-infra:loopbackEth:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint_ep_ep-ep-type_service_service-service-rate_interface_interface-interface-type_loopbackPort
: type: object
  Properties:
    tailf-mobile-infra:loopbackPort:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint_ep_ep-ep-type_service_service-service-rate_interface_interface-interface-type_sla
: type: object
  Properties:
    tailf-mobile-infra:sla:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        procedure:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint_ep_ep-ep-type_service_service-service-rate_interface_interface-interface-type_sla-post
: type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32

```

```

?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-rate_interface_interface-interface-type_sla_procedure
: type: object
  Properties:
    tailf-mobile-infra:procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-rate_interface_interface-interface-type_sla_response
: type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-rate_interface_interface-interface-type_uri-scheme
: type: object
  Properties:
    tailf-mobile-infra:uri-scheme:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: http
      enum:
        - http
        - https
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-rate_interface_interface-interface-type_vip6_vip6-vip-ip6
: type: object
  Properties:
    tailf-mobile-infra:vip6:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vip-ip6:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vip-ipv6-port:

```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      vrf:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
?
data tailf-mobile-infra:instance-id=instance-id-endpoint=ep-ep-type=service-service-service-name=interface-interface-interface-type=vip6-vip6-vip-ip6-offline
: type: object
  Properties:
    tailf-mobile-infra:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
?
data tailf-mobile-infra:instance-id=instance-id-endpoint=ep-ep-type=service-service-service-name=interface-interface-interface-type=vip6-vip6-vip-ip6-vip-ip6
: type: object
  Properties:
    tailf-mobile-infra:vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
?
data tailf-mobile-infra:instance-id=instance-id-endpoint=ep-ep-type=service-service-service-name=interface-interface-interface-type=vip6-vip6-vip-ip6-vip-ip6-port
: type: object
  Properties:
    tailf-mobile-infra:vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra:instance-id=instance-id-endpoint=ep-ep-type=service-service-service-name=interface-interface-interface-type=vip6-vip6-vip-ip6-vrf
: type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: leafref
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint-ep-ep-ep-type-service-service-service-rate-interface-interface-interface-type-vip-vip-vip-ip
: type: object
  Properties:
    tailf-mobile-infra:vip:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vip-ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          vip-port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          vip-interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          offline:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
          vrf:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: leafref
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint-ep-ep-ep-type-service-service-service-rate-interface-interface-interface-type-vip-vip-vip-ip-offline
: type: object
  Properties:
    tailf-mobile-infra:offline:
      Description: (leaf)

```



```

      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vip _vip-vip-ip _vip-interface
: type: object
  Properties:
    tailf-mobile-infra:vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vip _vip-vip-ip _vip-ip
: type: object
  Properties:
    tailf-mobile-infra:vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vip _vip-vip-ip _vip-port
: type: object
  Properties:
    tailf-mobile-infra:vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vip _vip-vip-ip _vrf
: type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vrf
: type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```

    Format: leafref
?
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_service-name
: type: object
  Properties:
    taulf-mobile-infra:service-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_system-health-level:

Type: object
Properties:
  taulf-mobile-infra:system-health-level:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      warn:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          cpu-percent:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          memory-in-mbs:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          num-of-goroutine:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          critical:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container

```

```

    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_system-health-level-post:
  Type: object
  Properties:
    tailf-mobile-infra:warn:
      Description: (non-presence)
      Type: object

```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
tailf-mobile-infra:crash:
  Description: (non-presence)
  Type: object
  x-yang:

```

```

Type: container
is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

**data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash:**

```

Type: object
Properties:
  tailf-mobile-infra:crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      memory-in-mbs:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      num-of-goroutine:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32

```

**data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_crash-post:**

```

Type: object
Properties:
  tailf-mobile-infra:cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent:

Type: object
Properties:
  tailf-mobile-infra:cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs:

Type: object
Properties:
  tailf-mobile-infra:memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine
: type: object
Properties:
  tailf-mobile-infra:num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical:

```

**Type:** object

**Properties:**

**taif-mobile-infra:critical:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**cpu-percent:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**memory-in-mbs:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**num-of-goroutine:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical-post:**

**Type:** object

**Properties:**

**taif-mobile-infra:cpu-percent:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**taif-mobile-infra:memory-in-mbs:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**taif-mobile-infra:num-of-goroutine:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-eptype\_system-health-level\_critical\_cpu-percent:**

**Type:** object

```

Properties:
  tailf-mobile-infra:cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_memory-in-mbs
: type: object
Properties:
  tailf-mobile-infra:memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine
: type: object
Properties:
  tailf-mobile-infra:num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn:
Type: object
Properties:
  tailf-mobile-infra:warn:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      memory-in-mbs:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      num-of-goroutine:
        Description: (leaf)

```



```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn-post:
Type: object
Properties:
  tailf-mobile-infra:cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent:
Type: object
Properties:
  tailf-mobile-infra:cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-mbs:
Type: object
Properties:
  tailf-mobile-infra:memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_num-of-goroutine
: type: object
Properties:
  tailf-mobile-infra:num-of-goroutine:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme:
Type: object
Properties:
  tailf-mobile-infra:uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: http
    enum:
      - http
      - https
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6:
Type: object
Properties:
  tailf-mobile-infra:vip6:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        vip-ipv6:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        vip-ipv6-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        offline:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```

        Type: string
        Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline:

Type: object
Properties:
  tailf-mobile-infra:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6:

Type: object
Properties:
  tailf-mobile-infra:vip-ipv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port:

Type: object
Properties:
  tailf-mobile-infra:vip-ipv6-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
```

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf:

Type: object
Properties:
  tailf-mobile-infra:vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
```

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip:

Type: object
Properties:
  tailf-mobile-infra:vip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
```

```

Type: object
Properties:
  vip-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline:

Type: object
Properties:
  tailf-mobile-infra:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface:

Type: object
Properties:
  tailf-mobile-infra:vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

**data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-etype\_vip\_vip-vip-ip\_vip-ip:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:vip-ip:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string

**data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-etype\_vip\_vip-vip-ip\_vip-port:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:vip-port:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** int32

**data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_endpoint\_ep\_ep-etype\_vip\_vip-vip-ip\_vrf:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:vrf:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** leafref

**data\_tailf-mobile-infra\_instance\_instance-id\_instance-id-id\_id:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:id:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** leafref

**data\_tailf-mobile-infra\_instances:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:instances:**  
**Description:** (non-presence)  
**Type:** object  
**x-yang:**  
**Type:** container  
**is\_presence:** 'false'  
**Properties:**  
**instance:**  
**Type:** array  
**Description:** (list)

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cluster-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    slice-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_instances-post:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          system-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```

    Format: string
  cluster-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  slice-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_instances_instance_instance-id:
Type: object
Properties:
  tailf-mobile-infra:instance:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        instance-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        system-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        cluster-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        slice-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_instances_instance_instance-id_cluster-id:
Type: object
Properties:

```

```

tailf-mobile-infra:cluster-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
data_tailf-mobile-infra_instances_instance_instance-id_instance-id:
  Type: object
  Properties:
    tailf-mobile-infra:instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instances_instance_instance-id_slice-name:
  Type: object
  Properties:
    tailf-mobile-infra:slice-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_instances_instance_instance-id_system-id:
  Type: object
  Properties:
    tailf-mobile-infra:system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_k8:
  Type: object
  Properties:
    tailf-mobile-infra:k8:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        label:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```



```

Properties:
  pod-group-config:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        pod-group:
          Description: Group for the VMs (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: protocol-layer
          enum:
            - protocol-layer
            - service-layer
            - cdl-layer
            - oam-layer
          key:
            Description: Key for the label (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          value:
            Description: Value for the label (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_tailf-mobile-infra_k8-post:
Type: object
Properties:
  taulf-mobile-infra:label:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pod-group-config:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            pod-group:

```

```

Description: Group for the VMs (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: protocol-layer
enum:
- protocol-layer
- service-layer
- cdl-layer
- oam-layer
key:
Description: Key for the label (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
value:
Description: Value for the label (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
data_tailf-mobile-infra_k8_label:
Type: object
Properties:
  tailf-mobile-infra:label:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pod-group-config:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
Type: object
Properties:
  pod-group:
Description: Group for the VMs (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: protocol-layer
enum:
- protocol-layer
- service-layer
- cdl-layer
- oam-layer

```

```

    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_k8_label-post:
  Type: object
  Properties:
    tailf-mobile-infra:pod-group-config:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          pod-group:
            Description: Group for the VMs (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: protocol-layer
            enum:
              - protocol-layer
              - service-layer
              - cdl-layer
              - oam-layer
          key:
            Description: Key for the label (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          value:
            Description: Value for the label (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value
  Type: object
  Properties:
    tailf-mobile-infra:pod-group-config:

```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    pod-group:
      Description: Group for the VMs (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol-layer
      enum:
      - protocol-layer
      - service-layer
      - cdl-layer
      - oam-layer
    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  ?
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_key
: type: object
Properties:
  tailf-mobile-infra:key:
    Description: Key for the label (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  ?
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_pod-group
: type: object
Properties:
  tailf-mobile-infra:pod-group:
    Description: Group for the VMs (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: protocol-layer
    enum:

```

```

- protocol-layer
- service-layer
- cdl-layer
- oam-layer
?
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_value
: type: object
Properties:
  tailf-mobile-infra:value:
    Description: Value for the label (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_local-instance:
Type: object
Properties:
  tailf-mobile-infra:local-instance:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      instance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
data_tailf-mobile-infra_local-instance-post:
Type: object
Properties:
  tailf-mobile-infra:instance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_local-instance_instance:
Type: object
Properties:
  tailf-mobile-infra:instance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_logging:
Type: object
Properties:
  tailf-mobile-infra:logging:
    Description: (non-presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  transaction:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      persist:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:
            - enable
            - disable
        max-file-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        max-rotation:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
      message:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:
            - enable
            - disable
      duplicate:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:

```

- enable
- disable

**level:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****application:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**transaction:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**tracing:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**monitor-subscriber:****Description:** (leaf)**x-yang:****Type:** leaf

```

    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
logger:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        level:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            application:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: trace
                enum:
                - trace
                - debug
                - info
                - warn
                - error
                - 'off'
            transaction:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: trace
                enum:
                - trace

```



- debug
- info
- warn
- error
- 'off'

**tracing:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**monitor-subscriber:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**async:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****application:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****enable:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****buffer-size:**

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
tracing:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:

```

```
    buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
monitor-subscriber:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
error:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    stack:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
```

```

        Default: enable
        enum:
        - enable
        - disable
data_taulf-mobile-infra_logging-post:
Type: object
Properties:
  taulf-mobile-infra:transaction:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      persist:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:
          - enable
          - disable
        max-file-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          max-rotation:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
            message:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: enable
                enum:
                - enable
                - disable
              duplicate:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: enumeration
                  Default: enable

```

```
    enum:
      - enable
      - disable
tailf-mobile-infra:level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    application:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
        enum:
          - trace
          - debug
          - info
          - warn
          - error
          - 'off'
    transaction:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
        enum:
          - trace
          - debug
          - info
          - warn
          - error
          - 'off'
    tracing:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
        enum:
          - trace
          - debug
          - info
          - warn
          - error
          - 'off'
    monitor-subscriber:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
Type: string
Format: enumeration
Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'
tailf-mobile-infra:logger:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      level:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          application:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: trace
              enum:
- trace
- debug
- info
- warn
- error
- 'off'
            transaction:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: trace
                enum:

```

```

- trace
- debug
- info
- warn
- error
- 'off'
tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
taif-mobile-infra:async:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  application:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:

```

```

    buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
tracing:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'

```



```
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

**monitor-subscriber:**

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

**Properties:**

```
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
```

**Properties:**

```
  buffer-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

**tailf-mobile-infra:error:**

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

**Properties:**

```
  stack:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

```

    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
data_taulf-mobile-infra_logging_async:
  Type: object
  Properties:
    taulf-mobile-infra:async:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        application:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                buffer-size:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                disable:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: '[null]'
            transaction:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                enable:
                  Description: (non-presence)
                  Type: object
                  x-yang:

```

```
    Type: container
    is_presence: 'false'
  Properties:
    buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
tracing:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
monitor-subscriber:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_tailf-mobile-infra_logging_async-post:
  Type: object
  Properties:
    tailf-mobile-infra:application:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            buffer-size:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
    tailf-mobile-infra:transaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'

```

```
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

**taulf-mobile-infra:tracing:**

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

**taulf-mobile-infra:monitor-subscriber:**

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
```

```

    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
data_tailf-mobile-infra_logging_async_application:
  Type: object
  Properties:
    tailf-mobile-infra:application:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            buffer-size:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: '[null]'
data_tailf-mobile-infra_logging_async_application-post:

```

```
Type: object
Properties:
  tailf-mobile-infra:enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      tailf-mobile-infra:disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_tailf-mobile-infra_logging_async_application_disable:
Type: object
Properties:
  tailf-mobile-infra:disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_logging_async_application_enable:
Type: object
Properties:
  tailf-mobile-infra:enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_logging_async_application_enable-post:
Type: object
Properties:
  tailf-mobile-infra:buffer-size:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_async_application_enable_buffer-size:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_logging_async_monitor-subscriber:
  Type: object
  Properties:
    tailf-mobile-infra:monitor-subscriber:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            buffer-size:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
data_tailf-mobile-infra_logging_async_monitor-subscriber-post:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'

```



```
Properties:
  buffer-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_logging_async_monitor-subscriber_disable:
Type: object
Properties:
  tailf-mobile-infra:disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable:
Type: object
Properties:
  tailf-mobile-infra:enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable-post:
Type: object
Properties:
  tailf-mobile-infra:buffer-size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size:
Type: object
Properties:
  tailf-mobile-infra:buffer-size:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_async_tracing:
  Type: object
  Properties:
    tailf-mobile-infra:tracing:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            buffer-size:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
data_tailf-mobile-infra_logging_async_tracing-post:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    tailf-mobile-infra:disable:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_logging_async_tracing_disable:
  Type: object
  Properties:
    tailf-mobile-infra:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_tailf-mobile-infra_logging_async_tracing_enable:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_logging_async_tracing_enable-post:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_logging_async_transaction:
  Type: object
  Properties:
```

```

tailf-mobile-infra:transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
data_tailf-mobile-infra_logging_async_transaction-post:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    tailf-mobile-infra:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_tailf-mobile-infra_logging_async_transaction_disable:
  Type: object
  Properties:

```

```
tailf-mobile-infra:disable:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
data_tailf-mobile-infra_logging_async_transaction_enable:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_logging_async_transaction_enable-post:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_error:
  Type: object
  Properties:
    tailf-mobile-infra:error:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stack:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
data_tailf-mobile-infra_logging_error-post:
Type: object
Properties:
  tailf-mobile-infra:stack:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
data_tailf-mobile-infra_logging_error_stack:
Type: object
Properties:
  tailf-mobile-infra:stack:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
data_tailf-mobile-infra_logging_level:
Type: object
Properties:
  tailf-mobile-infra:level:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    application:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: trace
      enum:

```

```
- trace
- debug
- info
- warn
- error
- 'off'
transaction:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
data_tailf-mobile-infra_logging_level-post:
  Type: object
  Properties:
    tailf-mobile-infra:application:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
```

```

    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
tailf-mobile-infra:transaction:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
tailf-mobile-infra:tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
tailf-mobile-infra:monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
data_tailf-mobile-infra_logging_level_application:
Type: object
Properties:
  tailf-mobile-infra:application:
    Description: (leaf)

```



**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** trace  
**enum:**  
- trace  
- debug  
- info  
- warn  
- error  
- 'off'

**data\_tailf-mobile-infra\_logging\_level\_monitor-subscriber:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:monitor-subscriber:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** trace  
**enum:**  
- trace  
- debug  
- info  
- warn  
- error  
- 'off'

**data\_tailf-mobile-infra\_logging\_level\_tracing:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:tracing:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration  
**Default:** trace  
**enum:**  
- trace  
- debug  
- info  
- warn  
- error  
- 'off'

**data\_tailf-mobile-infra\_logging\_level\_transaction:**

**Type:** object  
**Properties:**  
**tailf-mobile-infra:transaction:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** enumeration

```

Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'
data_tailf-mobile-infra_logging_logger_logger-name:
Type: object
Properties:
  tailf-mobile-infra:logger:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          level:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              application:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: enumeration
                  Default: trace
                  enum:
- trace
- debug
- info
- warn
- error
- 'off'
                transaction:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration
                    Default: trace
                    enum:

```

- trace
- debug
- info
- warn
- error
- 'off'

**tracing:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**monitor-subscriber:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**data\_tailf-mobile-infra\_logging\_logger\_logger-name\_level:****Type:** object**Properties:****tailf-mobile-infra:level:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****application:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn

```

- error
- 'off'
transaction:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
data_tailf-mobile-infra_logging_logger_logger-name_level-post:
Type: object
Properties:
  tailf-mobile-infra:application:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace

```

- debug
- info
- warn
- error
- 'off'

**tailf-mobile-infra:transaction:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**tailf-mobile-infra:tracing:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**tailf-mobile-infra:monitor-subscriber:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**data\_tailf-mobile-infra\_logging\_logger\_logger-name\_level\_application:****Type:** object**Properties:****tailf-mobile-infra:application:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration

**Default:** trace

**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**data\_tailf-mobile-infra\_logging\_logger\_logger-name\_level\_monitor-subscriber:**

**Type:** object

**Properties:**

**tailf-mobile-infra:monitor-subscriber:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** trace

**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**data\_tailf-mobile-infra\_logging\_logger\_logger-name\_level\_tracing:**

**Type:** object

**Properties:**

**tailf-mobile-infra:tracing:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** trace

**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

**data\_tailf-mobile-infra\_logging\_logger\_logger-name\_level\_transaction:**

**Type:** object

**Properties:**

**tailf-mobile-infra:transaction:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** trace

**enum:**

- trace
- debug

- info
- warn
- error
- 'off'

**data\_tailf-mobile-infra\_logging\_logger\_logger-name\_name:****Type:** object**Properties:****tailf-mobile-infra:name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_tailf-mobile-infra\_logging\_transaction:****Type:** object**Properties:****tailf-mobile-infra:transaction:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****persist:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** enable**enum:**

- enable
- disable

**max-file-size:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**max-rotation:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**message:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** enable**enum:**

```

    - enable
    - disable
  duplicate:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: enable
    enum:
      - enable
      - disable
data_tailf-mobile-infra_logging_transaction-post:
  Type: object
  Properties:
    tailf-mobile-infra:persist:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
    tailf-mobile-infra:max-file-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    tailf-mobile-infra:max-rotation:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    tailf-mobile-infra:message:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
    tailf-mobile-infra:duplicate:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration

```



```
    Default: enable
    enum:
    - enable
    - disable
data_tailf-mobile-infra_logging_transaction_duplicate:
Type: object
Properties:
  tailf-mobile-infra:duplicate:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
data_tailf-mobile-infra_logging_transaction_max-file-size:
Type: object
Properties:
  tailf-mobile-infra:max-file-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_logging_transaction_max-rotation:
Type: object
Properties:
  tailf-mobile-infra:max-rotation:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_logging_transaction_message:
Type: object
Properties:
  tailf-mobile-infra:message:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
data_tailf-mobile-infra_logging_transaction_persist:
Type: object
Properties:
  tailf-mobile-infra:persist:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
data_tailf-mobile-infra_nodemonitor:
  Type: object
  Properties:
    tailf-mobile-infra:nodemonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        mode:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: '0'
            enum:
              - '0'
              - '1'
              - '2'
              - '3'
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_nodemonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra:mode:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: '0'
        enum:
          - '0'
          - '1'
          - '2'
          - '3'
    tailf-mobile-infra:interval:
      Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_nodemonitor_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_nodemonitor_mode:
  Type: object
  Properties:
    tailf-mobile-infra:mode:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: '0'
        enum:
          - '0'
          - '1'
          - '2'
          - '3'
data_tailf-mobile-infra_peers:
  Type: object
  Properties:
    tailf-mobile-infra:peers:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        all:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              grInstance:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
```

```
endpoint:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
localAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
peerAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
direction:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
podInstance:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rpc:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
additionalDetails:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_peers-post:
  Type: object
  Properties:
    taulf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          grInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          localAddress:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          peerAddress:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          direction:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  rpc:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  additionalDetails:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all:
  Type: object
  Properties:
    tailf-mobile-infra:all:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    localAddress:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    peerAddress:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    direction:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  connectedTime:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  rpc:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  additionalDetails:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress:
Type: object
Properties:
  taulf-mobile-infra:all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        grInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        endpoint:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string

```



```
localAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
peerAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
direction:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
podInstance:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rpc:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
additionalDetails:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
interfaceName:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_additionalDetails:
  Type: object
  Properties:
    tailf-mobile-infra:additionalDetails:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_connectedTime:
  Type: object
  Properties:
    tailf-mobile-infra:connectedTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_direction:
  Type: object
  Properties:
    tailf-mobile-infra:direction:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_endpoint:
  Type: object
  Properties:
    tailf-mobile-infra:endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_grInstance:
  Type: object

```

```

Properties:
  tailf-mobile-infra:grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_interfaceName:

Type: object
Properties:
  tailf-mobile-infra:interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_localAddress:

Type: object
Properties:
  tailf-mobile-infra:localAddress:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_peerAddress:

Type: object
Properties:
  tailf-mobile-infra:peerAddress:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_podInstance:

Type: object
Properties:
  tailf-mobile-infra:podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_rpc:

Type: object
Properties:
  tailf-mobile-infra:rpc:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_type:
  Type: object
  Properties:
    tailf-mobile-infra:type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_vrf:
  Type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_resource:
  Type: object
  Properties:
    tailf-mobile-infra:resource:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pod:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              podtype:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
              cpu:
                Description: (non-presence)
                Type: object

```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
memory:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
gomaxproc:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
labels:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    key:
      Description: Key for the label (leaf)
      x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    value:
        Description: Value for the label (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_resource-post:
    Type: object
    Properties:
        tailf-mobile-infra:pod:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    podtype:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: identityref
                    cpu:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'
                        Properties:
                            request:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: int32
                            limit:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: int32
                    memory:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'

```

```

Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
gomaxproc:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
labels:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_resource_pod_pod-podtype:
Type: object
Properties:
  tailf-mobile-infra:pod:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      podtype:
        Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: identityref
cpu:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
memory:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
gomaxproc:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
labels:
Description: (non-presence)
Type: object

```



```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      key:
        Description: Key for the label (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        value:
          Description: Value for the label (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu:
  Type: object
  Properties:
    tailf-mobile-infra:cpu:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu-post:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:limit:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc:
  Type: object
  Properties:
    tailf-mobile-infra:gomaxproc:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_labels:
  Type: object
  Properties:
    tailf-mobile-infra:labels:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        key:
          Description: Key for the label (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: Value for the label (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string

```

**data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_labels-post:****Type:** object**Properties:****tailf-mobile-infra:key:****Description:** Key for the label (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**tailf-mobile-infra:value:****Description:** Value for the label (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_labels\_key:****Type:** object**Properties:****tailf-mobile-infra:key:****Description:** Key for the label (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_labels\_value:****Type:** object**Properties:****tailf-mobile-infra:value:****Description:** Value for the label (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_tailf-mobile-infra\_resource\_pod\_pod-podtype\_memory:****Type:** object**Properties:****tailf-mobile-infra:memory:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****request:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**limit:****Description:** (leaf)

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_memory-post:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_memory_request:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_podtype:
  Type: object
  Properties:
    tailf-mobile-infra:podtype:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
data_tailf-mobile-infra_resources:
  Type: object
  Properties:
    tailf-mobile-infra:resources:
      Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      podInstance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      cpuUsage:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      totalNodeMemoryInMB:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      usedPodMemoryInMB:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      diskUsageInKbps:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      goRoutinesCount:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      gcCount:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
    gcPauseInNS:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources-post:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        cpuUsage:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        totalNodeMemoryInMB:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        usedPodMemoryInMB:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        diskUsageInKbps:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32

```

```
    goRoutinesCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    gcCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    gcPauseInNS:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  data_tailf-mobile-infra_resources_info:
    Type: object
    Properties:
      tailf-mobile-infra:info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podInstance:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            cpuUsage:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            totalNodeMemoryInMB:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            usedPodMemoryInMB:
              Description: (leaf)
              x-yang:
                Type: leaf
```

```

    Type: string
    Format: int32
diskUsageInKbps:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
goRoutinesCount:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
gcCount:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
gcPauseInNS:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          cpuUsage:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          totalNodeMemoryInMB:
            Description: (leaf)

```



```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  usedPodMemoryInMB:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  diskUsageInKbps:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  goRoutinesCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcPauseInNS:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_cpuUsage:
  Type: object
  Properties:
    tailf-mobile-infra:cpuUsage:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_diskUsageInKbps:
  Type: object
  Properties:
    tailf-mobile-infra:diskUsageInKbps:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```

    Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_gcCount:
  Type: object
  Properties:
    tailf-mobile-infra:gcCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_gcPauseInNS:
  Type: object
  Properties:
    tailf-mobile-infra:gcPauseInNS:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_goRoutinesCount:
  Type: object
  Properties:
    tailf-mobile-infra:goRoutinesCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_podInstance:
  Type: object
  Properties:
    tailf-mobile-infra:podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_resources_info_info-podInstance_totalNodeMemoryInMB:
  Type: object
  Properties:
    tailf-mobile-infra:totalNodeMemoryInMB:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_usedPodMemoryInMB:
  Type: object
  Properties:
    tailf-mobile-infra:usedPodMemoryInMB:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_router:
  Type: object
  Properties:
    tailf-mobile-infra_router:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        bgplist:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              bgp:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              loopbackPort:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              loopbackBFDPort:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              learnDefaultRoute:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: boolean
            interfaceList:
              Type: array
              Description: (list)
              x-yang:
```

```

Type: list
Items:
  Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    bondingInterfaces:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bondingInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    neighbors:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          remote-as:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          fail-over:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: bfd
    enum:
      - bfd
policies:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    policy-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    as-path-set:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ip-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    source-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    mask-range:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```

    modifySourceIp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    isStaticRoute:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    gateWay:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  bfd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      min_rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      multiplier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  bfd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      instance:

```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  instance-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
          interface-list:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                interface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                vrf:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: leafref
                neighbors:
                  Type: array
                  Description: (list)
                  x-yang:
                    Type: list
                  Items:
                    Type: object
                    Properties:
                      neighbor:
                        Description: (leaf)
                        x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    gateway-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
monitor-interface:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        interface-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
            Properties:
                interface:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                linked-interface:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                interface-type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
data_taulf-mobile-infra_router-post:
    Type: object
    Properties:
        taulf-mobile-infra:bgplist:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:

```



```
Type: object
Properties:
  bgp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  loopbackBFDPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  learnDefaultRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  interfaceList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        bondingInterfaces:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              bondingInterface:
                Description: (leaf)
                x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
neighbors:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    neighbor:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    remote-as:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    fail-over:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
      Default: bfd
      enum:
        - bfd
policies:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    policy-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string

```

```
as-path-set:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ip-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
source-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
mask-range:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
modifySourceIp:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
isStaticRoute:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
gateWay:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
bfd:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  min_rx:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  multiplier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
tailf-mobile-infra:bfd:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
        Items:
          Type: object
          Properties:
            id:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
            interface-list:

```

```

    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        neighbors:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              neighbor:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
        gateway-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  taif-mobile-infra:monitor-interface:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interface-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list

```

```

Items:
  Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    linked-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    interface-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_router_bfd:
  Type: object
  Properties:
    tailf-mobile-infra:bfd:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            instance-id:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                id:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string

```

```
    Format: leafref
interface-list:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
    neighbors:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    gateway-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bfd-post:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
```

```

instance-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
      interface-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            vrf:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
            neighbors:
              Type: array
              Description: (list)
              x-yang:
                Type: list
              Items:
                Type: object
                Properties:
                  neighbor:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                      Type: string
                      Format: string
            gateway-ip:
              Description: (leaf)
              x-yang:

```



```

        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_router_bfd_instance:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: leafref
        interface-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              interface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        neighbors:
          Type: array
          Description: (list)
          x-yang:

```

```

        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          gateway-ip:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    data_tailf-mobile-infra_router_bfd_instance-post:
      Type: object
      Properties:
        tailf-mobile-infra:instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: leafref
              interface-list:
                Type: array
                Description: (list)
                x-yang:
                  Type: list
                Items:
                  Type: object
                  Properties:
                    interface:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                      Type: string
                      Format: string
              vrf:
                Description: (leaf)
                x-yang:
                  Type: leaf

```

```

    Type: string
    Format: leafref
  neighbors:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        neighbor:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    gateway-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id:
Type: object
Properties:
  tailf-mobile-infra:instance-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        interface-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              interface:
                Description: (leaf)
                x-yang:
                  Type: leaf

```

```

    Type: string
    Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  neighbors:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        neighbor:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
  gateway-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id:
  Type: object
  Properties:
    tailf-mobile-infra:id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface:
  Type: object
  Properties:
    tailf-mobile-infra:interface-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  neighbors:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        neighbor:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  gateway-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip
Type: object
Properties:
  tailf-mobile-infra:gateway-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface
Type: object
Properties:
  tailf-mobile-infra:interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor

```

```

: type: object
  Properties:
    tailf-mobile-infra:neighbors:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
?
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor
: type: object
  Properties:
    tailf-mobile-infra:neighbor:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf:

Type: object
Properties:
  tailf-mobile-infra:vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_tailf-mobile-infra_router_bgplist_bgplist-bgp:
Type: object
Properties:
  tailf-mobile-infra:bgplist:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        bgp:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer

```

```
    Format: uint32
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
loopbackBFDPort:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
learnDefaultRoute:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
interfaceList:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    bondingInterfaces:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        bondingInterface:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

    Type: string
    Format: leafref
neighbors:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      neighbor:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      remote-as:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      fail-over:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: bfd
        enum:
          - bfd
policies:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      policy-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      as-path-set:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ip-prefix:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  source-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  mask-range:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  modifySourceIp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  isStaticRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  gateWay:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
bfd:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
  interval:
    Description: (leaf)
    x-yang:
```

```

        Type: leaf
        Type: integer
        Format: uint32
    min_rx:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    multiplier:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd:
Type: object
Properties:
    tailf-mobile-infra:bfd:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            interval:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
            min_rx:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
            multiplier:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd-post:
Type: object
Properties:
    tailf-mobile-infra:interval:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer

```

```
    Format: uint32
tailf-mobile-infra:min_rx:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tailf-mobile-infra:multiplicier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx:
  Type: object
  Properties:
    tailf-mobile-infra:min_rx:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier:
  Type: object
  Properties:
    tailf-mobile-infra:multiplicier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp:
  Type: object
  Properties:
    tailf-mobile-infra:bgp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface:
  Type: object
```

```

Properties:
  tailf-mobile-infra:interfaceList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        bondingInterfaces:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              bondingInterface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        neighbors:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              neighbor:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              remote-as:
                Description: (leaf)

```

```

        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      fail-over:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: bfd
        enum:
          - bfd
?
data tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface
: type: object
  Properties:
    tailf-mobile-infra:bondingInterfaces:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bondingInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
?
data tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface_bondingInterface
: type: object
  Properties:
    tailf-mobile-infra:bondingInterface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_interface:
  Type: object
  Properties:
    tailf-mobile-infra:interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor:

```

```

Type: object
Properties:
  tailf-mobile-infra:neighbors:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        neighbor:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          remote-as:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
            fail-over:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: bfd
              enum:
                - bfd

```

?

data\_tailf-mobile-infra\_router\_bgpList\_bgpList-bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors-neighbor\_fail-over

: **type:** object

```

Properties:
  tailf-mobile-infra:fail-over:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: bfd
    enum:
      - bfd

```

?

data\_tailf-mobile-infra\_router\_bgpList\_bgpList-bgp\_interfaceList\_interfaceList-interface\_neighbors\_neighbors-neighbor\_neighbor

: **type:** object

```

Properties:
  tailf-mobile-infra:neighbor:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string

```

```

    Format: string
?
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_remote-as
: type: object
  Properties:
    tailf-mobile-infra:remote-as:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf:

Type: object
Properties:
  tailf-mobile-infra:vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute:
Type: object
Properties:
  tailf-mobile-infra:learnDefaultRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort:
Type: object
Properties:
  tailf-mobile-infra:loopbackBFDPort:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort:
Type: object
Properties:
  tailf-mobile-infra:loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name:

Type: object
Properties:

```

**tailf-mobile-infra:policies:**

**Type:** array  
**Description:** (list)  
**x-yang:**  
  **Type:** list  
**Items:**  
  **Type:** object  
  **Properties:**  
    **policy-name:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** string  
        **Format:** string  
    **as-path-set:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** string  
        **Format:** string  
    **ip-prefix:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** string  
        **Format:** string  
    **source-prefix:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** string  
        **Format:** string  
    **mask-range:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** string  
        **Format:** string  
    **interface:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** string  
        **Format:** string  
    **modifySourceIp:**  
      **Description:** (leaf)  
      **x-yang:**  
        **Type:** leaf  
        **Type:** string  
        **Format:** boolean  
    **isStaticRoute:**



```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      gateWay:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set:

Type: object
Properties:
  tailf-mobile-infra:as-path-set:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay:

Type: object
Properties:
  tailf-mobile-infra:gateWay:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_interface:

Type: object
Properties:
  tailf-mobile-infra:interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix:

Type: object
Properties:
  tailf-mobile-infra:ip-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute:

```

```

Type: object
Properties:
  tailf-mobile-infra:isStaticRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_mask-range:

Type: object
Properties:
  tailf-mobile-infra:mask-range:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp:

Type: object
Properties:
  tailf-mobile-infra:modifySourceIp:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name:

Type: object
Properties:
  tailf-mobile-infra:policy-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix:

Type: object
Properties:
  tailf-mobile-infra:source-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_router_monitor-interface:

Type: object
Properties:

```

```
tailf-mobile-infra:monitor-interface:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          linked-interface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_router_monitor-interface-post:
  Type: object
  Properties:
    tailf-mobile-infra:interface-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          linked-interface:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface:

Type: object
Properties:
  taulf-mobile-infra:interface-list:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        linked-interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface_interface:

Type: object
Properties:
  taulf-mobile-infra:interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface_interface-type:

```

```

Type: object
Properties:
  tailf-mobile-infra:interface-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface:

Type: object
Properties:
  tailf-mobile-infra:linked-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc:
Type: object
Properties:
  tailf-mobile-infra:rpc:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      all:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podInstance:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            remoteAddress:
              Description: (leaf)
              x-yang:

```

```
    Type: leaf
  Type: string
  Format: string
remoteHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
setName:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disconnectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
monitorRPCHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
processingInstanceInfo:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```
    version:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc-post:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          remoteAddress:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          remoteHost:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```

    Type: string
    Format: string
  setName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disconnectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  monitorRPCHost:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  processingInstanceInfo:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  version:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_rpc_all:

```



```
Type: object
Properties:
  tailf-mobile-infra:all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteHost:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        setName:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        status:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
```

```

    Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disconnectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  monitorRPCHost:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  processingInstanceInfo:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  version:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress:
  Type: object
  Properties:
    taulf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:

```

```
    Type: leaf
  Type: string
  Format: string
name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
remoteAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
remoteHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
setName:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disconnectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```

    monitorRPCHost:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    processingInstanceInfo:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    version:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_connectedTime:

  Type: object
  Properties:
    tailf-mobile-infra:connectedTime:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_disconnectedTime:

  Type: object
  Properties:
    tailf-mobile-infra:disconnectedTime:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_monitorRPCHost:

  Type: object
  Properties:
    tailf-mobile-infra:monitorRPCHost:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_name:

Type: object
Properties:
  tailf-mobile-infra:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_podInstance:

Type: object
Properties:
  tailf-mobile-infra:podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_processingInstanceInfo:

Type: object
Properties:
  tailf-mobile-infra:processingInstanceInfo:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_remoteAddress:

Type: object
Properties:
  tailf-mobile-infra:remoteAddress:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_remoteHost:

Type: object
Properties:
  tailf-mobile-infra:remoteHost:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

**data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_setName:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:setName:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_status:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:status:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_type:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:type:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_version:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:version:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_rpc\_all\_all-podInstance\_all-name\_all-remoteAddress\_vrf:**

**Type:** object  
**Properties:**  
 tailf-mobile-infra:vrf:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_tailf-mobile-infra\_running-status:**

**Type:** object

```
Properties:
  tailf-mobile-infra:running-status:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podInstance:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            runningStatus:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            systemHealth:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            startTime:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
  data_tailf-mobile-infra_running-status-post:
    Type: object
    Properties:
      tailf-mobile-infra:info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
```

```

    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    runningStatus:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    systemHealth:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    startTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  data_tailf-mobile-infra_running-status_info:
    Type: object
    Properties:
      tailf-mobile-infra:info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podInstance:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            runningStatus:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            systemHealth:
              Description: (leaf)
              x-yang:
                Type: leaf

```



```

        Type: string
        Format: string
    startTime:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_running-status_info_info-podInstance:
Type: object
Properties:
    tailf-mobile-infra:info:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                podInstance:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                runningStatus:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                systemHealth:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                startTime:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
data_tailf-mobile-infra_running-status_info_info-podInstance_podInstance:
Type: object
Properties:
    tailf-mobile-infra:podInstance:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string

```

```

    Format: string
data_taulf-mobile-infra_running-status_info_info-podInstance_runningStatus:

  Type: object
  Properties:
    taulf-mobile-infra:runningStatus:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_running-status_info_info-podInstance_startTime:

  Type: object
  Properties:
    taulf-mobile-infra:startTime:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_running-status_info_info-podInstance_systemHealth:

  Type: object
  Properties:
    taulf-mobile-infra:systemHealth:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_sessions:

  Type: object
  Properties:
    taulf-mobile-infra:sessions:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        commit-pending:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              podInstance:
                Description: (leaf)
                x-yang:
                  Type: leaf

```

```
    Type: string
    Format: string
  grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  pendingCommit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  dbBinarySize:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  lastDbSyncTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  affinity:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      podInstance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

        Format: int32
data_tailf-mobile-infra_sessions-post:
  Type: object
  Properties:
    tailf-mobile-infra:commit-pending:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          grInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          pendingCommit:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          dbBinarySize:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          lastDbSyncTime:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    tailf-mobile-infra:affinity:
      Type: array
      Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_sessions_affinity:
  Type: object
  Properties:
    tailf-mobile-infra:affinity:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_sessions_affinity_affinity-podInstance:
  Type: object
  Properties:
    tailf-mobile-infra:affinity:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
```

```

    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_sessions_affinity_affinity-podInstance_count:
  Type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_sessions_affinity_affinity-podInstance_podInstance:
  Type: object
  Properties:
    tailf-mobile-infra:podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_sessions_commit-pending:
  Type: object
  Properties:
    tailf-mobile-infra:commit-pending:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          grInstance:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

    Type: string
    Format: string
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  pendingCommit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  dbBinarySize:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  lastDbSyncTime:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance:
Type: object
Properties:
  tailf-mobile-infra:commit-pending:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        grInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
      count:
        Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  pendingCommit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  dbBinarySize:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  lastDbSyncTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_count:
  Type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_dbBinarySize:
  Type: object
  Properties:
    tailf-mobile-infra:dbBinarySize:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_grInstance:
  Type: object
  Properties:
    tailf-mobile-infra:grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string

```



**data\_tailf-mobile-infra\_sessions\_commit-pending\_commit-pending-podInstance\_commit-pending-grInstance\_lastDbSyncTime:**

**Type:** object

**Properties:**

**tailf-mobile-infra:lastDbSyncTime:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_tailf-mobile-infra\_sessions\_commit-pending\_commit-pending-podInstance\_commit-pending-grInstance\_pendingCommit:**

**Type:** object

**Properties:**

**tailf-mobile-infra:pendingCommit:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** int32

**data\_tailf-mobile-infra\_sessions\_commit-pending\_commit-pending-podInstance\_commit-pending-grInstance\_podInstance:**

**Type:** object

**Properties:**

**tailf-mobile-infra:podInstance:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_tailf-mobile-infra\_show:**

**Type:** object

**Properties:**

**tailf-mobile-infra:show:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:** {}

**data\_tailf-mobile-infra\_vrf:**

**Type:** object

**Properties:**

**tailf-mobile-infra:vrf:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**vrflist:**

**Type:** array

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      gateway:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        gatewayIpv6:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          device:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
            linkDevice:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
    data_tailf-mobile-infra_vrf-info:
      Type: object
      Properties:
        tailf-mobile-infra:vrf-info:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            all:
              Type: array
              Description: (list)
              x-yang:
                Type: list

```

**Items:**

**Type:** object  
**Properties:**

- name:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- gateway:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- gatewayIpv6:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- device:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- linkDevice:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string
- tableId:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** int32
- state:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** boolean
- podName:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
    - Type:** string
    - Format:** string

**data\_taulf-mobile-infra\_vrf-info-post:****Type:** object**Properties:****taulf-mobile-infra:all:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**gateway:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**gatewayIpv6:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**device:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**linkDevice:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**tableId:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**state:****Description:** (leaf)**x-yang:****Type:** leaf

```
    Type: string
    Format: boolean
  podName:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_vrf-info_all:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          gatewayIpv6:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          device:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          linkDevice:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          tableId:
            Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  state:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  podName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all_all-name:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gatewayIpv6:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          device:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string

```

```
    linkDevice:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    tableId:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    state:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    podName:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_vrf-info_all_all-name_device:
    Type: object
    Properties:
      tailf-mobile-infra:device:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
  data_tailf-mobile-infra_vrf-info_all_all-name_gateway:
    Type: object
    Properties:
      tailf-mobile-infra:gateway:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
  data_tailf-mobile-infra_vrf-info_all_all-name_gatewayIpv6:
    Type: object
    Properties:
      tailf-mobile-infra:gatewayIpv6:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
```

```

data_tailf-mobile-infra_vrf-info_all_all-name_linkDevice:
  Type: object
  Properties:
    tailf-mobile-infra:linkDevice:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all_all-name_name:
  Type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all_all-name_podName:
  Type: object
  Properties:
    tailf-mobile-infra:podName:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all_all-name_state:
  Type: object
  Properties:
    tailf-mobile-infra:state:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_tailf-mobile-infra_vrf-info_all_all-name_tableId:
  Type: object
  Properties:
    tailf-mobile-infra:tableId:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_vrf-post:
  Type: object
  Properties:
    tailf-mobile-infra:vrflist:
      Type: array
      Description: (list)

```



```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    gatewayIpv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    device:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    linkDevice:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name:
  Type: object
  Properties:
    tailf-mobile-infra:vrflist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
```

```

        Format: string
    gateway:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    gatewayIpv6:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    device:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    linkDevice:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device:
    Type: object
    Properties:
        tailf-mobile-infra:device:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway:
    Type: object
    Properties:
        tailf-mobile-infra:gateway:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6:
    Type: object
    Properties:
        tailf-mobile-infra:gatewayIpv6:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string

```

```

    Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice:
  Type: object
  Properties:
    tailf-mobile-infra:linkDevice:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name:
  Type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
operations:
  Type: object
  Properties:
    ietf-restconf:operations:
      Type: object
      x-yang:
        Type: operations
      Description: This resource is a container that provides access to the
data-model-specific
      RPC operations supported by the server. See RESTCONF RFC 8040 for further
      information.
      Properties: {}
root:
  Type: object
  Properties:
    ietf-restconf:restconf:
      Type: object
      x-yang:
        Type: root
      Description: This is the RESTCONF root resource for the RESTCONF datastore
      and operation resources. See RESTCONF RFC 8040 for further information.
      Properties:
        data:
          Type: object
          Properties: {}
        operations:
          Type: object
          Properties: {}
        yang-library-version:
          Type: string
yang-library-version:
  Type: object
  Properties:

```

**ietf-restconf:yang-library-version:****Type:** object**Description:** This leaf identifies the revision date of the 'ietf-yang-library' YANG module that is implemented by this server. See RESTCONF RFC 8040 for further information.**x-yang:****Type:** leaf**Properties:** {}



## CHAPTER 7

# ipam\_exec

---

- [Info](#), on page 5661
- [tags](#), on page 5661
- [Paths](#), on page 5662

## Info

**Title:** cisco-exec-ipam  
**Description:** ''  
**Version:** '2021-06-01'  
**basePath:** /restconf

## tags

- **Name:** root  
**Description:** root resources
- **Name:** operations  
**Description:** operations resources
- **Name:** data  
**Description:** data resources
- **Name:** get  
**Description:** get resources
- **Name:** head  
**Description:** head resources
- **Name:** post  
**Description:** post resources
- **Name:** patch  
**Description:** patch resources
- **Name:** put  
**Description:** put resources
- **Name:** options  
**Description:** options resources
- **Name:** delete  
**Description:** delete resources

```

schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

## Paths

/

```

get:

Tags:
- root
- get
Summary: ''
Description: ''
Operation ID: root_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/root'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: ''
Description: ''

```

```
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /operations

```
get:

Tags:
- operations
- get
Summary: ''
Description: ''
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

## /yang-library-version

```
get:

Tags:
```

```

- yang-library-version
- get
Summary: ''
Description: ''
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: ''
Description: ''
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data

**get:**

```

Tags:
- data

```



```
- get
Summary: ''
Description: ''
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_post
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/data-post'

**Responses:**

'201':  
**Description:** Created  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data-put-patch'

**Responses:**

'201':  
**Description:** Created  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''  
**Operation ID:** data\_patch  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/data-put-patch'

**Responses:**  
 '204':  
   **Description:** No Content  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

## /data/cisco-exec-ipam:reconcile

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_exec\_ipam\_reconcile\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-exec-ipam\_reconcile'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_exec_ipam_reconcile_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

Parameters:
Content:
  name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
depth:
  name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false

```

**Type:** integer  
**Format:** uint16

**fields:**  
**name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**filter:**  
**name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**with-defaults:**  
**name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**insert:**  
**name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
- first  
- last  
- before  
- after

**point:**  
**name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**data-post:**  
**name:** data  
**In:** body  
**Description:** ''

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data-post'
  data-put-patch:
    name: data
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data-put-patch'

  Responses:
    '200':
      Description: OK
    '201':
      Description: Created
    '204':
      Description: No Content
    '400':
      Description: Bad Request
    '401':
      Description: Unauthorized
    '404':
      Description: Not Found
    '405':
      Description: Method Not Allowed
    '409':
      Description: Conflict
  securityDefinitions:
    basicAuth:
      Type: basic
  definitions:
    data:
      Type: object
      Properties:
        ietf-restconf:data:
          Type: object
          Description: This resource represents the combined configuration and state
            data resources that can be accessed by a client and cannot be created or
            deleted by the client. See RESTCONF RFC 8040 for further information.
          x-yang:
            Type: datastore
            Properties: {}
    data-post:
      Type: object
      Properties:
        cisco-exec-ipam:reconcile:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```

    Properties: {}
  data-put-patch:
    Type: object
    Properties:
      ietf-restconf:data:
        Description: ''
        Type: object
        x-yang:
          Type: datastore
          Properties:
            cisco-exec-ipam:reconcile:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
                Properties: {}
      data_cisco-exec-ipam_reconcile:
        Type: object
        Properties:
          cisco-exec-ipam:reconcile:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
              Properties: {}
    operations:
      Type: object
      Properties:
        ietf-restconf:operations:
          Type: object
          x-yang:
            Type: operations
          Description: This resource is a container that provides access to the
data-model-specific
RPC operations supported by the server. See RESTCONF RFC 8040 for further
information.
          Properties: {}
    root:
      Type: object
      Properties:
        ietf-restconf:restconf:
          Type: object
          x-yang:
            Type: root
          Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
          Properties:
            data:
              Type: object
              Properties: {}

```

```
    operations:
      Type: object
      Properties: {}
    yang-library-version:
      Type: string
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
        YANG module that is implemented by this server. See RESTCONF RFC 8040 for
        further information.
      x-yang:
        Type: leaf
      Properties: {}
```





## CHAPTER 8

### ipam

---

- [Info, on page 5673](#)
- [tags, on page 5673](#)
- [Paths, on page 5674](#)

### Info

**Title:** cisco-cn-ipam  
**Description:** ''  
**Version:** '2021-02-21'  
**basePath:** /restconf

### tags

- **Name:** root  
**Description:** root resources
- **Name:** operations  
**Description:** operations resources
- **Name:** data  
**Description:** data resources
- **Name:** get  
**Description:** get resources
- **Name:** head  
**Description:** head resources
- **Name:** post  
**Description:** post resources
- **Name:** patch  
**Description:** patch resources
- **Name:** put  
**Description:** put resources
- **Name:** options  
**Description:** options resources
- **Name:** delete  
**Description:** delete resources

```

schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

## Paths

/

```

get:

Tags:
- root
- get
Summary: ''
Description: ''
Operation ID: root_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/root'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: ''
Description: ''

```

```
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

## /operations

```
get:

Tags:
- operations
- get
Summary: ''
Description: ''
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

## /yang-library-version

```
get:

Tags:
```

```

- yang-library-version
- get
Summary: ''
Description: ''
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: ''
Description: ''
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data

**get:**

```

Tags:
- data

```

```
- get
Summary: ''
Description: ''
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_post
produces:
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/data-post'

**Responses:**

'201':  
**Description:** Created  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:****Tags:**

- data  
 - put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/data-put-patch'

**Responses:**

'201':  
**Description:** Created  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

```

Description: ''
Operation ID: data_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-put-patch'

Responses:
'204':
  Description: No Content
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference: '#/definitions/data_cisco-cn-ipam_ipam'
'204':
  Reference: '#/responses/204'
'400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-cn-ipam_ipam-post'

  Responses:
  '201':
    Description: container ipam created
  '204':
    Reference: '#/responses/204'
  '400':

```



```
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-cn-ipam_ipam'

  Responses:
  '201':
    Description: container ipam created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_patch
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/data\_cisco-cn-ipam\_ipam'

**Responses:**

'204':  
**Description:** container ipam updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_delete

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_options

**produces:**

- application/yang-data+json

**Parameters:** []

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance

### options:

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_options**produces:**

- application/yang-data+json

**Parameters:** []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_id_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list instance created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id'

Responses:
'204':
  Description: list instance updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_delete
produces:
```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/instance-id

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_instance\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

```

    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_instance-id'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_instance_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_instance_id_put
  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_instance-id'

**Responses:**

- '201':
  - Description:** leaf instance-id created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_instance\_id\_patch**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_instance-id'

**Responses:**

- '204':
  - Description:** leaf instance-id updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**



```

- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_instance_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_instance_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_get
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_source'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance-id\_source\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**Method:** Post

**Tags:**

- data
- post

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source-post'

**Responses:**

'201':

**Description:** container source created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source'

**Responses:**

'201':

**Description:** container source created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_instance_instance_id_source_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/data_cisco-cn-ipam_ipam_instance_instance_id_source'

Responses:
  '204':
    Description: container source updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_instance_instance_id_source_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/local

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_local\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
  - Reference:**

```

'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_source_local'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_local_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_local_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

```

```

- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_source_local'

Responses:
  '201':
    Description: leaf local created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_instance_instance-id_source_local_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_source_local'

Responses:
  '204':
    Description: leaf local updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

```

**Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_local\_delete**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_local\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_get**produces:**

- application/yang-data+json

**Parameters:**



- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK  **Schema:**    **Reference:**

'/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_external'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**Method:** Post

```

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external-post'

Responses:
'201':
  Description: container external created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external'

Responses:
'201':
  Description: container external created or replaced
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external'

  Responses:
    '204':
      Description: container external updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_delete
  produces:

```

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external/ipam

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_post

```

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_external\_ipam-post'

**Responses:**  
 '201':  
   **Description:** container ipam created  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_external\_ipam'

**Responses:**  
 '201':  
   **Description:** container ipam created or replaced  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam'

  Responses:
    '204':
      Description: container ipam updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'

  Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_options
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external/ipam/host

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_host_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_host'

```



```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_host_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_host_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'

```

```

- $ref:
  '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_source_external_ipam_host'

```

**Responses:**

```

'201':
  Description: leaf host created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**patch:**

**Tags:**

```

- data
- patch

```

**Summary:** ''

**Description:** ''

**Operation ID:**

```

data_cisco_cn_ipam_ipam_instance_instance_instance-id_source_external_ipam_host_patch

```

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref:
  '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_source_external_ipam_host'

```

**Responses:**

```

'204':
  Description: leaf host updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```

- basicAuth: []

```

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_host\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'204':

**Reference:** '#/responses/204'**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_host\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external/ipam/****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_port\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_source\_external\_ipam\_port'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_port\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_port_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_port'

Responses:
'201':
  Description: leaf port created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_port'

Responses:

```

```

    '204':
      Description: leaf port updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/source/external/ipam/

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_vendor\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_external\_ipam\_vendor'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_vendor\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_source\_external\_ipam\_vendor\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_external\_ipam\_vendor'

**Responses:**

'201':

Description: leaf vendor created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data



```

- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_vendor_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_vendor'

Responses:
'204':
  Description: leaf vendor updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_vendor_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

```

Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_source_external_ipam_vendor_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool

**options:**

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-name}

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_get
produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance-id\_address\_pool\_address\_pool\_pool\_name\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'
        - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name'

        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

      Responses:
        '201':
          Description: list address-pool created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_patch

      produces:
        - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name'

**Responses:**

'204':

**Description:** list address-pool updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/pool-name

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**  
 data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_pool\_name\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_pool-name'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_pool_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_pool_name_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_pool-name'

  Responses:
  '201':
    Description: leaf pool-name created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_pool_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_pool-name'

Responses:
    '204':
      Description: leaf pool-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

Tags:
- data
- delete

```



```

Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_pool_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_pool_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/address-quarantine-timer

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_timer_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_address-quarantine-timer'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_address\_quarantine\_timer\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_timer_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'
        - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_address-quarantine-timer'

      Responses:
        '201':
          Description: leaf address-quarantine-timer created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_timer_patch

      produces:
        - application/yang-data+json

      Parameters:

```

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_address-quarantine-timer'

```

**Responses:**

```

'204':
  Description: leaf address-quarantine-timer updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**delete:****Tags:**

```
- data
- delete
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_timer_delete
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
```

**Responses:**

```

'204':
  Reference: '#/responses/204'

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_timer_options
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/address-quarantine-qsiz****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_address\_quarantine\_qsiz\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_address-quarantine-qsiz'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_qsize_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_qsize_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'
        - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_address-quarantine-qsize'

      Responses:
        '201':
          Description: leaf address-quarantine-qsize created or replaced
        '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_qsize_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_address-quarantine-qsize'

  Responses:
  '204':
    Description: leaf address-quarantine-qsize updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_qsize_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_address_quarantine_qsize_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/offline

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_offline_get

produces:
- application/yang-data+json

```



**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_offline_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_offline'

    Responses:
    '201':
        Description: leaf offline created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_offline_patch

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-instance-id'

```

```

- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_offline'

Responses:
  '204':
    Description: leaf offline updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance-id_address_pool_address_pool_pool_name_offline_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance-id_address_pool_address_pool_pool_name_offline_options

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/vrf-name****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_vrf\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference:
      - '#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_vrf-name'

- '204':
  - Reference: '#/responses/204'

- '400':
  - Reference: '#/responses/400'

- '401':
  - Reference: '#/responses/401'

- '404':
  - Reference: '#/responses/404'

- '405':
  - Reference: '#/responses/405'

- '409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_vrf_name_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_vrf_name_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_vrf-name'

  Responses:
    '201':
      Description: leaf vrf-name created or replaced
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_vrf_name_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_vrf-name'

  Responses:
    '204':
      Description: leaf vrf-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_vrf\_name\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_vrf\_name\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'



```

    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_post

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4-post'

  Responses:
    '201':
      Description: container ipv4 created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'

```

## - \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv4'

**Responses:**

'201':

**Description:** container ipv4 created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'

- \$ref: '#/parameters/address-pool-pool-name'

- \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv4'

**Responses:**

'204':

**Description:** container ipv4 updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/options

```

options:

  Tags:
  - data
  - options

```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_address\_range\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address},{address-range-end-address}**

**: get:**

**Tags:**

- data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_address\_range\_address\_range\_start\_address\_address\_range\_end\_address\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:** '#/parameters/address-range-start-address'  
 - **\$ref:** '#/parameters/address-range-end-address'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_address\_range\_address\_range\_start\_address\_address\_range\_end\_address'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_address_range_address_range_start_address_address_range_end_address_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/address-range-start-address'
    - $ref: '#/parameters/address-range-end-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_address_range_address_range_start_address_address_range_end_address_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'

```

```

- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref:
  '#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list address-range created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

security:
- basicAuth: []

patch:

Tags:
- data
- patch

Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_address_range_address_range_start_address_address_range_end_address_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref:
  '#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address'

Responses:
  '204':
    Description: list address-range updated
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_address_range_address_range_start_address_address_range_end_address_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/address-range-start-address'
  - $ref: '#/parameters/address-range-end-address'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_address_range_address_range_start_address_address_range_end_address_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/address-range-start-address'
  - $ref: '#/parameters/address-range-end-address'

  Responses:
  '200':
    Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []
  ?
  /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address},(address-range-end-address)/start-address
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_address_range_address_range_start_address_address_range_end_address_start_address_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/address-range-start-address'
  - $ref: '#/parameters/address-range-end-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        %09#/definitions/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address},(address-range-end-address)/start-address'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head

```



**Summary:** ''  
**Description:** ''  
**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/start-address/

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
 Reference: '#/responses/200'

**security:**  
 - basicAuth: []

**put:**

**Tags:**  
 - data  
 - put

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/start-address/

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref:

#/parameters/cisco-cn-ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/start-address/

**Responses:**  
 '201':  
 Description: leaf start-address created or replaced  
 '204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/start-address/patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'

Responses:
  '204':
    Description: leaf start-address updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'
- **\$ref**: '#/parameters/address-pool-pool-name'
- **\$ref**: '#/parameters/address-range-start-address'
- **\$ref**: '#/parameters/address-range-end-address'

**Responses:**

'204':

**Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:****Tags:**

- data
- options

**Summary**: ''

**Description**: ''

**Operation ID**:

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/operations

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'
- **\$ref**: '#/parameters/address-pool-pool-name'
- **\$ref**: '#/parameters/address-range-start-address'
- **\$ref**: '#/parameters/address-range-end-address'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address},(address-range-end-address)/address

: get:

**Tags:**

- data
- get

**Summary**: ''

**Description**: ''

**Operation ID**:

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/end-address'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_address\_range\_address\_range\_start\_address\_address\_range\_end\_address\_end\_address\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_address\_range\_address\_range\_start\_address\_address\_range\_end\_address\_end\_address\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref:

#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_address\_range\_address\_range\_start\_address\_address\_range\_end\_address\_end\_address\_put

**Responses:**

'201':  
 Description: leaf end-address created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

`data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address}_{address-range-end-address}_path`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:**

`#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address}_{address-range-end-address}_end-address`

**Responses:**

- '204':
  - Description:** leaf end-address updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

`data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address}_{address-range-end-address}_delete`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address}-{address-range-end-address}/options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address}-{address-range-end-address}/offline

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address}-{address-range-end-address}/offline/get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

```

#/definitions/data-cisco-cn-ipam:ipam/instance-instance-id/address-pool-address-pool-pool-name-ipv4-address-range-address-range-start-address-address-range-end-address-offline'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data-cisco-cn-ipam:ipam/instance-instance-id/address-pool-address-pool-pool-name-ipv4-address-range-address-range-start-address-address-range-end-address-offline-head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/address-range-start-address'
    - $ref: '#/parameters/address-range-end-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data-cisco-cn-ipam:ipam/instance-instance-id/address-pool-address-pool-pool-name-ipv4-address-range-address-range-start-address-address-range-end-address-offline-put

```



**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:**

#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address-address-range-end-address\_offline'

**Responses:**

'201':

**Description:** leaf offline created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address-address-range-end-address\_offline\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:**

#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address-address-range-end-address\_offline'

**Responses:**

'204':

**Description:** leaf offline updated

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_name_ipv4_address_range_address_range_start_address_address_range_end_address_offline_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/address-range-start-address'
  - $ref: '#/parameters/address-range-end-address'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_name_ipv4_address_range_address_range_start_address_address_range_end_address_offline_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/address-range-start-address'
  - $ref: '#/parameters/address-range-end-address'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range={address-range-start-address},{address-range-end-address}/cisco:ipam
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data/cisco-cn-ipam:ipam:instance-instance-id:address-pool-pool-name:ipv4:address-range:address-range-start-address:address-range-end-address:cisco:ipam:default:gateway:
get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
#/data/cisco-cn-ipam:ipam:instance-instance-id:address-pool-pool-name:ipv4:address-range:address-range-start-address:address-range-end-address:cisco:ipam:default:gateway/
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

```

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/cisco-by-iana/default-gateway

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/cisco-by-iana/default-gateway

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:**

#/parameters/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/cisco-by-iana/default-gateway

**Responses:**

'201':

**Description:** leaf default-gateway created or replaced

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref: '#/parameters/address-range-end-address'
data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/patch

Responses:
  '204':
    Description: leaf default-gateway updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''

```

**Description:** ''

**Operation ID:**

`data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/cisco-by-ipam/default-gateway/delete`

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

`data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/address-range/address-range-start-address/address-range-end-address/cisco-by-ipam/default-gateway/put`

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix},{prefix-range-length}

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_range\_length\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_range\_length

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

```



```

- $ref:
  '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address_pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list prefix-range created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/prefix-range-prefix'
    - $ref: '#/parameters/prefix-range-length'
    - $ref:
      '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address_pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length'

Responses:
  '204':
    Description: list prefix-range updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
?
```

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix}, {prefix-range-length}/prefix**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_range\_length\_prefix\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_range\_length\_prefix

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_prefix\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_prefix\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:**

#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_prefix'

**Responses:**

'201':

**Description:** leaf prefix created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_prefix_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/prefix-range-prefix'
  - $ref: '#/parameters/prefix-range-length'
  - $ref:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_prefix

  Responses:
    '204':
      Description: leaf prefix updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_prefix_delete

  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

Summary: ''

Description: ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_prefix\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix},{prefix-range-length}/length

: get:

**Tags:**

- data
- get

Summary: ''

Description: ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_length\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'

- \$ref: '#/parameters/prefix-range-length'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance-instance-id\_address\_pool\_address\_pool-pool-name\_ipv4\_prefix-range\_prefix-range-prefix\_prefix-range-length\_length'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance-instance-id\_address\_pool\_address\_pool-pool-name\_ipv4\_prefix-range\_prefix-range-prefix\_prefix-range-length\_length\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_length_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/prefix-range-prefix'
  - $ref: '#/parameters/prefix-range-length'
  - $ref:
'#/parameters/data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_length'

  Responses:
  '201':
    Description: leaf length created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_length_patch

  produces:
  - application/yang-data+json

```



**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref:

'#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_range\_length\_length'

**Responses:**

- '204':
  - Description:** leaf length updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_range\_length\_length\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_length\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix},{prefix-range-length}/offline

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_offline'

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_offline_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/prefix-range-prefix'
  - $ref: '#/parameters/prefix-range-length'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_prefix_range_length_offline_put

  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref:

'#/parameters/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}/offline'

#### Responses:

- '201':
  - Description:** leaf offline created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

#### security:

- basicAuth: []

#### patch:

#### Tags:

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}/offline/patch

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref:

'#/parameters/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}/offline'

#### Responses:

- '204':
  - Description:** leaf offline updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_offline\_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

```

```

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_prefix\_range\_length\_offline\_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

```

```

Responses:
'200':
  Reference: '#/responses/200'
security:

```



**Description:** ''

**Operation ID:**

`data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}/cisco-cn-ipam/default-gateway/leaf`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

`data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}/cisco-cn-ipam/default-gateway/put`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

`%(prefix-range-prefix)/prefix-range-length={prefix-range-length}/cisco-cn-ipam/default-gateway/put`

**Responses:**

'201':

**Description:** leaf default-gateway created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_range_length_cisco_cn_ipam_default_gateway_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/prefix-range-prefix'
    - $ref: '#/parameters/prefix-range-length'
    - $ref:
#parameters/data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_range_length_cisco_cn_ipam_default_gateway

  Responses:
    '204':
      Description: leaf default-gateway updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_prefix_range_prefix_range_prefix_range_length_cisco_cn_ipam_default_gateway_delete

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_prefix\_range\_prefix\_range\_prefix\_range\_length\_cisco\_cn\_ipam\_default\_gateway\_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/split-size

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_get

```

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address\_pool\_address-pool-pool-name\_ipv4\_split-size'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
      Method: Post

      Tags:
        - data
        - post
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_post

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'
        - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size-post'

      Responses:
        '201':
          Description: container split-size created
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_put

      produces:
        - application/yang-data+json

      Parameters:

```

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
  '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_split-size'

```

**Responses:**

```

'201':
  Description: container split-size created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
  '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_split-size'

```

**Responses:**

```

'204':
  Description: container split-size updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/split-size/per-cache

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_per\_cache\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_split-size\_per-cache'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_per\_cache\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_per\_cache\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref:

'#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_per\_cache'

**Responses:**

'201':  
 Description: leaf per-cache created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_per_cache_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size_per-cache'

Responses:
'204':
  Description: leaf per-cache updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_per_cache_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```



**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_per\_cache\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/split-size/per-dp

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_per\_dp\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv4\_split-size\_per-dp'

'204':

**Reference:** '#/responses/204'

**'400':**

**Reference:** '#/responses/400'

**'401':**

**Reference:** '#/responses/401'

**'404':**

**Reference:** '#/responses/404'

**'405':**

**Reference:** '#/responses/405'

**'409':**

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_per\_dp\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

**'200':**

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_per\_dp\_put

**produces:**

- application/yang-data+json

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_split-size_per-dp'

```

**Responses:**

```

'201':
  Description: leaf per-dp created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

**Summary:** ''

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_instance_instance_instance-id_address_pool_address_pool_pool-name_ipv4_split_size_per_dp_patch
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_split-size_per-dp'

```

**Responses:**

```

'204':
  Description: leaf per-dp updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_per_dp_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_per_dp_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-instance-id'
        - $ref: '#/parameters/address-pool-pool-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-p**

**get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_no\_split\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_split-size\_no-split'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_no\_split\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_no\_split\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_split-size\_no-split'

**Responses:**

- '201':
  - Description: leaf no-split created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_no_split_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco_cn_ipam_ipam_instance_instance-instance-id_address_pool_address_pool-pool-name_ipv4_split-size_no-split'

Responses:
'204':
  Description: leaf no-split updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_split_size_no_split_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/threshold

**Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_split\_size\_no\_split\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/threshold

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_threshold'

**'204':**



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_threshold_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_threshold_post

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_threshold-post'

```

**Responses:**

```

'201':
  Description: container threshold created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_instance_instance_instance-id_address_pool_address_pool_pool-name_ipv4_threshold_put
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_threshold'

```

**Responses:**

```

'201':
  Description: container threshold created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_threshold_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_threshold'

  Responses:
    '204':
      Description: container threshold updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_threshold_delete

  produces:
    - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

- '204':
  - Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_threshold\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv4/threshold/upper-threshold

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_threshold\_upper\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Description: OK
      Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_threshold_upper-threshold'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv4_threshold_upper_threshold_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_threshold\_upper\_threshold\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_threshold\_upper-threshold'

**Responses:**

'201':

**Description:** leaf upper-threshold created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv4\_threshold\_upper\_threshold\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_threshold\_upper-threshold'

**Responses:**

'204':

**Description:** leaf upper-threshold updated

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_threshold_upper_threshold_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv4_threshold_upper_threshold_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-name}/ipv6

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**



data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'
- **\$ref**: '#/parameters/address-pool-pool-name'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

**Method**: Post

**Tags:**

- data
- post

**Summary**: ''

**Description**: ''

**Operation ID**:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'
- **\$ref**: '#/parameters/address-pool-pool-name'
- **\$ref**:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6-post'

**Responses:**

'201':

**Description**: container ipv6 created

'204':

**Reference**: '#/responses/204'

'400':

**Reference**: '#/responses/400'

'401':

**Reference**: '#/responses/401'

'404':

**Reference**: '#/responses/404'

'405':

**Reference**: '#/responses/405'

'409':

**Reference**: '#/responses/409'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-instance-id'
      - $ref: '#/parameters/address-pool-pool-name'
      - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6'

    Responses:
      '201':
        Description: container ipv6 created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-instance-id'
      - $ref: '#/parameters/address-pool-pool-name'

```

```

- $ref:
  '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6'

Responses:
  '204':
    Description: container ipv6 updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_options

  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data  
 - head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post

**Tags:**

- data  
 - post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges-post'

**Responses:**

'201':

**Description:** container address-ranges created

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges'

Responses:
  '201':
    Description: container address-ranges created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges'

**Responses:**

'204':

**Description:** container address-ranges updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:**

**Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges

- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range

: options:

**Tags:**

- data

- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_address\_range\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range({address-range-start-address},{address-range-end-address})

: get:

**Tags:**

- data

- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_address\_range\_address\_range\_start\_address\_address\_range\_end\_address\_get

**produces:**



- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/cisco-cn-ipam:instance-instance-id/address-pool-pool-name/ipv6/address-ranges/address-range-start-address-address-range-end-address

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data-cisco-cn-ipam:ipam/instance-instance-id/address-pool-pool-name/ipv6/address-ranges/address-range-start-address-address-range-end-address/head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_address\_range\_address\_range\_start\_address\_address\_range\_end\_address\_pt

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref:

#/parameters/data\_cisco\_cn\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_address\_range\_address\_range\_start\_address\_address\_range\_end\_address

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

**Responses:**

'201':  
 Description: list address-range created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref:
%/schemas/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address'

Responses:
'204':
  Description: list address-range updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'

Responses:
'204':
  Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_address_range_address_range_start_address_address_range_end_address_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/address-range-start-address'
  - $ref: '#/parameters/address-range-end-address'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address},{address-range-end-address}/start-address
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_address_range_address_range_start_address_address_range_end_address_start_address_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/address-range-start-address'
  - $ref: '#/parameters/address-range-end-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK

```

**Schema:****Reference:**

```

%definition /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/stat-address

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```

data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/stat-address/head

```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':
  Reference: '#/responses/200'

```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

`data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}-address-range={address-range-end-address}/address-range={address-range-end-address}`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:**

`#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}-address-range={address-range-end-address}/address-range={address-range-end-address}`

**Responses:**

- '201':
  - Description:** leaf start-address created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

`data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}-address-range={address-range-end-address}/address-range={address-range-end-address}/patch`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:**

`#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}-address-range={address-range-end-address}/address-range={address-range-end-address}/patch`

**Responses:**

```

    '204':
      Description: leaf start-address updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range-start-address/delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/address-range-start-address'
  - $ref: '#/parameters/address-range-end-address'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range-end-address/delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'

```

- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

**get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_instance\_instance\_id\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_address\_range\_start\_address\_address\_range\_end\_address\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

#/responses/data\_cisco\_cn\_ipam\_instance\_instance\_id\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_address\_range\_start\_address\_address\_range\_end\_address\_get

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**



```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'201':
  Description: leaf end-address created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
  data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range-start-address/address-range-end-address/patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/address-range-start-address'
    - $ref: '#/parameters/address-range-end-address'
    - $ref: '#/parameters/address-range-end-address'

  Responses:
    '204':
      Description: leaf end-address updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:

```

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

[data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address},\(address-range-end-address\)/delete](#)

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

[data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address},\(address-range-end-address\)/options](#)

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

[/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address},\(address-range-end-address\)/fire](#)

**: get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}\_{address-range-end-address}/fire-get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'
- **\$ref:** '#/parameters/address-range-end-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}\_{address-range-end-address}/fire-get

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}\_{address-range-end-address}/fire-get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/address-range-start-address'

- \$ref: '#/parameters/address-range-end-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary: ''****Description: ''****Operation ID:**

data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}\_address-range={address-range-end-address}\_offline

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/address-range-start-address'
- \$ref: '#/parameters/address-range-end-address'
- \$ref: '#/parameters/with-defaults'

data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range={address-range-start-address}\_address-range={address-range-end-address}\_offline

**Responses:**

'201':  
 Description: leaf offline created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/leaf/patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'
- $ref:
#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/leaf/patch

Responses:
  '204':
    Description: leaf offline updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/address-range/address-range-start-address/address-range-end-address/leaf/delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/address-range-start-address'
- $ref: '#/parameters/address-range-end-address'

Responses:
  '204':

```

```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_address_range_address_range_start_address_address_range_end_address_offset_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/address-range-start-address'
    - $ref: '#/parameters/address-range-end-address'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range
: options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix},{prefix-range-length}
: get:

```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range/prefix-range/prefix-range/prefix-range-length/get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range/prefix-range/prefix-range/prefix-range-length

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range/prefix-range/prefix-range/prefix-range-length/head

**produces:**



- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

put:

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_length\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref:

#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_length'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

**Responses:**

'201':

Description: list prefix-range created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_length_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'
- $ref:

#/parameters/data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_length

Responses:
  '204':
    Description: list prefix-range updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_length_delete

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_length\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/{prefix-range-prefix},{prefix-range-length}/prefix

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_length\_prefix\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

[#/definitions/data-cisco-cn-ipam:ipam/instance-instance-id/address-pool-address-pool-pool-name-ipv6/address-ranges-prefix-range-prefix-range-prefix-range-length-prefix-head](#)

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

[data-cisco-cn-ipam:ipam/instance-instance-id/address-pool-address-pool-pool-name-ipv6/address-ranges-prefix-range-prefix-range-prefix-range-length-prefix-head](#)

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range/prefix-range/prefix-range-length/prefix-put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-instance-id'
      - $ref: '#/parameters/address-pool-pool-name'
      - $ref: '#/parameters/prefix-range-prefix'
      - $ref: '#/parameters/prefix-range-length'
      - $ref:

%/parameters/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range/prefix-range/prefix-range-length/prefix-put

    Responses:
      '201':
        Description: leaf prefix created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range/prefix-range/prefix-range-length/prefix-patch

    produces:
      - application/yang-data+json

    Parameters:

```

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref:

'#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}'

#### Responses:

- '204':
  - Description: leaf prefix updated
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

#### security:

- basicAuth: []

#### delete:

#### Tags:

- data
- delete

Summary: ''

Description: ''

#### Operation ID:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_length\_prefix\_delete

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'

#### Responses:

- '204':
  - Reference: '#/responses/204'

#### security:

- basicAuth: []

#### options:

#### Tags:

- data
- options

Summary: ''

Description: ''

**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}, {prefix-range-length}/length

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}, {prefix-range-length}/length  
: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}, {prefix-range-length}/length

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}, {prefix-range-length}/length

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_prefix_range_length_length_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/prefix-range-prefix'
    - $ref: '#/parameters/prefix-range-length'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_prefix_range_length_length_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'

```



- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref:

#/parameters/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={length-length}

#### Responses:

- '201':
  - Description: leaf length created or replaced
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

#### security:

- basicAuth: []

#### patch:

#### Tags:

- data
- patch

#### Summary: ''

#### Description: ''

#### Operation ID:

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={length-length}patch

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref:

#/parameters/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={length-length}

#### Responses:

- '204':
  - Description: leaf length updated
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_prefix_range_length_length_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_prefix_range_length_length_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

```

?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/{prefix-range-prefix},{prefix-range-length}/offline
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/{prefix-range-prefix},{prefix-range-length}/offline.get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/prefix-range-prefix'
  - $ref: '#/parameters/prefix-range-length'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
#/definitions/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/{prefix-range-prefix},{prefix-range-length}/offline

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''

```

**Operation ID:**

`data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}/offline={leaf-offline}`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

`data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}/offline={leaf-offline}`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:**

`#/parameters/{data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={prefix-range-length}/offline={leaf-offline}}`

**Responses:**

'201':

**Description:** leaf offline created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_length_offline_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'
#/parameters/data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_length_offline_patch

Responses:
'204':
  Description: leaf offline updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_prefix_range_prefix_range_prefix_range_length_offline_delete

```

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:** '#/parameters/prefix-range-prefix'  
- **\$ref:** '#/parameters/prefix-range-length'

**Responses:**  
**'204':**  
  **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_length\_options

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:** '#/parameters/prefix-range-prefix'  
- **\$ref:** '#/parameters/prefix-range-length'

**Responses:**  
**'200':**  
  **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/split-size

: **get:**

**Tags:**  
- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'

- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance-id\_address\_pool\_address\_pool\_pool-name\_ipv6\_address\_ranges\_split\_size\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post

**Tags:**

- data  
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size-post'

**Responses:**

'201':

**Description:** container split-size created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:**



'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size'

**Responses:**

'201':  
**Description:** container split-size created or replaced  
 '204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance-id\_address\_pool\_address\_pool\_pool-name\_ipv6\_address\_ranges\_split\_size\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size'

**Responses:**

'204':  
**Description:** container split-size updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_split_size_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_split_size_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/split-size/per-cache
: get:

    Tags:
    - data
    - get
    Summary: ''
    Description: ''
    Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_cache\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance-instance-id\_address\_pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size\_per-cache'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_cache\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_cache\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref:

#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_cache'

**Responses:**

'201':  
 Description: leaf per-cache created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_cache\_patch

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size\_per-cache'

**Responses:**  
'204':  
  **Description:** leaf per-cache updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**delete:**

**Tags:**  
- data  
- delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size\_per-cache\_delete

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**  
'204':  
  **Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_cache\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/split-size/per-dp**

**: get:**

**Tags:**

- data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_dp\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size\_per-dp'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_split_size_per_dp_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_split_size_per_dp_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref:
'#/parameters/data_cisco_cn_ipam_ipam_instance_instance-instance-id_address_pool_address-pool-pool-name_ipv6_address-ranges_split-size_per-dp'

  Responses:
  '201':
    Description: leaf per-dp created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_split_size_per_dp_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_per-dp'

  Responses:
    '204':
      Description: leaf per-dp updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete

```



**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_dp\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_per\_dp\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/split-size/no-split

: **get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_no\_split\_get

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address\_pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size\_no-split'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance-id\_address\_pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size\_no-split\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_split_size_no_split_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_no-split'

  Responses:
    '201':
      Description: leaf no-split created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_split_size_no_split_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'

```

## - \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_split-size\_no-split'

**Responses:**

'204':  
**Description:** leaf no-split updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_no\_split\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'  
 - \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_split\_size\_no\_split\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/threshold

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_threshold'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**Method:** Post**Tags:**

- data
- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_threshold-post'

**Responses:**

'201':

**Description:** container threshold created

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_threshold_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold'

  Responses:
    '201':
      Description: container threshold created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_threshold_patch

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges\_threshold'

**Responses:**

- '204':
  - Description:** container threshold updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''



**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/address-ranges/threshold/upper-threshold

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_upper\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_upper\_threshold'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_threshold_upper_threshold_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_threshold_upper_threshold_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref:
'/parameters/data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_address_ranges_threshold_upper_threshold'

  Responses:
    '201':

```

```

    Description: leaf upper-threshold created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold_upper-threshold_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold_upper-threshold'

  Responses:
  '204':
    Description: leaf upper-threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data

```

- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_upper\_threshold\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_address\_ranges\_threshold\_upper\_threshold\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges

**get:**

**Tags:**

- data

- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Method:** Post**Tags:**

- data

- post

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_post

**produces:**

- application/yang-data+json

**Parameters:****- \$ref:** '#/parameters/instance-instance-id'**- \$ref:** '#/parameters/address-pool-pool-name'**- \$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges-post'

**Responses:****'201':****Description:** container prefix-ranges created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**put:****Tags:**

- data

- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges'

**Responses:**

'201':

**Description:** container prefix-ranges created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges'

**Responses:**

'204':

**Description:** container prefix-ranges updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range
: options:

Tags:
- data

```



```

- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range={prefix-range-prefix},{prefix-range-length}
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_prefix_range_prefix_prefix_range_length_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    %/definitions/data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_prefix_range_prefix_prefix_range_length
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_prefix_range_prefix_prefix_range_length_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref: '#/parameters/prefix-range-prefix'
    - $ref: '#/parameters/prefix-range-length'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_prefix_range_prefix_prefix_range_length_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'

```

```

- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'
- $ref:
'/parameters/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range-prefix/prefix-range-length'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list prefix-range created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range-prefix/prefix-range-length/patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/prefix-range-prefix'
  - $ref: '#/parameters/prefix-range-length'
  - $ref:
'/parameters/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range-prefix/prefix-range-length'

  Responses:
  '204':
    Description: list prefix-range updated
  '400':
    Reference: '#/responses/400'
  '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_prefix_range_prefix_prefix_range_length_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_prefix_range_prefix_prefix_range_length_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'

Responses:
'200':
    Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []
  ?
/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range={prefix-range-prefix},{prefix-range-length}/prefix-range-length
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_prefix_range_prefix_range_length_prefix_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/prefix-range-prefix'
  - $ref: '#/parameters/prefix-range-length'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          #/definitions/data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_prefix_range_prefix_range_prefix_range_length_prefix_range_length

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head

```

**Summary:** ''

**Description:** ''

**Operation ID:**

`data cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range/prefix-range/prefix-range-length/prefix`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

`data cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range/prefix-range/prefix-range-length/prefix/put`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:**

`#/parameters/data cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range/prefix-range/prefix-range-length/prefix'`

**Responses:**

'201':

**Description:** leaf prefix created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':



data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_prefix\_range\_length\_prefix\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_prefix\_range\_length\_prefix\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges(prefix-range={prefix-range-prefix},{prefix-range-length}/length

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_length\_length\_get

**produces:**

- application/yang-data+json



**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data-cisco-cn-ipam:ipam/instance-instance-id/address-pool-address-pool-pool-name/ipv6/prefix-ranges/prefix-range-prefix/prefix-range-length

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data-cisco-cn-ipam:ipam/instance-instance-id/address-pool-address-pool-pool-name/ipv6/prefix-ranges/prefix-range-prefix/prefix-range-length-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_prefix\_range\_length\_length\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/prefix-range-prefix'
- \$ref: '#/parameters/prefix-range-length'
- \$ref:

#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_prefix\_range\_length\_length

**Responses:**

'201':  
**Description:** leaf length created or replaced

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''

**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range={prefix-range-prefix}/length-length/patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'
- **\$ref**: '#/parameters/address-pool-pool-name'
- **\$ref**: '#/parameters/prefix-range-prefix'
- **\$ref**: '#/parameters/prefix-range-length'
- **\$ref**:

#/parameters/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range={prefix-range-prefix}/length-length/patch

**Responses:**

- '204':
  - Description**: leaf length updated
- '400':
  - Reference**: '#/responses/400'
- '401':
  - Reference**: '#/responses/401'
- '404':
  - Reference**: '#/responses/404'
- '405':
  - Reference**: '#/responses/405'
- '409':
  - Reference**: '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range={prefix-range-prefix}/length-length/delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'
- **\$ref**: '#/parameters/address-pool-pool-name'
- **\$ref**: '#/parameters/prefix-range-prefix'
- **\$ref**: '#/parameters/prefix-range-length'

**Responses:**

- '204':
  - Reference**: '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_prefix\_range\_length\_length\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges(prefix-range={prefix-range-prefix},(prefix-range-length)/filter

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_prefix\_range\_prefix\_range\_prefix\_range\_prefix\_range\_length\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

```

%/definitions/data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={length}

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**head:**

**Tags:**

```
- data
- head
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={length}

```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/prefix-range-prefix'
- $ref: '#/parameters/prefix-range-length'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':
  Reference: '#/responses/200'

```

**security:**

```
- basicAuth: []
```

**put:**

**Tags:**

```
- data
- put
```

**Summary:** ''

**Description:** ''

**Operation ID:**

```

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range={prefix-range-prefix}/prefix-range-length={length}

```

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:**

#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range/prefix-range-length\_offline'

**Responses:**

- '201':
  - Description:** leaf offline created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data-cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range/prefix-range-length\_offline\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/prefix-range-prefix'
- **\$ref:** '#/parameters/prefix-range-length'
- **\$ref:**

#/parameters/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/prefix-range/prefix-range-length\_offline'

**Responses:**

- '204':
  - Description:** leaf offline updated

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_range_prefix_range_prefix_range_prefix_range_length_offset_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/prefix-range-prefix'
  - $ref: '#/parameters/prefix-range-length'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_range_prefix_range_prefix_range_prefix_range_length_offset_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref: '#/parameters/prefix-range-prefix'
  - $ref: '#/parameters/prefix-range-length'

```

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

?

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/split-size****: get:****Tags:**

- data

- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/instance-instance-id'- **\$ref:** '#/parameters/address-pool-pool-name'- **\$ref:** '#/parameters/content'- **\$ref:** '#/parameters/depth'- **\$ref:** '#/parameters/fields'- **\$ref:** '#/parameters/filter'- **\$ref:** '#/parameters/with-defaults'**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_split-size'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:****Tags:**

- data



```

- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_post'

Responses:
  '201':
    Description: container split-size created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size'

Responses:
  '201':
    Description: container split-size created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_patch

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_split-size'

**Responses:**

'204':

**Description:** container split-size updated

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**delete:****Tags:**

- data
- delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/split-size/per-cache**  
**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_cache\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_split-size\_per-cache'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

```

security:
  - basicAuth: []

```

```

head:

```

```

Tags:

```

```

- data
- head

```

```

Summary: ''

```

```

Description: ''

```

```

Operation ID:

```

```

data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_per_cache_head

```

```

produces:

```

```

- application/yang-data+json

```

```

Parameters:

```

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:

```

```

'200':

```

```

  Reference: '#/responses/200'

```

```

security:

```

```

  - basicAuth: []

```

```

put:

```

```

Tags:

```

```

- data
- put

```

```

Summary: ''

```

```

Description: ''

```

```

Operation ID:

```

```

data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_per_cache_put

```

```

produces:

```

```

- application/yang-data+json

```

```

Parameters:

```

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:

```

```

'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_per-cache'

```

```

Responses:

```

```

'201':

```

```

  Description: leaf per-cache created or replaced

```

```

'204':

```

```

  Reference: '#/responses/204'

```

```

'400':

```

**Reference:** '#/responses/400'  
**'401':**  
**Reference:** '#/responses/401'  
**'404':**  
**Reference:** '#/responses/404'  
**'405':**  
**Reference:** '#/responses/405'  
**'409':**  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_cache\_patch

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:**

'#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_cache'

**Responses:**  
**'204':**  
**Description:** leaf per-cache updated  
**'400':**  
**Reference:** '#/responses/400'  
**'401':**  
**Reference:** '#/responses/401'  
**'404':**  
**Reference:** '#/responses/404'  
**'405':**  
**Reference:** '#/responses/405'  
**'409':**  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**delete:**

**Tags:**  
 - data  
 - delete  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_cache\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'204':

**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_cache\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/split-size/per-dp

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_dp\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_split-size\_per-op'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_op\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**



**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_dp\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_split-size\_per-dp'

**Responses:**

'201':

**Description:** leaf per-dp created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_dp\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_split-size\_per-dp'

**Responses:**

- '204':
  - Description:** leaf per-dp updated
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data
- delete

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_dp\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

- '204':
  - Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_per\_dp\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/split-size/no-split

: **get:****Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_no\_split\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_split-size\_no-split'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:****Tags:**

- data

```

- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_no_split_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_no_split_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_no-split'

Responses:
  '201':
    Description: leaf no-split created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_no_split_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_no-split'

Responses:
'204':
  Description: leaf no-split updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_split_size_no_split_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'204':

Reference: '#/responses/204'

**security:**

- basicAuth: []

**options:**

**Tags:**

- data  
- options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_split\_size\_no\_split\_options

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'  
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/threshold

: get:

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'  
- \$ref: '#/parameters/address-pool-pool-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_threshold'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**Method:** Post

**Tags:**

- data  
- post

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_post

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_threshold-post'

**Responses:**

- '201':
  - Description:** container threshold created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_threshold'

**Responses:**

- '201':
  - Description:** container threshold created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_threshold_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold'

Responses:
  '204':
    Description: container threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'  
 - **\$ref**: '#/parameters/address-pool-pool-name'

**Responses:**

'204':

**Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:****Tags:**

- data  
 - options

**Summary**: ''

**Description**: ''

**Operation ID**:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'  
 - **\$ref**: '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/threshold/upper-threshold  
 : get:

**Tags:**

- data  
 - get

**Summary**: ''

**Description**: ''

**Operation ID**:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_upper\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'  
 - **\$ref**: '#/parameters/address-pool-pool-name'  
 - **\$ref**: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address\_pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_threshold\_upper-threshold'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance-id\_address\_pool\_address\_pool\_pool-name\_ipv6\_prefix\_ranges\_threshold\_upper\_threshold\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_upper\_threshold\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:**

'#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_threshold\_upper-threshold'

**Responses:**

'201':

**Description:** leaf upper-threshold created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_threshold\_upper\_threshold\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:**

'#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges\_threshold\_upper-threshold'

**Responses:**

'204':  
**Description:** leaf upper-threshold updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

`data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_threshold_upper_threshold_delete`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

`data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_threshold_upper_threshold_options`

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/ipv6/prefix-ranges/cisco-bng-ipam:prefix-length

: **get:****Tags:**

- data

- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_cisco\_bng\_ipam\_prefix\_length\_get

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/instance-instance-id'- **\$ref:** '#/parameters/address-pool-pool-name'- **\$ref:** '#/parameters/content'- **\$ref:** '#/parameters/depth'- **\$ref:** '#/parameters/fields'- **\$ref:** '#/parameters/filter'- **\$ref:** '#/parameters/with-defaults'**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_cisco\_bng\_ipam\_prefix\_length'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:****Tags:**

- data

- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_cisco\_bng\_ipam\_prefix\_length\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_cisco\_bng\_ipam\_prefix\_length\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_cisco\_bng\_ipam\_prefix\_length'

**Responses:**

'201':

**Description:** leaf prefix-length created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_cisco_bng_ipam_prefix_length_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_cisco-bng-ipam-prefix-length'

Responses:
'204':
    Description: leaf prefix-length updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_ipv6_prefix_ranges_cisco_bng_ipam_prefix_length_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

```



- **\$ref**: '#/parameters/address-pool-pool-name'

**Responses:**

'204':

**Reference**: '#/responses/204'

**security:**

- **basicAuth**: []

**options:**

**Tags:**

- data  
- options

**Summary**: ''

**Description**: ''

**Operation ID**:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_ipv6\_prefix\_ranges\_cisco\_bng\_ipam\_prefix\_length\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'  
- **\$ref**: '#/parameters/address-pool-pool-name'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/cisco-bng-ipam:static

**get:**

**Tags:**

- data  
- get

**Summary**: ''

**Description**: ''

**Operation ID**:

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/instance-instance-id'  
- **\$ref**: '#/parameters/address-pool-pool-name'  
- **\$ref**: '#/parameters/content'  
- **\$ref**: '#/parameters/depth'  
- **\$ref**: '#/parameters/fields'  
- **\$ref**: '#/parameters/filter'  
- **\$ref**: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_cisco-bng-ipam\_static'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**head:****Tags:**- data  
- head**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_head

**produces:**

- application/yang-data+json

**Parameters:**- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Method:** Post**Tags:**- data  
- post

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_post

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_cisco-bng-ipam\_static-post'

**Responses:**  
 '201':  
   **Description:** container static created  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_put

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'  
 - **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_cisco-bng-ipam\_static'

**Responses:**  
 '201':  
   **Description:** container static created or replaced

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_cisco_bng_ipam_static_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/address-pool-pool-name'
    - $ref:
'/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-bng-ipam_static'

  Responses:
    '204':
      Description: container static updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete

```

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_delete

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**  
 '204':  
   **Reference:** '#/responses/204'

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_options

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

?

~~/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/cisco-bng-ipam:static/cisco-bng-ipam:enable~~

**get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_enable\_get

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

```
#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_address_pool_address-pool-pool-name_cisco-bng-ipam_static_cisco-bng-ipam_enable'
```

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

```
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_cisco_bng_ipam_static_cisco_bng_ipam_enable_head
```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_enable\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'  
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_cisco-bng-ipam\_static\_cisco-bng-ipam\_enable'

**Responses:**

'201':

**Description:** leaf enable created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_enable\_patch

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/address-pool-pool-name'

## - \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_cisco-bng-ipam\_static\_cisco-bng-ipam\_enable'

**Responses:**

'204':  
**Description:** leaf enable updated  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**delete:****Tags:**

- data  
 - delete

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_enable\_delete

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/address-pool-pool-name'

**Responses:**

'204':  
**Reference:** '#/responses/204'

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_enable\_options

**produces:**

- application/yang-data+json

**Parameters:**



- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

~~/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/address-pool={address-pool-pool-name}/cisco-bng-ipam:static/cisco-bng-ipam:static~~

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_user\_plane\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/address-pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_user\_plane'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_user\_plane\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_address\_pool\_address\_pool\_pool\_name\_cisco\_bng\_ipam\_static\_cisco\_bng\_ipam\_user\_plane\_put

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/address-pool-pool-name'
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_cisco-bng-ipam\_static\_cisco-bng-ipam\_user-plane'

**Responses:**

'201':

**Description:** leaf user-plane created or replaced

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_cisco_bng_ipam_static_cisco_bng_ipam_user_plane_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/address-pool-pool-name'
  - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_cisco-bng-ipam_static_cisco-bng-ipam_user-plane'

  Responses:
    '204':
      Description: leaf user-plane updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_id_address_pool_address_pool_pool_name_cisco_bng_ipam_static_cisco_bng_ipam_user_plane_delete

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_address_pool_address_pool_pool_name_cisco_kmg_ipam_static_cisco_kmg_ipam_user_plane_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/address-pool-pool-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/threshold

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_id_threshold_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_id_threshold_post
  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref:

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_threshold-post'

**Responses:**

- '201':
  - Description:** container threshold created
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_id\_threshold\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_threshold'

**Responses:**

- '201':
  - Description:** container threshold created or replaced
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':

```
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold'

Responses:
  '204':
    Description: container threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
```

**options:****Tags:**

- data
- options

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_threshold\_options**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cisco-cn-ipam:ipam/instance={instance-instance-id}/threshold/ipv4-addr****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_threshold\_ipv4\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_threshold\_ipv4-addr'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv4_addr_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv4_addr_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance_instance_id_threshold_ipv4-addr'

  Responses:
    '201':

```

```

    Description: leaf ipv4-addr created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv4_addr_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
  '#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv4-addr'

  Responses:
  '204':
    Description: leaf ipv4-addr updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

**Operation ID:**  
data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_threshold\_ipv4\_addr\_delete  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**  
**'204':**  
**Reference:** '#/responses/204'

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Summary:** ''  
**Description:** ''

**Operation ID:**  
data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_threshold\_ipv4\_addr\_options  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**  
**'200':**  
**Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/threshold/ipv6-addr

**get:**

**Tags:**  
- data  
- get

**Summary:** ''  
**Description:** ''

**Operation ID:**  
data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_threshold\_ipv6\_addr\_get  
**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_threshold\_ipv6-addr'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance-id\_threshold\_ipv6-addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Summary:** ''

```

Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_addr_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv6-addr'

Responses:
'201':
  Description: leaf ipv6-addr created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_addr_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv6-addr'

Responses:
'204':
  Description: leaf ipv6-addr updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_addr_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_addr_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/threshold/ipv6-prefix

get:

```

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_prefix_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv6-prefix'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_prefix_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_prefix_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance_instance_id_threshold_ipv6-prefix'

Responses:
  '201':
    Description: leaf ipv6-prefix created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_prefix_patch
produces:
- application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-id_threshold_ipv6-prefix'

Responses:
'204':
  Description: leaf ipv6-prefix updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_prefix_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_threshold_ipv6_prefix_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/min-dp-addr-size

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_min\_dp\_addr\_size\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/instance-instance-id'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
 '#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_min-dp-addr-size'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data

```

- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size-post'

Responses:
  '201':
    Description: container min-dp-addr-size created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size'

Responses:
'201':
  Description: container min-dp-addr-size created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size'

Responses:
'204':
  Description: container min-dp-addr-size updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/min-dp-addr-size/ipv4-addr

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_min\_dp\_addr\_size\_ipv4\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_min-dp-addr-size\_ipv4-addr'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_min\_dp\_addr\_size\_ipv4\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**  
 - basicAuth: []

**put:**

**Tags:**

- data
- put

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_min\_dp\_addr\_size\_ipv4\_addr\_put

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_min-dp-addr-size\_ipv4-addr'

**Responses:**

'201':  
 Description: leaf ipv4-addr created or replaced

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**  
 - basicAuth: []

**patch:**

**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv4_addr_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv4-addr'

Responses:
  '204':
    Description: leaf ipv4-addr updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv4_addr_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```



**Description:** ''

**Operation ID:**  
data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_min\_dp\_addr\_size\_ipv4\_addr\_options

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/min-dp-addr-size/ipv6-

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**  
data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_min\_dp\_addr\_size\_ipv6\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**  
#/definitions/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_min-dp-addr-size\_ipv6-addr'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_addr_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_addr_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-addr'

  Responses:
  '201':
    Description: leaf ipv6-addr created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_addr_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref:
'#/parameters/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-addr'

  Responses:
    '204':
      Description: leaf ipv6-addr updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_addr_delete
  produces:
    - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_addr_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/instance={instance-instance-id}/min-dp-addr-size/ipv6-prefix

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_prefix_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-prefix'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_prefix_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_prefix_put

```

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_min-dp-addr-size\_ipv6-prefix'

**Responses:**  
'201':  
  **Description:** leaf ipv6-prefix created or replaced  
'204':  
  **Reference:** '#/responses/204'  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':  
  **Reference:** '#/responses/405'  
'409':  
  **Reference:** '#/responses/409'

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_instance\_instance\_instance\_id\_min\_dp\_addr\_size\_ipv6\_prefix\_patch

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/instance-instance-id'  
- **\$ref:**

'#/parameters/data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_min-dp-addr-size\_ipv6-prefix'

**Responses:**  
'204':  
  **Description:** leaf ipv6-prefix updated  
'400':  
  **Reference:** '#/responses/400'  
'401':  
  **Reference:** '#/responses/401'  
'404':  
  **Reference:** '#/responses/404'  
'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_prefix_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_instance_instance_instance_id_min_dp_addr_size_ipv6_prefix_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool

get:

```

  Tags:
  - data
  - get

```

**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_pool'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_head  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'



```

security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_head
produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/pool-name

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_pool\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference: '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_pool-name'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_pool_name_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pool-pool-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/gr-inst-id

```

  get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_gr_inst_id_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pool-pool-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_gr-inst-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_gr_inst_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-total

```

get:

  Tags:
    - data
    - get
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_total\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-total'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_total\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-used

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_used_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-used'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''

```

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_used\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-threshold

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_threshold\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-threshold'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_threshold_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr-total

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_total_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'

```



```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr-total'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_total_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr-used

get:

Tags:

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_used_get
produces:
- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':
  Description: OK
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr-used'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Summary:** ''**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_used\_head

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr-threshold

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_threshold\_get  
**produces:**  
 - application/yang-data+json  
**Parameters:**  
 - **\$ref:** '#/parameters/pool-pool-name'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr-threshold'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []  
**head:**  
**Tags:**  
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_threshold_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-pfx-total

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_pfx_total_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-pfx-total'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_pfx_total_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-pfx-used

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_pfx_used_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-pfx-used'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_pfx\_used\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-pfx-threshold

**get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_pfx\_threshold\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-pfx-threshold'

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_pfx\_threshold\_head  
**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-rsvd-addr

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_rsvd\_addr\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-rsvd-addr'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**



**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_rsvd\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/app-name-bng

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_app\_name\_bng\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_app-name-bng'

'204':

**Reference:** '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_app_name_bng_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/static

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_static_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'

```

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_static'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth**: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_static\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/pool-pool-name'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth**: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/offline

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_offline'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'

/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pool-pool-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

```

  get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pool-pool-name'
      - $ref: '#/parameters/ipv4-addr-start-addr'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK

```

```

    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
      data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pool-pool-name'
      - $ref: '#/parameters/ipv4-addr-start-addr'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

get:

```

    Tags:
      - data
      - get
    Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_start\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_start-addr'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_start\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'



- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_pool\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_pool'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_pool_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/i

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_index_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':

```

```

Description: OK
Schema:
Reference:
'#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_index'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_index_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

**get:**

```

Tags:
- data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_end_addr_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_end-addr'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_end_addr_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_alloc\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_alloc-id'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_alloc_id_head
produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/route

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_route_get
produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_route'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_route_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

**/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}**

**get:**

```
/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/static
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_static_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_static'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_static_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'

```



- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_offline_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/native-inst-id

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_native_inst_id_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_native-inst-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_native\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/peer-inst-id

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_peer\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_peer-inst-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_peer\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_flag\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_flag'

'204':

**Reference:** '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_flag_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/r

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_native_peer_id_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_native-peer-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_native\_peer\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}/addr-alloc-thrs

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_addr\_alloc\_thrs\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/pool-pool-name'  
 - **\$ref:** '#/parameters/ipv4-addr-start-addr'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**  
 '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_addr-alloc-thrs'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**



```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_addr_alloc_thrs_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv4-addr={ipv4-addr-start-addr}

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_alloc_addrs_list_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:

```

**Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_alloc-addrs-list'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv4_addr_ipv4_addr_start_addr_alloc_addrs_list_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr

**get:****Tags:**

```
- data
- get
```

```
Summary: ''
```

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

- Description:** OK
- Schema:**
- Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr'

'204':

- Reference:** '#/responses/204'

'400':

- Reference:** '#/responses/400'

'401':

- Reference:** '#/responses/401'

'404':

- Reference:** '#/responses/404'

'405':

- Reference:** '#/responses/405'

'409':

- Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}

**get:**

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data

```

```

- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_start_addr_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_start-addr'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_start_addr_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/pool

```

  get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_pool_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_pool'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

security:
- basicAuth: []

head:

Tags:
- data
- head

Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_pool_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/i

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:**  
 data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_index\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/pool-pool-name'  
 - **\$ref:** '#/parameters/ipv6-addr-start-addr'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
   **Reference:**  
 '#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_index'

'204':  
   **Reference:** '#/responses/204'

'400':  
   **Reference:** '#/responses/400'

'401':  
   **Reference:** '#/responses/401'

'404':  
   **Reference:** '#/responses/404'

'405':  
   **Reference:** '#/responses/405'

'409':  
   **Reference:** '#/responses/409'

**security:**  
 - **basicAuth:** []

**head:**



```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_index_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_end_addr_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_end-addr'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_end_addr_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/a

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_alloc\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_alloc-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_alloc\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/route

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_route\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'  
- \$ref: '#/parameters/ipv6-addr-start-addr'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_route'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_route\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_static\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

```

    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_static'

      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_static_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv6-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/online

get:

```

  Tags:
  - data
  - get

```

```

Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_offline_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_offline'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_offline_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/native-inst-id****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_native\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_native-inst-id'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':



```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_native_inst_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_peer_inst_id_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_peer-inst-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_peer_inst_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_flag\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_flag'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_flag\_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}/native-peer-id

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_native_peer_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_native-peer-id'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_native_peer_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_addr_alloc_thrs_get

  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_addr-alloc-thrs'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_addr\_alloc\_thrs\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-addr={ipv6-addr-start-addr}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_alloc\_addrs\_list\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv6-addr-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
    Reference:

```

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_alloc-addr-list'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

```

  Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_addr_ipv6_addr_start_addr_alloc_addrs_list_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix'
  '204':

```



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

```

get:
  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_get
  produces:
  - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/start-addr

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_start_addr_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_start-addr'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_start_addr_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_pool_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```
'#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_pool'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_pool_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
```

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_index\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_index'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/end-addr

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_end\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'  
- \$ref: '#/parameters/ipv6-prefix-start-addr'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_end-addr'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_end_addr_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_alloc_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```



```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_alloc-id'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:
  data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_alloc_id_head

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []

```

**/data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}**

**get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_route\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_route'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_route\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_static\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_static'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_static_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_offline_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pool-pool-name'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_native\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_native-inst-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_native\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/peer-inst-id

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_peer\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_peer-inst-id'

'204':

**Reference:** '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_peer_inst_id_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}/flag

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_flag_get
  produces:
  - application/yang-data+json

```



**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_flag'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_flag\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/pool-pool-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_native\_peer\_id\_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/pool-pool-name'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:

```

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_native-peer-id'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_native_peer_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_addr_alloc_thrs_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:

```

**Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_addr-alloc-thrs'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_pool_pool_pool_name_ipv6_prefix_ipv6_prefix_start_addr_addr_alloc_thrs_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/pool-pool-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

## /data/cisco-cn-ipam:ipam/pool={pool-pool-name}/ipv6-prefix={ipv6-prefix-start-addr}

**get:****Tags:**

```
- data
- get
```

```
Summary: ''
```

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_alloc\_addrs\_list\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_pool\_pool\_pool\_name\_ipv6-prefix\_ipv6-prefix-start-addr\_alloc-addr-list'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_pool\_pool\_pool\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_alloc\_addrs\_list\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/pool-pool-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description: OK
  - Schema:
    - Reference: '#/definitions/data\_cisco-cn-ipam\_ipam\_dp'
- '204':
  - Reference: '#/responses/204'
- '400':
  - Reference: '#/responses/400'
- '401':
  - Reference: '#/responses/401'
- '404':
  - Reference: '#/responses/404'
- '405':
  - Reference: '#/responses/405'
- '409':
  - Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/dp-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_dp_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'

```



- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference: '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_dp-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_dp\_name\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/gr-inst-id

**get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_gr\_inst\_id\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_gr-inst-id'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_gr\_inst\_id\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference**: '#/responses/200'

**security:**

- **basicAuth**: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-total

**get:**

**Tags:**

- data  
- get

**Summary**: ''

**Description**: ''

**Operation ID**: data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_total\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dp-dp-name'  
- **\$ref**: '#/parameters/content'  
- **\$ref**: '#/parameters/depth'  
- **\$ref**: '#/parameters/fields'  
- **\$ref**: '#/parameters/filter'  
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Description**: OK

**Schema:**

**Reference**: '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv4-total'

'204':

**Reference**: '#/responses/204'

'400':

**Reference**: '#/responses/400'

'401':

**Reference**: '#/responses/401'

'404':

**Reference**: '#/responses/404'

'405':

**Reference**: '#/responses/405'

'409':

**Reference**: '#/responses/409'

**security:**

- **basicAuth**: []

**head:**

**Tags:**

- data

```

- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_total_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-used

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_used_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-used'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_used_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-threshold

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_threshold_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv4-threshold'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_threshold\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr-total

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_total\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-addr-total'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_total\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr-used

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_used\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:**

Reference: '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-addr-used'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**



```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_used_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr-threshold

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr-threshold'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_threshold_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-pfx-total

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_pfx_total_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-pfx-total'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_pfx\_total\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-pfx-used

### get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_pfx\_used\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-pfx-used'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_pfx\_used\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-pfx-threshold

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_pfx\_threshold\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-pfx-threshold'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_pfx_threshold_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dp-dp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-rsvd-addr

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_rsvd_addr_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dp-dp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:

```

```

    Reference: '#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-rsvd-addr'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_rsvd_addr_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/app-name-bng

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_app_name_bng_get
produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_app-name-bng'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_app\_name\_bng\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []



## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/static

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_static\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_static'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_static\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/offline

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_offline\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_offline'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_offline_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_get
  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/start-addr

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/start-addr

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_start\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_dp\_name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_start-addr'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_start_addr_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'
  - $ref: '#/parameters/ipv4-addr-pool'
  - $ref: '#/parameters/ipv4-addr-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/pool/get

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_pool_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/ipv4-addr-start-addr'

```

- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_pool'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_pool\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**



```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/index

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_index_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/ipv4-addr-start-addr'
    - $ref: '#/parameters/ipv4-addr-pool'
    - $ref: '#/parameters/ipv4-addr-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_dp_dp_dp_name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_index'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []

```

**/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/end-addr**

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

**/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/end-addr**

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_end\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_end-addr'

'204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_end\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/alloc-id

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_alloc\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_alloc-id

**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_alloc\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/route

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_route\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_route'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_route_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/static

get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_static\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_static'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_static\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/offline

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_dp\_name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_offline'

'204':



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_offline_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/native-inst-id
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_native_inst_id_get

```

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_native-inst-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_native-inst-id-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

**/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/peer-inst-id****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_peer\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_peer-inst-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_peer_inst_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/ipv4-addr-start-addr'
    - $ref: '#/parameters/ipv4-addr-pool'
    - $ref: '#/parameters/ipv4-addr-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/flag

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_flag_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'

```

- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_flag'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_dp-dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_flag\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

?

**/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/native-peer-id**  
**: get:**

**Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_native\_peer\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'  
 - **\$ref:** '#/parameters/ipv4-addr-start-addr'  
 - **\$ref:** '#/parameters/ipv4-addr-pool'  
 - **\$ref:** '#/parameters/ipv4-addr-index'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_native-peer-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_native\_peer\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/addr-alloc-thrs

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_addr\_alloc\_thrs\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Description: OK
      Schema:
      Reference:
'/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_addr-alloc-thrs'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_addr_alloc_thrs_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/alloc-addr-list
: get:

Tags:

```



```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_alloc_addrs_list_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_alloc-addrs-list'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_alloc_addrs_list_head

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-addr'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/ipv6-addr-pool'
    - $ref: '#/parameters/ipv6-addr-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/start-addr

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_start\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_start-addr'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

head:

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_start\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-a

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_pool\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_pool'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_pool_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/ipv6-addr-pool'
- $ref: '#/parameters/ipv6-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/index

```
get:
```

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/index

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_index\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_dp\_name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_index'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_index\_head

**produces:**



- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/end-addr

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_end\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_end-addr'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_end_addr_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/ipv6-addr-pool'
- $ref: '#/parameters/ipv6-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/alloc-id

get:

```

Tags:
- data
- get
Summary: ''
Description: ''

```

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_alloc\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dp-dp-name'
- **\$ref**: '#/parameters/ipv6-addr-start-addr'
- **\$ref**: '#/parameters/ipv6-addr-pool'
- **\$ref**: '#/parameters/ipv6-addr-index'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_dp\_name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_alloc-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth**: []**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_alloc\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref**: '#/parameters/dp-dp-name'
- **\$ref**: '#/parameters/ipv6-addr-start-addr'

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/route

- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/route

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_route\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_dp\_name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_route'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

```

**Tags:**

```

- data
- head

```

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_route\_head

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/ipv6-addr-pool'
- $ref: '#/parameters/ipv6-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

```

- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/static/get

**get:****Tags:**

```

- data
- get

```

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_static\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_static'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp-dp-name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index-static\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/offline

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_offline'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_offline_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dp-dp-name'
        - $ref: '#/parameters/ipv6-addr-start-addr'
        - $ref: '#/parameters/ipv6-addr-pool'
        - $ref: '#/parameters/ipv6-addr-index'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/native-inst-id
: get:

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_native_inst_id_get

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dp-dp-name'
        - $ref: '#/parameters/ipv6-addr-start-addr'
        - $ref: '#/parameters/ipv6-addr-pool'
        - $ref: '#/parameters/ipv6-addr-index'
        - $ref: '#/parameters/content'

```



- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_native-inst-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_native\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/peer-inst-id

**get:**

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_peer\_inst\_id\_get

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/ipv6-addr-pool'
- $ref: '#/parameters/ipv6-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

```

'200':
  Description: OK
  Schema:
    Reference:

```

#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_peer-inst-id'

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

**head:**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_peer\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/flag

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_flag\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_flag'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_cn_ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_flag_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/ipv6-addr-start-addr'
  - $ref: '#/parameters/ipv6-addr-pool'
  - $ref: '#/parameters/ipv6-addr-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/native-peer-id
: get:

```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_native\_peer\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_native-peer-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_native\_peer\_id\_head

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/dp-dp-name'  
- **\$ref:** '#/parameters/ipv6-addr-start-addr'  
- **\$ref:** '#/parameters/ipv6-addr-pool'  
- **\$ref:** '#/parameters/ipv6-addr-index'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

?

**/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/addr-alloc-thrs**  
**: get:**

**Tags:**  
- data  
- get

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_addr\_alloc\_thrs\_get

**produces:**  
- application/yang-data+json

**Parameters:**  
- **\$ref:** '#/parameters/dp-dp-name'  
- **\$ref:** '#/parameters/ipv6-addr-start-addr'  
- **\$ref:** '#/parameters/ipv6-addr-pool'  
- **\$ref:** '#/parameters/ipv6-addr-index'  
- **\$ref:** '#/parameters/content'  
- **\$ref:** '#/parameters/depth'  
- **\$ref:** '#/parameters/fields'  
- **\$ref:** '#/parameters/filter'  
- **\$ref:** '#/parameters/with-defaults'

**Responses:**  
**'200':**  
    **Description:** OK  
    **Schema:**  
        **Reference:**  
        '#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_addr-alloc-thrs'  
**'204':**  
    **Reference:** '#/responses/204'

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

**Summary: ''****Description: ''****Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_addr\_alloc\_thrs\_head

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/ipv6-addr-pool'
- $ref: '#/parameters/ipv6-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

?

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/alloc-addr-list

: get:

**Tags:**

```
- data
- get
```

**Summary: ''****Description: ''****Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_alloc\_addr\_list\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_alloc-addr-list'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp-name\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_alloc-addr-list\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'



- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference: '#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-dp-name\_ipv6-prefix'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}**

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

**/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}**

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/ipv6-prefix-pool'
- **\$ref:** '#/parameters/ipv6-prefix-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:**

**Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
```

```
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/dp-dp-name'
```

```
- $ref: '#/parameters/ipv6-prefix-start-addr'
```

```
- $ref: '#/parameters/ipv6-prefix-pool'
```

```
- $ref: '#/parameters/ipv6-prefix-index'
```

```
- $ref: '#/parameters/content'
```

```
- $ref: '#/parameters/depth'
```

```
- $ref: '#/parameters/fields'
```

```
- $ref: '#/parameters/filter'
```

```
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
  Reference: '#/responses/200'
```

```
security:
```

```
- basicAuth: []
```

```
?
```

```
/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/start-addr
```

```
: get:
```

```
Tags:
```

```
- data
```

```
- get
```

```
Summary: ''
```

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_start\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_start\_addr'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_start\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'

- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{i

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_pool\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_pool'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_pool_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'
    - $ref: '#/parameters/ipv6-prefix-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/index

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_index_get

  produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_index'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/end-addr  
 : get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_end\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_end-addr'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'



```

    security:
      - basicAuth: []
  head:

```

**Tags:**

```

- data
- head

```

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_end\_addr\_head

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/ipv6-prefix-pool'
- $ref: '#/parameters/ipv6-prefix-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

```

- basicAuth: []

```

?

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/alloc-id

: get:

**Tags:**

```

- data
- get

```

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_alloc\_id\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/ipv6-prefix-pool'
- $ref: '#/parameters/ipv6-prefix-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_alloc-id'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_alloc-id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{i

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_route\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/ipv6-prefix-pool'
- **\$ref:** '#/parameters/ipv6-prefix-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_route'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_route\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/static

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_static\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_static'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cisco_cn_ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_static_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```

- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/ipv6-prefix-pool'
- $ref: '#/parameters/ipv6-prefix-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
```

```

'200':
  Reference: '#/responses/200'

```

```
security:
```

```
- basicAuth: []
```

```
?
```

```
/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/offline
```

```
: get:
```

```
Tags:
```

```
- data
- get
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_offline'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'

- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/native-inst-id  
 : get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_native\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_native-inst-id'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_native_inst_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'
    - $ref: '#/parameters/ipv6-prefix-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/peer-inst-id
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_peer_inst_id_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'

```



- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_peer\_inst\_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_peer\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/flag

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_flag\_get

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'
    - $ref: '#/parameters/ipv6-prefix-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
      Reference:

```

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_dp\_name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_flag'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_flag\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/ipv6-prefix-pool'
- **\$ref:** '#/parameters/ipv6-prefix-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/native-peer-id

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_native\_peer\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-dp-name'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/ipv6-prefix-pool'
- **\$ref:** '#/parameters/ipv6-prefix-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_native-peer-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_cn_ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_native-peer-id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-dp-name'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'
    - $ref: '#/parameters/ipv6-prefix-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/addr-alloc-thrs
: get:

  Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_addr_alloc_thrs_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-dp-name'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/ipv6-prefix-pool'
- $ref: '#/parameters/ipv6-prefix-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_dp_dp_dp_name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_addr-alloc-thrs'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_dp_name_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_addr_alloc_thrs_head

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp={dp-dp-name}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/alloc-addr-list

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_alloc\_addr\_list\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-dp-name'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**  
**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_dp\_name\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_alloc-addr-list'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_dp_name_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_alloc_adbrs_list_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-dp-name'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/ipv6-prefix-pool'
  - $ref: '#/parameters/ipv6-prefix-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_get
  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Description:** OK
  - Schema:**
    - Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag'
- '204':
  - Reference:** '#/responses/204'
- '400':
  - Reference:** '#/responses/400'
- '401':
  - Reference:** '#/responses/401'
- '404':
  - Reference:** '#/responses/404'
- '405':
  - Reference:** '#/responses/405'
- '409':
  - Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_head**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

- '200':
  - Reference:** '#/responses/200'

**security:**

- **basicAuth:** []



## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}

### get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

### head:

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/dp-tag

**get:****Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_dp\_tag\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:  
 Reference: '#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_dp-tag'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

'404':  
 Reference: '#/responses/404'

'405':  
 Reference: '#/responses/405'

'409':  
 Reference: '#/responses/409'

**security:**

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_dp_tag_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/gr-inst-id

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_gr_inst_id_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_cisco-cn-ipam_ipam_dp_tag_dp_tag-dp-tag-gr-inst-id'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_gr_inst_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-total

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_total_get
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv4-total'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_total_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-used

### get:

#### Tags:

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_used\_get

#### produces:

- application/yang-data+json

#### Parameters:

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

#### Responses:

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-used'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

#### security:

- **basicAuth:** []

### head:

#### Tags:

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_used\_head

#### produces:

- application/yang-data+json

#### Parameters:

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-threshold

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_threshold\_get**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-threshold'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_threshold_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dp-tag-dp-tag'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr-total

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_total_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dp-tag-dp-tag'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:

```



```

Reference:
'#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr-total'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_total_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr-used

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_used_get
produces:

```

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv6-addr-used'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_used\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr-threshold

get:

**Tags:**

```

- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_threshold\_get

**produces:**

```

- application/yang-data+json

```

**Parameters:**

```

- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv6-addr-threshold'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

```

- basicAuth: []

```

head:

**Tags:**

```

- data
- head

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_threshold\_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-pfx-total

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_pfx_total_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-pfx-total'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_pfx_total_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-pfx-used

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_pfx_used_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-pfx-used'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_pfx_used_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-pfx-threshold

**get:**

```

Tags:
- data
- get

```

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_pfx\_threshold\_get  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv6-pfx-threshold'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_pfx\_threshold\_head  
**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'  
**security:**  
 - **basicAuth:** []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-rsvd-addr

**get:**

**Tags:**  
 - data  
 - get  
**Summary:** ''  
**Description:** ''  
**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_rsvd\_addr\_get  
**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dp-tag-dp-tag'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**  
     **Reference:**  
     '#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-rsvd-addr'  
 '204':  
   **Reference:** '#/responses/204'  
 '400':  
   **Reference:** '#/responses/400'  
 '401':  
   **Reference:** '#/responses/401'  
 '404':  
   **Reference:** '#/responses/404'  
 '405':  
   **Reference:** '#/responses/405'  
 '409':  
   **Reference:** '#/responses/409'  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head



**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_rsvd\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/app-name-bng

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_app\_name\_bng\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag-dp-tag-dp-tag\_app-name-bng'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_app_name_bng_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/static

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_static_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_static'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_static_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/offline

```
get:
```

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_offline\_get**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Description:** OK**Schema:****Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_offline'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_offline\_head**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr

**get:**

**Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference: '#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:

```

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index'

'204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
 - head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'  
 - **\$ref:** '#/parameters/ipv4-addr-start-addr'  
 - **\$ref:** '#/parameters/ipv4-addr-pool'  
 - **\$ref:** '#/parameters/ipv4-addr-index'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/start-addr

: **get:**

**Tags:**

- data  
 - get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_start\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_start-addr'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_start\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'



- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr}

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_pool\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_pool'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_pool_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_index_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_index'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

**/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/end-addr**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_end\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_end-addr'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

```
- basicAuth: []
head:
```

**Tags:**

```
- data
- head
```

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_end\_addr\_head

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

```
- basicAuth: []
```

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/alloc-id

: get:

**Tags:**

```
- data
- get
```

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_alloc\_id\_get

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
```

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_alloc-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data

- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_alloc-id-head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'

- \$ref: '#/parameters/ipv4-addr-start-addr'

- \$ref: '#/parameters/ipv4-addr-pool'

- \$ref: '#/parameters/ipv4-addr-index'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr}

get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_route\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_route'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

head:

**Tags:**

- data
- head

**Summary:** ''

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/static

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_route\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_static\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK



**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_static'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_static_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

```
?
```

```
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/offline
```

```
: get:
```

**Tags:**

```
- data
- get
```

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_offline\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_offline'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Reference: '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/native-inst-id  
 : get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_native\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
 Description: OK  
 Schema:

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_native\_inst-id'

'204':  
 Reference: '#/responses/204'

'400':  
 Reference: '#/responses/400'

'401':  
 Reference: '#/responses/401'

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/static

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_native_inst_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'
    - $ref: '#/parameters/ipv4-addr-start-addr'
    - $ref: '#/parameters/ipv4-addr-pool'
    - $ref: '#/parameters/ipv4-addr-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/peer-inst-id
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_peer_inst_id_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'

```

- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_peer-inst-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_peer\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv4-addr-start-addr'
- \$ref: '#/parameters/ipv4-addr-pool'
- \$ref: '#/parameters/ipv4-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/flag

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{

**get:****Tags:**

- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_flag\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'  
 - \$ref: '#/parameters/ipv4-addr-start-addr'  
 - \$ref: '#/parameters/ipv4-addr-pool'  
 - \$ref: '#/parameters/ipv4-addr-index'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_flag'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_flag_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/native-peer-id
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_native_peer_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/flag

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

    #/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_native-peer-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data

- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_native\_peer\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'

- \$ref: '#/parameters/ipv4-addr-start-addr'

- \$ref: '#/parameters/ipv4-addr-pool'

- \$ref: '#/parameters/ipv4-addr-index'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/addr-alloc-thrs



: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_addr\_alloc\_thrs\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_addr\_alloc\_thrs'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_addr\_alloc\_thrs\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv4-addr={ipv4-addr-start-addr},{ipv4-addr-pool},{ipv4-addr-index}/alloc-addr-list

: **get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4\_addr\_ipv4\_addr\_start\_addr\_ipv4\_addr\_pool\_ipv4\_addr\_index\_alloc\_addr\_list\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv4-addr-start-addr'
- **\$ref:** '#/parameters/ipv4-addr-pool'
- **\$ref:** '#/parameters/ipv4-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_alloc-addr-list'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv4_addr_ipv4_addr_start_addr_ipv4_addr_pool_ipv4_addr_index_alloc_addrs_list_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv4-addr-start-addr'
- $ref: '#/parameters/ipv4-addr-pool'
- $ref: '#/parameters/ipv4-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr

get:

```

Tags:
- data
- get
Summary: ''
Description: ''

```

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:** '#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv6-addr'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:** data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr

```
get:
```

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

```
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_get
```

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/ipv6-addr-start-addr'
  - $ref: '#/parameters/ipv6-addr-pool'
  - $ref: '#/parameters/ipv6-addr-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:

```

```
'#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index'
```

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

```
head:
```

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}

**Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/start-addr

: get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_start\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

```

'200':
  Description: OK
  Schema:
  Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_start-addr'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_start_addr_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/ipv6-addr-pool'
- $ref: '#/parameters/ipv6-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{

**get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_pool\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag\_dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_pool'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''



**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_pool\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr}

**get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_index\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:****Reference:**

```
"/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_index'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_index_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/ipv6-addr-pool'
- $ref: '#/parameters/ipv6-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
```

```
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

```
?
```

```
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/end-addr
```

```
: get:
```

**Tags:**

```
- data
- get
```

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_end\_addr\_get

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
 Description: OK  
 Schema:

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_end-addr'

'204':  
 Reference: '#/responses/204'  
 '400':  
 Reference: '#/responses/400'  
 '401':  
 Reference: '#/responses/401'  
 '404':  
 Reference: '#/responses/404'  
 '405':  
 Reference: '#/responses/405'  
 '409':  
 Reference: '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_end\_addr\_head

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/alloc-id  
 : get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_alloc\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_alloc-id

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

```

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_alloc\_id\_head

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/ipv6-addr-pool'
    - $ref: '#/parameters/ipv6-addr-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr}

```

get:

```

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_route\_get

```

  produces:
    - application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_route'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_route\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

**/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr****get:****Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_static\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_static'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/static

'409':  
 Reference: '#/responses/409'

security:  
 - basicAuth: []

head:

Tags:

- data  
 - head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_static\_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dp-tag-dp-tag'  
 - \$ref: '#/parameters/ipv6-addr-start-addr'  
 - \$ref: '#/parameters/ipv6-addr-pool'  
 - \$ref: '#/parameters/ipv6-addr-index'  
 - \$ref: '#/parameters/content'  
 - \$ref: '#/parameters/depth'  
 - \$ref: '#/parameters/fields'  
 - \$ref: '#/parameters/filter'  
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':  
 Reference: '#/responses/200'

security:  
 - basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/offline

: get:

Tags:

- data  
 - get

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_offline\_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dp-tag-dp-tag'  
 - \$ref: '#/parameters/ipv6-addr-start-addr'  
 - \$ref: '#/parameters/ipv6-addr-pool'  
 - \$ref: '#/parameters/ipv6-addr-index'  
 - \$ref: '#/parameters/content'



- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

```

    - basicAuth: []
  ?
  /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/native-inst-id
  : get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_native_inst_id_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/ipv6-addr-start-addr'
  - $ref: '#/parameters/ipv6-addr-pool'
  - $ref: '#/parameters/ipv6-addr-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_native_inst_id'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''

```

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_native\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/peer-inst-id

: **get:**

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_peer\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-addr-start-addr'
- **\$ref:** '#/parameters/ipv6-addr-pool'
- **\$ref:** '#/parameters/ipv6-addr-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_peer-inst-id'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
```

```
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_peer_inst_id_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/dp-tag-dp-tag'
```

```
- $ref: '#/parameters/ipv6-addr-start-addr'
```

```
- $ref: '#/parameters/ipv6-addr-pool'
```

```
- $ref: '#/parameters/ipv6-addr-index'
```

```
- $ref: '#/parameters/content'
```

```
- $ref: '#/parameters/depth'
```

```
- $ref: '#/parameters/fields'
```

```
- $ref: '#/parameters/filter'
```

```
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
  Reference: '#/responses/200'
```

```
security:
```

```
- basicAuth: []
```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{

```
get:
```

```
Tags:
```

```
- data
```

```
- get
```

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_flag\_get

**produces:**  
 - application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**  
 '200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_flag'

'204':  
**Reference:** '#/responses/204'  
 '400':  
**Reference:** '#/responses/400'  
 '401':  
**Reference:** '#/responses/401'  
 '404':  
**Reference:** '#/responses/404'  
 '405':  
**Reference:** '#/responses/405'  
 '409':  
**Reference:** '#/responses/409'

**security:**  
 - basicAuth: []

**head:**

**Tags:**  
 - data  
 - head  
**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_flag\_head

**produces:**  
 - application/yang-data+json

**Parameters:**

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/flag

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/native-peer-id  
 : get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_native\_peer\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_native-peer-id'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

```

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_native\_peer\_id\_head

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'
    - $ref: '#/parameters/ipv6-addr-start-addr'
    - $ref: '#/parameters/ipv6-addr-pool'
    - $ref: '#/parameters/ipv6-addr-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

**/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/addr-alloc-thrs**  
: get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_addr\_alloc\_thrs\_get

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'

```

- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_addr\_alloc\_thrs'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_addr\_alloc\_thrs\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-addr-start-addr'
- \$ref: '#/parameters/ipv6-addr-pool'
- \$ref: '#/parameters/ipv6-addr-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'



**Responses:**

'200':

**Reference:** '#/responses/200'**security:**- **basicAuth:** []

?

**/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-addr={ipv6-addr-start-addr},{ipv6-addr-pool},{ipv6-addr-index}/alloc-addr-list**  
**: get:**

**Tags:**- data  
- get**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_addr\_ipv6\_addr\_start\_addr\_ipv6\_addr\_pool\_ipv6\_addr\_index\_alloc\_addr\_list\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'

- **\$ref:** '#/parameters/ipv6-addr-start-addr'

- **\$ref:** '#/parameters/ipv6-addr-pool'

- **\$ref:** '#/parameters/ipv6-addr-index'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag\_dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_alloc-addr-list'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:**

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_addr_ipv6_addr_start_addr_ipv6_addr_pool_ipv6_addr_index_alloc_addrs_list_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv6-addr-start-addr'
- $ref: '#/parameters/ipv6-addr-pool'
- $ref: '#/parameters/ipv6-addr-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

## /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

Reference:
'/definitions/data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_get

produces:
- application/yang-data+json

```

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/start-addr  
 : get:

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_start\_addr\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_start\_addr'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':  
**Reference:** '#/responses/409'

**security:**

```

    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_start_addr_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/ipv6-prefix-pool'
  - $ref: '#/parameters/ipv6-prefix-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/pool
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_pool_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/ipv6-prefix-pool'
  - $ref: '#/parameters/ipv6-prefix-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_pool'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data  
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_pool\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'  
- \$ref: '#/parameters/ipv6-prefix-start-addr'  
- \$ref: '#/parameters/ipv6-prefix-pool'  
- \$ref: '#/parameters/ipv6-prefix-index'  
- \$ref: '#/parameters/content'  
- \$ref: '#/parameters/depth'  
- \$ref: '#/parameters/fields'  
- \$ref: '#/parameters/filter'  
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/index

: get:

**Tags:**

- data
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_index\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/ipv6-prefix-pool'
- **\$ref:** '#/parameters/ipv6-prefix-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_index'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_index\_head



**produces:**  
- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**  
'200':  
  **Reference:** '#/responses/200'

**security:**  
- **basicAuth:** []

?

**/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/end-addr**  
**: get:**

**Tags:**  
- data  
- get

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_end\_addr\_get

**produces:**  
- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**  
'200':  
  **Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_end-addr'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_end\_addr\_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/ipv6-prefix-pool'
- $ref: '#/parameters/ipv6-prefix-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/alloc-id  
: get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_alloc\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/ipv6-prefix-pool'
- **\$ref:** '#/parameters/ipv6-prefix-index'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_alloc-id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_alloc\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- **\$ref:** '#/parameters/dp-tag-dp-tag'
- **\$ref:** '#/parameters/ipv6-prefix-start-addr'
- **\$ref:** '#/parameters/ipv6-prefix-pool'
- **\$ref:** '#/parameters/ipv6-prefix-index'
- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- basicAuth: []

?

**/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/route**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_route\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK

**Schema:****Reference:**

#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_route'

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':  
**Reference:** '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_route_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'
    - $ref: '#/parameters/ipv6-prefix-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/static
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_static_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'
    - $ref: '#/parameters/ipv6-prefix-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_static'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_static\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Reference:** '#/responses/200'**security:**

- basicAuth: []

```

?
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/offline
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_offline_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/ipv6-prefix-pool'
  - $ref: '#/parameters/ipv6-prefix-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco_cn_ipam_ipam_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_offline'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''

```

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_offline\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

**security:**

- basicAuth: []

?

**/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/native-inst-id**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_native\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK**Schema:****Reference:**

'#/definitions/data\_cisco-cn-ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_native\_inst-id'



```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_native_inst_id_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dp-tag-dp-tag'
  - $ref: '#/parameters/ipv6-prefix-start-addr'
  - $ref: '#/parameters/ipv6-prefix-pool'
  - $ref: '#/parameters/ipv6-prefix-index'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/peer-inst-id
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_peer\_inst\_id\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

**Description:** OK

**Schema:**

**Reference:**

'#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_peer\_inst\_id'

'204':

**Reference:** '#/responses/204'

'400':

**Reference:** '#/responses/400'

'401':

**Reference:** '#/responses/401'

'404':

**Reference:** '#/responses/404'

'405':

**Reference:** '#/responses/405'

'409':

**Reference:** '#/responses/409'

**security:**

- basicAuth: []

**head:**

**Tags:**

- data
- head

**Summary:** ''

**Description:** ''

**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_peer\_inst\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'

- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Reference:** '#/responses/200'

**security:**

- **basicAuth:** []

?

**/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/flag**  
**: get:**

**Tags:**

- data
- get

**Summary:** ''**Description:** ''**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_flag\_get

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':  
**Description:** OK  
**Schema:**

**Reference:**

#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_flag

'204':  
**Reference:** '#/responses/204'

'400':  
**Reference:** '#/responses/400'

'401':  
**Reference:** '#/responses/401'

'404':  
**Reference:** '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_flag_head

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'
    - $ref: '#/parameters/ipv6-prefix-index'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

```

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/native-peer-id
: get:

```

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_native_peer_id_get

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/dp-tag-dp-tag'
    - $ref: '#/parameters/ipv6-prefix-start-addr'
    - $ref: '#/parameters/ipv6-prefix-pool'
    - $ref: '#/parameters/ipv6-prefix-index'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Description: OK

Schema:

Reference:

#/definitions/data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_native\_peer\_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_native\_peer\_id\_head

**produces:**

- application/yang-data+json

**Parameters:**

- \$ref: '#/parameters/dp-tag-dp-tag'
- \$ref: '#/parameters/ipv6-prefix-start-addr'
- \$ref: '#/parameters/ipv6-prefix-pool'
- \$ref: '#/parameters/ipv6-prefix-index'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

**Responses:**

'200':

Reference: '#/responses/200'

```

    security:
      - basicAuth: []
  ?
  /data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/addr-alloc-thrs
  : get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:
      data_cisco_cn_ipam_ipam_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_addr_alloc_thrs_get

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dp-tag-dp-tag'
      - $ref: '#/parameters/ipv6-prefix-start-addr'
      - $ref: '#/parameters/ipv6-prefix-pool'
      - $ref: '#/parameters/ipv6-prefix-index'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
            '#/definitions/data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_addr_alloc_thrs'

      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head

```

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_addr\_alloc\_thrs\_head

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dp-tag-dp-tag'  
 - **\$ref:** '#/parameters/ipv6-prefix-start-addr'  
 - **\$ref:** '#/parameters/ipv6-prefix-pool'  
 - **\$ref:** '#/parameters/ipv6-prefix-index'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Reference:** '#/responses/200'

**security:**  
 - **basicAuth:** []

?

/data/cisco-cn-ipam:ipam/dp-tag={dp-tag-dp-tag}/ipv6-prefix={ipv6-prefix-start-addr},{ipv6-prefix-pool},{ipv6-prefix-index}/alloc-addrs-list

: **get:**

**Tags:**  
 - data  
 - get

**Summary:** ''  
**Description:** ''  
**Operation ID:**

data\_cisco\_cn\_ipam\_ipam\_dp\_tag\_dp\_tag\_dp\_tag\_ipv6\_prefix\_ipv6\_prefix\_start\_addr\_ipv6\_prefix\_pool\_ipv6\_prefix\_index\_alloc\_addrs\_list\_get

**produces:**  
 - application/yang-data+json

**Parameters:**  
 - **\$ref:** '#/parameters/dp-tag-dp-tag'  
 - **\$ref:** '#/parameters/ipv6-prefix-start-addr'  
 - **\$ref:** '#/parameters/ipv6-prefix-pool'  
 - **\$ref:** '#/parameters/ipv6-prefix-index'  
 - **\$ref:** '#/parameters/content'  
 - **\$ref:** '#/parameters/depth'  
 - **\$ref:** '#/parameters/fields'  
 - **\$ref:** '#/parameters/filter'  
 - **\$ref:** '#/parameters/with-defaults'

**Responses:**  
 '200':  
   **Description:** OK  
   **Schema:**

**Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_alloc-addrs-list'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

**Operation ID:**

```
data_cisco_cn_ipam_ipam_dp_tag_dp_tag_dp_tag_ipv6_prefix_ipv6_prefix_start_addr_ipv6_prefix_pool_ipv6_prefix_index_alloc_addrs_list_head
```

**produces:**

```
- application/yang-data+json
```

**Parameters:**

```
- $ref: '#/parameters/dp-tag-dp-tag'
- $ref: '#/parameters/ipv6-prefix-start-addr'
- $ref: '#/parameters/ipv6-prefix-pool'
- $ref: '#/parameters/ipv6-prefix-index'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

**Responses:**

```
'200':
  Reference: '#/responses/200'
```

**security:**

```
- basicAuth: []
```

**Parameters:****Content:**

```
name: content
```

```
In: query
```

```
Description: controlling descendant nodes in response
```

```
Required/Optional: false
```

```
Type: string
```



**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

**depth:**  
**name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Type:** integer  
**Format:** uint16

**fields:**  
**name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**filter:**  
**name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Type:** string  
**Format:** string

**with-defaults:**  
**name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**insert:**  
**name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
- first  
- last  
- before  
- after

**point:**

```
    name: point
    In: query
    Description: used to specify the insertion point
    Required/Optional: false
    Type: string
    Format: string
address-pool-pool-name:
    name: address-pool-pool-name
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
address-range-end-address:
    name: address-range-end-address
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
address-range-start-address:
    name: address-range-start-address
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
data-post:
    name: data
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data-post'
data-put-patch:
    name: data
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data-put-patch'
data_cisco-cn-ipam_ipam:
    name: ipam
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-cn-ipam_ipam'
data_cisco-cn-ipam_ipam-post:
    name: ipam
    In: body
```

```

Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-cn-ipam_ipam-post'
data_cisco-cn-ipam_ipam_instance_instance-instance-id:
  name: instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name:
  name: address-pool
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_address-quarantine-qsize:
  name: address-quarantine-qsize
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_address-quarantine-qsize'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_address-quarantine-timer:
  name: address-quarantine-timer
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_address-quarantine-timer'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-brng-ipam_static:
  name: static
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-brng-ipam_static'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-brng-ipam_static-post:
  name: static
  In: body
  Description: ''
  Required/Optional: true

```

**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-krng-ipam_static-post'
?
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-krng-ipam_static_cisco-krng-ipam_enable
: name: enable
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-krng-ipam_static_cisco-krng-ipam_enable'
?
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-krng-ipam_static_cisco-krng-ipam_user-plane
: name: user-plane
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-krng-ipam_static_cisco-krng-ipam_user-plane'
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4:
```

**name:** ipv4

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4'
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4-post:
```

**name:** ipv4

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4-post'
?
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address
: name: address-range
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:****Reference:**

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address'
?
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_cisco-krng-ipam-default-gateway
: name: default-gateway
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#/definitions/data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_cisco-cn-ipam:default-gateway/
?
```

```
data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_end-address
: name: end-address
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#/definitions/data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_offline/
?
```

```
data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_offline
: name: offline
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#/definitions/data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_offline/
?
```

```
data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_start-address
: name: start-address
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#/definitions/data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_start-address/
?
```

```
data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length
: name: prefix-range
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#/definitions/data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length/
?
```

```
data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_cisco-cn-ipam:default-gateway
: name: default-gateway
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```
#/definitions/data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_cisco-cn-ipam:default-gateway/
?
```

```
data-cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_length
: name: length
```

**In:** body

**Description:** ''

**Required/Optional:** true

**Schema:**

**Reference:**

```

'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_length'
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_offline
: name: offline
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_offline'
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_prefix
: name: prefix
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_prefix'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size:

  name: split-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size-post:

  name: split-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size-post'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size_no-split:

  name: no-split
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size_no-split'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size_per-cache:

  name: per-cache
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size_per-cache'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size_per-dp:
```

```
  name: per-dp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size_per-dp'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_threshold:
```

```
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_threshold'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_threshold-post:
```

```
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_threshold-post'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_threshold_upper-threshold:
```

```
  name: upper-threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_threshold_upper-threshold'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6:
```

```
  name: ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6-post:
```

```
  name: ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6-post'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges:
```

```
  name: address-ranges
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges-post:
```

```
  name: address-ranges
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges-post'
?
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_address-range_address-range-start-address_address-range-end-address
: name: address-range
```

```
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_address-range_address-range-start-address_address-range-end-address'
?
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_address-range_address-range-start-address_address-range-end-address_end-address
: name: end-address
```

```
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_address-range_address-range-start-address_address-range-end-address_offline'
?
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_address-range_address-range-start-address_address-range-end-address_offline
: name: offline
```

```
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_address-range_address-range-start-address_address-range-end-address_offline'
?
```

```
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_address-range_address-range-start-address_address-range-end-address_start-address
: name: start-address
```

```
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
```

```
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_address-range_address-range-start-address_address-range-end-address_start-address'
?
```



```

?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length
: name: prefix-range
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_length
: name: length
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_length'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_offline
: name: offline
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_offline'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_prefix
: name: prefix
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_prefix'
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size
  name: split-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size-post
: name: split-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size-post'
?

```

```

data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_no-split
: name: no-split
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_no-split'
  ?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_per-cache
: name: per-cache
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_per-cache'
  ?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_per-dp
: name: per-dp
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_per-dp'
  ?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold:
  name: threshold
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold'
  ?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold-post
: name: threshold
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold-post'
  ?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold_upper-threshold
: name: upper-threshold
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold_upper-threshold'
  ?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges:

```

```

    name: prefix-ranges
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges'
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges-post:

    name: prefix-ranges
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges-post'
    ?
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_cisco-krng-ipam_prefix-length
    : name: prefix-length
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_cisco-krng-ipam_prefix-length'
        ?
        data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length
        : name: prefix-range
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
              '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length'
            ?
            data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length_length
            : name: length
              In: body
              Description: ''
              Required/Optional: true
              Schema:
                Reference:
                  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length_length'
                ?
                data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length_offline
                : name: offline
                  In: body
                  Description: ''
                  Required/Optional: true
                  Schema:
                    Reference:
                      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length_offline'
                    ?
                    data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length_prefix
                    : name: prefix

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix-range-length_prefix'
  data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size

  name: split-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size'
    ?
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size-post
    : name: split-size
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size-post'
      ?
      data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_no-split
      : name: no-split
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_no-split'
        ?
        data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_per-cache
        : name: per-cache
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_per-cache'
          ?
          data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_per-dp
          : name: per-dp
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_per-dp'
            ?
            data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_threshold
            : name: threshold
            In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold'
  ?
  data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold-post
  : name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold-post'
    ?
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold_upper-threshold
    : name: upper-threshold
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold_upper-threshold'
      data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_offline:

      name: offline
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_offline'
        data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_pool-name:

        name: pool-name
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_pool-name'
          data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_vrf-name:

          name: vrf-name
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_vrf-name'
            data_cisco-cn-ipam_ipam_instance_instance-instance-id_instance-id:

            name: instance-id
            In: body
            Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_instance-id'
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size:
      name: min-dp-addr-size
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size'
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size-post:

      name: min-dp-addr-size
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size-post'
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv4-addr:

      name: ipv4-addr
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv4-addr'
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-addr:

      name: ipv6-addr
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-addr'
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-prefix:

      name: ipv6-prefix
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-prefix'
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_source:
      name: source
      In: body
      Description: ''
      Required/Optional: true

```

```

Schema:
  Reference: '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source-post:
  name: source
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source-post'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external:
  name: external
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external-post:
  name: external
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external-post'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam:
  name: ipam
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam-post:
  name: ipam
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam-post'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_host:
  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```

```

'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_host'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_port:

  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_port'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_vendor:

  name: vendor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_external_ipam_vendor'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_local:
  name: local
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_source_local'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold-post:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold-post'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv4-addr:

  name: ipv4-addr
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv4-addr'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv6-addr:

```



```

name: ipv6-addr
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv6-addr'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv6-prefix:

  name: ipv6-prefix
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cisco-cn-ipam_ipam_instance_instance-instance-id_threshold_ipv6-prefix'
dp-dp-name:
  name: dp-dp-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
dp-tag-dp-tag:
  name: dp-tag-dp-tag
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
instance-instance-id:
  name: instance-instance-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: int32
ipv4-addr-index:
  name: ipv4-addr-index
  In: path
  Description: ''
  Required/Optional: true
  Type: integer
  Format: uint32
ipv4-addr-pool:
  name: ipv4-addr-pool
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
ipv4-addr-start-addr:

```

```
    name: ipv4-addr-start-addr
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
  ipv6-addr-index:
    name: ipv6-addr-index
    In: path
    Description: ''
    Required/Optional: true
    Type: integer
    Format: uint32
  ipv6-addr-pool:
    name: ipv6-addr-pool
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
  ipv6-addr-start-addr:
    name: ipv6-addr-start-addr
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
  ipv6-prefix-index:
    name: ipv6-prefix-index
    In: path
    Description: ''
    Required/Optional: true
    Type: integer
    Format: uint32
  ipv6-prefix-pool:
    name: ipv6-prefix-pool
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
  ipv6-prefix-start-addr:
    name: ipv6-prefix-start-addr
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
  pool-pool-name:
    name: pool-pool-name
    In: path
```

**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string  
**prefix-range-length:**  
**name:** prefix-range-length  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** integer  
**Format:** uint32  
**prefix-range-prefix:**  
**name:** prefix-range-prefix  
**In:** path  
**Description:** ''  
**Required/Optional:** true  
**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**'201':**  
**Description:** Created  
**'204':**  
**Description:** No Content  
**'400':**  
**Description:** Bad Request  
**'401':**  
**Description:** Unauthorized  
**'404':**  
**Description:** Not Found  
**'405':**  
**Description:** Method Not Allowed  
**'409':**  
**Description:** Conflict

**securityDefinitions:**

**basicAuth:**

**Type:** basic

**definitions:**

**data:**

**Type:** object

**Properties:**

**ietf-restconf:data:**

**Type:** object

**Description:** This resource represents the combined configuration and state data resources that can be accessed by a client and cannot be created or deleted by the client. See RESTCONF RFC 8040 for further information.

**x-yang:**

**Type:** datastore

**Properties:** {}

**data-post:**

```

Type: object
Properties:
  cisco-cn-ipam:ipam:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      instance:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            instance-id:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            source:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                local:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: '[null]'
                external:
                  Description: (non-presence)
                  Type: object
                  x-yang:
                    Type: container
                    is_presence: 'false'
              Properties:
                ipam:
                  Description: (non-presence)
                  Type: object
                  x-yang:
                    Type: container
                    is_presence: 'false'
              Properties:
                host:

```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: union
    port:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    vendor:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: cisco
        enum:
            - cisco
address-pool:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        address-quarantine-timer:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
        address-quarantine-qsize:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
    offline:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: '[null]'

```

```
vrf-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    address-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          end-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          offline:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: '[null]'
          cisco-bng-ipam:default-gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
```

```
Type: object
Properties:
  prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  length:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cisco-bng-ipam:default-gateway:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  per-cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

```

threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    address-ranges:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        address-range:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              start-address:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              end-address:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            offline:
              Description: (leaf)
              x-yang:
                Type: leaf

```



```
    Type: string
    Format: '[null]'
```

**prefix-range:**

```
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      length:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

**split-size:**

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

    Type: string
    Format: '[null]'
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
prefix-ranges:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          length:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          offline:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
    split-size:
      Description: (non-presence)
      Type: object

```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  per-cache:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cisco-bng-ipam:prefix-length:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cisco-bng-ipam:static:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cisco-bng-ipam:enable:
      Description: (leaf)
      x-yang:

```

```

        Type: leaf
        Type: string
        Format: '[null]'
    cisco-bng-ipam:user-plane:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
threshold:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
Properties:
    ipv4-addr:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    ipv6-addr:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    ipv6-prefix:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
min-dp-addr-size:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
Properties:
    ipv4-addr:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    ipv6-addr:
        Description: (leaf)
        x-yang:
            Type: leaf

```

```
    Type: integer
    Format: uint32
  ipv6-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  pool:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      gr-inst-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ipv4-total:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint64
      ipv4-used:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint64
      ipv4-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ipv6-addr-total:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
```

```
    Format: uint64
  ipv6-addr-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-pfx-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv4-rsvd-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  app-name-bng:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: string
  Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    route:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    static:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:

```



```
Type: object
Properties:
  start-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  pool:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  native-inst-id:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
```

```
x-yang:  
  Type: leaf  
  Type: string  
  Format: string  
index:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: integer  
    Format: uint32  
end-addr:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: string  
alloc-id:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: string  
route:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: string  
static:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: boolean  
offline:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: boolean  
native-inst-id:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: integer  
    Format: uint32  
peer-inst-id:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: integer
```

```

    Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
dp:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    dp-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    gr-inst-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ipv4-total:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint64

```

```
ipv4-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv4-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-pfx-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-rsvd-addr:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
  Type: integer
  Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  addr-alloc-thrs:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    alloc-addr-list:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      index:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      end-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      alloc-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      route:
        Description: (leaf)
```



```
x-yang:  
  Type: leaf  
  Type: string  
  Format: string  
static:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: boolean  
offline:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: boolean  
native-inst-id:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: integer  
    Format: uint32  
peer-inst-id:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: integer  
    Format: uint32  
flag:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: string  
native-peer-id:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: string  
addr-alloc-thrs:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string  
    Format: string  
alloc-addrs-list:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
    Type: string
```

```
    Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    route:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    static:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
```

```
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
dp-tag:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    dp-tag:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  gr-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv4-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv4-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv4-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-pfx-total:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```
    Type: integer
    Format: uint64
  ipv6-pfx-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv4-rsvd-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  app-name-bng:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  ipv4-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```
    Format: string
pool:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      index:
        Description: (leaf)
        x-yang:
```

```
    Type: leaf
  Type: integer
  Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
```



```
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  alloc-id:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

        Type: string
        Format: string
    alloc-addr-list:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
data-put-patch:
    Type: object
    Properties:
        ietf-restconf:data:
            Description: ''
            Type: object
            x-yang:
                Type: datastore
            Properties:
                cisco-cn-ipam:ipam:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                        Type: container
                        is_presence: 'false'
                    Properties:
                        instance:
                            Type: array
                            Description: (list)
                            x-yang:
                                Type: list
                            Items:
                                Type: object
                                Properties:
                                    instance-id:
                                        Description: (leaf)
                                        x-yang:
                                            Type: leaf
                                        Type: string
                                        Format: int32
                                    source:
                                        Description: (non-presence)
                                        Type: object
                                        x-yang:
                                            Type: container
                                            is_presence: 'false'
                                        Properties:
                                            local:
                                                Description: (leaf)
                                                x-yang:
                                                    Type: leaf
                                                Type: string
                                                Format: '[null]'

```

```

external:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ipam:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: union
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        vendor:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: cisco
          enum:
            - cisco
    address-pool:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        pool-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        address-quarantine-timer:
          Description: (leaf)
          x-yang:

```

```
    Type: leaf
  Type: integer
  Format: uint32
address-quarantine-qsize:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
vrf-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    address-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          end-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          offline:
            Description: (leaf)
            x-yang:
```

```

    Type: leaf
    Type: string
    Format: '[null]'
    cisco-bng-ipam:default-gateway:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
prefix-range:
    Type: array
    Description: (list)
    x-yang:
    Type: list
    Items:
    Type: object
    Properties:
    prefix:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
    length:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    offline:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
    cisco-bng-ipam:default-gateway:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
split-size:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    per-cache:
    Description: (leaf)
    x-yang:

```

```

        Type: leaf
      Type: integer
      Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      address-ranges:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          address-range:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                start-address:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  end-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:

```



```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  prefix-ranges:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      prefix-range:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            prefix:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string

```

```

length:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cisco-bng-ipam:prefix-length:

```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
cisco-bng-ipam:static:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cisco-bng-ipam:enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    cisco-bng-ipam:user-plane:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ipv4-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
min-dp-addr-size:
  Description: (non-presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ipv4-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  ipv6-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  ipv6-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
pool:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      gr-inst-id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ipv4-total:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint64
      ipv4-used:
        Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: integer
  Format: uint64
ipv4-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-pfx-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-rsvd-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
```

```

    Format: uint64
  app-name-bng:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  ipv4-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      index:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      end-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string

```

```
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
  alloc-attrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      index:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      end-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      alloc-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      route:
        Description: (leaf)
        x-yang:
          Type: leaf

```



```
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-prefix:
```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    route:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    static:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    offline:
      Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
dp:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    dp-name:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
    Type: string
    Format: string
gr-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv4-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv4-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-pfx-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
```

```
ipv6-pfx-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-rsvd-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```
    Type: integer
    Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      index:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
```

```
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
```



```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
```

```
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```
    alloc-addr-list:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
dp-tag:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    dp-tag:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    gr-inst-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ipv4-total:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint64
    ipv4-used:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint64
    ipv4-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ipv6-addr-total:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint64
    ipv6-addr-used:
```

**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** integer  
  **Format:** uint64

**ipv6-addr-threshold:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** string  
  **Format:** string

**ipv6-pfx-total:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** integer  
  **Format:** uint64

**ipv6-pfx-used:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** integer  
  **Format:** uint64

**ipv6-pfx-threshold:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** string  
  **Format:** string

**ipv4-rsvd-addr:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** integer  
  **Format:** uint64

**app-name-bng:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** string  
  **Format:** boolean

**static:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** string  
  **Format:** boolean

**offline:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf

```
    Type: string
    Format: boolean
  ipv4-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      index:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      end-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      alloc-id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      route:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      static:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
```

```

    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:

```

```
start-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
pool:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf

```



```
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  flag:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        native-peer-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        addr-alloc-thrs:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        alloc-addrs-list:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cisco-cn-ipam_ipam:
  Type: object
  Properties:
    cisco-cn-ipam:ipam:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              instance-id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              source:
                Description: (non-presence)
                Type: object
                x-yang:

```

```

Type: container
is_presence: 'false'
Properties:
  local:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
    external:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ipam:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            host:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: union
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            vendor:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: cisco
              enum:
                - cisco
        address-pool:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:

```

```
pool-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
address-quarantine-timer:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
address-quarantine-qsize:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    address-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
```

```

    end-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    cisco-bng-ipam:default-gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    cisco-bng-ipam:default-gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
split-size:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  per-cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
      no-split:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      address-ranges:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:

```

```
address-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      start-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      end-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

```
prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      length:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

        Format: '[null]'
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
prefix-ranges:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```



```
Items:
  Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
  split-size:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      per-cache:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      per-dp:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      no-split:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
```

```

    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  cisco-bng-ipam:prefix-length:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-bng-ipam:static:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cisco-bng-ipam:enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      cisco-bng-ipam:user-plane:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ipv4-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      ipv6-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer

```

```

    Format: uint32
  ipv6-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  min-dp-addr-size:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    ipv4-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  pool:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      gr-inst-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string

```

```
    Format: string
  ipv4-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv4-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv4-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-pfx-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
ipv4-rsvd-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  index:
    Description: (leaf)
    x-yang:
```

```
    Type: leaf
  Type: integer
  Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
```

```
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  alloc-id:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
```



```
    Type: string
    Format: string
  alloc-attrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        alloc-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        route:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dp:
    Type: array

```

**Description:** (list)  
**x-yang:**  
  **Type:** list  
**Items:**  
  **Type:** object  
**Properties:**  
  **dp-name:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** string  
      **Format:** string  
  **gr-inst-id:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** string  
      **Format:** string  
  **ipv4-total:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint64  
  **ipv4-used:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint64  
  **ipv4-threshold:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** string  
      **Format:** string  
  **ipv6-addr-total:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint64  
  **ipv6-addr-used:**  
    **Description:** (leaf)  
    **x-yang:**  
      **Type:** leaf  
      **Type:** integer  
      **Format:** uint64  
  **ipv6-addr-threshold:**  
    **Description:** (leaf)  
    **x-yang:**

```
    Type: leaf
  Type: string
  Format: string
  ipv6-pfx-total:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint64
  ipv6-pfx-used:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
  ipv4-rsvd-addr:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint64
  app-name-bng:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
  static:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
  offline:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
  ipv4-addr:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
```

```
Type: object
Properties:
  start-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  pool:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  native-inst-id:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
```

```
  x-yang:
    Type: leaf
  Type: string
  Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
```

```
    Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      index:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
```



```
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    addr-alloc-thrs:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    alloc-addrs-list:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
dp-tag:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        dp-tag:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        gr-inst-id:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        ipv4-total:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint64
        ipv4-used:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint64
        ipv4-threshold:
            Description: (leaf)
            x-yang:
                Type: leaf

```

```
    Type: string
    Format: string
  ipv6-addr-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-pfx-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv4-rsvd-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  app-name-bng:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  static:
```

```
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    route:
      Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
```

```
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    route:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    static:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
```

```
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  pool:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
```



```

    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam-post:
  Type: object
  Properties:
    cisco-cn-ipam:instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          source:
            Description: (non-presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  local:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
    external:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ipam:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            host:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: union
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            vendor:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: cisco
                enum:
                  - cisco
        address-pool:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:

```

```
Type: object
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  address-quarantine-timer:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  address-quarantine-qsize:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      address-range:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            start-address:
              Description: (leaf)
            x-yang:
              Type: leaf
```

```

    Type: string
    Format: string
  end-address:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  cisco-bng-ipam:default-gateway:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    cisco-bng-ipam:default-gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```

        Format: string
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    address-ranges:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container

```

```

    is_presence: 'false'
  Properties:
    address-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          end-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          offline:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: '[null]'
    prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          length:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          offline:
            Description: (leaf)
            x-yang:

```

```

    Type: leaf
    Type: string
    Format: '[null]'
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
prefix-ranges:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    prefix-range:
      Type: array
      Description: (list)
```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      length:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        offline:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
    split-size:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        per-cache:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          per-dp:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
            no-split:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
        threshold:
          Description: (non-presence)
          Type: object

```



```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      cisco-bng-ipam:prefix-length:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  cisco-bng-ipam:static:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cisco-bng-ipam:enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      cisco-bng-ipam:user-plane:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ipv4-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      ipv6-addr:
        Description: (leaf)
        x-yang:

```

```

        Type: leaf
        Type: integer
        Format: uint32
    ipv6-prefix:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    min-dp-addr-size:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
        ipv4-addr:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
        ipv6-addr:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
        ipv6-prefix:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
    cisco-cn-ipam:pool:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
        Properties:
            pool-name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            gr-inst-id:
                Description: (leaf)
                x-yang:

```

```
    Type: leaf
    Type: string
    Format: string
  ipv4-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv4-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv4-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-pfx-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
```

```
ipv6-pfx-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-rsvd-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  index:
```

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```
    Type: string
    Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
addr-alloc-thrs:
  Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
    alloc-attrs-list:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        alloc-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        route:
          Description: (leaf)
          x-yang:
```



```
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```
cisco-cn-ipam:dp:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    dp-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    gr-inst-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ipv4-total:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
    ipv4-used:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
    ipv4-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ipv6-addr-total:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
    ipv6-addr-used:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
    ipv6-addr-threshold:
```

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-pfx-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-rsvd-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
```

```
Type: list
Items:
Type: object
Properties:
  start-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  pool:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
```

```
    Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
```

```
pool:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
```

```
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```
    Type: integer
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    addr-alloc-thrs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    alloc-addr-list:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  cisco-cn-ipam:dp-tag:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      dp-tag:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      gr-inst-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ipv4-total:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint64
      ipv4-used:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint64
      ipv4-threshold:
        Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
ipv6-addr-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-pfx-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-rsvd-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
```

```
    Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
```

```
    Type: leaf
    Type: string
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    route:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    static:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
```

**Properties:**

- start-addr:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** string
- pool:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** string
- index:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** integer
  - Format:** uint32
- end-addr:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** string
- alloc-id:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** string
- route:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** string
- static:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** boolean
- offline:**
  - Description:** (leaf)
  - x-yang:**
    - Type:** leaf
  - Type:** string
  - Format:** boolean
- native-inst-id:**
  - Description:** (leaf)

```

    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam_dp:
  Type: object
  Properties:
    cisco-cn-ipam:dp:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          dp-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string

```



```
gr-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv4-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv4-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-pfx-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-used:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
  Type: integer
  Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
  ipv4-rsvd-addr:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint64
  app-name-bng:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
  static:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
  offline:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
  ipv4-addr:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  pool:
    Description: (leaf)
  x-yang:
    Type: leaf

```

```
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        end-addr:
          Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
```

```
    Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      index:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      end-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      alloc-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
```

```
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
data_cisco-cn-ipam_ipam_dp-tag:
  Type: object
  Properties:
    cisco-cn-ipam:dp-tag:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          dp-tag:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gr-inst-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          ipv4-total:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint64
          ipv4-used:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint64
          ipv4-threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          ipv6-addr-total:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint64
          ipv6-addr-used:

```



**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** integer  
  **Format:** uint64

**ipv6-addr-threshold:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** string  
  **Format:** string

**ipv6-pfx-total:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** integer  
  **Format:** uint64

**ipv6-pfx-used:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** integer  
  **Format:** uint64

**ipv6-pfx-threshold:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** string  
  **Format:** string

**ipv4-rsvd-addr:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** integer  
  **Format:** uint64

**app-name-bng:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** string  
  **Format:** boolean

**static:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf  
  **Type:** string  
  **Format:** boolean

**offline:**  
**Description:** (leaf)  
**x-yang:**  
  **Type:** leaf

```
    Type: string
    Format: boolean
  ipv4-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      start-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      pool:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      index:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      end-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      alloc-id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      route:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      static:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
```

```
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
```

```
start-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
pool:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
```

```
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  pool:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  flag:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        native-peer-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        addr-alloc-thrs:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        alloc-addrs-list:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag:
    Type: object
    Properties:
      cisco-cn-ipam:dp-tag:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            dp-tag:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            gr-inst-id:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            ipv4-total:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer

```

```
    Format: uint64
  ipv4-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv4-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-pfx-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv4-rsvd-addr:
    Description: (leaf)
```



```
x-yang:
  Type: leaf
  Type: integer
  Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  route:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```
    Type: string
    Format: string
  ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        alloc-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        route:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        static:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
```

```

    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_app-name-bng:
  Type: object
  Properties:
    cisco-cn-ipam:app-name-bng:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```
    Format: boolean
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_dp-tag:
  Type: object
  Properties:
    cisco-cn-ipam:dp-tag:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_gr-inst-id:
  Type: object
  Properties:
    cisco-cn-ipam:gr-inst-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv4-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-addr:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-addr:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          pool:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          index:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          end-addr:
            Description: (leaf)
            x-yang:
```

```
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```



```

    addr-alloc-thrs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    alloc-attrs-list:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index:

```

Type: object

Properties:

cisco-cn-ipam:ipv4-addr:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

start-addr:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

pool:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

index:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: uint32

end-addr:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

alloc-id:

Description: (leaf)

x-yang:

Type: leaf

```
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_addr-alloc-thrs:
Type: object
Properties:
  cisco-cn-ipam:addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_alloc-addr-list
: type: object
Properties:
  cisco-cn-ipam:alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_alloc-id
Type: object
Properties:
  cisco-cn-ipam:alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_end-addr:
Type: object
Properties:
  cisco-cn-ipam:end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_flag:
Type: object
Properties:
  cisco-cn-ipam:flag:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: string
    Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_index:

    Type: object
    Properties:
      cisco-cn-ipam:index:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_native-inst-id:

    Type: object
    Properties:
      cisco-cn-ipam:native-inst-id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_native-peer-id:

    Type: object
    Properties:
      cisco-cn-ipam:native-peer-id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_offline:

    Type: object
    Properties:
      cisco-cn-ipam:offline:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_peer-inst-id:

    Type: object
    Properties:
      cisco-cn-ipam:peer-inst-id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32

```

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_pool:**

**Type:** object  
**Properties:**  
 cisco-cn-ipam:pool:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_route:**

**Type:** object  
**Properties:**  
 cisco-cn-ipam:route:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_start-addr:**

**Type:** object  
**Properties:**  
 cisco-cn-ipam:start-addr:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: string

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_static:**

**Type:** object  
**Properties:**  
 cisco-cn-ipam:static:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: string  
 Format: boolean

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-rsvd-addr:**

**Type:** object  
**Properties:**  
 cisco-cn-ipam:ipv4-rsvd-addr:  
 Description: (leaf)  
 x-yang:  
 Type: leaf  
 Type: integer  
 Format: uint64

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag-dp-tag\_ipv4-threshold:**

**Type:** object  
**Properties:**

```

    cisco-cn-ipam:ipv4-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv4-total:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-total:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv4-used:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-used:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-addr:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-addr:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          pool:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          index:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```
    Type: integer
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      addr-alloc-thrs:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      alloc-addrs-list:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr-threshold:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-addr-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr-total:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-addr-total:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint64
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr-used:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-addr-used:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint64
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-addr:
      Type: array
      Description: (list)
      x-yang:

```



```
Type: list
Items:
Type: object
Properties:
  start-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  pool:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

```

    Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_addr-alloc-thrs:
  Type: object
  Properties:
    cisco-cn-ipam:addr-alloc-thrs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_alloc-addrs-list
: type: object
  Properties:
    cisco-cn-ipam:alloc-addrs-list:

```

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag\_dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_alloc-id:**

**Type:** object

**Properties:**

**cisco-cn-ipam:alloc-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag\_dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_end-addr:**

**Type:** object

**Properties:**

**cisco-cn-ipam:end-addr:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag\_dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_flag:**

**Type:** object

**Properties:**

**cisco-cn-ipam:flag:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag\_dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_index:**

**Type:** object

**Properties:**

**cisco-cn-ipam:index:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_dp-tag\_dp-tag\_dp-tag\_ipv6-addr\_ipv6-addr-start-addr\_ipv6-addr-pool\_ipv6-addr-index\_native-inst-id:**

**Type:** object

**Properties:**

**cisco-cn-ipam:native-inst-id:**

**Description:** (leaf)

**x-yang:**

```

    Type: leaf
    Type: integer
    Format: uint32
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_native-peer-id:
  Type: object
  Properties:
    cisco-cn-ipam:native-peer-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_offline:
  Type: object
  Properties:
    cisco-cn-ipam:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_peer-inst-id:
  Type: object
  Properties:
    cisco-cn-ipam:peer-inst-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_pool:
  Type: object
  Properties:
    cisco-cn-ipam:pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_route:
  Type: object
  Properties:
    cisco-cn-ipam:route:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```

    Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_start-addr:
  Type: object
  Properties:
    cisco-cn-ipam:start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_static:
  Type: object
  Properties:
    cisco-cn-ipam:static:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-pfx-threshold:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-pfx-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-pfx-total:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-pfx-total:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-pfx-used:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-pfx-used:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-prefix:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-prefix:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    route:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    static:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    offline:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index
Type: object
Properties:
  cisco-cn-ipam:ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:

```

```
start-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
pool:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
```



```

        Type: leaf
        Type: integer
        Format: uint32
    peer-inst-id:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    flag:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    native-peer-id:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    addr-alloc-thrs:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    alloc-addrs-list:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_addr-alloc-thrs
: type: object
  Properties:
    cisco-cn-ipam:addr-alloc-thrs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_alloc-addrs-list
: type: object
  Properties:
    cisco-cn-ipam:alloc-addrs-list:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```

    Format: string
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_alloc-id
: type: object
  Properties:
    cisco-cn-ipam:alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_end-addr
: type: object
  Properties:
    cisco-cn-ipam:end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_flag:
  Type: object
  Properties:
    cisco-cn-ipam:flag:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_index:
  Type: object
  Properties:
    cisco-cn-ipam:index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_native-inst-id
: type: object
  Properties:
    cisco-cn-ipam:native-inst-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_native-peer-id

```

```

: type: object
  Properties:
    cisco-cn-ipam:native-peer-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_offline
Type: object
Properties:
  cisco-cn-ipam:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_peer-inst-id
: type: object
  Properties:
    cisco-cn-ipam:peer-inst-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_pool:
Type: object
Properties:
  cisco-cn-ipam:pool:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_route
Type: object
Properties:
  cisco-cn-ipam:route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
?
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_start-addr
: type: object
  Properties:
    cisco-cn-ipam:start-addr:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp-tag_dp-tag_dp-tag_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_static:
Type: object
Properties:
  cisco-cn-ipam:static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_offline:
Type: object
Properties:
  cisco-cn-ipam:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_dp-tag_dp-tag-dp-tag_static:
Type: object
Properties:
  cisco-cn-ipam:static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_dp_dp-dp-name:
Type: object
Properties:
  cisco-cn-ipam:dp:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        dp-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        gr-inst-id:
          Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
ipv4-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv4-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv4-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-addr-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-pfx-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
```

```

    Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv4-rsvd-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  app-name-bng:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  ipv4-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string

```

```
index:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf

```



```
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-attrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
ipv6-prefix:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    route:
      Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
```

```

        Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_app-name-bng:
  Type: object
  Properties:
    cisco-cn-ipam:app-name-bng:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_dp_dp-dp-name_dp-name:
  Type: object
  Properties:
    cisco-cn-ipam:dp-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_gr-inst-id:
  Type: object
  Properties:
    cisco-cn-ipam:gr-inst-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-addr:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-addr:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          pool:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string

```

```
index:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index:

```

Type: object

Properties:

cisco-cn-ipam:ipv4-addr:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

start-addr:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

pool:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

index:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: uint32

end-addr:

```
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

        Type: string
        Format: string
    addr-alloc-thrs:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    alloc-attrs-list:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_addr-alloc-thrs:

Type: object
Properties:
  cisco-cn-ipam:addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_alloc-attrs-list:

Type: object
Properties:
  cisco-cn-ipam:alloc-attrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_alloc-id:

Type: object
Properties:
  cisco-cn-ipam:alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_end-addr:

Type: object
Properties:
  cisco-cn-ipam:end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf

```



**Type:** string  
**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_flag:**

**Type:** object  
**Properties:**  
**cisco-cn-ipam:flag:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_index:**

**Type:** object  
**Properties:**  
**cisco-cn-ipam:index:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_native-inst-id:**

**Type:** object  
**Properties:**  
**cisco-cn-ipam:native-inst-id:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** integer  
**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_native-peer-id:**

**Type:** object  
**Properties:**  
**cisco-cn-ipam:native-peer-id:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv4-addr\_ipv4-addr-start-addr\_ipv4-addr-pool\_ipv4-addr-index\_offline:**

**Type:** object  
**Properties:**  
**cisco-cn-ipam:offline:**  
**Description:** (leaf)  
**x-yang:**  
**Type:** leaf  
**Type:** string  
**Format:** boolean

`data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_peer-inst-id:`

**Type:** object

**Properties:**

`cisco-cn-ipam:peer-inst-id:`

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

`data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_pool:`

**Type:** object

**Properties:**

`cisco-cn-ipam:pool:`

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

`data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_route:`

**Type:** object

**Properties:**

`cisco-cn-ipam:route:`

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

`data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_start-addr:`

**Type:** object

**Properties:**

`cisco-cn-ipam:start-addr:`

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

`data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-addr_ipv4-addr-start-addr_ipv4-addr-pool_ipv4-addr-index_static:`

**Type:** object

**Properties:**

`cisco-cn-ipam:static:`

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** boolean

`data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-rsvd-addr:`

**Type:** object

```
Properties:
  cisco-cn-ipam:ipv4-rsvd-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-threshold:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-total:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-total:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint64
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv4-used:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-used:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint64
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-addr:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-addr:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
```

```
pool:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
```

```

        Type: leaf
        Type: integer
        Format: uint32
    flag:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    native-peer-id:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    addr-alloc-thrs:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    alloc-addrs-list:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr-threshold:
    Type: object
    Properties:
        cisco-cn-ipam:ipv6-addr-threshold:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr-total:
    Type: object
    Properties:
        cisco-cn-ipam:ipv6-addr-total:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint64
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr-used:
    Type: object
    Properties:
        cisco-cn-ipam:ipv6-addr-used:
            Description: (leaf)
            x-yang:

```

```

    Type: leaf
    Type: integer
    Format: uint64
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index:
Type: object
Properties:
  cisco-cn-ipam:ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        alloc-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        route:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        static:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam:ipam:dp-dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_addr-alloc-thrs:
  Type: object
  Properties:
    cisco-cn-ipam:addr-alloc-thrs:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_alloc-addr-list:

Type: object
Properties:
  cisco-cn-ipam:alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_alloc-id:

Type: object
Properties:
  cisco-cn-ipam:alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_end-addr:

Type: object
Properties:
  cisco-cn-ipam:end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_flag:

Type: object
Properties:
  cisco-cn-ipam:flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_index:

Type: object
Properties:
  cisco-cn-ipam:index:
    Description: (leaf)
    x-yang:

```



```

    Type: leaf
    Type: integer
    Format: uint32
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_native-inst-id:
Type: object
Properties:
  cisco-cn-ipam:native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_native-peer-id:
Type: object
Properties:
  cisco-cn-ipam:native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_offline:
Type: object
Properties:
  cisco-cn-ipam:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_peer-inst-id:
Type: object
Properties:
  cisco-cn-ipam:peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_pool:
Type: object
Properties:
  cisco-cn-ipam:pool:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string

```

```

    Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_route:
  Type: object
  Properties:
    cisco-cn-ipam:route:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_start-addr:
  Type: object
  Properties:
    cisco-cn-ipam:start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-addr_ipv6-addr-start-addr_ipv6-addr-pool_ipv6-addr-index_static:
  Type: object
  Properties:
    cisco-cn-ipam:static:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-pfx-threshold:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-pfx-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-pfx-total:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-pfx-total:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-pfx-used:
  Type: object
  Properties:

```

```
cisco-cn-ipam:ipv6-pfx-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-prefix:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-addr:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          pool:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          index:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          end-addr:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          alloc-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          route:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```

    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index:

```

```
Type: object
Properties:
  cisco-cn-ipam:ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        alloc-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        route:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        static:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
```

```

    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
?
data_cisco-cn-ipam_ipam_dp_dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_addr-alloc-thrs
: type: object
Properties:
  cisco-cn-ipam:addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string

```

```

    Format: string
?
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_alloc-addr-list
: type: object
  Properties:
    cisco-cn-ipam:alloc-addr-list:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_alloc-id
Type: object
  Properties:
    cisco-cn-ipam:alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_end-addr
Type: object
  Properties:
    cisco-cn-ipam:end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_flag
Type: object
  Properties:
    cisco-cn-ipam:flag:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_index
Type: object
  Properties:
    cisco-cn-ipam:index:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_native-inst-id

```

**Type:** object

**Properties:**

**cisco-cn-ipam:native-inst-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_native-peer-id:**

**Type:** object

**Properties:**

**cisco-cn-ipam:native-peer-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_offline:**

**Type:** object

**Properties:**

**cisco-cn-ipam:offline:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** boolean

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_peer-inst-id:**

**Type:** object

**Properties:**

**cisco-cn-ipam:peer-inst-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_pool:**

**Type:** object

**Properties:**

**cisco-cn-ipam:pool:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_dp\_dp-name\_ipv6-prefix\_ipv6-prefix-start-addr\_ipv6-prefix-pool\_ipv6-prefix-index\_route:**

**Type:** object

**Properties:**



```

    cisco-cn-ipam:route:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_start-addr:
Type: object
Properties:
  cisco-cn-ipam:start-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam_dp_dp-dp-name_ipv6-prefix_ipv6-prefix-start-addr_ipv6-prefix-pool_ipv6-prefix-index_static:
Type: object
Properties:
  cisco-cn-ipam:static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_cisco-cn-ipam_ipam_dp_dp-dp-name_offline:
Type: object
Properties:
  cisco-cn-ipam:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_cisco-cn-ipam_ipam_dp_dp-dp-name_static:
Type: object
Properties:
  cisco-cn-ipam:static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_cisco-cn-ipam_ipam_instance_instance-instance-id:
Type: object
Properties:
  cisco-cn-ipam:instance:
    Type: array
    Description: (list)
    x-yang:
      Type: list

```

```

Items:
  Type: object
  Properties:
    instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        local:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
          external:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              ipam:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  host:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                      Type: string
                      Format: union
                  port:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                      Type: integer
                      Format: uint32
                  vendor:
                    Description: (leaf)
                    x-yang:

```

```

        Type: leaf
        Type: string
        Format: enumeration
        Default: cisco
        enum:
        - cisco
address-pool:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    address-quarantine-timer:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    address-quarantine-qsize:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ipv4:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        address-range:

```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    start-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    end-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    cisco-bng-ipam:default-gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  prefix-range:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        prefix:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        length:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32

```

```
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
  cisco-bng-ipam:default-gateway:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
ipv6:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  address-ranges:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      address-range:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            start-address:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            end-address:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            offline:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: '[null]'
          prefix-range:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                prefix:
                  Description: (leaf)
                  x-yang:
                    Type: leaf

```

```

    Type: string
    Format: string
  length:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer

```

```

    Format: uint32
prefix-ranges:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          length:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          offline:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: '[null]'
    split-size:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        per-cache:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        per-dp:
          Description: (leaf)
          x-yang:
            Type: leaf

```



```

        Type: integer
        Format: uint32
    no-split:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
    threshold:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            upper-threshold:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
    cisco-bng-ipam:prefix-length:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    cisco-bng-ipam:static:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            cisco-bng-ipam:enable:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: '[null]'
            cisco-bng-ipam:user-plane:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
    threshold:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container

```

```

    is_presence: 'false'
  Properties:
    ipv4-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  min-dp-addr-size:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    ipv4-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-name:
    Type: object
  Properties:
    cisco-cn-ipam:address-pool:
      Type: array
      Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    address-quarantine-timer:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    address-quarantine-qsize:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ipv4:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        address-range:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              start-address:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  end-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cisco-bng-ipam:default-gateway:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
  cisco-bng-ipam:default-gateway:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    address-ranges:
      Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  address-range:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          end-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
            offline:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
        prefix-range:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              prefix:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              length:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32

```

```
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
prefix-ranges:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
```

```

prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        length:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          offline:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
      split-size:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          per-cache:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          per-dp:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          no-split:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'

```



```

    threshold:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        upper-threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    cisco-bng-ipam:prefix-length:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cisco-bng-ipam:static:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        cisco-bng-ipam:enable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        cisco-bng-ipam:user-plane:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_address-quarantine-qsize:
      Type: object
      Properties:
        cisco-cn-ipam:address-quarantine-qsize:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_address-quarantine-timer:
      Type: object
      Properties:

```

```

    cisco-cn-ipam:address-quarantine-timer:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-bng-ipam_static:
Type: object
Properties:
  cisco-bng-ipam:static:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cisco-bng-ipam:enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      cisco-bng-ipam:user-plane:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-bng-ipam_static-post:
Type: object
Properties:
  cisco-bng-ipam:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cisco-bng-ipam:user-plane:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-bng-ipam_static_cisco-bng-ipam_enable
: type: object
Properties:
  cisco-bng-ipam:enable:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
    Type: string
    Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_cisco-bng-ipam_static_cisco-bng-ipam_user-plane
: type: object
  Properties:
    cisco-bng-ipam:user-plane:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4:

Type: object
Properties:
  cisco-cn-ipam:ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      address-range:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            start-address:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            end-address:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            offline:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
            cisco-bng-ipam:default-gateway:
              Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    cisco-bng-ipam:default-gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4-post:
Type: object
Properties:
  cisco-cn-ipam:address-range:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        end-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        offline:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```

```

    Format: '[null]'
  cisco-bng-ipam:default-gateway:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cisco-cn-ipam:prefix-range:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      length:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      cisco-bng-ipam:default-gateway:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  cisco-cn-ipam:split-size:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      per-cache:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer

```

```

    Format: uint32
  per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cisco-cn-ipam:threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address
: type: object
  Properties:
    cisco-cn-ipam:address-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          end-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          offline:
            Description: (leaf)

```

```

        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      cisco-bng-ipam:default-gateway:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
?
data_cisco_cn_ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_cisco_bng_ipam_default-gatew
: type: object
Properties:
  cisco-bng-ipam:default-gateway:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_cisco_cn_ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_end-address
: type: object
Properties:
  cisco-cn-ipam:end-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_cisco_cn_ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_offline
: type: object
Properties:
  cisco-cn-ipam:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
?
data_cisco_cn_ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_address-range_address-range-start-address_address-range-end-address_start-address
: type: object
Properties:
  cisco-cn-ipam:start-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_cisco_cn_ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length
: type: object

```



```

Properties:
  cisco-cn-ipam:prefix-range:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        prefix:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        length:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        offline:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
        cisco-bng-ipam:default-gateway:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-rare_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_cisco-bng-ipam_default-gatew
: type: object
  Properties:
    cisco-bng-ipam:default-gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-rare_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_length
: type: object
  Properties:
    cisco-cn-ipam:length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer

```

```

    Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_offline
: type: object
  Properties:
    cisco-cn-ipam:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_prefix-range_prefix-range-prefix_prefix-range-length_prefix
: type: object
  Properties:
    cisco-cn-ipam:prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size:
Type: object
Properties:
  cisco-cn-ipam:split-size:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      per-cache:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      per-dp:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      no-split:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv4_split-size-post:
Type: object

```

**Properties:****cisco-cn-ipam:per-cache:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**cisco-cn-ipam:per-dp:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**cisco-cn-ipam:no-split:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** '[null]'**data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_split-size\_no-split:****Type:** object**Properties:****cisco-cn-ipam:no-split:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** '[null]'**data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_split-size\_per-cache:****Type:** object**Properties:****cisco-cn-ipam:per-cache:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_split-size\_per-dp:****Type:** object**Properties:****cisco-cn-ipam:per-dp:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_threshold:****Type:** object

**Properties:****cisco-cn-ipam:threshold:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****upper-threshold:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_threshold-post:****Type:** object**Properties:****cisco-cn-ipam:upper-threshold:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv4\_threshold\_upper-threshold:****Type:** object**Properties:****cisco-cn-ipam:upper-threshold:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_address-pool\_address-pool-pool-name\_ipv6:****Type:** object**Properties:****cisco-cn-ipam:ipv6:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:****address-ranges:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is\_presence:** 'false'**Properties:**

```
address-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      start-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      end-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

```
prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      length:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

    Format: '[null]'
split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
prefix-ranges:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

```
Items:
  Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
  split-size:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      per-cache:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      per-dp:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      no-split:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
```

```

        is_presence: 'false'
    Properties:
        upper-threshold:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
    cisco-bng-ipam:prefix-length:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6-post:
Type: object
Properties:
    cisco-cn-ipam:address-ranges:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            address-range:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        start-address:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                            Type: string
                            Format: string
                        end-address:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                            Type: string
                            Format: string
                        offline:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                            Type: string
                            Format: '[null]'
            prefix-range:

```



```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
  split-size:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      per-cache:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      per-dp:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      no-split:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
  threshold:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  upper-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
cisco-cn-ipam:prefix-ranges:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  prefix-range:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        prefix:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          length:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
            offline:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
        split-size:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```

Properties:
  per-cache:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  cisco-bng-ipam:prefix-length:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-name_ipv6_address-ranges:
Type: object
Properties:
  cisco-cn-ipam:address-ranges:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      address-range:
        Type: array
        Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    start-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    end-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      length:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
split-size:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  per-cache:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32

```

**data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv6\_address-ranges-post:**

```

Type: object
Properties:
  cisco-cn-ipam:address-range:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
  Properties:
    start-address:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: string
  end-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
cisco-cn-ipam:prefix-range:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    length:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
cisco-cn-ipam:split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: integer
    Format: uint32
  per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cisco-cn-ipam:threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
?
data-cisco-cn-ipam:ipam:instance-instance-id:address-pool-address-pool-name-ipv6-address-range-address-range-start-address-address-range-end-address
: type: object
  Properties:
    cisco-cn-ipam:address-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          end-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          offline:

```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
?
data-cisco-cn-ipam:ipam:instance-instance-id-address-pool-address-pool-range-ipv6-address-ranges-address-range-address-range-start-address-address-range-end-address-end-address
: type: object
  Properties:
    cisco-cn-ipam:end-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
?
data-cisco-cn-ipam:ipam:instance-instance-id-address-pool-address-pool-range-ipv6-address-ranges-address-range-address-range-start-address-address-range-end-address-offline
: type: object
  Properties:
    cisco-cn-ipam:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
?
data-cisco-cn-ipam:ipam:instance-instance-id-address-pool-address-pool-range-ipv6-address-ranges-address-range-address-range-start-address-address-range-end-address-start-address
: type: object
  Properties:
    cisco-cn-ipam:start-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
?
data-cisco-cn-ipam:ipam:instance-instance-id-address-pool-address-pool-range-ipv6-address-ranges-prefix-range-prefix-range-prefix-prefix-range-length
: type: object
  Properties:
    cisco-cn-ipam:prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string

```



```

    length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
?
data_cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_length
: type: object
  Properties:
    cisco-cn-ipam:length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
?
data_cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_offline
: type: object
  Properties:
    cisco-cn-ipam:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
?
data_cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_prefix-range_prefix-range-prefix_prefix-range-length_prefix
: type: object
  Properties:
    cisco-cn-ipam:prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam:ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size
Type: object
Properties:
  cisco-cn-ipam:split-size:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:

```

```

    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size-post
: type: object
Properties:
  cisco-cn-ipam:per-cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-cn-ipam:per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cisco-cn-ipam:no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_no-split
: type: object
Properties:
  cisco-cn-ipam:no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_per-cache
: type: object

```

```

Properties:
  cisco-cn-ipam:per-cache:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_split-size_per-dp
: type: object
Properties:
  cisco-cn-ipam:per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold
Type: object
Properties:
  cisco-cn-ipam:threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold-post
: type: object
Properties:
  cisco-cn-ipam:upper-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_address-ranges_threshold_upper-threshold
: type: object
Properties:
  cisco-cn-ipam:upper-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer

```

**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_address-pool\_address-pool-pool-name\_ipv6\_prefix-ranges:**

**Type:** object

**Properties:**

**cisco-cn-ipam:prefix-ranges:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**prefix-range:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**prefix:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**length:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**offline:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** '[null]'

**split-size:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**per-cache:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**per-dp:**

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  cisco-bng-ipam:prefix-length:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges-post:
  Type: object
  Properties:
    cisco-cn-ipam:prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          length:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

    Type: integer
    Format: uint32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
cisco-cn-ipam:split-size:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    per-cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
cisco-cn-ipam:threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
cisco-bng-ipam:prefix-length:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer

```

```

    Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_cisco-bng-ipam_prefix-length
: type: object
  Properties:
    cisco-bng-ipam:prefix-length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length
: type: object
  Properties:
    cisco-cn-ipam:prefix-range:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          length:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          offline:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length_length
: type: object
  Properties:
    cisco-cn-ipam:length:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length_offline

```

```

: type: object
  Properties:
    cisco-cn-ipam:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_prefix-range_prefix-range-prefix_prefix-range-length_prefix
: type: object
  Properties:
    cisco-cn-ipam:prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size
Type: object
  Properties:
    cisco-cn-ipam:split-size:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        per-cache:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        per-dp:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        no-split:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size-post
: type: object
  Properties:
    cisco-cn-ipam:per-cache:

```



```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    cisco-cn-ipam:per-dp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cisco-cn-ipam:no-split:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_no-split
: type: object
Properties:
  cisco-cn-ipam:no-split:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_per-cache
: type: object
Properties:
  cisco-cn-ipam:per-cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_split-size_per-dp
: type: object
Properties:
  cisco-cn-ipam:per-dp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold
Type: object
Properties:
  cisco-cn-ipam:threshold:
    Description: (non-presence)

```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      upper-threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold-post
: type: object
  Properties:
    cisco-cn-ipam:upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
?
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_ipv6_prefix-ranges_threshold_upper-threshold
: type: object
  Properties:
    cisco-cn-ipam:upper-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_offline:
  Type: object
  Properties:
    cisco-cn-ipam:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_pool-name:
  Type: object
  Properties:
    cisco-cn-ipam:pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_instance_instance-instance-id_address-pool_address-pool-pool-name_vrf-name:

```

```
Type: object
Properties:
  cisco-cn-ipam:vrf-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam_instance_instance-id_instance-id:
Type: object
Properties:
  cisco-cn-ipam:instance-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_cisco-cn-ipam_ipam_instance_instance-id_min-dp-addr-size:
Type: object
Properties:
  cisco-cn-ipam:min-dp-addr-size:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ipv4-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ipv6-addr:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ipv6-prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_min-dp-addr-size-post:
Type: object
Properties:
  cisco-cn-ipam:ipv4-addr:
    Description: (leaf)
    x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint32
cisco-cn-ipam:ipv6-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
cisco-cn-ipam:ipv6-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv4-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-instance-id_min-dp-addr-size_ipv6-prefix:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-instance-id_source:
  Type: object
  Properties:
    cisco-cn-ipam:source:
      Description: (non-presence)
      Type: object
      x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    local:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    external:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ipam:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            host:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: union
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
            vendor:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: cisco
            enum:
              - cisco
  data_cisco-cn-ipam_ipam_instance_instance-id_source-post:
    Type: object
  Properties:
    cisco-cn-ipam:local:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```

    Format: '[null]'
  cisco-cn-ipam:external:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ipam:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          host:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: union
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          vendor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: cisco
          enum:
            - cisco
  data_cisco-cn-ipam_ipam_instance_instance-id_source_external:
    Type: object
    Properties:
      cisco-cn-ipam:external:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ipam:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'

```

```

Properties:
  host:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: union
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  vendor:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: cisco
    enum:
      - cisco

```

**data\_cisco-cn-ipam\_ipam\_instance\_instance-id\_source\_external-post:**

```

Type: object
Properties:
  cisco-cn-ipam:ipam:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
    is_presence: 'false'
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    vendor:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: cisco

```

```

    enum:
      - cisco
data_cisco-cn-ipam_ipam_instance_instance-id_source_external_ipam:

```

**Type:** object

**Properties:**

**cisco-cn-ipam:ipam:**

**Description:** (non-presence)

**Type:** object

**x-yang:**

**Type:** container

**is\_presence:** 'false'

**Properties:**

**host:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** union

**port:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**vendor:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** enumeration

**Default:** cisco

**enum:**

- cisco

```

data_cisco-cn-ipam_ipam_instance_instance-id_source_external_ipam-post:

```

**Type:** object

**Properties:**

**cisco-cn-ipam:host:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** union

**cisco-cn-ipam:port:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**cisco-cn-ipam:vendor:**

**Description:** (leaf)



```
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: cisco
  enum:
    - cisco
```

data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_external\_ipam\_host:

```
Type: object
Properties:
  cisco-cn-ipam:host:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
```

data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_external\_ipam\_port:

```
Type: object
Properties:
  cisco-cn-ipam:port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
```

data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_external\_ipam\_vendor:

```
Type: object
Properties:
  cisco-cn-ipam:vendor:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: cisco
    enum:
      - cisco
```

data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_source\_local:

```
Type: object
Properties:
  cisco-cn-ipam:local:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

data\_cisco-cn-ipam\_ipam\_instance\_instance-instance-id\_threshold:

```
Type: object
Properties:
```

```

cisco-cn-ipam:threshold:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ipv4-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ipv6-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_threshold-post:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cisco-cn-ipam:ipv6-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cisco-cn-ipam:ipv6-prefix:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_threshold_ipv4-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-addr:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_threshold_ipv6-addr:

Type: object
Properties:
  cisco-cn-ipam:ipv6-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_instance_instance-id_threshold_ipv6-prefix:

Type: object
Properties:
  cisco-cn-ipam:ipv6-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_pool:

Type: object
Properties:
  cisco-cn-ipam:pool:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        pool-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        gr-inst-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ipv4-total:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer

```

```
    Format: uint64
  ipv4-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv4-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-addr-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-addr-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-pfx-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-used:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
  ipv6-pfx-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv4-rsvd-addr:
    Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: integer
  Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-attrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    pool:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    index:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    end-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    alloc-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  route:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
```



```
    Type: string
    Format: string
  ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        alloc-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        route:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        static:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
```

```

    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam_pool_pool-name:
  Type: object
  Properties:
    cisco-cn-ipam:pool:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

**Items:**

**Type:** object  
**Properties:**  
**pool-name:**  
  **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
    **Type:** string  
    **Format:** string  
**gr-inst-id:**  
  **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
    **Type:** string  
    **Format:** string  
**ipv4-total:**  
  **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
    **Type:** integer  
    **Format:** uint64  
**ipv4-used:**  
  **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
    **Type:** integer  
    **Format:** uint64  
**ipv4-threshold:**  
  **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
    **Type:** string  
    **Format:** string  
**ipv6-addr-total:**  
  **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
    **Type:** integer  
    **Format:** uint64  
**ipv6-addr-used:**  
  **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
    **Type:** integer  
    **Format:** uint64  
**ipv6-addr-threshold:**  
  **Description:** (leaf)  
  **x-yang:**  
    **Type:** leaf  
    **Type:** string  
    **Format:** string

```
ipv6-pfx-total:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-used:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
ipv6-pfx-threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ipv4-rsvd-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint64
app-name-bng:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
ipv4-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
```

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
pool:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-addr-list:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
ipv6-addr:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    start-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  pool:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string

```

```
    Format: string
index:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:

```



```
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```

        addr-alloc-thrs:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        alloc-attrs-list:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
    data_cisco-cn-ipam_ipam_pool_pool-pool-name_app-name-bng:
        Type: object
        Properties:
            cisco-cn-ipam:app-name-bng:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: boolean
    data_cisco-cn-ipam_ipam_pool_pool-pool-name_gr-inst-id:
        Type: object
        Properties:
            cisco-cn-ipam:gr-inst-id:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
    data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr:
        Type: object
        Properties:
            cisco-cn-ipam:ipv4-addr:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        start-addr:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                            Type: string
                            Format: string
                        pool:
                            Description: (leaf)
                            x-yang:
                                Type: leaf

```

```
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  flag:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-name_ipv4-addr_ipv4-addr-start-addr:

```

Type: object

Properties:

cisco-cn-ipam:ipv4-addr:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

start-addr:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

pool:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

index:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

```
    Format: uint32
end-addr:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
alloc-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
route:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
static:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
native-peer-id:
  Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-attrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_addr-alloc-thrs:

Type: object
Properties:
  cisco-cn-ipam:addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_alloc-attrs-list:

Type: object
Properties:
  cisco-cn-ipam:alloc-attrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_alloc-id:

Type: object
Properties:
  cisco-cn-ipam:alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_end-addr:

Type: object
Properties:
  cisco-cn-ipam:end-addr:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_flag:

Type: object
Properties:
  cisco-cn-ipam:flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_index:

Type: object
Properties:
  cisco-cn-ipam:index:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_native-inst-id:

Type: object
Properties:
  cisco-cn-ipam:native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_native-peer-id:

Type: object
Properties:
  cisco-cn-ipam:native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-addr_ipv4-addr-start-addr_offline:

Type: object
Properties:
  cisco-cn-ipam:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
```

**Type:** string

**Format:** boolean

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_peer-inst-id:**

**Type:** object

**Properties:**

**cisco-cn-ipam:peer-inst-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_pool:**

**Type:** object

**Properties:**

**cisco-cn-ipam:pool:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_route:**

**Type:** object

**Properties:**

**cisco-cn-ipam:route:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_start-addr:**

**Type:** object

**Properties:**

**cisco-cn-ipam:start-addr:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv4-addr\_ipv4-addr-start-addr\_static:**

**Type:** object

**Properties:**

**cisco-cn-ipam:static:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** boolean



```
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-rsvd-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-rsvd-addr:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-threshold:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-total:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-total:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv4-used:
  Type: object
  Properties:
    cisco-cn-ipam:ipv4-used:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr:
  Type: object
  Properties:
    cisco-cn-ipam:ipv6-addr:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          start-addr:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```
    Type: string
    Format: string
  pool:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  index:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  route:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  peer-inst-id:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr-threshold:
Type: object
Properties:
  cisco-cn-ipam:ipv6-addr-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr-total:
Type: object
Properties:
  cisco-cn-ipam:ipv6-addr-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr-used:
Type: object
Properties:
  cisco-cn-ipam:ipv6-addr-used:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_pool_pool-name_ipv6-addr_ipv6-addr-start-addr:
Type: object
Properties:
  cisco-cn-ipam:ipv6-addr:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        alloc-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        route:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```

```

    Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_addr-alloc-thrs:
  Type: object

```

**Properties:****cisco-cn-ipam:addr-alloc-thrs:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_alloc-addr-list:****Type:** object**Properties:****cisco-cn-ipam:alloc-addr-list:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_alloc-id:****Type:** object**Properties:****cisco-cn-ipam:alloc-id:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_end-addr:****Type:** object**Properties:****cisco-cn-ipam:end-addr:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_flag:****Type:** object**Properties:****cisco-cn-ipam:flag:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-addr\_ipv6-addr-start-addr\_index:****Type:** object**Properties:****cisco-cn-ipam:index:**

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_native-inst-id:

Type: object
Properties:
  cisco-cn-ipam:native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_native-peer-id:

Type: object
Properties:
  cisco-cn-ipam:native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_offline:

Type: object
Properties:
  cisco-cn-ipam:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_peer-inst-id:

Type: object
Properties:
  cisco-cn-ipam:peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_pool:

Type: object
Properties:
  cisco-cn-ipam:pool:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_route:

Type: object
Properties:
  cisco-cn-ipam:route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_start-addr:

Type: object
Properties:
  cisco-cn-ipam:start-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-addr_ipv6-addr-start-addr_static:

Type: object
Properties:
  cisco-cn-ipam:static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-pfx-threshold:

Type: object
Properties:
  cisco-cn-ipam:ipv6-pfx-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-pfx-total:

Type: object
Properties:
  cisco-cn-ipam:ipv6-pfx-total:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint64
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-pfx-used:

```



**Type:** object

**Properties:**

**cisco-cn-ipam:ipv6-pfx-used:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint64

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix:**

**Type:** object

**Properties:**

**cisco-cn-ipam:ipv6-prefix:**

**Type:** array

**Description:** (list)

**x-yang:**

**Type:** list

**Items:**

**Type:** object

**Properties:**

**start-addr:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**pool:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**index:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**end-addr:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**alloc-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**route:**

**Description:** (leaf)

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  native-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-inst-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  native-peer-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  addr-alloc-thrs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  alloc-addrs-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

```

    Format: string
data_cisco-cn-ipam_ipam_pool_pool-name_ipv6-prefix_ipv6-prefix-start-addr:
Type: object
Properties:
  cisco-cn-ipam:ipv6-prefix:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        start-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        index:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        end-addr:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        alloc-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        route:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        static:
          Description: (leaf)
          x-yang:

```

```

    Type: leaf
    Type: string
    Format: boolean
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
native-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-inst-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
flag:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
native-peer-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
addr-alloc-thrs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
alloc-addrs-list:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_addr-alloc-thrs:
  Type: object
  Properties:
    cisco-cn-ipam:addr-alloc-thrs:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_alloc-addr-list:

Type: object
Properties:
  cisco-cn-ipam:alloc-addr-list:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_alloc-id:

Type: object
Properties:
  cisco-cn-ipam:alloc-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_end-addr:

Type: object
Properties:
  cisco-cn-ipam:end-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_flag:

Type: object
Properties:
  cisco-cn-ipam:flag:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_index:

Type: object
Properties:
  cisco-cn-ipam:index:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer

```

**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_native-inst-id:**

**Type:** object

**Properties:**

**cisco-cn-ipam:native-inst-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_native-peer-id:**

**Type:** object

**Properties:**

**cisco-cn-ipam:native-peer-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_offline:**

**Type:** object

**Properties:**

**cisco-cn-ipam:offline:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** boolean

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_peer-inst-id:**

**Type:** object

**Properties:**

**cisco-cn-ipam:peer-inst-id:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** integer

**Format:** uint32

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_pool:**

**Type:** object

**Properties:**

**cisco-cn-ipam:pool:**

**Description:** (leaf)

**x-yang:**

**Type:** leaf

**Type:** string

**Format:** string

**data\_cisco-cn-ipam\_ipam\_pool\_pool-pool-name\_ipv6-prefix\_ipv6-prefix-start-addr\_route:**

```

Type: object
Properties:
  cisco-cn-ipam:route:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_start-addr:

Type: object
Properties:
  cisco-cn-ipam:start-addr:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_ipv6-prefix_ipv6-prefix-start-addr_static:

Type: object
Properties:
  cisco-cn-ipam:static:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_pool_pool-pool-name_offline:

Type: object
Properties:
  cisco-cn-ipam:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-cn-ipam_ipam_pool_pool-pool-name_pool-name:

Type: object
Properties:
  cisco-cn-ipam:pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cisco-cn-ipam_ipam_pool_pool-pool-name_static:

Type: object
Properties:
  cisco-cn-ipam:static:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
    Type: string
    Format: boolean
operations:
  Type: object
  Properties:
    ietf-restconf:operations:
      Type: object
      x-yang:
        Type: operations
      Description: This resource is a container that provides access to the
data-model-specific
      RPC operations supported by the server. See RESTCONF RFC 8040 for further
      information.
      Properties: {}
root:
  Type: object
  Properties:
    ietf-restconf:restconf:
      Type: object
      x-yang:
        Type: root
      Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
      Properties:
        data:
          Type: object
          Properties: {}
        operations:
          Type: object
          Properties: {}
        yang-library-version:
          Type: string
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
      YANG module that is implemented by this server. See RESTCONF RFC 8040 for
      further information.
      x-yang:
        Type: leaf
      Properties: {}

```