



## CLI Add-On Feature Templates

- Feature history for CLI add-on feature templates, on page 1
- CLI add-on feature templates for Cisco SD-WAN, on page 2
- Restrictions for add-on feature templates, on page 2
- Create a CLI add-on feature template, on page 3
- Qualified CLI commands for CLI add-on feature templates, on page 3

### Feature history for CLI add-on feature templates

*Table 1: Feature History Table*

Feature Name	Release Information	Description
CLI Add-On Feature Templates	Cisco IOS XE Catalyst SD-WAN Release 17.2.1r Cisco vManage 20.1.1	<p>This feature adds a new feature template called the CLI add-on feature template. You can use this feature template to attach specific CLI configurations to a device. If a configuration cannot be specified using Cisco SD-WAN Manager but can be configured using the CLI on the device, then you can use this feature template to specify such configurations. You can also use CLI add-on feature templates to add small pieces of CLI configuration, instead of an entire running configuration.</p> <p>This feature is not intended to replace existing feature templates but instead to enhance their functionality.</p> <p>Note that not all CLIs are qualified. For more information, see <a href="#">Qualified CLIs for Cisco IOS XE Release 17.2.1r</a>.</p>

Feature Name	Release Information	Description
Additional Commands Qualified for CLI Add-On Feature Templates	Cisco IOS XE Catalyst SD-WAN Release Amsterdam 17.2.x  Cisco SD-WAN Release 20.1.12	With each release, we qualify commands for use with the CLI add-on feature templates feature. In this release, we qualified additional commands. See the <a href="#">Appendix</a> in the Cisco IOS XE SD-WAN Qualified Command Reference Guide.

## CLI add-on feature templates for Cisco SD-WAN

The CLI add-on feature template is a template that:

- Allows you to add custom device commands not available in standard feature templates.
- Gives the commands in it priority over those present in the feature templates during merges.

When you specify commands using the template, always use the commands as per the syntax displayed in the **show sdwan running-config** output.

For example, for Cisco AAA, the `attempts login` command is not available in Cisco SD-WAN Manager.

By using a CLI add-on feature template, you can specify the `aaa authentication attempts login number` command for a device.

After you create the feature template, ensure that you add it to the device template.

You must define the CLI add-on feature template before you use it in a device template.

## Restrictions for add-on feature templates

### The CLI add-on feature templates:

- Are supported only on devices running Cisco IOS XE Catalyst SD-WAN Release 17.2.1r or later.
- Allow only one CLI add-on template per device template.
- Require verification of each command by logging in and running it on the intended device before adding it to the CLI add-on feature template.
- Include only supported commands. Using unsupported commands cause errors and configuration failures.

For example, "`login local`" is not supported.

# Create a CLI add-on feature template

## Procedure

---

**Step 1** From the Cisco SD-WAN Manager menu, choose **Configuration > Templates > Feature Templates > Add Template** to select an appropriate device model.

### Note

In Cisco SD-WAN Release 20.7.x and earlier releases, **Feature Templates** is titled as **Feature**.

**Step 2** From **Select Devices**, select the devices for which you are creating the template.

**Step 3** From **Select Template**, scroll down to the **OTHER TEMPLATES** section.

**Step 4** Click **CLI Add-On Template**.

**Step 5** In the mandatory **Template Name** field, enter a name for the feature template; In the mandatory **Description** field, enter a description for the device template.

This **Template Name** field can contain only uppercase and lowercase letters, the digits 0 through 9, hyphens (-), and underscores (\_). It does not support spaces or any other characters. The **Description** field can only contain any characters and spaces.

**Step 6** In **CLI Configuration**, enter the configuration either by typing it, cutting and pasting it, or uploading a file.

**Step 7** To convert an actual configuration value to a variable, select the value and click **Create Variable**. Enter the variable name, and click **Create Variable**. You can also type the variable name directly, in the format `{{variable-name}}`.

**Step 8** Click **Save**. The new feature template is displayed in the **Feature Template** table.

**Step 9** To use the CLI add-on feature template, edit the device template as follows:

- a) From the Cisco SD-WAN Manager menu, choose **Configuration > Templates**.
- b) Click **Device Templates**.

In Cisco SD-WAN Release 20.7.x and earlier releases, **Device Templates** is titled as **Device**.

---

## Qualified CLI commands for CLI add-on feature templates

For a release-wise list of CLI commands that are qualified for use in Cisco SD-WAN Manager CLI templates, see the [Appendix](#) in the [Cisco IOS XE SD-WAN Qualified Command Reference](#).

