



Manage Account Settings

Table 1: Feature History

Feature Name	Release Information	Description
Support for Managing Predefined Inbound Rules	November 2022 Release	With this feature, you can specify trusted IP addresses, including prefixes, from which you can manage controller access. You can apply the predefined inbound rules to all of your overlays.

- [Information About Predefined Inbound Rules, on page 1](#)
- [Use Case for Predefined Inbound Rules, on page 2](#)
- [Manage Predefined Inbound Rules, on page 2](#)

Information About Predefined Inbound Rules

You can specify predefined inbound rules for allowing trusted IP addresses, including prefixes, for managing controller access. The predefined rules apply to any existing or new overlay network created with the associated Smart Account.

You can add up to 200 rules per overlay network.

Benefits of Predefined Inbound Rules

- Applies predefined inbound rules automatically to any overlay created with the associated Smart Account
- Supports equivalent audit log entries for the allowed IP addresses

Use Case for Predefined Inbound Rules

Manage Predefined Inbound Rules

Before You Begin

1. Create a Smart Account.

For more information on creating a Smart Account, see [Workflow for Smart Account and Virtual Accounts for Provisioning the Controllers](#).

2. Create an overlay.

For more information on creating a Cisco Catalyst SD-WAN cloud-hosted overlay network, see [Create a Cisco Catalyst SD-WAN Cloud-Hosted Overlay Network](#).

Manage Predefined Inbound Rules

1. From the Cisco Catalyst SD-WAN Portal menu, choose **Admin Settings**.
2. Under **Actions**, click . . . and choose **Manage Predefined Inbound Rules** from the drop-down list.
3. Click **Add Predefined Inbound Rules** to add a predefined inbound rule.
4. Configure the following fields:

Field	Description
Name	Enter a name for the predefined inbound rule.
Rule Type	Choose one of the available options from the drop-down list. <ul style="list-style-type: none">• All• SSH• HTTPS• Custom TCP rule• Custom UDP rule
Protocol	Protocol is automatically populated depending on which Rule Type you choose.
Port Range	Enter a port range. If you chose Custom TCP rule or Custom UDP rule , port range is automatically populated.
Source	Enter an IP address or an IP address prefix.

Field	Description
Description	Enter a description for the predefined inbound rule.
Automatically add this rule to ALL overlays	<p>Check the Automatically add this rule to ALL overlays check box if you want to apply the predefined rules to all the overlays associated with your Smart Account.</p> <p>If you do not check Automatically add this rule to ALL overlays, the rule does not get added to your existing overlays.</p>

5. Click **Add**.

