



# Cisco CloudOps Overview



**Note** To achieve simplification and consistency, the Cisco SD-WAN solution has been rebranded as Cisco Catalyst SD-WAN. In addition, from Cisco IOS XE SD-WAN Release 17.12.1a and Cisco Catalyst SD-WAN Release 20.12.1, the following component changes are applicable: **Cisco vManage to Cisco Catalyst SD-WAN Manager, Cisco vAnalytics to Cisco Catalyst SD-WAN Analytics, Cisco vBond to Cisco Catalyst SD-WAN Validator, Cisco vSmart to Cisco Catalyst SD-WAN Controller, and Cisco Controllers to Cisco Catalyst SD-WAN Control Components.** See the latest Release Notes for a comprehensive list of all the component brand name changes. While we transition to the new names, some inconsistencies might be present in the documentation set because of a phased approach to the user interface updates of the software product.

Cisco offers a cloud-hosting subscription for Cisco Catalyst SD-WAN Controllers such as Cisco SD-WAN Manager, Cisco SD-WAN Validator, and Cisco SD-WAN Controller that simplifies and accelerates Cisco Catalyst SD-WAN deployment, while reducing the cost of running these controllers on their own. The cloud deployment model also includes monitoring services for the instances and advanced analytics.

## About This Guide

This guide describes the Cisco-managed, cloud-hosted Cisco Catalyst SD-WAN Controller, as well as its capabilities and services. This guide details the cloud infrastructure hosting processes, responsibilities, and recommendations.

## Audience

The audience for this document includes network design engineers and network operators who want to purchase or deploy the cloud-based subscription options for Cisco Catalyst SD-WAN.

- [Types of Overlay Network in Cisco Catalyst SD-WAN, on page 2](#)
- [Coverage Summary, on page 2](#)
- [Solution Design, on page 6](#)
- [Supported Clouds and Cloud Regions, on page 7](#)
- [Cisco Catalyst SD-WAN Cloud Provisioning, on page 7](#)
- [Customer Responsibilities, on page 8](#)
- [Responsibilities of Cisco CloudOps, on page 9](#)

## Types of Overlay Network in Cisco Catalyst SD-WAN

- **Dedicated Overlay:** In dedicated overlay, also known as single tenant overlay, the hosting of Cisco Catalyst SD-WAN controllers such as Cisco SD-WAN Manager, Cisco SD-WAN Validator, and Cisco SD-WAN Controller is dedicated only to the customer.
- **Shared Overlay:** In shared overlay, the hosting of Cisco Catalyst SD-WAN controllers such as Cisco SD-WAN Manager, Cisco SD-WAN Validator, and Cisco SD-WAN Controller is shared across multiple customers.

Some of the salient features of this overlay are:

- The data plane, the control plane, and the management plane traffic for each customer are isolated.
- All overlays remain on the same long-lived release. Shared overlays always run on the latest long-lived star-marked release.
- Customer agrees to external management of their Virtual Account (VA).
- Cisco Software-Defined AVC (SD-AVC) and web certificates are available and managed by Cisco CloudOps.
- The only limitation with this type of overlay is that TrustSec, Lawful Intercept, and RADIUS/TACACS are not supported at present.
- **Dedicated Multitenant (MT) Overlay:** In this type of overlay, the hosting of Cisco Catalyst SD-WAN Controllers such as Cisco SD-WAN Manager, Cisco SD-WAN Validator, and Cisco SD-WAN Controller is dedicated to the customer. A managed service provider hosts shared overlays for its end-customers.



**Note** A dedicated multitenant overlay can be hosted only on AWS cloud.

## Coverage Summary

Task	Single-Tenant	Multitenant (MT)	Shared (Cisco Hosted Cloud SD-WAN)	Cloud-delivered Cisco Catalyst SD-WAN	Comments
Overlay provisioning					
Provisioning from Cisco Catalyst SD-WAN Portal	Customer	Cisco CloudOps	Customer	Customer	
Monitoring and troubleshooting of Cisco Catalyst SD-WAN Cloud controller infrastructure					
CPU and data disk utilization	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	

Task	Single-Tenant	Multitenant (MT)	Shared (Cisco Hosted Cloud SD-WAN)	Cloud-delivered Cisco Catalyst SD-WAN	Comments
Loss of connectivity to network interfaces	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	
Failure to reach instances	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	
Monitoring of Cisco Catalyst SD-WAN services					
Expiry notification of controller SSL certificates	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	
Availability of the Cisco SD-WAN Manager web server	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	
Loss of control connection to the controllers	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	
Capacity management of Cisco Catalyst SD-WAN Controllers	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps monitors and upgrades the instance capacity and expansion to clusters based on the number of devices on the overlay.
Disaster recovery					
Take periodic volume-based snapshots	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Note that in multitenancy, the volume-based and config-based snapshot is for the entire multitenancy Cisco SD-WAN Manager cluster, not for a particular tenant.
Take periodic configuration-based backups	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	
On-demand snapshots	Customer	Customer	Not Applicable	Not Applicable	
Restore overlay based on volume or configurations	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	Cisco CloudOps	
Onboard to Cisco SD-WAN Analytics	Customer	Customer	Customer	Not Applicable	Cisco SD-WAN Analytics is by default onboarded for cloud-delivered Cisco Catalyst SD-WAN customers

Task	Single-Tenant	Multitenant (MT)	Shared (Cisco Hosted Cloud SD-WAN)	Cloud-delivered Cisco Catalyst SD-WAN	Comments
On-premises to cloud migration assistance	Cisco CloudOps	Not Applicable	Not Applicable	Not Applicable	Limited support - For more details on the On-prem to cloud migration, see <a href="#">On-Premises to Cloud Migration Process Details</a> .
Custom subnets and TACACS	Customer	Not Applicable	Not Applicable	Not Applicable	For customers, setting up custom subnets and TACACS is only possible during Day-0 provisioning. For Day-N, customers can open TAC with Cisco CloudOps. TACACS is not available for multitenant overlays at present.
Renew controller certificates (before expiration)	Customer	Customer	Cisco CloudOps	Cisco CloudOps	
Upgrade software					
Controller software upgrade	Customer	Customer	Cisco CloudOps	Cisco CloudOps	
Edge device/node software upgrade	Customer	Customer	Customer	Customer	
Upload and manage Edge images in Cisco SD-WAN Manager Software Repository	Customer	Customer	Cisco CloudOps	Cisco CloudOps	
Respond to Cisco CloudOps notifications to authorize the service window, instance reboot, review, or verify changes carried out by Cisco CloudOps	Customer	Customer	Customer	Customer	

Task	Single-Tenant	Multitenant (MT)	Shared (Cisco Hosted Cloud SD-WAN)	Cloud-delivered Cisco Catalyst SD-WAN	Comments
Create Smart Accounts (SA) or Virtual Accounts (VA) on <a href="https://software.cisco.com">software.cisco.com</a> and attach Cisco Catalyst SD-WAN subscribed devices to the SA/VA	Customer	Customer	Customer	Customer	
Allow external management of SA/VA on PNP Connect	Not Applicable	Not Applicable	Cisco CloudOps	Cisco CloudOps	Do Not allow external management of SA/VA on PNP Connect before provisioning fabric in Cisco Catalyst SD-WAN Portal. The provisioning workflow automatically enables the external management.
Accept external management of SA/VA and map tenant VA to customer SA/VA	Not Applicable	Not Applicable	Cisco CloudOps	Cisco CloudOps	
Define device configuration templates and policies through Cisco SD-WAN Manager	Customer	Customer	Customer	Customer	
Perform other activities that require logging in to Cisco SD-WAN Manager. For example, template and policy configuration, and edge device management	Customer	Customer	Customer	Customer	
Web server certificates	Customer	Customer	Cisco CloudOps	Cisco CloudOps	This is not applicable for multi-tenant overlays with custom domain option.


Task	Single-Tenant	Multitenant (MT)	Shared (Cisco Hosted Cloud SD-WAN)	Cloud-delivered Cisco Catalyst SD-WAN	Comments
Edge serial sync with credentials	Customer	Customer	Customer	Not Applicable	Cloud-delivered Cisco Catalyst SD-WAN customers can sync edge serials without credentials (using Single-Sign-On)
Managed Allowed IP access list	Customer	Customer	Customer	Not Applicable	

## Solution Design

### About This Solution

When you choose a cloud-based subscription for your Cisco Catalyst SD-WAN Controllers, Cisco deploys Cisco SD-WAN Manager, Cisco SD-WAN Validator, and Cisco SD-WAN Controller on the public cloud. Cisco then provides you with administrator access. By default, a single Cisco SD-WAN Manager, Cisco SD-WAN Validator, and Cisco SD-WAN Controller are deployed in the primary cloud region and an additional Cisco SD-WAN Validator and Cisco SD-WAN Controller are deployed in the secondary or backup region.

**Figure 1: Solution Architecture**



520683

## Supported Clouds and Cloud Regions

The following clouds and cloud regions are supported for Cisco Catalyst SD-WAN Controller deployments:

Amazon Web Services	Microsoft Azure
Asia Pacific—Jakarta   Indonesia	Asia Pacific   Australia East—Sydney   New South Wales
Asia Pacific—Mumbai   India	Asia Pacific   Australia Southeast—Melbourne   Victoria
Asia Pacific – Hyderabad   India	Asia Pacific   Japan East—Tokyo
Asia Pacific—Seoul   South Korea	Asia Pacific   Southeast Asia—Singapore
Asia Pacific—Singapore   Singapore	Asia Pacific   West India—Mumbai Asia Pacific   South India
Asia Pacific—Sydney   Australia	UAE North—Dubai
Asia Pacific – Melbourne   Australia	Asia Pacific   Australia Central—Canberra
Asia Pacific—Tokyo   Japan	South Africa—North
Africa—Cape Town	
Canada Central—Montreal   Canada	Canada Central—Montreal   Canada Canada East
EU—Frankfurt   Germany	Americas   Brazil South—Sao Paulo State
EU—Ireland   Dublin	Europe   France Central—Paris
EU—London   UK	Europe   North Europe—Ireland
EU—Stockholm   Sweden	Europe   UK South—London
South America—Sao Paulo   Brazil	Europe   West Europe—Netherlands
US East—Northern Virginia   USA	Americas   East US—Virginia
US West—Northern California   USA	Americas   West US—California
US West—Oregon   USA	Americas   West US 2—Washington

## Cisco Catalyst SD-WAN Cloud Provisioning



**Note** By default, Cisco provisions one Cisco SD-WAN Manager, two Cisco SD-WAN Validators and two Cisco SD-WAN Controllers for a fabric of size <1500.

For information on recommended computing resources, see [Recommended Computing Resources for Cisco Catalyst SD-WAN Control Components](#).

## Customer Responsibilities

- Manage allowed access-list with customer's source public IP ranges for management access of controllers.
- Renew controller certificates on time.
- Before making any changes in the Cisco Catalyst SD-WAN Portal, take the on-demand snapshot using the procedure, [Take an On-Demand Snapshot](#) and configuration backup using [Back Up the Active Cisco SD-WAN Manager](#) procedure.
- Upgrade the software.
  - You can open a TAC case for the following:
    - If you face any issues with software upgrade.
    - If you want any rollback.
  - The Cisco SD-WAN Validator and Cisco SD-WAN Controller are stateless services. Therefore, you do not need to take backups for these services. Cisco SD-WAN Manager automatically pushes the configurations once they are attached to templates.

We recommend that customers create and attach templates to the Cisco SD-WAN Validators and Cisco SD-WAN Controller instead, so the Cisco SD-WAN Manager backups automatically include the configuration backup of the controllers.
  - The Cisco Catalyst SD-WAN support teams may cover the software upgrade for complex deployments such as clusters and multitenant tenant overlays. However, this support is not available for single-tenant single-node overlays.
  - It is the responsibility of a customer to upgrade the software version of an edge device. For the compatible versions of edge devices based on controller versions, see [Cisco SD-WAN Controller Compatibility Matrix](#).
- Respond to the notifications sent by Cisco CloudOps to authorize the service window, instance reboot, review, or verify changes carried out by Cisco CloudOps.
- In case of dedicated overlay, configure the third interface on Cisco SD-WAN Manager with static IP or DHCP based IP to use it for SD-AVC feature. By default the third interface is in shut state.
- Open a TAC case to arrange a service window when you receive a notification from Cisco CloudOps. Some operations can be performed only with the consent of the customer.
- Create Smart Accounts (SA) or Virtual Accounts (VA) on `software.cisco.com` and attach Cisco Catalyst SD-WAN subscribed devices to the SA or VA.
- Define device configuration templates and policies through Cisco SD-WAN Manager.
- Perform other activities that require logging in to Cisco SD-WAN Manager.
- For shared-tenant overlays, open a Cisco TAC support case if you need specific software versions to be added in the Cisco SD-WAN Manager software repository.



Your failure to meet the responsibilities outlined in this section will invalidate the [SD-WAN Cloud SLA](#), including any guaranteed service uptimes.

# Responsibilities of Cisco CloudOps

## Overlay Provisioning

- Provision cloud-hosted controllers for your Cisco Catalyst SD-WAN overlay, configure a unique admin password with an expiry time of a week, and hand over Cisco SD-WAN Manager to the customer.
- Configure Cisco SD-WAN Manager with a default template and policy, when customers choose the default template and policy push option on the sales order.
- Create and manage single-tenant and multitenant clusters as needed.
- Manage tenants on multitenant overlays (direct enterprise customers).

## Monitor and Troubleshoot

Cisco CloudOps monitors the health of cloud-hosted overlays and troubleshoots if there are any issues.

- Cisco CloudOps is backed by a real-time monitoring system that checks the health of Cisco Catalyst SD-WAN controllers and generates alerts. The check includes the health of Cisco SD-WAN Manager, application or web server, other micro services, and configuration or statistics databases.
- Take proactive action for cloud infrastructure issues, which are beyond the control of the users. Else, notify the customer about the potential issues and request the customer to open a Cisco TAC support case for further investigation.
- Manage alerts based on notifications from the cloud provider environments on instance up or down states and CPU, network inactivity status.
- Resolve the alerts proactively if it doesn't require a down time of the services. Notify the customer when services flap.
- Send 30-, 15-, and 5-day notices to the customers to renew expiring certificates on Cisco SD-WAN Manager. Cisco Catalyst SD-WAN controller certificates have a validity of one year.

## Cloud Infrastructure Support

- Carry out disaster recovery workflows, including snapshot volumes or configurations. Restore Cisco SD-WAN Manager clusters based on volumes or configurations.
- Provision custom subnetting to extend customer premises network into cloud-hosted overlay network.
- Manage on-premises to cloud migrations.

## Capacity Management

- Monitor the growth of devices per overlay along with the controller instance capacity parameters such as CPU, disk, and memory utilizations. Follow a pre-set guideline to increase the capacity of the service instances as needed.

