



# Cisco Catalyst SD-WAN Compatibility Matrix for Cisco Catalyst SD-WAN Control Components Release 20.14.x



**Note** To achieve simplification and consistency, the Cisco SD-WAN solution has been rebranded as Cisco Catalyst SD-WAN. In addition, from Cisco IOS XE SD-WAN Release 17.12.1a and Cisco Catalyst SD-WAN Release 20.12.1, the following component changes are applicable: **Cisco vManage** to **Cisco Catalyst SD-WAN Manager**, **Cisco vAnalytics** to **Cisco Catalyst SD-WAN Analytics**, **Cisco vBond** to **Cisco Catalyst SD-WAN Validator**, **Cisco vSmart** to **Cisco Catalyst SD-WAN Controller**, and **Cisco Controllers** to **Cisco Catalyst SD-WAN Control Components**. See the latest Release Notes for a comprehensive list of all the component brand name changes. While we transition to the new names, some inconsistencies might be present in the documentation set because of a phased approach to the user interface updates of the software product.

## Cisco Catalyst SD-WAN Compatibility Matrix for Cisco Catalyst SD-WAN Routing Platforms

*Table 1: Cisco Catalyst SD-WAN Compatibility Matrix for Cisco ISR4000 Platforms*

Control Components	Cisco ISR 4461
20.14.1	17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4a, 17.9.4, 17.9.3a, 17.9.2a, and 17.9.1a

*Table 2: Cisco Catalyst SD-WAN Compatibility Matrix for ASR1000 Platforms*

Control Components	ASR1001-X	ASR1002-X	ASR1001-HX	ASR1002-HX
20.14.1	17.9.5a, 17.9.4a, 17.9.4, 17.9.3a, 17.9.2a, and 17.9.1a	17.9.5a, 17.9.4a, 17.9.4, 17.9.3a, 17.9.2a, and 17.9.1a	17.14.1a, 17.13.1a, 17.12.3, 17.12.2, and 17.12.1a.	17.14.1a, 17.13.1a, 17.12.3, 17.12.2, and 17.12.1a

**Table 3: Cisco Catalyst SD-WAN Compatibility Matrix for Catalyst 8000 Series Platforms**

Control Components	Catalyst 8200	Catalyst 8200L	Catalyst 8300/Catalyst 8500	Catalyst 8500L	Catalyst C8500-20X6C
20.14.1	17.13.1.a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4a, 17.9.4, 17.9.3a, 17.9.2a, and 17.9.1a	17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4a, 17.9.4, 17.9.3a, 17.9.2a, and 17.9.1a,	17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4a, 17.9.4, 17.9.3a, 17.9.2a, and 17.9.1a	17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4, 17.9.4a, 17.9.3a, 17.9.2a, and 17.9.1a	17.14.1a, 17.13.1a, 17.12.3, 17.12.2, and 17.12.1a



**Note** The ROMMON 17.6 (8.1r) isn't compatible with Cisco IOS XE Catalyst SD-WAN Release 17.14.1a. Hence, we recommend that you don't use Cisco Catalyst 8200 and Cisco Catalyst 8200L devices running Cisco IOS XE Catalyst SD-WAN Release 17.14.1a. If you'd want to use Cisco Catalyst 8200 and Cisco Catalyst 8200L devices with Cisco Catalyst Cisco IOS XE Catalyst SD-WAN Release 17.14.1a, manually upgrade the ROMMON.

**Table 4: Cisco Catalyst SD-WAN Compatibility Matrix for Virtual Platforms**

Control Components	C8000V
20.14.1	17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4a, 17.9.4, 17.9.3a, 17.9.2a, and 17.9.1a

**Table 5: Cisco Catalyst SD-WAN Compatibility Matrix for IOT IR Platforms**

Control Components	IR-1101-K9 and IR-1101-A-K9	ESR-630-CON-K9	ESR-630-NCP-K9 and ESR-630-LIC-K9	IR1821-K9, IR1831-K9, IR1833-K9, IR1835-K9	IR8140H and IR8140H-P	IR8340-K9
20.14.1	17.9.1a and later	17.9.1a and later	17.12.1a and later	17.9.1a and later	17.9.1a and later	17.9.1a and later

**Table 6: Cisco Catalyst SD-WAN Compatibility Matrix for Cisco vEdge 5000 and Cisco vEdge Cloud**

Control Components	Cisco vEdge 5000	Cisco vEdge Cloud
20.14.1	20.9.5, 20.9.4, 20.9.3, 20.9.2, and 20.9.1	20.9.5, 20.9.4, 20.9.3, 20.9.2, and 20.9.1

**Table 7: Cisco Catalyst SD-WAN Compatibility Matrix for Cisco vEdge 100M, Cisco vEdge 100B, Cisco vEdge 1000, Cisco vEdge 100wm and Cisco vEdge 2000**

Control Components	vEdge 100M, vEdge 100B, vEdge 100wm and vEdge 1000	Cisco vEdge 2000
20.14.1	20.6.7, 20.6.6, 20.6.5.4, 20.6.5.3, 20.6.5.2, 20.6.4.1, 20.6.3.3, 20.6.3.2, and 20.6.1.2	20.9.5, 20.9.4, 20.9.3.1, 20.9.3, 20.9.2, 20.9.1, 20.6.7, 20.6.6, 20.6.5.3, 20.6.5.2, 20.6.4.1, 20.6.3.3, 20.6.3.2, and 20.6.1.2

**Table 8: Cisco Catalyst SD-WAN Compatibility Matrix for ISR1100 Platforms**

Control Components	ISR 1100-4G and ISR 1100-6G	ISR1100 - 4GLTENA, ISR1100 - 4GLTEGB
20.14.1	<p>Cisco IOS XE Catalyst SD-WAN Releases 17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4, 17.9.4a, 17.9.3a, 17.9.2a, and 17.9.1a</p> <p>Cisco SD-WAN Releases (Viptela OS) 20.9.5, 20.9.4, 20.9.3.1, 20.9.3, 20.9.2, 20.9.1, 20.8.1, 20.7.2, 20.7.1.1, 20.7.1, 20.6.7, 20.6.6, 20.6.5.4, 20.6.5.3, 20.6.5.2, 20.6.5, 20.6.4.1, 20.6.4, 20.6.3.3, 20.6.3.2, 20.6.3, 20.6.2, 20.6.1.2, and 20.6.1</p>	<p>Cisco IOS XE Catalyst SD-WAN Releases 17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4, 17.9.4a, 17.9.3a, 17.9.2a, and 17.9.1a</p> <p>Cisco SD-WAN Releases (Viptela OS) 20.9.5, 20.9.4, 20.9.3.1, 20.9.3, 20.9.2, 20.9.1, 20.6.7, 20.6.6, 20.6.5.4, 20.6.5.3, 20.6.5.2, 20.6.5, 20.6.4.1, 20.6.4, 20.6.3.3, 20.6.3.2, 20.6.3, 20.6.2, 20.6.1.2, and 20.6.1</p>

### Cisco Catalyst SD-WAN Compatibility Matrix for Cisco Catalyst SD-WAN Control Components and Cisco NFVIS Platforms

**Table 9: Cisco Catalyst SD-WAN Compatibility Matrix for Cisco Catalyst SD-WAN Control Components and Cisco NFVIS Platforms**

Control Components	Cisco Catalyst 8300 Series Edge uCPE	Cisco Catalyst 8200 Series Edge uCPE	ENCS 5400
20.14.1	Cisco NFVIS Release 4.14.1, 4.13.1, 4.12.3 and 4.12.2	Cisco NFVIS Release 4.14.1, 4.13.1, 4.12.3, 4.12.2, 4.12.1, 4.9.1, 4.9.2, 4.9.3, 4.9.4, and 4.9.5	Cisco NFVIS Release 4.14.1, 4.13.1, 4.12.3, 4.12.2, 4.12.1, 4.9.1, 4.9.2, 4.9.3, 4.9.4, and 4.9.5



**Note** The following table shows the compatibility between Cisco NFVIS platforms releases and the supported Cisco SD-WAN Control Components releases for these platform releases. For example, if your Cisco Catalyst Series Edge uCPE is running Cisco NFVIS Release 4.14.1, your Cisco SD-WAN Manager must run Cisco SD-WAN Control Components Release 20.14.1.

**Table 10: Cisco Catalyst SD-WAN Compatibility Matrix for Cisco NFVIS Platforms and Cisco Catalyst SD-WAN Control Components**

<b>Cisco ENCS 5400, Cisco Catalyst 8200 Series Edge uCPE and Cisco Catalyst 8300 Series Edge uCPE</b>	<b>Control Components</b>
Cisco NFVIS Release 4.14.1	20.14.1



**Note** See the following table for understanding the compatibility between Cisco NFVIS platforms releases and Cisco Catalyst 8000V releases for these platform releases in the same Cisco Catalyst SD-WAN network. For example, if your Cisco Catalyst 8300 Series Edge uCPE is running Cisco NFVIS Release 4.14.1, the Cisco Catalyst 8000V must be running Cisco IOS XE Catalyst SD-WAN Release 17.14.1a or earlier releases.

**Table 11: Cisco Catalyst SD-WAN Compatibility Matrix for Cisco NFVIS Platforms and Cisco Catalyst 8000V**

<b>Cisco ENCS 5400, Cisco Catalyst 8200 Series Edge uCPE, Cisco Catalyst 8300 Series Edge uCPE, and Cisco UCS C-Series M6 Rack Servers</b>	<b>Cisco Catalyst 8000V</b>
Cisco NFVIS Release 4.14.1	17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4a, 17.9.3a, 17.9.2a, and 17.9.1a

**Table 12: Cisco Catalyst SD-WAN Compatibility Matrix for Cisco Catalyst 8000V and Cisco NFVIS Platforms**

<b>Cisco Catalyst 8000V</b>	<b>Catalyst 8200 Series Edge uCPE, Cisco ENCS 5400, Cisco Catalyst 8300 Series Edge uCPE, and Cisco UCS C-Series M6 Rack Servers</b>
17.14.1a	Cisco NFVIS Release 4.14.1

### Cisco Catalyst SD-WAN Compatibility Matrix for Cisco Catalyst SD-WAN Control Components and Cisco Cellular Gateways

**Table 13: Cisco Catalyst SD-WAN Compatibility Matrix for Cisco SD-WAN Control Components and Cisco Cellular Gateways**

<b>Control Components</b>	<b>CG418-E</b>	<b>CG522-E</b>
20.14.1	Cisco IOS CG Release 17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4, 17.9.3a, 17.9.2a and 17.9.1	Cisco IOS CG Release 17.14.1a, 17.13.1a, 17.12.3, 17.12.2, 17.12.1a, 17.9.5a, 17.9.4, 17.9.3a, 17.9.2a and 17.9.1

**Note**

- Starting from Cisco vManage Release 20.9.1, the Control components software version must be the same or be higher than the WAN edge device software version. If the WAN edge device software version is higher than the Controller software version, policy download to the device fails.
- All device and control components combinations listed in this table have been validated. However, there are no software changes in this control components software release, which impact the device-to-control components backwards compatibility for previous releases that are not listed in the table.
- UCS-E Series using External Interfaces are supported from Cisco SD-WAN Release 19.2.1 and later releases.
- UCS-E Series using Internal Backplane Interfaces such as ucse x/y/0 and ucse x/y/1 have a limited feature support configurable using only Cisco Catalyst SD-WAN Manager CLI templates, starting from Cisco SD-WAN Release 20.1.1 and later releases.
- The Cisco vEdge 100M, Cisco vEdge 100B, Cisco vEdge 100wm and Cisco vEdge 1000 devices are impacted by a certificate expiry incident. For more information see, [Troubleshooting certificate expiry incident](#).
- If your Cisco IOS XE Catalyst SD-WAN devices are running Cisco IOS XE Catalyst SD-WAN Release 16.12.x and 17.2.x and if you are looking to upgrade your Cisco Catalyst SD-WAN Manager to Cisco Catalyst SD-WAN Control Components Release 20.12.1, you need to upgrade your Cisco IOS XE Catalyst SD-WAN devices to Cisco IOS XE Catalyst SD-WAN Release 17.3.x.
- If your Cisco vEdge devices are running Cisco SD-WAN Release 20.1.x and if you are looking to upgrade your Cisco Catalyst SD-WAN Manager to Cisco Catalyst SD-WAN Control Components Release 20.12.1, you need to upgrade your Cisco vEdge devices to Cisco Catalyst SD-WAN Control Components Release 20.3.x.

