



# Monitoring and Reporting Change Logs, Workflows, and Jobs

---

CDO effectively monitors configuration change logs, bulk device operations, and the process that runs when communicating with devices. This helps you understand how your network's existing policies influence its security posture.

- [Manage Change Logs in CDO, on page 1](#)
- [ASA Change Log Specifics, on page 3](#)
- [Change Log Entries after Deploying to an ASA, on page 3](#)
- [Change Log Entries after Reading Changes from an ASA, on page 4](#)
- [View Change Log Differences, on page 5](#)
- [Export the Change Log, on page 5](#)
- [Change Request Management, on page 6](#)
- [Monitor Jobs in CDO, on page 10](#)
- [Monitor Workflows in CDO, on page 11](#)

## Manage Change Logs in CDO

The Change Log captures configuration changes made in CDO, providing a single view that includes changes in all supported devices and services. These are some of the features of the change log:

- Side-by-side comparison of changes made to device configuration.
- Plain-English labels for all change log entries.
- Records on-boarding and removal of devices.
- Detection of policy change conflicts occurring outside of CDO.
- Answers who, what, and when during an incident investigation or troubleshooting.
- The full change log, or only a portion, can be downloaded as a CSV file.

### Manage Change Log Capacity

CDO retains the change log information for one year and deletes data older than a year.

There is a difference between the change log information stored in CDO's database and what you see in an exported change log. See [Export the Change Log, on page 5](#) for more information.

### Change Log Entries

A change log entry reflects changes to a single device configuration, an action performed on a device, or if a change was made to the device outside of CDO.

- For change log entries that contain a change to configuration, you can expand the change by clicking anywhere in the row.
- For out-of-band changes made outside of CDO that are detected as a conflict, **System User** is reported as the Last User.
- CDO closes a change log entry after the device's configuration on CDO is synced with the configuration on the device or when a device is removed from CDO. Configurations are in sync after "reading" the configuration from the device to CDO or by deploying the configuration from CDO to the device.
- CDO creates a new change log entry immediately after closing an existing entry. Additional configuration changes are added to the open change log entry.
- Events are displayed for read, deploy, and delete actions against a device. These actions close a device's change log.
- A change log is closed once CDO is in sync with the configuration on the device (either by reading or deploying), or when CDO no longer manages the device.
- If a change is made to the device outside of CDO, a "conflict detected" entry is written to the change log.

### Pending and Completed Change Log Entries

Change logs have a status of either **pending** or **completed**. As you make changes to a device's configuration using CDO, those changes are recorded in an **pending** change log entry. Reading a configuration from a device to CDO, deploying changes from CDO to a device, deleting a device from CDO completes, or running a CLI command that updates the running configuration file completes the pending change log and creates a new one for future changes.

The following image is of an **pending** change log entry in an ASA. Note the open circle next to the timestamp at left.

Last Updated	Device Name	Last Description	Last User
<input type="radio"/> Sep 11, 2018 10:03:59 AM	ASA4-BXB	Changed ASA Config	admin@example.com

Sep 11, 2018	
<input type="radio"/> 10:03:59 AM	Changed ASA Config None admin@example.com

```

@@ -73,0 +73,2 @@
+object network HR_network
+subnet 10.10.11.0 255.255.255.0
@@ -81,0 +83,1 @@
+access-list engineering_access extended deny 10 object engineering object HR_network
  
```

### Search and Filter Change Log Entries

You can search and filter Change log entries. Use the search bar to find events that match your keywords.

Use the filter  to find the entries that meet all the criteria you specify. You can also combine the operations by filtering the change log and adding a keyword to the search field to find an entry within the filtered results.

# ASA Change Log Specifics

See these articles for explanations of ASA change log entries:

- [Change Log Entries after Deploying to an ASA, on page 3](#)
- [Change Log Entries after Reading Changes from an ASA, on page 4](#)
- [View Change Log Differences, on page 5](#)

## Change Log Entries after Deploying to an ASA

Here is an explanation of a change log entry. The green circle with a checkmark at the top left of the entry indicates that the change log is complete. The change log displays entries from newest to oldest and sorts changes within the entries newest to oldest.

Clicking the blue [View Change Log Differences](#) link in the change log entry row displays a side by side comparison of the changes in the context of the running configuration file.

See the explanations of the different changes below.

The screenshot displays a list of change log entries for an ASA device. The entries are sorted by time, from newest to oldest. Each entry includes a timestamp, a status (e.g., 'Changes written successfully' or 'Changed ASA Config'), and a user (admin@example.com). The entries are numbered 1 through 5, corresponding to the explanations in the table below.

Number in illustration	Explanation
1	This is the change that admin@example.com made at 10:03:59 AM on September 11, 2018. <ol style="list-style-type: none"> <li>1. The "HR_network" object was added.</li> <li>2. The initial network address (10.10.11.0) and subnet mask (255.255.255.0) were added to the HR_network object.</li> <li>3. A rule was added to the "engineering_access" network policy denying addresses in the "engineering_access" network from reaching the "HR_network"</li> </ol>
2	The checksum of the running configuration file was recalculated by the ASA and changed. The old value was removed and the new value was added.

Number in illustration	Explanation
3	The ASA moves the object to a different location in the running configuration file than where Defense Orch placed it.  <b>Note</b> You don't always see this kind of an entry.
4	The record of the last time the running configuration file was updated. The old timestamp is removed and a new timestamp is added. This change was made by the ASA.
5	These are the commands sent by Defense Orchestrator to the ASA to make the configuration changes.

## Change Log Entries after Reading Changes from an ASA

When Cisco Defense Orchestrator (CDO) detects a change on an ASA it manages, it opens a change log entry and records the time the configuration conflict was detected. This is the kind of change log entry you could see when CDO detects a conflict:

Last Updated	Device Name	Last Description	Last User
Sep 11, 2018 2:36:30 PM	ASA4-BXB	Conflict Detected	System User

If you accept the changes, or review and accept the changes, that change is added to the change log entry and the entry is completed.

Last Updated	Device Name	Last Description	Last User
Sep 11, 2018 2:56:36 PM	ASA4-BXB	Successfully imported out-of-band changes	admin@example.com

```

Changed ASA Config
@@ -5,1 +5,1 @@
-: Written by docs at 10:04:25.312 UTC Tue Sep 11 2018
+: Written by docs at 14:55:31.631 UTC Tue Sep 11 2018
@@ -83,1 +83,0 @@
-access-list engineering_access extended deny ip object engineering object HR_network
@@ -199,1 +198,1 @@
-Cryptochecksum:7f58d31ac3b54364973ea16c7445c12c
+Cryptochecksum:d7862f2fb23d47f5ce8a8eca1b5e9289

```

This entry shows the Conflict Detected change and the deletion of a rule that prevents addresses in the engineering network from reaching the HR\_network. The change log entry also shows a change with the message "Successfully imported out-of-band changes." If the admin had chosen to reject the out-of-band change, the change log would have displayed the message "Successfully rejected out-of-band changes on the device" along with what was rejected. Out-of-band changes refers to the changes made to the ASA device directly and not using CDO.

### Related Topics

- [Manage Change Logs in CDO, on page 1](#)
- [Change Log Entries after Deploying to an ASA, on page 3](#)
- [View Change Log Differences, on page 5](#)

- [Reading, Discarding, Checking for, and Deploying Configuration Changes](#)

## View Change Log Differences

Clicking the blue "Diff" link in the change log opens up a side-by-side comparison of the changes in the running configuration file of the device. You see the differences in the two versions.

In the illustration below, the "Original Configuration" is the running configuration file before a change was written to the ASA and the "Modified Configuration" column shows the running configuration file after the change was written. In this case, the Original Configuration column highlights a row in the running configuration file that actually didn't change but gives you a point of reference in the Modified Configuration column. Follow the lines across from the left to the right column and you see the addition of the HR\_network object and the access rule preventing addresses in the "engineering" network to reach addresses in the "HR\_network" network. Use the **Previous** and **Next** buttons to click through the changes in the file.

The screenshot shows a 'Comparing Files' window with two panes: 'Original Configuration' and 'Modified Configuration'. The 'Original Configuration' pane shows lines 56 through 184. The 'Modified Configuration' pane shows lines 59 through 187. A blue highlight in the original configuration at line 80 is followed by a blue arrow pointing to a new line in the modified configuration at line 81. The new line in the modified configuration is highlighted in blue.

### Related Topics

- [Manage Change Logs in CDO, on page 1](#)

## Export the Change Log

You can export all or a subset of the CDO change log to a comma separated value (.csv) file so you can filter and sort the information in it however you like.

To export the change log to a .csv file, follow this procedure:

**Step 1** In the navigation pane, click **Change Log**.

**Step 2** Find the changes you want to export by taking one of these actions:

- Use the filter  field and the search field to find exactly what you want to export. For example, filter by device to see only the changes for your selected device or devices.
- Clear all the filters and search criteria in the change log. This allows you to export the entire change log.

**Note** Keep in mind, CDO stores 1 year of change log data. It may be better to filter the change log contents and download the results of a .csv file rather than downloading up to a year of change log history.

**Step 3** Click the blue export button in the top right of the change log .

**Step 4** Give the .csv file a descriptive name and save the file to your local file system.

## Differences Between the Change Log Capacity in CDO and the Size of an Exported Change Log

The information that you export from CDO's change log page is different from the change log information CDO stores in its database.

For every change log, CDO stores two copies of the device's configuration, the "starting" configuration and either the "ending" configuration in the case of a closed change log; or the "current" configuration, in the case of an open change log. This allows CDO to display configuration differences side by side. In addition, CDO tracks and stores every step "change event", with the username that made the change, the time the change was made, and other details.

When you export the change log, however, the export does not include the two complete copies of the configuration. It only includes the "change events," which makes the export file much smaller than the change log CDO stores.

CDO stores up to 1 year of change log information, this includes the two copies of the configuration.

## Change Request Management

Change request management allows you to associate a change request and its business justification, opened in a third-party ticketing system, with an event in the Change Log. Use change request management to create a change request in CDO, identify it with a unique name, enter a description of the change, and associate the change request with change log events. You can later search the Change Log for the change request name.



**Note** You may also see references to Change Request Tracking in CDO. Change Request Tracking and Change Request Management refer to the same functionality.

## Enable Change Request Management

Enabling change request tracking affects all users of your tenant. To enable Change Request Tracking, follow this procedure:

- 
- Step 1** From the user menu, select Settings.
- Step 2** From the user menu, click **General Settings**.
- Step 3** Click the slider under "Change Request Tracking".

Once confirmed, you see the Change Request toolbar appear in the lower left corner of the Defense Orchestrator interface and the Change Request drop-down menu in the Change Log.

---

## Create a Change Request

---

- Step 1** From any CDO page, click the blue + button in the change request toolbar located in the bottom left corner of the page.
- Step 2** Give the change request a name and a description. Have the change request name reflect a change request identifier your organization wants to implement. Use the description field to describe the purpose of the change.

**Note** You can't change the name of a change request once you create it.

- Step 3** Save the change request.

**Note** CDO saves the change request associates all new changes with that change request name until you disable change requests or clear the change request information in the change request toolbar.

---

## Associate a Change Request with a Change Log Event

---

- Step 1** In the navigation pane, click **Change Log**.
- Step 2** Expand the change log to show the events you want to associate with a change request.
- Step 3** In the Change Request column, click the drop-down menu for the event. Note that the newest change requests are listed at the top of the change request list.
- Step 4** Click the name of a change request and click **Select**.
- 

## Search for Change Log Events with Change Requests

---

- Step 1** In the navigation pane, click **Change Log**.
- Step 2** In the Change Log search field, enter the exact name of the change request in order to find change log events associated with that change request. CDO highlights change log events with exact matches.
-

## Search for a Change Request

---

- Step 1** Click the change request menu in the change request toolbar.
  - Step 2** Start typing the change request name or a keyword you are searching for. You will start to see results for partial matches, both in the name field and description field, in the change request list.
- 

## Filter Change Requests

There is a Change Request filter in the filter tray that you can use to find change log events.

---

- Step 1** In the filter tray on the left side of the **Change Log** page, locate the Change Requests area.
  - Step 2** Expand the filter and start typing the name of the change request in the search field. Partial matches start to appear below the search field.
  - Step 3** Select the change request name, check the corresponding checkbox, and matches appear in the Change Log table. CDO highlights change log events with exact matches.
- 

## Clear the Change Request Toolbar

Clearing the change request toolbar prevents change log events from being automatically associated with an existing change request.

---

- Step 1** Select the change request menu in the change request toolbar.
  - Step 2** Click **Clear**. The change request menu changes to **None**.
- 

## Clear a Change Request Associated with a Change Log Event

---

- Step 1** In the navigation pane, click **Change Log**.
  - Step 2** Expand the change log to show the events you want to disassociate from change requests.
  - Step 3** In the Change Request column, click the drop-down menu for the event.
  - Step 4** Click **Clear**.
- 

## Delete a Change Request

When you delete a change request, you delete it from the change request list not from the change log.

- 
- Step 1** Click the change request menu in the change request toolbar.
  - Step 2** Click the change request name.
  - Step 3** Click the delete icon in that row.
  - Step 4** Click the green checkmark to confirm you want to delete the change request.
- 

## Disable Change Request Management

Disabling change request management affects all users of your account. To disable Change Request Management, follow this procedure:

- 
- Step 1** From the username menu, select **Settings**.
  - Step 2** Slide the button under Change Request Tracking to show a grey X.
- 

## Use Cases

These use cases assume that you have previously enabled Change Request Management following the above instructions.

### Track firewall changes made to resolve a ticket maintained in an external system

In this use case, a user is making firewall changes to resolve a ticket maintained in an external system. The user wants to associate change log events resulting from those firewall changes, with a change request. Follow this procedure to create a change request and associate change log events with it.

1. [Create a Change Request, on page 7](#). Use the ticket name or number from the external system as the name of the change request. Use the description field to add the justification for the change or other relevant information.
2. Make sure the new change request is visible in the change request toolbar.
3. Make the firewall changes.
4. In the navigation pane, click **Change Log** and find change log events associated with your new change request.
5. [Clear the Change Request Toolbar, on page 8](#) when done.

### Manually update individual change log events after firewall changes have been made

In this use case, a user made firewall changes to resolve a ticket maintained in an external system but forgot to use the change request management feature to associate change requests with the change log events. The user wants to go back into the change log to update change log events with the ticket number. Follow this procedure to associate change requests with change log events.

1. [Create a Change Request, on page 7](#). Use the ticket name or number from the external system as the name of the change request. Use the description field to add the justification for the change or other relevant information.
2. In the navigation pane, click **Change Log** and search for the change log events associated with the firewall changes.
3. [Associate a Change Request with a Change Log Event, on page 7](#).
4. Clear the change request toolbar when done.

### Search for change log events associated with a change request

In this use case, a user wants to find out what change log events were recorded in the Change Log as a result of the work done to resolve a ticket maintained in an external system. Follow this procedure to search for change log events that are associated with a change request:

1. In the navigation pane, click **Change Log**.
2. Search for change log events associated with change requests using one of these methods.
  - In the Change Log search field, enter the exact name of the change request in order to find change log events associated with that change request. CDO highlights change log events with exact matches.
  - [Filter Change Requests, on page 8](#) to find the change log events.
3. View each change log to find the highlighted change log events showing the associated change request.

## Monitor Jobs in CDO


The Jobs page provides an overview of the progress of bulk operations, such as reconnecting multiple devices, reading configurations from multiple devices, or upgrading multiple devices simultaneously. The Jobs table uses color-coded rows to indicate the status of individual actions, whether they have succeeded or failed.

One row in the table represents a single bulk operation. That one bulk operation may have been, for example, an attempt to reconnect 20 devices. Expanding a row in the Jobs page displays the results for each of the devices affected by the bulk operation.

Action	Status	User	Start	End	Scheduled
Execute CLI Command	0 0 1 0 0 0		11/2/2023, 9:37:03 AM	11/2/2023, 9:37:04 AM	
Deploy Changes	0 0 1 0 0 0		11/2/2023, 3:30:00 AM	11/2/2023, 3:30:04 AM	Every day at 3:30 AM
Deploy Changes	0 0 1 0 0 0		11/2/2023, 3:30:00 AM	11/2/2023, 3:30:03 AM	Every day at 3:30 AM
Deploy Changes	0 0 1 0 0 0		11/2/2023, 3:30:01 AM	11/2/2023, 3:30:03 AM	Every day at 3:30 AM
Deploy Changes	0 0 1 0 0 0		11/2/2023, 3:30:00 AM	11/2/2023, 3:30:02 AM	Every day at 3:30 AM
Deploy Changes	0 0 1 0 0 0		11/1/2023, 7:28:00 PM	11/1/2023, 7:34:26 PM	Every Wednesday at 7:28 PM
Toggle Conflict Detection	0 0 0 1 0 1		10/31/2023, 5:37:42 PM	10/31/2023, 5:37:43 PM	
DEVICE <a href="#">See device details</a>		STATUS	DETAILS	START	END
Done				10/31/2023, 5:37:42 PM	10/31/2023, 5:37:43 PM

You can reach the Jobs page two different ways:

- In the notifications tab when there is new Jobs notification, click the **Review** link. You will be redirected to the Jobs page and see the specific job represented by the notification.



- From CDO's menu, select **Jobs**. This table shows a complete list of the bulk actions performed in CDO.

### Search Jobs in CDO

When you're on the Jobs page, you can filter and search by different actions, the users who performed them, and the action status.

## Reinitiate a Bulk Action

After reviewing the **Jobs** page, if one or more actions in a bulk action fail, you can retry the bulk action after making necessary corrections. CDO will re-run the job only for the failed actions. To re-run a bulk action:

- 
- Step 1** Select the row in the jobs page that indicates a failed action.
- Step 2** Click [Retry](#).
- 

## Cancel a Bulk Action

You now have the ability to cancel any bulk actions that are currently in progress on multiple devices. For example, if you have tried to reconnect four managed devices and three of them have successfully reconnected, but the fourth device is still neither connected nor disconnected, you can cancel the bulk action.

To cancel a bulk action:

- 
- Step 1** On the CDO navigation menu, click **Jobs**.
- Step 2** Identify the running bulk action and click the **Cancel** link on the right side.
- 

If any part of the bulk action is successful, it cannot be undone. Any ongoing action will be cancelled.

## Monitor Workflows in CDO

The Workflow page allows you to monitor every process that CDO runs when communicating with devices, Secure Device Connector (SDC), or Secure Event Connector (SEC), and when applying ruleset changes to devices. CDO creates an entry in the workflow table for every step and displays its outcome on this page. The

entry contains information pertaining only to the action performed by CDO and not the device it is interacting with.

CDO reports an error when it fails to perform a task on a device, and you can navigate to the Workflows page to see the step where the error occurred for more details.

You can visit this page to determine and troubleshoot errors or share information with TAC when they insist.

To navigate to the Workflows page, on the **Inventory** page, click the **Devices** tab. Click the appropriate device type tab to locate the device and select the device you want. In the **Devices and Actions** in the right pane, click **Workflows**. The following picture shows the Workflow page with entries in the Workflow table.

Name	Priority	Condition	Current State	Last Active	Time
ftdOobDetectionStateMachine	Scheduled	Done	Done	12/4/2020, 2:17:16 PM	14:17:00.381 / 14:17:16.640
ftdVpnSessionDetailsStateMachine	Scheduled	Done	Done	12/4/2020, 2:04:02 PM	14:04:00.278 / 14:04:02.481
ftdVpnSessionDetailsStateMachine	Scheduled	Done	Done	12/4/2020, 1:04:02 PM	13:04:00.433 / 13:04:02.747
ftdVpnSessionDetailsStateMachine	Scheduled	Done	Done	12/4/2020, 12:04:02 PM	12:04:00.307 / 12:04:02.507
ftdVpnSessionDetailsStateMachine	Scheduled	Done	Done	12/4/2020, 11:04:02 AM	11:04:00.205 / 11:04:02.290
ftdVpnSessionDetailsStateMachine	Scheduled	Done	Done	12/4/2020, 10:04:02 AM	10:04:00.312 / 10:04:02.541
ftdVpnSessionDetailsStateMachine	Scheduled	Error	Error	12/2/2020, 1:10:25 PM	13:04:00.291 / 13:10:25.140

ACTION	TIME	START STATE	END STATE	RESULT
ftdInitiateVpnSessionChecksAction	13:04:00.310 / 13:04:00.317	PENDING_GET_VPN_SESSION_DETAILS	INITIATE_GET_VPN_SESSION_DETAILS	SUCCESS
ftdInitiateGetBaseObjectsAction	13:04:00.335 / 13:04:00.372	INITIATE_GET_VPN_SESSION_DETAILS	WAIT_FOR_GET_VPN_SESSION_DETAILS	SUCCESS
ftdInitiateGetVpnSessionDetailsResponseHandler	13:10:25.116 / 13:10:25.132	AWAIT_RESPONSE_FROM_executeFullRequests	ERROR	FAILURE Error Message / Stack Trace

HOOK	TYPE	TIME	RESULT
DeviceStateMachineClearErrorBeforeHook	Before	13:04:00.292 / 13:04:00.302	clearErrors
AddDeviceNameToDeviceStateMachineDebugAfterHook	After	13:10:25.142 / 13:10:25.143	No debug record
DeviceStateMachineSetErrorAfterHook	After	13:10:25.143 / 13:10:25.157	setErrorOnDevice

## Export Device Workflows

You can download the complete workflow information to a JSON file and provide it when the TAC team asks for further analysis. To export this information, you can select the device and navigate to its Workflows page and click the export button  appearing on the top right corner.

## Copy Stack Trace

If you have an error you cannot resolve, TAC may ask you for a copy of the stack trace. To collect the stack trace for the error, click the **Stack Trace** link and click **Copy Stacktrace** to copy the stacks appearing on the screen to a clipboard.