



Annex – Setup Center json file

- [Annex – Setup Center json file, on page 1](#)

Annex – Setup Center json file

- keys:
SSH public keys to add in the authorized keys.
- dns:
DNS used by Cisco Cyber Vision. If not specified, Cisco Umbrella is used by default:
<https://docs.umbrella.com/mssp-deployment/docs/point-dns-to-cisco-umbrella>.
- dhcpd-enabled:
Enable or not DHCPD on the Collection network interface. Accepts "true" or "false" as string.
- single-interface:
Deploy Cisco Cyber Vision in single interface mode as default mode.
- center-type:
Type of Cisco Cyber Vision Center to deploy: Standalone (default), Local Center or Global Center.
- center-id:
Specify Center ID. If not provided, a new one is generated at first boot.
- fqdn:
FQDN to access the Cisco Cyber Vision web application. Public IPv4 DNS is used by default.
- ipset:
Configure allowed networks. 169.254.0.0/16 and 0.0.0.0/0 (all networks) are used by default.

Examples:

- To deploy a standalone Center, leave the textbox empty.
- To deploy a Local Center, the minimal configuration is:
{

```
"center-type": "Local Center",  
}
```

- To deploy a Global Center, the minimal configuration is:

```
{  
  "center-type": "Global Center",  
}
```