



Time span

- [Time span, on page 1](#)

Time span


Because Cisco Cyber Vision is a real-time monitoring solution, views are continuously updated with network data. Thus, you can visualize the network activity during a defined period of time by selecting a time span. Time span is used to view less data on the view you're on, or filter data based on time. This feature is available on each preset's view.

The screenshot shows the Cisco Cyber Vision interface. At the top right, there are navigation links: 'Explore', 'All data', and 'Device list'. Below these, a time span filter is set to 'Last 1 year (Jun 3, 2020 5:50:32 PM – Jun 3, 2021 5:50:32 PM)'. A pencil icon next to the filter allows for editing. To the right of the filter is a 'Refresh' button. Below the filter, the main content area displays '14 Devices and 32 other components' with a 'New data' button. A table lists several devices with columns for 'Device', 'Group', 'First activity', and 'Last activity'. The table contains the following data:


Device	Group	First activity	Last activity
<input type="checkbox"/> Dell 192.168.0.229	Computers	May 25, 2021 7:06:29 PM	May 25, 20
<input type="checkbox"/> Siemens 192.168.0.46	Siemens PLCs	May 25, 2021 7:06:29 PM	May 25, 20
<input type="checkbox"/> Siemens Engineering	Engineering	May 25, 2021 7:06:29 PM	May 25, 20

To set a time span, click the pencil button. A window pops up and gives you two options:

- To set a duration, selecting a period of time (from 10 seconds to 1 day) or a custom period up to now.




- To set a time window, selecting a start date and optionally an end date. If you don't select one the end date will be set to now.



You can set a time window to see everything that has happened during the selected period of time such as historical data or to check the network activity in case of on-site intrusion or accident.

Once the time span set, click the Refresh button to compute network data.



Note No data display is often due to a time span set on an empty period. Remember to first set a long period of time (such as 12mo) before considering a troubleshooting.

Recommendations:

Generally, you can set the time period to 1 or 2 days. This setting is convenient to have an overall view of most supervised standard network activities. This includes daily activities such as maintenance checks and backups.

However, there are many cases where the time frame should be adjusted:

- Set a period of a few minutes to have more visibility on what is *currently* happening on the network.
- Set a period of a few hours to have a view of the daily activity or set a time to see what has happened during the night, the week-end, etc.
- Set limits to visualize what happened during the night/week-end.
- Set limits to focus on a time frame close to a specific event.

