



# Release Notes for Cisco Vulnerability Database (VDB) Update 328

---

- [About the Cisco Vulnerability Database, on page 2](#)
- [About the Cisco Firepower Application Detector Reference, on page 3](#)
- [Supported Platforms and Software Versions, on page 4](#)
- [Supported Detector Types, on page 5](#)
- [Total Applications Supported in Vulnerability Database Update 328, on page 6](#)
- [Vulnerability Database Update 328 Changelog, on page 7](#)
- [For Assistance, on page 10](#)
- [About Talos, on page 11](#)

## About the Cisco Vulnerability Database

The Cisco vulnerability database (VDB) is a database of known vulnerabilities to which hosts may be susceptible, as well as fingerprints for operating systems, clients, and applications. The system uses the VDB to help determine whether a particular host increases your risk of compromise.

The Cisco Talos Intelligence Group (Talos) issues periodic updates to the VDB. The time it takes to update the VDB and its associated mappings on the Firepower Management Center depends on the number of hosts in your network map. As a rule of thumb, divide the number of hosts by 1000 to determine the approximate number of minutes to perform the update.

You can find VDB updates on the [VDB Software Downloads page](#) on Cisco.com.

# About the Cisco Firepower Application Detector Reference

The *Cisco Firepower Application Detector Reference* contains the release notes and information about the application detectors supported in the VDB release. For each application listed in the reference, you can find the following information:

- **Description**—A brief description of the application.
- **Categories**—A general classification for the application that describes its most essential function. Example categories include web services provider, e-commerce, ad portal, and social networking.
- **Tags**—Predefined tags that provide additional information about the application. Example tags include webmail, SSL protocol, file sharing/transfer, and displays ads. An application can have zero, one, or more tags.
- **Risk**—The likelihood that the application is used for purposes that might be against your organization's security policy. The risk levels are Very High, High, Medium, Low, and Very Low.
- **Business Relevance**—The likelihood that the application is used within the context of your organization's business operations, as opposed to recreationally. The relevance levels are Very High, High, Medium, Low, and Very Low.

# Supported Platforms and Software Versions

This guide relates to Vulnerability Database Updates installed via the following software versions on the following platforms:

## **Sourcefire 3D System/Firepower System Version 5.x:**

- Cisco FireSIGHT Management Centers (formerly Defense Centers)

## **Firepower Version 6.x:**

- Cisco Firepower Management Centers (formerly Defense Centers/FireSIGHT Management Centers)

## Supported Detector Types

The following Detector Types are supported:

- application protocol
- client
- web application

# Total Applications Supported in Vulnerability Database Update 328

Cisco Vulnerability Database (VDB) Update 328 supports 3,614 applications.

# Vulnerability Database Update 328 Changelog

This section describes the changes from VDB 327 (2:22:42 PM on August 27th, 2019 UTC) to VDB 328 (3:37:35 PM on October 8th, 2019 UTC).

## Application Protocol Detectors

|                |   |
|----------------|---|
| Total Added:   | 0 |
| Total Removed: | 0 |
| Total Updated  | 0 |

## Client Detectors

|                |   |
|----------------|---|
| Total Added:   | 0 |
| Total Removed: | 0 |
| Total Updated  | 0 |

## Web Application Detectors

|                |   |
|----------------|---|
| Total Added:   | 3 |
| Total Removed: | 7 |
| Total Updated  | 0 |

## FireSIGHT/Firepower Detector Updates

|                |    |
|----------------|----|
| Total Added:   | 0  |
| Total Removed: | 5  |
| Total Updated  | 11 |

## Operating System Fingerprint Details

|                |   |
|----------------|---|
| Total Added:   | 0 |
| Total Removed: | 0 |
| Total Updated  | 0 |

## Operating System and Hardware Fingerprint Details

|                |   |
|----------------|---|
| Total Added:   | 0 |
| Total Removed: | 0 |
| Total Updated  | 0 |

## Vulnerability References

|                |   |
|----------------|---|
| Total Added:   | 0 |
| Total Removed: | 0 |
| Total Updated  | 0 |

**Fingerprint References**

|                |   |
|----------------|---|
| Total Added:   | 0 |
| Total Removed: | 0 |
| Total Updated  | 0 |

**File Type Detectors**

|                |   |
|----------------|---|
| Total Added:   | 0 |
| Total Removed: | 0 |
| Total Updated  | 7 |

**Operating System Fingerprint Details:**

- no additions or modifications

**Operating System and Hardware Fingerprint Details:**

- no additions or modifications

**Fingerprint Reference Details:**

- no additions or modifications

**Application Protocol Detectors:**

- no additions or modifications

**Client Detectors:**

- no additions or modifications

**Web Application Detectors:**

- [Edge Chromium](#): Microsoft browser based on chromium (added)
- Google Checkout: Online Payment service by Google. (removed)
- [Helpshift](#): Customer service platform (added)
- iCall: Free voice, video chat, and text messaging app. (removed)
- Letitbit: File hosting and sharing website. (removed)
- MLN Advertising: Managing/Organising advertisements and its content delivery. (removed)
- Mojiva: Advertisement site. (removed)



- NovaMov: Watch and uploads videos online. (removed)
- Spotflux: VPN software. (removed)
- [TikTok](#): Video social networking application. (added)

**FireSIGHT/Firepower Detector Updates:**

- Mojiva: Advertisement site. (removed)
- Letitbit: File hosting and sharing website. (removed)
- Spotflux: VPN software. (removed)
- iCall: Free voice, video chat, and text messaging app. (removed)
- MLN Advertising: Managing/Organising advertisements and its content delivery. (removed)
- [XVPN](#): Improved the detection of the XVPN application. (updated)
- [BitTorrent](#): Improved the speed of recognition of the BitTorrent application (updated)
- [Hotspot Shield](#): Improved some of the false detections of Hotspot Shield (updated)
- [Ultrasurf](#): Improved the detection of Ultrasurf (updated)
- [iPerf](#): Improved the detection for the iPerf application (updated)
- [Radius](#): Better improvement for the Radius protocol (updated)
- [Telegram](#): Improved the detection of the the Telegram application (updated)
- [Internet Download Manager](#): Better detection of HTTP traffic using the Internet Download Manager (updated)
- [HTTP](#): Improvements of the detection from the HTTP protocol. (updated)
- [Microsoft](#): Improvements on the detection on the Microsoft application. (updated)
- [DNS](#): Improvements on the detection for the DNS protocol. (updated)

**File Type Detector Details:**

- DMG Apple Disk Image (ID 219) (updated)
- BMP Bitmap image file (ID 262) (updated)
- DICM Digital Imaging and Communications in Medicine (ID 271) (updated)
- MSHTML Proprietary layout engine for Microsoft Internet Explorer (ID 277) (updated)
- VB Microsoft Visual Basic files, including .cs, .vb, and .vbp (ID 278) (updated)
- LNK Microsoft Windows Shortcut Files (ID 280) (updated)
- SCR Microsoft Windows Shortcut Files (ID 281) (updated)

**Snort ID Vulnerability Reference Details:**

- no additions or modifications

## For Assistance

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information about Cisco Firepower devices, see What's New in [Cisco Product Documentation](#).

Subscribe to What's New in Cisco Product Documentation, which lists all new and revised Cisco technical documentation, as an RSS feed and deliver content directly to your desktop using a reader application. The RSS feeds are a free service. If you have any questions or require assistance with Cisco ASA devices, please contact Cisco Support:

- Note: To open a TAC request, you must first register for a Cisco.com user ID
- Once you have a Cisco.com user ID, you may initiate or check on the status of a service request [online](#) or contacting the TAC by phone:
  - U.S. - 1-800-553-2447 Toll Free
  - [International support numbers](#)
- For additional information on obtaining technical support through the TAC, please consult the [Technical Support Reference Guide](#) (PDF - 1 MB)

## About Talos

The Talos Security Intelligence and Research Group (Talos) is made up of leading threat researchers supported by sophisticated systems to create threat intelligence for Cisco products that detects, analyzes and protects against both known and emerging threats. Talos maintains the official rule sets of [Snort.org](#), [ClamAV](#), [SenderBase.org](#) and [SpamCop](#). The team's expertise spans software development, reverse engineering, vulnerability triage, malware investigation and intelligence gathering.

