



# Uninstall Firewall Threat Defense Container

- [Uninstall Firewall Threat Defense Container in Docker Environment, on page 1](#)
- [Uninstall Firewall Threat Defense Container in Kubernetes Environment, on page 1](#)

## Uninstall Firewall Threat Defense Container in Docker Environment

To stop and remove the FTDC container, use the following commands:

```
docker kill <FTDC container name or ID>
```

```
docker rm <FTDC container name or ID>
```

To remove persistent state that stores configuration and management data, use the following command:

```
sudo rm -rf ftdc_shared/lina-path ftdc_shared/ngfw-path
```



---

**Note** Removing persistent state is required only if you want to perform a fresh deployment.

---

## Uninstall Firewall Threat Defense Container in Kubernetes Environment

The Helm chart includes pre-delete hooks that:

1. Collect runtime information for all FTDC pods.
2. Scale down and delete FTDC deployments gracefully.
3. Clean up persistent storage on worker nodes.

To uninstall FTDC, use the following command.

```
helm uninstall ftdc
```

To verify cleanup, use the following commands.

```
kubectl get pods  
kubectl get pv,pvc
```

If required, do a manual cleanup.

To delete any remaining resources, use the following commands.

```
kubectl delete deployment -l tier=ftdvc  
kubectl delete pvc lina-pvc ngfw-pvc  
kubectl delete pv lina-pv ngfw-pv
```