



# Release Notes for Cisco Intrusion Prevention System 7.0(2)E3

---

**Published: October 21, 2009, OL-20115-01**

**Revised: October 28, 2013**

## Contents

- [IPS 7.0\(2\)E3 File List, page 2](#)
- [Supported Platforms, page 3](#)
- [Supported Servers, page 3](#)
- [ROMMON and TFTP, page 4](#)
- [IPS Management and Event Viewers, page 4](#)
- [New and Changed Information, page 5](#)
- [The Sensor and Jumbo Packet Frame Size, page 5](#)
- [MySDN Decommissioned, page 5](#)
- [Global Correlation and the Produce Alert Event Action, page 6](#)
- [Component Signatures With Risk Rating Set to 0, page 6](#)
- [Configuring Appliances for UDLD Support, page 6](#)
- [Cisco Security Intelligence Operations, page 7](#)
- [Before Upgrading to Cisco IPS 7.0\(2\)E3, page 8](#)
- [Upgrading to Cisco IPS 7.0\(2\)E3, page 17](#)
- [After Upgrading to Cisco IPS 7.0\(2\)E3, page 19](#)
- [Installing or Upgrading Cisco IME and Migrating Data In to the IME, page 26](#)
- [Restrictions and Limitations, page 28](#)
- [Recovering the Password, page 30](#)
- [Caveats, page 39](#)



---

**Americas Headquarters:**  
**Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA**

© 2009-2012 Cisco Systems, Inc. All rights reserved.

- [Related Documentation, page 44](#)
- [Obtaining Documentation and Submitting a Service Request, page 44](#)

**Caution**

The BIOS on Cisco IPS sensors is specific to Cisco IPS sensors and must only be upgraded under instructions from Cisco with BIOS files obtained from the Cisco website. Installing a non-Cisco or third-party BIOS on Cisco IPS sensors voids the warranty.

## IPS 7.0(2)E3 File List

The following files are part of Cisco IPS 7.0(2)E3:

- Readme
  - IPS-7.0-2-E3\_readme.txt
- Major Version Upgrade File
  - IPS-K9-7.0-2-E3.pkg
  - IPS-AIM-K9-7.0-2-E3.pkg
  - IPS-NME-K9-7.0-2-E3.pkg
- System Image Files
  - IPS-4240-K9-sys-1.1-a-7.0-2-E3.img
  - IPS-4255-K9-sys-1.1-a-7.0-2-E3.img
  - IPS-4260-K9-sys-1.1-a-7.0-2-E3.img
  - IPS-4270\_20-K9-sys-1.1-a-7.0-2-E3.img
  - WS-SVC-IDSM2-K9-sys-1.1-a-7.0-2-E3.bin.gz
  - IPS-SSM\_10-K9-sys-1.1-a-7.0-2-E3.img
  - IPS-SSM\_20-K9-sys-1.1-a-7.0-2-E3.img
  - IPS-SSM\_40-K9-sys-1.1-a-7.0-2-E3.img
  - IPS-AIM-K9-sys-1.1-a-7.0-2-E3.img
  - IPS-NME-K9-sys-1.1-a-7.0-2-E3.img
- Recovery Image Files
  - IPS-K9-r-1.1-a-7.0-2-E3.pkg
  - IPS-AIM-K9-r-1.1-a-7.0-2-E3.pkg
  - IPS-NME-K9-r-1.1-a-7.0-2-E3.pkg

**For More Information**

For the procedure for obtaining these files on Cisco.com, see [Obtaining Software on Cisco.com, page 11](#).

# Supported Platforms

**Note**

All IPS platforms allow ten concurrent CLI sessions.

**Note**

AIM IPS and NME IPS do not support the IPv6 features, because the router in which they are installed does not send them IPv6 data. IPv6 inspection may work on IDSM2, but we do not officially support it. There is no support for IPv6 on the management (command and control) interface.

Cisco IPS 7.0(2)E3 is supported on the following platforms:

- IPS 4240 Series Sensor Appliances
- IPS 4255 Series Sensor Appliances
- IPS 4260 Series Sensor Appliances
- IPS 4270-20 Series Sensor Appliances
- WS-SVC-IDSM2 Series Intrusion Detection System Modules (IDSM2)
- ASA-SSM-AIP-10 Series Cisco ASA Advanced Inspection and Prevention Security Service Modules (AIP SSM-10)
- ASA-SSM-AIP-20 Series Cisco ASA Advanced Inspection and Prevention Security Service Modules (AIP SSM-20)
- ASA-SSM-AIP-40 Series Cisco ASA Advanced Inspection and Prevention Security Service Modules (AIP SSM-40)
- Intrusion Prevention System Advanced Integration Modules (AIM IPS)
- Intrusion Prevention System Network Modules (NME IPS)

# Supported Servers

The following FTP servers are supported for IPS software updates:

- WU-FTPD 2.6.2 (Linux)
- Solaris 2.8
- Sambar 6.0 (Windows 2000)
- Serv-U 5.0 (Windows 2000)
- MS IIS 5.0 (Windows 2000)

The following HTTP/HTTPS servers are supported for IPS software updates:

- CMS - Apache Server (Tomcat)
- CMS - Apache Server (JRun)

## ROMMON and TFTP

ROMMON uses TFTP to download an image and launch it. TFTP does not address network issues such as latency or error recovery. It does implement a limited packet integrity check so that packets arriving in sequence with the correct integrity value have an extremely low probability of error. But TFTP does not offer pipelining so the total transfer time is equal to the number of packets to be transferred times the network average RTT. Because of this limitation, we recommend that the TFTP server be located on the same LAN segment as the sensor. Any network with an RTT less than a 100 milliseconds should provide reliable delivery of the image. Be aware that some TFTP servers limit the maximum file size that can be transferred to ~32 MB.

### For More Information

- For the procedure for downloading IPS software updates from Cisco.com, see [Obtaining Software on Cisco.com, page 11](#).
- For the procedure for configuring automatic updates, for the CLI refer to [Configuring Automatic Updates](#), for the IDM refer to [Configuring Automatic Update](#), and for the IME refer to [Configuring Automatic Update](#).

## IPS Management and Event Viewers

Use the following tools for configuring Cisco IPS 7.0(2)E3 sensors:

- Cisco IDM 7.0.2  
IDM 7.0.2 is included within the IPS 7.0(2)E3 files.  
IDM 7.0.2 is included within IME 7.0.2.
- Cisco IME 7.0.2  
IME now supports 10 devices.
- IPS CLI 7.0.2
- ASDM 5.2 and later
- CSM 3.2

Use the following tools for monitoring Cisco IPS 7.0(2)E3 sensors:

- Cisco IME 7.0.2  
IME now supports 10 devices.
- CSM 4.0 and later



### Note

You may need to configure viewers that are already configured to monitor the Cisco IPS 6.2 sensors to accept a new SSL certificate for the Cisco IPS 7.0(2)E3 sensors.

## New and Changed Information

Cisco IPS 7.0(2)E3 contains the following new features:

- Global correlation forces the Produce Alert event action if the deny action is caused by global correlation.
- Component signatures have the risk rating set to 0.
- Inline VLAN pair interfaces on appliance support UDLD.
- Double quotation marks removed from Community String within SNMP traps.

The sensor now sends SNMP traps without double quotation marks around the Trap Community String, because some network management tools can not handle the double quotation marks.

### For More Information

- For more information on global correlation and the Produce Alert event action, see [Global Correlation and the Produce Alert Event Action, page 6](#).
- For more information on component signatures and their risk rating, see [Component Signatures With Risk Rating Set to 0, page 6](#).
- For the procedure to configure inline VLAN pairs to support UDLD, see [Configuring Appliances for UDLD Support, page 6](#).

## The Sensor and Jumbo Packet Frame Size

For IPS standalone appliances with 1 G and 10 G fixed or add-on interfaces, the maximum jumbo frame size is 9216 bytes.



### Note

A jumbo frame is an Ethernet packet that is larger than the standard maximum of 1518 bytes (including Layer 2 header and FCS).

## MySDN Decommissioned

Because MySDN has been decommissioned, the URL in older versions of the IDM and the IME is no longer functional. If you are using IPS 6.0 or later, we recommend that you upgrade your version of the IDM and the IME.

You can upgrade to the following versions to get the functioning MySDN URL:

- IDM 7.0.3
- IME 7.0.3
- IPS 7.0(4)E3, which contains IDM 7.0.4

If you are using version IPS 5.x, you must look up signature information manually at this URL:

<http://tools.cisco.com/security/center/search.x>

### For More Information

For detailed information on MySDN, for the IDM refer to [MySDN](#) and for the IME refer to [MySDN](#).

## Global Correlation and the Produce Alert Event Action

A Produce Alert event action is added for an event under the following conditions:

- Global correlation has increased the risk rating of an event.
- Global correlation has added either the Deny Packet Inline or Deny Attacker Inline event action.

Adding the Produce Alert event action ensures that all events being denied by global correlation result in alerts that you can view through your monitoring tool. This prevents global correlation from denying events that you do not know about.

**Note**

---

This feature only applies to global correlation inspection where the traffic is allowed if no specific signature is matched. It does not apply to reputation filtering where the packet is denied before signature analysis, and no alerts are generated when packets are denied by reputation filtering.

---

**For More Information**

- For more information on global correlation, for the CLI, refer to [Configuring Global Correlation](#), for the IDM refer to [Configuring Global Correlation](#), and for the IME refer to [Configuring Global Correlation](#).
- For more information on event actions, refer to [Event Actions](#).

## Component Signatures With Risk Rating Set to 0

Component signatures are not independent signatures, they are pieces of a Meta signature. The Signature Type option is marked as Component. Since these signatures are not independent signatures, the risk rating when triggered is automatically set to 0. The risk rating is applicable to the Meta signature rather than the component signatures. This prevents the component signatures from causing denial of packets by either event action overrides or global correlation. Event action overrides and global correlation are applied against the Meta signature rather than the component signature.

**Note**

---

Some component signatures in the Meta signatures are valuable as both independent signatures and component signatures. These signatures are not marked as Signature Type Component and instead are marked with the Signature Type set to either Vulnerability, Exploit, Anomaly, or Other. The risk rating for these signatures is calculated and is not set to 0.

---

**For More Information**

- For more information on the Meta signature engine, refer to [Meta Engine](#).
- For more information on configuring Meta signatures, refer to [Example Meta Engine Signature](#).
- For more information on risk rating, refer to [Calculating the Risk Rating](#).

## Configuring Appliances for UDLD Support

UniDirectional Link Detection (UDLD) is a protocol that Cisco switches use to prevent spanning-tree forwarding loops and to prevent single direction links in switched networks. IPS appliances configured in inline VLAN pair mode are now able to respond to UDLD packets received from the switch. You can

enable UDLD protocol on the switch so that the switch can detect when the appliance has entered an error state in which packets are being sent to the appliance, but the appliance is no longer sending packets back to the switch. Before UDLD support was available, spanning tree and EtherChannel configurations were unable to detect certain appliance failures, which resulted in either spanning-tree loops or the switch not using alternate routes for the packets.

**Note**

No special configuration is necessary on the appliance. Configure the appliance for inline VLAN pairs and make sure its interfaces are enabled.

To configure a Catalyst 6500 series switch to use UDLD with an appliance configured in inline VLAN pair mode, follow these steps:

**Step 1** Log in to the console.

**Step 2** Globally enable UDLD in aggressive mode and prevent the switch from automatically restoring an interface that has been disabled by UDLD.

```
switch(config)# udld aggressive
switch(config)# no errdisable recovery cause udld
switch(config)# errdisable detect cause udld
switch(config)# udld message time 7
```

**Step 3** Configure the switch interface connected to the sensor interface for UDLD aggressive mode.

```
switch(config)# interface gigabitethernet slot/port
switch(config-if)# udld port aggressive
```

Repeat Step 3 for each switch interface connected to the sensor interface.

**Step 4** If UDLD disables a switch port, you must correct the sensor error and recover the switch interface manually. To recover the switch interface, shut down the interface, and then reenabling it.

```
switch(config)# interface gigabit ethernet slot/port
switch(config-if)# shutdown
switch(config-if)# no shutdown
```

**For More Information**

- For more information on UDLD, refer to the Cisco IOS documentation.
- For the procedure for configuring inline VLAN pairs on appliances, for the CLI refer to [Configuring Inline VLAN Pair Mode](#), for the IDM refer to [Configuring Inline VLAN Pairs](#), and for the IME refer to [Configuring Inline VLAN Pairs](#).

## Cisco Security Intelligence Operations

The Cisco Security Intelligence Operations site on Cisco.com provides intelligence reports about current vulnerabilities and security threats. It also has reports on other security topics that help you protect your network and deploy your security systems to reduce organizational risk.

You should be aware of the most recent security threats so that you can most effectively secure and manage your network. Cisco Security Intelligence Operations contains the top ten intelligence reports listed by date, severity, urgency, and whether there is a new signature available to deal with the threat.

Cisco Security Intelligence Operations contains a Security News section that lists security articles of interest. There are related security tools and links.

You can access Cisco Security Intelligence Operations at this URL:

<http://tools.cisco.com/security/center/home.x>

Cisco Security Intelligence Operations is also a repository of information for individual signatures, including signature ID, type, structure, and description.

You can search for security alerts and signatures at this URL:

<http://tools.cisco.com/security/center/search.x>

## Before Upgrading to Cisco IPS 7.0(2)E3

This section describes the actions you should take before upgrading to Cisco IPS 7.0(2)E3. It contains the following topics:

- [Perform These Tasks, page 8](#)
- [Backing Up and Restoring the Configuration File Using a Remote Server, page 9](#)
- [Obtaining Software on Cisco.com, page 11](#)
- [IPS Software Versioning, page 12](#)
- [Software Release Examples, page 15](#)

## Perform These Tasks

Before you upgrade your sensors to IPS 7.0(2)E3, make sure you perform the following tasks:

- Made sure you have a valid Cisco Service for IPS service contract per sensor so that you can apply software upgrades.
- Created a backup copy of your configuration.
- Saved the output of the **show version** command.

If you need to downgrade a signature update, you will know what version you had, and you can then apply the configuration you saved when you backed up your configuration.

### For More Information

- For more information on how to obtain a valid Cisco Service for IPS service contract, see [Service Programs for IPS Products, page 22](#).
- For the procedure for creating a backup copy of your configuration, see [Backing Up and Restoring the Configuration File Using a Remote Server, page 9](#).
- For the procedure for finding your Cisco IPS software version, for the CLI refer to [Displaying Version Information](#), for the IDM refer to [IDM Home Window](#), and for the IME refer to [Sensor Information Gadget](#).
- For the procedure for downgrading signature updates on your sensor, refer to [Upgrading, Downgrading, and Installing System Images](#).



## Backing Up and Restoring the Configuration File Using a Remote Server


**Note**

We recommend copying the current configuration file to a remote server before upgrading.

Use the **copy** [**/erase**] *source\_url destination\_url keyword* command to copy the configuration file to a remote server. You can then restore the current configuration from the remote server. You are prompted to back up the current configuration first.

The following options apply:

- **/erase**—Erases the destination file before copying.  
This keyword only applies to the current-config; the backup-config is always overwritten. If this keyword is specified for destination current-config, the source configuration is applied to the system default configuration. If it is not specified for the destination current-config, the source configuration is merged with the current-config.
- *source\_url*—The location of the source file to be copied. It can be a URL or keyword.
- *destination\_url*—The location of the destination file to be copied. It can be a URL or a keyword.
- **current-config**—The current running configuration. The configuration becomes persistent as the commands are entered.
- **backup-config**—The storage location for the configuration backup.

The exact format of the source and destination URLs varies according to the file. Here are the valid types:

- **ftp:**—Source URL for an FTP network server. The syntax for this prefix is:

```
ftp://[[username@]location][relativeDirectory]/filename
ftp://[[username@]location][absoluteDirectory]/filename
```


**Note**

You are prompted for a password.

- **scp:**—Source URL for the SCP network server. The syntax for this prefix is:

```
scp://[[username@]location][relativeDirectory]/filename
scp://[[username@]location][absoluteDirectory]/filename
```


**Note**

You are prompted for a password. You must add the remote host to the SSH known hosts list.

- **http:**—Source URL for the web server. The syntax for this prefix is:

```
http://[[username@]location][directory]/filename
```


**Note**

The directory specification should be an absolute path to the desired file.

- **https:**—Source URL for the web server. The syntax for this prefix is:

```
https://[[username@]location][directory]/filename
```



**Note** The directory specification should be an absolute path to the desired file. The remote host must be a TLS trusted host.



**Caution** Copying a configuration file from another sensor may result in errors if the sensing interfaces and virtual sensors are not configured the same.

**Backing Up the Current Configuration to a Remote Server**

To back up your current configuration to a remote server, follow these steps:

**Step 1** Log in to the CLI using an account with administrator privileges.

**Step 2** Back up the current configuration to the remote server.

```
sensor# copy current-config scp://user@192.0.2.0//configuration/cfg current-config
Password: *****
Warning: Copying over the current configuration may leave the box in an unstable state.
Would you like to copy current-config to backup-config before proceeding? [yes]:
```

**Step 3** Enter **yes** to copy the current configuration to a backup configuration.

```
cfg          100% |*****| 36124          00:00
```

**Restoring the Current Configuration From a Backup File**

To restore your current configuration from a backup file, follow these steps:

**Step 1** Log in to the CLI using an account with administrator privileges.

**Step 2** Back up the current configuration to the remote server.

```
sensor# copy scp://user@192.0.2.0//configuration/cfg current-config
Password: *****
Warning: Copying over the current configuration may leave the box in an unstable state.
Would you like to copy current-config to backup-config before proceeding? [yes]:
```

**Step 3** Enter **yes** to copy the current configuration to a backup configuration.

```
cfg          100% |*****| 36124          00:00
```

```
Warning: Replacing existing network-settings may leave the box in an unstable state.
Would you like to replace existing network settings
(host-ipaddress/netmask/gateway/access-list) on sensor before proceeding? [no]:
sensor#
```

**Step 4** Enter **no** to retain the currently configured hostname, IP address, subnet mask, management interface, and access list. We recommend you retain this information to preserve access to your sensor after the rest of the configuration has been restored.

**For More Information**

For the procedure for adding trusted hosts, for the CLI refer to [Adding TLS Trusted Hosts](#), for the IDM refer to [Configuring Trusted Hosts](#), and for the IME refer to [Adding Trusted Hosts](#).

## Obtaining Software on Cisco.com

You can find major and minor updates, service packs, signature and signature engine updates, system and recovery files, firmware upgrades, and readmes on the Download Software download site on Cisco.com. Signature updates are posted to Cisco.com approximately every week, more often if needed. Service packs are posted to Cisco.com as needed. Major and minor updates are also posted periodically. Check Cisco.com regularly for the latest IPS software.

**Note**

You must have an active IPS maintenance contract, a Cisco.com password, and an IPS subscription service license to download software. You must be logged in to Cisco.com to download software. You must have a sensor license to apply signature updates.

**Downloading IPS Software**

To download software on Cisco.com, follow these steps:

- Step 1** Log in to [Cisco.com](#).
- Step 2** From the Support drop-down menu, choose **Download Software**.
- Step 3** Under Select a Software Product Category, choose **Security Software**.
- Step 4** Choose **Intrusion Prevention System (IPS)**.
- Step 5** Enter your username and password.
- Step 6** In the Download Software window, choose **IPS Appliances > Cisco Intrusion Prevention System** and then click the version you want to download.
- Step 7** Click the type of software file you need. The available files appear in a list in the right side of the window. You can sort by file name, file size, memory, and release date. And you can access the Release Notes and other product documentation.
- Step 8** Click the file you want to download. The file details appear.
- Step 9** Verify that it is the correct file, and click **Download**.
- Step 10** Click **Agree** to accept the software download rules. The first time you download a file from Cisco.com, you must fill in the Encryption Software Export Distribution Authorization form before you can download the software.
  - Fill out the form and click **Submit**. The Cisco Systems Inc. Encryption Software Usage Handling and Distribution Policy appears.
  - Read the policy and click **I Accept**. The Encryption Software Export/Distribution Form appears.

If you previously filled out the Encryption Software Export Distribution Authorization form, and read and accepted the Cisco Systems Inc. Encryption Software Usage Handling and Distribution Policy, these forms are not displayed again. The File Download dialog box appears.
- Step 11** Open the file or save it to your computer.
- Step 12** Follow the instructions in the Readme to install the update.



---

**Note** Major and minor updates, service packs, recovery files, signature and signature engine updates are the same for all sensors. System image files are unique per platform.

---

#### For More Information

- For more information about IPS maintenance contracts, see [Service Programs for IPS Products, page 22](#).
- For the procedure for obtaining and installing a sensor license, see [Obtaining and Installing the License Key, page 23](#).

## IPS Software Versioning

When you download IPS software images from Cisco.com, you should understand the versioning scheme so that you know which files are base files, which are cumulative, and which are incremental.

### Major Update

A major update contains new functionality or an architectural change in the product. For example, the Cisco IPS 7.0 base version includes everything (except deprecated features) since the previous major release (the minor update features, service pack fixes, and signature updates) plus any new changes. Major update 7.0(1) requires 5.1(6) and later. With each major update there are corresponding system and recovery packages.



---

**Note** The 7.0(1) major update is used to upgrade 5.1(6) and later sensors to 7.0(1). If you are reinstalling 7.0(1) on a sensor that already has 7.0(1) installed, use the system image or recovery procedures rather than the major update.

---

### Minor Update

A minor update is incremental to the major version. Minor updates are also base versions for service packs. The first minor update for 7.0 is 7.1(1). Minor updates are released for minor enhancements to the product. Minor updates contain all previous minor features (except deprecated features), service pack fixes, signature updates since the last major version, and the new minor features being released. You can install the minor updates on the previous major or minor version (and often even on earlier versions). The minimum supported version needed to upgrade to the newest minor version is listed in the Readme that accompanies the minor update. With each minor update there are corresponding system and recovery packages.

### Service Pack

A service pack is cumulative following a base version release (minor or major). Service packs are used for the release of defect fixes with no new enhancements. Service packs contain all service pack fixes since the last base version (minor or major) and the new defect fixes being released. Service packs require the minor version. The minimum supported version needed to upgrade to the newest service pack is listed in the Readme that accompanies the service pack. Service packs also include the latest engine update. For example, if service pack 7.0(3) is released, and E3 is the latest engine level, the service pack is released as 7.0(3)E3.

### Patch Release

A patch release is used to address defects that are identified in the upgrade binaries after a software release. Rather than waiting until the next major or minor update, or service pack to address these defects, a patch can be posted. Patches include all prior patch releases within the associated service pack level. The patches roll into the next official major or minor update, or service pack.

Before you can install a patch release, the most recent major or minor update, or service pack must be installed. For example, patch release 7.0(1p1) requires 7.0(1).




#### Note

Upgrading to a newer patch does not require you to uninstall the old patch. For example, you can upgrade from patch 7.0(1p1) to 7.0(1p2) without first uninstalling 7.0(1p1).

Figure 1 illustrates what each part of the IPS software file represents for major and minor updates, service packs, and patch releases.

**Figure 1** *IPS Software File Name for Major and Minor Updates, Service Packs, and Patch Releases*




### Signature Update

A signature update is a package file containing a set of rules designed to recognize malicious network activities. Signature updates are released independently from other software updates. Each time a major or minor update is released, you can install signature updates on the new version and the next oldest version for a period of at least six months. Signature updates are dependent on a required signature engine version. Because of this, a *req* designator lists the signature engine required to support a particular signature update.

Figure 2 illustrates what each part of the IPS software file represents for signature/virus updates.

**Figure 2** *IPS Software File Name for Signature Updates*




**Signature Engine Update**

A signature engine update is an executable file containing binary code to support new signature updates. Signature engine files require a specific service pack, which is also identified by the *req* designator.

Figure 3 illustrates what each part of the IPS software file represents for signature engine updates.

**Figure 3** *IPS Software File Name for Signature Engine Updates*




**Recovery and System Image Files**

Recovery and system image files contain separate versions for the installer and the underlying application. The installer version contains a major and minor version field. The major version is incremented by one of any major changes to the image installer, for example, switching from .tar to rpm or changing kernels. The minor version can be incremented by any one of the following:

- Minor change to the installer, for example, a user prompt added.
- Repackages require the installer minor version to be incremented by one if the image file must be repackaged to address a defect or problem with the installer.

Figure 4 illustrates what each part of the IPS software file represents for recovery and system image files.

**Figure 4** IPS Software File Name for Recovery and System Image Files



## Software Release Examples

Table 1 lists platform-independent Cisco IPS 7.x software release examples. Refer to the Readmes that accompany the software files for detailed instructions on how to install the files.

**Table 1** Platform-Independent Release Examples

Release	Target Frequency	Identifier	Example Version	Example Filename
Signature update <sup>1</sup>	Weekly	sig	S353	IPS-sig-S353-req-E3.pkg
Signature engine update <sup>2</sup>	As needed	engine	E3	IPS-engine-E3-req-7.0-2.pkg
Service packs <sup>3</sup>	Semi-annually or as needed	—	7.0(3)	IPS-K9-7.0-3-E3.pkg
Minor version update <sup>4</sup>	Annually	—	7.0(2)	IPS-K9-7.0-2-E3.pkg <b>Note</b> IPS-AIM-K9-7.0-2-E3.pkg is the minor version update for the AIM IPS. IPS-NME-K-9-7.0-2-E3.pkg is the minor version update for the NME IPS.
Major version update <sup>5</sup>	Annually	—	7.0(1)	IPS-K9-7.0-1-E3.pkg
Patch release <sup>6</sup>	As needed	patch	7.0(1p1)	IPS-K9-patch-7.0-1p1-E3.pkg
Recovery package <sup>7</sup>	Annually or as needed	r	1.1-7.0(2)	IPS-K9-r-1.1-a-7.0-2-E3.pkg

- Signature updates include the latest cumulative IPS signatures.
- Signature engine updates add new engines or engine parameters that are used by new signatures in later signature updates.
- Service packs include defect fixes.
- Minor versions include new minor version features and/or minor version functionality.
- Major versions include new major version functionality or new architecture.

6. Patch releases are for interim fixes.
7. The r 1.1 can be revised to r 1.2 if it is necessary to release a new recovery package that contains the same underlying application image. If there are defect fixes for the installer, for example, the underlying application version may still be 7.0(1), but the recovery partition image will be r 1.2.

Table 2 describes platform-dependent software release examples.

**Table 2 Platform-Dependent Release Examples**

Release	Target Frequency	Identifier	Supported Platform	Example Filename
System image <sup>1</sup>	Annually	sys	Separate file for each sensor platform	IPS-4240-K9-sys-1.1-a-7.0-2-E3.img
Maintenance partition image <sup>2</sup>	Annually	mp	IDSM2	c6svc-mp.2-1-2.bin.gz
Bootloader	As needed	bl	AIM IPS NME IPS	pse_aim_x.y.z.bin pse_nm_x.y.z.bin (where x, y, z is the release number)
Mini-kernel	As needed	mini-kernel	AIM IPS NME IPS	pse_mini_kernel_1.1.10.64.bz2

1. The system image includes the combined recovery and application image used to reimage an entire sensor.
2. The maintenance partition image includes the full image for the IDSM2 maintenance partition. The file is installed from but does not affect the IDSM2 application partition.

Table 3 describes the platform identifiers used in platform-specific names.

**Table 3 Platform Identifiers**

Sensor Family	Identifier
IPS 4240 series	4240
IPS 4255 series	4255
IPS 4260 series	4260
IPS 4270-20 series	4270_20
IDS module for Catalyst 6K	IDSM2
IPS network module	AIM NME
Adaptive security appliance modules	SSM_10 SSM_20 SSM_40



# Upgrading to Cisco IPS 7.0(2)E3

This section provides information on upgrading to Cisco IPS 7.0(2)E3, and contains the following topics:

- [Upgrade Notes and Caveats, page 17](#)
- [Upgrading to IPS 7.0\(2\)E3, page 18](#)

## Upgrade Notes and Caveats

The following upgrade notes and caveats apply to upgrading your sensor to IPS 7.0(2)E3:

- You must have a valid Cisco Service for IPS Maintenance contract per sensor to receive and use software upgrades from Cisco.com.
- The minimum required version for upgrading to 7.0(2)E3 is 5.1(6)E3 or later.
- Use IPS-AIM-K9-7.0-2-E3.pkg to upgrade the AIM IPS and IPS-NME-K9-7.0-2-E3 to upgrade the NME IPS. For all other supported sensors, use the IPS-K9-7.0-2-E3.pkg upgrade file.
- After you upgrade any IPS software on your sensor, you must restart the IDM to see the latest software features.
- Using automatic update:
  - If you are using automatic update with a mixture of the AIM IPS, NME IPS, and other IPS appliances or modules, make sure you put both the 7.0(2)E3 upgrade file (IPS-K9-7.0-2-E3.pkg), the AIM IPS upgrade file (IPS-AIM-K9-7.0-2-E3.pkg), and the NME IPS upgrade file (IPS-NME-K9-7.0-2-E3) on the automatic update server so that the AIM IPS and NME IPS can correctly detect which file needs to be downloaded and installed. If you only put the 7.0(2)E3 upgrade file (IPS-K9-7.0-2-E3.pkg) on the server, the AIM IPS and NME IPS will download and try to install the wrong file.
  - When you upgrade the AIM IPS or NME IPS using automatic update, you must disable heartbeat reset on the router before placing the upgrade file on your automatic update server. After the AIM IPS and NME IPS have been automatically updated, you can reenale heartbeat reset. If you do not disable heartbeat reset, the upgrade can fail and leave the AIM IPS and NME IPS in an unknown state, which can require a system reimage to recover.
  - If you are using automatic update from an FTP or SCP server with a mixture of platforms that are supported by IPS 7.0(2)E3 as well as platforms that are not supported by IPS 7.0(2)E3, we recommend that you create a separate automatic update directory 7.0(2)E3 files. Modify the automatic update configuration for sensors supporting IPS 7.0(2)E3 to point to the new directory. Placing the 7.0(2)E3 files in the automatic update directory for those sensors not supporting IPS 7.0(2)E3 results in those sensors constantly downloading the update and generating errors during the attempted update.
- Using manual update:
  - If you want to manually update your sensor, copy the 7.0(2)E3 update files to the directory on the server that your sensor polls for updates.
  - When you upgrade the AIM IPS or NME IPS using manual upgrade, you must disable heartbeat reset on the router before installing the upgrade. You can reenale heartbeat reset after you complete the upgrade. If you do not disable heartbeat reset, the upgrade can fail and leave the AIM IPS or NME IPS in an unknown state, which can require a system reimage to recover.

- Global correlation health status defaults to red and changes to green after a successful global correlation update. Successful global correlation updates require a DNS server or an HTTP proxy server. Because DNS and HTTP proxy server configuration features are new to IPS 7.0, they are unconfigured after an upgrade from 5.x or 6.x to 7.0(2)E3. As a result, global correlation health and overall sensor health status are red until you configure a DNS or HTTP proxy server on the sensor. If the sensor is deployed in an environment where a DNS or HTTP proxy server is not available, you can address the red global correlation health and overall sensor health status by disabling global correlation and configuring sensor health status not to include global correlation health status.
- If you install an update on your sensor and the sensor is unusable after it reboots, you must reimage your sensor. You can reimage your sensor in the following ways:
  - For all sensors, use the **recover** command.
  - For the IPS 4240, IPS 4255, IPS 4260, and IPS 4270-20, use the ROMMON to restore the system image.
  - For the AIM IPS and NME IPS, use the bootloader.
  - For the IDSM2, reimage the application partition from the maintenance partition.
  - For the AIP SSM, reimage from the adaptive security appliance using the **hw-module module 1 recover configure/boot** command.

**Caution**


---

When you install the system image for your sensor, all accounts are removed and the default account and password are reset to **cisco**.

---

**For More Information**

- For more information on Cisco Service for IPS Maintenance contracts, see [Service Programs for IPS Products, page 22](#).
- For the procedure for configuring automatic update, refer to [Configuring Automatic Upgrades](#).
- For the procedure for manually updating your sensor, refer to [Upgrading the Sensor](#).
- For the procedures for reimaging sensors, refer to [Installing System Images](#).
- For the procedure for disabling heartbeat reset, for the AIM IPS refer to [Enabling and Disabling Heartbeat Reset](#), and for the NME IPS refer to [Enabling and Disabling Heartbeat Reset](#).
- For the procedure for disabling global correlation, for the CLI refer to [Disabling Global Correlation](#), for the IDM refer to [Disabling Global Correlation](#), and for the IME refer to [Disabling Global Correlation](#).
- For the procedure for configuring sensor health to exclude global correlation health, for the CLI refer to [Configuring Health Status Information](#), for the IDM refer to [Configuring Sensor Health](#), and for the IME refer to [Configuring Sensor Health](#).

## Upgrading to IPS 7.0(2)E3

**Caution**


---

You must log in to Cisco.com using an account with cryptographic privileges to download software. The first time you download software on Cisco.com, you receive instructions for setting up an account with cryptographic privileges.

---

**Caution**

Do not change the filename. You must preserve the original filename for the sensor to accept the update.

To upgrade the sensor, follow these steps:

**Step 1** Download the appropriate file (for example, IPS-K9-7.0-2-E3.pkg) to an FTP, SCP, HTTP, or HTTPS server that is accessible from your sensor.

**Step 2** Log in to the CLI using an account with administrator privileges.

**Step 3** Enter configuration mode.

```
sensor# configure terminal
```

**Step 4** Upgrade the sensor.

```
sensor(config)# upgrade url/IPS-K9-7.0-2-E3.pkg
```

The URL points to where the update file is located, for example, to retrieve the update using FTP, enter the following:

```
sensor(config)# upgrade ftp://username@ip_address//directory/IPS-K9-7.0-2-E3.pkg
```

**Step 5** Enter the password when prompted.

```
Enter password: *****
```

**Step 6** Enter **yes** to complete the upgrade.

**Note**

Major updates, minor updates, and service packs may force a restart of the IPS processes or even force a reboot of the sensor to complete installation.

**Note**

The operating system is reimaged and all files that have been placed on the sensor through the service account are removed.

**For More Information**

For the procedure for locating software on Cisco.com, see [Obtaining Software on Cisco.com, page 11](#).

## After Upgrading to Cisco IPS 7.0(2)E3

This section provides information about what to do after you install IPS 7.0(2)E3. It contains the following topics:

- [Comparing Configurations, page 20](#)
- [Importing a New SSL Certificate, page 20](#)
- [Logging In to the IDM, page 20](#)
- [Licensing the Sensor, page 21](#)

## Comparing Configurations

Compare your backed up and saved IPS 6.2 configuration with the output of the **show configuration** command after upgrading to 7.0(2)E3 to verify that all the configuration has been properly converted.



### Caution

If the configuration is not properly converted, check the caveats for IPS 7.0(2)E3. or check Cisco.com for any upgrade issues that have been found. Contact the TAC if no DDTs refers to your situation.

### For More Information

For a list of the caveats associated with this release, see [Caveats](#), page 39.

## Importing a New SSL Certificate

If necessary import the new SSL certificate for the upgraded sensor in to each tool being used to monitor the sensor.

### For More Information

For the procedures for configuring TLS/SSL, for the CLI refer to [Configuring TLS](#), for the IDM refer to [Configuring Trusted Hosts](#), and for the IME refer to [Configuring Trusted Hosts](#).

## Logging In to the IDM

The IDM is a web-based, Java Web Start application that enables you to configure and manage your sensor. The web server for the IDM resides on the sensor. You can access it through Internet Explorer or Firefox web browsers.



### Note

The IDM is already installed on the sensor.

To log in to the IDM, follow these steps:

**Step 1** Open a web browser and enter the sensor IP address. A Security Alert dialog box appears.

**https://sensor\_ip\_address**



### Note

The default IP address is 192.168.1.2/24,192.168.1.1, which you change to reflect your network environment when you initialize the sensor. When you change the web server port, you must specify the port in the URL address of your browser when you connect to the IDM in the format **https://sensor\_ip\_address:port** (for example, **https://10.1.9.201:1040**).

**Step 2** Click **Yes** to accept the security certificate. The Cisco IPS Device Manager Version 7.0 window appears.

**Step 3** To launch the IDM, click **Run IDM**. The JAVA loading message box appears, and then the Warning - Security dialog box appears.

**Step 4** To verify the security certificate, check the **Always trust content from this publisher** check box, and click **Yes**. The JAVA Web Start progress dialog box appears, and then the IDM on *ip\_address* dialog box appears.

**Step 5** To create a shortcut for the IDM, click **Yes**. The Cisco IDM Launcher dialog box appears.



**Note** You must have JRE 1.5 (JAVA 5) installed to create shortcuts for the IDM. If you have JRE 1.6 (JAVA 6) installed, the shortcut is created automatically.

**Step 6** To authenticate the IDM, enter your username and password, and click **OK**. The IDM begins to load.

If you change panes from Home to Configuration or Monitoring before the IDM has complete initialization, a Status dialog box appears with the following message:

```
Please wait while IDM is loading the current configuration from the sensor.
```

The main window of the IDM appears.



**Note** Both the default username and password are **cisco**. You were prompted to change the password during sensor initialization.



**Note** If you created a shortcut, you can launch the IDM by double-clicking the IDM shortcut icon. You can also close the The Cisco IPS Device Manager Version 7.0 window. After you launch the IDM, is it not necessary for this window to remain open.

## Licensing the Sensor

This section describes how to obtain a license key and how to license the sensor using the CLI, the IDM, or the IME. It contains the following topics:

- [Understanding the License, page 21](#)
- [Service Programs for IPS Products, page 22](#)
- [Obtaining and Installing the License Key, page 23](#)

## Understanding the License

Although the sensor functions without the license key, you must have a license key to obtain signature updates and use the Global Correlation features. To obtain a license key, you must have the following:

- Cisco Service for IPS service contract—Contact your reseller, Cisco service or product sales to purchase a contract.
- Your IPS device serial number—To find the IPS device serial number in the IDM or the IME, for the IDM choose **Configuration > Sensor Management > Licensing**, and for the IME choose **Configuration > sensor\_name > Sensor Management > Licensing**, or in the CLI use the **show version** command.
- Valid Cisco.com username and password

Trial license keys are also available. If you cannot get your sensor licensed because of problems with your contract, you can obtain a 60-day trial license that supports signature updates that require licensing.

You can obtain a license key from the Cisco.com licensing server, which is then delivered to the sensor. Or, you can update the license key from a license key provided in a local file. Go to <http://www.cisco.com/go/license> and click **IPS Signature Subscription Service** to apply for a license key.

You can view the status of the license key in these places:

- IDM Home window Licensing section on the Health tab
- IDM Licensing pane (**Configuration > Licensing**)
- IME Home page in the Device Details section on the Licensing tab
- License Notice at CLI login

Whenever you start the IDM, the IME, or the CLI, you are informed of your license status—whether you have a trial, invalid, or expired license key. With no license key, an invalid license key, or an expired license key, you can continue to use the IDM, the IME, and the CLI, but you cannot download signature updates.

If you already have a valid license on the sensor, you can click **Download** on the License pane to download a copy of your license key to the computer that the IDM or the IME is running on and save it to a local file. You can then replace a lost or corrupted license, or reinstall your license after you have reimaged the sensor.

## Service Programs for IPS Products

You must have a Cisco Services for IPS service contract for any IPS product so that you can download a license key and obtain the latest IPS signature updates. If you have a direct relationship with Cisco Systems, contact your account manager or service account manager to purchase the Cisco Services for IPS service contract. If you do not have a direct relationship with Cisco Systems, you can purchase the service account from a one-tier or two-tier partner.

When you purchase the following IPS products you must also purchase a Cisco Services for IPS service contract:

- IPS 4240
- IPS 4255
- IPS 4260
- IPS 4270-20
- AIM IPS
- IDSM2
- NME IPS

When you purchase an ASA 5500 series adaptive security appliance product that does not contain IPS, you must purchase a SMARTnet contract.



---

**Note**

SMARTnet provides operating system updates, access to Cisco.com, access to TAC, and hardware replacement NBD on site.

---

When you purchase an ASA 5500 series adaptive security appliance product that ships with AIP SSM installed, or if you purchase it to add to your ASA 5500 series adaptive security appliance product, you must purchase the Cisco Services for IPS service contract.

**Note**

Cisco Services for IPS provides IPS signature updates, operating system updates, access to Cisco.com, access to TAC, and hardware replacement NBD on site.

For example, if you purchased an ASA 5510 and then later wanted to add IPS and purchased an ASA-SSM-AIP-10-K9, you must now purchase the Cisco Services for IPS service contract. After you have the Cisco Services for IPS service contract, you must also have your product serial number to apply for the license key.

**Caution**

If you ever send your product for RMA, the serial number will change. You must then get a new license key for the new serial number.

## Obtaining and Installing the License Key

You can install the license key through the CLI, the IDM, or the IME. This section describes how to obtain and install the license key, and contains the following topics:

- [Using the IDM or the IME, page 23](#)
- [Using the CLI, page 24](#)

### Using the IDM or the IME

**Note**

In addition to a valid Cisco.com username and password, you must also have a Cisco Services for IPS service contract before you can apply for a license key.

To obtain and install the license key, follow these steps:

- 
- Step 1** Log in to the IDM or the IME using an account with administrator privileges.
- Step 2** For the IDM choose **Configuration > Sensor Management > Licensing**. For the IME choose **Configuration > sensor\_name > Sensor Management > Licensing**. The Licensing pane displays the status of the current license. If you have already installed your license, you can click **Download** to save it if needed.
- Step 3** Obtain a license key by doing one of the following:
- Click the **Cisco.com** radio button to obtain the license from Cisco.com. The IDM or the IME contacts the license server on Cisco.com and sends the server the serial number to obtain the license key. This is the default method. Go to Step 4.
  - Click the **License File** radio button to use a license file. To use this option, you must apply for a license key at this URL: [www.cisco.com/go/license](http://www.cisco.com/go/license). The license key is sent to you in e-mail and you save it to a drive that the IDM or the IME can access. This option is useful if your computer cannot access Cisco.com. Go to Step 7.
- Step 4** Click **Update License**, and in the Licensing dialog box, click **Yes** to continue. The Status dialog box informs you that the sensor is trying to connect to Cisco.com. An Information dialog box confirms that the license key has been updated.

- Step 5** Click **OK**.
- Step 6** Go to [www.cisco.com/go/license](http://www.cisco.com/go/license).
- Step 7** Fill in the required fields. Your license key will be sent to the e-mail address you specified.

**Caution**

You must have the correct IPS device serial number because the license key only functions on the device with that number.

- Step 8** Save the license key to a hard-disk drive or a network drive that the client running the IDM or the IME can access.
- Step 9** Log in to the IDM or the IME.
- Step 10** For the IDM choose **Configuration > Sensor Management > Licensing**. For the IME choose **Configuration > sensor\_name > Sensor Management > Licensing**.
- Step 11** Under Update License, click the **License File** radio button.
- Step 12** In the Local File Path field, specify the path to the license file or click **Browse Local** to browse to the file.
- Step 13** Browse to the license file and click **Open**.
- Step 14** Click **Update License**.

## Using the CLI

**Note**

You cannot install an older license key over a newer license key.

Use the **copy source-url license\_file\_name license-key** command to copy the license key to your sensor.

The following options apply:

- *source-url*—The location of the source file to be copied. It can be a URL or keyword.
- *destination-url*—The location of the destination file to be copied. It can be a URL or a keyword.
- **license-key**—The subscription license file.
- *license\_file\_name*—The name of the license file you receive.

The exact format of the source and destination URLs varies according to the file. Here are the valid types:

- **ftp:**—Source URL for an FTP network server. The syntax for this prefix is:

```
ftp://[[username@]location][relativeDirectory]/filename
```

```
ftp://[[username@]location][absoluteDirectory]/filename
```



**Note** You are prompted for a password.

- **scp:**—Source URL for the SCP network server. The syntax for this prefix is:

```
scp://[[username@]location][relativeDirectory]/filename
```

```
scp://[[username@]location][absoluteDirectory]/filename
```





**Note** You are prompted for a password. You must add the remote host to the SSH known hosts list.

- `http:`—Source URL for the web server. The syntax for this prefix is:

`http://[[username@]location][directory]/filename`



**Note** The directory specification should be an absolute path to the desired file.

- `https:`—Source URL for the web server. The syntax for this prefix is:

`https://[[username@]location][directory]/filename`



**Note** The directory specification should be an absolute path to the desired file. The remote host must be a TLS trusted host.

### Installing the License Key

To install the license key, follow these steps:

**Step 1** Apply for the license key at this URL: [www.cisco.com/go/license](http://www.cisco.com/go/license).



**Note** In addition to a valid Cisco.com username and password, you must also have a Cisco Services for IPS service contract before you can apply for a license key.

**Step 2** Fill in the required fields. Your Cisco IPS Signature Subscription Service license key will be sent by e-mail to the e-mail address you specified.



**Note** You must have the correct IPS device serial number because the license key only functions on the device with that number.

**Step 3** Save the license key to a system that has a web server, FTP server, or SCP server.

**Step 4** Log in to the CLI using an account with administrator privileges.

**Step 5** Copy the license key to the sensor.

```
sensor# copy scp://user@10.89.147.3://tftpboot/dev.lic license-key
Password: *****
```

**Step 6** Verify the sensor is licensed.

```
sensor# show version
Application Partition:

Cisco Intrusion Prevention System, Version 7.0(2)E3

Host:
  Realm Keys          key1.0
Signature Definition:
  Signature Update    S391.0          2008-04-16
  Virus Update        V1.2            2005-11-24
OS Version:          2.4.30-IDS-smp-bigphys
Platform:            ASA-SSM-20
```

```

Serial Number:          P300000220
Sensor up-time is 3 days.
Using 1031888896 out of 2093682688 bytes of available memory (49% usage)
system is using 17.8M out of 29.0M bytes of available disk space (61% usage)
application-data is using 52.4M out of 166.6M bytes of available disk space (33% usage)
boot is using 37.8M out of 68.5M bytes of available disk space (58% usage)
    
```

```

MainApp          N-2007_JUN_19_16_45   (Release)  2007-06-19T17:10:20-0500  Running
AnalysisEngine  N-2007_JUN_19_16_45   (Release)  2007-06-19T17:10:20-0500  Running
CLI              N-2007_JUN_19_16_45   (Release)  2007-06-19T17:10:20-0500
    
```

Upgrade History:

```
IPS-K9-7.0-2-E3 15:36:05 UTC Thu Apr 24 2008
```

Recovery Partition Version 1.1 - 7.0(2)E3

Host Certificate Valid from: 25-Apr-2008 to 26-Apr-2010

sensor#

**Step 7** Copy your license key from a sensor to a server to keep a backup copy of the license.

```

sensor# copy license-key scp://user@10.89.147.3://tftpboot/dev.lic
Password: *****
sensor#
    
```

# Installing or Upgrading Cisco IME and Migrating Data In to the IME

## Cisco IEV, Cisco IOS IPS, and CSM

If you have a version of Cisco IPS Event Viewer installed, the Install wizard prompts you to remove it before installing the IME.

The IME event monitoring is also supported in IOS-IPS versions that support the Cisco IPS 5.x/6.x signature format. We recommend IOS-IPS 12.4(15)T4 if you intend to use the IME to monitor an IOS IPS device. Some of the new IME functionality including health monitoring is not supported.



**Caution**

Do not install the IME on top of existing installations of CSM. You must uninstall CSM before installing the IME. Do not install CSM on top of existing installations of the IME.

## Installation Notes and Caveats

Observe the following when installing or upgrading the IME:

- You can install the IME over all versions of the IME but not over IEV. All alert database and user settings are preserved.
- The IME detects previous versions of IEV and prompts you to manually remove the older version before installing the IME or to install the IME on another system. The installation program then stops.

- Make sure you close any open instances of the IME before upgrading to a new version of the IME.
- Disable any anti-virus or host-based intrusion detection software before beginning the installation, and close any open applications. The installer spawns a command shell application that may trigger your host-based detection software, which causes the installation to fail.
- You must be administrator to install the IME.
- The IME coexists with other instances of the MySQL database. If you have a MySQL database installed on your system, you do NOT have to uninstall it before installing the IME.

### Installing or Upgrading the IME

To install the IME, follow these steps:

- 
- Step 1** From the Download Software site on Cisco.com, download the IME executable file to your computer, or start the IDM in a browser window, and under Cisco IPS Manager Express, click **download** to install the IME executable file. IME-7.0.2.exe is an example of what the IME executable file might look like.
- Step 2** Double-click the executable file. The Cisco IPS Manager Express - InstallShield Wizard appears. You receive a warning if you have a previous version of Cisco IPS Event Viewer installed. Acknowledge the warning, and exit installation. Remove the older version of IEV, and then continue IME installation.
- Step 3** Click **Next** to start IME installation.
- Step 4** Accept the license agreement and click **Next**.
- Step 5** Click **Next** to choose the destination folder, click **Install** to install the IME, and then click **Finish** to exit the wizard. The Cisco IME and Cisco IME Demo icons are now on your desktop.



#### Note

The first time you start the IME, you are prompted to set up a password.

---

### Migrating IEV Data

To migrate IEV 5.x events to the IME, you must exit the installation and manually export the old events by using the IEV 5.x export function to move the data to local files. After installing the IME, you can import these files to the new IME system.



#### Note

The IME does not support import and migration functions for IEV 4.x.

---

To export event data from IEV 5.x to a local file:

- 
- Step 1** From IEV 5.x, choose **File > Database Administration > Export Database Tables**.
- Step 2** Enter the file name and select the table(s).
- Step 3** Click **OK**. The events in the selected table(s) are exported to the specified local file.
-

### Importing IEV Event Data In to the IME

To import event data in to the IME, follow these steps:

- 
- Step 1** From the IME, choose **File > Import**.
- Step 2** Select the file exported from IEV 5.x and click **Open**. The contents of the selected file are imported in to the IME.
- 

### For More Information

For more information about Cisco IME, refer to [Cisco Intrusion Prevention System Manager Express Configuration Guide for IPS 7.0](#).

## Restrictions and Limitations

The following restrictions and limitations apply to Cisco IPS 7.0(2)E3 software and the products that run it:

- For IPS 5.0 and later, you can no longer remove the **cisco** account. You can disable it using the **no password cisco** command, but you cannot remove it. To use the **no password cisco** command, there must be another administrator account on the sensor. Removing the **cisco** account through the service account is not supported. If you remove the **cisco** account through the service account, the sensor most likely will not boot up, so to recover the sensor you must reinstall the sensor system image.
- Anomaly detection does not support IPv6 traffic; only IPv4 traffic is directed to the anomaly detection processor.
- IPv6 does not support the following event actions: Request Block Host, Request Block Connection, or Request Rate Limit.
- The AIM IPS and the NME IPS do not support the IPv6 features, because the router in which they are installed does not send them IPv6 data. IPv6 inspection may work on IDSM2, but we do not officially support it. There is no support for IPv6 on the management (command and control) interface.
- VACLs on Catalyst switches do not have IPv6 support. The most common method for copying traffic to a sensor configured in Promiscuous mode is to use VACL capture. If you want to have IPv6 support, you can use SPAN ports.
- ICMP signature engines do not support ICMPv6, they are IPv4-specific, for example, the Traffic ICMP signature engine. ICMPv6 is covered by the Atomic IP Advanced signature engine.
- The AIM IPS and the NME IPS do not support virtualization.
- When you reload the router, the AIM IPS and the NME IPS also reload. To ensure that there is no loss of data on the AIM IPS or the NME IPS, make sure you shut down the module using the **shutdown** command before you use the **reload** command to reboot the router.
- Do not deploy IOS IPS and the AIM IPS and the NME IPS at the same time.

- When the AIM IPS and the NME IPS are used with an IOS firewall, make sure SYN flood prevention is done by the IOS firewall.

The AIM IPS and the NME IPS and the IOS firewall complement abilities of each other to create security zones in the network and inspect traffic in those zones. Because the AIM IPS and the NME IPS and the IOS firewall operate independently, sometimes they are unaware of the activities of the other. In this situation, the IOS firewall is the best defense against a SYN flood attack.

- Cisco access routers only support one IDS/IPS per router.
- On IPS sensors with multiple processors (for example, the IPS 4260 and IPS 4270-20), packets may be captured out of order in the IP logs and by the **packet** command. Because the packets are not processed using a single processor, the packets can become out of sync when received from multiple processors.
- An IPS appliance can support both promiscuous and inline monitoring at the same time; however you must configure each physical interface in either promiscuous or inline mode. The sensor must contain at least two physical sensing interfaces to perform both promiscuous and inline monitoring. The exceptions to this are the AIP SSM-10, the AIP SSM-20, and the AIP SSM-40. The AIP SSM can support both promiscuous and inline monitoring on its single physical back plane interface inside the adaptive security appliance. The configuration on the main adaptive security appliance can be used to designate which packets/connections should be monitored by the AIP SSM as either promiscuous or inline.
- When deploying an IPS sensor monitoring two sides of a network device that does TCP sequence number randomization, we recommend using a virtual sensor for each side of the device.
- After you upgrade any IPS software on your sensor, you must restart the IDM to see the latest software features.
- The IDM does not support any non-English characters, such as the German umlaut or any other special language characters. If you enter such characters as a part of an object name through the IDM, they are turned into something unrecognizable and you will not be able to delete or edit the resulting object through the IDM or the CLI.

This is true for any string that is used by CLI as an identifier, for example, names of time periods, inspect maps, server and URL lists, and interfaces.

- You can only install eight IDSM2s per switch chassis.
- When SensorApp is reconfigured, there is a short period when SensorApp cannot respond to any queries. Wait a few minutes after reconfiguration is complete before querying SensorApp for additional information.
- The IDM and the IME launch MySDN from the last browser window you opened, which is the default setting for Windows. To change this default behavior, in Internet Explorer, choose **Tools > Internet Options**, and then click the **Advanced** tab. Scroll down and uncheck the **Reuse windows for launching shortcuts** check box.

#### For More Information

- For more information on interoperability between modules, refer to [Interoperability With Other IPS Modules](#).
- For more information about IPv6, switches, and lack of VACL capture, see [IPv6, Switches, and Lack of VACL Capture](#).

# Recovering the Password

For most IPS platforms, you can now recover the password on the sensor rather than using the service account or reimaging the sensor. This section describes how to recover the password for the various IPS platforms. It contains the following topics:

- [Understanding Password Recovery, page 30](#)
- [Recovering the Appliance Password, page 31](#)
- [Recovering the IDSM2 Password, page 32](#)
- [Recovering the AIP SSM Password, page 33](#)
- [Recovering the AIM IPS Password, page 35](#)
- [Recovering the NME IPS Password, page 36](#)
- [Disabling Password Recovery, page 37](#)
- [Verifying the State of Password Recovery, page 38](#)
- [Troubleshooting Password Recovery, page 38](#)

## Understanding Password Recovery

Password recovery implementations vary according to IPS platform requirements. Password recovery is implemented only for the cisco administrative account and is enabled by default. The IPS administrator can then recover user passwords for other accounts using the CLI. The cisco user password reverts to **cisco** and must be changed after the next login.



### Note

Administrators may need to disable the password recovery feature for security reasons.

[Table 4](#) lists the password recovery methods according to platform.

**Table 4 Password Recovery Methods According to Platform**

Platform	Description	Recovery Method
4200 series sensors	Stand-alone IPS appliances	GRUB prompt or ROMMON
AIP SSM	ASA 5500 series adaptive security appliance modules	ASA CLI command
IDSM2	Switch IPS module	Password recovery image file
AIM IPS	Router IPS modules	Bootloader command

### For More Information

For more information on when and how to disable password recovery, see [Disabling Password Recovery, page 37](#).

## Recovering the Appliance Password

This section describes the two ways to recover the password for appliances. It contains the following topics:

- [Using the GRUB Menu, page 31](#)
- [Using ROMMON, page 31](#)

### Using the GRUB Menu

For the 4200 series appliances, the password recovery is found in the GRUB menu, which appears during bootup. When the GRUB menu appears, press any key to pause the boot process.



#### Note

You must have a terminal server or direct serial connection to the appliance to use the GRUB menu to recover the password.

To recover the password on appliances, follow these steps:

**Step 1** Reboot the appliance.

The following menu appears:

```
GNU GRUB version 0.94 (632K lower / 523264K upper memory)
-----
0: Cisco IPS
1: Cisco IPS Recovery
2: Cisco IPS Clear Password (cisco)
-----
```

Use the ^ and v keys to select which entry is highlighted.  
Press enter to boot the selected OS, 'e' to edit the  
Commands before booting, or 'c' for a command-line.

Highlighted entry is 0:

**Step 2** Press any key to pause the boot process.

**Step 3** Choose **2: Cisco IPS Clear Password (cisco)**. The password is reset to **cisco**. You can change the password the next time you log into the CLI.

#### For More Information

For more information on connecting an appliance to a terminal server, refer to [Connecting an Appliance to a Terminal Server](#).

### Using ROMMON

For the IPS 4240 and the IPS 4255 you can use the ROMMON to recover the password. To access the ROMMON CLI, reboot the sensor from a terminal server or direct connection and interrupt the boot process.

**Note**

After recovering the password, you must reset the confreg to **0**, otherwise, when you try to upgrade the sensor, the upgrade fails because when the sensor reboots, it goes to password recovery (**confreg 0x7**) rather than to the upgrade option.

To recover the password using the ROMMON CLI, follow these steps:

**Step 1** Reboot the appliance.

**Step 2** To interrupt the boot process, press **ESC** or **Control-R** (terminal server) or send a **BREAK** command (direct connection).

The boot code either pauses for 10 seconds or displays something similar to one of the following:

- Evaluating boot options
- Use BREAK or ESC to interrupt boot

**Step 3** Enter the following commands to reset the password:

```
confreg 0x7
boot
```

Sample ROMMON session:

```
Booting system, please wait...
CISCO SYSTEMS
Embedded BIOS Version 1.0(11)2 01/25/06 13:21:26.17
...
Evaluating BIOS Options...
Launch BIOS Extension to setup ROMMON
Cisco Systems ROMMON Version (1.0(11)2) #0: Thu Jan 26 10:43:08 PST 2006
Platform IPS-4240-K9
Use BREAK or ESC to interrupt boot.
Use SPACE to begin boot immediately.
Boot interrupted.
Management0/0
Link is UP
MAC Address:000b.fcfa.d155
Use ? for help.
rommon #0> confreg 0x7
Update Config Register (0x7) in NVRAM...
rommon #1> boot
```

**Step 4** Enter the following command to reset the confreg value to 0:

```
confreg 0
```

## Recovering the IDSM2 Password

To recover the password for the IDSM2, you must install a special password recovery image file. This installation only resets the password, all other configuration remains intact. The password recovery image is version-dependent and can be found on the Cisco Download Software site. For IPS 6.x, download WS-SVC-IDSM2-K9-a-6.0-password-recovery.bin.gz. For IPS 7.x, download WS-SVC-IDSM2-K9-a-7.0-password-recovery.bin.gz.



FTP is the only supported protocol for image installations, so make sure you put the password recovery image file on an FTP server that is accessible to the switch. You must have administrative access to the Cisco 6500 series switch to recover the password on the IDSM2.

During the password recovery image installation, the following message appears:

```
Upgrading will wipe out the contents on the hard disk.
Do you want to proceed installing it [y/n]:
```

This message is in error. Installing the password recovery image does not remove any configuration, it only resets the login account.

Once you have downloaded the password recovery image file, follow the instructions to install the system image file but substitute the password recovery image file for the system image file. The IDSM2 should reboot into the primary partition after installing the recovery image file. If it does not, enter the following command from the switch:

```
hw-module module module_number reset hdd:1
```

**Note**

The password is reset to **cisco**. Log in to the CLI with username **cisco** and password **cisco**. You can then change the password.

**For More Information**

- For the procedures for reimaging IDSM2, refer to [Installing the IDSM2 System Image](#).
- For more information on downloading Cisco IPS software, see [Obtaining Software on Cisco.com, page 11](#).

## Recovering the AIP SSM Password

You can reset the password to the default (**cisco**) for the AIP SSM using the CLI or the ASDM. Resetting the password causes it to reboot. IPS services are not available during a reboot.

**Note**

To reset the password, you must have ASA 7.2.2 or later.

Use the **hw-module module slot\_number password-reset** command to reset the password to the default **cisco**. If the module in the specified slot has an IPS version that does not support password recovery, the following error message is displayed:

```
ERROR: the module in slot <n> does not support password recovery.
```

**Resetting the Password Using the CLI**

To reset the password on the AIP SSM, follow these steps:

- Step 1** Log into the adaptive security appliance and enter the following command to verify the module slot number:

```
asa# show module
Mod Card Type                               Model                               Serial No.
-----
 0 ASA 5510 Adaptive Security Appliance     ASA5510                             JMX1135L097
 1 ASA 5500 Series Security Services Module-40 ASA-SSM-40                          JAF1214AMRL

Mod MAC Address Range                       Hw Version   Fw Version   Sw Version
-----
```

```

0 001b.d5e8.e0c8 to 001b.d5e8.e0cc 2.0      1.0(11)2      8.4(3)
1 001e.f737.205f to 001e.f737.205f 1.0      1.0(14)5      7.0(7)E4

Mod SSM Application Name          Status          SSM Application Version
-----
1 IPS                             Up              7.0(7)E4

Mod Status          Data Plane Status  Compatibility
-----
0 Up Sys           Not Applicable
1 Up               Up

```

**Step 2** Reset the password for module 1.

```

asa# hw-module module 1 password-reset
Reset the password on module in slot 1? [confirm]

```

**Step 3** Press **Enter** to confirm.

```

Password-Reset issued for slot 1.

```

**Step 4** Verify the status of the module. Once the status reads Up, you can session to the AIP SSM.

```

asa# show module 1
Mod Card Type                                Model          Serial No.
-----
1 ASA 5500 Series Security Services Module-40 ASA-SSM-40     JAF1214AMRL

Mod MAC Address Range          Hw Version    Fw Version    Sw Version
-----
1 001e.f737.205f to 001e.f737.205f 1.0           1.0(14)5     7.0(7)E4

Mod SSM Application Name          Status          SSM Application Version
-----
1 IPS                             Up              7.0(7)E4

Mod Status          Data Plane Status  Compatibility
-----
1 Up               Up

```

**Step 5** Session to the AIP SSM.

```

asa# session 1
Opening command session with slot 1.
Connected to slot 1. Escape character sequence is 'CTRL-^X'.

```

**Step 6** Enter the default username (**cisco**) and password (**cisco**) at the login prompt.

```

login: cisco
Password: cisco

```

```

You are required to change your password immediately (password aged)
Changing password for cisco.
(current) password: cisco

```

**Step 7** Enter your new password twice.

```

New password: new password
Retype new password: new password

```

```

***NOTICE***

```

```

This product contains cryptographic features and is subject to United States and local
country laws governing import, export, transfer and use. Delivery of Cisco cryptographic
products does not imply third-party authority to import, export, distribute or use

```

encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws. By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

A summary of U.S. laws governing Cisco cryptographic products may be found at:  
<http://www.cisco.com/wwl/export/crypto/tool/stqrg.html>

If you require further assistance please contact us by sending email to [export@cisco.com](mailto:export@cisco.com).

\*\*\*LICENSE NOTICE\*\*\*

There is no license key installed on this IPS platform. The system will continue to operate with the currently installed signature set. A valid license must be obtained in order to apply signature updates. Please go to <http://www.cisco.com/go/license> to obtain a new license or install a license.

aip\_ssm#

### Using the ASDM

To reset the password in the ASDM, follow these steps:

**Step 1** From the ASDM menu bar, choose **Tools > IPS Password Reset**.



**Note** This option does not appear in the menu if there is no IPS present.

**Step 2** In the IPS Password Reset confirmation dialog box, click **OK** to reset the password to the default (**cisco**). A dialog box displays the success or failure of the password reset. If the reset fails, make sure you have the correct ASA and IPS software versions.

**Step 3** Click **Close** to close the dialog box. The sensor reboots.

## Recovering the AIM IPS Password

To recover the password for the AIM IPS, use the **clear password** command. You must have console access to the AIM IPS and administrative access to the router.

To recover the password for the AIM IPS, follow these steps:

**Step 1** Log in to the router.

**Step 2** Enter privileged EXEC mode on the router.

```
router> enable
```

**Step 3** Confirm the module slot number in your router.

```
router# show run | include ids-sensor
interface IDS-Sensor0/0
router#
```

**Step 4** Session in to the AIM IPS.

```
router# service-module ids-sensor slot/port session
```

## Example

```
router# service-module ids-sensor 0/0 session
```

**Step 5** Press **Control-shift-6** followed by **x** to navigate to the router CLI.

**Step 6** Reset the AIM IPS from the router console.

```
router# service-module ids-sensor 0/0 reset
```

**Step 7** Press **Enter** to return to the router console.

**Step 8** When prompted for boot options, enter **\*\*\*** quickly. You are now in the bootloader.

**Step 9** Clear the password.

```
ServicesEngine boot-loader# clear password
```

The AIM IPS reboots. The password is reset to **cisco**. Log in to the CLI with username **cisco** and password **cisco**. You can then change the password.

---

## Recovering the NME IPS Password

To recover the password for the NME IPS, use the **clear password** command. You must have console access to the NME IPS and administrative access to the router.

To recover the password for the NME IPS, follow these steps:

---

**Step 1** Log in to the router.

**Step 2** Enter privileged EXEC mode on the router.

```
router> enable
```

**Step 3** Confirm the module slot number in your router.

```
router# show run | include ids-sensor
interface IDS-Sensor1/0
router#
```

**Step 4** Session in to the NME IPS.

```
router# service-module ids-sensor slot/port session
```

## Example

```
router# service-module ids-sensor 1/0 session
```

**Step 5** Press **Control-shift-6** followed by **x** to navigate to the router CLI.

**Step 6** Reset the NME IPS from the router console.

```
router# service-module ids-sensor 1/0 reset
```

**Step 7** Press **Enter** to return to the router console.

**Step 8** When prompted for boot options, enter **\*\*\*** quickly. You are now in the bootloader.

**Step 9** Clear the password.

```
ServicesEngine boot-loader# clear password
```

The NME IPS reboots. The password is reset to **cisco**. Log in to the CLI with username **cisco** and password **cisco**. You can then change the password.

## Disabling Password Recovery



### Caution

If you try to recover the password on a sensor on which password recovery is disabled, the process proceeds with no errors or warnings; however, the password is not reset. If you cannot log in to the sensor because you have forgotten the password, and password recovery is set to disabled, you must reimaging your sensor.

Password recovery is enabled by default. You can disable password recovery through the CLI or the IDM.

### Disabling Password Recover Using the CLI

To disable password recovery in the CLI, follow these steps:

**Step 1** Log in to the CLI using an account with administrator privileges.

**Step 2** Enter global configuration mode.

```
sensor# configure terminal
```

**Step 3** Enter host mode.

```
sensor(config)# service host
```

**Step 4** Disable password recovery.

```
sensor(config-hos)# password-recovery disallowed
```

### Disabling Password Recover Using the IDM

To disable password recovery in the IDM, follow these steps:

**Step 1** Log in to the CLI using an account with administrator privileges.

**Step 2** Choose **Configuration > Sensor Setup > Network**. The Network pane appears.

**Step 3** To disable password recovery, uncheck the **Allow Password Recovery** check box.

### For More Information

- If you are not certain about whether password recovery is enabled or disabled, see [Verifying the State of Password Recovery, page 38](#).
- For more information on reimaging sensors, refer to [Upgrading, Downgrading, and Installing System Images](#).

## Verifying the State of Password Recovery

Use the **show settings | include password** command to verify whether password recovery is enabled. To verify whether password recovery is enabled, follow these steps:

**Step 1** Log in to the CLI.

**Step 2** Enter service host submode.

```
sensor# configure terminal
sensor (config)# service host
sensor (config-hos)#
```

**Step 3** Verify the state of password recovery by using the **include** keyword to show settings in a filtered output.

```
sensor(config-hos)# show settings | include password
  password-recovery: allowed <defaulted>
sensor (config-hos)#
```

## Troubleshooting Password Recovery

To troubleshoot password recovery, pay attention to the following:

- You cannot determine whether password recovery has been disabled in the sensor configuration from the ROMMON prompt, GRUB menu, switch CLI, or router CLI. If password recovery is attempted, it always appears to succeed. If it has been disabled, the password is not reset to **cisco**. The only option is to reimagine the sensor.
- You can disable password recovery in the host configuration. For the platforms that use external mechanisms, such as the AIM IPS and NME IPS bootloader, ROMMON, and the maintenance partition for the IDSM2, although you can run commands to clear the password, if password recovery is disabled in the IPS, the IPS detects that password recovery is not allowed and rejects the external request.
- To check the state of password recovery, use the **show settings | include password** command.
- When performing password recovery on the IDSM2, you see the following message: *Upgrading will wipe out the contents on the storage media.* You can ignore this message. Only the password is reset when you use the specified password recovery image.

### For More Information

- For more information on reimaging sensors, refer to [Upgrading, Downgrading, and Installing System Images](#).
- For the procedure for disabling password recovery, see [Disabling Password Recovery, page 37](#).
- For the procedure for verifying the state of password recovery, see [Verifying the State of Password Recovery, page 38](#).

# Caveats

This section lists the resolved and known caveats, and contains the following topics:

- [Resolved Caveats, page 39](#)
- [7.0\(2\)E3 Caveats, page 40](#)

## Resolved Caveats

The following known issues have been resolved in the 7.0(2)E3 release:

- CSCsd26099—Sensor accepting invalid config for ntp server time setting - Nubra
- CSCsm24466—Jumbo frames on XL interface can cause dropped packets
- CSCsv52117—Sensor CLI does not start when remoteApp did not close tcp connections.
- CSCsv56782—sensorApp terminates while deleting database nodes
- CSCsw82609—Beaumanor - Collab updates don't recover from sensorApp update failure.
- CSCsx07727—IPS: IDM Reports Auto Update Status as "Not Checked"
- CSCsx73801—sensorApp is missing MSDL upper threshold (10,000 entries)
- CSCsy21250—add extended sensorApp memory stats to sh st vi
- CSCsy21269—Alerts should not contain reputation fields for unmatched ip addresses
- CSCsy29684—IPS 6.1.2E3: sensorApp terminates unexpectedly in UpdateTime
- CSCsy88163—implement sensor self-purge for memory protection (off by default)
- CSCsz19631—Error: execUpgradeSoftware : The current version is a QA version
- CSCsz38605—SSC and SSM disconnect control plane request repeatedly....
- CSCsz83039—MSrpc UDP mode has unsafe iterator access
- CSCsz93852—HTTP deobfuscation uses bitwise operations improperly
- CSCsz95297—SMBAdvanced uses bitwise operations improperly
- CSCsz95342—Sensors may track the direction tcp streams improperly
- CSCsz95426—TcpPacket class may use data uninitialized
- CSCsz97337—AIM schedule upgrade config missing after upgrade from 6.0 to 6.1(2.43)
- CSCta07220—threadRef multi-thread safety violation
- CSCta14395—mainApp prematurely terminates in libcidxml
- CSCta16370—show tech errors getting global correlation statistics
- CSCta23644—timer thread safety violations
- CSCta31166—iplog memory and file leak
- CSCta38577—SensorApp stops responding when adding a String signature
- CSCta59839—ipsDebug utility does not run in the show tech
- CSCta67580—Kernel OOM kills sensorapp when IDM is launched after reboot
- CSCtb02823—IPS support for persisting kernel oops and panic data

- CSCtb96039—NTP not working, numerous problems
- CSCtc18038—SensorApp mismanages buffers when TX queue full

The following known IDM issues have been resolved in the 7.0(2)E3 release:

- CSCsw35201—IDM is not working with Java 6.0\_11 yet
- CSCsu42407—The links inside the Details from IPS gadgets in ASDM do not work

## 7.0(2)E3 Caveats

The following known issues are present in the 7.0(2)E3 release:

- CSCse40651—Config operation on heavily loaded system may cause unresponsive system
- CSCse54528—Aurora - recover application-partition unfinished
- CSCse58463—Support tunnelled traffic with syn cookies
- CSCsg18379—MainApp unexpected behavior due to XML Parsing Error
- CSCsg26929—Interface errors when enabled in cli and ifconfig up
- CSCsg96871—AnalysisEngine InspectorServiceAICWeb::ToServiceInspect abort
- CSCsh16294—IPSVIRTUALIZATION:Physical Interface info not passed to ASA/SSM Database
- CSCsh45936—Leading Space in the uri-regex in Service-HTTP Works Ambiguously
- CSCsh50760—NAC causes high mainApp usage
- CSCsh89833—Delete event variable referenced by filter or sig from IDM
- CSCsi21029—"GRE tunnels blocked by sensorApp inspection defect"
- CSCsi60530—69xx firing but reporting wrong interface
- CSCsi73502—6.0(2)E1: No warning message when removing sensor used by ASA
- CSCsj00429—Risk Rating as odd values for SString.tcp sigs
- CSCsj35723—Sigs not alarming after default service sig sig0
- CSCsj57474—Frag traffic with dot1q headers misses a few sweep and atomic-ip sigs
- CSCsj70643—Normalizer signatures not modifying-packet-inline
- CSCsj82458—global-block-timeout allows values outside supported range
- CSCsl66235—Setup errors after defaulting sensor config via IDM
- CSCsl69776—AD is not generating an alert for every worm attacker
- CSCsl75224—cli command no mars-category causes sensor connection closed
- CSCsm37654—Signature 1220.0 does not alarm
- CSCsm37826—Signature 1300 does not always alarm on a 4260
- CSCsm37943—Tcp Timeout Sigs do not produce alarms in promisc
- CSCsm44644—Signature 1303 false negative
- CSCsm46158—Critical memory condition can cause race condition
- CSCsm47102—Signature 1308 does not function
- CSCso15962—show interface clear" does not clear Management interface counters
- CSCso60709—Flood net Engine Sigs 69xx are not firing in promiscuous mode



- CSCso74628—AIM and NME underperforming in promiscuous mode
- CSCso98858—config change with bypass off triggers ASA failover
- CSCsq18457—Unauthenticated Ntp settings lost after recover application-partition
- CSCsq53214—IPS reports different sig version in CT and CLI
- CSCsr02826—Missed Packet statistic does not work on AIM/NME
- CSCsu80349—4270 10-gig interface errors in main.log when under stress
- CSCsu86596—Fixed UDP Engine does not properly handle start of packet ("^") in regex
- CSCsv01700—Analysis engine is down when Denied attackers are configured repeatedly
- CSCsv07624—Engine service pack installs on a sensor of equal maj.min(sp) level
- CSCsv26568—IPS SNMP InterfaceGroup OID does not show correct Virtual Sensor
- CSCsw31368—SensorApp fails to shutdown during Engine Update
- CSCsw41042—IPS Signature 7428-0 modified to increase fidelity.
- CSCsw53162—Performance drop on 4270 inline with .41 build
- CSCsx20458—Sig 1300.0 firing incorrectly
- CSCsx21487—IPS: Sensor Becomes Unresponsive to Remote Monitoring
- CSCsx38213—EICAR Signature misses packet when sensor is under load
- CSCsx40862—Alert not generated for diff attacker & target addr for filter testcases
- CSCsx54168—TCP SYN Flood Cookie protection not inhibiting flood to victim in IPv6
- CSCsx62373—Cid/E errSystemError - Application "AnalysisEngine "terminated premature
- CSCsx70656—Occasional latency event or disrupted traffic flow on inline sensor.
- CSCsx71481—Add note to analysis engine stats about histogram being cleared
- CSCsy18476—sensor allows creation of custom atomic ipv6 signature
- CSCsy41498—Health Status for GC always green if GC-inspection off or old DB exist
- CSCsy44884—mainapp aborts while retrieving ntp config in 6.1
- CSCsy46895—IPS 6.0 SensorApp crash
- CSCsy47529—IPS: EnetStub Producer Causes Core in sensorApp
- CSCsy74853—Engine Flood.Host Source Ports Bug
- CSCsy96323—Alarm Context data is not complete in E3
- CSCsz01229—Multistring Engine False Negative
- CSCsz11870—IPS 6.2.1E3 signature 4002 UDP host flood stopped firing
- CSCsz12949—sensorApp stop/restart results in not using reputation data
- CSCsz19556—7280.0 does not reliably alert
- CSCsz39460—Improve error messages for global correlation DNS failure
- CSCsz37915—IPS creates core.txt and mainapp aborts due to notificationApp.
- CSCsz39460—Improve error messages for global correlation DNS failure
- CSCsz43362—Time setting in CLI setup not accounting for timezone changes
- CSCsz51442—sig 1225 0 only fires after 60 second delay over GRE tunnel
- CSCsz81580—High CPU and processing load percentage = 100

- CSCsz97805—4270 inline performance degraded between S365 and S403
- CSCsz98551—Sensor app abort on H225 traffic in InspectorServiceH225
- CSCta01262—IPS: AIP SSM module spontaneously reboots without leaving a core
- CSCta02342—sensorApp SignatureDB refcount integrity problem
- CSCta09335—sensorApp fails when malloc returns NULL
- CSCta12368—SigID 1330-12 and 1330-18 False positive with high communications traffi
- CSCta40558—Small MainApp memory leak
- CSCta43555—Network Security Level not functioning
- CSCta45869—SMB-A engine does not handle MSF fake\_bind evasion
- CSCta49978—String HTTP does not calculate context buffer offset correctly for Args
- CSCta62901—IPS: AD does not match zones based on IP address longest prefix match
- CSCta74031—IPS: sensorApp crashes on libhoard.so, produces a core file
- CSCta96144—sensorApp fails with in updateTime with NULL function call
- CSCtb03228—SensorApp fails with double fault, leaving empty core file
- CSCtb03932—IDSM - loses clock sync with the NTP server
- CSCtb29314—Sensors not meeting performance numbers due to Sig update
- CSCtb31577—IPS: SDEE stops functioning
- CSCtb39179—SensorApp fails in TcpRootNode::expireNow()
- CSCtb49499—Retiring Signature 1330.16 causes sensorApp failure
- CSCtb58224—No mgmt communications after clearing and reconfiguring host config
- CSCtb62989—IPS: mainApp crashes on libpthread.so.0, produces core file
- CSCtb82257—Passing multicast traffic through AIP SSM module corrupts packet
- CSCtb87986—Sig 1208 and 1204 do not fire when configuring "specify-alert-interval"
- CSCtc10186—Knowledge Base Rotation Memory Handling Needs Improvement
- CSCtc25895—sensorApp processing failure under extreme traffic loads
- CSCtc36097—IPS: IP Reputation Update Crashes SensorApp
- CSCtc43996—Engine P2P may not properly check boundaries
- CSCtc58970—ssh rsa hostkey algorithm is not accepted during authentication
- CSCtc59977—IPS 4270 does not meet promis performance requirements
- CSCtc61972—Ares P2P signature does not fire

The following known IDM issues are present in the 7.0(2)E3 release:

- CSCso96654—Editing EventActionRules removes all like Sig Actions
- CSCsq89977—IDM unable to edit multistring sig regex list entry
- CSCsr82134—DM is allowing user to delete Risk Category that is in use
- CSCsu08058—Signatures Restore Default makes no changes if modified
- CSCsu21774—Better handling needed for Signature editing
- CSCsu47761—creating advanced atomic sig. results in blank main screen
- CSCsv02875—IDM problems after tuning sig to have atomic-ip-advanced engine

- CSCsv83687—IDM SSM startup wizard does not assign interface to virtual sensor
- CSCsx42999—IDM/Unable to sort Signature by "Action"
- CSCsy52817—IDM index.html has broken image file on IE 7

## Related Documentation

For more information on Cisco IPS, refer to the following documentation found at this URL:

[http://www.cisco.com/en/US/products/hw/vpndevc/ps4077/tsd\\_products\\_support\\_series\\_home.html](http://www.cisco.com/en/US/products/hw/vpndevc/ps4077/tsd_products_support_series_home.html)

- *Documentation Roadmap for Cisco Intrusion Prevention System*
- *Cisco Intrusion Prevention System Device Manager Configuration Guide*
- *Cisco Intrusion Prevention System Manager Express Configuration Guide*
- *Cisco Intrusion Prevention System Command Reference*
- *Cisco Intrusion Prevention System Sensor CLI Configuration Guide*
- *Cisco Intrusion Prevention System Appliance and Module Installation Guide*
- *Installing and Removing Interface Cards in Cisco IPS-4260 and IPS 4270-20*
- *Regulatory Compliance and Safety Information for the Cisco Intrusion Detection and Prevention System 4200 Series Appliance Sensor*

## Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see *What's New in Cisco Product Documentation* at: <http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>.

Subscribe to *What's New in Cisco Product Documentation*, which lists all new and revised Cisco technical documentation, as an RSS feed and deliver content directly to your desktop using a reader application. The RSS feeds are a free service.

---

This document is to be used in conjunction with the documents listed in the “[Related Documentation](#)” section.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Copyright © 2009-2013 Cisco Systems, Inc. All rights reserved.