INDEX

Numerics

802.1x window
- EAP-FAST configuration 5-11
- EAP-PEAP configuration 5-11
- EAP-TTLS configuration 5-11
- enable 802.1x 5-10
- EPA-TLS configuration 5-10
- overview 5-10

A

About link 1-5
Account Initialization window
- options 6-2

action
- triggered by event 4-18

ActiveX controls 1-4
Administration windows 6-1, 7-1
audio
- controls in Camera Video & Control window 3-3
- settings 4-14

B

backing up, configuration of IP camera 6-4
Basic Settings window
- options 5-2
- overview 5-1

bit rate, of video 4-13
Bonjour, enabling on camera 5-7
brightness 3-4

C

camera settings
- picture adjustments
  - white balance 3-5

Camera Settings window
- options 4-15
- overview 4-14

Camera Video & Control window
- accessing 3-1
- description 1-5
- displaying 1-4

configuration windows
- 802.1x window 5-10
- accessing 1-2
- Administration windows 6-1
- Basic Settings window 5-1
- Camera Settings window 4-14
- Device Processes window 6-7
- Discovery Settings window 5-6
- Event Notification window 4-18
- Feature Setup windows 4-1
- Firmware Settings window 6-6
- Initialization window 6-1
- IO Ports Settings window 4-17
- IP Addressing window 5-3
- IP Filter Settings window 5-12
- Local Log window 7-4
- Local Storage window 4-24
- Log Setup Settings window 7-1
- Log windows 7-1
- Maintenance Settings window 6-4
- Medianet window 5-7

Network Setup windows 5-1
Password Complexity window 6-8
QoS Settings window 5-13
SNMP Settings window 5-8
Streaming Settings window 4-1
Time Settings window 5-4
User Settings window 6-2
Video Overlay Settings window 4-16
connecting, to the IP camera
after the first time 1-2
for the first time 2-1
PC requirements for 1-3, 2-1
secure connection 1-3
contrast 3-4

D

date and time
configuring manually 5-5
updating through NTP server 5-5
day
filter 4-14
mode 4-14
daylight saving time, adjustment for 5-5
Device Processes window
options 6-8
overview 6-7
DHCP, obtaining IP address through 2-1, 5-4
Differentiated Services (DiffServ) 5-14
Discovery Settings window
options 5-7
overview 5-6
DNS server
primary 5-4
secondary 5-4
dual streaming 4-1

E

e-mail notification
configuring 4-21, 4-22
From field 4-22
recipients 4-22
event
actions
email notification 4-18
FTP notification 4-19
HTTP notification 4-18
output port state change 4-18
syslog server message 4-18
overview 4-18
trigger types 4-20
Event Notification window
options 4-20
overview 4-18

F

factory default configurations, resetting 6-5
factory default configurations, restoring 6-5
Feature Setup windows 4-1
Local Storage 4-24
firmware
upgrading 6-6, 6-7
version in IP camera 6-7
Firmware Settings window
options 6-7
overview 6-6
flickerless 3-5
focus/zoom
accessing controls 3-8
controls 3-8
FTP notification
configuring 4-23

G

gateway, for IP camera 5-4

H

help, for IP camera windows 1-5
Home window
- accessing 1-2
- description 1-4, 1-5
- displaying 1-4

HTTP
- accessing camera through 1-3
- allowing access through 2-2, 6-2
- default port 6-2
- port 6-2

HTTPS
- accessing camera through 1-3
- allowing access through 6-2
- default port 6-2
- port 6-2

I

Initialization window
- overview 6-1

input ports
- state change 4-18

IO Ports Settings window
- options 4-17
- overview 4-17

IP address
- controlling access by 5-12
- default for IP camera 1-3, 2-1
- fixed 5-4
- obtaining from DCHP server 2-1
- obtaining through DHCP 5-4
- static 5-4

IP Addressing window
- options 5-3
- overview 5-3

IP camera
- accessing through a web browser 1-2, 2-1
- connecting to after the first time 1-2
- connecting to for the first time 2-1
- controlling access to 5-12
- day mode 4-14
- logging in to 1-4
- logging out of 1-4
- MAC address 6-7
- name 5-2
- night mode 4-14
- overview 1-1
- panning 3-2
- rebooting 6-5
- restarting 6-5
- restoring factory default configurations 6-5
- tilting 3-2
- time zone 5-5
- windows 1-2, 1-5

IP Filter Settings window
- options 5-12
- overview 5-12

L

live video
- viewing
  - through home window 3-1
  - through third-party device or software 3-1
- *See also* video

Local 4-24
Local Log window
- options 7-4
- overview 7-4

Local Storage window
- overview 4-24

log file

sending to Syslog server 7-2
storage of 7-1
viewing 7-4
log in, to IP camera 1-4
log out, of IP camera 1-4
Log Setup Settings window
options 7-2
overview 7-1

M

MAC address, of IP camera 6-7
Maintenance Settings window
options 6-5
overview 6-4
Medianet window
Enable Flow Metadata 5-8
overview 5-7
microphone
muting PC 3-3
PC 3-3
sensitivity 3-3
use 4-14
motion detection
accessing controls 3-4, 3-6, 3-8
enabling 3-7
Motion detection controls 3-7, 3-9
multicast
address 4-12
enabling 4-12
port 4-12, 4-13
muting
PC microphone 3-3
PC speaker 3-3

N

name, of IP camera 5-2, 6-7
Network Setup windows 5-1
night
filter 4-14
mode 4-14

O

output ports
power on state 4-18

P

panning 3-2
password
complexity 6-8
configuring requirements for 6-8
for primary SMTP server 4-22
for secondary SMTP server 4-22
for user 6-3
hardening 6-8
requirements for 2-2, 6-3
Password Complexity window
options 6-8
overview 6-8
picture adjustments
white balance 3-5
port number 1-3
processes
descriptions 6-8
stopping 6-7

Q

QoS Settings window
options 5-13
overview 5-13
quality of service 5-13

R

rebooting, IP camera 6-5
Refresh link 1-4
resetting, factory default configurations 6-5
restarting, IP camera 6-5
restoring, factory default configurations 6-5

S

saturation 3-4
secure connection 1-3
security
  controlling processes 6-7
  password hardening 6-8
  stopping processes 6-7
Setup window
  description 1-5
  displaying 1-4
sharpness 3-4
SNMP, configuring 5-8
SNMP Settings window
  options 5-8
  overview 5-8
  SNMP v2c 5-8
  SNMP v3 5-8
speaker
  volume 3-3
SSH
  allowing access through 6-2
  alternative port 6-2
  default port 6-2
Streaming Settings window
  options 4-12
  overview 4-1
subnet mask, of IP camera 5-4
Syslog server 7-2

T

text overlay, on video 4-16
tilting 3-2
Time Settings window
  options 5-5
  overview 5-4
time stamp, on video 4-16
time zone, of IP camera 5-5
trigger, for event 4-20

U

user, password 6-3
user name, requirements for 6-3
User Settings window
  options 6-3
  overview 6-2

V

video
  bit rate 4-13
  primary stream 4-1
  quality 4-13
  secondary stream 4-1
  text overlay 4-16
  time stamp on 4-16
  viewing live
    through Home window 3-1
    through third-party device or software 3-1
  See also live video
video codec
  controls in Camera Video/Control window 3-1
  display in Streaming Settings window 4-13
video image
  optimizing for lighting condition 4-14
Video Overlay Settings window
  options 4-16

overview 4-16
video resolution
configuration guidelines 4-1
controls in Camera Video/Control window 3-2
View Video link 1-4

W

white balance mode 3-5

Z

zoom
accessing controls 3-8
zoom controls 3-8