



DNS Policies for Security Intelligence

The following topics explain DNS policies, DNS rules, and how to deploy DNS policies to managed devices.

- [DNS Policy Overview, on page 1](#)
- [Cisco Umbrella DNS Policies, on page 2](#)
- [DNS Policy Components, on page 2](#)
- [License Requirements for DNS Policies, on page 3](#)
- [Requirements and Prerequisites for DNS Policies, on page 3](#)
- [Managing DNS and Umbrella DNS Policies, on page 4](#)
- [DNS Rules, on page 6](#)
- [How to Create DNS Rules, on page 11](#)
- [DNS Policy Deploy, on page 14](#)
- [Cisco Umbrella DNS Policies, on page 14](#)

DNS Policy Overview

DNS-based Security Intelligence allows you to block traffic based on the domain name requested by a client, using a Security Intelligence Block list. Cisco provides domain name intelligence you can use to filter your traffic; you can also configure custom lists and feeds of domain names tailored to your deployment.

Traffic on a DNS policy Block list is immediately blocked and therefore is not subject to any further inspection—not for intrusions, exploits, malware, and so on, but also not for network discovery. You can use a Security Intelligence Do Not Block list to override a Block list and force access control rule evaluation, and, recommended in passive deployments, you can use a “monitor-only” setting for Security Intelligence filtering. This allows the system to analyze connections that would have been blocked by a Block list, but also logs the match to the Block list and generates an end-of-connection Security Intelligence event.



Note DNS-based Security Intelligence may not work as intended for a domain name unless the DNS server deletes a domain cache entry due to expiration, or a client’s DNS cache or the local DNS server’s cache is cleared or expires.

You configure DNS-based Security Intelligence using a DNS policy and associated DNS rules. To deploy it to your devices, you must associate your DNS policy with an access control policy, then deploy your configuration to managed devices.

Cisco Umbrella DNS Policies

Cisco Umbrella DNS Connection in the management center helps to redirect DNS queries to Cisco Umbrella. This allows Cisco Umbrella to validate requests, allow or block them based on the domain names, and apply DNS-based security policy on the request. If you use Cisco Umbrella, you must configure the Cisco Umbrella Connection (**Integration > Other Integrations > Cloud Services** and choose the **Cisco Umbrella Connection**) to redirect DNS queries to Cisco Umbrella.

The Umbrella Connector is part of the system's DNS inspection. If your existing DNS inspection policy map decides to block or drop a request based on your DNS inspection settings, the request is not forwarded to Cisco Umbrella. Thus, you have two lines of protection:

- Your local DNS inspection policy
- Your Cisco Umbrella cloud-based policy

When redirecting DNS lookup requests to Cisco Umbrella, the Umbrella Connector adds an EDNS (Extension mechanisms for DNS) record. An EDNS record includes the device identifier information, organization ID, and client IP address. Your cloud-based policy can use those criteria to control access in addition to the reputation of the FQDN. You can also elect to encrypt the DNS request using DNSCrypt to ensure the privacy of usernames and internal IP addresses.

To redirect DNS requests from the management center to Cisco Umbrella:

1. Configure the Cisco Umbrella connection settings.
2. Create and configure an Umbrella DNS policy.
3. Associate the Umbrella DNS policy with an access control policy.
4. Deploy the changes.

For detailed information about how to set up the Umbrella DNS Connector in the management center, see [Configuring the Umbrella DNS Connector for Cisco Secure Firewall Management Center](#).

DNS Policy Components

A DNS policy allows you to block connections based on domain name, using a Block list, or exempt such connections from this type of blocking using a Do Not Block list. The following list describes the configurations you can change after creating a DNS policy.

Name and Description

Each DNS policy must have a unique name. A description is optional.

Rules

Rules provide a granular method of handling network traffic based on the domain name. Rules in a DNS policy are numbered, starting at 1. The system matches traffic to DNS rules in top-down order by ascending rule number.

When you create a DNS policy, the system populates it with a default Global Do-Not-Block List for DNS rule and a default Global Block List for DNS rule. Both rules are fixed to the first position in their respective categories. You cannot modify these rules, but you can disable them.

**Note**

If multitenancy is enabled for your Firewall Management Center, the system is organized into a hierarchy of domains, including ancestor and descendant domains. These domains are distinct and separate from the domain names used in DNS management.

A descendant list contains the domains on the Block or Do Not Block lists of system subdomain users. From an ancestor domain, you cannot view the contents of descendant lists. If you do not want subdomain users to add domains to a Block or Do Not Block list:

- disable the descendant list rules, and
- enforce Security Intelligence using the access control policy inheritance settings

The system evaluates rules in the following order:

- Global Do-Not-Block List for DNS rule (if enabled)
- Descendant DNS Do-Not-Block Lists rule (if enabled)
- Rules with a Do Not Block action
- Global Block List for DNS rule (if enabled)
- Descendant DNS Block Lists rule (if enabled)
- Rules with an action other than Do Not Block

Usually, the system handles DN-based network traffic according to the *first* DNS rule where *all* the rule's conditions match the traffic. If no DNS rules match the traffic, the system continues evaluating the traffic based on the associated access control policy's rules. DNS rule conditions can be simple or complex.

License Requirements for DNS Policies

Threat Defense License

IPS

Classic License

Protection

Requirements and Prerequisites for DNS Policies

Model support

Any

Supported domains

Any

User roles

- Admin
- Access Admin
- Network Admin

**Important**

You must apply the Network Discovery policy on the device for a successful DNS validation on the traffic.

Managing DNS and Umbrella DNS Policies

Use the DNS Policy page (**Policies > Access Control heading > DNS**) to manage custom DNS and Umbrella DNS policies.

In addition to custom policies that you create, the system provides the Default DNS Policy and Default Umbrella DNS Policy. The default DNS policy uses the default Block list and Do Not Block list. You can edit and use this system-provided custom policies.

Procedure

Step 1 Choose **Policies > Access Control heading > DNS**.

Step 2 Manage your DNS policy:

- Compare—To compare DNS policies, click **Compare Policies** and proceed as described in [Compare Policies](#).
- Copy—To copy a DNS policy, click **Copy** (📋) and proceed as described in [Editing DNS Policies, on page 5](#).
- Create—To create a new Umbrella DNS policy, click **New Policy > Umbrella DNS Policy** and proceed as described in [Create an Umbrella DNS Policy, on page 17](#).
- Delete—To delete a DNS or Umbrella DNS policy, click **Delete** (🗑), then confirm you want to delete the policy.
- Edit—To modify an existing DNS policy, click **Edit** (✎) and proceed as described in [Editing DNS Policies, on page 5](#). To modify an existing Umbrella DNS policy, click **Edit** (✎) and proceed as described in [Edit Umbrella DNS Policies and Rules, on page 17](#).

Creating Basic DNS Policies

When you create a new DNS policy, it contains default settings. You must then edit it to customize the behavior.

Procedure

-
- Step 1** Choose **Policies > Access Control heading > DNS**.
- Step 2** Click **Add DNS Policy > DNS Policy**.
- Step 3** Give the policy a unique **Name** and, optionally, a **Description**.
- Step 4** Click **Save**.
-

What to do next

Configure the policy. See [Editing DNS Policies, on page 5](#).

Editing DNS Policies

Only one person should edit a DNS policy at a time, using a single browser window. If multiple users attempt to save the same policy, only the first set of saved changes are retained.

To protect the privacy of your session, after thirty minutes of inactivity on the policy editor, a warning appears. After sixty minutes, the system discards your changes.

Procedure

-
- Step 1** Choose **Policies > Access Control heading > DNS**.
- Step 2** Click **Edit** () next to the DNS policy you want to edit.
- If **View** () appears instead, the configuration belongs to an ancestor domain, or you do not have permission to modify the configuration.
- Step 3** Edit your DNS policy:
- Name and Description—To change the name or description, click the field and type the new information.
 - Rules—To add, categorize, enable, disable, or otherwise manage DNS rules, click **Rules** and proceed as described in [Creating and Editing DNS Rules, on page 6](#).
- Step 4** Click **Save**.
-

What to do next

- Optionally, further configure the new policy as described in *Logging Connections with Security Intelligence* in the [Cisco Secure Firewall Management Center Administration Guide](#).
- Deploy configuration changes; see [Deploy Configuration Changes](#).

DNS Rules

DNS rules handle traffic based on the domain name requested by a host. As part of Security Intelligence, this evaluation happens after any traffic decryption, and before access control evaluation.

The system matches traffic to DNS rules in the order you specify. In most cases, the system handles network traffic according to the *first* DNS rule where *all* the rule's conditions match the traffic.

In addition to its unique name, each DNS rule has the following basic components:

State

By default, rules are enabled. If you disable a rule, the system does not use it to evaluate network traffic, and stops generating warnings and errors for that rule.

Position

Rules in a DNS policy are numbered, starting at 1. The system matches traffic to rules in top-down order by ascending rule number. With the exception of Monitor rules, the first rule that traffic matches is the rule that handles that traffic.

Conditions

Conditions specify the specific traffic the rule handles. A DNS rule must contain a DNS feed or list condition, and can also match traffic by security zone, network, or VLAN.

Action

A rule's action determines how the system handles matching traffic:

- Traffic with a **Do Not Block** action is allowed, subject to further access control inspection.
- Monitored traffic is subject to further evaluation by remaining rules on the DNS Block list. If the traffic does not match a DNS Block list rule, it is inspected with access control rules. The system logs a Security Intelligence event for the traffic.
- Traffic on a Block list is dropped without further inspection. You can also return a Domain Not Found response, or redirect the DNS query to a sinkhole server.

Related Topics

[About Security Intelligence](#)

Creating and Editing DNS Rules

In a DNS policy, you can add up to a total of 32767 DNS lists to the Block list and Do Not Block list rules; that is, the number of lists in the DNS policy cannot exceed 32767.

Procedure

Step 1 In the DNS policy editor, you have the following options:

- To add a new rule, click **Add DNS Rule**.
- To edit an existing rule, click **Edit** (✎).

Step 2 Enter a **Name**.

Step 3 Configure the rule components, or accept the defaults:

- Action—Choose a rule **Action**; see [DNS Rule Actions, on page 8](#).
- Conditions—Configure the rule's conditions; see [DNS Rule Conditions, on page 9](#).
- Enabled—Specify whether the rule is **Enabled**.

Step 4 Click **Save**.

What to do next

- Deploy configuration changes; see [Deploy Configuration Changes](#).

DNS Rule Management

The **Rules** tab of the DNS policy editor allows you to add, edit, move, enable, disable, delete, and otherwise manage DNS rules within your policy.

For each rule, the policy editor displays its name, a summary of its conditions, and the rule action. Other icons represent **Warning** (⚠), **Error** (✖), and other important **Information** (i). Disabled rules are dimmed and marked (disabled) beneath the rule name.

Enabling and Disabling DNS Rules

When you create a DNS rule, it is enabled by default. If you disable a rule, the system does not use it to evaluate network traffic and stops generating warnings and errors for that rule. When viewing the list of rules in a DNS policy, disabled rules are dimmed, although you can still modify them. Note that you can also enable or disable a DNS rule using the DNS rule editor.

Procedure

Step 1 In the DNS policy editor, right-click the rule and choose a rule state.

Step 2 Click **Save**.

What to do next

- Deploy configuration changes; see [Deploy Configuration Changes](#).

DNS Rule Order Evaluation

Rules in a DNS policy are numbered, starting at 1. The system matches traffic to DNS rules in top-down order by ascending rule number. In most cases, the system handles network traffic according to the *first* DNS rule where *all* the rule's conditions match the traffic:

- For Monitor rules, the system logs the traffic, then continues evaluating traffic against lower-priority DNS Block list rules.
- For non-Monitor rules, the system does **not** continue to evaluate traffic against additional, lower-priority DNS rules after that traffic matches a rule.

Note the following regarding rule order:

- The Global Do-Not-Block List for DNS is always first, and takes precedence over all other rules.
- The Do-Not-Block List section precedes the Block List section; Do-Not-Block List rules always take precedence over other rules.
- The Global Block List for DNS is always first in the Block List section, and takes precedence over all other Monitor and Block list rules.
- The Block List section contains Monitor and Block list rules.
- When you first create a DNS rule, the system positions it last in the Do-Not-Block List section if you assign a **Do Not Block** action, or last in the Block List section if you assign any other action.

You can drag and drop rules to reorder them.

DNS Rule Actions

Every DNS rule has an *action* that determines the following for matching traffic:

- handling—foremost, the rule action governs whether the system will block, not block, or monitor traffic that matches the rule's conditions, based on a Block or Do Not Block list
- logging—the rule action determines when and how you can log details about matching traffic

If configured, TID also impacts action prioritization. For more information, see [Threat Intelligence Director-Firewall Management Center Action Prioritization](#).

Do Not Block Action

The **Do Not Block** action allows traffic to pass to the next phase of inspection, which is access control rules.

The system does not log Do Not Block list matches. Logging of these connections depends on their eventual disposition.

Monitor Action

The **Monitor** action is designed to force connection logging; matching traffic is neither immediately allowed nor blocked. Rather, traffic is matched against additional rules to determine whether to permit or deny it. The first non-Monitor DNS rule matched determines whether the system blocks the traffic. If there are no additional matching rules, the traffic is subject to access control evaluation.

For connections monitored by a DNS policy, the system logs end-of-connection Security Intelligence and connection events to the Firewall Management Center database.

Block Actions

These actions block traffic without further inspection of any kind:

- The **Drop** action drops the traffic.
- The **Domain Not Found** action returns a non-existent internet domain response to the DNS query, which prevents the client from resolving the DNS request.
- The **Sinkhole** action returns a sinkhole object's IPv4 or IPv6 address in response to the DNS query (A and AAAA records only). The sinkhole server can log, or log and block, follow-on connections to the IP address. If you configure a **Sinkhole** action, you must also configure a sinkhole object.

For a connection blocked based on the **Drop** or **Domain Not Found** actions, the system logs beginning-of-connection Security Intelligence and connection events. Because blocked traffic is immediately denied without further inspection, there is no unique end of connection to log.

For a connection blocked based on the **Sinkhole** action, logging depends on the sinkhole object configuration. If you configure your sinkhole object to only log sinkhole connections, the system logs end-of-connection connection events for the follow-on connection. If you configure your sinkhole object to log and block sinkhole connections, the system logs beginning-of-connection connection events for the follow-on connection, then blocks that connection.

DNS Rule Conditions

A DNS rule's conditions identify the type of traffic that rule handles. Conditions can be simple or complex. You must define a DNS feed or list condition within a DNS rule. You can also optionally control traffic by security zone, network, or VLAN.

When adding conditions to a DNS rule:

- If you do not configure a particular condition for a rule, the system does not match traffic based on that criterion.
- You can configure multiple conditions per rule. Traffic must match **all** the conditions in the rule for the rule to apply to traffic. For example, a rule with a DNS feed or list condition and network condition but no VLAN tag condition evaluates traffic based on the domain name and source or destination, regardless of any VLAN tagging in the session.
- For each condition in a rule, you can add up to 50 criteria. Traffic that matches **any** of a condition's criteria satisfies the condition. For example, you can use a single rule to block traffic based on up to 50 DNS lists and feeds.

The following topics explain DNS rule conditions in more detail.

Security zone rule conditions

Security zones segment your network to help you manage, classify, and decrypt traffic flow by grouping interfaces across multiple devices.

Security zones control or decrypt traffic by its source and destination security zones. If you add both source and destination zones to a zone condition, matching traffic must originate from an interface in one of the source zones and leave through an interface in one of the destination zones.

Just as all interfaces in a zone must be of the same type (all inline, passive, switched, or routed), all zones used in a zone condition must be of the same type. Because devices deployed passively do not transmit traffic, you cannot use a zone with passive interfaces as a destination zone.

Minimize the number of matching criteria whenever possible, especially those for security zones, network objects, and port objects. When you specify multiple criteria, the system must match against *every* combination of the contents of the criteria you specify.



Tip Constraining rules by zone is one of the best ways to improve system performance. If a rule does not apply to traffic through any of device's interfaces, that rule does not affect that device's performance.

Security zone conditions and multitenancy

In a multidomain deployment, a zone created in an ancestor domain can contain interfaces that reside on devices in different domains. When you configure a zone condition in an descendant domain, your configurations apply to only the interfaces you can see.

Network rule conditions

Networks control or decrypt traffic by its source and destination IP address, using inner headers. Tunnel rules, which use outer headers, have tunnel endpoint conditions instead of network conditions.

You can use predefined objects to build network conditions, or manually specify individual IP addresses or address blocks.

Minimize the number of matching criteria whenever possible, especially those for security zones, network objects, and port objects. When you specify multiple criteria, the system must match against *every* combination of the contents of the criteria you specify.



Note You *cannot* use FDQN network objects in identity rules.

VLAN tags rule conditions



Note VLAN tags in access rules only apply to inline sets. Access rules with VLAN tags do not match traffic on firewall interfaces.

VLAN rule conditions control VLAN-tagged traffic, including Q-in-Q (stacked VLAN) traffic. The system uses the innermost VLAN tag to filter VLAN traffic, with the exception of the prefilter policy, which uses the outermost VLAN tag in its rules.

Note the following Q-in-Q support:

- Firewall Threat Defense on Firepower 4100/9300—Does not support Q-in-Q (supports only one VLAN tag).

- Firewall Threat Defense on all other models:
 - Inline sets and passive interfaces—Supports Q-in-Q, up to 2 VLAN tags.
 - Firewall interfaces—Does not support Q-in-Q (supports only one VLAN tag).

You can use predefined objects to build VLAN conditions, or manually enter any VLAN tag from 1 to 4094. Use a hyphen to specify a range of VLAN tags.

You can specify a maximum of 50 VLAN conditions.

In a cluster, if you encounter problems with VLAN matching, edit the access control policy advanced options, Transport/Network Preprocessor Settings, and select the **Ignore the VLAN header when tracking connections** option.

DNS Policy Rule Conditions

DNS conditions in DNS rules allow you to control traffic if a DNS list, feed, or category contains the domain name requested by the client. You must define a DNS condition in a DNS rule.

Regardless of whether you add a global or custom Block or Do Not Block list to a DNS condition, the system applies the configured rule action to the traffic. For example, if you add the Global Do Not Block List to a rule, and configure a **Drop** action, the system blocks all traffic that should have been allowed to pass to the next phase of inspection.

How to Create DNS Rules

The following topics discuss how to create DNS rules.

Controlling Traffic Based on DNS and Security Zone

Zone conditions in DNS rules allow you to control traffic by its source security zone. A *security zone* is a grouping of one or more interfaces, which may be located across multiple devices.

Procedure

-
- | | |
|---------------|--|
| Step 1 | In the DNS rule editor, click Zones . |
| Step 2 | Find and select the zones you want to add from the Available Zones . To search for zones to add, click the Search by name prompt above the Available Zones list, then type a zone name. The list updates as you type to display matching zones. |
| Step 3 | Click to select a zone, or right-click and then select Select All . |
| Step 4 | Click Add to Source , or drag and drop. |
| Step 5 | Click the DNS tab and add the lists or feeds that include the DNS names you are controlling. For more information, see Controlling Traffic Based on DNS List or Feed, on page 13 . |
| Step 6 | Save or continue editing the rule. |
-

What to do next

- Deploy configuration changes; see [Deploy Configuration Changes](#).

Controlling Traffic Based on DNS and Network

Network conditions in DNS rules allow you to control traffic by its source IP address. You can explicitly specify the source IP addresses for the traffic you want to control.

Procedure

-
- Step 1** In the DNS rule editor, click **Networks**.
- Step 2** Find and select the networks you want to add from the **Available Networks**, as follows:
- To add a network object on the fly, which you can then add to the condition, click **Add (+)** above the **Available Networks** list and proceed as described in [Creating Network Objects](#).
 - To search for network objects to add, click the **Search by name or value** prompt above the **Available Networks** list, then type an object name or the value of one of the object's components. The list updates as you type to display matching objects.
- Step 3** Click **Add to Source**, or drag and drop.
- Step 4** Add any source IP addresses or address blocks that you want to specify manually. Click the **Enter an IP address** prompt below the **Source Networks** list; then type an IP address or address block and click **Add**.
- Step 5** Click the **DNS** tab and add the lists or feeds that include the DNS names you are controlling. For more information, see [Controlling Traffic Based on DNS List or Feed, on page 13](#).
- Step 6** Save or continue editing the rule.
-

What to do next

- Deploy configuration changes; see [Deploy Configuration Changes](#).

Controlling Traffic Based on DNS and VLAN

VLAN conditions in DNS rules allow you to control VLAN-tagged traffic. The system uses the innermost VLAN tag to identify a packet by VLAN.

When you build a VLAN-based DNS rule condition, you can manually specify VLAN tags. Alternately, you can configure VLAN conditions with VLAN tag *objects*, which are reusable and associate a name with one or more VLAN tags.

Procedure

-
- Step 1** In the DNS rule editor, select **VLAN Tags**.

- Step 2** Find and select the VLANs you want to add from the **Available VLAN Tags**, as follows:
- To add a VLAN tag object on the fly, which you can then add to the condition, click **Add (+)** above the **Available VLAN Tags** list and proceed as described in [Creating VLAN Tag Objects](#).
 - To search for VLAN tag objects and groups to add, click the **Search by name or value** prompt above the **Available VLAN Tags** list, then type either the name of the object, or the value of a VLAN tag in the object. The list updates as you type to display matching objects.
- Step 3** Click **Add to Rule**, or drag and drop.
- Step 4** Add any VLAN tags that you want to specify manually. Click the **Enter a VLAN Tag** prompt below the **Selected VLAN Tags** list; then type a VLAN tag or range and click **Add**. You can specify any VLAN tag from 1 to 4094; use a hyphen to specify a range of VLAN tags.
- Step 5** Click the **DNS** tab and add the lists or feeds that include the DNS names you are controlling. For more information, see [Controlling Traffic Based on DNS List or Feed, on page 13](#).
- Step 6** Save or continue editing the rule.
-

What to do next

- Deploy configuration changes; see [Deploy Configuration Changes](#).

Controlling Traffic Based on DNS List or Feed

Procedure

- Step 1** In the DNS rule editor, click **DNS**.
- Step 2** Find and select the DNS lists and feeds you want to add from the **DNS Lists and Feeds**, as follows:
- To add a DNS list or feed on the fly, which you can then add to the condition, click **Add (+)** above the **DNS Lists and Feeds** list and proceed as described in [Creating Security Intelligence Feeds](#).
 - To search for DNS lists, feeds, or categories to add, click the **Search by name or value** prompt above the **DNS Lists and Feeds** list, then type an object name or the value of one of the object's components. The list updates as you type to display matching objects.
 - For descriptions of the system-provided threat categories, see [Security Intelligence Categories](#).
- Step 3** Click **Add to Rule**, or drag and drop.
- Step 4** Save or continue editing the rule.
-

What to do next

- Deploy configuration changes; see [Deploy Configuration Changes](#).

DNS Policy Deploy

After you finish updating your DNS policy configuration, you must deploy it as part of access control configuration.

- Associate your DNS policy with an access control policy, as described in [Configure Security Intelligence](#).
- Deploy configuration changes; see [Deploy Configuration Changes](#).

Cisco Umbrella DNS Policies

Cisco Umbrella DNS Connection in the management center helps to redirect DNS queries to Cisco Umbrella. This allows Cisco Umbrella to validate requests, allow or block them based on the domain names, and apply DNS-based security policy on the request. If you use Cisco Umbrella, you must configure the Cisco Umbrella Connection (**Integration > Other Integrations > Cloud Services** and choose the **Cisco Umbrella Connection**) to redirect DNS queries to Cisco Umbrella.

The Umbrella Connector is part of the system's DNS inspection. If your existing DNS inspection policy map decides to block or drop a request based on your DNS inspection settings, the request is not forwarded to Cisco Umbrella. Thus, you have two lines of protection:

- Your local DNS inspection policy
- Your Cisco Umbrella cloud-based policy

When redirecting DNS lookup requests to Cisco Umbrella, the Umbrella Connector adds an EDNS (Extension mechanisms for DNS) record. An EDNS record includes the device identifier information, organization ID, and client IP address. Your cloud-based policy can use those criteria to control access in addition to the reputation of the FQDN. You can also elect to encrypt the DNS request using DNSCrypt to ensure the privacy of usernames and internal IP addresses.

To redirect DNS requests from the management center to Cisco Umbrella:

1. Configure the Cisco Umbrella connection settings.
2. Create and configure an Umbrella DNS policy.
3. Associate the Umbrella DNS policy with an access control policy.
4. Deploy the changes.

For detailed information about how to set up the Umbrella DNS Connector in the management center, see [Configuring the Umbrella DNS Connector for Cisco Secure Firewall Management Center](#).

How to Redirect DNS Requests to Cisco Umbrella

This section provides instructions to redirect DNS requests from the device to Cisco Umbrella using the Firewall Management Center.

Step	Do This	More Info
1	Ensure that you meet the prerequisites.	Prerequisites for Configuring the Umbrella DNS Connector, on page 15
2	Configure the Cisco Umbrella connection settings.	Configure Cisco Umbrella Connection Settings, on page 16
3	Create an Umbrella DNS policy	Create an Umbrella DNS Policy, on page 17
4	Configure the Umbrella DNS policy	Edit Umbrella DNS Policies and Rules, on page 17
5	Associate the Umbrella DNS policy with an access control policy	Associate the Umbrella DNS Policy with an Access Control Policy, on page 18

Prerequisites for Configuring the Umbrella DNS Connector

Table 1: Minimum Supported Platforms

Product	Version
Secure Firewall Threat Defense	6.6 and above
Secure Firewall Management Center	7.2 and above

- Establish an account with Cisco Umbrella at <https://umbrella.cisco.com>, and log into Umbrella at <http://login.umbrella.com>.
- Import the CA certificate from the Cisco Umbrella server to the Firewall Management Center. In Cisco Umbrella, choose **Deployments > Configuration > Root Certificate** and download the certificate.

You must import the root certificate to establish the HTTPS connection with the Cisco Umbrella registration server. The certificate needs to be trusted for SSL server validation, which is a non-default option in the Firewall Management Center. Copy and paste the following certificate for the device in the Firewall Management Center (**Devices > Certificates**).

```
MIIE6jCCA9KgAwIBAgIQCjUI1VwpKwF9+K1lwa/35DANBgkqhkiG9w0BAQsFADBhMQswCQYDVQQG
EwJVUzEVMBMGA1UEChMMRGlnaUNlcnQgSW5jMRkwFwYDVQQLEwB3d3cuZGlnaWNlcnQuY29tMSAw
HgYDVQQDEwEaWdpQ2VydCBHbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMy
MzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERp
Z21lDZXXJ0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIB
CgKCAQEAwUuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1
EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDt
V1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJ
muzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkD
Ka77SU+kFbnO8lwZV21reacroicgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYE
FLdrouqogoSMeeq02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4G
A1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgw
BgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0
LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xv
YmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20v
RGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCz
AJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRm
UyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuz
ZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1Hn
LDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8pi
LhMbfiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj
1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8
lwZV21reacroicgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq
02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAw
IBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2Bg
grBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggr
BgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBL
mNydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG
9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1
VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hB
MjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvs
no3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL
8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVN
vwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9
WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacro
icgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdr
n0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHS
UEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcB
AQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAw
AoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7Bg
NVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9v
dCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwEw
YDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hBMjU2ID
IwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvsno3DZu
UfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7u
HyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIu
E//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLG
BAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacroicgE7XQ
PUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8GA
1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBg
grBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJ
AYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cD
ovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBY
MDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAe
Fw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEw
xEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0Ex
MIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvsno3DZuUfMRNURUpm
Rh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7uHyiUDe5pSQ
WYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIuE//i+plhJInu
WraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhy
fFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacroicgE7XQPUDTITAHk+qZ9QID
AQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUD
VW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwY
BBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGG
h0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcn
QuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3
JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0z
MDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNV
BAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAO
CAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aq
Xodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8
OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLY
rVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkk
DKa77SU+kFbnO8lwZV21reacroicgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYE
FLdrouqogoSMeeq02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1
UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB
/wIBADB2BggrBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvb
TBABggrBgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9v
dENBLmNydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcn
RhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYT
A1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0h
BMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvs
no3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8
X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvw
TRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQ
DgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacroicgE7
XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8G
A1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBg
grBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAY
IKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2
NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegN
aAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA
5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2V
ydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBg
kqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu
3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6D
dng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf
6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3s
Nk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacroicgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCC
AaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4h
sbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgY
DVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3Nw
LmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lD
ZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2Vyd
C5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTl
aME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ
0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA
wUuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1
HnLDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8pi
LhMbfiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1h
JeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV
21reacroicgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+Y
ssWVdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBg
NVHSUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQc
BAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY
0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8
EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQ
TAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEw
xEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExM
IIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8
sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQY
E9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIuE//i+plhJInuWraK
ImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3
TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacroicgE7XQPUDTITAHk+qZ9QIDAQABo
4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7
ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAw
IwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9v
Y3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z2
1lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2V
ydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTl
aME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0
IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAw
UuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1Hn
LDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLh
MbfiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeR
PG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21r
eacroicgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssW
Vdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVH
SUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQ
RqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aH
R0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdD
BYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeF
w0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWd
pQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIj
ANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxk
B+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0
nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8o
Hzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3
sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacroicgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCC
AaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4h
sbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgY
DVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3Nw
LmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZ
XXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5j
b20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8x
CzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmU
yBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZU
dwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQN
ltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiy
OIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cU
J9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacroic
gE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8
GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBg
grBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAYI
KwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2Nh
Y2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegNaAzh
jFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQw
MDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbm
MxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w
0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3
+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tn
TCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2
tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgX
jkkDKa77SU+kFbnO8lwZV21reacroicgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYE
FLdrouqogoSMeeq02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1Ud
DwEB/wQEAwIBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIB
ADB2BggrBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABg
grBgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLm
NydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iY
WwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5NTlaME8xCzAJBgNVBAYTA1VTMRUwE
wYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXXJ0IFRmUyBSU0EgU0hBMjU2ID
IwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAwUuzZUdwvN1PWNvsno3DZuUf
MRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1HnLDQNltKS4VbL8X1fs7uHyiU
De5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMbfiyOIJVNvwTRYAIuE//i+pl
hJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/cUJ9WIQDgLGBAfr5yjk7tI
4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacroicgE7XQPUDTITAHk+qZ9Q
IDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8GA1UdIwQYMBaAFAPeUD
VW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBggrBgEFBQcDAQYIKwYBB
QUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAYIKwYBBQUHMAAGGGGh0dH
A6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2NhY2VydHMuaWNlcnQuY29tL
0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegNaAzhjFodHRwOi8vY3JsMy5kaWd
pY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQwMDAwMDBaFw0zMDA5MjMyMzU5
NTlaME8xCzAJBgNVBAYTA1VTMRUwEwYDVQQKEwxEaWdpQ2VydCBjbmMxKTAnBgNVBAMTIERpZ21lDZXX
J0IFRmUyBSU0EgU0hBMjU2IDIwMjAgQ0ExMIIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA
wUuzZUdwvN1PWNvsno3DZuUfMRNURUpmRh8sCuxkB+Uu3Ny5CiDt3+PE0J6aqXodgoj1EVbbHp9Yw1Hn
LDQNltKS4VbL8X1fs7uHyiUDe5pSQWYQYE9XE0nw6Ddng9/n00tnTCJRpt8OmRDtV1F0JuJ9x8piLhMb
fiyOIJVNvwTRYAIuE//i+plhJInuWraKImxW8oHzf6VGolbDtN+I2tIJLYrVJmuzHZ9bjPvXj1hJeRPG/
cUJ9WIQDgLGBAfr5yjk7tI4nhyfFK3TUqNaX3sNk+crOU6JWvHgXjkkDKa77SU+kFbnO8lwZV21reacro
icgE7XQPUDTITAHk+qZ9QIDAQABo4IBrjCCAaowHQYDVR0OBBYEFLdrouqogoSMeeq02g+YssWVdrn0MB8
GA1UdIwQYMBaAFAPeUDVW0Uy7ZvCj4hsbw5eyPdFVMA4GA1UdDwEB/wQEAwIBhjAdBgNVHSUEFjAUBg
grBgEFBQcDAQYIKwYBBQUHAAwIwEgYDVR0TAQH/BAgwBgEB/wIBADB2BggrBgEFBQcBAQRqMGgwJAYI
KwYBBQUHMAAGGGGh0dHA6Ly9vY3NwLmRmZ21jZXJ0LmNvbTBABggrBgEFBQcAwAoY0aHR0cDovL2Nh
Y2VydHMuaWNlcnQuY29tL0R2Z21lDZXXJ0R2xvYmFsUm9vdENBLmNydDB7BgNVHR8EdDBYMDegNaAzh
jFodHRwOi8vY3JsMy5kaWdpY2VydC5jb20vRGlnaUNlcnRhbG9iYWwU9vdCBBDQTAeFw0yMDA5MjQw
MDAwMDBaFw0zMDA5MjMyM
```

```
YRiHas6xuwAwapu3r9rxxZf+ingkquqTgLozZXq8oXfpf2kUCwA/d5KxTVtzhwoT0JzI8ks5T1KE
SaZMkE4f97Q=
```

When you add the certificate in the management center, ensure that you check the **CA Only** check box.

- Install the certificate on the device.
- Obtain the following data from Umbrella:
 - Organization ID
 - Network Device Key
 - Network Device Secret
 - Legacy Network Device Token
- Ensure that the Firewall Management Center is connected to the internet.
- Ensure that the base license with the export-controlled feature option is enabled in the Firewall Management Center.
- Ensure that the DNS server is configured to resolve api.opendns.com.
- Ensure that the Firewall Management Center can resolve management.api.umbrella.com for policy configuration.
- Configure the Firewall Threat Defense route to api.opendns.com.

Configure Cisco Umbrella Connection Settings

The Cisco Umbrella Connection settings define the token that is needed to register the device with Cisco Umbrella.

Before you begin

Establish an account with Cisco Umbrella <https://umbrella.cisco.com>, and then log into Umbrella at <https://dashboard.umbrella.com> and obtain the required information to establish connection to Cisco Umbrella.

Procedure

-
- Step 1** Choose **Integration > Other Integrations > Cloud Services** and choose the **Cisco Umbrella Connection**.
- Step 2** Obtain the following details and add them to the **General** settings:
- **Organization ID**—A unique number that identifies your organization on Cisco Umbrella. Every Umbrella organization is a separate instance of Umbrella and has its own dashboard. Organizations are identified by their name and their organization ID (Org ID).
 - **Network Device Key**—The key to fetch umbrella policy from Cisco Umbrella.
 - **Network Device Secret**—The secret to fetch umbrella policy from Cisco Umbrella.
 - **Legacy Network Device Token**—An Umbrella Legacy Network Devices API token is issued through the Cisco Umbrella dashboard. Umbrella requires the API token to register a network device.

- Step 3** Under **Advanced**, configure the following optional settings:
- **DNSCrypt Public Key**—DNSCrypt authenticates and encrypts the DNS queries between the endpoint and the DNS server. To enable DNSCrypt, you can configure the DNSCrypt public key for certificate verification. The key is a 32-byte hexadecimal value and is preconfigured to B735:1140:206F:225d:3E2B:d822:D7FD:691e:A1C3:3cc8:D666:8d0c:BE04:bfab:CA43:FB79, which is the public key of the Umbrella Anycast servers.
 - **Management Key**—A key to fetch datacenter details from Umbrella cloud for VPN policy.
 - **Management Secret**—A secret used to fetch datacenters from Umbrella cloud for VPN.
- Step 4** Click **Test Connection**—Test if the Cisco Umbrella Cloud is reachable from the Firewall Management Center. When you provide the required organization ID and network device details, the umbrella connection is created.
- Step 5** Click **Save**.

Create an Umbrella DNS Policy

Procedure

- Step 1** Choose **Policies > Access Control heading > DNS**.
- Step 2** Click **Add DNS Policy > Umbrella DNS Policy**.
- Step 3** Give the policy a unique **Name** and, optionally, a **Description**.
- Step 4** Click **Save**.

What to do next

Configure the policy. See [Edit Umbrella DNS Policies and Rules](#), on page 17.

Edit Umbrella DNS Policies and Rules

Procedure

- Step 1** Choose **Policies > Access Control heading > DNS**.
- Step 2** In the DNS Policy page, select the Umbrella DNS policy that you want to edit and click **Edit** (✎).

Refresh the Umbrella Protection Policy

If you want to get the latest Umbrella Protection Policy from Cisco Umbrella, click the **Refresh** icon next to **Umbrella Protection Policy Last Updated**.

To configure or modify Umbrella Connection settings for the Management Center, go to **Integration > Other Integrations > Cloud Services** Choose the **Cisco Umbrella Connection**.

Step 3 In the Umbrella DNS policy editor, select the Umbrella DNS rule and click **Edit** (✎).

Step 4 Configure the rule components, or accept the defaults:

- **Umbrella Protection Policy**—Specify the name of the Cisco Umbrella policy to apply to the device.
- **Bypass Domain**—Specify the name of the local domains for which DNS requests should bypass Cisco Umbrella and instead go directly to the configured DNS servers.

For example, you can have your internal DNS server resolve all names for the organization's domain name on the assumption that all internal connections are allowed.

- **DNSCrypt**— Enable DNSCrypt to encrypt connections between the device and Cisco Umbrella.

Enabling DNSCrypt starts the key-exchange thread with the Umbrella resolver. The key-exchange thread performs the handshake with the resolver every hour and updates the device with a new secret key. As DNSCrypt uses UDP/443, you must ensure that the class map used for DNS inspection includes that port. Note that the default inspection class already includes UDP/443 for DNS inspection.

- **Idle Timeout**—Configure the idle timeout after which a connection from a client to the Umbrella server will be removed if there is no response from the server.

Step 5 Click **Save**.

What to do next

Associate the Umbrella DNS policy with an access control policy. For more information, see [Associate the Umbrella DNS Policy with an Access Control Policy, on page 18](#).

Associate the Umbrella DNS Policy with an Access Control Policy

Before you deploy the Umbrella DNS policy on the device, you must associate it with an access control policy.

Procedure

Step 1 Choose **Policies > Access Control heading > Access Control** and select the access policy to edit.

Step 2 Select **Security Intelligence**.

Step 3 From the **Umbrella DNS Policy** drop-down list, select the Umbrella DNS policy.

Step 4 Click **Save**.

What to do next

Deploy configuration changes; see [Deploy Configuration Changes](#).