



A

Access Control Server (ACS)

- activating NDG feature [8-19](#)
 - adding devices as AAA clients without NDGs [8-17](#)
 - adding managed devices [8-17](#)
 - adding managed devices and configuring NDGs [8-26](#)
 - adding multihomed devices [8-31](#)
 - adding users [8-15](#)
 - assigning roles to user groups [8-25](#)
 - assigning roles to user groups with NDGs [8-26](#)
 - assigning roles to user groups without NDGs [8-25](#)
 - associating user roles and permissions [8-11](#)
 - authentication fails [8-29](#)
 - changes not appearing in Security Manager [8-30](#)
 - configuring CiscoWorks AAA mode [8-23](#)
 - configuring network device groups [8-18](#)
 - configuring SMTP and e-mail for notifications [8-24](#)
 - creating administration control user [8-20](#)
 - creating local users in CiscoWorks [8-21](#)
 - creating network device groups [8-19](#)
 - customizing user roles [8-10](#)
 - default roles [8-10](#)
 - defining system identity user [8-15](#)
 - devices not appearing in Security Manager [8-30](#)
 - integrating with Security Manager [8-12](#)
 - integration checklist [8-14](#)
 - integration requirements [8-13](#)
 - performing integration [8-15](#)
 - performing integration in CiscoWorks [8-21](#)
 - read-only access for system administrators [8-29](#)
 - registering Security Manager [8-24](#)
 - reinstalling server applications [5-3](#)
 - restarting Daemon Manager [8-25](#)
 - restoring access [8-31](#)
 - troubleshooting [8-28](#)
 - understanding user permissions [8-3](#)
 - user permissions [8-3](#)
 - using multiple versions of Security Manager [8-28](#)
 - working after ACS becomes unreachable [8-30](#)
- accounts, user
- managing [8-1](#)
 - required [5-1](#)
- antivirus utilities, requirement to disable [4-3](#)
- applications
- downgrading server [5-16](#)
 - installing and configuring client [6-1](#)
 - installing and upgrading server [5-1](#)
 - logging into [6-11](#)
 - required changes after upgrading server [5-12](#)
 - uninstalling server [5-15](#)
 - upgrading server [5-5](#)
- approve permissions [8-5](#)
- approver role [8-6](#)
- assign permissions [8-5](#)
- authorization, changes in ACS for devices [8-30](#)
- Auto Update Server (AUS)
- installing [5-2](#)
 - licensing [2-4, 2-8](#)
 - logging into [6-12](#)
 - overview [1-2](#)
 - required user accounts [5-1](#)
 - server requirements [3-4](#)
 - uninstalling [5-15](#)
 - upgrading [5-5](#)

B

backup

- committing pending data before performing 5-7
- Cywin limitations A-5
- database 5-8

backup/restore upgrade path, definition of 5-5

back up database 5-9

bootstrapping devices 7-8

browser cookies 6-2

browsers

- configuring required settings 6-1
- configuring required settings for Firefox 6-3
- configuring required settings for Internet Explorer 6-2
- logging into applications 6-12
- supported 3-7, 3-10

C

certificates

- requirement to create 7-1
- troubleshooting 4-3

Cisco Security Agent (CSA)

- installing 5-2
- upgrading 5-5

Cisco Security Agent, caution while disabled 6-7

Cisco Security Agent, disabling 6-7

CiscoWorks Common Services

- assigning roles to users 8-7
- associating user roles and permissions 8-11
- available user roles 8-6
- configuring AAA mode 8-23
- creating administration control user in ACS 8-20
- creating local user for Cisco Secure ACS 8-21
- defining system identity user 8-22
- installing 5-2
- licensing 2-4, 2-8
- logging into 6-12

overview 1-1

performing integration for Cisco Secure ACS 8-21

registering Security Manager with Cisco Secure ACS 8-24

required version 1-1

understanding user permissions 8-3

uninstalling 5-15

upgrading 5-5

client

clearing server list in Login window A-14

log files A-14

operating systems 3-10

requirements 3-9

troubleshooting after installation A-12

troubleshooting installation A-9

Compatibility View 3-7, 3-10, 6-2

control permissions 8-5

cookies for browsers 6-2

Cywin problems during database backup A-5

D

Daemon Manager

restarting after Cisco Secure ACS integration 8-25

database

- backing up 5-8, 5-9
- committing pending data before upgrade 5-7
- restoring 5-11

date and time settings 3-1, 4-3

deploy permissions 8-5

devices

- bootstrapping 7-8
- changes to ACS authorization not appearing in Security Manager 8-30

directory encryption, restriction against 3-4

domain controllers (primary or backup), unsupported use 3-4

dual-screen setups A-15

E

e-mail address, Security Manager administrator [8-24](#)

encrypted directories, restriction against [3-4](#)

error messages

 client installation [A-9](#)

 server installation [A-4](#)

 server uninstallation [A-8](#)

F

Firefox

 cache size requirement [6-4](#)

 configuring required settings [6-3](#)

 disabling popup blocker [6-4](#)

 displaying help in new tab [6-5](#)

 editing the preferences file [6-3](#)

 enabling Javascript [6-5](#)

 supported versions [3-7, 3-10](#)

for more information [7-8](#)

H

help desk user role [8-6](#)

HTTP, configuring non-default port [6-9](#)

HTTPS

 configuring non-default port [6-9](#)

 determining mode [A-14](#)

I

IE 8 Compatibility View [3-7, 3-10, 6-2](#)

import permissions [8-5](#)

indirect upgrade path, definition of [5-6](#)

installation

 Security Manager, AUS, Common Services [5-2](#)

 Security Manager client [6-6](#)

 security settings that prevent client [6-9](#)

 troubleshooting client [A-9](#)

 troubleshooting server [A-4](#)

 using remote desktop or VNC [5-2](#)

 verifying [7-7](#)

Internet Explorer

 cache size requirement [6-3](#)

 configuring required settings [6-2](#)

 security settings [6-3](#)

 supported versions [3-7, 3-10](#)

Internet Information Server (IIS), requirement to
uninstall [4-2](#)

J

Java requirements [3-7, 3-11](#)

L

language support [3-10](#)

LAN Management Solution (LMS), unsupported use [4-2](#)

LiaisonServlet error, troubleshooting [A-6](#)

licenses

 Product Authorization Key (PAK) [2-3](#)

 Security Manager kit part numbers [2-8](#)

 Software License Claim Certificate [2-3](#)

 updating [5-14](#)

local upgrade path, definition of [5-5](#)

log files [A-17](#)

M

memory (RAM)

 client requirements [3-10](#)

modify permissions [8-4](#)

N

Network Access Restriction (NAR) [8-13](#)

network administrator role

- Cisco Secure ACS [8-10](#)
- CiscoWorks [8-6](#)
- network device groups (NDGs)
 - activating NDG feature [8-19](#)
 - associating with roles and user groups [8-26](#)
 - configuring [8-18](#)
 - creating [8-19](#)
 - effect on user permissions [8-18](#)
- network operator role [8-6](#)

O

- operating systems
 - client [3-10](#)
- overview [1-1, 2-1](#)

P

- pdshow command [7-2](#)
- pending data, committing [5-7](#)
- performance
 - client recommendations [3-9](#)
 - server best practices [4-1](#)
 - server recommendations [3-4](#)
- Performance Monitor
 - logging into [6-12](#)
 - overview [1-3](#)
 - required user accounts [5-1](#)
 - server requirements [3-4](#)
 - uninstalling [5-15](#)
 - updating licenses [5-14](#)
 - upgrading [5-5](#)
- permissions
 - assigning roles in CiscoWorks [8-7](#)
 - associating with user roles [8-11](#)
 - categories [8-3](#)
 - customizing for ACS [8-10](#)
 - impact of NDGs [8-18](#)

- understanding [8-3](#)
- point patches
 - applying to a client [6-10](#)
 - obtaining [5-14](#)
- popup blocker
 - disabling [6-6](#)
 - disabling for Firefox [6-4](#)
- ports
 - comprehensive list of required TCP/UDP [A-2](#)
 - configuring non-default HTTP/HTTPS [6-9](#)
 - list of typically required [3-1](#)
- processes
 - restarting server [A-17](#)
 - troubleshooting [A-16](#)
 - verifying [7-2](#)
- property files [5-8](#)

R

- remote desktop, using for installation [5-2](#)
- remote upgrade path, definition of [5-5](#)
- requirements
 - client [3-9](#)
 - data and time settings [3-1, 4-3](#)
 - general server [3-1](#)
 - server [3-4](#)
 - unsupported server configurations [3-4](#)
- Resource Manager Essentials (RME)
 - logging into [6-12](#)
 - required user accounts [5-1](#)
 - server requirements [3-4](#)
 - uninstalling [5-15](#)
 - updating licenses [5-14](#)
 - upgrading [5-5](#)
- restorebackup.pl command [5-11](#)
- restore database [5-11](#)
- roles
 - Cisco Secure ACS users [8-9](#)
 - CiscoWorks users [8-5](#)

S

Security [1-2](#)

security

server best practices [4-1](#)

security administrator role [8-10](#)

Security Manager

committing pending data before upgrade [5-7](#)

component applications [1-1](#)

downgrading server [5-16](#)

getting started with [7-8](#)

installing [5-2](#)

logging in using browser [6-12](#)

logging in using client [6-11](#)

overview [1-2](#)

related applications [1-3](#)

required changes after upgrade [5-12](#)

required user accounts [5-1](#)

restarting Daemon Manager [8-25](#)

server requirements [3-4](#)

service startup requirements [A-1](#)

troubleshooting interaction with ACS [8-28](#)

uninstalling server [5-15](#)

updating licenses [5-14](#)

upgrading server [5-5](#)

Security Manager client

clearing server list in Login window [A-14](#)

configuring non-default HTTP/HTTPS port [6-9](#)

determining HTTPS mode [A-14](#)

handling security settings that prevent installation [6-9](#)

installing [6-6](#)

locating client logs [A-14](#)

logging into [6-11](#)

patching [6-10](#)

resolving version mismatch [A-14](#)

running in dual-screen mode [A-15](#)

unable to upgrade [6-10](#)

uninstalling [6-13](#)

server

best practices for security [7-7](#)

date and time settings [3-1, 4-3](#)

general requirements [3-1](#)

performance, best practices for enhancing [4-1](#)

post installation tasks [7-1](#)

preparation checklists [4-1](#)

readiness checklist [4-3](#)

requirements [3-4](#)

security, best practices for enhancing [4-1](#)

troubleshooting post-installation problems [A-5](#)

unsupported configurations [3-4](#)

verifying processes [7-2](#)

service packs

applying to a client [6-10](#)

obtaining [5-14](#)

services, minimum required for Windows [4-2](#)

service startup requirements [A-1](#)

SMTP, configuring for ACS notifications [8-24](#)

SSL certificate invalidation [4-3](#)

storage, supported SAN [3-8](#)

submit permissions [8-5](#)

Sybase, requirement to disable [4-4](#)

system administrator role [8-6](#)

system identity user [8-15, 8-22](#)

T

TACACS+

selecting as CiscoWorks AAA mode [8-23](#)

using ACS as [8-12](#)

TCP

comprehensive list of required ports [A-2](#)

list of typically required ports [3-1](#)

Terminal Services, unsupported configuration [3-4](#)

troubleshooting

ACS configurations [8-28](#)

antivirus scanners [4-2](#)

client after installation [A-12](#)

- client installation [A-9](#)
- client installer says old version is installed when it is not [A-12](#)
- collecting server troubleshooting information [A-16](#)
- Cygwin prevents backup [A-5](#)
- dual-screen setups [A-15](#)
- error messages
 - client installation [A-9](#)
 - server installation [A-4](#)
 - server uninstallation [A-8](#)
- host-based intrusion software [4-2](#)
- incorrect interface appearance [A-5](#)
- installation does not run [A-15](#)
- installation hangs [A-5, A-11](#)
- invalid SSL certificate [4-3](#)
- java.security.cert errors [4-3](#)
- LiaisonServlet error [A-6](#)
- mapped drives [A-7](#)
- missing product features [A-5](#)
- overview [A-1, C-1](#)
- restarting server processes [A-17](#)
- reviewing installation log files [A-17](#)
- security settings that prevent installation [6-9](#)
- security software conflicts [4-2](#)
- server installation [A-4](#)
- server problems after installation [A-5](#)
- server processes [A-16](#)
- server self-test [A-15](#)
- server uninstall [A-8](#)
- unable to upgrade client [6-10](#)
- uninstallation does not run [A-15](#)
- uninstallation hangs [A-9](#)
- typographical conventions in this document [i-xii](#)

U

UDP

- comprehensive list of required ports [A-2](#)
- list of typically required ports [3-1](#)

uninstallation

- recommendation to restart servers [5-15](#)
- Security Manager client [6-13](#)
- server applications [5-15](#)
- troubleshooting server [A-8](#)
- upgrade, verifying [7-7](#)
- user accounts
 - admin [5-1](#)
 - casuser [5-1](#)
 - creating [5-1](#)
 - managing [8-1](#)
 - System Identity [5-2](#)
- user permissions
 - assigning roles in CiscoWorks [8-7](#)
 - associating with user roles [8-11](#)
 - categories [8-3](#)
 - customizing for ACS [8-10](#)
 - impact of NDGs [8-18](#)
 - understanding [8-3](#)
- user roles
 - associating with user permissions [8-11](#)
 - available CiscoWorks user roles [8-6](#)
 - Cisco Secure ACS [8-9](#)
 - CiscoWorks [8-5](#)
 - default ACS roles [8-10](#)

V

- version mismatch, resolving [A-14](#)
- view permissions [8-3, 8-4](#)
- VMWare supported versions [3-7](#)
- VNC, using for installation [5-2](#)

W

web browsers

- configuring required settings [6-1](#)
- logging into applications [6-12](#)

supported [3-7](#), [3-10](#)

Windows services, required [4-2](#)

