



**Preface** vii

Audience ii-vii

Conventions ii-viii

Related Documentation ii-ix

Obtaining Documentation and Submitting a Service Request ii-x

ii-x

---

**CHAPTER 1**

**Overview** 1-1

Local Redundancy (HA) Process Overview 1-1

Local Redundancy (HA) Configuration Steps 1-2

Geographic Redundancy (DR) Process Overview 1-3

Geographic Redundancy (DR) Configuration Steps 1-4

Symantec Veritas Products 1-5

---

**CHAPTER 2**

**System Requirements** 2-1

Hardware Requirements for a Single-Node Site 2-1

Hardware Requirements for a Dual-Node Site 2-2

Software Requirements for a Local Redundancy Configuration 2-3

Software Requirements for a Geographic Redundancy (DR) Configuration 2-4

Software Requirements for Replication without Clustering 2-4

Preinstallation Worksheets 2-5

Local Redundancy Configuration Worksheet 2-5

Geographic Redundancy (DR) Configuration Worksheet 2-7

---

**CHAPTER 3**

**Installing the Cisco Security Management Suite High Availability Solution** 3-1

Making Ethernet Connections 3-1

Installing Microsoft Windows Server 3-2

Connecting the Servers to External Storage 3-2

Installing Symantec Veritas Products 3-2

Mirroring the Boot Disk (Optional) 3-3

Veritas Volume Manager Configuration Tasks 3-4

- Primary Server (without Replication) 3-4
- Primary Servers (with Replication) 3-5
- Secondary Servers and the Primary Server in a Secondary Cluster 3-6
- Installing Security Manager 3-6
  - Installing Security Manager on the Primary Server 3-7
  - Installing Security Manager on Secondary Servers 3-9
  - Manually Starting Services in Secondary HA Server 3-11
- Veritas Volume Replicator Tasks 3-12
- Updating Permissions on the Working Volume 3-14
  - Updating Permissions when using Shared Storage 3-14
  - Updating Permissions when using Replication 3-15
- Veritas Cluster Server Tasks 3-16
  - Single Local Cluster (Dual-Node) Configuration 3-16
    - Creating the Cluster 3-16
    - Creating the Application Service Group 3-17
    - Creating the ClusterService Group (Optional) 3-23
  - Dual Geographic Cluster Configuration 3-24
    - Creating the Primary and Secondary Clusters 3-24
    - Creating the ClusterService Group 3-25
    - Creating the Replication Service Group 3-26
    - Creating the Application Service Group 3-27
    - Creating the Cluster Level Configuration 3-29

**CHAPTER 4**

- Maintenance Activities 4-1**
  - Customizing VCS Behavior 4-1
  - Security Certificates for SSL 4-2
  - Manually Starting, Stopping, or Failing Over Security Manager 4-3
    - VCS Case 4-3
    - Non-VCS Case 4-4
  - Integrating Cisco Secure ACS with Security Manager 4-5
  - Upgrading Security Manager 4-6
  - Backing Up Security Manager 4-6
  - Uninstalling Security Manager 4-6
  - Migrating a Non-HA Security Manager to HA 4-8

**CHAPTER 5**

- High Availability and Disaster Recovery in Virtual Machines 5-1**
  - Host-based Failover (Local HA) 5-1
    - Prerequisites for Creating VMware HA Clusters 5-1

Configuring Security Manager for Host-based Failover	5-2
Limitations	5-2
Fault Tolerance	5-3
Creating Fault Tolerant Systems	5-3
Disaster Recovery	5-6
System Requirements	5-6
Configuring VMware Site Recovery Manager	5-6
Configuring vCenter	5-10
Configuring the Recovery Site	5-12
Configuring Replication	5-12
Installing Security Manager in Disaster Recovery Environment	5-13

**APPENDIX A****VCS Resource Views for the Reference Configurations** A-1

Single Local Cluster (Dual-Node) Configuration	A-2
Dual Geographic Cluster (Single-Node) Configuration	A-3

**APPENDIX B****High Availability and Disaster Recovery Certification Test Plan** B-1

Manual Switches	B-1
IntraCluster Switch	B-1
InterCluster Switch	B-2
Ethernet/Network Failures	B-3
Network Communication Failures	B-3
Network Ethernet Failure on Secondary Server, Single Cluster	B-3
Network Ethernet Failure on Primary Server, Single Cluster	B-4
Network Ethernet Failure on Secondary Server, Dual Cluster	B-5
Network Ethernet Failure on Primary Server, Dual Cluster	B-7
Cluster Communication Failure	B-8
Server Failures	B-10
Standby Server Failure, Single Cluster	B-10
Primary Server Failure, Single Cluster	B-11
Standby Server Failure, Dual Cluster	B-12
Primary Server Failure, Dual Cluster	B-14
Application Failures	B-16
Application Failure, Single Cluster	B-16
Application Failure, Dual Cluster	B-17

**INDEX**

