Cisco Secure Workload Release Notes, Release 3.8.1.36

First Published: 2023-10-19

Introduction

This document describes the features, bug fixes, and any behavior changes for the Cisco Secure Workload software patch release 3.8.1.36.

This patch is associated with the Cisco Secure Workload software major release 3.8.1.1, the details of which can be found here. As best practice, we recommend patching a cluster to the latest available patch version before performing a major version upgrade.

For more information, see Cisco Secure Workload Upgrade Guide.

Release Information

Version: 3.8.1.36

Date: October 19, 2023

New Features

Containers		
Kubernetes enhancement for windows worker node	You can now install the Kubernetes DaemonSet agents and enforce policies on Windows nodes of Kubernetes pods. The DaemonSet agent installation supports Windows Server 2019 and 2022.	
noue	Note The Kubernetes version must be 1.26 and later.	
	For more information, see Installing Kubernetes or OpenShift Agents for Deep Visibility and Enforcement.	
Container run-time vulnerability	With the Pod Vulnerability Scanning option, you can now choose pods in a Kubernetes cluster to scan for vulnerabilities.	
detection	Under Manage > Kubernetes , you can view the CVEs and container images that are associated with the pods running within the Kubernetes clusters. The Registry List displays all detected registries.	
	For more information, see Container Vulnerability Scanning.	
Product Evolution	oduct Evolution	

Process visibility of	You can now capture forensic events from AIX for advanced process visibility. Using	
real time events on	the AIX audit system, the following events are captured- Privilege Escalation, Raw	
AIX	Socket Creation, and User Account.	
	For more information, see Forensics Signals.	

Enhancements

 On the Reporting dashboard, you can now access reports through emails and from the scheduling dashboard. For report generation, you can also schedule the generation of the reports- the days of the week and the time when you want the reports to be delivered. Navigate to **Reporting** > **Schedules**.

For more information, see Reporting.

• The Cisco Secure Workload User Guide includes a section about high availability of services, nodes, VMs, and network switches in a Secure Workload cluster. If there is a failure, Secure Workload cluster design high availability ensures minimal downtime.

For more information, see High Availability in Secure Workload.

• A new field- **Agent Type** is now added for connectors to display the source of traffic flow that streams telemetry information for single or multiple public clouds.

The agent type field is included in these pages:

- Organize > Scopes and Inventory
- Investigate > Traffic > Flow Search
- ADM Workspace

For more information, see Software Agents.

- You can now specify the duration for the agent to capture and store flows locally.
 - Set the size to 0 in the Flow Disk Quota, which disables the feature and stop agents from caching the flow data.
 - Set the time to 0 to disable rotation on the time window. However, the basic functionality where flows are cached and rotated by size limit will still work.

For more information, see Software Agents.

- Use the VPC Firewall rules in GCP to allow or deny traffic to and from VMs. To view the Firewall and Concrete policies that are generated in the VPC profile, follow these steps:
- 1. Navigate to Manage > Workloads.
- 2. Click Connectors and choose GCP Connector.
- **3.** From the GCP Connector page, navigate to the VPC profile, which now includes the Firewall and Concrete policies.

For more information, see Connectors and Inventory Profile.

• It is now convenient to clean up old inventory filters with the enhanced capability to detect and delete unused objects in inventory filters.

For more information, see OpenAPI.

• Two new tabs- OS and Year are now available under CVEs in the vulnerability dashboard. These tabs display information of the OS used and the year that the CVE was last exploited by threat intelligence. You can now search and filter CVE data based on the columns, and based on each attribute - CVE, Score, Severity, and so on.

For more information, see Investigate Vulnerabilities.

• Support for deep visibility and enforcement for Solaris on SPARC and Intel systems.

For more information, see Compatibility Matrix.

- Cisco Secure Workload Agent now supports Amazon Linux 2023.
- On AIX, the Concrete policies for a workload profile can report the packet/bytes statistics.
- On AIX, the Cisco Secure Workload Agent now captures real-time process events.
- Improved client detection based on server port when Flow Analysis Fidelity is set to Conversations.
- · For the SaaS environment, Cisco Secure Workload supports Security Cloud Sign On to authenticate users. The Security Cloud Sign On helps in consistent user experience and managing Cisco Security product subscriptions and trials.
- Support for inventory filter usage, agent profile, and forensics profile usage.
- ADM Enable service discovery on agent now supports SMB Protocol/RPC services apps.
- The installation of the agent on Windows includes the Troubleshooting PowerShell tool.
- · Agents licensing accounting for non-Windows Server workloads and account for autocleanup period is now fixed.
- The Agent Installer Image page now displays the SHA256 digest of the software packages.
- In the SaaS environment, admins can search change logs without providing a Type facet.

Changes in Behavior

• Flow Ingest Appliances now deploy the operating system- Alma Linux 9.2.



Note

Existing appliances continue to be on CentOS 7.9.

- Reintroduction of flow learnt inventory to facilitate users who are using flow learnt inventory for Scope & inventory filter query validation. The flow learnt inventory was decommissioned from the Scopes and Inventory page in release 3.7.1.40.
- Installation of the Cisco Secure Workload agent on Windows Server 2008R2, Windows Server 2012, and Windows Server 2012R2 requires prior installation of Windows Update KB2999226.
- Modification of the agent type str attribute to return agent types in string format. This change affects two external endpoints: agents and workload.

For more information, see OpenAPI.

• In the upcoming releases, to upgrade the Secure Workload clusters, you must stage the RPM files and install them together to complete the initial phase of the upgrade process.

Known Behaviors

See the Cisco Secure Workload major release 3.8.1.1 release notes.

Compatibility Information

For supported operating systems, external systems, and connectors for Secure Workload agents, see Compatibility Matrix.

Verified Scalability Limits

The following tables provide the scalability limits for Cisco Secure Workload (39-RU), Cisco Secure Workload M (8-RU), and Cisco Secure Workload Virtual.

Table 1: Scalability Limits for Cisco Secure Workload (39-RU)

Configurable Option	Scale
Number of workloads	Up to 37,500 (VM or bare metal)
	Up to $75,000 (2x)$ when all the sensors are in conversation mode
Flow features per second	Up to 2 million

Table 2: Scalability Limits for Cisco Secure Workload M (8-RU)

Configurable Option	Scale
Number of workloads	Up to 10,000 (VM or bare metal)
	Up to $20,000 (2x)$ when all the sensors are in conversation mode
Flow features per second	Up to 500,000

Table 3: Scalability Limits for Cisco Secure Workload Virtual (VMWare ESXi)

Configurable Option	Scale
Number of workloads	Up to 1,000 (VM or bare metal)
Flow features per second	Up to 70,000

Note The supported scale is based on the parameter that reaches the limit first.

Resolved and Open Issues

The resolved and open issues for this release are accessible through the Cisco Bug Search Tool. This web-based tool provides you with access to the Cisco bug tracking system, which maintains information about issues and vulnerabilities in this product and other Cisco hardware and software products.

Note You must have a Cisco.com account to log in and access the Cisco Bug Search Tool. If you do not have one, you can register for an account.

For more information about the Cisco Bug Search Tool, see the Bug Search Tool Help & FAQ.

Resolved Issues

Identifier	Headline
CSCwf50717	Kubernetes daemonset agent cert issue caused by the DBR migration.
CSCwf99049	3.8.1.1: Control OS caching lot of packets causing high memory usage.
CSCwh39311	Orchestrator inventory data may not be included in DBR Backup data.
CSCwh36347	ADM machine snapshot pipeline is failing with Java Null pointer exception.
CSCwh36617	[3.8] AIX agent startup failure on systems where prtconf output is very long.
CSCwh25967	UI may become unresponsive due to socket leak in the 3.8 release.
CSCwh51887	[3.8.1.1]: "Flow export stopped" error on Windows agents due to high CPU utilisation.
CSCwh51977	Enforcer goes into inactive state on windows hosts.
CSCwh62296	tet-main restarts after upgrade to 3.8.1.1 on AIX 7.x software agents.
CSCwh61561	Solaris package installation fails with failure validating signature
CSCwh62668	[3.8.1.1] ASA connector incorrectly puts DNS traffic coming from Consumer
CSCwh69322	[3.8.1.1]: "Flow export stopped" due to TetSen.exe process crash
CSCwh57220	[3.8.1.19] Conversation mode NTP port switched with provider port = 0 & consumer port = 123
CSCwh67232	[Linux Agent]: Policy out of sync - Netfilter reported error -4099

Open Issues

Identifier	Headline	
CSCwh88981	3.8.1.19 Linux Enforcement Agent ipset deviation loop	
CSCwb80213	vNIC is hung up on a baremetal server (eNIC version on BM should be upgraded)	

Identifier	Headline	
CSCwb42177	Live and Enforcement policy analysis - hover over the table for scopes column and text chopped off	

Related Documentation

Document	Description
Cisco Secure Workload Cluster Deployment Guide	Describes the physical configuration, site preparation, and cabling of a single- and dual-rack installation for Cisco Secure Workload (39-RU) platform and Cisco Secure Workload M (8-RU).
	Cisco Tetration (Secure Workload) M5 Cluster Hardware Deployment Guide
Cisco Secure Workload Virtual Deployment Guide	Describes the deployment of Cisco Secure Workload virtual appliances (formerly known as Tetration-V).
	Cisco Secure Workload Virtual (Tetration-V) Deployment Guide
Cisco Secure Workload Platform Datasheet	Cisco Secure Workload Platform Datasheet
Secure Workload Documentation	Secure Workload Documentation
Latest Threat Data Sources	Cisco Secure Workload

Contact Cisco

If you cannot resolve an issue using the online resources listed above, contact Cisco TAC:

- Email Cisco TAC: tac@cisco.com
- Call Cisco TAC (North America): 1.408.526.7209 or 1.800.553.2447
- Call Cisco TAC (worldwide): <u>Cisco Worldwide Support Contacts</u>

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/c/en/us/about/legal/trademarks.html. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2022-2023 Cisco Systems, Inc. All rights reserved.