



## Downgrade the Cisco ACI Multi-Site

---

This chapter contains the following sections:

- [Downgrading Cisco ACI Multi-Site Guidelines and Limitations, on page 1](#)
- [Downgrading the Cisco ACI Multi-Site from Release 1.2\(x\) to 1.2\(x\), on page 3](#)
- [Downgrading the Cisco ACI Multi-Site from Release 1.2\(x\) to 1.1\(x\), on page 3](#)
- [Downgrading the Cisco ACI Multi-Site from Release 1.2\(x\) to 1.0\(2\), on page 4](#)
- [Downgrading the Cisco ACI Multi-Site from Release 1.1\(2\) to 1.1\(1\), on page 4](#)
- [Downgrading the Cisco ACI Multi-Site from Release 1.1\(2\) to 1.0\(2\), on page 5](#)
- [Downgrading the Cisco ACI Multi-Site from Release 1.1\(1\) to 1.0\(2\), on page 5](#)

## Downgrading Cisco ACI Multi-Site Guidelines and Limitations

The following list describes the guidelines and limitations for downgrading the Cisco ACI Multi-Site:

- Before you downgrade the Cisco ACI Multi-Site, remove the configuration of all features that are not supported in the release to which you are downgrading.

The following table lists the supported downgrade paths for Cisco ACI Multi-Site:



---

**Note** Downgrading to the Release 1.0(1) is not advised.

---

**Table 1: Supported Downgrade Paths**

<b>Current Version</b>	<b>Supported Downgrade Versions</b>
Release 1.2(5)	<ul style="list-style-type: none"> <li>• Release 1.2(4)</li> <li>• Release 1.2(3)</li> <li>• Release 1.2(2)</li> <li>• Release 1.2(1)</li> <li>• Release 1.1(2)</li> <li>• Release 1.1(1)</li> <li>• Release 1.0(2)</li> </ul>
Release 1.2(4)	<ul style="list-style-type: none"> <li>• Release 1.2(3)</li> <li>• Release 1.2(2)</li> <li>• Release 1.2(1)</li> <li>• Release 1.1(2)</li> <li>• Release 1.1(1)</li> <li>• Release 1.0(2)</li> </ul>
Release 1.2(3)	<ul style="list-style-type: none"> <li>• Release 1.2(2)</li> <li>• Release 1.2(1)</li> <li>• Release 1.1(2)</li> <li>• Release 1.1(1)</li> <li>• Release 1.0(2)</li> </ul>
Release 1.2(2)	<ul style="list-style-type: none"> <li>• Release 1.2(1)</li> <li>• Release 1.1(2)</li> <li>• Release 1.1(1)</li> <li>• Release 1.0(2)</li> </ul>
Release 1.2(1)	<ul style="list-style-type: none"> <li>• Release 1.1(2)</li> <li>• Release 1.1(1)</li> <li>• Release 1.0(2)</li> </ul>
Release 1.1(2)	<ul style="list-style-type: none"> <li>• Release 1.1(1)</li> <li>• Release 1.0(2)</li> </ul>

Current Version	Supported Downgrade Versions
Release 1.1(1)	• Release 1.0(2)

## Downgrading the Cisco ACI Multi-Site from Release 1.2(x) to 1.2(x)

This section describes how to downgrade the Cisco ACI Multi-Site from release 1.2(x) to 1.2(x).

### Before you begin

Before you downgrade, see the [Downgrading Cisco ACI Multi-Site Guidelines and Limitations, on page 1](#).

### Procedure

---

**Step 1** On only node1 of the cluster, change to the following directory:

**Example:**

```
# cd /opt/cisco/msc/builds/<build_number>/downgrade/1.2.4-to-1.2.1/
```

**Step 2** On only node1 of the cluster, execute the `./1.2.4-to-1.2.1-downgrade.sh` script.

**Example:**

```
# ./1.2.4-to-1.2.1-downgrade.sh
```

---

## Downgrading the Cisco ACI Multi-Site from Release 1.2(x) to 1.1(x)

This section describes how to downgrade the Cisco ACI Multi-Site from release 1.2(x) to 1.1(x).

### Before you begin

Before you downgrade, see the [Downgrading Cisco ACI Multi-Site Guidelines and Limitations, on page 1](#).

### Procedure

---

**Step 1** On only node1 of the cluster, change to the following directory:

**Example:**

```
# cd /opt/cisco/msc/builds/<build_number>/downgrade/1.2.4-to-1.1.2/
```

**Step 2** On only node1 of the cluster, execute the `./1.2.4-to-1.1.2-downgrade.sh` script.

**Example:**

```
# ./1.2.4-to-1.1.2-downgrade.sh
```

---

## Downgrading the Cisco ACI Multi-Site from Release 1.2(x) to 1.0(2)

This section describes how to downgrade the Cisco ACI Multi-Site from release 1.2(2) to 1.0(2).

**Before you begin**

Before you downgrade, see the [Downgrading Cisco ACI Multi-Site Guidelines and Limitations, on page 1](#).

**Procedure**

---

**Step 1** On only node1 of the cluster, change to the following directory:

**Example:**

```
# cd /opt/cisco/msc/builds/<build_number>/downgrade/1.2.4-to-1.0.2/
```

**Step 2** On only node1 of the cluster, execute the `./1.2.4-to-1.0.2-downgrade.sh` script.

**Example:**

```
# ./1.2.4-to-1.0.2-downgrade.sh
```

---

## Downgrading the Cisco ACI Multi-Site from Release 1.1(2) to 1.1(1)

This section describes how to downgrade the Cisco ACI Multi-Site from Release 1.1(2) to 1.1(1).

**Before you begin**

Before you downgrade, see the [Downgrading Cisco ACI Multi-Site Guidelines and Limitations, on page 1](#).

**Procedure**

---

**Step 1** On only node1 of the cluster, change to the following directory:

**Example:**

```
# cd /opt/cisco/msc/builds/<build_number>/downgrade/1.1.2-to-1.1.1/
```

**Step 2** On only node1 of the cluster, execute the `./1.1.2-to-1.1.1-downgrade.sh` script.

**Example:**

```
# ./1.1.2-to-1.1.1-downgrade.sh
```

---

## Downgrading the Cisco ACI Multi-Site from Release 1.1(2) to 1.0(2)

This section describes how to downgrade the Cisco ACI Multi-Site from Release 1.1(2) to 1.0(2).

**Before you begin**

Before you downgrade, see the [Downgrading Cisco ACI Multi-Site Guidelines and Limitations, on page 1](#).

**Procedure**

---

**Step 1** On only node1 of the cluster, change to the following directory:

**Example:**

```
# cd /opt/cisco/msc/builds/<build_number>/downgrade/1.1.2-to-1.0.2/
```

**Step 2** On only node1 of the cluster, execute the `./1.1.2-to-1.0.2-downgrade.sh` script.

**Example:**

```
# ./1.1.2-to-1.0.2-downgrade.sh
```

---

## Downgrading the Cisco ACI Multi-Site from Release 1.1(1) to 1.0(2)

This section describes how to downgrade the Cisco ACI Multi-Site from Release 1.1(1) to 1.0(2).

**Before you begin**

Before you downgrade, see the [Downgrading Cisco ACI Multi-Site Guidelines and Limitations, on page 1](#).

**Procedure**

---

**Step 1** On only node1 of the cluster, change to the following directory:

**Example:**

```
# cd /opt/cisco/msc/builds/<build_number>/downgrade/eplus-to-emr/
```

**Step 2** On only node1 of the cluster, execute the `./eplus-to-emr-downgrade.sh` script.

**Example:**

```
# ./eplus-to-emr-downgrade.sh
```

---