



O Commands

- [oob-mgmt](#), page 2
- [oob-mgmt epg](#), page 3
- [optimize](#), page 4
- [option](#), page 5
- [org-name](#), page 6
- [org-unit-name](#), page 7

oob-mgmt

oob-mgmt epg <epgval>

Description: Creates/Modify the out of band mgmt under the tenant mgmt

Syntax:

<code>epg</code>	epg is keyword ,refers to out of band epg
<code><i>epgval</i></code>	epg name for the out of band epg created/modified under tenant mgmt

Command Mode: tenant : tenant configuration mode

Command Path:

```
# configure [['terminal', 't']]
(config)# tenant <WORD>
(config-tenant)# oob-mgmt epg <epgval>
```

oob-mgmt epg

oob-mgmt epg <WORD>

Description: Associate node to a Out of band EPG

Syntax:

<i>WORD</i>	Out of band End Point Group Name
-------------	----------------------------------

Command Mode: interface mgmt0 : Out of band management interface

Command Path:

```
# configure [['terminal', 't']]
(config)# controller
(config-controller)# interface mgmt0
(config-controller-if)# oob-mgmt epg <WORD>
```

oob-mgmt epg <WORD>

Description: Associate node to a Out of band EPG

Syntax:

<i>WORD</i>	Out of band End Point Group Name
-------------	----------------------------------

Command Mode: interface mgmt0 : Out of band management interface

Command Path:

```
# configure [['terminal', 't']]
(config)# switch
(config-switch)# interface mgmt0
(config-switch-if)# oob-mgmt epg <WORD>
```

optimize

optimize subinterface

Description: Disable sub-interface optimization

Syntax:

subinterface	subinterface
--------------	--------------

Command Mode: template bfd : Configure BFD Interface Policy Templates

Command Path:

```
# configure [['terminal', 't']]
(config)# leaf <101-4000>
(config-leaf)# template bfd <WORD> tenant <WORD>
(config-template-bfd-pol)# optimize subinterface
```

option

option <WORD> id <NUMBER> data <WORD>

Description: Add or modify an existing DHCP option when relayed from the server to the client

Syntax:

<i>WORD</i>	Name of the option to add (Max Size 64)
id	ID of the option
<0-255>	ID of the option. Number range from=0 to=255
data	Body of the Option TLV as hex string
<i>WORD</i>	Body of the Option TLV as hex string, surrounded by single quotes ex: 'foo*' (Max Size 256)

Command Mode: template dhcp option : Create a DHCP Option policy

Command Path:

```
# configure [['terminal', 't']]
(config)# tenant <WORD>
(config-tenant)# template dhcp option policy <WORD>
(config-tenant-template-dhcp-option)# option <WORD> id <NUMBER> data <WORD>
```

org-name

org-name <WORD>

Description: Set The full legal name of the organization.

Syntax:

<WORD>	legal name of organization (Max Size 64)
--------	------------------------------------------

Command Mode: csr : A csr mode to create and hold an SSL certificate

Command Path:

```
# configure [['terminal', 't']]
(config)# crypto keyring <WORD>
(config-keyring)# csr
(config-csr)# org-name <WORD>
```

org-unit-name

org-unit-name <WORD>

Description: Set the department or unit name within the organization

Syntax:

<WORD>	department or unit name (Max Size 64)
--------	---------------------------------------

Command Mode: csr : A csr mode to create and hold an SSL certificate

Command Path:

```
# configure [['terminal', 't']]
(config)# crypto keyring <WORD>
(config-keyring)# csr
(config-csr)# org-unit-name <WORD>
```

