



## **New, Changed, and Deprecated Commands**

---

- [New, Changed, and Deprecated Commands in Cisco APIC Release 4.2\(3\)](#), on page 2

# New, Changed, and Deprecated Commands in Cisco APIC Release 4.2(3)

The following sections describe changes in the APIC NXOS-style CLI since Release 4.2(1) .

## New Commands

The following commands are added in this release.

- as-path multipath-relax
- custom-epg-name <custom\_name>
- inherit bgp bestpath <WORD>
- restricted\_rbac\_enable
- template bgp bestpath <WORD> tenant <WORD>
- trigger upgradetriagetool

## Changed Commands

The following commands are modified in this release.

- OLD: endpoint ip <A.B.C.D/LEN> next-hop <A.B.C.D>
- NEW: endpoint ip <A.B.C.D/LEN> next-hop <A.B.C.D> [scope <scope>]
- OLD: endpoint ipv6 <A:B::C:D/LEN> next-hop <A:B::C:D>
- NEW: endpoint ipv6 <A:B::C:D/LEN> next-hop <A:B::C:D> [scope <scope>]
- OLD: set conform-cos-transmit <0-6>
- NEW: set conform-cos-transmit <0-7>
- OLD: set exceed-cos-transmit <0-6>
- NEW: set exceed-cos-transmit <0-7>
- OLD: set violate-cos-transmit <0-6>
- NEW: set violate-cos-transmit <0-7>
- OLD: vmware-domain member <WORD> [encap <WORD>] [primary-encap <WORD>] [allow-micro-segmentation] [deploy <WORD>] [push <WORD>] [binding-type staticBinding|dynamicBinding|ephemeral] [port-allocation fixed|elastic] [num-ports <WORD>] [untagged-access-pg] [delimiter <WORD>]
- NEW: vmware-domain member <WORD> [encap <WORD>] [primary-encap <WORD>] [allow-micro-segmentation] [deploy <WORD>] [push <WORD>] [binding-type staticBinding|dynamicBinding|ephemeral] [port-allocation fixed|elastic] [num-ports <WORD>] [untagged-access-pg] [custom-epg-name <WORD>] [delimiter <WORD>]

### Deprecated Commands

No commands are removed in this release.

