



New and Changed Information

Table 1: New and Changed Features

Feature	Description	Changed in Release	Where Documented
Support for interface features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches.	Added support for these features. • Q-in-Q VLAN tunnels • UDLD and Port profiles • Virtual port channel (VPC) • Port channel and LACP • Single Hop BFD • Native VLAN traffic and Tagging, and Reserved VLAN • Layer 2 Access and trunk ports, Switch virtual interface (SVI) and VLAN logical interfaces	10.6(1s)	Interface and Layer 2 features Interface and Layer 2 feature guidelines
Support for Layer 2 switching features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for these Layer 2 switching features. • VLAN • Spanning Tree Protocol (STP) • Rapid PVST+ • MST • MAC learning (global)	10.6(1s)	Layer 2 switching features Layer 2 switching feature guidelines

Feature	Description	Changed in Release	Where Documented
Support for label switching features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for Segment Routing Layer 3 VPN feature with SR-MPLS underlay on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches.	10.6(1s)	Label switching features Label switching feature guidelines
Support for multicast routing features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for these multicast routing features. • IPv4 Layer 2 and Layer 3 multicast • Multicast consistency checker • Layer 3 Physical Interface, port channel, sub-interface, and SVI • Layer 2 port channel • Multicast flow counter	10.6(1s)	Multicast routing features Multicast routing feature guidelines
Support for QoS features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for these QoS features. • QoS classification policies for system QoS • Queuing and Scheduling • QoS statistics	10.6(1s)	Quality of Service features QoS guidelines
Support for security features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for these security features. • IP ACL • DHCP relay • Custom CoPP • MACsec	10.6(1s)	Security features Security feature guidelines

Feature	Description	Changed in Release	Where Documented
Support for system management features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for these system management features. • Sampled Flow (sFlow) • Switched Port Analyzer (SPAN) • Encapsulated Remote SPAN (ERSPAN) • Link Layer Discovery Protocol (LLDP)	10.6(1s)	System management features System management feature guidelines
Support for unicast routing features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for Unicast routing features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches.	10.6(1s)	Unicast routing features Unicast routing feature guidelines
Support for VXLAN features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for VXLAN features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches.	10.6(1s)	VXLAN features VXLAN feature guidelines
Support for common features on Cisco N9324C-SE1U, Cisco N9348Y2C6D-SE1U switches	Added support for these common features. • Power-On Auto Provisioning (POAP) • Smart Licensing Using Policy (SLP) • Telemetry	10.6(1s)	Commonly supported features

