



INDEX

A

Access Control Lists. See ACLs.

ACLs

- commands for troubleshooting [15-2](#)
- configuration limits [15-1](#)
- debugging policy verification [15-3](#)
- description [15-1](#)
- displaying ACL policies on the VEM [15-2](#)
- restrictions [15-2](#)

C

Cisco Support Communities [1-7, 22-1](#)

CLI

- ping command [2-1](#)
- traceroute command [2-2](#)

connectivity

- vCenter Server [3-5](#)
- verifying [1-3](#)
- verifying between VSM and vCenter Server [3-5](#)
- verifying between VSM and VEM [7-10](#)
- VSM and vCenter Server problem symptoms and solutions [21-5](#)

core dumps [22-2](#)

CPU status

- monitoring [2-2](#)

customer support

- collecting information [22-1](#)
- contacting Cisco or VMware [1-7](#)

D

DHCP

- logs, collecting and evaluating [19-5](#)

DHCP snooping

- displaying DHCP bindings [19-6](#)
- problem symptoms and solutions [19-3](#)

documentation

- additional publications [i-xv](#)
- conventions [i-xiv](#)

domain parameters [3-4](#)

DVS

- find extension key [3-8](#)
- recovering [21-2](#)

dynamic ARP inspection

- DHCP snooping binding database [19-2](#)

E

error messages

- vSphere Client [21-12](#)

extension key

- finding for specific DVS [3-8](#)
- unregister in vCenter Server [3-12](#)

G

GUI upgrade

- problem symptoms and solutions [5-7](#)

H

HA

Send document comments to nexus1k-docfeedback@cisisco.com.

commands to troubleshoot [6-5](#)
 description [6-1](#)
 network level support [6-2](#)
 problem symptoms and solutions [6-3](#)
 system level support [6-2](#)

High Availability. See HA

hosts
 problem symptoms and solutions [21-9, 21-10](#)

I

IGMP snooping

commands for troubleshooting [18-2](#)
 description [18-1](#)
 problem symptoms and solutions [18-4](#)
 troubleshooting guidelines [18-2](#)

installation

recreating the installation flowchart [3-3, 3-10](#)

Internet Group Management Protocol snooping. See IGMP snooping

IP ARP Inspection

problem symptoms and solutions [19-4](#)

IP Source Guard

problem symptoms and solutions [19-5](#)

ISSU upgrade

problem symptoms and solutions [5-2](#)

J

jumbo frames and MTU [21-6](#)

K

key, extension [3-8](#)

L

Layer 2 switching

inter-VEM ping [11-5](#)

intra-VEM ping [11-4](#)
 overview [11-1](#)
 problem symptoms and solutions [11-7](#)
 traffic interruptions [11-6](#)

license

Cisco Nexus N1000V license package [4-1](#)
 contents of Cisco Nexus N1000V license file [4-2](#)
 troubleshooting checklist [4-2](#)
 VMware Enterprise Plus [3-1](#)

licensed module [4-1](#)

Link Aggregation Control Protocol (LACP) [6-2](#)

logging levels [2-5](#)

logs [1-6](#)

M

MAC address tables

verifying [11-7](#)

module

licensed [4-1](#)
 not coming up on the VSM [7-1](#)
 unlicensed [4-1](#)
 virtual Ethernet module (VEM) [7-1](#)
 virtual supervisor module (VSM) [7-1](#)

MTU settings, with jumbo frames [21-6](#)

multicast

description [18-1](#)

N

NetFlow

commands for troubleshooting [14-2](#)
 configuration problems [14-3](#)
 description [14-1](#)

network adapter [3-5](#)

Nexus 1000V

system overview [21-1](#)

Nexus 1000V switch

Send document comments to nexus1k-docfeedback@cisco.com.

copying files to or from [22-3](#)

plug-in [3-7](#)

O

online support communities [1-7, 22-1](#)

P

port channels

asymmetric [10-3](#)

cannot create port channel [10-4](#)

commands to troubleshoot [10-2](#)

description [10-1](#)

forcing port channel characteristics onto an interface [10-4](#)

initial checklist [10-2](#)

interface does not come online [10-4](#)

troubleshooting checklist [10-2](#)

verifying a port channel configuration [10-5](#)

port groups

assigning to VSM VM [3-4](#)

virtual interfaces [3-4](#)

port profiles

commands to troubleshoot [4-4, 9-6](#)

creating corresponding port groups on vCenter Server [21-9](#)

debug logs [9-6](#)

description [9-1](#)

information about [9-1](#)

problem symptoms and solutions [9-3](#)

ports

error disabled [8-5](#)

flapping [8-5](#)

interface description [8-1](#)

overview [8-1](#)

port counters [8-2, 8-8](#)

port enabled and port security is ErrDisabled [8-7](#)

port interface cannot be enabled [8-4](#)

port security address count exceed violation [8-7](#)

port security problems [8-2](#)

port state is link failure or not connected [8-4](#)

port types [11-4](#)

troubleshooting checklist [8-3](#)

verifying [1-3](#)

viewing port state [8-8](#)

private VLANs

commands to troubleshoot [13-2](#)

description [13-1](#)

troubleshooting guidelines [13-2](#)

Q

QoS

commands to troubleshoot [16-2](#)

configuration limits [16-1](#)

debugging policy verification errors [16-3](#)

description [16-1](#)

troubleshooting QoS policies on the VEM [16-2](#)

Quality of Service. See QoS

R

RADIUS

accounting logs [2-5](#)

related documents [i-xv, i-xvii](#)

S

show port-profile sync-status command [9-7](#)

show port-profile virtual usage command [9-7](#)

software

core dumps [22-2](#)

SPAN

commands to troubleshoot [17-3](#)

configuration guidelines [17-1](#)

description [17-1](#)

Send document comments to nexus1k-docfeedback@cisco.com.

problem symptoms and solutions [17-2](#)
 session requirements [17-2](#)
 support communities, links to [1-7, 22-1](#)
 Switched Port Analyzer. See SPAN
 synchronization problems [8-2, 8-8](#)
 syslog
 See system messages
 system messages
 explanation and recommended action [1-5](#)
 logging levels [2-5](#)
 overview [1-4, 2-5](#)
 syslog server [1-5](#)
 using CLI [1-5](#)
 system processes
 monitoring [2-2](#)

T

troubleshooting process
 best practices [1-1](#)
 common CLI commands [1-3](#)
 general process steps [1-2](#)
 guidelines [1-2](#)
 overview [1-1](#)
 trunking
 initial checklist [10-2](#)
 overview [10-2](#)

U

unlicensed module [4-1](#)
 unregister an extension key [3-12](#)
 upgrade
 GUI problems symptoms and solutions [5-7](#)
 ISSU problems symptoms and solutions [5-2](#)
 VEM problems symptoms and solutions [5-5](#)

V

vCenter Server
 refreshing connection [3-3](#)
 removing the VSM [3-11](#)
 restrictions [21-2](#)
 unregister the VSM [3-12](#)
 verifying connection to VSM [7-6](#)
 verifying correct configuration [7-10](#)
 VEM
 commands for vemlog [21-12](#)
 commands to troubleshoot [21-11](#)
 domain parameters [3-4](#)
 physical ports [11-2](#)
 verifying correct configuration [7-14](#)
 view of ports [11-2](#)
 virtual ports [11-2](#)
 VEM upgrade
 problem symptoms and solutions [5-5](#)
 verifying
 MAC address tables [11-7](#)
 Virtual Ethernet Module. See VEM.
 virtual Ethernet port (veth) [11-2](#)
 virtual NIC [11-2](#)
 Virtual Supervisor Module. See VSM.
 VLAN
 cannot create [12-3](#)
 traffic does not traverse trunk [10-5](#)
 troubleshooting checklist [12-2](#)
 VLANs
 description [12-1](#)
 VM
 improving performance [3-4](#)
 traffic problems [21-10](#)
 vmnic
 number allocation [11-3](#)
 VSD
 commands to troubleshoot [5-18, 19-6, 20-3](#)
 logs, collecting and evaluating [20-2](#)

Send document comments to nexus1k-docfeedback@cisco.com.

problem symptoms and solutions [20-1](#)

VSM

commands to troubleshoot [7-18](#)

creating [21-9](#)

domain parameters [3-4](#)

identifying extension key [3-12](#)

removing hosts from [3-11](#)

verifying correct configuration [7-7](#)

view of ports [11-3](#)

vSphere Client

error messages [21-12](#)

Send document comments to nexus1k-docfeedback@cisco.com.