



INDEX

A

Access Control Lists. See ACLs.

ACLs

- commands for troubleshooting [15-2](#)
- configuration limits [15-1](#)
- debugging policy verification [15-3](#)
- description [15-1](#)
- displaying ACL policies on the VEM [15-2](#)
- restrictions [15-2](#)

automatic static MAC learning [11-12](#)

C

checking VEM status [11-13](#)

checking VSM status [11-12](#)

Cisco Support Communities [1-7, 27-1](#)

CLI

- ping command [2-1](#)
- traceroute command [2-2](#)

connectivity

- vCenter Server [3-5](#)
- verifying [1-3](#)
- verifying between VSM and vCenter Server [3-5](#)
- verifying between VSM and VEM [7-10](#)
- VSM and vCenter Server problem symptoms and solutions [21-5](#)

core dumps [27-2](#)

CPU status

- monitoring [2-2](#)

customer support

- collecting information [27-1](#)
- contacting Cisco or VMware [1-7](#)

D

DHCP

logs, collecting and evaluating [19-5](#)

DHCP snooping

- displaying DHCP bindings [19-6](#)
- problem symptoms and solutions [19-3](#)

disabling

VXLAN feature globally [23-3](#)

disabling automatic static MAC learning [11-12](#)

documentation

- additional publications [ii-xvii, ii-xix](#)
- conventions [ii-xvi](#)

domain parameters [3-4](#)

DVS

- find extension key [3-8](#)
- recovering [21-2](#)

dynamic ARP inspection

DHCP snooping binding database [19-2](#)

E

error messages

vSphere Client [21-12](#)

extension key

- finding for specific DVS [3-8](#)
- unregister in vCenter Server [3-12](#)

F

fragmentation

VXLANs [23-2](#)

Send document comments to nexus1k-docfeedback@cisco.com.

G

GUI upgrade

 problem symptoms and solutions [5-7](#)

H

HA

 commands to troubleshoot [6-5](#)

 description [6-1](#)

 network level support [6-2](#)

 problem symptoms and solutions [6-3](#)

 system level support [6-2](#)

High Availability. See HA

hosts

 problem symptoms and solutions [21-9, 21-10](#)

I

IGMP snooping

 commands for troubleshooting [18-2](#)

 description [18-1](#)

 problem symptoms and solutions [18-4](#)

 troubleshooting guidelines [18-2](#)

installation

 recreating the installation flowchart [3-3, 3-10](#)

Internet Group Management Protocol snooping. See IGMP snooping

IP ARP Inspection

 problem symptoms and solutions [19-4](#)

IP Source Guard

 problem symptoms and solutions [19-5](#)

ISSU upgrade

 problem symptoms and solutions [5-1](#)

J

jumbo frames and MTU [21-6](#)

K

key, extension [3-8](#)

L

Layer 2 switching

 inter-VEM ping [11-5](#)

 intra-VEM ping [11-4](#)

 overview [11-1](#)

 problem symptoms and solutions [11-7](#)

 traffic interruptions [11-6](#)

license

 Cisco Nexus N1000V license package [4-1](#)

 contents of Cisco Nexus N1000V license file [4-2](#)

 troubleshooting checklist [4-2](#)

 VMware Enterprise Plus [3-1](#)

licensed module [4-1](#)

Link Aggregation Control Protocol (LACP) [6-2](#)

logging levels [2-5](#)

logs [1-6](#)

M

MAC address tables

 verifying [11-7](#)

MAC learning [11-12](#)

maximum number

 VXLANs [23-3](#)

module

 licensed [4-1](#)

 not coming up on the VSM [7-1](#)

 unlicensed [4-1](#)

 virtual Ethernet module (VEM) [7-1](#)

 virtual supervisor module (VSM) [7-1](#)

MS-NLB [11-12](#)

MTU settings, with jumbo frames [21-6](#)

multicast

 description [18-1](#)

Send document comments to nexus1k-docfeedback@cisco.com.

N

NetFlow

- commands for troubleshooting [14-2](#)
- configuration problems [14-3](#)
- description [14-1](#)

network adapter [3-5](#)

Network Load Balancing [11-12](#)

Nexus 1000V

- system overview [21-1](#)

Nexus 1000V switch

- copying files to or from [27-3](#)
- plug-in [3-7](#)

NLB [11-12](#)

O

online support communities [1-7, 27-1](#)

overview

- VXLANs [23-1](#)

P

port channels

- asymmetric [10-3](#)
- cannot create port channel [10-4](#)
- commands to troubleshoot [10-2](#)
- description [10-1](#)
- forcing port channel characteristics onto an interface [10-4](#)
- initial checklist [10-2](#)
- interface does not come online [10-4](#)
- troubleshooting checklist [10-2](#)
- verifying a port channel configuration [10-5](#)

port groups

- assigning to VSM VM [3-4](#)
- virtual interfaces [3-4](#)

port profiles

- commands to troubleshoot [4-4, 9-6](#)

creating corresponding port groups on vCenter Server [21-9](#)

debug logs [9-6](#)

description [9-1](#)

information about [9-1](#)

problem symptoms and solutions [9-3](#)

ports

error disabled [8-5](#)

flapping [8-5](#)

interface description [8-1](#)

overview [8-1](#)

port counters [8-2, 8-8](#)

port enabled and port security is ErrDisabled [8-7](#)

port interface cannot be enabled [8-4](#)

port security address count exceed violation [8-7](#)

port security problems [8-2](#)

port state is link failure or not connected [8-4](#)

port types [11-4](#)

troubleshooting checklist [8-3](#)

verifying [1-3](#)

viewing port state [8-8](#)

private VLANs

commands to troubleshoot [13-2](#)

description [13-1](#)

troubleshooting guidelines [13-2](#)

Q

QoS

commands to troubleshoot [16-2](#)

configuration limits [16-1](#)

debugging policy verification errors [16-3](#)

description [16-1](#)

troubleshooting QoS policies on the VEM [16-2](#)

Quality of Service. See QoS

R

RADIUS

Send document comments to nexus1k-docfeedback@cisco.com.

accounting logs [2-5](#)
related documents [ii-xvii, ii-xix](#)

S

scalability
VXLANs [23-3](#)
show port-profile sync-status command [9-7](#)
show port-profile virtual usage command [9-7](#)
software
core dumps [27-2](#)
SPAN
commands to troubleshoot [17-3](#)
configuration guidelines [17-1](#)
description [17-1](#)
problem symptoms and solutions [17-2](#)
session requirements [17-2](#)
static MAC learning [11-12](#)
status, VEM [11-13](#)
status, VSM [11-12](#)
support communities, links to [1-7, 27-1](#)
supported features
jumbo frames [23-3](#)
Switched Port Analyzer. See SPAN
synchronization problems [8-2, 8-8](#)
syslog
See system messages
system messages
explanation and recommended action [1-5](#)
logging levels [2-5](#)
overview [1-4, 2-5](#)
syslog server [1-5](#)
using CLI [1-5](#)
system processes
monitoring [2-2](#)

T

troubleshooting process
best practices [1-1](#)
common CLI commands [1-3](#)
general process steps [1-2](#)
guidelines [1-2](#)
overview [1-1](#)
trunking
initial checklist [10-2](#)
overview [10-2](#)

U

unlicensed module [4-1](#)
unregister an extension key [3-12](#)
upgrade
GUI problems symptoms and solutions [5-7](#)
ISSU problems symptoms and solutions [5-1](#)
VEM problems symptoms and solutions [5-5](#)

V

vCenter Server
refreshing connection [3-3](#)
removing the VSM [3-11](#)
restrictions [21-2](#)
unregister the VSM [3-12](#)
verifying connection to VSM [7-6](#)
verifying correct configuration [7-10](#)
VEM
commands for vemlog [21-12](#)
commands to troubleshoot [21-11](#)
domain parameters [3-4](#)
physical ports [11-2](#)
status [11-13](#)
verifying correct configuration [7-14](#)
view of ports [11-2](#)
virtual ports [11-2](#)

Send document comments to nexus1k-docfeedback@cisco.com.

- VEM upgrade
 - problem symptoms and solutions [5-5](#)
 - overview [23-1](#)
 - scalability [23-3](#)
- verifying
 - MAC address tables [11-7](#)
- Virtual Ethernet Module. See VEM.
- virtual Ethernet port (veth) [11-2](#)
- virtual NIC [11-2](#)
- Virtual Supervisor Module. See VSM.
- VLAN
 - cannot create [12-3](#)
 - traffic does not traverse trunk [10-5](#)
 - troubleshooting checklist [12-2](#)
- VLANs
 - description [12-1](#)
- VM
 - improving performance [3-4](#)
 - traffic problems [21-10](#)
- vmnic
 - number allocation [11-3](#)
- VSD
 - commands to troubleshoot [5-18, 19-6, 20-3](#)
 - logs, collecting and evaluating [20-2](#)
 - problem symptoms and solutions [20-1](#)
- VSM
 - commands to troubleshoot [7-18](#)
 - creating [21-9](#)
 - domain parameters [3-4](#)
 - identifying extension key [3-12](#)
 - removing hosts from [3-11](#)
 - status [11-12](#)
 - verifying correct configuration [7-7](#)
 - view of ports [11-3](#)
- vSphere Client
 - error messages [21-12](#)
- VXLAN
 - VEM L3 IP interface [23-2](#)
- VXLANs
 - fragmentation [23-2](#)
 - maximum number [23-3](#)

Send document comments to nexus1k-docfeedback@cisco.com.