



## T Show Commands

---

- [show table-map](#), on page 7
- [show tacacs-server](#), on page 8
- [show tacacs-server](#), on page 9
- [show tacacs-server directed-request](#), on page 10
- [show tacacs-server groups](#), on page 11
- [show tacacs-server sorted](#), on page 12
- [show tacacs-server statistics](#), on page 13
- [show tech-support](#), on page 15
- [show tech-support aaa](#), on page 16
- [show tech-support aclmgr](#), on page 17
- [show tech-support aclmgr compressed](#), on page 18
- [show tech-support aclqos](#), on page 19
- [show tech-support aclqos compressed](#), on page 20
- [show tech-support adjmgr](#), on page 21
- [show tech-support all](#), on page 22
- [show tech-support all binary](#), on page 23
- [show tech-support analytics](#), on page 24
- [show tech-support analytics](#), on page 25
- [show tech-support arp](#), on page 26
- [show tech-support ascii-cfg](#), on page 27
- [show tech-support assoc\\_mgr](#), on page 28
- [show tech-support backup](#), on page 29
- [show tech-support bfd](#), on page 30
- [show tech-support bgp](#), on page 31
- [show tech-support biosd](#), on page 32
- [show tech-support bloggerd-all](#), on page 33
- [show tech-support bloggerd](#), on page 34
- [show tech-support bootvar](#), on page 35
- [show tech-support brief](#), on page 36
- [show tech-support callhome](#), on page 37
- [show tech-support cdp](#), on page 38
- [show tech-support cert-enroll](#), on page 39
- [show tech-support cfs](#), on page 40

- [show tech-support cli](#), on page 41
- [show tech-support clis](#), on page 42
- [show tech-support clock\\_manager](#), on page 43
- [show tech-support commands](#), on page 44
- [show tech-support controller](#), on page 45
- [show tech-support copp](#), on page 46
- [show tech-support dcbx](#), on page 47
- [show tech-support details](#), on page 48
- [show tech-support dhclient](#), on page 49
- [show tech-support dhcp](#), on page 50
- [show tech-support dme](#), on page 51
- [show tech-support dot1x](#), on page 52
- [show tech-support ecp](#), on page 53
- [show tech-support eem](#), on page 54
- [show tech-support eigrp](#), on page 55
- [show tech-support eltm](#), on page 56
- [show tech-support ethpm](#), on page 57
- [show tech-support evb](#), on page 58
- [show tech-support fabric forwarding](#), on page 59
- [show tech-support fabric multicast](#), on page 60
- [show tech-support fabricpath isis](#), on page 61
- [show tech-support fabricpath topology](#), on page 62
- [show tech-support fast-reload](#), on page 63
- [show tech-support fc2](#), on page 64
- [show tech-support fcoe](#), on page 65
- [show tech-support fips](#), on page 66
- [show tech-support forwarding l2 multicast](#), on page 67
- [show tech-support forwarding l2 multicast vdc-all](#), on page 68
- [show tech-support forwarding l2 unicast](#), on page 69
- [show tech-support forwarding l3 multicast](#), on page 70
- [show tech-support forwarding l3 multicast detail](#), on page 71
- [show tech-support forwarding l3 multicast detail vdc-all](#), on page 72
- [show tech-support forwarding l3 multicast vdc-all](#), on page 73
- [show tech-support forwarding l3 unicast](#), on page 74
- [show tech-support forwarding l3 unicast detail](#), on page 75
- [show tech-support forwarding l3 unicast detail vdc-all](#), on page 76
- [show tech-support forwarding l3 unicast vdc-all](#), on page 77
- [show tech-support forwarding mpls](#), on page 78
- [show tech-support forwarding multicast](#), on page 79
- [show tech-support gold](#), on page 80
- [show tech-support gpixm](#), on page 81
- [show tech-support ha](#), on page 82
- [show tech-support ha module](#), on page 83
- [show tech-support ha\\_short](#), on page 84
- [show tech-support ha standby](#), on page 85
- [show tech-support hardware-telemetry](#), on page 86

- [show tech-support hsrp](#), on page 87
- [show tech-support hsrp brief](#), on page 88
- [show tech-support icam](#), on page 89
- [show tech-support icmpv6](#), on page 90
- [show tech-support im](#), on page 91
- [show tech-support imp](#), on page 92
- [show tech-support inband counters](#), on page 93
- [show tech-support include-time](#), on page 94
- [show tech-support install](#), on page 95
- [show tech-support interface-vlan](#), on page 96
- [show tech-support ip](#), on page 97
- [show tech-support ip igmp](#), on page 98
- [show tech-support ip igmp snooping](#), on page 99
- [show tech-support ip msdp](#), on page 100
- [show tech-support ip pim](#), on page 101
- [show tech-support ipqos](#), on page 102
- [show tech-support ipv6](#), on page 103
- [show tech-support ipv6 mld](#), on page 104
- [show tech-support ipv6 multicast](#), on page 105
- [show tech-support ipv6 pim](#), on page 106
- [show tech-support isis](#), on page 107
- [show tech-support issu](#), on page 108
- [show tech-support kstack](#), on page 109
- [show tech-support l2](#), on page 110
- [show tech-support l2fm](#), on page 111
- [show tech-support l2fm clients](#), on page 112
- [show tech-support l2fm detail](#), on page 113
- [show tech-support l2fm l2dbg](#), on page 114
- [show tech-support l2fm l2dbg](#), on page 115
- [show tech-support l2rib](#), on page 116
- [show tech-support l3vm](#), on page 117
- [show tech-support l3vpn](#), on page 118
- [show tech-support lacp](#), on page 119
- [show tech-support ldap](#), on page 120
- [show tech-support license](#), on page 121
- [show tech-support lim](#), on page 122
- [show tech-support lisp](#), on page 123
- [show tech-support lldp](#), on page 124
- [show tech-support logging](#), on page 125
- [show tech-support m2rib](#), on page 126
- [show tech-support macsec](#), on page 127
- [show tech-support macsec detail](#), on page 128
- [show tech-support mfwd](#), on page 129
- [show tech-support mmode](#), on page 130
- [show tech-support module](#), on page 131
- [show tech-support module all](#), on page 132

- [show tech-support monitor](#), on page 133
- [show tech-support monitor erspan](#), on page 134
- [show tech-support monitorc-all](#), on page 135
- [show tech-support mpls manager](#), on page 136
- [show tech-support mpls static](#), on page 137
- [show tech-support mpls strip](#), on page 138
- [show tech-support mpls switching](#), on page 139
- [show tech-support mpls traffic-eng](#), on page 140
- [show tech-support mpls fwd](#), on page 141
- [show tech-support multicast-vxlan-evpn](#), on page 142
- [show tech-support multicast](#), on page 143
- [show tech-support mvpn](#), on page 144
- [show tech-support nat](#), on page 145
- [show tech-support nbm](#), on page 146
- [show tech-support nbm group](#), on page 147
- [show tech-support netflow](#), on page 148
- [show tech-support netstack](#), on page 149
- [show tech-support netstack detail](#), on page 150
- [show tech-support ngoam](#), on page 151
- [show tech-support npacl](#), on page 152
- [show tech-support npv](#), on page 153
- [show tech-support ns](#), on page 154
- [show tech-support ntp](#), on page 155
- [show tech-support nve](#), on page 156
- [show tech-support nxapi](#), on page 157
- [show tech-support nxsdk](#), on page 158
- [show tech-support object-store](#), on page 159
- [show tech-support openflow](#), on page 160
- [show tech-support openflow platform](#), on page 161
- [show tech-support ospf](#), on page 162
- [show tech-support ospfv3](#), on page 163
- [show tech-support otv](#), on page 164
- [show tech-support page](#), on page 165
- [show tech-support patch](#), on page 166
- [show tech-support pbr](#), on page 167
- [show tech-support pfstat](#), on page 168
- [show tech-support pixm-all](#), on page 169
- [show tech-support pixm](#), on page 170
- [show tech-support pixmc-all](#), on page 171
- [show tech-support pktmgr](#), on page 172
- [show tech-support platform-sdk](#), on page 173
- [show tech-support plb-services](#), on page 174
- [show tech-support plcmgr](#), on page 175
- [show tech-support pltfm-config](#), on page 176
- [show tech-support pnp](#), on page 177
- [show tech-support poe](#), on page 178

- [show tech-support port-channel](#), on page 179
- [show tech-support port-client-all](#), on page 180
- [show tech-support port-profile](#), on page 181
- [show tech-support port-security](#), on page 182
- [show tech-support port](#), on page 183
- [show tech-support private-vlan](#), on page 184
- [show tech-support ptp](#), on page 185
- [show tech-support radius](#), on page 186
- [show tech-support rip](#), on page 187
- [show tech-support routing](#), on page 188
- [show tech-support routing ipv6](#), on page 189
- [show tech-support routing ipv6 multicast](#), on page 190
- [show tech-support routing multicast](#), on page 191
- [show tech-support rpm](#), on page 192
- [show tech-support sal](#), on page 193
- [show tech-support san-port-channel](#), on page 194
- [show tech-support san](#), on page 195
- [show tech-support satmgr](#), on page 196
- [show tech-support security](#), on page 197
- [show tech-support segment-routing](#), on page 198
- [show tech-support services](#), on page 199
- [show tech-support session-mgr](#), on page 200
- [show tech-support sflow](#), on page 201
- [show tech-support sksd](#), on page 202
- [show tech-support sla responder](#), on page 203
- [show tech-support sla sender](#), on page 204
- [show tech-support sla twamp-server](#), on page 205
- [show tech-support smartc](#), on page 206
- [show tech-support smm](#), on page 207
- [show tech-support snmp](#), on page 208
- [show tech-support sockets](#), on page 209
- [show tech-support spm](#), on page 210
- [show tech-support srte](#), on page 211
- [show tech-support statsclient](#), on page 212
- [show tech-support stp](#), on page 213
- [show tech-support sup-filesys](#), on page 214
- [show tech-support sysmgr](#), on page 215
- [show tech-support tacacs](#), on page 216
- [show tech-support telemetry](#), on page 217
- [show tech-support track](#), on page 218
- [show tech-support tunnel](#), on page 219
- [show tech-support uddl](#), on page 220
- [show tech-support usd-all](#), on page 221
- [show tech-support vdc](#), on page 222
- [show tech-support virtual-service](#), on page 223
- [show tech-support vlan](#), on page 224

- [show tech-support vmtracker](#), on page 225
- [show tech-support vpc](#), on page 226
- [show tech-support vrrp](#), on page 227
- [show tech-support vrrp brief](#), on page 228
- [show tech-support vrrpv3](#), on page 229
- [show tech-support vsan](#), on page 230
- [show tech-support vshd](#), on page 231
- [show tech-support vtp](#), on page 232
- [show tech-support vvlan](#), on page 233
- [show tech-support vxlan](#), on page 234
- [show tech-support vxlan platform](#), on page 235
- [show tech-support xbar](#), on page 236
- [show tech-support xml](#), on page 237
- [show tech-support xos](#), on page 238
- [show telemetry control database](#), on page 239
- [show telemetry data collector brief](#), on page 245
- [show telemetry event collector stats](#), on page 246
- [show telemetry pipeline stats](#), on page 248
- [show telemetry transport](#), on page 250
- [show telemetry usability](#), on page 253
- [show telnet server](#), on page 254
- [show terminal](#), on page 255
- [show terminal output xml version](#), on page 256
- [show time-range](#), on page 257
- [show time-stamp running-config last-changed](#), on page 259
- [show trace callhome](#), on page 260
- [show track](#), on page 261
- [show track brief](#), on page 263
- [show troubleshoot l3 vrf](#), on page 265
- [show trunk protocol](#), on page 266
- [show ttag brief](#), on page 267

# show table-map

```
show table-map [ <imap-name> | <default-omap-enum-name> ] [ __readonly__ { [ TABLE_omap <imap-name>
[ <desc> ] [ <def-value> ] [ <def-copy> ] [ <def-ignore> ] [ TABLE_list <frm-list> <to-val> ] ] } ]
```

## Syntax Description

show	Show running system information
table-map	Table maps
TABLE_omap	(Optional) all omap xml sessions
<i>imap-name</i>	(Optional) Show a particular table map
<i>default-omap-enum-name</i>	(Optional)
<code>__readonly__</code>	(Optional)
<i>desc</i>	(Optional) Description string
<i>def-value</i>	(Optional) Unspecified entries will default to this value
<i>def-copy</i>	(Optional) Map unspecified values to equivalent output value
<i>def-ignore</i>	(Optional) Ignore unspecified values
TABLE_list	(Optional) table map lists
<i>frm-list</i>	(Optional) Original list of values which are to be mapped
<i>to-val</i>	(Optional) To value

## Command Mode

- /exec

## show tacacs-server

```
show tacacs-server [ __readonly__ [ <global_secretKey> ] { <global_timeout> <global_deadtime> } [
<global_source_intf> ] [ <global_idle_time> ] { [ <global_testUsername> ] [ <global_testPassword> ] } {
<server_count> } [ TABLE_server <server_ip> <port> [ <secretKey> ] [ <timeout> ] ] [ { <host0>
<tacacs_port> <shared_key> <idle_time><test_username> <test_password> } + ] ]
```

### Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
<i>__readonly__</i>	(Optional)
<i>global_secretKey</i>	(Optional) Global shared secret
<i>global_timeout</i>	(Optional) Global timeout for tacacs
<i>global_deadtime</i>	(Optional) Global deadtime
<i>global_source_intf</i>	(Optional) Tacacs global source interface
<i>global_idle_time</i>	(Optional) Tacacs global idle-time for server monitoring
<i>global_testUsername</i>	(Optional) Username of global test parameters
<i>global_testPassword</i>	(Optional) Password of global test parameters
<i>server_count</i>	(Optional) Total number of tacacs servers configured
TABLE_server	(Optional)
<i>server_ip</i>	(Optional) Ip address of the server
<i>port</i>	(Optional) Port used for this server
<i>secretKey</i>	(Optional) Shared secret between the server and the tacacs client
<i>timeout</i>	(Optional) Timeout for this tacacs server
<i>host0</i>	(Optional) DNS name or IP address
<i>tacacs_port</i>	(Optional) TACACS+ server port
<i>shared_key</i>	(Optional) TACACS+ shared secret
<i>test_password</i>	(Optional) User password in test packets

### Command Mode

- /exec



## show tacacs-server

```
show tacacs-server { <host0> } [ __readonly__ { <host1> } ] [ <tac_port> ] [ <tac_shared_key> ] [ <time_out> ] [ <conn_type> ] [ <tac_idle_time> ] [ <test_user_name> ] <test_pwd> ]
```

### Syntax Description

<code>show</code>	Show running system information
<code>tacacs-server</code>	Show TACACS+ configuration information
<i>host0</i>	DNS name or IP address
<code>__readonly__</code>	(Optional)
<i>host1</i>	(Optional) DNS name or IP address
<i>tac_port</i>	(Optional) TACACS+ server port
<i>tac_shared_key</i>	(Optional) TACACS+ shared secret
<i>time_out</i>	(Optional) radius server timeout
<i>conn_type</i>	(Optional) TACACS+ connection type
<i>test_user_name</i>	(Optional) User name in test packets
<i>test_pwd</i>	(Optional) User password in test packets
<i>tac_idle_time</i>	(Optional) Time interval for monitoring the server

### Command Mode

- /exec

# show tacacs-server directed-request

```
show tacacs-server directed-request [ __readonly__ { <tacacs_directedRequest_status> } ]
```

## Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
directed-request	Show directed server enable configuration
__readonly__	(Optional)
<i>tacacs_directedRequest_status</i>	(Optional) status of tacacs-server directed request

## Command Mode

- /exec

## show tacacs-server groups

```
show tacacs-server groups [ <s0> ] [ __readonly__ [ <num_of_groups> ] [ TABLE_group <group_name> [
TABLE_server <server_ip> [ <port> ] ] [ <dead_time> ] [ <vrf_name> ] [ <source_interface> ] ] ]
```

### Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
groups	Show TACACS+ server group configuration information
<i>s0</i>	(Optional) TACACS+ server group name
<i>__readonly__</i>	(Optional)
<i>num_of_groups</i>	(Optional) number of groups
TABLE_group	(Optional)
<i>group_name</i>	(Optional) name of the group
TABLE_server	(Optional)
<i>server_ip</i>	(Optional) DNS name or IP address
<i>port</i>	(Optional) TACACS+ server port
<i>dead_time</i>	(Optional) Time interval for which the server is marked as dead before sending a test command
<i>vrf_name</i>	(Optional) name of the vrf
<i>source_interface</i>	(Optional) Interface Description

### Command Mode

- /exec

# show tacacs-server sorted

```
show tacacs-server sorted [ __readonly__ [ <global_secretKey> ] { <global_timeout> <global_deadtime> }
[ <global_source_intf> ] [ <global_idle_time> ] { [ <global_testUsername> ] [ <global_testPassword> ] } {
<server_count> } [ TABLE_server <server_ip> <port> [ <secretKey> ] [ <timeout> ] ] ]
```

## Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
sorted	Show TACACS+ servers sorted by server name
<i>__readonly__</i>	(Optional)
<i>global_secretKey</i>	(Optional) Global shared secret
<i>global_timeout</i>	(Optional) Global timeout for tacacs
<i>global_deadtime</i>	(Optional) Global deadtime
<i>global_source_intf</i>	(Optional) Tacacs global source interface
<i>global_idle_time</i>	(Optional) Tacacs global idle-time for server monitoring
<i>global_testUsername</i>	(Optional) Username of global test parameters
<i>global_testPassword</i>	(Optional) Password of global test parameters
<i>server_count</i>	(Optional) Total number of tacacs servers configured
TABLE_server	(Optional)
<i>server_ip</i>	(Optional) Ip address of the server
<i>port</i>	(Optional) Port used for this server
<i>secretKey</i>	(Optional) Shared secret between the server and the tacacs client
<i>timeout</i>	(Optional) Timeout for this tacacs server

## Command Mode

- /exec

## show tacacs-server statistics

```
show tacacs-server statistics { <host0> } [ __readonly__ { <server_state> [ <clock_time> { monitoring_statistics
<time_in_pstate> <ndead> <tt_in_dstate> } ] } { auth_statistics <auth_failed_transactions>
<auth_succ_transactions> <auth_req_sent> <auth_req_timedout> <auth_resp_no_match>
<auth_resp_not_processed> <auth_resp_error> } { autho_statistics <autho_failed_transactions>
<autho_succ_transactions> <autho_req_sent> <autho_req_timedout> <autho_resp_no_match>
<autho_resp_not_processed> <autho_resp_error> } { acct_statistics <acct_failed_transactions>
<acct_succ_transactions> <acct_req_sent> <acct_req_timedout> <acct_resp_no_match>
<acct_resp_not_processed> <acct_resp_error> } ]
```

### Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
statistics	Show TACACS statistics
<i>host0</i>	DNS name or IP address
<i>__readonly__</i>	(Optional)
<i>server_state</i>	(Optional) Show state of server
<i>clock_time</i>	(Optional) Show clock time in terms of hours, minutes and seconds
<i>monitoring_statistics</i>	(Optional) Monitoring Statistics
<i>time_in_pstate</i>	(Optional) Time in previous state
<i>ndead</i>	(Optional) Number of times dead
<i>tt_in_dstate</i>	(Optional) Total time in dead state
<i>auth_statistics</i>	(Optional) Authentication Statistics
<i>autho_statistics</i>	(Optional) Authorization Statistics
<i>acct_statistics</i>	(Optional) Accounting Statistics
<i>auth_failed_transactions</i>	(Optional) Authentication: Failed transactions
<i>auth_succ_transactions</i>	(Optional) Authentication: Successful transactions
<i>auth_req_sent</i>	(Optional) Authentication: Requests sent
<i>auth_req_timedout</i>	(Optional) Authentication: Requests timedout
<i>auth_resp_no_match</i>	(Optional) Authentication: Responses with no matching requests
<i>auth_resp_not_processed</i>	(Optional) Authentication: Responses not processed
<i>auth_resp_error</i>	(Optional) Authentication: Responses containing errors

<i>autho_failed_transactions</i>	(Optional) Authorization: Failed transactions
<i>autho_succ_transactions</i>	(Optional) Authorization: Successful transactions
<i>autho_req_sent</i>	(Optional) Authorization: Requests sent
<i>autho_req_timedout</i>	(Optional) Authorization: Requests timedout
<i>autho_resp_no_match</i>	(Optional) Authorization: Responses with no matching requests
<i>autho_resp_not_processed</i>	(Optional) Authorization: Responses not processed
<i>autho_resp_error</i>	(Optional) Authorization: Responses containing errors
<i>acct_failed_transactions</i>	(Optional) Accounting: Failed transactions
<i>acct_succ_transactions</i>	(Optional) Accounting: Successful transactions
<i>acct_req_sent</i>	(Optional) Accounting: Requests sent
<i>acct_req_timedout</i>	(Optional) Accounting: Requests timedout
<i>acct_resp_no_match</i>	(Optional) Accounting: Responses with no matching requests
<i>acct_resp_not_processed</i>	(Optional) Accounting: Responses not processed
<i>acct_resp_error</i>	(Optional) Accounting: Responses containing errors

**Command Mode**

- /exec

# show tech-support

show tech-support [ time-optimized ] [ forced ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
time-optimized	(Optional) Gather tech-support faster, requires more memory and disk space
forced	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

## Command Mode

- /exec

# show tech-support aaa

show tech-support aaa

## Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
aaa	Display aaa information

## Command Mode

- /exec



# show tech-support aclmgr

show tech-support aclmgr [ detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclmgr	ACL commands
detail	(Optional) Detailed Tech Support

## Command Mode

- /exec

# show tech-support aclmgr compressed

show tech-support aclmgr compressed <uri0> [ detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclmgr	ACL commands
compressed	Save compressed aclqos technical support
<i>uri0</i>	Enter filename to store
detail	(Optional) Detailed Tech Support

## Command Mode

- /exec

# show tech-support aclqos

show tech-support aclqos

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclqos	Show information for aclqos technical support

## Command Mode

- /exec

# show tech-support aclqos compressed

show tech-support aclqos compressed <uri0>

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclqos	Show information for aclqos technical support
compressed	Save compressed aclqos technical support
<i>uri0</i>	Enter filename to store

## Command Mode

- /exec

# show tech-support adjmgr

show tech-support adjmgr [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
adjmgr	Display Adjmgr information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support all

show tech-support all [ space-optimized ] [ time-optimized ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
all	Gather detailed information for troubleshooting
space-optimized	(Optional) Gather tech-support info. using less memory and disk space
time-optimized	(Optional) Gather tech-support faster, requires more memory and disk space

## Command Mode

- /exec

# show tech-support all binary

show tech-support all binary <uri0>

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
all	Gather detailed information for troubleshooting
binary	Gather tech support for all applications in binary format
<i>uri0</i>	Select destination filesystem to save the binary output (NOTE: The output file name will be automatically generated and cannot be chosen)

## Command Mode

- /exec

# show tech-support analytics

show tech-support analytics [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
analytics	Show Analytics tech-support information
brief	(Optional) Brief information

## Command Mode

- /exec



# show tech-support analytics

show tech-support analytics [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
analytics	Show Analytics tech-support information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support arp

show tech-support arp [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
arp	Display ARP information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support ascii-cfg

show tech-support ascii-cfg

## Syntax Description

show	Show running system information
tech-support	Show information for technical support personnel
ascii-cfg	Show ascii-cfg information for technical support personnel

## Command Mode

- /exec

# show tech-support assoc\_mgr

show tech-support assoc\_mgr

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
assoc_mgr	Gather detailed information for assoc_mgr troubleshooting

## Command Mode

- /exec

# show tech-support backup

```
show tech-support { backup | flexlink }
```

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
backup	Gather detailed information for Switchport Backup troubleshooting
flexlink	Gather detailed information for Switchport Backup troubleshooting

## Command Mode

- /exec

# show tech-support bfd

show tech-support bfd

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bfd	BFD commands

## Command Mode

- /exec

# show tech-support bgp

show tech-support bgp [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bgp	Display BGP status and configuration
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support biosd

show tech-support biosd

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
biosd	Gather bios install log for trouble shooting

## Command Mode

- /exec



# show tech-support bloggerd-all

show tech-support bloggerd-all

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bloggerd-all	Gather detailed information for bloggerd troubleshooting from ALL modules

## Command Mode

- /exec

# show tech-support bloggerd

show tech-support bloggerd

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bloggerd	Gather detailed information for bloggerd troubleshooting

## Command Mode

- /exec

# show tech-support bootvar

show tech-support bootvar

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bootvar	Gather detailed information for bootvar troubleshooting

## Command Mode

- /exec

# show tech-support brief

show tech-support brief

## Syntax Description

show	Show running system summary information
tech-support	Gather information for troubleshooting
brief	Gather summary information for troubleshooting

## Command Mode

- /exec

# show tech-support callhome

show tech-support callhome

## Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
callhome	callhome troubleshooting information

## Command Mode

- /exec

# show tech-support cdp

show tech-support cdp

## Syntax Description

show	show running system information
tech-support	Gather information for troubleshooting
cdp	Gather information for CDP trouble shooting

## Command Mode

- /exec

# show tech-support cert-enroll

show tech-support cert-enroll

## Syntax Description

show	show commands
tech-support	Gather information for troubleshooting
cert-enroll	Display certificates information

## Command Mode

- /exec

# show tech-support cfs

show tech-support cfs [ { commands | name <cfs-dyn-app-name> [ commands1 ] } ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
cfs	Gather detailed information for cfs troubleshooting
commands	(Optional) CFS show tech commands
name	(Optional) Gather detailed information of cfs for a specified application
<i>cfs-dyn-app-name</i>	(Optional) Registered name of the local application
commands1	(Optional) CFS application show tech commands

## Command Mode

- /exec



# show tech-support cli

show tech-support cli

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
cli	Gather information for parser troubleshooting

## Command Mode

- /exec

# show tech-support clis

show tech-support clis [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
clis	Gather information for CLI Server troubleshooting
brief	(Optional) Detailed information

## Command Mode

- /exec

# show tech-support clock\_manager

show tech-support clock\_manager

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
clock_manager	Gather detailed information for clock manager troubleshooting

## Command Mode

- /exec

# show tech-support commands

show tech-support commands

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
commands	Show commands executed as part of show tech-support commands

## Command Mode

- /exec

# show tech-support controller

show tech-support controller

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
controller	Gather information for Controller troubleshooting

## Command Mode

- /exec

# show tech-support copp

show tech-support copp

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
copp	Gather information for copp trouble shooting

## Command Mode

- /exec

# show tech-support dcbx

show tech-support dcbx

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
dcbx	Gather detailed information for DCBX component

## Command Mode

- /exec

# show tech-support details

show tech-support details [ space-optimized ] [ time-optimized ] [ debug-enable ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
details	Gather detailed information for troubleshooting
space-optimized	(Optional) Gather tech-support info. using less memory and disk space
time-optimized	(Optional) Gather tech-support faster, requires more memory and disk space
debug-enable	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

## Command Mode

- /exec



# show tech-support dhclient

show tech-support dhclient

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
dhclient	Gather information for dhclient trouble shooting

## Command Mode

- /exec

# show tech-support dhcp

show tech-support dhcp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
dhcp	Gather detailed information for dhcp troubleshooting

## Command Mode

- /exec

# show tech-support dme

show tech-support dme

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
dme	Gather detailed information for dme troubleshooting

## Command Mode

- /exec

# show tech-support dot1x

show tech-support dot1x

## Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
dot1x	Display dot1x information

## Command Mode

- /exec

# show tech-support ecp

show tech-support ecp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ecp	ECP (Edge Control Protocol)

## Command Mode

- /exec

# show tech-support eem

show tech-support eem

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
eem	Show EEM tech-support information

## Command Mode

- /exec

# show tech-support eigrp

show tech-support eigrp [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
eigrp	Display EIGRP status and configuration
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support eltm

show tech-support eltm [ detail ]

## Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
eltm	eltm debug info
detail	(Optional) Detailed information

## Command Mode

- /exec



# show tech-support ethpm

show tech-support ethpm

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ethpm	Gather detailed information for ETHPM troubleshooting

## Command Mode

- /exec

# show tech-support evb

show tech-support evb

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
evb	EVB (Edge Virtual Bridge)

## Command Mode

- /exec

# show tech-support fabric forwarding

show tech-support fabric forwarding

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fabric	Fabric
forwarding	Fabric Forwarding Protocol: Host Mobility Manager (HMM)

## Command Mode

- /exec

# show tech-support fabric multicast

show tech-support fabric multicast

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fabric	Fabric
multicast	Multicast information

## Command Mode

- /exec

# show tech-support fabricpath isis

show tech-support fabricpath isis [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
fabricpath	fabricpath information
isis	Fabricpath IS-IS information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support fabricpath topology

show tech-support fabricpath topology [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fabricpath	Gather detailed information for Fabricpath troubleshooting
topology	Gather detailed information for Topology troubleshooting
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support fast-reload

show tech-support fast-reload

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fast-reload	Gather information for troubleshooting fast-reload timings

## Command Mode

- /exec

# show tech-support fc2

show tech-support fc2 [ commands ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fc2	Show information for fc2 technical support
commands	(Optional) Show commands run as part of fc2 technical support

## Command Mode

- /exec



# show tech-support fcoe

show tech-support fcoe

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fcoe	Gather information for FCOE mgr trouble shooting

## Command Mode

- /exec

# show tech-support fips

show tech-support fips

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fips	show tech support information for security

## Command Mode

- /exec

# show tech-support forwarding l2 multicast

show tech-support forwarding l2 multicast

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l2	layer 2 debug information
multicast	multicast

## Command Mode

- /exec

# show tech-support forwarding l2 multicast vdc-all

show tech-support forwarding l2 multicast vdc-all

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l2	layer 2 debug information
multicast	multicast
vdc-all	vdc-all

## Command Mode

- /exec

# show tech-support forwarding l2 unicast

show tech-support forwarding l2 unicast [ module <module> ]

## Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
forwarding	Forwarding debug info
l2	layer 2 debug info
unicast	unicast
module	(Optional) Slot number
<i>module</i>	(Optional) Module Number

## Command Mode

- /exec

# show tech-support forwarding l3 multicast

show tech-support forwarding l3 multicast

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
multicast	multicast

## Command Mode

- /exec

# show tech-support forwarding l3 multicast detail

show tech-support forwarding l3 multicast detail

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
multicast	multicast
detail	detail

## Command Mode

- /exec

# show tech-support forwarding l3 multicast detail vdc-all

show tech-support forwarding l3 multicast detail vdc-all

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
multicast	multicast
detail	detail
vdc-all	vdc-all

## Command Mode

- /exec



# show tech-support forwarding l3 multicast vdc-all

show tech-support forwarding l3 multicast vdc-all

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
multicast	multicast
vdc-all	vdc-all

## Command Mode

- /exec

# show tech-support forwarding l3 unicast

show tech-support forwarding l3 unicast [ module <module> ] [ list ]

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
unicast	unicast
module	(Optional) module
<i>module</i>	(Optional) module number
list	(Optional) list the commands, without executing them

## Command Mode

- /exec

# show tech-support forwarding l3 unicast detail

show tech-support forwarding l3 unicast detail [ module <module> ] [ list ]

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
unicast	unicast
detail	detailed show tech including platform commands
module	(Optional) module
<i>module</i>	(Optional) module number
list	(Optional) list the commands, without executing them

## Command Mode

- /exec

# show tech-support forwarding l3 unicast detail vdc-all

show tech-support forwarding l3 unicast detail vdc-all [ module <module> ]

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
unicast	unicast
detail	detailed show tech including platform commands
vdc-all	vdc-all
module	(Optional) module
<i>module</i>	(Optional) module number

## Command Mode

- /exec

# show tech-support forwarding l3 unicast vdc-all

show tech-support forwarding l3 unicast vdc-all [ module <module> ]

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
unicast	unicast
vdc-all	vdc-all
module	(Optional) module
<i>module</i>	(Optional) module number

## Command Mode

- /exec

# show tech-support forwarding mpls

show tech-support forwarding mpls [ module <module> ] [ evpn ]

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
mpls	mpls related information
module	(Optional) module
<i>module</i>	(Optional) module number
evpn	(Optional) evpn related tech support

## Command Mode

- /exec

# show tech-support forwarding multicast

show tech-support forwarding multicast [ module <module> ]

## Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
multicast	multicast
module	(Optional) module
<i>module</i>	(Optional) module number

## Command Mode

- /exec

# show tech-support gold

show tech-support gold

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
gold	Show gold tech-support information

## Command Mode

- /exec



# show tech-support gpixm

show tech-support gpixm

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
gpixm	Gather detailed information for GLOBAL-PIXM troubleshooting

## Command Mode

- /exec

# show tech-support ha

show tech-support ha [ commands ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ha	Gather detailed information for HA troubleshooting
commands	(Optional) Show commands executed as part of show tech-support ha commands

## Command Mode

- /exec

# show tech-support ha module

show tech-support ha module <module>

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ha	Gather detailed information for HA troubleshooting
module	Gather info related to a module
<i>module</i>	Enter module number

## Command Mode

- /exec

# show tech-support ha\_short

show tech-support ha\_short [ commands ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ha_short	Gather shortened version of HA tech-support for troubleshooting
commands	(Optional) Show commands executed as part of show tech-support ha commands

## Command Mode

- /exec

# show tech-support ha standby

show tech-support ha standby [ commands ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ha	Gather detailed information for HA troubleshooting
standby	Gather detailed information for HA troubleshooting from standby supervisor
commands	(Optional) Show commands executed as part of show tech-support ha commands

## Command Mode

- /exec

# show tech-support hardware-telemetry

show tech-support hardware-telemetry

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
hardware-telemetry	Hardware Telemetry Information

## Command Mode

- /exec

# show tech-support hsrp

show tech-support hsrp

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
hsrp	Show hsrp tech-support information

## Command Mode

- /exec

# show tech-support hsrp brief

show tech-support hsrp brief

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
hsrp	Show hsrp tech-support information
brief	Show tech-support information in brief

## Command Mode

- /exec



# show tech-support icam

show tech-support icam [ detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
icam	icam - TCAM Analytics
detail	(Optional) Show more details

## Command Mode

- /exec

# show tech-support icmpv6

show tech-support icmpv6 [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
icmpv6	Display Icmpv6 information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support im

show tech-support im

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
im	Gather detailed information for IM troubleshooting

## Command Mode

- /exec

# show tech-support imp

show tech-support imp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
imp	IMP commands

## Command Mode

- /exec

# show tech-support inband counters

show tech-support inband counters

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
inband	Gather all information about inband data path
counters	Gather all counters in inband data path

## Command Mode

- /exec

# show tech-support include-time

show tech-support include-time

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
include-time	Gather tech-support and capture time taken to execute each command

## Command Mode

- /exec

# show tech-support install

show tech-support install

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
install	Gather detailed information for rpm/package install operation

## Command Mode

- /exec

# show tech-support interface-vlan

show tech-support interface-vlan

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
interface-vlan	Gather detailed information for interface-vlan troubleshooting

## Command Mode

- /exec



# show tech-support ip

show tech-support ip [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support ip igmp

show tech-support ip igmp [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
igmp	Display IGMP status and configuration
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support ip igmp snooping

show tech-support ip igmp snooping [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support ip msdp

show tech-support ip msdp [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
msdp	Display MSDP status and configuration
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support ip pim

show tech-support ip pim [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
pim	PIM global configuration commands
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support ipqos

```
show tech-support ipqos [ server-only ] [ all ] [ snmp ]
```

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
server-only	(Optional) Dump the tech-support information only from IP QoS Manager server only
all	(Optional) Dump the tech-support information IP QoS Manager plus brief summary of system
snmp	(Optional) Dump the tech-support information only from IP QoS Manager server only (SNMP only)

## Command Mode

- /exec

# show tech-support ipv6

show tech-support ipv6 [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ipv6	Display IPV6 information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support ipv6 mld

show tech-support ipv6 mld [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ipv6	Display IPv6 information
mld	Display Multicast Listener Discovery information
brief	(Optional) Brief information

## Command Mode

- /exec



# show tech-support ipv6 multicast

show tech-support ipv6 multicast

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ipv6	Display IPv6 information
multicast	Display V6 Multicast information

## Command Mode

- /exec

# show tech-support ipv6 pim

show tech-support ipv6 pim [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ipv6	Display IPv6 information
pim	PIM6 global configuration commands
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support isis

show tech-support isis [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
isis	IS-IS events
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support issu

show tech-support issu [ commands ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
issu	Gather detailed information for issu troubleshooting
commands	(Optional) Show commands executed as part of show tech-support issu command

## Command Mode

- /exec

# show tech-support kstack

show tech-support kstack

## Syntax Description

show	
tech-support	tech-support information
kstack	kstack information

## Command Mode

- /exec

# show tech-support l2

show tech-support l2

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l2	Gather detailed information for layer 2 troubleshooting

## Command Mode

- /exec

# show tech-support l2fm

show tech-support l2fm

## Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
l2fm	l2fm debug info

## Command Mode

- /exec

# show tech-support l2fm clients

show tech-support l2fm clients [ module <module> ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l2fm	l2fm debug info
clients	debug info of l2fm clients only running on linecard(mtm)
module	(Optional) Slot number
<i>module</i>	(Optional) Module Number

## Command Mode

- /exec



# show tech-support l2fm detail

show tech-support l2fm detail [ module <module> ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l2fm	l2fm debug info
detail	All info related to l2fm
module	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
<i>module</i>	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

## Command Mode

- /exec

# show tech-support l2fm l2dbg

show tech-support l2fm l2dbg [ module <module> ]

## Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
l2fm	l2fm debug info
l2dbg	tech support capturing additional debug info for l2fm(l2dbg)
module	(Optional) Slot number
<i>module</i>	(Optional) Module Number

## Command Mode

- /exec

## show tech-support l2fm l2dbg

show tech-support l2fm l2dbg [ module <module> ]

### Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
l2fm	l2fm debug info
l2dbg	tech support capturing additional debug info for l2fm(l2dbg)
module	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
<i>module</i>	(Optional) Module Number

### Command Mode

- /exec

# show tech-support l2rib

show tech-support l2rib

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l2rib	Display L2RIB information

## Command Mode

- /exec

# show tech-support l3vm

show tech-support l3vm [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l3vm	Display VRF information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support l3vpn

show tech-support l3vpn [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l3vpn	BGP l3vpn information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support lacp

show tech-support lacp [ all ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
lacp	Gather detailed information for LACP component
all	(Optional) Gather detailed information of LACP and related components

## Command Mode

- /exec

# show tech-support ldap

show tech-support ldap

## Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
ldap	Display ldap information

## Command Mode

- /exec



# show tech-support license

show tech-support license

## Syntax Description

show	show commands
tech-support	Gather information for troubleshooting
license	Display licensing information

## Command Mode

- /exec

# show tech-support lim

show tech-support lim

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
lim	Gather detailed information for LIM troubleshooting

## Command Mode

- /exec

# show tech-support lisp

show tech-support lisp [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
lisp	LISP show commands
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support lldp

show tech-support lldp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
lldp	Gather detailed information for LLDP troubleshooting

## Command Mode

- /exec

# show tech-support logging

show tech-support logging

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
logging	Show information on logging for technical support staff

## Command Mode

- /exec

# show tech-support m2rib

show tech-support m2rib

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
m2rib	Gather detailed information for M2RIB troubleshooting

## Command Mode

- /exec

# show tech-support macsec

show tech-support macsec

## Syntax Description

tech-support	Gather information for troubleshooting
macsec	Gather information for macsec troubleshooting

## Command Mode

- /exec

# show tech-support macsec detail

show tech-support macsec detail [ module <module> ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
macsec	macsec debug info
detail	All info related to MACsec
module	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
<i>module</i>	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

## Command Mode

- /exec



# show tech-support mfwd

show tech-support mfwd [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mfwd	Display MCASTFWD status and configuration
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support mmode

show tech-support mmode

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mmode	Gather information for troubleshooting mmode

## Command Mode

- /exec

# show tech-support module

show tech-support module <module>

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
module	Gather info related to a module
<i>module</i>	Enter module number

## Command Mode

- /exec

# show tech-support module all

show tech-support module all

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
module	Gather info related to a module
all	Gather info related to all modules in the system

## Command Mode

- /exec

# show tech-support monitor

show tech-support monitor

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
monitor	Gather detailed information for monitor troubleshooting

## Command Mode

- /exec

# show tech-support monitor erspan

show tech-support monitor erspan

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
monitor	Gather detailed information for monitor troubleshooting
erspan	Gather detailed information for erspan session troubleshooting

## Command Mode

- /exec

# show tech-support monitorc-all

show tech-support monitorc-all

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
monitorc-all	Gather detailed information for LC MONITORC troubleshooting

## Command Mode

- /exec

# show tech-support mpls manager

```
{ show tech-support mpls manager }
```

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mpls	MPLS
manager	MPLS-Mgr

## Command Mode

- /exec



# show tech-support mpls static

show tech-support mpls static [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mpls	Display MPLS status and configuration
static	Display STATIC configuration and status for troubleshooting
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support mpls strip

show tech-support mpls strip

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
mpls	MPLS
strip	Gather MPLS label strip troubleshooting info

## Command Mode

- /exec

# show tech-support mpls switching

show tech-support mpls switching

## Syntax Description

show	Show running system information
tech-support	Gather MPLS switching information
mpls	Display MPLS status and configuration
switching	Display the MPLS label switching database

## Command Mode

- /exec

# show tech-support mpls traffic-eng

show tech-support mpls traffic-eng [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
mpls	Display MPLS status and configuration
traffic-eng	Traffic engineering information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support mpls fwd

show tech-support mpls fwd [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mplsfwd	Display MPLS forwarding information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support multicast-vxlan-evpn

show tech-support multicast-vxlan-evpn

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
multicast-vxlan-evpn	Multicast VxLAN EVPN feature

## Command Mode

- /exec

# show tech-support multicast

show tech-support [ ip | ipv4 ] multicast

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	(Optional) Display IP information
ipv4	(Optional) Display IP information
multicast	Display V4 Multicast information

## Command Mode

- /exec

# show tech-support mvpn

show tech-support mvpn [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mvpn	Display Multicast VPN information
brief	(Optional) Brief information

## Command Mode

- /exec



# show tech-support nat

show tech-support nat

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
nat	Gather information for troubleshooting NAT

## Command Mode

- /exec

# show tech-support nbm

show tech-support nbm [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble-shooting
nbm	Non Blocking Multicast
brief	(Optional) Minimal information

## Command Mode

- /exec

# show tech-support nbm group

show tech-support nbm group <grp> [ source <src> ] [ vrf { <vrf-name> | <nbm-vrf-known-name> | all } ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble-shooting
nbm	Non Blocking Multicast
group	Multicast group
<i>grp</i>	Multicast group address
source	(Optional) Source IP address
<i>src</i>	(Optional) Source unicast IP address
vrf	(Optional) Display per-VRF information
all	(Optional) Display all VRFs
<i>vrf-name</i>	(Optional) VRF name
<i>nbm-vrf-known-name</i>	(Optional) NBM VRF Name

## Command Mode

- /exec

# show tech-support netflow

show tech-support netflow [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
netflow	Show NetFlow tech-support information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support netstack

show tech-support netstack

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
netstack	Gather information for NETSTACK troubleshooting

## Command Mode

- /exec

# show tech-support netstack detail

show tech-support netstack detail

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
netstack	Gather information for NETSTACK troubleshooting
detail	Gather detailed information for NETSTACK troubleshooting

## Command Mode

- /exec

# show tech-support ngoam

show tech-support ngoam

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble-shooting
ngoam	ngoam

## Command Mode

- /exec

# show tech-support npacl

show tech-support npacl [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
npacl	Display npacl information
brief	(Optional) Brief npacl information

## Command Mode

- /exec



# show tech-support npv

show tech-support npv

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
npv	Show information for NPV technical support staff

## Command Mode

- /exec

# show tech-support ns

show tech-support ns

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ns	Gather detailed information for northstar asic

## Command Mode

- /exec

# show tech-support ntp

show tech-support ntp

## Syntax Description

show	show running system information
tech-support	Gather information for trouble shooting
ntp	Gather information for NTP trouble shooting

## Command Mode

- /exec

# show tech-support nve

show tech-support nve

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
nve	Display NVE information

## Command Mode

- /exec

# show tech-support nxapi

show tech-support nxapi

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
nxapi	Gather detailed information for nxapi troubleshooting

## Command Mode

- /exec

# show tech-support nxsdk

show tech-support nxsdk

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
nxsdk	NXOS SDK

## Command Mode

- /exec

# show tech-support object-store

show tech-support object-store

## Syntax Description

show	Show Object Store
tech-support	Gather information for troubleshooting
object-store	Gather information from object store for Controller troubleshooting

## Command Mode

- /exec

# show tech-support openflow

show tech-support openflow [ brief | detailed ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
openflow	Show tech support for OpenFlow
brief	(Optional) Brief information
detailed	(Optional) Detailed information

## Command Mode

- /exec



# show tech-support openflow platform

show tech-support openflow platform

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
openflow	openflow component
platform	openflow platform components

## Command Mode

- /exec

# show tech-support ospf

show tech-support ospf [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ospf	Display OSPF status and configuration
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support ospfv3

show tech-support ospfv3 [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ospfv3	Display OSPFv3 status and configuration
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support otv

show tech-support otv [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
otv	Display OTV information
brief	(Optional) Brief OTV information

## Command Mode

- /exec

# show tech-support page

show tech-support page [ time-optimized ] [ forced ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
page	Page through the output
time-optimized	(Optional) Gather tech-support faster, requires more memory and disk space
forced	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED

## Command Mode

- /exec

# show tech-support patch

show tech-support patch

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
patch	Gather detailed information for patch troubleshooting

## Command Mode

- /exec

# show tech-support pbr

{ show tech-support pbr }

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pbr	Display Policy Based Routing (PBR) information

## Command Mode

- /exec

# show tech-support pfstat

show tech-support pfstat

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pfstat	Gather detailed information for pfstat troubleshooting

## Command Mode

- /exec



# show tech-support pixm-all

show tech-support pixm-all

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pixm-all	Gather detailed information for PIXM troubleshooting

## Command Mode

- /exec

# show tech-support pixm

show tech-support pixm

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pixm	Gather detailed information for vdc-local-PIXM troubleshooting

## Command Mode

- /exec

# show tech-support pixmc-all

show tech-support pixmc-all

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pixmc-all	Gather detailed information for LC PIXMC troubleshooting

## Command Mode

- /exec

# show tech-support pktmgr

show tech-support pktmgr [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pktmgr	Display Packet Manager information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support platform-sdk

show tech-support platform-sdk

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
platform-sdk	Gather detailed information for platform-sdk troubleshooting

## Command Mode

- /exec

# show tech-support plb-services

show tech-support plb-services [ detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
plb-services	PLB Services
detail	(Optional) Show more details

## Command Mode

- /exec

# show tech-support plcmgr

show tech-support plcmgr [ detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
plcmgr	Policy Manager
detail	(Optional) Print more details (e.g. messages,etc)

## Command Mode

- /exec

# show tech-support pltfm-config

show tech-support pltfm-config

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pltfm-config	Gather detailed information for pltfm-config troubleshooting

## Command Mode

- /exec



# show tech-support pnp

show tech-support pnp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pnp	Show Technical support for Plug and Play

## Command Mode

- /exec

# show tech-support poe

show tech-support poe

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
poe	Gather information for PoE trouble shooting

## Command Mode

- /exec

# show tech-support port-channel

show tech-support port-channel

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
port-channel	Gather detailed information for port channel troubleshooting

## Command Mode

- /exec

# show tech-support port-client-all

show tech-support port-client-all

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
port-client-all	Gather detailed information for LC port client troubleshooting

## Command Mode

- /exec

# show tech-support port-profile

show tech-support port-profile

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
port-profile	Gather information for troubleshooting port-profiles

## Command Mode

- /exec

# show tech-support port-security

show tech-support port-security

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
port-security	Port security related command

## Command Mode

- /exec

# show tech-support port

show tech-support port

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
port	Gather detailed information for port manager troubleshooting

## Command Mode

- /exec

# show tech-support private-vlan

show tech-support private-vlan

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
private-vlan	Gather detailed information for private-vlan troubleshooting

## Command Mode

- /exec



# show tech-support ptp

show tech-support ptp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ptp	Gather detailed information for PTP troubleshooting

## Command Mode

- /exec

# show tech-support radius

show tech-support radius

## Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
radius	Display radius information

## Command Mode

- /exec

# show tech-support rip

show tech-support rip [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
rip	Display RIP routing protocol status
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support routing

```
show tech-support routing [ ip | ipv4 ] [ unicast ] [ brief ]
```

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
routing	Display routing information
ip	(Optional) Display IP information
ipv4	(Optional) Display IP information
unicast	(Optional) Display unicast routing information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support routing ipv6

show tech-support routing ipv6 [ unicast ] [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
routing	Display routing information
ipv6	Display IPv6 information
unicast	(Optional) Display unicast routing information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support routing ipv6 multicast

show tech-support routing ipv6 multicast [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
routing	Display routing information
ipv6	Display IPv6 information
multicast	Display V6 Multicast information
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support routing multicast

```
show tech-support routing [ ip | ipv4 ] multicast [ brief ]
```

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
routing	Display routing information
ip	(Optional) Display IP information
ipv4	(Optional) Display IP information
multicast	Display V4 Multicast information
brief	(Optional) Display brief information

## Command Mode

- /exec

# show tech-support rpm

```
{ show tech-support rpm }
```

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
rpm	Display Route Policy Manager (RPM) information

## Command Mode

- /exec



# show tech-support sal

show tech-support sal

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
sal	Show SAL tech-support information

## Command Mode

- /exec

# show tech-support san-port-channel

show tech-support san-port-channel

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
san-port-channel	Gather detailed information for san port channel troubleshooting

## Command Mode

- /exec

# show tech-support san

show tech-support san

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
san	Gather information for SAN trouble shooting

## Command Mode

- /exec

# show tech-support satmgr

show tech-support satmgr

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
satmgr	Gather detailed information for satmgr troubleshooting

## Command Mode

- /exec

# show tech-support security

show tech-support security

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
security	show tech support information for security

## Command Mode

- /exec

# show tech-support segment-routing

show tech-support segment-routing

## Syntax Description

show	Show running system information
tech-support	Gather tech-support information
segment-routing	Segment-routing tech-support

## Command Mode

- /exec

# show tech-support services

show tech-support services [ detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
services	Services
detail	(Optional) Show more details

## Command Mode

- /exec

# show tech-support session-mgr

show tech-support session-mgr

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
session-mgr	Gather information for troubleshooting session manager

## Command Mode

- /exec



# show tech-support sflow

show tech-support sflow

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sflow	Gather detailed information for sflow feature

## Command Mode

- /exec

# show tech-support sksd

show tech-support sksd

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sksd	show tech support information for sksd

## Command Mode

- /exec

# show tech-support sla responder

show tech-support sla responder [ brief | detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
sla	Service Level Agreement (SLA)
responder	Configure sla-responder tech support
brief	(Optional) Show less details
detail	(Optional) Show more details

## Command Mode

- /exec

# show tech-support sla sender

show tech-support sla sender [ brief | detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
sla	Service Level Agreement (SLA)
sender	Configure sla-sender tech support
brief	(Optional) Show less details
detail	(Optional) Show more details

## Command Mode

- /exec

# show tech-support sla twamp-server

show tech-support sla twamp-server [ brief | detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
sla	Service Level Agreement (SLA)
twamp-server	Configure sla-twamp-server tech support
brief	(Optional) Show less details
detail	(Optional) Show more details

## Command Mode

- /exec

# show tech-support smartc

show tech-support smartc [ detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
smartc	smartc channel services
detail	(Optional) Show more details

## Command Mode

- /exec

# show tech-support smm

show tech-support smm

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
smm	Shared memory

## Command Mode

- /exec

# show tech-support snmp

show tech-support snmp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
snmp	Gather info related to snmp

## Command Mode

- /exec



# show tech-support sockets

show tech-support sockets [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sockets	Display sockets status and configuration
brief	(Optional) Brief information

## Command Mode

- /exec

# show tech-support spm

show tech-support spm [ <application> ] [ detail ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
spm	Service Policy Manager
<i>application</i>	(Optional) Specify an application
detail	(Optional) Print more details (e.g. messages,etc)

## Command Mode

- /exec

# show tech-support srte

show tech-support srte

## Syntax Description

show	Show running system information
tech-support	Gather SRTE information
srte	Segment-Routing Traffic Eng

## Command Mode

- /exec

# show tech-support statsclient

show tech-support statsclient [ module <module> ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
statsclient	Gather statsclient tech-support
module	(Optional) Gather info related to one module
<i>module</i>	(Optional) Enter module number

## Command Mode

- /exec

# show tech-support stp

show tech-support stp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
stp	Gather detailed information for STP troubleshooting

## Command Mode

- /exec

# show tech-support sup-filesys

show tech-support sup-filesys

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sup-filesys	File-sys related issue

## Command Mode

- /exec

# show tech-support sysmgr

show tech-support sysmgr [ commands ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sysmgr	Gather detailed information for sysmgr troubleshooting
commands	(Optional) Show commands executed as part of show tech-support sysmgr

## Command Mode

- /exec

# show tech-support tacacs

show tech-support tacacs +

## Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting

## Command Mode

- /exec



# show tech-support telemetry

show tech-support telemetry

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
telemetry	Gather information for telemetry troubleshooting

## Command Mode

- /exec

# show tech-support track

show tech-support track

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
track	Show track tech-support information

## Command Mode

- /exec

# show tech-support tunnel

```
show tech-support tunnel [ { commands | detail [ commands1 ] } ]
```

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
tunnel	Gather detailed information for tunnel troubleshooting
commands	(Optional) Lists commands under 'show tunnel tech-support' command
detail	(Optional) Gather detailed information for tunnel troubleshooting
commands1	(Optional) Lists commands under 'Show tech-support tunnel detail' commands

## Command Mode

- /exec

# show tech-support udd

show tech-support udd

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
udd	Gather detailed information for udd troubleshooting

## Command Mode

- /exec

# show tech-support usd-all

show tech-support usd-all

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
usd-all	Gather detailed information for LC USD troubleshooting

## Command Mode

- /exec

# show tech-support vdc

show tech-support vdc

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vdc	Gather detailed information for VDC troubleshooting

## Command Mode

- /exec

# show tech-support virtual-service

show tech-support virtual-service

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
virtual-service	Gather information for virtualization services trouble shooting

## Command Mode

- /exec

# show tech-support vlan

show tech-support vlan

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vlan	Gather detailed information for VLAN troubleshooting

## Command Mode

- /exec



# show tech-support vmtracker

show tech-support vmtracker

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vmtracker	VMTRACKER commands

## Command Mode

- /exec

# show tech-support vpc

show tech-support vpc

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vpc	Gather detailed information for VPC troubleshooting

## Command Mode

- /exec

# show tech-support vrrp

show tech-support vrrp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vrrp	Show information for vrrp technical support

## Command Mode

- /exec

# show tech-support vrrp brief

show tech-support vrrp brief

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vrrp	Show information for vrrp technical support
brief	Show information for vrrp technical support in brief

## Command Mode

- /exec

# show tech-support vrrpv3

show tech-support vrrpv3 [ detail ]

## Syntax Description

vrrpv3	VRRPv3 configuration commands
show	Show running system information
tech-support	Gather information for trouble shooting
detail	(Optional) Detailed output

## Command Mode

- /exec

# show tech-support vsan

show tech-support vsan [ <i>i0</i> | commands ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vsan	Gather detailed information for vsan troubleshooting
<i>i0</i>	(Optional) VSAN id range
commands	(Optional) Show commands run as part of vsan technical support

## Command Mode

- /exec

# show tech-support vshd

show tech-support vshd

## Syntax Description

show	Show running system information
tech-support	Show information for technical support
vshd	Show vshd information for technical support

## Command Mode

- /exec

# show tech-support vtp

show tech-support vtp

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vtp	Gather detailed information for vtp troubleshooting

## Command Mode

- /exec



# show tech-support vvlan

show tech-support vvlan

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vvlan	Gather detailed information for Voice VLAN troubleshooting

## Command Mode

- /exec

# show tech-support vxlan

show tech-support vxlan

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
vxlan	VxLAN feature

## Command Mode

- /exec

# show tech-support vxlan platform

show tech-support vxlan platform

## Syntax Description

show	Show tech-support
tech-support	Gather information for troubleshooting
vxlan	VxLAN components
platform	VxLAN platform components

## Command Mode

- /exec

# show tech-support xbar

show tech-support xbar

## Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
xbar	Show xbar tech-support information

## Command Mode

- /exec

# show tech-support xml

show tech-support xml

## Syntax Description

show	show running system information
tech-support	Gather information for trouble shooting
xml	Gather information for xml trouble shooting

## Command Mode

- /exec

# show tech-support xos

show tech-support xos [ brief ]

## Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
xos	Cross-OS Library Information and Traces
brief	(Optional) Brief information

## Command Mode

- /exec

## show telemetry control database

```

show telemetry control { database [ subscriptions | destination-groups | destinations | sensor-paths | sensor-groups
] | stats } [ __readonly__ [ <subscription_db_size> ] [ { TABLE_subscriptions <subscription_id>
<data_collector_type> } ] [ <sensor_grp_db_size> ] [ { TABLE_sensor_grp <snsr_grp_row_idx> <snsr_grp_id>
<snsr_grp_type> <snsr_grp_collector_type> <snsr_grp_timer_interval> <snsr_grp_timer_status>
<snsr_grp_sub_count> <snsr_grp_sub_id> <snsr_grp_dc_cur_time> <snsr_grp_dc_min_time>
<snsr_grp_dc_max_time> <snsr_grp_enc_cur_time> <snsr_grp_enc_min_time> <snsr_grp_enc_max_time>
<snsr_grp_trans_cur_time> <snsr_grp_trans_min_time> <snsr_grp_trans_max_time>
<snsr_grp_stream_cur_time> <snsr_grp_stream_min_time> <snsr_grp_stream_max_time>
<snsr_grp_stream_col_id_drop> <snsr_grp_stream_last_col_id_drop> <snsr_grp_stream_col_drop> } ] [
<sensor_path_db_size> ] [ { TABLE_sensor_path <path_row_idx> <path_subscribed> <path_group_count>
<path_secondary_group_count> <path_level> <path_name> <path_grp_id> <path_query_condition>
<path_filter_condition> <path_gpb_cur_enc_size> <path_gpb_min_enc_size> <path_gpb_max_enc_size>
<path_json_cur_enc_size> <path_json_min_enc_size> <path_json_max_enc_size> <path_dc_cur_time>
<path_dc_min_time> <path_dc_max_time> <path_enc_cur_time> <path_enc_min_time>
<path_enc_max_time> <path_trans_cur_time> <path_trans_min_time> <path_trans_max_time>
<path_stream_cur_time> <path_stream_min_time> <path_stream_max_time> } ] [
<destination_group_db_size> ] [ <destination_group_use_vrf> ] [ { TABLE_destination_group
<destination_group_id> <destination_group_refcount> } ] [ <destination_db_size> ] [ { TABLE_destinations
<destination_ip> <destination_port> <destination_encoding> <destination_transport> <destination_refcount>
} ] [ db_statistics <chunk_alloc_fail> <sensor_path_chunk_create_fail> <sensor_group_chunk_create_fail>
<destination_chunk_create_fail> <destination_group_chunk_create_fail> <subscription_chunk_create_fail>
<sensor_path_db_create_fail> <sensor_group_db_create_fail> <destination_db_create_fail>
<destination_group_db_create_fail> <subscription_db_create_fail> <sensor_path_db_insert_fail>
<sensor_group_db_insert_fail> <destination_db_insert_fail> <destination_group_db_insert_fail>
<subscription_db_insert_fail> <sensor_path_db_delete_fail> <sensor_group_db_delete_fail>
<destination_db_delete_fail> <destination_group_db_delete_fail> <subscription_db_delete_fail>
<sensor_path_delete_in_use> <sensor_group_delete_in_use> <destination_delete_in_use>
<destination_group_delete_in_use> <delete_destination_in_use_fail>
<sensor_path_sensor_group_list_create_fail> <sensor_path_prop_list_create_fail>
<sensor_path_secondary_sensor_path_list_create_fail> <sensor_path_secondary_sensor_group_list_create_fail>
<sensor_group_sensor_path_list_create_fail> <sensor_group_subscription_list_create_fail>
<destination_group_subscription_list_create_fail> <destination_group_destination_list_create_fail>
<destination_destination_group_list_create_fail> <subscription_sensor_group_list_create_fail>
<subscription_destination_group_list_create_fail> <sensor_group_sensor_path_list_delete_fail>
<sensor_group_subscription_list_delete_fail> <sensor_group_subscription_unsupported_data_source_fail>
<destination_group_subscription_list_delete_fail> <destination_group_destination_list_delete_fail>
<subscription_sensor_group_list_delete_fail> <subscription_destination_group_list_delete_fail>
<destination_destination_group_list_delete_fail> <destination_delete_from_destination_group_fail>
<destination_group_delete_from_subscription_fail> <sensor_group_delete_from_subscription_fail>
<sensor_path_delete_from_sensor_group_fail> <get_encode_cb_fail> <get_transport_cb_fail> ] ]

```

### Syntax Description

show	Show running system information
telemetry	Show telemetry info
control	Show telemetry control

database	Show database
subscriptions	(Optional) Show subscriptions
destination-groups	(Optional) Show destination-groups
destinations	(Optional) Show destinations
sensor-paths	(Optional) Show sensor-paths
sensor-groups	(Optional) Show sensor-groups
stats	Show stats
__readonly__	(Optional)
TABLE_sensor_grp	(Optional) Sensor group table
<i>sensor_grp_db_size</i>	(Optional) Sensor group DB size
<i>snsr_grp_row_idx</i>	(Optional) Sensor Group Row Idx
<i>snsr_grp_id</i>	(Optional) Sensor Group Id
<i>snsr_grp_type</i>	(Optional) Sensor Group Type
<i>snsr_grp_collector_type</i>	(Optional) Sensor Group Collector Type
<i>snsr_grp_timer_interval</i>	(Optional) Sensor Group Timer Interval in ms
<i>snsr_grp_timer_status</i>	(Optional) Sensor Group Timer Status
<i>snsr_grp_sub_count</i>	(Optional) Sensor Group Sub Count
<i>snsr_grp_sub_id</i>	(Optional) Sensor Group Sub Id
<i>snsr_grp_dc_cur_time</i>	(Optional) Sensor Group Data collection Current Time
<i>snsr_grp_dc_min_time</i>	(Optional) Sensor Group Data collection Minimum Time
<i>snsr_grp_dc_max_time</i>	(Optional) Sensor Group Data collection Maximum Time
<i>snsr_grp_enc_cur_time</i>	(Optional) Sensor Group Encoding Current Time
<i>snsr_grp_enc_min_time</i>	(Optional) Sensor Group Encoding Minimum Time
<i>snsr_grp_enc_max_time</i>	(Optional) Sensor Group Encoding Maximum Time
<i>snsr_grp_trans_cur_time</i>	(Optional) Sensor Group Transport Current Time
<i>snsr_grp_trans_min_time</i>	(Optional) Sensor Group Transport Minimum Time
<i>snsr_grp_trans_max_time</i>	(Optional) Sensor Group Transport Maximum Time
<i>snsr_grp_stream_cur_time</i>	(Optional) Sensor Group Streaming Current Time
<i>snsr_grp_stream_min_time</i>	(Optional) Sensor Group Streaming Minimum Time



<i>snsr_grp_stream_max_time</i>	(Optional) Sensor Group Streaming Maximum Time
<i>snsr_grp_stream_col_id_drop</i>	(Optional) Sensor Group Stream collection id Drop
<i>snsr_grp_stream_last_col_id_drop</i>	(Optional) Sensor Group Stream last collection id Drop
<i>snsr_grp_stream_col_drop</i>	(Optional) Sensor Group Stream number of collections dropped
TABLE_sensor_path	(Optional) Sensor path table
<i>sensor_path_db_size</i>	(Optional) Sensor path DB size
<i>path_row_idx</i>	(Optional) Sensor Path row index
<i>path_subscribed</i>	(Optional) Sensor path subscribed to events
<i>path_group_count</i>	(Optional) Sensor path group subscriptions
<i>path_secondary_group_count</i>	(Optional) Sensor path secondary group subscriptions
<i>path_level</i>	(Optional) Sensor path level
<i>path_name</i>	(Optional) Sensor path name
<i>path_grp_id</i>	(Optional) Sensor path group ID
<i>path_query_condition</i>	(Optional) Sensor path query condition
<i>path_filter_condition</i>	(Optional) Sensor path filter condition
<i>path_gpb_cur_enc_size</i>	(Optional) Sensor path gpb current encoded size
<i>path_gpb_min_enc_size</i>	(Optional) Sensor path gpb min encoded size
<i>path_gpb_max_enc_size</i>	(Optional) Sensor path gpb max encoded size
<i>path_json_cur_enc_size</i>	(Optional) Sensor path json current encoded size
<i>path_json_min_enc_size</i>	(Optional) Sensor path json min encoded size
<i>path_json_max_enc_size</i>	(Optional) Sensor path json max encoded size
<i>path_dc_cur_time</i>	(Optional) sensor path last collection time
<i>path_dc_min_time</i>	(Optional) sensor path min collection time
<i>path_dc_max_time</i>	(Optional) sensor path max collection time
<i>path_enc_cur_time</i>	(Optional) sensor path last encode time
<i>path_enc_min_time</i>	(Optional) sensor path min encode time
<i>path_enc_max_time</i>	(Optional) sensor path max encode time
<i>path_trans_cur_time</i>	(Optional) sensor path last transport time
<i>path_trans_min_time</i>	(Optional) sensor path min transport time

<i>path_trans_max_time</i>	(Optional) sensor path min transport time
<i>path_stream_cur_time</i>	(Optional) sensor path last stream time
<i>path_stream_min_time</i>	(Optional) sensor path min stream time
<i>path_stream_max_time</i>	(Optional) sensor path max stream time
TABLE_destination_group	(Optional) Destination group table
<i>destination_group_id</i>	(Optional) Destination group ID
<i>destination_group_db_size</i>	(Optional) Destination group DB size
<i>destination_group_use_vrf</i>	(Optional) Destination group vrf
<i>destination_group_refcount</i>	(Optional) Destination group subscription count
TABLE_destinations	(Optional) Destination table
<i>destination_db_size</i>	(Optional) Destination DB size
<i>destination_ip</i>	(Optional) Destination IP address
<i>destination_port</i>	(Optional) Destination IP port
<i>destination_encoding</i>	(Optional) Destination encoding
<i>destination_transport</i>	(Optional) Destination transport
<i>destination_refcount</i>	(Optional) Destination subscription count
TABLE_subscriptions	(Optional) Subscription table
<i>subscription_id</i>	(Optional) Subscription ID
<i>subscription_db_size</i>	(Optional) Subscription DB size
<i>data_collector_type</i>	(Optional) Data collector type
db_statistics	(Optional) DB Statistics
<i>chunk_alloc_fail</i>	(Optional) Chunk Alloc Fail
<i>sensor_path_chunk_create_fail</i>	(Optional) Sensor Path Chunk Create Fail
<i>sensor_group_chunk_create_fail</i>	(Optional) Sensor Group Chunk Create Fail
<i>destination_chunk_create_fail</i>	(Optional) Destination Chunk Create Fail
<i>destination_group_chunk_create_fail</i>	(Optional) Destination Group Chunk Create Fail
<i>subscription_chunk_create_fail</i>	(Optional) Subscription Chunk Create Fail
<i>sensor_path_db_create_fail</i>	(Optional) Sensor Path Db Create Fail
<i>sensor_group_db_create_fail</i>	(Optional) Sensor Group Db Create Fail

<i>destination_db_create_fail</i>	(Optional) Destination Db Create Fail
<i>destination_group_db_create_fail</i>	(Optional) Destination Group Db Create Fail
<i>subscription_db_create_fail</i>	(Optional) Subscription Db Create Fail
<i>sensor_path_db_insert_fail</i>	(Optional) Sensor Path Db Insert Fail
<i>sensor_group_db_insert_fail</i>	(Optional) Sensor Group Db Insert Fail
<i>destination_db_insert_fail</i>	(Optional) Destination Db Insert Fail
<i>destination_group_db_insert_fail</i>	(Optional) Destination Group Db Insert Fail
<i>subscription_db_insert_fail</i>	(Optional) Subscription Db Insert Fail
<i>sensor_path_db_delete_fail</i>	(Optional) Sensor Path Db Delete Fail
<i>sensor_group_db_delete_fail</i>	(Optional) Sensor Group Db Delete Fail
<i>destination_db_delete_fail</i>	(Optional) Destination Db Delete Fail
<i>destination_group_db_delete_fail</i>	(Optional) Destination Group Db Delete Fail
<i>subscription_db_delete_fail</i>	(Optional) Subscription Db Delete Fail
<i>sensor_path_delete_in_use</i>	(Optional) Sensor Path Delete In Use
<i>sensor_group_delete_in_use</i>	(Optional) Sensor Group Delete In Use
<i>destination_delete_in_use</i>	(Optional) Destination Delete In Use
<i>destination_group_delete_in_use</i>	(Optional) Destination Group Delete In Use
<i>delete_destination_in_use_fail</i>	(Optional) Delete Destination In Use Fail
<i>sensor_path_sensor_group_list_create_fail</i>	(Optional) Sensor Path Sensor Group List Create Fail
<i>sensor_path_prop_list_create_fail</i>	(Optional) Sensor Path Prop List Create Fail
<i>sensor_path_secondary_sensor_path_list_create_fail</i>	(Optional) Sensor Path Secondary Sensor Path List Create Fail
<i>sensor_path_secondary_sensor_group_list_create_fail</i>	(Optional) Sensor Path Secondary Sensor Group List Create Fail
<i>sensor_group_sensor_path_list_create_fail</i>	(Optional) Sensor Group Sensor Path List Create Fail
<i>sensor_group_subscription_list_create_fail</i>	(Optional) Sensor Group Subscription List Create Fail
<i>destination_group_subscription_list_create_fail</i>	(Optional) Destination Group Subscription List Create Fail
<i>destination_group_destination_list_create_fail</i>	(Optional) Destination Group Destination List Create Fail
<i>destination_destination_group_list_create_fail</i>	(Optional) Destination Destination Group List Create Fail
<i>subscription_sensor_group_list_create_fail</i>	(Optional) Subscription Sensor Group List Create Fail
<i>subscription_destination_group_list_create_fail</i>	(Optional) Subscription Destination Group List Create Fail

<i>sensor_group_sensor_path_list_delete_fail</i>	(Optional) Sensor Group Sensor Path List Delete Fail
<i>sensor_group_subscription_list_delete_fail</i>	(Optional) Sensor Group Subscription List Delete Fail
<i>sensor_group_subscription_unsupported_data_source_fail</i>	(Optional) Sensor Group Subscription Unsupported Data Source Fail
<i>destination_group_subscription_list_delete_fail</i>	(Optional) Destination Group Subscription List Delete Fail
<i>destination_group_destination_list_delete_fail</i>	(Optional) Destination Group Destination List Delete Fail
<i>subscription_sensor_group_list_delete_fail</i>	(Optional) Subscription Sensor Group List Delete Fail
<i>subscription_destination_group_list_delete_fail</i>	(Optional) Subscription Destination Group List Delete Fail
<i>destination_destination_group_list_delete_fail</i>	(Optional) Destination Destination Group List Delete Fail
<i>destination_delete_from_destination_group_fail</i>	(Optional) Destination Delete From Destination Group Fail
<i>destination_group_delete_from_subscription_fail</i>	(Optional) Destination Group Delete From Subscription Fail
<i>sensor_group_delete_from_subscription_fail</i>	(Optional) Sensor Group Delete From Subscription Fail
<i>sensor_path_delete_from_sensor_group_fail</i>	(Optional) Sensor Path Delete From Sensor Group Fail
<i>get_encode_cb_fail</i>	(Optional) Get Encode Cb Fail
<i>get_transport_cb_fail</i>	(Optional) Get Transport Cb Fail

**Command Mode**

- /exec

# show telemetry data collector brief

```
show telemetry data collector { brief | details } [ __readonly__ [ { TABLE_data_collector_brief <dcb_row_idx>
<dcb_collector_type> <dcb_success_count> <dcb_fail_count> <dcb_skip_count> } ] [ {
TABLE_data_collector_details <dcd_row_idx> <dcd_success_count> <dcd_fail_count> <dcd_skip_count>
<dcd_path_name> <dcd_grp_id> } ] ]
```

## Syntax Description

show	Show running system information
telemetry	Show telemetry info
data	Show telemetry data info
collector	Show telemetry data collector info
brief	Show component level data collection stats
details	Show path level data collection stats
__readonly__	(Optional)
TABLE_data_collector_brief	(Optional) Data collector brief
<i>dcb_row_idx</i>	(Optional) Data collector brief index
<i>dcb_collector_type</i>	(Optional) Data collector type
<i>dcb_success_count</i>	(Optional) Data collector success count
<i>dcb_fail_count</i>	(Optional) Data collector fail count
<i>dcb_skip_count</i>	(Optional) Data collector skip count
TABLE_data_collector_details	(Optional) Data collector details
<i>dcd_row_idx</i>	(Optional) Data collector row index
<i>dcd_success_count</i>	(Optional) Data collector success count
<i>dcd_fail_count</i>	(Optional) Data collector fail count
<i>dcd_skip_count</i>	(Optional) Data collector skip count
<i>dcd_path_name</i>	(Optional) Data collector path name
<i>dcd_grp_id</i>	(Optional) Data collector group ID

## Command Mode

- /exec

## show telemetry event collector stats

```
show telemetry event collector { stats | errors } [ __readonly__ [ { TABLE_event_collector_stats <ec_row_idx>
<ec_collection_count> <ec_last_collection_ts> <ec_sensor_path> <ec_sensor_grp_id> } ] [ {
event_collector_errors <event_sub_init_fail> <event_data_enq_fail> <event_sub_fail>
<pending_sub_list_create_fail> <sub_hash_table_create_fail> <sub_hash_table_destroy_fail>
<sub_hash_table_insert_fail> <sub_hash_table_remove_fail> } ] ]
```

### Syntax Description

show	Show running system information
telemetry	Show telemetry info
event	Show telemetry event info
collector	Show telemetry event collector info
stats	Show all tm stat info
errors	Show all tm error info
<i>__readonly__</i>	(Optional)
<i>event_collector_errors</i>	(Optional) Event collection failure
<i>event_sub_init_fail</i>	(Optional) Event Sub Init Fail
<i>event_data_enq_fail</i>	(Optional) Event Data Enqueue Fail
<i>event_sub_fail</i>	(Optional) Event Subscription Fail
<i>pending_sub_list_create_fail</i>	(Optional) Pending Subscription List Create Fail
<i>sub_hash_table_create_fail</i>	(Optional) Subscription Hash Table Create Fail
<i>sub_hash_table_destroy_fail</i>	(Optional) Subscription Hash Table Destroy Fail
<i>sub_hash_table_insert_fail</i>	(Optional) Subscription Hash Table Insert Fail
<i>sub_hash_table_remove_fail</i>	(Optional) Subscription Hash Table Remove Fail
<i>TABLE_event_collector_stats</i>	(Optional) Event collector stats table
<i>ec_row_idx</i>	(Optional) Event collector row index
<i>ec_collection_count</i>	(Optional) Event collection count
<i>ec_last_collection_ts</i>	(Optional) Last event collection timestamp
<i>ec_sensor_path</i>	(Optional) Event collection sensor path
<i>ec_sensor_grp_id</i>	(Optional) Event collection group ID

### Command Mode

- /exec

# show telemetry pipeline stats

```
show telemetry pipeline stats [ __readonly__ { main_statistics { timers <start_fail> } { data_collector
<dnode_create_fail> } { event_collector <enode_create_fail> <node_add_fail> <invalid_data> } { memory
<allowed_limit> <occupied_mem> } } { queue_statistics { TABLE_queue <queue_name> <actual_size>
<current_size> <max_size> <full_count> <enqueue_error> <dequeue_error> } } ]
```

## Syntax Description

show	Show running system information
telemetry	Show telemetry info
pipeline	Show telemetry pipeline info
stats	Show all telemetry pipeline stats
<i>__readonly__</i>	(Optional)
<i>main_statistics</i>	(Optional) Main Statistics
<i>timers</i>	(Optional) Timers Statistics
<i>start_fail</i>	(Optional) Timers start failure
<i>data_collector</i>	(Optional) Data collector Statistics
<i>dnode_create_fail</i>	(Optional) Data Node creation failure
<i>event_collector</i>	(Optional) Event collector Statistics
<i>enode_create_fail</i>	(Optional) Event Node creation failure
<i>node_add_fail</i>	(Optional) Node add failure
<i>invalid_data</i>	(Optional) Invalid data
<i>memory</i>	(Optional) Memory Statistics
<i>allowed_limit</i>	(Optional) Allowed memory limit
<i>occupied_mem</i>	(Optional) Occupied memory
<i>queue_statistics</i>	(Optional) Queue Statistics
<i>TABLE_queue</i>	(Optional) Queue table
<i>queue_name</i>	(Optional) Queue name
<i>actual_size</i>	(Optional) Actual size
<i>current_size</i>	(Optional) Current size
<i>max_size</i>	(Optional) Maximum size



<i>full_count</i>	(Optional) Full count
<i>enqueue_error</i>	(Optional) Enqueue error
<i>dequeue_error</i>	(Optional) Dequeue error

**Command Mode**

- /exec

# show telemetry transport

```
show telemetry transport [ <session_id> [ { stats | errors } ] ] [ __readonly__ [ { TABLE_transport_info
<session_idx> [ <ip_address> ] [ <port> ] [ <dest_info> ] [ <encoding_type> ] <transport_type>
<transport_status> [ <transport_security_cert_fname> ] [ <transport_last_connected> ] [
<transport_last_disconnected> ] [ <transport_errors_count> ] [ <transport_last_tx_error> } ] ] [ <t_session_id>
] [ { transport_statistics [ { connect_statistics <connect_count> <last_connected> <disconnect_count>
<last_disconnected> } ] { trans_statistics <compression> <source_interface_name> <source_interface_ip>
<transmit_count> <last_tx_time> <min_tx_time> <max_tx_time> <avg_tx_time> <cur_tx_time> } } ] [ {
transport_errors { connect_errors <connect_errors_count> } { trans_errors <trans_errors_count> <last_tx_error>
[ <last_tx_return_code> } ] } ] [ { transport_retry_stats <ts_event_retry_bytes> <ts_event_retry_size>
<ts_timer_retry_bytes> <ts_timer_retry_size> <ts_retries_sent> <ts_retries_dropped> } ] [ <retry_buffer_size>
] [ <event_retry_bytes> ] [ <timer_retry_bytes> ] [ <retries_sent> ] [ <retries_dropped> ] ]
```

## Syntax Description

show	Show running system information
telemetry	Show telemetry info
transport	Show telemetry transport info
<i>session_id</i>	(Optional) Session id
stats	(Optional) Show all tm stat info
errors	(Optional) Show all tm error info
<i>__readonly__</i>	(Optional)
TABLE_transport_info	(Optional) Transport information
<i>session_idx</i>	(Optional) Session Id
<i>ip_address</i>	(Optional) Transport IP address
<i>port</i>	(Optional) Transport port
<i>dest_info</i>	(Optional) Destination information
<i>encoding_type</i>	(Optional) Encoding type
<i>transport_type</i>	(Optional) Transport type
<i>transport_status</i>	(Optional) Transport status
<i>transport_security_cert_fname</i>	(Optional) Transport security file name
<i>transport_last_connected</i>	(Optional) Transport last connected
<i>transport_last_disconnected</i>	(Optional) Transport last disconnected
<i>transport_errors_count</i>	(Optional) Transport errors count

<i>transport_last_tx_error</i>	(Optional) Transport last tx error
<i>transport_statistics</i>	(Optional) Transport statistics
<i>t_session_id</i>	(Optional) Transport Session id
<i>connect_statistics</i>	(Optional) Connection statistics
<i>connect_count</i>	(Optional) Connection count
<i>last_connected</i>	(Optional) Last connected timestamp
<i>disconnect_count</i>	(Optional) Disconnect count
<i>last_disconnected</i>	(Optional) Last disconnected timestamp
<i>trans_statistics</i>	(Optional) Transport statistics
<i>compression</i>	(Optional) Compression status
<i>source_interface_name</i>	(Optional) Source interface name
<i>source_interface_ip</i>	(Optional) Source interface ip
<i>transmit_count</i>	(Optional) Transmission count
<i>last_tx_time</i>	(Optional) Last Transmission time
<i>min_tx_time</i>	(Optional) Minimum transmission time
<i>max_tx_time</i>	(Optional) Maximum transmission time
<i>avg_tx_time</i>	(Optional) Average transmission time
<i>cur_tx_time</i>	(Optional) Current transmission time
<i>transport_errors</i>	(Optional) Transport errors
<i>connect_errors</i>	(Optional) Connection errors
<i>connect_errors_count</i>	(Optional) Connection error count
<i>trans_errors</i>	(Optional) Transport errors
<i>trans_errors_count</i>	(Optional) Transport error count
<i>last_tx_error</i>	(Optional) Last transport error
<i>last_tx_return_code</i>	(Optional) Last transport return code
<i>transport_retry_stats</i>	(Optional) Retry Statistics
<i>ts_event_retry_bytes</i>	(Optional) Event Retry buffer size
<i>ts_timer_retry_bytes</i>	(Optional) Timer Retry buffer size
<i>ts_event_retry_size</i>	(Optional) Event Retry number of messages

<i>ts_timer_retry_size</i>	(Optional) Timer Retry number of messages
<i>ts_retries_sent</i>	(Optional) Number of retries sent
<i>ts_retries_dropped</i>	(Optional) Number of retries dropped
<i>event_retry_bytes</i>	(Optional) Event Retry buffer size
<i>timer_retry_bytes</i>	(Optional) Timer Retry buffer size
<i>retries_sent</i>	(Optional) Number of retries sent
<i>retries_dropped</i>	(Optional) Number of retries dropped
<i>retry_buffer_size</i>	(Optional) Retry buffer size

**Command Mode**

- /exec

# show telemetry usability

```
show telemetry usability { all | environment | interface | vxlan | resources } [ __readonly__ [ {
TABLE_path_labels <label_row_idx> <label_name> <label_path_name> <label_query_type>
<label_query_condition> } ] ]
```

## Syntax Description

show	Show running system information
telemetry	Show telemetry info
usability	Usability path information
all	show all the usability path query information
environment	show environment query information
interface	show interface query information
vxlan	show vxlan query information
resources	show system resources query information
__readonly__	(Optional)
TABLE_path_labels	(Optional) Ease of use path table
<i>label_row_idx</i>	(Optional) row index
<i>label_name</i>	(Optional) label name
<i>label_path_name</i>	(Optional) actual path configured
<i>label_query_type</i>	(Optional) query type
<i>label_query_condition</i>	(Optional) actual query condition

## Command Mode

- /exec

# show telnet server

```
show telnet server [ __readonly__ { operation_status <o_status> } ]
```

## Syntax Description

show	Show running system information
telnet	Show telnet server configuration
server	Show telnet server configuration
__readonly__	(Optional)
operation_status	(Optional) run-time information about telnet
<i>o_status</i>	(Optional) operational status of telnet server

## Command Mode

- /exec

# show terminal

```
show terminal [ __readonly__ { <terminal_tty> } { <terminal_type> } { <terminal_length> } {
<terminal_width> } { <session_timeout> } { <evnt_mgr_cli_evnt_bypass> } { <redirection_mode> } {
<acc_log_all_commands> } [ <vlan_mutex_value> ] { <vlan_batch_mode> } ]
```

## Syntax Description

show	Show running system information
terminal	Display terminal configuration parameters
<i>__readonly__</i>	(Optional)
<i>terminal_tty</i>	(Optional)
<i>terminal_type</i>	(Optional)
<i>terminal_length</i>	(Optional)
<i>terminal_width</i>	(Optional)
<i>session_timeout</i>	(Optional)
<i>evnt_mgr_cli_evnt_bypass</i>	(Optional)
<i>redirection_mode</i>	(Optional)
<i>acc_log_all_commands</i>	(Optional)
<i>vlan_mutex_value</i>	(Optional)
<i>vlan_batch_mode</i>	(Optional)

## Command Mode

- /exec

# show terminal output xml version

show terminal output xml version [ \_\_readonly\_\_ { xml\_version <version> } ]

## Syntax Description

show	Show running system information
terminal	Display
output	Display
xml	Display
version	Display
__readonly__	(Optional)
xml_version	(Optional) xml version
<i>version</i>	(Optional) version

## Command Mode

- /exec



# show time-range

```
show time-range [ <name> ] [ __readonly__ TABLE_timerange <timerange_name> <active> [ TABLE_seqno
<seqno> { { absolute [ <start_abs_h> <start_abs_m> <start_abs_s> <start_abs_d> <start_abs_mon>
<start_abs_y> ] [ <end_abs_h> <end_abs_m> <end_abs_s> <end_abs_d> <end_abs_mon> <end_abs_y> ]
} | { periodic { Monday | Tuesday | Wednesday | Thursday | Friday | Saturday | Sunday | daily | weekdays |
weekend } + <start_per_h> <start_per_m> <start_per_s> [ <eday> ] <end_per_h> <end_per_m> <end_per_s>
} | { <remark> } } ] ] ]
```

## Syntax Description

show	Show running system information
time-range	Define time range entries
<i>name</i>	(Optional) Time range name
<i>__readonly__</i>	(Optional)
TABLE_timerange	(Optional)
<i>timerange_name</i>	(Optional)
<i>active</i>	(Optional) active
TABLE_seqno	(Optional)
<i>seqno</i>	(Optional) Sequence number
absolute	(Optional)
periodic	(Optional)
<i>remark</i>	(Optional)
<i>start_abs_h</i>	(Optional)
<i>start_abs_m</i>	(Optional)
<i>start_abs_s</i>	(Optional)
<i>start_abs_d</i>	(Optional)
<i>start_abs_mon</i>	(Optional)
<i>start_abs_y</i>	(Optional)
<i>end_abs_h</i>	(Optional)
<i>end_abs_m</i>	(Optional)
<i>end_abs_s</i>	(Optional)
<i>end_abs_d</i>	(Optional)

<i>end_abs_mon</i>	(Optional)
<i>end_abs_y</i>	(Optional)
Monday	(Optional) Monday
Tuesday	(Optional) Tuesday
Wednesday	(Optional) Wednesday
Thursday	(Optional) Thursday
Friday	(Optional) Friday
Saturday	(Optional) Saturday
Sunday	(Optional) Sunday
daily	(Optional) Every day of the week
weekdays	(Optional) Monday thru Friday
weekend	(Optional) Saturday and Sunday
<i>start_per_h</i>	(Optional)
<i>start_per_m</i>	(Optional)
<i>start_per_s</i>	(Optional)
<i>eday</i>	(Optional) Day of the week
<i>end_per_h</i>	(Optional)
<i>end_per_m</i>	(Optional)
<i>end_per_s</i>	(Optional)

**Command Mode**

- /exec

# show time-stamp running-config last-changed

show time-stamp running-config last-changed [ *\_\_readonly\_\_* <*run\_config\_change\_time*> ]

## Syntax Description

show	Show running system information
time-stamp	Time running-config last chnaged
running-config	Current operating configuration
last-changed	Running configuration last changed
<i>__readonly__</i>	(Optional) Read only
<i>run_config_change_time</i>	(Optional) Running-cfg last change timestamp

## Command Mode

- /exec

# show trace callhome

show trace callhome

## Syntax Description

show	Show XOS trace information
trace	Show logging configuration and contents of logfile
callhome	Show callhome logging configuration

## Command Mode

- /exec

# show track

```
show track { [ <object-id> | interface | ip { route | sla } | ipv6 routev6 | list boolean and | list boolean or | list
threshold weight | list threshold percentage ] } [ __readonly__ { <show_track_start> { TABLE_track_detail
<st_obj_id> <st_obj_type> [ <st_obj_instance> ] <st_obj_param> <st_obj_timer_value> [ <st_obj_state> ]
[ <st_obj_chg_cnt> ] [ <st_last_chg_time> ] [ <st_threshold_info> ] [ <st_track_list_obj> ] + [ <st_vrf> ] [
<st_ipsla_rcode> ] [ <st_ipsla_rt> ] [ <show_track_clnt_hdr> ] [ <show_track_clnt_start> ] [ {
TABLE_track_clnt_info <st_client_name> [ <st_client_iface> ] [ <st_client_group_id> ] [ <st_client_detail>
} ] } ] [ <show_track_clnt_end> ] [ <st_track_list_info> ] + <st_obj_up_delay> <st_obj_down_delay> }
<show_track_end> } ]
```

## Syntax Description

show	Negate a command or set its defaults
track	Tracking information
<i>object-id</i>	(Optional) Tracked object
interface	(Optional) Interface objects
ip	(Optional) IPv4 Protocol objects
route	(Optional) route (ipv4) objects
sla	(Optional) Service Level Agreement objects
ipv6	(Optional) IPv6 Protocol objects
routev6	(Optional) route (ipv6) objects
list	(Optional) Tracklist objects
boolean	(Optional) Boolean Traclist
and	(Optional) AND boolean objects
or	(Optional) OR boolean objects
threshold	(Optional) Threshold parameters
weight	(Optional) Threshold weight
percentage	(Optional) Threshold percentage
__readonly__	(Optional) Read only
<i>show_track_start</i>	(Optional) Show track start
TABLE_track_detail	(Optional) Track table detail
<i>st_obj_id</i>	(Optional) Object id
<i>st_obj_type</i>	(Optional) Object Type

<i>st_obj_instance</i>	(Optional) Object instance
<i>st_obj_param</i>	(Optional) Object parameter
<i>st_obj_timer_value</i>	(Optional) Current value of timer
<i>st_obj_state</i>	(Optional) Object status
<i>st_obj_chg_cnt</i>	(Optional) Count of Object state changes
<i>st_last_chg_time</i>	(Optional) Timestamp of last change
<i>st_threshold_info</i>	(Optional) Threshold Parameters
<i>st_track_list_obj</i>	(Optional) Objects part of this list
<i>st_vrf</i>	(Optional) VRF
<i>st_ipsla_rcode</i>	(Optional) IP SLA Return Code
<i>st_ipsla_rtt</i>	(Optional) IP SLA RTT
<i>show_track_clnt_hdr</i>	(Optional) Tracked by:
<i>show_track_clnt_start</i>	(Optional) Show track client start
TABLE_track_clnt_info	(Optional) Track client info
<i>st_client_name</i>	(Optional) Tracking client name
<i>st_client_iface</i>	(Optional) Tracking client interface
<i>st_client_group_id</i>	(Optional) Client group id
<i>st_client_detail</i>	(Optional) Tracking client detail
<i>show_track_clnt_end</i>	(Optional) End of track client
<i>st_track_list_info</i>	(Optional) Track list info
<i>st_obj_up_delay</i>	(Optional) Delay up notification
<i>st_obj_down_delay</i>	(Optional) Delay down notification
<i>show_track_end</i>	(Optional) End of Track

### Command Mode

- /exec

## show track brief

```
show track { [ <object-id> | interface | ip { route | sla } | ipv6 routev6 | list boolean and | list boolean or | list
threshold weight | list threshold percentage ] } brief [ __readonly__ { <show_track_brf_start>
<show_track_brf_all_begin> { TABLE_track_brief<st_brf_obj_id> <st_brf_obj_type> <st_brf_obj_instance>
<st_brf_obj_param> <st_brf_obj_state> <st_brf_last_chg_time> } <show_track_brf_end> } ]
```

### Syntax Description

show	Negate a command or set its defaults
track	Tracking information
<i>object-id</i>	(Optional) Tracked object
interface	(Optional) Interface objects
ip	(Optional) IPv4 Protocol objects
route	(Optional) route (ipv4) objects
sla	(Optional) Service Level Agreement objects
ipv6	(Optional) IPv6 Protocol objects
routev6	(Optional) route (ipv6) objects
list	(Optional) Tracklist objects
boolean	(Optional) Boolean Traclist
and	(Optional) AND boolean objects
or	(Optional) OR boolean objects
threshold	(Optional) Threshold parameters
weight	(Optional) Threshold weight
percentage	(Optional) Threshold percentage
brief	Brief output
<i>__readonly__</i>	(Optional) Read only
<i>show_track_brf_start</i>	(Optional) Show track brief start
<i>show_track_brf_all_begin</i>	(Optional) Start of all brief
TABLE_track_brief	(Optional) Track table brief
<i>st_brf_obj_id</i>	(Optional) Object id
<i>st_brf_obj_type</i>	(Optional) Object Type

<i>st_brf_obj_instance</i>	(Optional) Object instance
<i>st_brf_obj_param</i>	(Optional) Object parameter
<i>st_brf_obj_state</i>	(Optional) Object status
<i>st_brf_last_chg_time</i>	(Optional) Timestamp of last change
<i>show_track_brf_end</i>	(Optional) End of Group

**Command Mode**

- /exec



## show troubleshoot l3 vrf

```
show troubleshoot l3 { ipv4 { <dip4-prefix> | <ip-prefix> } [ src-ip <sip4-prefix> ] | ipv6 { <dip6-prefix> | <ip6-prefix> } [ src-ip <sip6-prefix> ] } vrf <vrf-name>
```

### Syntax Description

show	
troubleshoot	Display troubleshoot data dump
l3	Display l3 information
ipv4	Choose IPv4 address
ipv6	Choose IPv6 address
<i>dip4-prefix</i>	Display single exact match route for Destination IP
<i>ip-prefix</i>	Display single exact match route, specify prefix/mask
vrf	check routes for a specific VRF
<i>vrf-name</i>	vrf name
src-ip	(Optional) Source IP for routing hash CLI
<i>sip4-prefix</i>	(Optional) Source IPv4 address

### Command Mode

- /exec

# show trunk protocol

show trunk protocol [ \_\_readonly\_\_ <trunk\_protocol\_status> ]

## Syntax Description

show	Show running system information
trunk	Show trunk information
protocol	Show trunk protocol information
__readonly__	(Optional)
<i>trunk_protocol_status</i>	(Optional) trunk protocol status

## Command Mode

- /exec

# show ttag brief

```
show ttag brief [ __readonly__ [ TABLE_ttag <ttag-ifindex> <state> ] <ttag-end> ]
```

## Syntax Description

<code>ttag</code>	enable ingress packet with ttag on this interface
<code>brief</code>	ttag port in brief list
<code>__readonly__</code>	(Optional) Read Only
<code>TABLE_ttag</code>	(Optional) ttag table
<code>ttag-ifindex</code>	(Optional) ttag ifindex
<code>state</code>	(Optional) TTAG state
<code>ttag-end</code>	(Optional) End of table

## Command Mode

- /exec

