



## New and Changed Information

This chapter provides release-specific information for each new and changed feature in the *Cisco Nexus 3548 Switch NX-OS Interfaces Command Reference*. The latest version of this document is available at the following Cisco website:

[http://www.cisco.com/en/US/products/ps11541/tsd\\_products\\_support\\_series\\_home.html](http://www.cisco.com/en/US/products/ps11541/tsd_products_support_series_home.html)

To check for additional information about this Cisco NX-OS Release, see the *Cisco Nexus 3000 Series Switch Release Notes* available at the following Cisco website:

[http://www.cisco.com/en/US/products/ps11541/prod\\_release\\_notes\\_list.html](http://www.cisco.com/en/US/products/ps11541/prod_release_notes_list.html)

**Table 1** summarizes the new and changed features for Cisco NX-OS Release 6.x and tells you where they are documented.

**Table 1** *New and Changed Information for Release 6.x*

Feature	Description	Changed in Release	Where Documented
ttag Marker	Added support for ttag marker.	6.0(2)A8(1)	<a href="#">ttag</a> <a href="#">ttag-marker</a> <a href="#">ttag-marker-interval</a>
Twice NAT	This feature was introduced.	6.0(2)A4(1)	<a href="#">ip nat inside source list</a> <a href="#">ip nat inside source static</a> <a href="#">ip nat outside source list</a> <a href="#">ip nat outside source static</a>
TCP State Enhancements	<b>syn-timeout</b> and <b>finrst-timeout</b> timers were introduced.	6.0(2)A4(1)	<a href="#">ip nat translation</a>

Table 1 New and Changed Information for Release 6.x (continued)

Feature	Description	Changed in Release	Where Documented
Virtual Port Channel	This feature was introduced.	6.0(2)A3(1)	<a href="#">delay restore</a> <a href="#">dual-active exclude interface-vlan</a> <a href="#">feature vpc</a> <a href="#">peer-keepalive</a> <a href="#">role</a> <a href="#">show vpc brief</a> <a href="#">show vpc consistency-parameters</a> <a href="#">show vpc orphan-ports</a> <a href="#">show vpc peer-keepalive</a> <a href="#">show vpc role</a> <a href="#">show vpc statistics</a> <a href="#">vpc</a> <a href="#">vpc domain</a> <a href="#">vpc peer-link</a>
Dynamic NAT Pool	This feature was introduced.	6.0(2)A3(1)	<a href="#">address (NAT pool)</a> <a href="#">ip nat inside source list</a> <a href="#">ip nat outside source list</a> <a href="#">ip nat outside source static</a>
Switchport Trunks	Default behavior of switchport trunkallowed vlans command changed.	6.0(2)A1(1)	<a href="#">switchport trunk allowed vlan</a>
4x10G Interface Port	This feature was introduced.	6.0(2)A1(1)	<a href="#">speed (Ethernet)</a>
Dynamic NAT	This feature was introduced.	6.0(2)A1(1)	<a href="#">clear ip nat translation</a> <a href="#">ip nat</a> <a href="#">ip nat inside source list</a> <a href="#">ip nat translation</a>