



## **Preface** xvii

Audience xvii

Document Conventions xvii

Related Documentation for Nexus 3548 Switch NX-OS Software xviii

Documentation Feedback xix

Obtaining Documentation and Submitting a Service Request xix

---

## **CHAPTER 1**

## **Overview** 1-1

Information About Layer 3 Unicast Routing 1-1

Routing Fundamentals 1-1

Packet Switching 1-2

Routing Metrics 1-3

Path Length 1-4

Reliability 1-4

Routing Delay 1-4

Bandwidth 1-4

Load 1-4

Communication Cost 1-4

Router IDs 1-5

Autonomous Systems 1-5

Convergence 1-6

Load Balancing and Equal Cost Multipath 1-6

Route Redistribution 1-6

Administrative Distance 1-7

Stub Routing 1-7

Routing Algorithms 1-8

Static Routes and Dynamic Routing Protocols 1-8

Interior and Exterior Gateway Protocols 1-8

Distance Vector Protocols 1-8

Link-State Protocols 1-9

Cisco NX-OS Forwarding Architecture 1-9

Unicast RIB 1-10

Adjacency Manager 1-10

Adjacency Table 1-11

- Unicast Forwarding Distribution Module 1-11
  - FIB 1-11
  - Hardware Forwarding 1-12
  - Software Forwarding 1-12
- Summary of Layer 3 Unicast Routing Features 1-12
  - OSPF 1-12
  - EIGRP 1-13
  - BGP 1-13
  - RIP 1-13
  - Static Routing 1-13
  - Route Policy Manager 1-13
- First-Hop Redundancy Protocols 1-13
- Object Tracking 1-14

---

## IP

---

### CHAPTER 2

#### Configuring IPv4 2-3

- Information About IPv4 2-3
  - Multiple IPv4 Addresses 2-4
  - Address Resolution Protocol 2-4
  - ARP Caching 2-5
  - Static and Dynamic Entries in the ARP Cache 2-5
  - Devices That Do Not Use ARP 2-6
  - Reverse ARP 2-6
  - Proxy ARP 2-7
  - Local Proxy ARP 2-7
  - Gratuitous ARP 2-7
  - ICMP 2-7
  - Virtualization Support 2-8
- Licensing Requirements for IPv4 2-8
- Prerequisites for IPv4 2-8
- Guidelines and Limitations for IPv4 2-8
- Default Settings for IPv4 2-8
- Configuring IPv4 2-9
  - Configuring IPv4 Addressing 2-9
  - Configuring Multiple IP Addresses 2-10
  - Configuring a Static ARP Entry 2-11
  - Configuring Proxy ARP 2-12
  - Configuring Local Proxy ARP 2-13

Configuring Gratuitous ARP	2-14
Configuring IP Directed Broadcasts	2-15
Configuring the Hardware IP Glean Throttle Maximum	2-16
Configuring a Hardware IP Glean Throttle Timeout	2-17
Configuring the Hardware IP Glean Throttle Syslog	2-17
Verifying the IPv4 Configuration	2-18
Configuration Examples for IPv4	2-19
Additional References	2-19
Related Documents	2-19
Standards	2-19
Feature History for IP	2-19

---

## Routing

---

### CHAPTER 3

<b>Configuring OSPFv2</b>	<b>3-1</b>
Information About OSPFv2	3-1
Hello Packet	3-2
Neighbors	3-2
Adjacency	3-3
Designated Routers	3-3
Areas	3-4
Link-State Advertisements	3-5
LSA Types	3-5
Link Cost	3-6
Flooding and LSA Group Pacing	3-6
Link-State Database	3-7
Opaque LSAs	3-7
OSPFv2 and the Unicast RIB	3-7
Authentication	3-7
Simple Password Authentication	3-8
MD5 Authentication	3-8
Advanced Features	3-8
Stub Area	3-8
Not-So-Stubby Area	3-9
Virtual Links	3-9
Route Redistribution	3-10
Route Summarization	3-10
OSPFv2 Stub Router Advertisements	3-11
Multiple OSPFv2 Instances	3-11

- SPF Optimization 3-11
- Virtualization Support 3-11
- Licensing Requirements for OSPFv2 3-11
- Prerequisites for OSPFv2 3-12
- Guidelines and Limitations for OSPFv2 3-12
- Default Settings for OSPFv2 3-12
- Configuring Basic OSPFv2 3-13
  - Enabling the OSPFv2 Feature 3-13
  - Creating an OSPFv2 Instance 3-14
  - Configuring Optional Parameters on an OSPFv2 Instance 3-15
  - Configuring Networks in OSPFv2 3-16
  - Configuring Authentication for an Area 3-18
  - Configuring Authentication for an Interface 3-20
- Configuring Advanced OSPFv2 3-22
  - Configuring Filter Lists for Border Routers 3-23
  - Configuring Stub Areas 3-24
  - Configuring a Totally Stubby Area 3-25
  - Configuring NSSA 3-26
  - Configuring Virtual Links 3-28
  - Configuring Redistribution 3-30
  - Limiting the Number of Redistributed Routes 3-32
  - Configuring Route Summarization 3-34
  - Configuring Stub Route Advertisements 3-35
  - Modifying the Default Timers 3-36
  - Restarting an OSPFv2 Instance 3-39
  - Configuring OSPFv2 with Virtualization 3-39
- Verifying the OSPFv2 Configuration 3-41
- Displaying OSPFv2 Statistics 3-42
- Configuration Examples for OSPFv2 3-42
- Additional References 3-43
  - Related Documents 3-43
  - MIBs 3-43
- Feature History for OSPFv2 3-43

**CHAPTER 4**

**Configuring EIGRP 4-1**

- Information About EIGRP 4-1
- EIGRP Components 4-2
  - Reliable Transport Protocol 4-2

Neighbor Discovery and Recovery	4-2
Diffusing Update Algorithm	4-2
EIGRP Route Updates	4-3
Internal Route Metrics	4-3
External Route Metrics	4-4
EIGRP and the Unicast RIB	4-4
Advanced EIGRP	4-4
Address Families	4-4
Authentication	4-5
Stub Routers	4-5
Route Summarization	4-6
Route Redistribution	4-6
Load Balancing	4-6
Split Horizon	4-6
Virtualization Support	4-7
Licensing Requirements for EIGRP	4-7
Prerequisites for EIGRP	4-7
Guidelines and Limitations for EIGRP	4-7
Default Settings for EIGRP	4-8
Configuring Basic EIGRP	4-9
Enabling the EIGRP Feature	4-9
Creating an EIGRP Instance	4-10
Restarting an EIGRP Instance	4-12
Shutting Down an EIGRP Instance	4-13
Configuring a Passive Interface for EIGRP	4-13
Shutting Down EIGRP on an Interface	4-13
Configuring Advanced EIGRP	4-13
Configuring Authentication in EIGRP	4-14
Configuring EIGRP Stub Routing	4-16
Configuring a Summary Address for EIGRP	4-17
Redistributing Routes into EIGRP	4-17
Limiting the Number of Redistributed Routes	4-19
Configuring Load Balancing in EIGRP	4-21
Adjusting the Interval Between Hello Packets and the Hold Time	4-22
Disabling Split Horizon	4-23
Tuning EIGRP	4-23
Configuring Virtualization for EIGRP	4-25
Verifying the EIGRP Configuration	4-27
Displaying EIGRP Statistics	4-27

- Configuration Examples for EIGRP 4-28
- Related Topics 4-28
- Additional References 4-28
  - Related Documents 4-29
  - MIBs 4-29
- Feature History for EIGRP 4-29

**CHAPTER 5**

**Configuring Basic BGP 5-1**

- Information About Basic BGP 5-1
  - BGP Autonomous Systems 5-2
    - 4-Byte AS Number Support 5-2
  - Administrative Distance 5-2
  - BGP Peers 5-3
    - BGP Sessions 5-3
    - Dynamic AS Numbers for Prefix Peers 5-3
  - BGP Router Identifier 5-4
  - BGP Path Selection 5-4
    - Step 1—Comparing Pairs of Paths 5-4
    - Step 2—Determining the Order of Comparisons 5-6
    - Step 3—Determining the Best-Path Change Suppression 5-6
  - BGP and the Unicast RIB 5-7
- Licensing Requirements for Basic BGP 5-7
- Prerequisites for BGP 5-7
- Guidelines and Limitations for BGP 5-8
- CLI Configuration Modes 5-8
  - Global Configuration Mode 5-8
  - Address Family Configuration Mode 5-9
  - Neighbor Configuration Mode 5-9
  - Neighbor Address Family Configuration Mode 5-9
- Default Settings for BGP 5-10
- Configuring Basic BGP 5-10
  - Enabling the BGP Feature 5-10
  - Creating a BGP Instance 5-11
  - Restarting a BGP Instance 5-13
  - Shutting Down BGP 5-13
  - Configuring BGP Peers 5-14
  - Configuring Dynamic AS Numbers for Prefix Peers 5-15
  - Clearing BGP Information 5-17

Verifying the Basic BGP Configuration	5-20
Displaying BGP Statistics	5-22
Configuration Examples for Basic BGP	5-22
Related Topics	5-22
Where to Go Next	5-22
Additional References	5-22
Related Documents	5-23
MIBs	5-23
Feature History for BGP	5-23

**CHAPTER 6****Configuring Advanced BGP 6-1**

Information About Advanced BGP	6-1
Peer Templates	6-2
Authentication	6-2
Route Policies and Resetting BGP Sessions	6-3
eBGP	6-3
iBGP	6-3
AS Confederations	6-4
Route Reflector	6-5
Capabilities Negotiation	6-5
Route Dampening	6-6
Load Sharing and Multipath	6-6
Route Aggregation	6-7
BGP Conditional Advertisement	6-7
BGP Next-Hop Address Tracking	6-7
Route Redistribution	6-8
Tuning BGP	6-8
BGP Timers	6-8
Tuning the Best-Path Algorithm	6-8
Multiprotocol BGP	6-9
Licensing Requirements for Advanced BGP	6-9
Prerequisites for BGP	6-9
Guidelines and Limitations for BGP	6-9
Default Settings for BGP	6-10
Configuring Advanced BGP	6-10
Configuring BGP Session Templates	6-11
Configuring BGP Peer-Policy Templates	6-13
Configuring BGP Peer Templates	6-16

- Configuring Prefix Peering 6-18
- Configuring BGP Authentication 6-19
- Resetting a BGP Session 6-19
- Modifying the Next-Hop Address 6-20
- Configuring BGP Next-Hop Address Tracking 6-20
- Configuring Next-Hop Filtering 6-21
- Disabling Capabilities Negotiation 6-21
- Configuring eBGP 6-22
  - Disabling eBGP Single-Hop Checking 6-22
  - Configuring eBGP Multihop 6-22
  - Disabling a Fast External Failover 6-22
  - Limiting the AS-path Attribute 6-23
  - Configuring Local AS Support 6-23
- Configuring AS Confederations 6-24
- Configuring an Autonomous System Path Containing Your Own Autonomous System 6-25
  - Configuring Route Reflector 6-26
  - Configuring Route Dampening 6-28
  - Configuring Load Sharing and ECMP 6-28
  - Configuring Maximum Prefixes 6-29
  - Configuring Dynamic Capability 6-29
  - Configuring Aggregate Addresses 6-30
  - Configuring BGP Conditional Advertisement 6-30
  - Configuring Route Redistribution 6-32
  - Configuring Multiprotocol BGP 6-34
  - Tuning BGP 6-35
  - Configuring Virtualization 6-38
- Verifying the Advanced BGP Configuration 6-39
- Displaying BGP Statistics 6-41
- Related Topics 6-41
- Additional References 6-41
  - Related Documents 6-42
  - MIBs 6-42
- Feature History for BGP 6-42

**CHAPTER 7**

**Configuring RIP 7-1**

- Information About RIP 7-1
  - RIP Overview 7-2
  - RIPv2 Authentication 7-2
  - Split Horizon 7-2



Route Filtering	7-3
Route Summarization	7-3
Route Redistribution	7-3
Load Balancing	7-3
Virtualization Support	7-4
Licensing Requirements for RIP	7-4
Prerequisites for RIP	7-4
Guidelines and Limitations for RIP	7-4
Default Settings for RIP	7-4
Configuring RIP	7-5
Enabling the RIP Feature	7-5
Creating a RIP Instance	7-6
Restarting a RIP Instance	7-8
Configuring RIP on an Interface	7-8
Configuring RIP Authentication	7-9
Configuring a Passive Interface	7-11
Configuring Split Horizon with Poison Reverse	7-11
Configuring Route Summarization	7-11
Configuring Route Redistribution	7-12
Configuring Virtualization	7-13
Tuning RIP	7-16
Verifying the RIP Configuration	7-17
Displaying RIP Statistics	7-17
Configuration Examples for RIP	7-18
Related Topics	7-18
Additional References	7-18
Related Documents	7-19
Standards	7-19
Feature History for RIP	7-19

**CHAPTER 8****Configuring Static Routing 8-1**

Information About Static Routing	8-1
Administrative Distance	8-2
Directly Connected Static Routes	8-2
Fully Specified Static Routes	8-2
Floating Static Routes	8-2
Remote Next Hops for Static Routes	8-3
Virtualization Support	8-3

- Licensing Requirements for Static Routing 8-3
- Prerequisites for Static Routing 8-3
- Guidelines and Limitations for Static Routing 8-3
- Default Settings for Static Routing 8-3
- Configuring Static Routing 8-4
  - Configuring a Static Route 8-4
  - Configuring Virtualization 8-5
- Verifying the Static Routing Configuration 8-6
- Configuration Examples for Static Routing 8-6
- Additional References 8-6
  - Related Documents 8-7
- Feature History for Static Routing 8-7

**CHAPTER 9**

**Configuring Layer 3 Virtualization 9-1**

- Information About Layer 3 Virtualization 9-1
  - Overview of Layer 3 Virtualization 9-1
  - VRF and Routing 9-2
  - VRF-Lite 9-2
  - VRF-Aware Services 9-3
    - Reachability 9-3
    - Filtering 9-4
    - Combining Reachability and Filtering 9-4
- Licensing Requirements for VRFs 9-5
- Guidelines and Limitations for VRFs 9-5
- Default Settings for VRFs 9-6
- Configuring VRFs 9-6
  - Creating a VRF 9-6
  - Assigning VRF Membership to an Interface 9-8
  - Configuring VRF Parameters for a Routing Protocol 9-9
  - Configuring a VRF-Aware Service 9-11
  - Setting the VRF Scope 9-12
- Verifying the VRF Configuration 9-13
- Configuration Examples for VRF 9-13
- Related Topics 9-14
- Additional References 9-14
  - Related Documents 9-14
  - Standards 9-14

Feature History for VRF 9-14

---

**CHAPTER 10**
**Managing the Unicast RIB and FIB 10-1**

- Information About the Unicast RIB and FIB 10-1
  - Layer 3 Consistency Checker 10-2
  - FIB Tables 10-2
  - Virtualization Support 10-3
- Licensing Requirements for the Unicast RIB and FIB 10-3
- Managing the Unicast RIB and FIB 10-3
  - Displaying Module FIB Information 10-3
  - Configuring Load Sharing in the Unicast FIB 10-4
  - Displaying Routing and Adjacency Information 10-5
  - Triggering the Layer 3 Consistency Checker 10-6
  - Clearing Forwarding Information in the FIB 10-7
  - Estimating Memory Requirements for Routes 10-8
  - Clearing Routes in the Unicast RIB 10-8
- Verifying the Unicast RIB and FIB Configuration 10-9
- Additional References 10-10
  - Related Documents 10-10
- Feature History for Unicast RIB and FIB 10-10

---

**CHAPTER 11**
**Configuring Route Policy Manager 11-1**

- Information About Route Policy Manager 11-1
  - Prefix Lists 11-2
  - MAC Lists 11-2
  - Route Maps 11-2
    - Match Criteria 11-3
    - Set Changes 11-3
    - Access Lists 11-3
    - AS Numbers for BGP 11-3
    - AS-path Lists for BGP 11-4
    - Community Lists for BGP 11-4
    - Extended Community Lists for BGP 11-4
  - Route Redistribution and Route Maps 11-4
- Licensing Requirements for Route Policy Manager 11-5
- Guidelines and Limitations for Route Policy Manager 11-5
- Default Settings for Route Policy Manager 11-5
- Configuring Route Policy Manager 11-6

- Configuring IP Prefix Lists 11-6
- Configuring MAC Lists 11-7
- Configuring AS-path Lists 11-8
- Configuring Community Lists 11-9
- Configuring Extended Community Lists 11-11
- Configuring Route Maps 11-12
- Verifying the Route Policy Manager Configuration 11-17
- Configuration Examples for Route Policy Manager 11-17
- Related Topics 11-18
- Additional References 11-18
  - Related Documents 11-18
  - Standards 11-18
- Feature History for Route Policy Manager 11-18

---

## First-Hop Redundancy Protocols

---

### CHAPTER 12

- Configuring HSRP 12-1**
  - Information About HSRP 12-1
    - HSRP Overview 12-2
    - HSRP for IPv4 12-3
    - HSRP Versions 12-4
    - HSRP Authentication 12-4
    - HSRP Messages 12-4
    - HSRP Load Sharing 12-4
    - Object Tracking and HSRP 12-5
  - Licensing Requirements for HSRP 12-5
  - Prerequisites for HSRP 12-6
  - Guidelines and Limitations for HSRP 12-6
  - Default Settings for HSRP 12-6
  - Configuring HSRP 12-7
    - Enabling the HSRP Feature 12-7
    - Configuring the HSRP Version 12-8
    - Configuring an HSRP Group for IPv4 12-8
    - Configuring the HSRP Virtual MAC Address 12-10
    - Authenticating HSRP 12-10
    - Configuring HSRP Object Tracking 12-12
    - Configuring the HSRP Priority 12-14
    - Customizing HSRP 12-14

Verifying the HSRP Configuration	12-16
Configuration Examples for HSRP	12-16
Additional References	12-16
Related Documents	12-17
MIBs	12-17
Feature History for HSRP	12-17

**CHAPTER 13****Configuring VRRP 13-1**

Information About VRRP	13-1
VRRP Operation	13-2
VRRP Benefits	13-3
Multiple VRRP Groups	13-3
VRRP Router Priority and Preemption	13-4
VRRP Advertisements	13-5
VRRP Authentication	13-5
VRRP Tracking	13-5
Virtualization Support	13-5
Licensing Requirements for VRRP	13-6
Guidelines and Limitations for VRRP	13-6
Default Settings for VRRP	13-6
Configuring VRRP	13-6
Enabling the VRRP Feature	13-7
Configuring VRRP Groups	13-7
Configuring VRRP Priority	13-9
Configuring VRRP Authentication	13-10
Configuring Time Intervals for Advertisement Packets	13-12
Disabling Preemption	13-13
Configuring VRRP Interface State Tracking	13-15
Verifying the VRRP Configuration	13-17
Displaying VRRP Statistics	13-17
Configuration Examples for VRRP	13-17
Additional References	13-18
Related Documents	13-19
Feature History for VRRP	13-19

**CHAPTER 14****Configuring Object Tracking 14-1**

Information About Object Tracking	14-1
Object Tracking Overview	14-1

- Object Track List 14-2
- Virtualization Support 14-2
- Licensing Requirements for Object Tracking 14-3
- Guidelines and Limitations for Object Tracking 14-3
- Default Settings for Object Tracking 14-3
- Configuring Object Tracking 14-3
  - Configuring Object Tracking for an Interface 14-4
  - Configuring Object Tracking for Route Reachability 14-5
  - Configuring an Object Track List with a Boolean Expression 14-6
  - Configuring an Object Track List with a Percentage Threshold 14-7
  - Configuring an Object Track List with a Weight Threshold 14-8
  - Configuring an Object Tracking Delay 14-10
  - Configuring Object Tracking for a Nondefault VRF 14-12
- Verifying the Object Tracking Configuration 14-13
- Configuration Examples for Object Tracking 14-13
- Related Topics 14-13
- Additional References 14-13
  - Related Documents 14-14
  - Standards 14-14
- Feature History for Object Tracking 14-14

---

**APPENDIX A**

- IETF RFCs A-1**
  - BGP RFCs A-1
  - First-Hop Redundancy Protocols RFCs A-1
  - IP Services RFCs A-2
  - OSPF RFCs A-2
  - RIP RFCs A-2

---

**GLOSSARY**

---

**INDEX**