



K Show Commands

- [show key chain \(rpm\), page 2](#)
- [show key chain \(rpm\), page 4](#)
- [show keystore, page 6](#)

show key chain (rpm)

show key chain [*keychain*] **mode decrypt** [**__readonly__** **TABLE_keychain** *chain_name* **TABLE_key** *key_id* *key_string* *accept_utc_zone* *accept_start* *accept_end* *accept_valid* *send_utc_zone* *send_start* *send_end* *send_valid*]

Syntax Description

show	Show running system information
key	Display Key Information
chain	Display Keychain Information
<i>keychain</i>	Type: string pattern: [!~]* antipattern: mode decrypt length: 63 Keychain name
mode	Mode of display
decrypt	Display Decrypted Keystings
__readonly__	
TABLE_keychain	
TABLE_key	
<i>chain_name</i>	Type: string
<i>key_id</i>	Type: uinteger
<i>key_string</i>	Type: string
<i>accept_utc_zone</i>	Type: bool
<i>accept_start</i>	Type: string
<i>accept_end</i>	Type: string
<i>accept_valid</i>	Type: bool
<i>send_utc_zone</i>	Type: bool
<i>send_start</i>	Type: string
<i>send_end</i>	Type: string

send_valid

Type: bool

Command Modes

- /exec

show key chain (rpm)

show key chain [*keychain*] [**__readonly__** **TABLE_keychain** *chain_name* **TABLE_key** *key_id* *key_string* *accept_utc_zone* *accept_start* *accept_end* *accept_valid* *send_utc_zone* *send_start* *send_end* *send_valid*]

Syntax Description

show	Show running system information
key	Display Key Information
chain	Display Keychain Information
<i>keychain</i>	Type: string pattern: [!~]* antipattern: mode decrypt length: 63 Keychain name
__readonly__	
TABLE_keychain	
TABLE_key	
<i>chain_name</i>	Type: string
<i>key_id</i>	Type: uinteger
<i>key_string</i>	Type: string
<i>accept_utc_zone</i>	Type: bool
<i>accept_start</i>	Type: string
<i>accept_end</i>	Type: string
<i>accept_valid</i>	Type: bool
<i>send_utc_zone</i>	Type: bool
<i>send_start</i>	Type: string
<i>send_end</i>	Type: string
<i>send_valid</i>	Type: bool

Command Modes

- /exec

show keystore

show keystore [*__readonly__* *TABLE_sksd_state_entries* *index* *handle* *keystore_type* *keystore_ver* *fw_panic* *fw_resets* *rx_fifo_underruns* *rx_timeouts* *rx_bad_checksums* *rx_bad_fragment_lengths* *keystore_corruption*]

Syntax Description

show	Show running system information
keystore	keystore stats
__readonly__	
TABLE_sksd_state_entries	Displays handles of the keys stored
<i>index</i>	Type: uinteger Index value
<i>handle</i>	Type: string Handle Name
<i>keystore_type</i>	Type: uinteger Type of storage h/w or s/w
<i>keystore_ver</i>	Type: uinteger Version
<i>fw_panic</i>	Type: uinteger Number of panics
<i>fw_resets</i>	Type: uinteger Number of Resets
<i>rx_fifo_underruns</i>	Type: uinteger Rx FIFO Underruns
<i>rx_timeouts</i>	Type: uinteger Number of Rx timeouts
<i>rx_bad_checksums</i>	Type: uinteger Number of Bad Checsums
<i>rx_bad_fragment_lengths</i>	Type: uinteger Bad fragment lenghts received

<i>keystore_corruption</i>	Type: uinteger
	Number of corruptions detected

Command Modes

- /exec

show keystore