



T Commands

- [show table-map](#), on page 7
- [show tacacs-server](#), on page 8
- [show tacacs-server](#), on page 9
- [show tacacs-server directed-request](#), on page 10
- [show tacacs-server groups](#), on page 11
- [show tacacs-server sorted](#), on page 12
- [show tacacs-server statistics](#), on page 13
- [show tech-support](#), on page 15
- [show tech-support aaa](#), on page 16
- [show tech-support aclmgr](#), on page 17
- [show tech-support aclmgr compressed](#), on page 18
- [show tech-support aclqos](#), on page 19
- [show tech-support aclqos](#), on page 20
- [show tech-support aclqos compressed](#), on page 21
- [show tech-support adjmgr](#), on page 22
- [show tech-support all-binary](#), on page 23
- [show tech-support all](#), on page 24
- [show tech-support all binary](#), on page 25
- [show tech-support analytics](#), on page 26
- [show tech-support arp](#), on page 27
- [show tech-support ascii-cfg](#), on page 28
- [show tech-support assoc_mgr](#), on page 29
- [show tech-support bfd](#), on page 30
- [show tech-support bgp](#), on page 31
- [show tech-support biosd](#), on page 32
- [show tech-support bloggerd-all](#), on page 33
- [show tech-support bloggerd](#), on page 34
- [show tech-support bootvar](#), on page 35
- [show tech-support brief](#), on page 36
- [show tech-support callhome](#), on page 37
- [show tech-support cdp](#), on page 38
- [show tech-support cert-enroll](#), on page 39
- [show tech-support cfs](#), on page 40

- [show tech-support cli](#), on page 41
- [show tech-support clis](#), on page 42
- [show tech-support clock_manager](#), on page 43
- [show tech-support commands](#), on page 44
- [show tech-support controller](#), on page 45
- [show tech-support copp](#), on page 46
- [show tech-support dcbx](#), on page 47
- [show tech-support details](#), on page 48
- [show tech-support dhclient](#), on page 49
- [show tech-support dhcp](#), on page 50
- [show tech-support dme](#), on page 51
- [show tech-support dot1x](#), on page 52
- [show tech-support eem](#), on page 53
- [show tech-support eigrp](#), on page 54
- [show tech-support eltm](#), on page 55
- [show tech-support ethpm](#), on page 56
- [show tech-support evb](#), on page 57
- [show tech-support fabric forwarding](#), on page 58
- [show tech-support fabricpath isis](#), on page 59
- [show tech-support fabricpath topology](#), on page 60
- [show tech-support fast-reload](#), on page 61
- [show tech-support fc2](#), on page 62
- [show tech-support fcoe](#), on page 63
- [show tech-support fex](#), on page 64
- [show tech-support fips](#), on page 65
- [show tech-support forwarding l2 multicast](#), on page 66
- [show tech-support forwarding l2 multicast vdc-all](#), on page 67
- [show tech-support forwarding l2 unicast](#), on page 68
- [show tech-support forwarding l3 multicast](#), on page 69
- [show tech-support forwarding l3 multicast detail](#), on page 70
- [show tech-support forwarding l3 multicast detail vdc-all](#), on page 71
- [show tech-support forwarding l3 multicast vdc-all](#), on page 72
- [show tech-support forwarding l3 unicast](#), on page 73
- [show tech-support forwarding l3 unicast detail](#), on page 74
- [show tech-support forwarding l3 unicast detail vdc-all](#), on page 75
- [show tech-support forwarding l3 unicast vdc-all](#), on page 76
- [show tech-support forwarding mpls](#), on page 77
- [show tech-support forwarding multicast](#), on page 78
- [show tech-support forwarding otv multicast vdc-all](#), on page 79
- [show tech-support gold](#), on page 80
- [show tech-support gpixm](#), on page 81
- [show tech-support ha](#), on page 82
- [show tech-support ha standby](#), on page 83
- [show tech-support hsrp](#), on page 84
- [show tech-support hsrp brief](#), on page 85
- [show tech-support icmpv6](#), on page 86

- [show tech-support im](#), on page 87
- [show tech-support imp](#), on page 88
- [show tech-support inband counters](#), on page 89
- [show tech-support include-time](#), on page 90
- [show tech-support install](#), on page 91
- [show tech-support interface-vlan](#), on page 92
- [show tech-support ip](#), on page 93
- [show tech-support ip igmp](#), on page 94
- [show tech-support ip igmp snooping](#), on page 95
- [show tech-support ip msdp](#), on page 96
- [show tech-support ip pim](#), on page 97
- [show tech-support ip rsvp](#), on page 98
- [show tech-support ipqos](#), on page 99
- [show tech-support ipv6](#), on page 100
- [show tech-support ipv6 multicast](#), on page 101
- [show tech-support ipv6 pim](#), on page 102
- [show tech-support isis](#), on page 103
- [show tech-support issu](#), on page 104
- [show tech-support kstack](#), on page 105
- [show tech-support l2](#), on page 106
- [show tech-support l2fm](#), on page 107
- [show tech-support l2fm clients](#), on page 108
- [show tech-support l2fm detail](#), on page 109
- [show tech-support l2fm l2dbg](#), on page 110
- [show tech-support l2fm l2dbg](#), on page 111
- [show tech-support l2rib](#), on page 112
- [show tech-support l3vm](#), on page 113
- [show tech-support l3vpn](#), on page 114
- [show tech-support lacp](#), on page 115
- [show tech-support ldap](#), on page 116
- [show tech-support license](#), on page 117
- [show tech-support lim](#), on page 118
- [show tech-support lisp](#), on page 119
- [show tech-support lldp](#), on page 120
- [show tech-support logging](#), on page 121
- [show tech-support m2rib](#), on page 122
- [show tech-support macsec](#), on page 123
- [show tech-support mfwd](#), on page 124
- [show tech-support mmode](#), on page 125
- [show tech-support module](#), on page 126
- [show tech-support module all](#), on page 127
- [show tech-support monitor](#), on page 128
- [show tech-support monitor erspan](#), on page 129
- [show tech-support monitorc-all](#), on page 130
- [show tech-support mpls ldp](#), on page 131
- [show tech-support mpls manager](#), on page 132

- [show tech-support mpls static](#), on page 133
- [show tech-support mpls strip](#), on page 134
- [show tech-support mpls switching](#), on page 135
- [show tech-support mpls traffic-eng](#), on page 136
- [show tech-support mpls fwd](#), on page 137
- [show tech-support multicast](#), on page 138
- [show tech-support mvpn](#), on page 139
- [show tech-support nat](#), on page 140
- [show tech-support nbm](#), on page 141
- [show tech-support netflow](#), on page 142
- [show tech-support netstack](#), on page 143
- [show tech-support netstack detail](#), on page 144
- [show tech-support ngoam](#), on page 145
- [show tech-support npacl](#), on page 146
- [show tech-support npv](#), on page 147
- [show tech-support ns](#), on page 148
- [show tech-support ntp](#), on page 149
- [show tech-support nve](#), on page 150
- [show tech-support object-store user](#), on page 151
- [show tech-support onep](#), on page 152
- [show tech-support openflow](#), on page 153
- [show tech-support ospf](#), on page 154
- [show tech-support ospfv3](#), on page 155
- [show tech-support otv](#), on page 156
- [show tech-support otv isis](#), on page 157
- [show tech-support page](#), on page 158
- [show tech-support patch](#), on page 159
- [show tech-support pbr](#), on page 160
- [show tech-support pfstat](#), on page 161
- [show tech-support pixm-all](#), on page 162
- [show tech-support pixm](#), on page 163
- [show tech-support pixmc-all](#), on page 164
- [show tech-support pktmgr](#), on page 165
- [show tech-support platform-sdk](#), on page 166
- [show tech-support platform](#), on page 167
- [show tech-support plcmgr](#), on page 168
- [show tech-support pltfm-config](#), on page 169
- [show tech-support port-channel](#), on page 170
- [show tech-support port-client-all](#), on page 171
- [show tech-support port-profile](#), on page 172
- [show tech-support port](#), on page 173
- [show tech-support private-vlan](#), on page 174
- [show tech-support ptp](#), on page 175
- [show tech-support radius](#), on page 176
- [show tech-support rip](#), on page 177
- [show tech-support routing](#), on page 178

- [show tech-support routing ipv6](#), on page 179
- [show tech-support routing ipv6 multicast](#), on page 180
- [show tech-support routing multicast](#), on page 181
- [show tech-support rpm](#), on page 182
- [show tech-support sal](#), on page 183
- [show tech-support satmgr](#), on page 184
- [show tech-support security](#), on page 185
- [show tech-support services](#), on page 186
- [show tech-support session-mgr](#), on page 187
- [show tech-support sflow](#), on page 188
- [show tech-support sksd](#), on page 189
- [show tech-support sla responder](#), on page 190
- [show tech-support sla sender](#), on page 191
- [show tech-support smm](#), on page 192
- [show tech-support snmp](#), on page 193
- [show tech-support sockets](#), on page 194
- [show tech-support spm](#), on page 195
- [show tech-support statsclient](#), on page 196
- [show tech-support stp](#), on page 197
- [show tech-support sup-filesys](#), on page 198
- [show tech-support sysmgr](#), on page 199
- [show tech-support tacacs](#), on page 200
- [show tech-support track](#), on page 201
- [show tech-support tunnel](#), on page 202
- [show tech-support udlld](#), on page 203
- [show tech-support usd-all](#), on page 204
- [show tech-support vdc](#), on page 205
- [show tech-support virtual-service](#), on page 206
- [show tech-support vlan](#), on page 207
- [show tech-support vmtracker](#), on page 208
- [show tech-support vntag](#), on page 209
- [show tech-support vpc](#), on page 210
- [show tech-support vrrp](#), on page 211
- [show tech-support vrrp brief](#), on page 212
- [show tech-support vrrpv3](#), on page 213
- [show tech-support vsan](#), on page 214
- [show tech-support vtp](#), on page 215
- [show tech-support vxlan-evpn](#), on page 216
- [show tech-support vxlan](#), on page 217
- [show tech-support vxlan platform](#), on page 218
- [show tech-support xbar](#), on page 219
- [show tech-support xml](#), on page 220
- [show telnet server](#), on page 221
- [show terminal](#), on page 222
- [show terminal output xml version](#), on page 223
- [show time-range](#), on page 224

- [show track](#), on page 226
- [show track brief](#), on page 228
- [show trunk protocol](#), on page 230
- [show tunnel iftable](#), on page 231
- [show tunnel inetconfigtable](#), on page 232

show table-map

```
show table-map [ <imap-name> | <default-imap-enum-name> ] [ __readonly__ { [ TABLE_omap <imap-name>
[ <desc> ] [ <def-value> ] [ <def-copy> ] [ <def-ignore> ] [ TABLE_list <frm-list> <to-val> ] ] } ]
```

Syntax Description

show	Show running system information
table-map	Table maps
TABLE_omap	(Optional) all omap xml sessions
<i>imap-name</i>	(Optional) Show a particular table map
<i>default-omap-enum-name</i>	(Optional)
<i>__readonly__</i>	(Optional)
<i>desc</i>	(Optional) Description string
<i>def-value</i>	(Optional) Unspecified entries will default to this value
<i>def-copy</i>	(Optional) Map unspecified values to equivalent output value
<i>def-ignore</i>	(Optional) Ignore unspecified values
TABLE_list	(Optional) table map lists
<i>frm-list</i>	(Optional) Original list of values which are to be mapped
<i>to-val</i>	(Optional) To value

Command Mode

- /exec

show tacacs-server

```
show tacacs-server [ __readonly__ [ <global_secretKey> ] { <global_timeout> <global_deadtime> } [
<global_source_intf> ] [ <global_idle_time> ] { [ <global_testUsername> ] [ <global_testPassword> ] } {
<server_count> } [ TABLE_server <server_ip> <port> [ <secretKey> ] [ <timeout> ] ] [ { <host0>
<tacacs_port> <shared_key> <idle_time><test_username> <test_password> } + ] ]
```

Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
<i>__readonly__</i>	(Optional)
<i>global_secretKey</i>	(Optional) Global shared secret
<i>global_timeout</i>	(Optional) Global timeout for tacacs
<i>global_deadtime</i>	(Optional) Global deadtime
<i>global_source_intf</i>	(Optional) Tacacs global source interface
<i>global_idle_time</i>	(Optional) Tacacs global idle-time for server monitoring
<i>global_testUsername</i>	(Optional) Username of global test parameters
<i>global_testPassword</i>	(Optional) Password of global test parameters
<i>server_count</i>	(Optional) Total number of tacacs servers configured
TABLE_server	(Optional)
<i>server_ip</i>	(Optional) Ip address of the server
<i>port</i>	(Optional) Port used for this server
<i>secretKey</i>	(Optional) Shared secret between the server and the tacacs client
<i>timeout</i>	(Optional) Timeout for this tacacs server
<i>host0</i>	(Optional) DNS name or IP address
<i>tacacs_port</i>	(Optional) TACACS+ server port
<i>shared_key</i>	(Optional) TACACS+ shared secret
<i>test_password</i>	(Optional) User password in test packets

Command Mode

- /exec

show tacacs-server

```
show tacacs-server { <host0> } [ __readonly__ { <host1> } <tacacs_port> <shared_key>
<idle_time><test_username> <test_password> ]
```

Syntax Description

<code>show</code>	Show running system information
<code>tacacs-server</code>	Show TACACS+ configuration information
<i>host0</i>	DNS name or IP address
<code>__readonly__</code>	(Optional)
<i>host1</i>	(Optional) DNS name or IP address
<i>tacacs_port</i>	(Optional) TACACS+ server port
<i>shared_key</i>	(Optional) TACACS+ shared secret
<i>test_password</i>	(Optional) User password in test packets

Command Mode

- /exec

show tacacs-server directed-request

```
show tacacs-server directed-request [ __readonly__ { <tacacs_directedRequest_status> } ]
```

Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
directed-request	Show directed server enable configuration
__readonly__	(Optional)
<i>tacacs_directedRequest_status</i>	(Optional) status of tacacs-server directed request

Command Mode

- /exec

show tacacs-server groups

```
show tacacs-server groups [ <s0> ] [ __readonly__ [ <num_of_groups> ] [ TABLE_group <group_name> [
TABLE_server <server_ip> [ <port> ] ] [ <dead_time> ] [ <vrf_name> ] [ <source_interface> ] ] ]
```

Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
groups	Show TACACS+ server group configuration information
<i>s0</i>	(Optional) TACACS+ server group name
<i>__readonly__</i>	(Optional)
<i>num_of_groups</i>	(Optional) number of groups
TABLE_group	(Optional)
<i>group_name</i>	(Optional) name of the group
TABLE_server	(Optional)
<i>server_ip</i>	(Optional) DNS name or IP address
<i>port</i>	(Optional) TACACS+ server port
<i>dead_time</i>	(Optional) Time interval for which the server is marked as dead before sending a test command
<i>vrf_name</i>	(Optional) name of the vrf
<i>source_interface</i>	(Optional) Interface Description

Command Mode

- /exec

show tacacs-server sorted

```
show tacacs-server sorted [ __readonly__ [ <global_secretKey> ] { <global_timeout> <global_deadtime> }
[ <global_source_intf> ] [ <global_idle_time> ] { [ <global_testUsername> ] [ <global_testPassword> ] } {
<server_count> } [ TABLE_server <server_ip> <port> [ <secretKey> ] [ <timeout> ] ] ]
```

Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
sorted	Show TACACS+ servers sorted by server name
<i>__readonly__</i>	(Optional)
<i>global_secretKey</i>	(Optional) Global shared secret
<i>global_timeout</i>	(Optional) Global timeout for tacacs
<i>global_deadtime</i>	(Optional) Global deadtime
<i>global_source_intf</i>	(Optional) Tacacs global source interface
<i>global_idle_time</i>	(Optional) Tacacs global idle-time for server monitoring
<i>global_testUsername</i>	(Optional) Username of global test parameters
<i>global_testPassword</i>	(Optional) Password of global test parameters
<i>server_count</i>	(Optional) Total number of tacacs servers configured
TABLE_server	(Optional)
<i>server_ip</i>	(Optional) Ip address of the server
<i>port</i>	(Optional) Port used for this server
<i>secretKey</i>	(Optional) Shared secret between the server and the tacacs client
<i>timeout</i>	(Optional) Timeout for this tacacs server

Command Mode

- /exec

show tacacs-server statistics

```
show tacacs-server statistics { <host0> } [ __readonly__ { <server_state> [ <clock_time> { monitoring_statistics
<time_in_pstate> <ndead> <tt_in_dstate> } ] } { auth_statistics <auth_failed_transactions>
<auth_succ_transactions> <auth_req_sent> <auth_req_timedout> <auth_resp_no_match>
<auth_resp_not_processed> <auth_resp_error> } { autho_statistics <autho_failed_transactions>
<autho_succ_transactions> <autho_req_sent> <autho_req_timedout> <autho_resp_no_match>
<autho_resp_not_processed> <autho_resp_error> } { acct_statistics <acct_failed_transactions>
<acct_succ_transactions> <acct_req_sent> <acct_req_timedout> <acct_resp_no_match>
<acct_resp_not_processed> <acct_resp_error> } ]
```

Syntax Description

show	Show running system information
tacacs-server	Show TACACS+ configuration information
statistics	Show TACACS statistics
<i>host0</i>	DNS name or IP address
<i>__readonly__</i>	(Optional)
<i>server_state</i>	(Optional) Show state of server
<i>clock_time</i>	(Optional) Show clock time in terms of hours, minutes and seconds
<i>monitoring_statistics</i>	(Optional) Monitoring Statistics
<i>time_in_pstate</i>	(Optional) Time in previous state
<i>ndead</i>	(Optional) Number of times dead
<i>tt_in_dstate</i>	(Optional) Total time in dead state
<i>auth_statistics</i>	(Optional) Authentication Statistics
<i>autho_statistics</i>	(Optional) Authorization Statistics
<i>acct_statistics</i>	(Optional) Accounting Statistics
<i>auth_failed_transactions</i>	(Optional) Authentication: Failed transactions
<i>auth_succ_transactions</i>	(Optional) Authentication: Successful transactions
<i>auth_req_sent</i>	(Optional) Authentication: Requests sent
<i>auth_req_timedout</i>	(Optional) Authentication: Requests timedout
<i>auth_resp_no_match</i>	(Optional) Authentication: Responses with no matching requests
<i>auth_resp_not_processed</i>	(Optional) Authentication: Responses not processed
<i>auth_resp_error</i>	(Optional) Authentication: Responses containing errors

<i>autho_failed_transactions</i>	(Optional) Authorization: Failed transactions
<i>autho_succ_transactions</i>	(Optional) Authorization: Successful transactions
<i>autho_req_sent</i>	(Optional) Authorization: Requests sent
<i>autho_req_timedout</i>	(Optional) Authorization: Requests timedout
<i>autho_resp_no_match</i>	(Optional) Authorization: Responses with no matching requests
<i>autho_resp_not_processed</i>	(Optional) Authorization: Responses not processed
<i>autho_resp_error</i>	(Optional) Authorization: Responses containing errors
<i>acct_failed_transactions</i>	(Optional) Accounting: Failed transactions
<i>acct_succ_transactions</i>	(Optional) Accounting: Successful transactions
<i>acct_req_sent</i>	(Optional) Accounting: Requests sent
<i>acct_req_timedout</i>	(Optional) Accounting: Requests timedout
<i>acct_resp_no_match</i>	(Optional) Accounting: Responses with no matching requests
<i>acct_resp_not_processed</i>	(Optional) Accounting: Responses not processed
<i>acct_resp_error</i>	(Optional) Accounting: Responses containing errors

Command Mode

- /exec

show tech-support

show tech-support [time-optimized] [forced]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
time-optimized	(Optional) Gather tech-support faster, requires more memory and disk space
forced	(Optional) Do not check for standby being present

Command Mode

- /exec

show tech-support aaa

show tech-support aaa

Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
aaa	Display aaa information

Command Mode

- /exec

show tech-support aclmgr

show tech-support aclmgr [detail]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclmgr	ACL commands
detail	(Optional) Detailed Tech Support

Command Mode

- /exec

show tech-support aclmgr compressed

show tech-support aclmgr compressed <uri0> [detail]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclmgr	ACL commands
compressed	Save compressed aclqos technical support
<i>uri0</i>	Enter filename to store
detail	(Optional) Detailed Tech Support

Command Mode

- /exec

show tech-support aclqos

show tech-support aclqos

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclqos	Configure aclqos debug

Command Mode

- /exec

show tech-support aclqos

show tech-support aclqos

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclqos	Show information for aclqos technical support

Command Mode

- /exec

show tech-support aclqos compressed

show tech-support aclqos compressed <uri0>

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
aclqos	Show information for aclqos technical support
compressed	Save compressed aclqos technical support
<i>uri0</i>	Enter filename to store

Command Mode

- /exec

show tech-support adjmgr

show tech-support adjmgr [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
adjmgr	Display Adjmgr information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support all-binary

show tech-support all-binary

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
all-binary	Dump tech support for all applications in binary

Command Mode

- /exec

show tech-support all

show tech-support all

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
all	Gather detailed information for troubleshooting

Command Mode

- /exec

show tech-support all binary

show tech-support all binary <uri0>

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
all	Gather detailed information for troubleshooting
binary	Gather tech support for all applications in binary format
<i>uri0</i>	Select destination filesystem to save the binary output (NOTE: The output file name will be automatically generated and cannot be chosen)

Command Mode

- /exec

show tech-support analytics

show tech-support analytics [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
analytics	Show Analytics tech-support information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support arp

show tech-support arp [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
arp	Display ARP information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ascii-cfg

show tech-support ascii-cfg

Syntax Description

show	Show running system information
tech-support	Show information for technical support personnel
ascii-cfg	Show ascii-cfg information for technical support personnel

Command Mode

- /exec

show tech-support assoc_mgr

show tech-support assoc_mgr

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
assoc_mgr	Gather detailed information for assoc_mgr troubleshooting

Command Mode

- /exec

show tech-support bfd

show tech-support bfd

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bfd	BFD commands

Command Mode

- /exec

show tech-support bgp

show tech-support bgp [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bgp	Display BGP status and configuration
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support biosd

show tech-support biosd

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
biosd	Gather bios install log for trouble shooting

Command Mode

- /exec

show tech-support bloggerd-all

show tech-support bloggerd-all

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bloggerd-all	Gather detailed information for bloggerd troubleshooting from ALL modules

Command Mode

- /exec

show tech-support bloggerd

show tech-support bloggerd

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bloggerd	Gather detailed information for bloggerd troubleshooting

Command Mode

- /exec

show tech-support bootvar

show tech-support bootvar

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
bootvar	Gather detailed information for bootvar troubleshooting

Command Mode

- /exec

show tech-support brief

show tech-support brief

Syntax Description

show	Show running system summary information
tech-support	Gather information for troubleshooting
brief	Gather summary information for troubleshooting

Command Mode

- /exec

show tech-support callhome

show tech-support callhome

Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
callhome	callhome troubleshooting information

Command Mode

- /exec

show tech-support cdp

show tech-support cdp

Syntax Description

show	show running system information
tech-support	Gather information for troubleshooting
cdp	Gather information for CDP trouble shooting

Command Mode

- /exec

show tech-support cert-enroll

show tech-support cert-enroll

Syntax Description

show	show commands
tech-support	Gather information for troubleshooting
cert-enroll	Display certificates information

Command Mode

- /exec

show tech-support cfs

show tech-support cfs [{ commands | name <cfs-dyn-app-name> [commands1] }]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
cfs	Gather detailed information for cfs troubleshooting
commands	(Optional) CFS show tech commands
name	(Optional) Gather detailed information of cfs for a specified application
<i>cfs-dyn-app-name</i>	(Optional) Registered name of the local application
commands1	(Optional) CFS application show tech commands

Command Mode

- /exec

show tech-support cli

show tech-support cli

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
cli	Gather information for parser troubleshooting

Command Mode

- /exec

show tech-support clis

show tech-support clis [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
clis	Gather information for CLI Server troubleshooting
brief	(Optional) Detailed information

Command Mode

- /exec

show tech-support clock_manager

show tech-support clock_manager

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
clock_manager	Gather detailed information for clock manager troubleshooting

Command Mode

- /exec

show tech-support commands

show tech-support commands

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
commands	Show commands executed as part of show tech-support commands

Command Mode

- /exec

show tech-support controller

show tech-support controller

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
controller	Gather information for Controller troubleshooting

Command Mode

- /exec

show tech-support copp

show tech-support copp

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
copp	Gather information for copp trouble shooting

Command Mode

- /exec

show tech-support dcbx

show tech-support dcbx

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
dcbx	Gather detailed information for DCBX component

Command Mode

- /exec

show tech-support details

show tech-support details [space-optimized]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
details	Gather detailed information for troubleshooting
space-optimized	(Optional) Gather tech-support info. using less memory and disk space

Command Mode

- /exec

show tech-support dhclient

show tech-support dhclient

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
dhclient	Gather information for dhclient trouble shooting

Command Mode

- /exec

show tech-support dhcp

show tech-support dhcp

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
dhcp	Gather detailed information for dhcp troubleshooting

Command Mode

- /exec

show tech-support dme

show tech-support dme

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
dme	Gather detailed information for dme troubleshooting

Command Mode

- /exec

show tech-support dot1x

show tech-support dot1x

Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
dot1x	Display dot1x information

Command Mode

- /exec

show tech-support eem

show tech-support eem

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
eem	Show EEM tech-support information

Command Mode

- /exec

show tech-support eigrp

show tech-support eigrp [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
eigrp	Display EIGRP status and configuration
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support eltm

show tech-support eltm [detail]

Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
eltm	eltm debug info
detail	(Optional) Detailed information

Command Mode

- /exec

show tech-support ethpm

show tech-support ethpm

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ethpm	Gather detailed information for ETHPM troubleshooting

Command Mode

- /exec

show tech-support evb

show tech-support evb

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
evb	EVB (Edge Virtual Bridge)

Command Mode

- /exec

show tech-support fabric forwarding

show tech-support fabric forwarding

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fabric	Fabric
forwarding	Fabric Forwarding Protocol: Host Mobility Manager (HMM)

Command Mode

- /exec

show tech-support fabricpath isis

show tech-support fabricpath isis [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
fabricpath	fabricpath information
isis	Fabricpath IS-IS information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support fabricpath topology

show tech-support fabricpath topology [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fabricpath	Gather detailed information for Fabricpath troubleshooting
topology	Gather detailed information for Topology troubleshooting
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support fast-reload

show tech-support fast-reload

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fast-reload	Gather information for troubleshooting fast-reload timings

Command Mode

- /exec

show tech-support fc2

show tech-support fc2 [commands]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fc2	Show information for fc2 technical support
commands	(Optional) Show commands run as part of fc2 technical support

Command Mode

- /exec

show tech-support fcoe

show tech-support fcoe

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fcoe	Gather information for FCOE mgr trouble shooting

Command Mode

- /exec

show tech-support fex

show tech-support fex { <fexid> | all }

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fex	Gather detailed information for FEX troubleshooting
<i>fexid</i>	Enter fex number
all	Gather detailed information for all FEX

Command Mode

- /exec

show tech-support fips

show tech-support fips

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
fips	show tech support information for security

Command Mode

- /exec

show tech-support forwarding l2 multicast

show tech-support forwarding l2 multicast

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l2	layer 2 debug information
multicast	multicast

Command Mode

- /exec

show tech-support forwarding l2 multicast vdc-all

show tech-support forwarding l2 multicast vdc-all

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l2	layer 2 debug information
multicast	multicast
vdc-all	vdc-all

Command Mode

- /exec

show tech-support forwarding l2 unicast

show tech-support forwarding l2 unicast [module <module>]

Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
forwarding	Forwarding debug info
l2	layer 2 debug info
unicast	unicast
module	(Optional) Slot number
<i>module</i>	(Optional) Module Number

Command Mode

- /exec

show tech-support forwarding l3 multicast

show tech-support forwarding l3 multicast

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
multicast	multicast

Command Mode

- /exec

show tech-support forwarding l3 multicast detail

show tech-support forwarding l3 multicast detail

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
multicast	multicast
detail	detail

Command Mode

- /exec

show tech-support forwarding l3 multicast detail vdc-all

show tech-support forwarding l3 multicast detail vdc-all

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
multicast	multicast
detail	detail
vdc-all	vdc-all

Command Mode

- /exec

show tech-support forwarding l3 multicast vdc-all

show tech-support forwarding l3 multicast vdc-all

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
multicast	multicast
vdc-all	vdc-all

Command Mode

- /exec

show tech-support forwarding l3 unicast

show tech-support forwarding l3 unicast [module <module>]

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
unicast	unicast
module	(Optional) module
<i>module</i>	(Optional) module number

Command Mode

- /exec

show tech-support forwarding l3 unicast detail

show tech-support forwarding l3 unicast detail [module <module>]

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
unicast	unicast
detail	detailed show tech including platform commands
module	(Optional) module
<i>module</i>	(Optional) module number

Command Mode

- /exec

show tech-support forwarding l3 unicast detail vdc-all

show tech-support forwarding l3 unicast detail vdc-all [module <module>]

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
unicast	unicast
detail	detailed show tech including platform commands
vdc-all	vdc-all
module	(Optional) module
<i>module</i>	(Optional) module number

Command Mode

- /exec

show tech-support forwarding l3 unicast vdc-all

show tech-support forwarding l3 unicast vdc-all [module <module>]

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
l3	layer 3 debug information
unicast	unicast
vdc-all	vdc-all
module	(Optional) module
<i>module</i>	(Optional) module number

Command Mode

- /exec

show tech-support forwarding mpls

show tech-support forwarding mpls [module <module>]

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
mpls	mpls related information
module	(Optional) module
<i>module</i>	(Optional) module number

Command Mode

- /exec

show tech-support forwarding multicast

show tech-support forwarding multicast [module <module>]

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
multicast	multicast
module	(Optional) module
<i>module</i>	(Optional) module number

Command Mode

- /exec

show tech-support forwarding otv multicast vdc-all

show tech-support forwarding otv multicast vdc-all

Syntax Description

show	
tech-support	tech-support information
forwarding	forwarding debug information
otv	OTV debug information
multicast	multicast
vdc-all	vdc-all

Command Mode

- /exec

show tech-support gold

show tech-support gold

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
gold	Show gold tech-support information

Command Mode

- /exec

show tech-support gpixm

show tech-support gpixm

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
gpixm	Gather detailed information for GLOBAL-PIXM troubleshooting

Command Mode

- /exec

show tech-support ha

show tech-support ha [commands]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ha	Gather detailed information for HA troubleshooting
commands	(Optional) Show commands executed as part of show tech-support ha commands

Command Mode

- /exec

show tech-support ha standby

show tech-support ha standby [commands]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ha	Gather detailed information for HA troubleshooting
standby	Gather detailed information for HA troubleshooting from standby supervisor
commands	(Optional) Show commands executed as part of show tech-support ha commands

Command Mode

- /exec

show tech-support hsrp

show tech-support hsrp

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
hsrp	Show hsrp tech-support information

Command Mode

- /exec

show tech-support hsrp brief

show tech-support hsrp brief

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
hsrp	Show hsrp tech-support information
brief	Show tech-support information in brief

Command Mode

- /exec

show tech-support icmpv6

show tech-support icmpv6 [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
icmpv6	Display Icmpv6 information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support im

show tech-support im

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
im	Gather detailed information for IM troubleshooting

Command Mode

- /exec

show tech-support imp

show tech-support imp

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
imp	IMP commands

Command Mode

- /exec

show tech-support inband counters

show tech-support inband counters

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
inband	Gather all information about inband data path
counters	Gather all counters in inband data path

Command Mode

- /exec

show tech-support include-time

show tech-support include-time

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
include-time	Gather tech-support and capture time taken to execute each command

Command Mode

- /exec

show tech-support install

show tech-support install

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
install	Gather detailed information for rpm/package install operation

Command Mode

- /exec

show tech-support interface-vlan

show tech-support interface-vlan

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
interface-vlan	Gather detailed information for interface-vlan troubleshooting

Command Mode

- /exec

show tech-support ip

show tech-support ip [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ip igmp

show tech-support ip igmp [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
igmp	Display IGMP status and configuration
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ip igmp snooping

show tech-support ip igmp snooping [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ip msdp

show tech-support ip msdp [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
msdp	Display MSDP status and configuration
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ip pim

show tech-support ip pim [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Display IP information
pim	PIM global configuration commands
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ip rsvp

show tech-support ip rsvp [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	Configure IP features
rsvp	RSVP configuration commands
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ipqos

```
show tech-support ipqos [ server-only ] [ all ] [ snmp ]
```

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
server-only	(Optional) Dump the tech-support information only from IP QoS Manager server only
all	(Optional) Dump the tech-support information IP QoS Manager plus brief summary of system
snmp	(Optional) Dump the tech-support information only from IP QoS Manager server only (SNMP only)

Command Mode

- /exec

show tech-support ipv6

show tech-support ipv6 [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ipv6	Display IPV6 information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ipv6 multicast

show tech-support ipv6 multicast

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ipv6	Display IPv6 information
multicast	Display V6 Multicast information

Command Mode

- /exec

show tech-support ipv6 pim

show tech-support ipv6 pim [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ipv6	Display IPv6 information
pim	PIM6 global configuration commands
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support isis

show tech-support isis [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
isis	IS-IS events
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support issu

show tech-support issu [commands]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
issu	Gather detailed information for issu troubleshooting
commands	(Optional) Show commands executed as part of show tech-support issu command

Command Mode

- /exec

show tech-support kstack

show tech-support kstack

Syntax Description

show	
tech-support	tech-support information
kstack	kstack information

Command Mode

- /exec

show tech-support l2

show tech-support l2

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l2	Gather detailed information for layer 2 troubleshooting

Command Mode

- /exec

show tech-support l2fm

show tech-support l2fm

Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
l2fm	l2fm debug info

Command Mode

- /exec

show tech-support l2fm clients

show tech-support l2fm clients [module <module>]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l2fm	l2fm debug info
clients	debug info of l2fm clients only running on linecard(mtm)
module	(Optional) Slot number
<i>module</i>	(Optional) Module Number

Command Mode

- /exec

show tech-support l2fm detail

show tech-support l2fm detail [module <module>]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l2fm	l2fm debug info
detail	All info related to l2fm
module	(Optional) Slot number
<i>module</i>	(Optional) Module Number

Command Mode

- /exec

show tech-support l2fm l2dbg

show tech-support l2fm l2dbg [module <module>]

Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
l2fm	l2fm debug info
l2dbg	tech support capturing additional debug info for l2fm(l2dbg)
module	(Optional) Slot number
<i>module</i>	(Optional) Module Number

Command Mode

- /exec

show tech-support l2fm l2dbg

show tech-support l2fm l2dbg [module <module>]

Syntax Description

show	show tech-support
tech-support	Gather information for trouble-shooting
l2fm	l2fm debug info
l2dbg	tech support capturing additional debug info for l2fm(l2dbg)
module	(Optional) Slot number
<i>module</i>	(Optional) Module Number

Command Mode

- /exec

show tech-support l2rib

show tech-support l2rib

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l2rib	Display L2RIB information

Command Mode

- /exec

show tech-support l3vm

show tech-support l3vm [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l3vm	Display VRF information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support l3vpn

show tech-support l3vpn [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
l3vpn	BGP l3vpn information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support lacp

show tech-support lacp [all]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
lacp	Gather detailed information for LACP component
all	(Optional) Gather detailed information of LACP and related components

Command Mode

- /exec

show tech-support ldap

show tech-support ldap

Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
ldap	Display ldap information

Command Mode

- /exec

show tech-support license

show tech-support license

Syntax Description

show	show commands
tech-support	Gather information for troubleshooting
license	Display licensing information

Command Mode

- /exec

show tech-support lim

show tech-support lim

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
lim	Gather detailed information for LIM troubleshooting

Command Mode

- /exec

show tech-support lisp

show tech-support lisp [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
lisp	LISP show commands
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support lldp

show tech-support lldp

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
lldp	Gather detailed information for LLDP troubleshooting

Command Mode

- /exec

show tech-support logging

show tech-support logging

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
logging	Show information on logging for technical support staff

Command Mode

- /exec

show tech-support m2rib

show tech-support m2rib

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
m2rib	Gather detailed information for M2RIB troubleshooting

Command Mode

- /exec

show tech-support macsec

show tech-support macsec

Syntax Description

tech-support	Gather information for troubleshooting
macsec	Gather information for macsec troubleshooting

Command Mode

- /exec

show tech-support mfwd

show tech-support mfwd [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mfwd	Display MCASTFWD status and configuration
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support mmode

show tech-support mmode

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mmode	Gather information for troubleshooting mmode

Command Mode

- /exec

show tech-support module

show tech-support module <module>

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
module	Gather info related to a module
<i>module</i>	Enter module number

Command Mode

- /exec

show tech-support module all

show tech-support module all

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
module	Gather info related to a module
all	Gather info related to all modules in the system

Command Mode

- /exec

show tech-support monitor

show tech-support monitor

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
monitor	Gather detailed information for monitor troubleshooting

Command Mode

- /exec

show tech-support monitor erspan

show tech-support monitor erspan

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
monitor	Gather detailed information for monitor troubleshooting
erspan	Gather detailed information for erspan session troubleshooting

Command Mode

- /exec

show tech-support monitorc-all

show tech-support monitorc-all

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
monitorc-all	Gather detailed information for LC MONITORC troubleshooting

Command Mode

- /exec

show tech-support mpls ldp

show tech-support mpls ldp [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mpls	Display MPLS status and configuration
ldp	Display LDP configuration and status for troubleshooting
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support mpls manager

```
{ show tech-support mpls manager }
```

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mpls	MPLS
manager	MPLS-Mgr

Command Mode

- /exec

show tech-support mpls static

show tech-support mpls static [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mpls	Display MPLS status and configuration
static	Display STATIC configuration and status for troubleshooting
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support mpls strip

show tech-support mpls strip

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
mpls	MPLS
strip	Gather MPLS label strip troubleshooting info

Command Mode

- /exec

show tech-support mpls switching

show tech-support mpls switching

Syntax Description

show	Show running system information
tech-support	Gather MPLS switching information
mpls	Display MPLS status and configuration
switching	Display the MPLS label switching database

Command Mode

- /exec

show tech-support mpls traffic-eng

show tech-support mpls traffic-eng [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
mpls	Display MPLS status and configuration
traffic-eng	Traffic engineering information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support mpls fwd

show tech-support mpls fwd [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mplsfwd	Display MPLS forwarding information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support multicast

show tech-support [ip | ipv4] multicast

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ip	(Optional) Display IP information
ipv4	(Optional) Display IP information
multicast	Display V4 Multicast information

Command Mode

- /exec

show tech-support mvpn

show tech-support mvpn [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
mvpn	Display Multicast VPN information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support nat

show tech-support nat

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
nat	Gather information for troubleshooting NAT

Command Mode

- /exec

show tech-support nbm

show tech-support nbm

Syntax Description

show	Show running system information
tech-support	Gather information for trouble-shooting
nbm	Non Blocking Multicast

Command Mode

- /exec

show tech-support netflow

show tech-support netflow [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
netflow	Show NetFlow tech-support information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support netstack

show tech-support netstack

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
netstack	Gather information for NETSTACK troubleshooting

Command Mode

- /exec

show tech-support netstack detail

show tech-support netstack detail

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
netstack	Gather information for NETSTACK troubleshooting
detail	Gather detailed information for NETSTACK troubleshooting

Command Mode

- /exec

show tech-support ngoam

show tech-support ngoam

Syntax Description

show	Show running system information
tech-support	Gather information for trouble-shooting
ngoam	ngoam

Command Mode

- /exec

show tech-support npacl

show tech-support npacl [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
npacl	Display npacl information
brief	(Optional) Brief npacl information

Command Mode

- /exec

show tech-support npv

show tech-support npv

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
npv	Show information for NPV technical support staff

Command Mode

- /exec

show tech-support ns

show tech-support ns

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ns	Gather detailed information for northstar asic

Command Mode

- /exec

show tech-support ntp

show tech-support ntp

Syntax Description

show	show running system information
tech-support	Gather information for trouble shooting
ntp	Gather information for NTP trouble shooting

Command Mode

- /exec

show tech-support nve

show tech-support nve

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
nve	Display NVE information

Command Mode

- /exec

show tech-support object-store user

show tech-support object-store user <username>

Syntax Description

show	Show Object Store
tech-support	Gather information for troubleshooting
object-store	Gather information from object store for Controller troubleshooting
user	nxapi username
<i>username</i>	nxapi username

Command Mode

- /exec

show tech-support onep

show tech-support onep

Syntax Description

show	Show running system information
tech-support	Diagnostic information for technical support
onep	One Platform

Command Mode

- /exec

show tech-support openflow

show tech-support openflow [brief | detailed]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
openflow	Show tech support for OpenFlow
brief	(Optional) Brief information
detailed	(Optional) Detailed information

Command Mode

- /exec

show tech-support ospf

show tech-support ospf [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ospf	Display OSPF status and configuration
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support ospfv3

show tech-support ospfv3 [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ospfv3	Display OSPFv3 status and configuration
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support otv

show tech-support otv [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
otv	Display OTV information
brief	(Optional) Brief OTV information

Command Mode

- /exec

show tech-support otv isis

show tech-support otv isis [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
otv	IS-IS events
isis	IS-IS events
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support page

show tech-support page [time-optimized] [forced]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
page	Page through the output
time-optimized	(Optional) Gather tech-support faster, requires more memory and disk space
forced	(Optional) Do not check for standby being present

Command Mode

- /exec

show tech-support patch

show tech-support patch

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
patch	Gather detailed information for patch troubleshooting

Command Mode

- /exec

show tech-support pbr

{ show tech-support pbr }

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pbr	Display Policy Based Routing (PBR) information

Command Mode

- /exec

show tech-support pfstat

show tech-support pfstat

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pfstat	Gather detailed information for pfstat troubleshooting

Command Mode

- /exec

show tech-support pixm-all

show tech-support pixm-all

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pixm-all	Gather detailed information for PIXM troubleshooting

Command Mode

- /exec

show tech-support pixm

show tech-support pixm

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pixm	Gather detailed information for vdc-local-PIXM troubleshooting

Command Mode

- /exec

show tech-support pixmc-all

show tech-support pixmc-all

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pixmc-all	Gather detailed information for LC PIXMC troubleshooting

Command Mode

- /exec

show tech-support pktmgr

show tech-support pktmgr [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pktmgr	Display Packet Manager information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support platform-sdk

show tech-support platform-sdk

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
platform-sdk	Gather detailed information for platform-sdk troubleshooting

Command Mode

- /exec

show tech-support platform

show tech-support platform

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
platform	Get platform related information

Command Mode

- /exec

show tech-support plcmgr

show tech-support plcmgr [detail]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
plcmgr	Policy Manager
detail	(Optional) Print more details (e.g. messages,etc)

Command Mode

- /exec

show tech-support pltfm-config

show tech-support pltfm-config

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
pltfm-config	Gather detailed information for pltfm-config troubleshooting

Command Mode

- /exec

show tech-support port-channel

show tech-support port-channel

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
port-channel	Gather detailed information for port channel troubleshooting

Command Mode

- /exec

show tech-support port-client-all

show tech-support port-client-all

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
port-client-all	Gather detailed information for LC port client troubleshooting

Command Mode

- /exec

show tech-support port-profile

show tech-support port-profile

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
port-profile	Gather information for troubleshooting port-profiles

Command Mode

- /exec

show tech-support port

show tech-support port

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
port	Gather detailed information for port manager troubleshooting

Command Mode

- /exec

show tech-support private-vlan

show tech-support private-vlan

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
private-vlan	Gather detailed information for private-vlan troubleshooting

Command Mode

- /exec

show tech-support ptp

show tech-support ptp

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
ptp	Gather detailed information for PTP troubleshooting

Command Mode

- /exec

show tech-support radius

show tech-support radius

Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting
radius	Display radius information

Command Mode

- /exec

show tech-support rip

show tech-support rip [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
rip	Display RIP routing protocol status
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support routing

show tech-support routing [ip | ipv4] [unicast] [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
routing	Display routing information
ip	(Optional) Display IP information
ipv4	(Optional) Display IP information
unicast	(Optional) Display unicast routing information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support routing ipv6

show tech-support routing ipv6 [unicast] [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
routing	Display routing information
ipv6	Display IPv6 information
unicast	(Optional) Display unicast routing information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support routing ipv6 multicast

show tech-support routing ipv6 multicast [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
routing	Display routing information
ipv6	Display IPv6 information
multicast	Display V6 Multicast information
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support routing multicast

```
show tech-support routing [ ip | ipv4 ] multicast [ brief ]
```

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
routing	Display routing information
ip	(Optional) Display IP information
ipv4	(Optional) Display IP information
multicast	Display V4 Multicast information
brief	(Optional) Display brief information

Command Mode

- /exec

show tech-support rpm

```
{ show tech-support rpm }
```

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
rpm	Display Route Policy Manager (RPM) information

Command Mode

- /exec

show tech-support sal

show tech-support sal

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
sal	Show SAL tech-support information

Command Mode

- /exec

show tech-support satmgr

show tech-support satmgr

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
satmgr	Gather detailed information for satmgr troubleshooting

Command Mode

- /exec

show tech-support security

show tech-support security

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
security	show tech support information for security

Command Mode

- /exec

show tech-support services

show tech-support services [detail]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
services	Services
detail	(Optional) Show more details

Command Mode

- /exec

show tech-support session-mgr

show tech-support session-mgr

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
session-mgr	Gather information for troubleshooting session manager

Command Mode

- /exec

show tech-support sflow

show tech-support sflow

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sflow	Gather detailed information for sflow feature

Command Mode

- /exec

show tech-support sksd

show tech-support sksd

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sksd	show tech support information for sksd

Command Mode

- /exec

show tech-support sla responder

show tech-support sla responder [brief | detail]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
sla	Service Level Agreement (SLA)
responder	Configure sla-responder tech support
brief	(Optional) Show less details
detail	(Optional) Show more details

Command Mode

- /exec

show tech-support sla sender

show tech-support sla sender [brief | detail]

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
sla	Service Level Agreement (SLA)
sender	Configure sla-sender tech support
brief	(Optional) Show less details
detail	(Optional) Show more details

Command Mode

- /exec

show tech-support smm

show tech-support smm

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
smm	Shared memory

Command Mode

- /exec

show tech-support snmp

show tech-support snmp

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
snmp	Gather info related to snmp

Command Mode

- /exec

show tech-support sockets

show tech-support sockets [brief]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sockets	Display sockets status and configuration
brief	(Optional) Brief information

Command Mode

- /exec

show tech-support spm

show tech-support spm [<application>] [detail]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
spm	Service Policy Manager
<i>application</i>	(Optional) Specify an application
detail	(Optional) Print more details (e.g. messages,etc)

Command Mode

- /exec

show tech-support statsclient

show tech-support statsclient [module <module>]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
statsclient	Gather statsclient tech-support
module	(Optional) Gather info related to one module
<i>module</i>	(Optional) Enter module number

Command Mode

- /exec

show tech-support stp

show tech-support stp

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
stp	Gather detailed information for STP troubleshooting

Command Mode

- /exec

show tech-support sup-filesys

show tech-support sup-filesys

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sup-filesys	File-sys related issue

Command Mode

- /exec

show tech-support sysmgr

show tech-support sysmgr [commands]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
sysmgr	Gather detailed information for sysmgr troubleshooting
commands	(Optional) Show commands executed as part of show tech-support sysmgr

Command Mode

- /exec

show tech-support tacacs

show tech-support tacacs +

Syntax Description

show	show tech-support
tech-support	Gather information for troubleshooting

Command Mode

- /exec

show tech-support track

show tech-support track

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
track	Show track tech-support information

Command Mode

- /exec

show tech-support tunnel

show tech-support tunnel [{ commands | detail [commands1] }]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
tunnel	Gather detailed information for tunnel troubleshooting
commands	(Optional) Lists commands under 'show tunnel tech-support' command
detail	(Optional) Gather detailed information for tunnel troubleshooting
commands1	(Optional) Lists commands under 'Show tech-support tunnel detail' commands

Command Mode

- /exec

show tech-support udd

show tech-support udd

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
udd	Gather detailed information for udd troubleshooting

Command Mode

- /exec

show tech-support usd-all

show tech-support usd-all

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
usd-all	Gather detailed information for LC USD troubleshooting

Command Mode

- /exec

show tech-support vdc

show tech-support vdc

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vdc	Gather detailed information for VDC troubleshooting

Command Mode

- /exec

show tech-support virtual-service

show tech-support virtual-service

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
virtual-service	Gather information for virtualization services trouble shooting

Command Mode

- /exec

show tech-support vlan

show tech-support vlan

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vlan	Gather detailed information for VLAN troubleshooting

Command Mode

- /exec

show tech-support vmtracker

show tech-support vmtracker

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vmtracker	VMTRACKER commands

Command Mode

- /exec

show tech-support vntag

show tech-support vntag

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vntag	Gather detailed information for VNTAG troubleshooting

Command Mode

- /exec

show tech-support vpc

show tech-support vpc

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vpc	Gather detailed information for VPC troubleshooting

Command Mode

- /exec

show tech-support vrrp

show tech-support vrrp

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vrrp	Show information for vrrp technical support

Command Mode

- /exec

show tech-support vrrp brief

show tech-support vrrp brief

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vrrp	Show information for vrrp technical support
brief	Show information for vrrp technical support in brief

Command Mode

- /exec

show tech-support vrrpv3

show tech-support vrrpv3 [detail]

Syntax Description

vrrpv3	VRRPv3 configuration commands
show	Show running system information
tech-support	Gather information for trouble shooting
detail	(Optional) Detailed output

Command Mode

- /exec

show tech-support vsan

show tech-support vsan [<i0> | commands]

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vsan	Gather detailed information for vsan troubleshooting
<i>i0</i>	(Optional) VSAN id range
commands	(Optional) Show commands run as part of vsan technical support

Command Mode

- /exec

show tech-support vtp

show tech-support vtp

Syntax Description

show	Show running system information
tech-support	Gather information for troubleshooting
vtp	Gather detailed information for vtp troubleshooting

Command Mode

- /exec

show tech-support vxlan-evpn

show tech-support vxlan-evpn

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
vxlan-evpn	VxLAN evpn feature

Command Mode

- /exec

show tech-support vxlan

show tech-support vxlan

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
vxlan	VxLAN feature

Command Mode

- /exec

show tech-support vxlan platform

show tech-support vxlan platform

Syntax Description

show	Show tech-support for PD VxLAN component
tech-support	Gather information for troubleshooting
vxlan	VxLAN components
platform	VxLAN platform components

Command Mode

- /exec

show tech-support xbar

show tech-support xbar

Syntax Description

show	Show running system information
tech-support	Gather information for trouble shooting
xbar	Show xbar tech-support information

Command Mode

- /exec

show tech-support xml

show tech-support xml

Syntax Description

show	show running system information
tech-support	Gather information for trouble shooting
xml	Gather information for xml trouble shooting

Command Mode

- /exec

show telnet server

```
show telnet server [ __readonly__ { operation_status <o_status> } ]
```

Syntax Description

show	Show running system information
telnet	Show telnet server configuration
server	Show telnet server configuration
__readonly__	(Optional)
operation_status	(Optional) run-time information about telnet
<i>o_status</i>	(Optional) operational status of telnet server

Command Mode

- /exec

show terminal

show terminal

Syntax Description

show	Show running system information
terminal	Display terminal configuration parameters

Command Mode

- /exec

show terminal output xml version

show terminal output xml version

Syntax Description

show	Show running system information
terminal	Display
output	Display
xml	Display
version	Display

Command Mode

- /exec

show time-range

```
show time-range [ <name> ] [ __readonly__ TABLE_timerange <timerange_name> <active> [ TABLE_seqno
<seqno> { { absolute [ <start_abs_h> <start_abs_m> <start_abs_s> <start_abs_d> <start_abs_mon>
<start_abs_y> ] [ <end_abs_h> <end_abs_m> <end_abs_s> <end_abs_d> <end_abs_mon> <end_abs_y> ]
} | { periodic { Monday | Tuesday | Wednesday | Thursday | Friday | Saturday | Sunday | daily | weekdays |
weekend } + <start_per_h> <start_per_m> <start_per_s> [ <eday> ] <end_per_h> <end_per_m> <end_per_s>
} | { <remark> } } ] ] ]
```

Syntax Description

show	Show running system information
time-range	Define time range entries
<i>name</i>	(Optional) Time range name
<i>__readonly__</i>	(Optional)
TABLE_timerange	(Optional)
<i>timerange_name</i>	(Optional)
<i>active</i>	(Optional) active
TABLE_seqno	(Optional)
<i>seqno</i>	(Optional) Sequence number
absolute	(Optional)
periodic	(Optional)
<i>remark</i>	(Optional)
<i>start_abs_h</i>	(Optional)
<i>start_abs_m</i>	(Optional)
<i>start_abs_s</i>	(Optional)
<i>start_abs_d</i>	(Optional)
<i>start_abs_mon</i>	(Optional)
<i>start_abs_y</i>	(Optional)
<i>end_abs_h</i>	(Optional)
<i>end_abs_m</i>	(Optional)
<i>end_abs_s</i>	(Optional)
<i>end_abs_d</i>	(Optional)

<i>end_abs_mon</i>	(Optional)
<i>end_abs_y</i>	(Optional)
Monday	(Optional) Monday
Tuesday	(Optional) Tuesday
Wednesday	(Optional) Wednesday
Thursday	(Optional) Thursday
Friday	(Optional) Friday
Saturday	(Optional) Saturday
Sunday	(Optional) Sunday
daily	(Optional) Every day of the week
weekdays	(Optional) Monday thru Friday
weekend	(Optional) Saturday and Sunday
<i>start_per_h</i>	(Optional)
<i>start_per_m</i>	(Optional)
<i>start_per_s</i>	(Optional)
<i>eday</i>	(Optional) Day of the week
<i>end_per_h</i>	(Optional)
<i>end_per_m</i>	(Optional)
<i>end_per_s</i>	(Optional)

Command Mode

- /exec

show track

```
show track { [ <object-id> | interface | ip { route | sla } | ipv6 routev6 | list boolean and | list boolean or | list
threshold weight | list threshold percentage ] } [ __readonly__ <show_track_start> { TABLE_track_detail
<st_obj_id> <st_obj_type> <st_obj_instance> <st_obj_param> <st_obj_state> <st_obj_chg_cnt>
<st_last_chg_time> <st_threshold_info> <st_track_list_obj> <st_obj_up_delay> <st_obj_down_delay>
<st_obj_timer_value> <st_ipsla_rcode> <st_ipsla_rtt> <show_track_clnt_hdr> <show_track_clnt_start> {
TABLE_track_clnt_info <st_client_name> <st_client_iface> <st_client_group_id> <st_client_detail> }
<show_track_clnt_end> <st_track_list_info> } <show_track_end> ]
```

Syntax Description

show	Negate a command or set its defaults
track	Tracking information
<i>object-id</i>	(Optional) Tracked object
interface	(Optional) Interface objects
ip	(Optional) IPv4 Protocol objects
route	(Optional) route (ipv4) objects
sla	(Optional) Service Level Agreement objects
ipv6	(Optional) IPv6 Protocol objects
routev6	(Optional) route (ipv6) objects
list	(Optional) Tracklist objects
boolean	(Optional) Boolean Traclist
and	(Optional) AND boolean objects
or	(Optional) OR boolean objects
threshold	(Optional) Threshold parameters
weight	(Optional) Threshold weight
percentage	(Optional) Threshold percentage
__readonly__	(Optional) Read only
<i>show_track_start</i>	(Optional) Show track start
TABLE_track_detail	(Optional) Track table detail
<i>st_obj_id</i>	(Optional) Object id
<i>st_obj_type</i>	(Optional) Object Type
<i>st_obj_instance</i>	(Optional) Object instance

<i>st_obj_param</i>	(Optional) Object parameter
<i>st_obj_state</i>	(Optional) Object status
<i>st_obj_chg_cnt</i>	(Optional) Count of Object state changes
<i>st_last_chg_time</i>	(Optional) Timestamp of last change
<i>st_threshold_info</i>	(Optional) Threshold Parameters
<i>st_track_list_obj</i>	(Optional) Objects part of this list
<i>show_track_clnt_hdr</i>	(Optional) Tracked by:
<i>show_track_clnt_start</i>	(Optional) Show track client start
TABLE_track_clnt_info	(Optional) Track client info
<i>st_client_name</i>	(Optional) Tracking client name
<i>st_client_iface</i>	(Optional) Tracking client interface
<i>st_client_group_id</i>	(Optional) Client group id
<i>st_client_detail</i>	(Optional) Tracking client detail
<i>show_track_clnt_end</i>	(Optional) End of track client
<i>st_track_list_info</i>	(Optional) Track list info
<i>st_obj_up_delay</i>	(Optional) Delay up notification
<i>st_obj_down_delay</i>	(Optional) Delay down notification
<i>st_obj_timer_value</i>	(Optional) Current value of timer
<i>st_ipsla_rcode</i>	(Optional) IP SLA Return Code
<i>st_ipsla_rtt</i>	(Optional) IP SLA RTT
<i>show_track_end</i>	(Optional) End of Track

Command Mode

- /exec

show track brief

```
show track { [ <object-id> | interface | ip { route | sla } | ipv6 routev6 | list boolean and | list boolean or | list
threshold weight | list threshold percentage ] } brief [ __readonly__ { <show_track_brf_start>
<show_track_brf_all_begin> { TABLE_track_brief <st_brf_obj_id> <st_brf_obj_type> <st_brf_obj_instance>
<st_brf_obj_param> <st_brf_obj_state> <st_brf_last_chg_time> } <show_track_brf_end> } ]
```

Syntax Description

show	Negate a command or set its defaults
track	Tracking information
<i>object-id</i>	(Optional) Tracked object
interface	(Optional) Interface objects
ip	(Optional) IPv4 Protocol objects
route	(Optional) route (ipv4) objects
sla	(Optional) Service Level Agreement objects
ipv6	(Optional) IPv6 Protocol objects
routev6	(Optional) route (ipv6) objects
list	(Optional) Tracklist objects
boolean	(Optional) Boolean Traclist
and	(Optional) AND boolean objects
or	(Optional) OR boolean objects
threshold	(Optional) Threshold parameters
weight	(Optional) Threshold weight
percentage	(Optional) Threshold percentage
brief	Brief output
<i>__readonly__</i>	(Optional) Read only
<i>show_track_brf_start</i>	(Optional) Show track brief start
<i>show_track_brf_all_begin</i>	(Optional) Start of all brief
TABLE_track_brief	(Optional) Track table brief
<i>st_brf_obj_id</i>	(Optional) Object id
<i>st_brf_obj_type</i>	(Optional) Object Type

<i>st_brf_obj_instance</i>	(Optional) Object instance
<i>st_brf_obj_param</i>	(Optional) Object parameter
<i>st_brf_obj_state</i>	(Optional) Object status
<i>st_brf_last_chg_time</i>	(Optional) Timestamp of last change
<i>show_track_brf_end</i>	(Optional) End of Group

Command Mode

- /exec

show trunk protocol

show trunk protocol

Syntax Description

show	Show running system information
trunk	Show trunk information
protocol	Show trunk protocol information

Command Mode

- /exec

show tunnel iftable

```
show tunnel iftable [ <ifindex-in> ] [ __readonly__ TABLE-tunnelIfTable <ifindex-out>
<tunnelIfEncapsMethod> <tunnelIfHopLimit> <tunnelIfSecurity> <tunnelIfTOS> <tunnelIfFlowLabel>
<tunnelIfAddressType> <tunnelIfLocalInetAddress> <tunnelIfRemoteInetAddress> <tunnelIfEncapsLimit>
]
```

Syntax Description

show	Show running system information
tunnel	Show information about Tunnel
iftable	Show tunnel interface table
<i>ifindex-in</i>	(Optional) Tunnel ifindex
<i>__readonly__</i>	(Optional)
TABLE-tunnelIfTable	(Optional) Tunnel interface table
<i>ifindex-out</i>	(Optional) Tunnel ifindex
<i>tunnelIfEncapsMethod</i>	(Optional) Encapsulation Method
<i>tunnelIfHopLimit</i>	(Optional) Hop Limit
<i>tunnelIfSecurity</i>	(Optional) Security
<i>tunnelIfTOS</i>	(Optional) TOS
<i>tunnelIfFlowLabel</i>	(Optional) Flow Label
<i>tunnelIfAddressType</i>	(Optional) Address Type
<i>tunnelIfLocalInetAddress</i>	(Optional) Local IP Address
<i>tunnelIfRemoteInetAddress</i>	(Optional) Remote IP Address
<i>tunnelIfEncapsLimit</i>	(Optional) Encaps Limit

Command Mode

- /exec

show tunnel inetconfigtable

```
show tunnel inetconfigtable [ <tunnelInetConfigAddressType-in> [ [ <tunnelInetConfigLocalAddress-in> [
<tunnelInetConfigRemoteAddress-in> [ <tunnelInetConfigEncapsMethod-in> [ <tunnelInetConfigID-in> ]
] ] ] ] [ __readonly__ TABLE-tunnelInetConfigTable <tunnelInetConfigAddressType-out>
<tunnelInetConfigLocalAddress-out> <tunnelInetConfigRemoteAddress-out>
<tunnelInetConfigEncapsMethod-out> <tunnelInetConfigID-out> <tunnelInetConfigIfIndex>
<tunnelInetConfigStatus> <tunnelInetConfigStorageType> ]
```

Syntax Description

show	Show running system information
tunnel	Show information about Tunnel
inetconfigtable	Show inet config table
<i>tunnelInetConfigAddressType-in</i>	(Optional) Address Type
<i>tunnelInetConfigLocalAddress-in</i>	(Optional) Local IP Address
<i>tunnelInetConfigRemoteAddress-in</i>	(Optional) Remote IP Address
<i>tunnelInetConfigEncapsMethod-in</i>	(Optional) Encapsulation Method
<i>tunnelInetConfigID-in</i>	(Optional) Configuration ID
<i>__readonly__</i>	(Optional)
TABLE-tunnelInetConfigTable	(Optional) Tunnel Inet Config Table
<i>tunnelInetConfigAddressType-out</i>	(Optional) Address Type
<i>tunnelInetConfigLocalAddress-out</i>	(Optional) Local IP Address
<i>tunnelInetConfigRemoteAddress-out</i>	(Optional) Remote IP Address
<i>tunnelInetConfigEncapsMethod-out</i>	(Optional) Encapsulation Method
<i>tunnelInetConfigID-out</i>	(Optional) Configuration ID
<i>tunnelInetConfigIfIndex</i>	(Optional) If Index
<i>tunnelInetConfigStatus</i>	(Optional) Row Status
<i>tunnelInetConfigStorageType</i>	(Optional) Storage Type

Command Mode

- /exec