



0 Show Commands

- [show object-group](#), on page 2
- [show onep](#), on page 3
- [show onep cli-extensions applications](#), on page 4
- [show onep error](#), on page 5
- [show onep history](#), on page 6
- [show onep statistics](#), on page 7
- [show onep status](#), on page 8
- [show onep trace](#), on page 9
- [show ospfv3](#), on page 10

show object-group

show object-group [<name>]

Syntax Description

show	Show running system information
object-group	Show configured ACL object groups
<i>name</i>	(Optional) object-group name

Command Mode

- /exec

show onep

```
show onep { session { all | <onep-session-id> | rate-limit } [ detail ] }
```

Syntax Description

show	Show running system information
onep	One Platform
session	One Platform session
all	All sessions
<i>onep-session-id</i>	Specific session name
rate-limit	rate limiting feature info
detail	(Optional) Show detailed session info

Command Mode

- /exec

show onep cli-extensions applications

show onep cli-extensions applications

Syntax Description

show	Show running system information
onep	One Platform
cli-extensions	CLI Extensions feature
applications	Onep applications using the CLI Extensions feature

Command Mode

- /exec

show onep error

show onep error

Syntax Description

show	Show running system information
onep	One Platform
error	Error

Command Mode

- /exec

show onep history

```
show onep history { { archived } | { all } | { session { all | <onep-session-id> } } }
```

Syntax Description

show	Show running system information
onep	One Platform
history	One Platform history trails
archived	One Platform archived session
session	One Platform session
<i>onep-session-id</i>	Specific session name
all	All sessions

Command Mode

- /exec

show onep statistics

```
show onep statistics [ session { all | <onep-session-id> } ]
```

Syntax Description

show	Show running system information
onep	One Platform
statistics	statistics
session	(Optional) One Platform session
all	(Optional) All sessions
<i>onep-session-id</i>	(Optional) Specific session name

Command Mode

- /exec

show onep status

show onep status

Syntax Description

show	Show running system information
onep	One Platform
status	status

Command Mode

- /exec

show onep trace

show onep trace

Syntax Description

show	Show running system information
onep	One Platform
trace	Trace

Command Mode

- /exec

show ospfv3

```
show ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] internal mem-stats [ no-libs ] [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

Syntax Description

show	Show running system information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
internal	Commands for internal use
mem-stats	Show memory allocation statistics
no-libs	(Optional) Exclude libraries
detail	(Optional) Display detailed information

Command Mode

- /exec