



G Show Commands

- [show guestshell, on page 2](#)

show guestshell

```
show guestshell [ { detail } ] [ __readonly__ [ TABLE_detail <name> <state> <package_name> <ova_path>
<application_name> <application_version> <application_description> <key_type> <signing_method>
<licensing_name> <licensing_version> <disk_reservation> <memory_reservation> <cpu_reservation>
TABLE_attached_devices <type> <name> <alias> ] ]
```

Syntax Description

show	Show running system information
guestshell	Display guest shell service information
detail	(Optional) Detailed guest shell service information
__readonly__	(Optional) Read Only
TABLE_detail	(Optional) Virtual service detail table
<i>name</i>	(Optional) Virtual service name
<i>package_name</i>	(Optional) Virtual service package name
<i>application_name</i>	(Optional) Name of the application
<i>application_version</i>	(Optional) Version of the application
<i>application_description</i>	(Optional) Description of the application
<i>key_type</i>	(Optional) Virtual service key type
<i>signing_method</i>	(Optional) Method used to sign the package
<i>licensing_name</i>	(Optional) Name of the license
<i>licensing_version</i>	(Optional) Version of the license
<i>ova_path</i>	(Optional) Virtual service OVA path
<i>state</i>	(Optional) Virtual service state
<i>disk_reservation</i>	(Optional) Virtual service disk reservation
<i>memory_reservation</i>	(Optional) Virtual service memory reservation
<i>cpu_reservation</i>	(Optional) Virtual service CPU reservation
TABLE_attached_devices	(Optional) Attached devices table
<i>type</i>	(Optional) Type of the attached device
<i>name</i>	(Optional) Name of the attached device
<i>alias</i>	(Optional) Alias for the attached device

Command Mode

- /exec

