

### **Disaster Recovery (Backup and Restore)**

This chapter contains the following sections:

- Backup and Restore Cisco DCNM and Application Data on Standalone DCNM setup, on page 1
- Backup and Restore Cisco DCNM and Application Data on Native HA setup, on page 2

## Backup and Restore Cisco DCNM and Application Data on Standalone DCNM setup

You can take a backup of Cisco DCNM application data for analytics and troubleshooting.

Perform the following task to take a backup of Cisco DCNM and Application data.

### Procedure

Step 1 Step 2	Logon to the Cisco DCNM appliance using SSH. Take a backup of the application data using the <b>appmgr backup</b> command.
	denm# appmgr backup
	Copy the backup file to a safe location and shut down the DCNM Appliance.
Step 3 Step 4 Step 5	Right click on the installed VM and select <b>Power &gt; Power Off</b> . Deploy the new DCNM appliance. After the VM is powered on, click on <b>Console</b> tab.
	A message indicating that the DCNM appliance is configuring appears on the screen.
	Copy and paste the URL to the browser to continue with restore process.
Step 6	On the DCNM Web Installer UI, click Get Started.
Step 7	On the Cisco DCNM Installer screen, select <b>Fresh Installation with backup file for upgrade or restore</b> radio button.
	Select the backup file that was generated in Step Step 2, on page 1.
	Continue to deploy the DCNM.
Step 8	On the Summary tab, review the configuration details.

Click **Previous** to go to the previous tabs and modify the configuration. Click **Start Installation** complete Cisco DCNM Virtual Appliance Installation for the chosen deployment mode.

A progress bar appears showing the completed percentage, description of the operation, and the elapsed time during the installation.

After the progress bar shows 100%, click Continue.

**Step 9** After the data is restored, check the status using the **appmr status all** command.

# Backup and Restore Cisco DCNM and Application Data on Native HA setup

Perform the following task to take perform backup and restore of data in a Native HA setup.

### Before you begin

Ensure that the Active node is operating and functional.

### Procedure

Step 1	Check if the Active node is operational. Otherwise, trigger a failover.
Step 2	Logon to the Cisco DCNM appliance using SSH.
Step 3	Take a backup of the application data using the <b>appmgr backup</b> command on both Active and Standby appliances.
	denm1# <b>appmgr backup</b> denm2 <b>appmgr backup</b>
	Copy the backup file of both active and standby appliances to a safe location and shut down the DCNM Appliance.
Step 4	Right click on the installed VM and select <b>Power &gt; Power Off</b> .
Step 5	Deploy the new DCNM appliance in Native HA mode.
Step 6	For both the Active and Standby appliances, after the VM is powered on, click on Console tab.
	A message indicating that the DCNM appliance is configuring appears on the screen.
	Copy and paste the URL to the browser to continue with restore process.
Step 7	On the DCNM Web Installer UI, click Get Started.
Step 8	On the Cisco DCNM Installer screen, select <b>Fresh Installation with backup file for upgrade or restore</b> radio button.
	Select the backup file that was generated in Step Step 3, on page 2.
	The values for parameters are read from the backup file, and auto-populated. Modify the values, if required.
	Continue to deploy the DCNM.
Step 9	On the Summary tab, review the configuration details.

Click **Previous** to go to the previous tabs and modify the configuration. Click **Start Installation** complete Cisco DCNM Virtual Appliance Installation for the chosen deployment mode.

A progress bar appears showing the completed percentage, description of the operation, and the elapsed time during the installation.

After the progress bar shows 100%, click Continue.

Step 10 After the data is restored, check the status using the appmr status all command.