

Monitoring the Device

- Understanding the Dashboard, on page 1
- Monitoring Ports, on page 3
- Monitoring Clients, on page 4

Understanding the Dashboard

The **Monitoring > Dashboard** page displays a snapshot of the overall status and statistics for your device.

Figure 1: Dashboard



- Switch View Displays a snapshot of the ports on the device.
- **CPU and Memory Utilization** Displays CPU usage on the processors on each core, every 5 minutes, every 1 minute and every 5 seconds. The Memory Utilization section displays a chart of the device memory usage. Hover over the graph to view the processor pool and the I/O pool percentage.
- System Information The PoE Power Consumption section displays a pie-chart showing the total Power over Ethernet (PoE), Universal Power over Ethernet (UPoE) on the device, the power used by the device and the current power available. The System Temperature section displays the temperature of the device. If the temperature is yellow or red, your device needs attention.
- System Messages-Critical Events Displays high severity, critical alerts that require your attention. Displays the system messages or any critical events regarding the switch in a tabular format that can also be downloaded using the Export button.

Monitoring Ports

The **Monitoring > Ports > Port Monitoring** page enables you to track and monitor the port parameters (interface details) like type of interface, description, port status, port type of the switch. The logical representation of the ports at the top provides an easy-to-understand snapshot of all ports on the device.

Figure 2: Port Monitoring

	PORT MONITORING							
DASHBOARD	- Switch							
PORTS	01 03 05	07 09 11	13 15					
CLIENTS	02 04 06		Uplink	Ports SN: FCW22 MAC: 0C:D0	40A0Q9 0:F8:B5:B0:80			
	SwitchPort	- Description	V Status V	PortType	VLAN/IP ~	Duplex	Power Y	
	Gi0/1	my device	not connected	Routed	1	auto	0.0	
چې دغانده د د د د د د د د د د د د د د د د د د	Gi0/2	my device	not connected	Routed	1	auto	0.0	
HELP	Gi0/3	my device	not connected	Routed	1	auto	0.0	
	Gi0/4	four	not connected	Access	1	auto	0.0	
	Gi0/5		not connected	Access	1	auto	0.0	
	Gi0/6	four	not	Routed	3.3.3.3	auto	0.0	
	Gi0/7		connected	Access	1	a-full	0.0	
	Gi0/8		not connected	Access	1	auto	0.0	
	Gi0/9		not connected	Access	4	auto	0.0	
	Gi0/10		not connected	Access	4	auto	0.0	
	∉ ∉ 1 2	3 ▶ ▶	10	🔹 items per pa	ige			
	Port : Gi0/1							
	Pac	kets	Total	Sent	Receive	ed		
	Total		0	0	0		Uni-Direction	
	Broadcast		0	0	0		Buffer Overflo	
	Multicast		0	0	0		Queue Drops	

You can get additional details associated with the port by clicking on the port in the logical view at the top or in the table.

Parameter	Description
Switch	The type of interface.
Port	• Gigabit Ethernet—Displays the Gigabit Ethernet for 10/100/1000 Mb/s Ethernet ports.
	 10 Gigabit Ethernet—Displays the 10-Gigabit Ethernet for 10,000 Mb/s Ethernet ports.
	• SFP—Displays the small form-factor pluggable (SFP) module Gigabit Ethernet interfaces.
	• Unknown—Displays unknown when no interface is configured.
	• SVI port
	• Port-channel
Description	The description associated with the port.
Status	The connection status of the port.
Port Type	The type of port—Access, Trunk, Routed.
VLAN/IP	The VLAN connection link associated with the port. Values are as follows:
	• Trunk Mode—Displays the VLAN ID of the VLAN associated with this port.
	• Access Mode—Displays the VLAN ID of the VLAN associated with this port.
Duplex	The duplex mode of the interface.
Power	The power (in Watts) of the interface.
Speed	The speed of the interface.
PktDrop	Number of dropped packets.
SwitchType	Displays the type of Switch—Standalone.

Monitoring Clients

The **Monitor > Clients** page lists the information about the clients connected to the device. Click the client in the table to view properties and statistics for each client.

Parameter	Description
MAC	The MAC address of the client.
Switch Port	The interface used for communication between the client and the switch.
Client Name	Name of the client.
OS	Software version of the client.

Parameter	Description
Manufacturer	Client manufacturer details.
IP	IP address of the client.
VLAN	The VLAN on which the client resides.
POE Drawn	Determines power drawn(wattage) by this client.
Images	An icon to help you identify the device.

I