



---

## C

### configuration files

- archiving [2-12](#)
  - clearing the startup configuration [2-12](#)
  - creating and using, guidelines for [2-2](#)
  - creating using a text editor [2-2](#)
  - deleting a stored configuration [2-12](#)
  - described [2-1](#)
  - downloading
    - reasons for [2-1](#)
    - using FTP [2-6](#)
    - using RCP [2-10](#)
    - using TFTP [2-3](#)
  - invalid combinations when copying [1-6](#)
  - replacing and rolling back, guidelines for [2-13](#)
  - replacing a running configuration [2-12, 2-13](#)
  - rolling back a running configuration [2-12, 2-13](#)
  - uploading
    - reasons for [2-2](#)
    - using FTP [2-7](#)
    - using RCP [2-11](#)
    - using TFTP [2-4](#)
- configuration replacement [2-12](#)
- configuration rollback [2-12](#)

---

## D

### directories

- changing [1-4](#)
  - creating and removing [1-5](#)
  - displaying the working [1-4](#)
- downloading

### configuration files

- reasons for [2-1](#)
  - using FTP [2-6](#)
  - using RCP [2-10](#)
  - using TFTP [2-3](#)
- image files
- deleting old image [3-4](#)
  - preparing [3-3, 3-6, 3-11](#)
  - reasons for [3-1](#)
  - using FTP [3-7](#)
  - using HTTP [3-1](#)
  - using RCP [3-12](#)
  - using TFTP [3-3](#)
  - using the Device Manager [3-1](#)

---

## F

### files

- copying [1-6](#)
  - deleting [1-6](#)
  - displaying the contents of [1-8](#)
- tar
- creating [1-7](#)
  - displaying the contents of [1-7](#)
  - extracting [1-8](#)
  - image file format [3-2](#)

### file system

- displaying available file systems [1-1](#)
  - displaying file information [1-4](#)
  - local file system names [1-1](#)
  - network file system names [1-6](#)
  - setting the default [1-3](#)
- flash device, number of [1-1](#)

**FTP**

- configuration files
  - downloading [2-6](#)
  - overview [2-5](#)
  - uploading [2-7](#)
- image files
  - deleting old image [3-9](#)
  - downloading [3-7](#)
  - preparing the server [3-6](#)
  - uploading [3-9](#)

- clearing [2-12](#)

**N**

## Network Assistant

- upgrading a switch [3-1](#)

**R****RCP**

- configuration files
  - downloading [2-10](#)
  - overview [2-8](#)
  - uploading [2-11](#)
- image files
  - deleting old image [3-13](#)
  - downloading [3-12](#)
  - preparing the server [3-11](#)
  - uploading [3-13](#)

## running configuration

- replacing [2-12, 2-13](#)
- rolling back [2-12, 2-13](#)

**S**

## software images

- location in flash [3-2](#)
- tar file format, described [3-2](#)

## startup configuration

**T**

## tar files

- creating [1-7](#)
- displaying the contents of [1-7](#)
- extracting [1-8](#)
- image file format [3-2](#)

**TFTP**

- configuration files
  - downloading [2-3](#)
  - uploading [2-4](#)
- image files
  - deleting [3-4](#)
  - downloading [3-3](#)
  - preparing the server [3-3](#)
  - uploading [3-5](#)

**U**

## upgrading software images

- See downloading

## uploading

- configuration files
  - reasons for [2-2](#)
  - using FTP [2-7](#)
  - using RCP [2-11](#)
  - using TFTP [2-4](#)
- image files
  - preparing [3-3, 3-6, 3-11](#)
  - reasons for [3-1](#)
  - using FTP [3-9](#)
  - using RCP [3-13](#)
  - using TFTP [3-5](#)