

Caveats

- Cisco Bug Search Tool, on page 1
- Open Caveats in Cisco IOS XE Dublin 17.12.x, on page 1
- Resolved Caveats in Cisco IOS XE Dublin 17.12.3, on page 1
- Resolved Caveats in Cisco IOS XE Dublin 17.12.2, on page 2
- Resolved Caveats in Cisco IOS XE Dublin 17.12.1, on page 2

Cisco Bug Search Tool

The Cisco Bug Search Tool (BST) allows partners and customers to search for software bugs based on product, release, and keyword, and aggregates key data such as bug details, product, and version. The BST is designed to improve the effectiveness in network risk management and device troubleshooting. The tool has a provision to filter bugs based on credentials to provide external and internal bug views for the search input.

To view the details of a caveat, click on the identifier.

Open Caveats in Cisco IOS XE Dublin 17.12.x

Identifier	Headline
CSCwh35728	Need switch to host macsec support in Sda overlay network
CSCwi79445	Interfaces with QSFP 40/100G SRBD go disabled after reload

Resolved Caveats in Cisco IOS XE Dublin 17.12.3

Identifier	Headline
CSCwi59993	Memory leak due to pubd process when connection is terminated from the receiver side
CSCwh91796	BUM not forwarding while the L2 vni is down
CSCwi24734	single-sup mode of power budget is rejected in Cat9400 SVL

Identifier	Headline
CSCwh99354	C9400 SVL: command - test platform hardware chassis fantray service-mode on/off - does not work
CSCwi06404	PKI crash after failing a CRL Fetch

Resolved Caveats in Cisco IOS XE Dublin 17.12.2

Identifier	Headline
CSCwh87343	Cisco IOS XE Software Web UI Privilege Escalation Vulnerability
	For more information, see Security Advisory: cisco-sa-iosxe-webui-privesc-j22SaA4z.

Resolved Caveats in Cisco IOS XE Dublin 17.12.1

There are no resolved caveats in this release.