

TrustSec Security Group Name Download

The TrustSec Security Group Name Download feature enhances the Security Group Tag (SGT) policy that downloads to the network access device to include the SGT name in addition to the SGT number and Security Group Access Control List (SGACL) policy.

- Layer 3 Logical Interface to SGT Mapping, on page 1
- · Configuring TrustSec Security Group Name Download, on page 1
- Example: TrustSec Security Group Name Download, on page 2
- Feature History for TrustSec Security Group Name Download, on page 3

Layer 3 Logical Interface to SGT Mapping

The TrustSec Security Group Name Download feature is used to directly map SGTs to traffic of any of the following Layer 3 interfaces regardless of the underlying physical interface:

- Routed port
- SVI (VLAN interface)
- Layer3 subinterface of a Layer2 port
- Tunnel interface

The **cts role-based sgt-map interface** global configuration command to specify either a specific SGT number, or a Security Group Name (whose SGT association is dynamically acquired from a Cisco ISE or a Cisco ACS access server).

Configuring TrustSec Security Group Name Download

Procedure

	Command or Action	Purpose
Step 1	enable	Enables privileged EXEC mode.
	Example:	• Enter your password if prompted.
	Device> enable	

	Command or Action	Purpose	
Step 2	configure terminal	Enters global configuration mode.	
	Example:		
	Device# configure terminal		
Step 3	cts role-based sgt-map interface type slot/port [security-group name sgt number]	An SGT is imposed on ingress traffic to the specified interface.	
	<pre>Example: Device(config)# cts role-based sgt-map interface gigabitEthernet 1/1 sgt 77</pre>	 interface <i>type slot/port</i>—Displays list of available interfaces. security-group <i>name</i>— Security Group name to SGT pairings are configured on the Cisco ISE or Cisco ACS. sgt <i>number</i>—(0 to 65,535). Specfies the Security Group Tag (SGT) number. 	
Step 4	exit Example:	Exits global configuration mode.	
	Device(config)# exit		
Step 5	show cts role-based sgt-map all Example:	Verify that ingressing traffic is tagged with the specified SGT.	
	Device# show cts role-based sgt-map all		

Example: TrustSec Security Group Name Download

The following example shows the SGT download configuration for the ingress interface:

```
Device# config terminal
Device(config)# cts role-based sgt-map interface gigabitEthernet 6/3 sgt 3
Device(config)# exit
```

The following example shows that ingressing traffic for the ingress interface is tagged appropriately:

Device# show cts role-based sgt-map all

IP Address	SGT	Source
15.1.1.15	4	INTERNAL
17.1.1.0/24	3	L3IF
21.1.1.2	4	INTERNAL
31.1.1.0/24	3	L3IF
31.1.1.2	4	INTERNAL
43.1.1.0/24	3	L3IF

49.1.1.0/24	3	L3IF			
50.1.1.0/24	3	L3IF			
50.1.1.2	4	INTERNAL			
51.1.1.1	4	INTERNAL			
52.1.1.0/24	3	L3IF			
81.1.1.1	5	CLI			
102.1.1.1	4	INTERNAL			
105.1.1.1	3	L3IF			
111.1.1.1	4	INTERNAL			
IP-SGT Active Bindings Summary					
Total number of CLI	bind	ings = 1			
Total number of L3IF	s bind	ings = 7			
Total number of INTE	ERNAL bind	ings = 7			
Total number of acti	ive bind	ings = 15			

Feature History for TrustSec Security Group Name Download

This table provides release and related information for the features explained in this module.

These features are available in all the releases subsequent to the one they were introduced in, unless noted otherwise.

Release	Feature	Feature Information
Cisco IOS XE Gibraltar 16.11.1	TrustSec Security Group Name Download	This feature enhances the SGT policy that downloads to the network access device to include the SGT name in addition to the SGT number and SGACL policy.
Cisco IOS XE Cupertino 17.7.1	TrustSec Security Group Name Download	Support for this feature was introduced on the Cisco Catalyst 9600 Series Supervisor 2 Module (C9600X-SUP-2).

Use the Cisco Feature Navigator to find information about platform and software image support. To access Cisco Feature Navigator, go to http://www.cisco.com/go/cfn.