



# Configuring BGP EVPN VXLANv6

---

This document describes new deployment and migration scenarios for implementing IPv6 in the underlay of a BGP EVPN VXLAN fabric.

- [Restrictions for BGP EVPN VXLANv6, on page 1](#)
- [Information About BGP EVPN VXLANv6 , on page 1](#)
- [How to Configure BGP EVPN VXLANv6, on page 4](#)
- [Migration from VXLANv4 to VXLANv6, on page 7](#)
- [Configuration Examples for BGP EVPN VXLANv6, on page 9](#)

## Restrictions for BGP EVPN VXLANv6

- Optimized Layer 2 overlay multicast is not supported in BGP EVPN VXLANv6.
- BGP EVPN VXLANv6 does not support centralized anycast gateway deployment. Only distributed anycast gateway is supported.
- BGP EVPN VXLANv6 does not support the following features:
  - Multi-Homing
  - Access Virtual Forwarding Interface (VFI)
  - Fabric Netflow
- BGP EVPN VXLANv6 is not supported on Cisco Catalyst 9600 Series Supervisor 2 Module (C9600X-SUP-2).

## Information About BGP EVPN VXLANv6

The ever-expanding needs of the enterprise networks to enhance the IP addressing capabilities and simplify the network configurations makes it pertinent to adopt IPv6-enabled networks. The larger IPv6 address space allows networks to scale and provide global reachability. The simplified IPv6 packet header format handles packets more efficiently. IPv6 prefix aggregation, simplified network renumbering, and IPv6 site multihoming capabilities provide an IPv6 addressing hierarchy that allows for more efficient routing. When you enable IPv6 in the underlay for VXLAN tunnel endpoints (VTEPS), the overlay traffic is encapsulated with the IPv6 VXLAN encapsulation. IPv6 connectivity between the VTEPS is established by enabling IPv6 unicast routing

protocols. For overlay multi-destination traffic (BUM), when underlay multicast is used, IPv6 multicast protocol must be enabled.

For a new deployment, you can build your BGP EVPN VXLAN fabric with IPv6 underlay. For an existing BGP EVPN VXLAN fabric with IPv4 underlay, you can seamlessly migrate to an IPv6 only or dual stack underlay.



**Note** This feature is not supported on the Cisco Catalyst 9600 Series Supervisor 2 Module (C9600X-SUP-2).

## BGP EVPN VXLANv6 Fabric Support


In Cisco IOS XE Dublin 17.10.1 and later releases, a BGP EVPN VXLAN fabric with an IPv6 underlay supports the following features:

- Ingress Replication or Static Multicast Replication
- Layer 2 Gateway
- Distributed Anycast Gateway with Symmetric Integrated Routing and Bridging
- Layer 2 External connectivity with IEEE 802.1Q network
- Layer 3 External Connectivity with VRF-Lite or MPLS Layer 3 VPN network
- Seamless migration between EVPN VXLANv4 fabric and EVPN VXLANv6 fabric
- IPv6 BGP EVPN Neighbor Peering

## EVPN VXLANv6 Layer 2 Overlay

The Layer 2 Gateway with VXLANv6 deployment supports IPv6 transport in the underlay. The VXLAN tunnels and BGP peering between Layer 2 Gateways are both IPv6 based. The overlay has only Layer 2 routes.

A Layer 2 Gateway with VXLANv6 supports Layer 2 bridging between Layer 2 Gateways. Layer 3 Routing is implemented with the external Layer 3 Gateways.

**Figure 1: EVPN VXLANv6 Fabric with Layer 2 Gateway**

470174


The topology in the [Figure 1: EVPN VXLANv6 Fabric with Layer 2 Gateway](#) shows a BGP EVPN VXLAN fabric with a Layer 2 overlay that supports IPv6 underlay. The fabric supports both IPv4 and IPv6 hosts.

## EVPN VXLANv6 Overlay with Distributed Anycast Gateway

In a BGP EVPN VXLANv6 fabric with Distributed Anycast Gateway, the underlay supports IPv6 transport. The VXLAN tunnels and BGP peering, both support IPv6 addressing. The overlay has both Layer 2 and Layer 3 routes and supports MAC, IPv4 and IPv6 addressing.

Distributed Anycast Gateway with VXLANv6 supports Layer 2 bridging, Layer 3 routing within the EVPN fabric, and Layer 3 stitching through Layer 3 border gateway with IPv6 underlay. For Layer 3 routing, both IPv4 and IPv6 overlay prefixes are supported over IPv6 underlay.

Figure 2: BGP EVPN VXLANv6 Fabric with Distributed Anycast Gateway



Topology in the [Figure 2: BGP EVPN VXLANv6 Fabric with Distributed Anycast Gateway](#) shows a BGP EVPN VXLANv6 fabric with integrated routing and bridging (IRB) using distributed anycast gateway (DAG). The fabric supports both IPv4 and IPv6 hosts, and IPv6 BGP peering.

## How to Configure BGP EVPN VXLANv6

This section describes only the changes in the underlay configuration. For the overlay and complete configuration of the fabric, refer [How to Configure EVPN VXLAN Layer 2 Overlay Network](#) and [Information About EVPN VXLAN Integrated Routing and Bridging](#).

### Configure VXLANv6 for BGP EVPN Fabric with Layer 2 Overlay

Implement the following tasks to configure IPv6 underlay for a BGP EVPN VXLAN fabric with Layer 2 overlay.

#### Procedure

- Step 1** Configure an explicit router-id for L2VPN EVPN.

```
l2vpn
  router-id 1.1.1.3
l2vpn evpn
  replication-type ingress
end
```

- Step 2** Configure an L2EVPN instance.

```
l2vpn evpn instance 1 vlan-based
  encapsulation vxlan
```

- Step 3** Configure Loopback interface.

```
interface Loopback1
  ipv6 address ABCD:1::2/128
  ipv6 ospf 1 area 0
```

**Step 4** Configure NVE interface.

```
interface nve1
  source-interface Loopback1
  host-reachability protocol bgp
  vxlan encapsulation ipv6
  member vni 20011 ingress-replication
  member vni 20012 mcast-group FF0E::12
```

**Step 5** Configure the VLAN.

```
vlan configuration 11
  member evpn-instance 1 vni 20011
```

**Step 6** Configure the L2VPN EVPN BGP peering.

```
interface Loopback0
  description BGP UPDATE SOURCE
  ipv6 address ABCD:1::1/128
  ipv6 ospf 1 area 0
!
router bgp 100
  bgp router-id 1.1.1.1
  bgp log-neighbor-changes
  bgp graceful-restart
  neighbor ABCD:99::99 remote-as 100
  neighbor ABCD:99::99 update-source Loopback0
!
address-family l2vpn evpn
  neighbor ABCD:99::99 activate
  neighbor ABCD:99::99 send-community both
exit-address-family
!
```

## Configure VXLANv6 for BGP EVPN Fabric with Distributed Anycast Gateway

Implement the following tasks to configure IPv6 underlay for a BGP EVPN VXLAN fabric with a Distributed Anycast Gateway (DAG).

### Procedure

**Step 1** Configure IP-VRF.

```
vrf definition red
  rd 100:1
  !
  address-family ipv4
    route-target export 100:100
    route-target import 100:100
    route-target export 100:100 stitching
    route-target import 100:100 stitching
  exit-address-family
  !
  address-family ipv6
```

## Configure VXLANv6 for BGP EVPN Fabric with Distributed Anycast Gateway

```

route-target export 100:200
  route-target import 100:200
route-target export 100:200 stitching
  route-target import 100:200 stitching
exit-address-family
end

```

**Step 2** Configure Access SVI IRB interface.

```

interface Vlan11
mac-address 0011.0011.0011
  vrf forwarding red
  ip address 192.168.11.254 255.255.255.0
  ipv6 address 2001:11::254/64
end

```

**Step 3** Configure IPv6 BGP peering.

```

router bgp 100
  bgp router-id 1.1.1.1
  bgp log-neighbor-changes
  bgp graceful-restart
  neighbor ABCD:99::99 remote-as 100
  neighbor ABCD:99::99 update-source Loopback0
!
  address-family l2vpn evpn
    neighbor ABCD:99::99 activate
    neighbor ABCD:99::99 send-community both
  exit-address-family
!
  address-family ipv4 vrf red
    advertise l2vpn evpn
    redistribute connected
  exit-address-family
  address-family ipv6 vrf red
    advertise l2vpn evpn
    redistribute connected
  exit-address-family
end

```

**Step 4** Configure NVE interface.

```

interface nve1
  source-interface Loopback1
  host-reachability protocol bgp
  vxlan encapsulation ipv6
  member vni 30001 vrf red
  member vni 20011 ingress-replication
  member vni 20012 mcast-group ff0e::12

```

**Step 5** Configure the core SVI IRB interface.

```

vlan configuration 3
  member vni 30001
interface Vlan3
  vrf forwarding red
  ip unnumbered Loopback192
  ip pim sparse-mode
  ipv6 unnumbered Loopback192
  no autostate
end


```

# Migration from VXLANv4 to VXLANv6

You can seamlessly migrate your existing network from VXLANv4 to VXLANv6 underlay. To achieve a nondisruptive migration, the EVPN VXLAN network should migrate incrementally from IPv4 to IPv6 underlay. During migration, the part of the network that is migrated to IPv6 underlay remains connected with the part of the network that still works with IPv4 underlay.

The incremental migration is achieved by individually making each VTEP dual stack-capable. A dual stack VTEP node has two VTEP addresses (IPv4 and IPv6) associated with the same VXLAN Network Identifier (VNI). During the underlay migration, both these VTEP IP addresses are advertised to peers in a single BGP EVPN dual next-hop update. The receiving nodes in the underlay can choose either IPv4 or IPv6 for traffic forwarding. This ensures connectivity between the IPv4 VTEPs, the dual stack VTEPs and IPv6 VTEPs. After all the VTEPs in the fabric are made dual stack-capable, each VTEP is migrated to IPv6.

## Step 1



1. Configure IPv4/IPv6 Loopback interface.

```
VTEP(config)#interface Loopback1
VTEP(config-if)# ipv6 address ABCD:1::2/128
VTEP(config-if)# ipv6 ospf 1 area 0
```

2. Enable Dual Stack.

## Migration from VXLANv4 to VXLANv6

```
VTEP(config) # interface nve1
VTEP(config-if) # vxlan encapsulation dual-stack prefer-ipv6
```


- For unicast traffic and BUM traffic using ingress replication, the dual stack VTEP communicates with other IPv4 VTEPs using VXLANv4 and with other dual stack VTEPs using VXLANv6.

Configure static multicast replication for L2VNI.

```
VTEP(config-if) # member vni 20011 mcast-group 239.2.1.11 FF0E::11
```

### Step 2


This step is only needed for BUM traffic using Multicast Replication.



- After all the VTEPs are dual stack-capable, underlay multicast switches to IPv6 Multicast.

```
VTEP(config) # interface nve1
VTEP(config-if) # vxlan encapsulation dual-stack prefer-ipv6 underlay-mcast ipv6
```

### Step 3



- Configure all VTEPs to support only IPv6.

```
VTEP(config)# interface nve1
VTEP(config-if)# member vni 20011 mcast-group FF0E::11
VTEP(config-if)# vxlan encapsulation ipv6
```

- The fabric switches to IPv6 encapsulations.

See [Migrate EVPN VXLAN to IPv6 Underlay on Catalyst 9000 Switches](#) document for detailed steps to migrate from VXLANv4 to VXLANv6.

## Configuration Examples for BGP EVPN VXLANv6


The following sections provide examples to show how to configure BGP EVPN VXLAN fabric with an IPv6 underlay and a dual stack underlay.

### Example: Configuring BGP EVPN VXLAN with IPv6 Underlay

This example shows how to configure a BGP EVPN VXLAN fabric with only IPv6 in the underlay. The following tables provide sample configuration of the VTEPs (Leaf-01, Leaf-02, Leaf-03) and the Spine nodes (Spine-01, Spine-02) in the topology [Figure 3: BGP EVPN VXLAN with IPv6 Underlay](#).

## Example: Configuring BGP EVPN VXLAN with IPv6 Underlay

Figure 3: BGP EVPN VXLAN with IPv6 Underlay



470879

*Table 1: Configure the VTEPs*

VTEP 1	VTEP 2	VTEP 3

**Example: Configuring BGP EVPN VXLAN with IPv6 Underlay**

VTEP 1	VTEP 2	VTEP 3
<pre> Leaf-01# show running-config hostname Leaf-01 ! vrf definition green rd 1:1 ! address-family ipv4 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! address-family ipv6 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! ip routing ! ipv6 unicast-routing ipv6 multicast-routing ! l2vpn evpn router-id Loopback1 replication-type static default-gateway advertise ! l2vpn evpn instance 101 vlan-based encapsulation vxlan ! l2vpn evpn instance 102 vlan-based encapsulation vxlan replication-type ingress ! system mtu 9198 ! vlan configuration 101 member evpn-instance 101 vni 10101 vlan configuration 102 member evpn-instance 102 vni 10102 vlan configuration 901 member vni 50901 ! interface Loopback0 ipv6 address fc00:172:16:255::3/128 ipv6 ospf 1 area 0 ! interface Loopback1 ipv6 address fc00:172:16:254::3/128 </pre>	<pre> Leaf-02# show running-config hostname Leaf-02 ! vrf definition green rd 1:1 ! address-family ipv4 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! address-family ipv6 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! ip routing ! ipv6 unicast-routing ipv6 multicast-routing ! l2vpn evpn router-id Loopback1 replication-type static default-gateway advertise ! l2vpn evpn instance 101 vlan-based encapsulation vxlan ! l2vpn evpn instance 102 vlan-based encapsulation vxlan replication-type ingress ! system mtu 9198 ! vlan configuration 101 member evpn-instance 101 vni 10101 vlan configuration 102 member evpn-instance 102 vni 10102 vlan configuration 901 member vni 50901 ! interface Loopback0 ipv6 address fc00:172:16:255::4/128 ipv6 ospf 1 area 0 ! interface Loopback1 ipv6 address fc00:172:16:254::4/128 </pre>	<pre> Leaf-03# show running-config hostname Leaf-03 ! vrf definition green rd 1:1 ! address-family ipv4 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! address-family ipv6 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! ip routing ip multicast-routing ! ipv6 unicast-routing ipv6 multicast-routing ! l2vpn evpn router-id Loopback1 replication-type static default-gateway advertise ! l2vpn evpn instance 101 vlan-based encapsulation vxlan ! l2vpn evpn instance 102 vlan-based encapsulation vxlan replication-type ingress ! system mtu 9198 ! vlan configuration 101 member evpn-instance 101 vni 10101 vlan configuration 102 member evpn-instance 102 vni 10102 vlan configuration 901 member vni 50901 ! interface Loopback0 ipv6 address fc00:172:16:255::5/128 ipv6 ospf 1 area 0 ! interface Loopback1 ipv6 address </pre>

VTEP 1	VTEP 2	VTEP 3
<pre> ip address 172.16.254.3 255.255.255.255 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ipv6 address fc00:172:16:13::3/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ipv6 address fc00:172:16:23::3/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/4 switchport access vlan 101 switchport mode access ! interface GigabitEthernet1/0/5 switchport access vlan 102 switchport mode access ! ipv6 router ospf 1 router-id 172.16.255.3 ! router bgp 65001 bgp router-id 172.16.255.3 neighbor fc00:172:16:255::1 remote-as 65001 neighbor fc00:172:16:255::1 update-source Loopback0 neighbor fc00:172:16:255::2 remote-as 65001 neighbor fc00:172:16:255::2 update-source Loopback0 ! address-family l2vpn evpn neighbor fc00:172:16:255::1 activate neighbor fc00:172:16:255::1 send-community both neighbor fc00:172:16:255::2 activate neighbor fc00:172:16:255::2 send-community both exit-address-family ! address-family ipv4 vrf green advertise l2vpn evpn redistribute connected exit-address-family ! address-family ipv6 vrf green redistribute connected </pre>	<pre> ip address 172.16.254.4 255.255.255.255 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ipv6 address fc00:172:16:14::4/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ipv6 address fc00:172:16:24::4/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/11 switchport access vlan 101 switchport mode access ! interface GigabitEthernet1/0/12 switchport access vlan 102 switchport mode access ! ipv6 router ospf 1 router-id 172.16.255.4 ! router bgp 65001 bgp router-id 172.16.255.4 neighbor fc00:172:16:255::1 remote-as 65001 neighbor fc00:172:16:255::1 update-source Loopback0 neighbor fc00:172:16:255::2 remote-as 65001 neighbor fc00:172:16:255::2 update-source Loopback0 ! address-family l2vpn evpn neighbor fc00:172:16:255::1 activate neighbor fc00:172:16:255::1 send-community both neighbor fc00:172:16:255::2 activate neighbor fc00:172:16:255::2 send-community both exit-address-family ! address-family ipv4 vrf green advertise l2vpn evpn redistribute connected exit-address-family ! </pre>	<pre> fc00:172:16:254::5/128 ip address 172.16.254.5 255.255.255.255 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ipv6 address fc00:172:16:15::5/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ipv6 address fc00:172:16:25::5/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/16 switchport access vlan 101 switchport mode access ! interface GigabitEthernet1/0/17 switchport access vlan 102 switchport mode access ! ipv6 router ospf 1 router-id 172.16.255.5 ! router bgp 65001 bgp router-id 172.16.255.5 neighbor fc00:172:16:255::1 remote-as 65001 neighbor fc00:172:16:255::1 update-source Loopback0 neighbor fc00:172:16:255::2 remote-as 65001 neighbor fc00:172:16:255::2 update-source Loopback0 ! address-family l2vpn evpn neighbor fc00:172:16:255::1 activate neighbor fc00:172:16:255::1 send-community both neighbor fc00:172:16:255::2 activate neighbor fc00:172:16:255::2 send-community both exit-address-family ! address-family ipv4 vrf green advertise l2vpn evpn redistribute connected exit-address-family !</pre>

**Example: Configuring BGP EVPN VXLAN with IPv6 Underlay**

VTEP 1	VTEP 2	VTEP 3
<pre> advertise 12vpn evpn exit-address-family ! int vlan101 vrf forwarding green ip address 10.1.101.1 255.255.255.0 ipv6 address fd00:10:1:101::1/64 ipv6 enable ! int vlan102 vrf forwarding green ip address 10.1.102.1 255.255.255.0 ipv6 address fd00:10:1:102::1/64 ipv6 enable ! int vlan901 vrf forwarding green ip unnumbered Loopback1 ipv6 enable no autostate ! interface nve1 no ip address source-interface Loopback1 host-reachability protocol bgp vxlan encapsulation ipv6 member vni 10101 mcast-group FF0E:225::101 member vni 10102 ingress-replication member vni 50901 vrf green ! ipv6 pim rp-address fc00:172:16:255::255 ! end </pre>	<pre> address-family ipv6 vrf green redistribute connected advertise 12vpn evpn exit-address-family ! int vlan101 vrf forwarding green ip address 10.1.101.1 255.255.255.0 ipv6 address fd00:10:1:101::1/64 ipv6 enable ! int vlan102 vrf forwarding green ip address 10.1.102.1 255.255.255.0 ipv6 address fd00:10:1:102::1/64 ipv6 enable ! int vlan901 vrf forwarding green ip unnumbered Loopback1 ipv6 enable no autostate ! interface nve1 no ip address source-interface Loopback1 host-reachability protocol bgp vxlan encapsulation ipv6 member vni 10101 mcast-group FF0E:225::101 member vni 10102 ingress-replication member vni 50901 vrf green ! ipv6 pim rp-address fc00:172:16:255::255 ! end </pre>	<pre> ! address-family ipv6 vrf green redistribute connected advertise 12vpn evpn exit-address-family ! int vlan101 vrf forwarding green ip address 10.1.101.1 255.255.255.0 ipv6 address fd00:10:1:101::1/64 ipv6 enable ! int vlan102 vrf forwarding green ip address 10.1.102.1 255.255.255.0 ipv6 address fd00:10:1:102::1/64 ipv6 enable ! int vlan901 vrf forwarding green ip unnumbered Loopback1 ipv6 enable no autostate ! interface nve1 no ip address source-interface Loopback1 host-reachability protocol bgp vxlan encapsulation ipv6 member vni 10101 mcast-group FF0E:225::101 member vni 10102 ingress-replication member vni 50901 vrf green ! ipv6 pim rp-address fc00:172:16:255::255 ! end </pre>

*Table 2: Configure the Spine Nodes*

Spine Switch 1	Spine Switch 2

**Example: Configuring BGP EVPN VXLAN with IPv6 Underlay**

Spine Switch 1	Spine Switch 2
<pre> Spine-01# show running-config hostname Spine-01 ! ip routing ! ipv6 unicast-routing ipv6 multicast-routing ! system mtu 9198 ! interface Loopback0 ipv6 address fc00:172:16:255::1/128 ipv6 ospf 1 area 0 ! interface Loopback1 ipv6 address fc00:172:16:254::1/128 ipv6 ospf 1 area 0 ! interface Loopback2 ipv6 address fc00:172:16:255::255/128 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ipv6 address fc00:172:16:13::1/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ipv6 address fc00:172:16:14::1/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/3 no switchport ipv6 address fc00:172:16:15::1/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! ipv6 router ospf 1 router-id 172.16.255.1 ! router bgp 65001 bgp router-id 172.16.255.1 neighbor fc00:172:16:255::2 remote-as 65001 neighbor fc00:172:16:255::2 update-source Loopback0 neighbor fc00:172:16:255::3 remote-as 65001 neighbor fc00:172:16:255::3 update-source Loopback0 neighbor fc00:172:16:255::4 remote-as 65001 neighbor fc00:172:16:255::4 update-source Loopback0 neighbor fc00:172:16:255::5 remote-as 65001 neighbor fc00:172:16:255::5 update-source Loopback0 ! address-family l2vpn evpn </pre>	<pre> Spine-02# show running-config hostname Spine-02 ! ip routing ! ipv6 unicast-routing ipv6 multicast-routing ! system mtu 9198 ! interface Loopback0 ipv6 address fc00:172:16:255::2/128 ipv6 ospf 1 area 0 ! interface Loopback1 ipv6 address fc00:172:16:254::2/128 ipv6 ospf 1 area 0 ! interface Loopback2 ipv6 address fc00:172:16:255::255/128 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ipv6 address fc00:172:16:23::2/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ipv6 address fc00:172:16:24::2/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/3 no switchport ipv6 address fc00:172:16:25::2/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! ipv6 router ospf 1 router-id 172.16.255.2 ! router bgp 65001 bgp router-id 172.16.255.2 neighbor fc00:172:16:255::1 remote-as 65001 neighbor fc00:172:16:255::1 update-source Loopback0 neighbor fc00:172:16:255::3 remote-as 65001 neighbor fc00:172:16:255::3 update-source Loopback0 neighbor fc00:172:16:255::4 remote-as 65001 neighbor fc00:172:16:255::4 update-source Loopback0 neighbor fc00:172:16:255::5 remote-as 65001 neighbor fc00:172:16:255::5 update-source Loopback0 ! address-family l2vpn evpn </pre>

Spine Switch 1	Spine Switch 2
<pre> neighbor fc00:172:16:255::2 activate neighbor fc00:172:16:255::2 send-community both neighbor fc00:172:16:255::2 route-reflector-client neighbor fc00:172:16:255::3 activate neighbor fc00:172:16:255::3 send-community both neighbor fc00:172:16:255::3 route-reflector-client neighbor fc00:172:16:255::4 activate neighbor fc00:172:16:255::4 send-community both neighbor fc00:172:16:255::4 route-reflector-client neighbor fc00:172:16:255::5 activate neighbor fc00:172:16:255::5 send-community both neighbor fc00:172:16:255::5 route-reflector-client exit-address-family ! ipv6 pim rp-address fc00:172:16:255::255 ! ipv6 pim anycast-rp fc00:172:16:255::255 fc00:172:16:254::2 ! end </pre>	<pre> neighbor fc00:172:16:255::1 activate neighbor fc00:172:16:255::1 send-community both neighbor fc00:172:16:255::1 route-reflector-client neighbor fc00:172:16:255::3 activate neighbor fc00:172:16:255::3 send-community both neighbor fc00:172:16:255::3 route-reflector-client neighbor fc00:172:16:255::4 activate neighbor fc00:172:16:255::4 send-community both neighbor fc00:172:16:255::4 route-reflector-client neighbor fc00:172:16:255::5 activate neighbor fc00:172:16:255::5 send-community both neighbor fc00:172:16:255::5 route-reflector-client exit-address-family ! ipv6 pim rp-address fc00:172:16:255::255 ! ipv6 pim anycast-rp fc00:172:16:255::255 fc00:172:16:254::1 ! end </pre>

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

The following sections provide sample output of **show** commands to verify the BGP EVPN VXLAN configuration with IPv6 underlay.

- [Outputs to Verify Configuration on VTEP 1, on page 17](#)
- [Outputs to Verify Configuration on VTEP 2, on page 23](#)
- [Outputs to Verify Configuration on VTEP 3, on page 29](#)
- [Outputs to Verify Configuration on Spine 1, on page 36](#)
- [Outputs to Verify Configuration on Spine 2, on page 41](#)

### Outputs to Verify Configuration on VTEP 1

```

Leaf-01# show ipv6 route
IPv6 Routing Table - default - 20 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
      B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
      I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
      EX - EIGRP external, ND - ND Default, NDP - ND Prefix, DCE - Destination
      NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
      OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
      ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
      ld - LISP dyn-eid, lA - LISP away, le - LISP extranet-policy
      lp - LISP publications, ls - LISP destinations-summary
C    FC00:172:16:13::/64 [0/0]

```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

        via GigabitEthernet1/0/1, directly connected
L  FC00:172:16:13::3/128 [0/0]
        via GigabitEthernet1/0/1, receive
O  FC00:172:16:14::/64 [110/2]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
O  FC00:172:16:15::/64 [110/2]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
C  FC00:172:16:23::/64 [0/0]
        via GigabitEthernet1/0/2, directly connected
L  FC00:172:16:23::3/128 [0/0]
        via GigabitEthernet1/0/2, receive
O  FC00:172:16:24::/64 [110/2]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
O  FC00:172:16:25::/64 [110/2]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
O  FC00:172:16:254::1/128 [110/1]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
O  FC00:172:16:254::2/128 [110/1]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
LC  FC00:172:16:254::3/128 [0/0]
        via Loopback1, receive
O  FC00:172:16:254::4/128 [110/2]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
O  FC00:172:16:254::5/128 [110/2]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
O  FC00:172:16:255::1/128 [110/1]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
O  FC00:172:16:255::2/128 [110/1]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
LC  FC00:172:16:255::3/128 [0/0]
        via Loopback0, receive
O  FC00:172:16:255::4/128 [110/2]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
O  FC00:172:16:255::5/128 [110/2]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
O  FC00:172:16:255::255/128 [110/1]
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/1
        via FE80::7E21:DFF:FE92:B2E4, GigabitEthernet1/0/2
L  FF00::/8 [0/0]
        via Null0, receive

Leaf-01# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
       C - Connected, L - Local, I - Received Source Specific Host Report,
       P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
       J - Join SPT, Y - Joined MDT-data group,
       y - Sending to MDT-data group
       g - BGP signal originated, G - BGP Signal received,
       N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
       q - BGP Src-Active originated, Q - BGP Src-Active received
       E - Extranet
Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 00:05:08/never, RP FC00:172:16:255::255, flags: SCJ
  Incoming interface: GigabitEthernet1/0/2
  RPF nbr: FE80::7E21:DFF:FE92:B2E4
  Immediate Outgoing interface list:
    Tunnell, Forward, 00:05:08/never

```

```
(FC00:172:16:254::3, FF0E:225::101), 00:04:36/00:03:01, flags: SFJT
  Incoming interface: Loopback1
  RPF nbr: FE80::12B3:D5FF:FE6A:8F80
  Immediate Outgoing interface list:
    GigabitEthernet1/0/1, Forward, 00:04:36/00:03:02
  Inherited Outgoing interface list:
    Tunnell, Forward, 00:05:08/never

(FC00:172:16:254::4, FF0E:225::101), 00:04:28/00:02:45, flags: SJT
  Incoming interface: GigabitEthernet1/0/1
  RPF nbr: FE80::7E21:DFF:FE92:B2E4
  Inherited Outgoing interface list:
    Tunnell, Forward, 00:05:08/never

(FC00:172:16:254::5, FF0E:225::101), 00:04:22/00:00:12, flags: SJT
  Incoming interface: GigabitEthernet1/0/2
  RPF nbr: FE80::7E21:DFF:FEBD:2CE4
  Inherited Outgoing interface list:
    Tunnell, Forward, 00:05:08/never
```

```
Leaf-01# show nve peer
'M' - MAC entry download flag  'A' - Adjacency download flag
'4' - IPv4 flag   '6' - IPv6 flag

Interface  VNI      Type Peer-IP          RMAC/Num_RTs  evNI      state flags UP time
nve1        50901    L3CP FC00:172:16:254::5 \
                                         7c21.0dbd.2748 50901      UP  A/-/4 00:03:30
nve1        50901    L3CP FC00:172:16:254::4 \
                                         7c21.0dbd.9548 50901      UP  A/-/4 00:03:30
nve1        50901    L3CP FC00:172:16:254::5 \
                                         7c21.0dbd.2748 50901      UP  A/M/6 00:03:30
nve1        50901    L3CP FC00:172:16:254::4 \
                                         7c21.0dbd.9548 50901      UP  A/M/6 00:03:30
nve1        10101    L2CP FC00:172:16:254::4 \
                                         4           10101      UP  N/A   00:03:29
nve1        10101    L2CP FC00:172:16:254::5 \
                                         4           10101      UP  N/A   00:03:29
nve1        10102    L2CP FC00:172:16:254::4 \
                                         6           10102      UP  N/A   00:03:29
nve1        10102    L2CP FC00:172:16:254::5 \
                                         6           10102      UP  N/A   00:03:29
```

```
Leaf-01# show bgp l2vpn evpn summary
BGP router identifier 172.16.255.3, local AS number 65001
BGP table version is 49, main routing table version 49
46 network entries using 17664 bytes of memory
62 path entries using 14384 bytes of memory
18/18 BGP path/bestpath attribute entries using 5328 bytes of memory
4 BGP rrinfo entries using 160 bytes of memory
14 BGP extended community entries using 744 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 38280 total bytes of memory
BGP activity 56/0 prefixes, 82/6 paths, scan interval 60 secs
46 networks peaked at 16:39:55 Oct 31 2022 UTC (00:01:35.087 ago)
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
FC00:172:16:255::1	4	65001	27	15	49	0	0	00:04:40	16
FC00:172:16:255::2	4	65001	27	15	49	0	0	00:04:30	16

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

Leaf-01# show bgp l2vpn evpn
BGP table version is 49, local router ID is 172.16.255.3
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
               r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
               x best-external, a additional-path, c RIB-compressed,
               t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found

      Network          Next Hop            Metric LocPrf Weight Path
Route Distinguisher: 172.16.254.3:101
  *>  [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
        ::                                         32768 ?
  *>  [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
        ::                                         32768 ?
*>i  [2][172.16.254.3:101][0][48][44D3CA286CC1][0][*]/20
      FC00:172:16:254::4                         0     100      0 ?
*>i  [2][172.16.254.3:101][0][48][44D3CA286CC3][0][*]/20
      FC00:172:16:254::5                         0     100      0 ?
*>i  [2][172.16.254.3:101][0][48][7C210DBD2741][32][10.1.101.1]/24
      FC00:172:16:254::5                         0     100      0 ?
*>i  [2][172.16.254.3:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
      FC00:172:16:254::5                         0     100      0 ?
*>i  [2][172.16.254.3:101][0][48][7C210DBD9541][32][10.1.101.1]/24
      FC00:172:16:254::4                         0     100      0 ?
*>i  [2][172.16.254.3:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
      FC00:172:16:254::4                         0     100      0 ?
*>i  [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20
      ::                                         32768 ?
*>  [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
      ::                                         32768 ?
*>  [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
      ::                                         32768 ?
Route Distinguisher: 172.16.254.3:102
  *>  [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
        ::                                         32768 ?
  *>  [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
        ::                                         32768 ?
*>i  [2][172.16.254.3:102][0][48][44D3CA286CC2][0][*]/20
      FC00:172:16:254::4                         0     100      0 ?
*>i  [2][172.16.254.3:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
      FC00:172:16:254::4                         0     100      0 ?
*>i  [2][172.16.254.3:102][0][48][44D3CA286CC4][0][*]/20
      FC00:172:16:254::5                         0     100      0 ?
*>i  [2][172.16.254.3:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
      FC00:172:16:254::5                         0     100      0 ?
*>i  [2][172.16.254.3:102][0][48][7C210DBD274D][32][10.1.102.1]/24
      FC00:172:16:254::5                         0     100      0 ?
*>i  [2][172.16.254.3:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::5                         0     100      0 ?
*>i  [2][172.16.254.3:102][0][48][7C210DBD954D][32][10.1.102.1]/24
      FC00:172:16:254::4                         0     100      0 ?

```

```

          0   100   0 ?
*>i [2][172.16.254.3:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::4

          0   100   0 ?
*> [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20
      ::                               32768 ?
*> [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      ::                               32768 ?

Route Distinguisher: 172.16.254.4:101
 * i [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
      FC00:172:16:254::4

          0   100   0 ?
*>i FC00:172:16:254::4

          0   100   0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
      FC00:172:16:254::4

          0   100   0 ?
*>i FC00:172:16:254::4

          0   100   0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
      FC00:172:16:254::4

          0   100   0 ?
*>i FC00:172:16:254::4

          0   100   0 ?
Route Distinguisher: 172.16.254.4:102
 * i [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
      FC00:172:16:254::4

          0   100   0 ?
*>i FC00:172:16:254::4

          0   100   0 ?
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
      FC00:172:16:254::4

          0   100   0 ?
*>i FC00:172:16:254::4

          0   100   0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
      FC00:172:16:254::4

          0   100   0 ?
*>i FC00:172:16:254::4

          0   100   0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::4

          0   100   0 ?
*>i FC00:172:16:254::4

          0   100   0 ?
Route Distinguisher: 172.16.254.5:101
 * i [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
      FC00:172:16:254::5

          0   100   0 ?
*>i FC00:172:16:254::5

          0   100   0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
      FC00:172:16:254::5

          0   100   0 ?
*>i FC00:172:16:254::5

          0   100   0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
      FC00:172:16:254::5

          0   100   0 ?
*>i FC00:172:16:254::5

          0   100   0 ?
Route Distinguisher: 172.16.254.5:102
 * i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
      FC00:172:16:254::5

```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
* i  [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
          FC00:172:16:254::5
          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
* i  [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
          FC00:172:16:254::5
          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
* i  [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
          FC00:172:16:254::5
          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
Route Distinguisher: 172.16.254.3:102
*>  [3][172.16.254.3:102][0][32][172.16.254.3]/17
          ::                               32768 ?
*>i  [3][172.16.254.3:102][0][32][172.16.254.4]/17
          FC00:172:16:254::4
          0   100   0 ?
*>i  [3][172.16.254.3:102][0][32][172.16.254.5]/17
          FC00:172:16:254::5
          0   100   0 ?
Route Distinguisher: 172.16.254.4:102
* i  [3][172.16.254.4:102][0][32][172.16.254.4]/17
          FC00:172:16:254::4
          0   100   0 ?
*>i           FC00:172:16:254::4
          0   100   0 ?
Route Distinguisher: 172.16.254.5:102
* i  [3][172.16.254.5:102][0][32][172.16.254.5]/17
          FC00:172:16:254::5
          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
Route Distinguisher: 1:1 (default for vrf green)
*>  [5][1:1][0][24][10.1.101.0]/17
          0.0.0.0                         0   32768 ?
*>  [5][1:1][0][24][10.1.102.0]/17
          0.0.0.0                         0   32768 ?
*>  [5][1:1][0][64][FD00:10:1:101::]/29
          ::                               0   32768 ?
*>  [5][1:1][0][64][FD00:10:1:102::]/29
          ::                               0   32768 ?

```

Leaf-01# show l2vpn evpn mac ip					
IP Address	EVI	VLAN	MAC Address	Next Hop(s)	
10.1.101.11	101	101	f4cf.e243.34c1	Gi1/0/4:101	
FE80::F6CF:E2FF:FE43:34C1	101	101	f4cf.e243.34c1	Gi1/0/4:101	
10.1.102.12	102	102	44d3.ca28.6cc2	FC00:172:16:254::4	
10.1.102.13	102	102	44d3.ca28.6cc4	FC00:172:16:254::5	
FE80::F6CF:E2FF:FE43:34C2	102	102	f4cf.e243.34c2	Gi1/0/5:102	

EVI	ETag	Prod	Mac Address	Host IP
				Next Hop(s)

```
-----
 101      0 L2VPN 10b3.d56a.8fc1          10.1.101.1
           V1101:0
 101      0 L2VPN 10b3.d56a.8fc1          FD00:10:1:101::1
           V1101:0
 101      0   BGP 7c21.0dbd.2741          10.1.101.1
           V:10101 FC00:172:16:254::5
 101      0   BGP 7c21.0dbd.2741          FD00:10:1:101::1
           V:10101 FC00:172:16:254::5
 101      0   BGP 7c21.0dbd.9541          10.1.101.1
           V:10101 FC00:172:16:254::4
 101      0   BGP 7c21.0dbd.9541          FD00:10:1:101::1
           V:10101 FC00:172:16:254::4
 101      0 L2VPN f4cf.e243.34c1          10.1.101.11
           Gi1/0/4:101
 101      0 L2VPN f4cf.e243.34c1          FE80::F6CF:E2FF:FE43:34C1
           Gi1/0/4:101
 102      0 L2VPN 10b3.d56a.8fc0          10.1.102.1
           V1102:0
 102      0 L2VPN 10b3.d56a.8fc0          FD00:10:1:102::1
           V1102:0
 102      0   BGP 44d3.ca28.6cc2          10.1.102.12
           V:10102 FC00:172:16:254::4
 102      0   BGP 44d3.ca28.6cc4          10.1.102.13
           V:10102 FC00:172:16:254::5
 102      0   BGP 7c21.0dbd.274d          10.1.102.1
           V:10102 FC00:172:16:254::5
 102      0   BGP 7c21.0dbd.274d          FD00:10:1:102::1
           V:10102 FC00:172:16:254::5
 102      0   BGP 7c21.0dbd.954d          10.1.102.1
           V:10102 FC00:172:16:254::4
 102      0   BGP 7c21.0dbd.954d          FD00:10:1:102::1
           V:10102 FC00:172:16:254::4
 102      0 L2VPN f4cf.e243.34c2          FE80::F6CF:E2FF:FE43:34C2
           Gi1/0/5:102
-----
```

To return to the configuration example, click [Example: Configuring BGP EVPN VXLAN with IPv6 Underlay, on page 9](#).

## Outputs to Verify Configuration on VTEP 2

```
Leaf-02# show ipv6 route
IPv6 Routing Table - default - 20 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
      B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
      I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
      EX - EIGRP external, ND - ND Default, NDp - ND Prefix, DCE - Destination
      NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
      OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
      ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
      ld - LISP dyn-eid, la - LISP away, le - LISP extranet-policy
      lp - LISP publications, ls - LISP destinations-summary
O  FC00:172:16:13::/64 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
C  FC00:172:16:14::/64 [0/0]
    via GigabitEthernet1/0/1, directly connected
L  FC00:172:16:14::128 [0/0]
    via GigabitEthernet1/0/1, receive
O  FC00:172:16:15::/64 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
O  FC00:172:16:23::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
C  FC00:172:16:24::/64 [0/0]
    via GigabitEthernet1/0/2, directly connected
```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

L   FC00:172:16:24::4/128 [0/0]
    via GigabitEthernet1/0/2, receive
O   FC00:172:16:25::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
O   FC00:172:16:254::1/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
O   FC00:172:16:254::2/128 [110/1]
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
O   FC00:172:16:254::3/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
LC  FC00:172:16:254::4/128 [0/0]
    via Loopback1, receive
O   FC00:172:16:254::5/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
O   FC00:172:16:255::1/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
O   FC00:172:16:255::2/128 [110/1]
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
O   FC00:172:16:255::3/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
LC  FC00:172:16:255::4/128 [0/0]
    via Loopback0, receive
O   FC00:172:16:255::5/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
O   FC00:172:16:255::255/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
L   FF00::/8 [0/0]
    via Null0, receive

```

```

Leaf-02# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
       C - Connected, L - Local, I - Received Source Specific Host Report,
       P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
       J - Join SPT, Y - Joined MDT-data group,
       Y - Sending to MDT-data group
       g - BGP signal originated, G - BGP Signal received,
       N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
       q - BGP Src-Active originated, Q - BGP Src-Active received
       E - Extranet
Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 00:05:12/never, RP FC00:172:16:255::255, flags: SCJ
  Incoming interface: GigabitEthernet1/0/2
  RPF nbr: FE80::7E21:DFF:FEBD:2CD6
  Immediate Outgoing interface list:
    Tunnell, Forward, 00:05:12/never

(FC00:172:16:254::3, FF0E:225::101), 00:03:23/00:01:40, flags: SJT
  Incoming interface: GigabitEthernet1/0/1
  RPF nbr: FE80::7E21:DFF:FE92:B2D6
  Inherited Outgoing interface list:
    Tunnell, Forward, 00:05:12/never

(FC00:172:16:254::4, FF0E:225::101), 00:04:40/00:02:41, flags: SFJT
  Incoming interface: Loopback1
  RPF nbr: FE80::7E21:DFF:FEBD:9500
  Immediate Outgoing interface list:

```

```

GigabitEthernet1/0/1, Forward, 00:04:40/00:02:50
Inherited Outgoing interface list:
    Tunnell, Forward, 00:05:12/never

(FC00:172:16:254::5, FF0E:225::101), 00:04:33/00:00:01, flags: SJT
    Incoming interface: GigabitEthernet1/0/1
    RPF nbr: FE80::7E21:DFF:FE92:B2D6
    Inherited Outgoing interface list:
        Tunnell, Forward, 00:05:12/never

Leaf-02# show nve peer
'M' - MAC entry download flag  'A' - Adjacency download flag
'4' - IPv4 flag   '6' - IPv6 flag

Interface  VNI      Type Peer-IP          RMAC/Num_RTs  evNI      state flags UP time
nve1       50901    L3CP FC00:172:16:254::3 \
                                         10b3.d56a.8fc8 50901      UP A/-/4 00:03:41
nve1       50901    L3CP FC00:172:16:254::5 \
                                         7c21.0dbd.2748 50901      UP A/-/4 00:03:41
nve1       50901    L3CP FC00:172:16:254::3 \
                                         10b3.d56a.8fc8 50901      UP A/M/6 00:03:41
nve1       50901    L3CP FC00:172:16:254::5 \
                                         7c21.0dbd.2748 50901      UP A/M/6 00:03:41
nve1       10101    L2CP FC00:172:16:254::3 \
                                         6                  10101      UP N/A 00:03:41
nve1       10101    L2CP FC00:172:16:254::5 \
                                         4                  10101      UP N/A 00:03:41
nve1       10102    L2CP FC00:172:16:254::3 \
                                         6                  10102      UP N/A 00:03:41
nve1       10102    L2CP FC00:172:16:254::5 \
                                         6                  10102      UP N/A 00:03:41

Leaf-02# show bgp l2vpn evpn summary
BGP router identifier 172.16.255.4, local AS number 65001
BGP table version is 53, main routing table version 53
48 network entries using 18432 bytes of memory
74 path entries using 17168 bytes of memory
19/18 BGP path/bestpath attribute entries using 5624 bytes of memory
4 BGP rrinfo entries using 160 bytes of memory
15 BGP extended community entries using 784 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 42168 total bytes of memory
BGP activity 62/2 prefixes, 113/19 paths, scan interval 60 secs
48 networks peaked at 16:39:55 Oct 31 2022 UTC (00:01:46.413 ago)

Neighbor          V      AS MsgRcvd MsgSent   TblVer  InQ OutQ Up/Down State/PfxRcd
FC00:172:16:255::1
                    4      65001     27      14      53      0      0 00:04:49      22
FC00:172:16:255::2
                    4      65001     27      14      53      0      0 00:04:39      22

Leaf-02# show bgp l2vpn evpn
BGP table version is 53, local router ID is 172.16.255.4
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
              r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
              x best-external, a additional-path, c RIB-compressed,
              t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found

Network          Next Hop           Metric LocPrf Weight Path
Route Distinguisher: 172.16.254.3:101

```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
      FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
      FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20
      FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
      FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
* i           FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
* i           FC00:172:16:254::3
          0    100    0 ?
Route Distinguisher: 172.16.254.3:102
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
      FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
      FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20
      FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      FC00:172:16:254::3
          0    100    0 ?
*>i           FC00:172:16:254::3
          0    100    0 ?
Route Distinguisher: 172.16.254.4:101
*>i [2][172.16.254.4:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
      FC00:172:16:254::3
          0    100    0 ?
*>i [2][172.16.254.4:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
      FC00:172:16:254::3
          0    100    0 ?
*> [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
      ::          32768 ?
*>i [2][172.16.254.4:101][0][48][44D3CA286CC3][0][*]/20
      FC00:172:16:254::5
          0    100    0 ?
*>i [2][172.16.254.4:101][0][48][7C210DBD2741][32][10.1.101.1]/24
      FC00:172:16:254::5
          0    100    0 ?
*>i [2][172.16.254.4:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
      FC00:172:16:254::5
          0    100    0 ?

```

```

*> [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
      ::                                         32768 ?
*> [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
      ::                                         32768 ?
*>i [2][172.16.254.4:101][0][48][F4CFE24334C1][0][*]/20
      FC00:172:16:254::3
          0     100      0 ?
*>i [2][172.16.254.4:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
      FC00:172:16:254::3
          0     100      0 ?
*>i [2][172.16.254.4:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
      FC00:172:16:254::3
          0     100      0 ?
Route Distinguisher: 172.16.254.4:102
*>i [2][172.16.254.4:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
      FC00:172:16:254::3
          0     100      0 ?
*>i [2][172.16.254.4:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
      FC00:172:16:254::3
          0     100      0 ?
*> [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
      ::                                         32768 ?
*> [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
      ::                                         32768 ?
*>i [2][172.16.254.4:102][0][48][44D3CA286CC4][0][*]/20
      FC00:172:16:254::5
          0     100      0 ?
*>i [2][172.16.254.4:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
      FC00:172:16:254::5
          0     100      0 ?
*>i [2][172.16.254.4:102][0][48][7C210DBD274D][32][10.1.102.1]/24
      FC00:172:16:254::5
          0     100      0 ?
*>i [2][172.16.254.4:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::5
          0     100      0 ?
*> [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
      ::                                         32768 ?
*> [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
      ::                                         32768 ?
*>i [2][172.16.254.4:102][0][48][F4CFE24334C2][0][*]/20
      FC00:172:16:254::3
          0     100      0 ?
*>i [2][172.16.254.4:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      FC00:172:16:254::3
          0     100      0 ?
Route Distinguisher: 172.16.254.5:101
* i [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
      FC00:172:16:254::5
          0     100      0 ?
*>i [2][172.16.254.5:101][0][48][44D3CA286CC3][32][10.1.101.1]/24
      FC00:172:16:254::5
          0     100      0 ?
*>i [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
      FC00:172:16:254::5
          0     100      0 ?
*>i [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
      FC00:172:16:254::5
          0     100      0 ?
*>i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
      FC00:172:16:254::5
          0     100      0 ?
Route Distinguisher: 172.16.254.5:102
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20

```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

FC00:172:16:254::5
0      100      0 ?
*>i          FC00:172:16:254::5
0      100      0 ?
* i  [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
      FC00:172:16:254::5
0      100      0 ?
*>i          FC00:172:16:254::5
0      100      0 ?
* i  [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
      FC00:172:16:254::5
0      100      0 ?
*>i          FC00:172:16:254::5
0      100      0 ?
* i  [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::5
0      100      0 ?
*>i          FC00:172:16:254::5
0      100      0 ?
Route Distinguisher: 172.16.254.3:102
* i  [3][172.16.254.3:102][0][32][172.16.254.3]/17
      FC00:172:16:254::3
0      100      0 ?
*>i          FC00:172:16:254::3
0      100      0 ?
Route Distinguisher: 172.16.254.4:102
*>i  [3][172.16.254.4:102][0][32][172.16.254.3]/17
      FC00:172:16:254::3
0      100      0 ?
*>  [3][172.16.254.4:102][0][32][172.16.254.4]/17
      ::                      32768 ?
*>i  [3][172.16.254.4:102][0][32][172.16.254.5]/17
      FC00:172:16:254::5
0      100      0 ?
Route Distinguisher: 172.16.254.5:102
* i  [3][172.16.254.5:102][0][32][172.16.254.5]/17
      FC00:172:16:254::5
0      100      0 ?
*>i          FC00:172:16:254::5
0      100      0 ?
Route Distinguisher: 1:1 (default for vrf green)
* i  [5][1:1][0][24][10.1.101.0]/17
      FC00:172:16:254::3
0      100      0 ?
* i          FC00:172:16:254::3
0      100      0 ?
*>          0.0.0.0                      32768 ?
* i  [5][1:1][0][24][10.1.102.0]/17
      FC00:172:16:254::3
0      100      0 ?
*>i          FC00:172:16:254::3
0      100      0 ?
*>          0.0.0.0                      32768 ?
* i  [5][1:1][0][64][FD00:10:1:101::]/29
      FC00:172:16:254::3
0      100      0 ?
*>i          FC00:172:16:254::3
0      100      0 ?
*>          ::                          32768 ?
* i  [5][1:1][0][64][FD00:10:1:102::]/29
      FC00:172:16:254::3
0      100      0 ?
*>i          FC00:172:16:254::3
0      100      0 ?

```

```
*> :: 0 32768 ?

Leaf-02# show l2vpn evpn mac ip
IP Address EVI VLAN MAC Address Next Hop(s)
-----
10.1.101.11 101 101 f4cf.e243.34c1 FC00:172:16:254::3
FE80::F6CF:E2FF:FE43:34C1 101 101 f4cf.e243.34c1 FC00:172:16:254::3
10.1.102.12 102 102 44d3.ca28.6cc2 Gi1/0/12:102
10.1.102.13 102 102 44d3.ca28.6cc4 FC00:172:16:254::5
FE80::F6CF:E2FF:FE43:34C2 102 102 f4cf.e243.34c2 FC00:172:16:254::3

Leaf-02# show l2route evpn mac ip
EVI ETag Prod Mac Address Host IP
Next Hop(s)
-----
101 0 BGP 10b3.d56a.8fc1 10.1.101.1
V:10101 FC00:172:16:254::3
101 0 BGP 10b3.d56a.8fc1 FD00:10:1:101::1
V:10101 FC00:172:16:254::3
101 0 BGP 7c21.0dbd.2741 10.1.101.1
V:10101 FC00:172:16:254::5
101 0 BGP 7c21.0dbd.2741 FD00:10:1:101::1
V:10101 FC00:172:16:254::5
101 0 L2VPN 7c21.0dbd.9541 10.1.101.1
V1101:0
101 0 L2VPN 7c21.0dbd.9541 FD00:10:1:101::1
V1101:0
101 0 BGP f4cf.e243.34c1 10.1.101.11
V:10101 FC00:172:16:254::3
101 0 BGP f4cf.e243.34c1 FE80::F6CF:E2FF:FE43:34C1
V:10101 FC00:172:16:254::3
102 0 BGP 10b3.d56a.8fcf 10.1.102.1
V:10102 FC00:172:16:254::3
102 0 BGP 10b3.d56a.8fcf FD00:10:1:102::1
V:10102 FC00:172:16:254::3
102 0 L2VPN 44d3.ca28.6cc2 10.1.102.12
Gi1/0/12:102
102 0 BGP 44d3.ca28.6cc4 10.1.102.13
V:10102 FC00:172:16:254::5
102 0 BGP 7c21.0dbd.274d 10.1.102.1
V:10102 FC00:172:16:254::5
102 0 BGP 7c21.0dbd.274d FD00:10:1:102::1
V:10102 FC00:172:16:254::5
102 0 L2VPN 7c21.0dbd.954d 10.1.102.1
V1102:0
102 0 L2VPN 7c21.0dbd.954d FD00:10:1:102::1
V1102:0
102 0 BGP f4cf.e243.34c2 FE80::F6CF:E2FF:FE43:34C2
V:10102 FC00:172:16:254::3
```

To return to the configuration example, click [Example: Configuring BGP EVPN VXLAN with IPv6 Underlay, on page 9](#).

### Outputs to Verify Configuration on VTEP 3

```
Leaf-03# show ipv6 route
IPv6 Routing Table - default - 20 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
      B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
EX - EIGRP external, ND - ND Default, NDp - ND Prefix, DCE - Destination
NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
ld - LISP dyn-eid, IA - LISP away, le - LISP extranet-policy
lp - LISP publications, ls - LISP destinations-summary
O  FC00:172:16:13::/64 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
O  FC00:172:16:14::/64 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
C  FC00:172:16:15::/64 [0/0]
    via GigabitEthernet1/0/1, directly connected
L  FC00:172:16:15::5/128 [0/0]
    via GigabitEthernet1/0/1, receive
O  FC00:172:16:23::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
O  FC00:172:16:24::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
C  FC00:172:16:25::/64 [0/0]
    via GigabitEthernet1/0/2, directly connected
L  FC00:172:16:25::5/128 [0/0]
    via GigabitEthernet1/0/2, receive
O  FC00:172:16:254::1/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
O  FC00:172:16:254::2/128 [110/1]
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
O  FC00:172:16:254::3/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
O  FC00:172:16:254::4/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
LC FC00:172:16:254::5/128 [0/0]
    via Loopback1, receive
O  FC00:172:16:255::1/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
O  FC00:172:16:255::2/128 [110/1]
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
O  FC00:172:16:255::3/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
O  FC00:172:16:255::4/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
LC FC00:172:16:255::5/128 [0/0]
    via Loopback0, receive
O  FC00:172:16:255::255/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
L  FF00::/8 [0/0]
    via Null0, receive

```

```

Leaf-03# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
      C - Connected, L - Local, I - Received Source Specific Host Report,
      P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
      J - Join SPT, Y - Joined MDT-data group,
      Y - Sending to MDT-data group
      g - BGP signal originated, G - BGP Signal received,
      N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
      q - BGP Src-Active originated, Q - BGP Src-Active received
      E - Extranet

```

```

Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 00:05:13/never, RP FC00:172:16:255::255, flags: SCJ
  Incoming interface: GigabitEthernet1/0/1
  RPF nbr: FE80::7E21:DFF:FE92:B2D8
  Immediate Outgoing interface list:
    Tunnell, Forward, 00:05:13/never

(FC00:172:16:254::3, FF0E:225::101), 00:04:55/00:02:48, flags: SJT
  Incoming interface: GigabitEthernet1/0/1
  RPF nbr: FE80::7E21:DFF:FE92:B2D8
  Inherited Outgoing interface list:
    Tunnell, Forward, 00:05:13/never

(FC00:172:16:254::4, FF0E:225::101), 00:04:48/00:02:24, flags: SJT
  Incoming interface: GigabitEthernet1/0/1
  RPF nbr: FE80::7E21:DFF:FE92:B2D8
  Inherited Outgoing interface list:
    Tunnell, Forward, 00:05:13/never

(FC00:172:16:254::5, FF0E:225::101), 00:04:41/00:02:50, flags: SFT
  Incoming interface: Loopback1
  RPF nbr: FE80::7E21:DFF:FEBD:2700
  Immediate Outgoing interface list:
    GigabitEthernet1/0/2, Forward, 00:04:41/00:02:50
  Inherited Outgoing interface list:
    Tunnell, Forward, 00:05:13/never

Leaf-03# show nve peer
'M' - MAC entry download flag  'A' - Adjacency download flag
'4' - IPv4 flag   '6' - IPv6 flag

Interface  VNI      Type Peer-IP          RMAC/Num_RTs  evNI      state flags UP time
nve1        50901    L3CP FC00:172:16:254::3 \
                                         10b3.d56a.8fc8 50901      UP  A/-/4 00:03:49
nve1        50901    L3CP FC00:172:16:254::4 \
                                         7c21.0dbd.9548 50901      UP  A/-/4 00:03:49
nve1        50901    L3CP FC00:172:16:254::3 \
                                         10b3.d56a.8fc8 50901      UP  A/M/6 00:03:49
nve1        50901    L3CP FC00:172:16:254::4 \
                                         7c21.0dbd.9548 50901      UP  A/M/6 00:03:49
nve1        10101    L2CP FC00:172:16:254::3 \
                                         6                   10101      UP  N/A   00:03:49
nve1        10101    L2CP FC00:172:16:254::4 \
                                         4                   10101      UP  N/A   00:03:49
nve1        10102    L2CP FC00:172:16:254::3 \
                                         6                   10102      UP  N/A   00:03:49
nve1        10102    L2CP FC00:172:16:254::4 \
                                         6                   10102      UP  N/A   00:03:49

Leaf-03# show bgp 12vpn evpn summary
BGP router identifier 172.16.255.5, local AS number 65001
BGP table version is 53, main routing table version 53
48 network entries using 18432 bytes of memory
74 path entries using 17168 bytes of memory
19/18 BGP path/bestpath attribute entries using 5624 bytes of memory
4 BGP rrinfo entries using 160 bytes of memory
15 BGP extended community entries using 784 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 42168 total bytes of memory
BGP activity 60/0 prefixes, 100/6 paths, scan interval 60 secs

```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

48 networks peaked at 16:39:55 Oct 31 2022 UTC (00:01:54.313 ago)

Neighbor      V        AS MsgRcvd MsgSent     TblVer  InQ OutQ Up/Down  State/PfxRcd
FC00:172:16:255::1    4       65001     28      13      53     0     0 00:04:56          22
FC00:172:16:255::2    4       65001     28      14      53     0     0 00:04:49          22

Leaf-03#show bgp l2vpn evpn
BGP table version is 53, local router ID is 172.16.255.5
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
               r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
               x best-external, a additional-path, c RIB-compressed,
               t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found

      Network          Next Hop            Metric LocPrf Weight Path
Route Distinguisher: 172.16.254.3:101
* i  [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
      FC00:172:16:254::3
                           0       100      0 ?
* >i
      FC00:172:16:254::3
                           0       100      0 ?
* i  [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
      FC00:172:16:254::3
                           0       100      0 ?
* >i
      FC00:172:16:254::3
                           0       100      0 ?
* i  [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20
      FC00:172:16:254::3
                           0       100      0 ?
* >i
      FC00:172:16:254::3
                           0       100      0 ?
* >i  [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
      FC00:172:16:254::3
                           0       100      0 ?
* i
      FC00:172:16:254::3
                           0       100      0 ?
* >i  [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
      FC00:172:16:254::3
                           0       100      0 ?
* i
      FC00:172:16:254::3
                           0       100      0 ?
Route Distinguisher: 172.16.254.3:102
* i  [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
      FC00:172:16:254::3
                           0       100      0 ?
* >i
      FC00:172:16:254::3
                           0       100      0 ?
* i  [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
      FC00:172:16:254::3
                           0       100      0 ?
* >i
      FC00:172:16:254::3
                           0       100      0 ?
* i  [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20
      FC00:172:16:254::3
                           0       100      0 ?
* >i
      FC00:172:16:254::3
                           0       100      0 ?
* i  [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      FC00:172:16:254::3
                           0       100      0 ?
* >i
      FC00:172:16:254::3
                           0       100      0 ?

```

```

          0   100   0 ?
Route Distinguisher: 172.16.254.4:101
 * i [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
     FC00:172:16:254::4
          0   100   0 ?
 *>i           FC00:172:16:254::4
          0   100   0 ?
 * i [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
     FC00:172:16:254::4
          0   100   0 ?
 *>i           FC00:172:16:254::4
          0   100   0 ?
 * i [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
     FC00:172:16:254::4
          0   100   0 ?
 *>i           FC00:172:16:254::4
          0   100   0 ?
Route Distinguisher: 172.16.254.4:102
 * i [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
     FC00:172:16:254::4
          0   100   0 ?
 *>i           FC00:172:16:254::4
          0   100   0 ?
 * i [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
     FC00:172:16:254::4
          0   100   0 ?
 *>i           FC00:172:16:254::4
          0   100   0 ?
 * i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
     FC00:172:16:254::4
          0   100   0 ?
 *>i           FC00:172:16:254::4
          0   100   0 ?
 * i [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
     FC00:172:16:254::4
          0   100   0 ?
 *>i           FC00:172:16:254::4
          0   100   0 ?
Route Distinguisher: 172.16.254.5:101
 *>i [2][172.16.254.5:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
     FC00:172:16:254::3
          0   100   0 ?
 *>i [2][172.16.254.5:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
     FC00:172:16:254::3
          0   100   0 ?
 *>i [2][172.16.254.5:101][0][48][44D3CA286CC1][0][*]/20
     FC00:172:16:254::4
          0   100   0 ?
 *> [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
     ::          32768 ?
 *> [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
     ::          32768 ?
 *> [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
     ::          32768 ?
 *>i [2][172.16.254.5:101][0][48][7C210DBD9541][32][10.1.101.1]/24
     FC00:172:16:254::4
          0   100   0 ?
 *>i [2][172.16.254.5:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
     FC00:172:16:254::4
          0   100   0 ?
 *>i [2][172.16.254.5:101][0][48][F4CFE24334C1][0][*]/20
     FC00:172:16:254::3
          0   100   0 ?
 *>i [2][172.16.254.5:101][0][48][F4CFE24334C1][32][10.1.101.11]/24

```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

FC00:172:16:254::3
          0    100      0 ?
*>i  [2][172.16.254.5:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
      FC00:172:16:254::3
          0    100      0 ?
Route Distinguisher: 172.16.254.5:102
*>i  [2][172.16.254.5:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
      FC00:172:16:254::3
          0    100      0 ?
*>i  [2][172.16.254.5:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
      FC00:172:16:254::3
          0    100      0 ?
*>i  [2][172.16.254.5:102][0][48][44D3CA286CC2][0][*]/20
      FC00:172:16:254::4
          0    100      0 ?
*>i  [2][172.16.254.5:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
      FC00:172:16:254::4
          0    100      0 ?
*>  [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
      ::          32768 ?
*>  [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
      ::          32768 ?
*>  [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
      ::          32768 ?
*>  [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
      ::          32768 ?
*>i  [2][172.16.254.5:102][0][48][7C210DBD954D][32][10.1.102.1]/24
      FC00:172:16:254::4
          0    100      0 ?
*>i  [2][172.16.254.5:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::4
          0    100      0 ?
*>i  [2][172.16.254.5:102][0][48][F4CFE24334C2][0][*]/20
      FC00:172:16:254::3
          0    100      0 ?
*>i  [2][172.16.254.5:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      FC00:172:16:254::3
          0    100      0 ?
Route Distinguisher: 172.16.254.3:102
* i  [3][172.16.254.3:102][0][32][172.16.254.3]/17
      FC00:172:16:254::3
          0    100      0 ?
*>i
      FC00:172:16:254::3
          0    100      0 ?
Route Distinguisher: 172.16.254.4:102
* i  [3][172.16.254.4:102][0][32][172.16.254.4]/17
      FC00:172:16:254::4
          0    100      0 ?
*>i
      FC00:172:16:254::4
          0    100      0 ?
Route Distinguisher: 172.16.254.5:102
*>i  [3][172.16.254.5:102][0][32][172.16.254.3]/17
      FC00:172:16:254::3
          0    100      0 ?
*>i  [3][172.16.254.5:102][0][32][172.16.254.4]/17
      FC00:172:16:254::4
          0    100      0 ?
*>  [3][172.16.254.5:102][0][32][172.16.254.5]/17
      ::          32768 ?
Route Distinguisher: 1:1 (default for vrf green)
* i  [5][1:1][0][24][10.1.101.0]/17
      FC00:172:16:254::3
          0    100      0 ?
* i
      FC00:172:16:254::3
          0    100      0 ?

```

```

*>          0.0.0.0          0     100      0 ?
* i [5][1:1][0][24][10.1.102.0]/17
          FC00:172:16:254::3          0     100      0 ?
* i          FC00:172:16:254::3          0     100      0 ?
* >          0.0.0.0          0     100      0 ?
* i [5][1:1][0][64][FD00:10:1:101::]/29
          FC00:172:16:254::3          0     100      0 ?
* i          FC00:172:16:254::3          0     100      0 ?
* >          ::              0     100      0 ?
* i [5][1:1][0][64][FD00:10:1:102::]/29
          FC00:172:16:254::3          0     100      0 ?
* i          FC00:172:16:254::3          0     100      0 ?
* >          ::              0     100      0 ?

```

Leaf-03# show l2vpn evpn mac ip

IP Address	EVI	VLAN	MAC Address	Next Hop(s)
10.1.101.11	101	101	f4cf.e243.34c1	FC00:172:16:254::3
FE80::F6CF:E2FF:FE43:34C1	101	101	f4cf.e243.34c1	FC00:172:16:254::3
10.1.102.12	102	102	44d3.ca28.6cc2	FC00:172:16:254::4
10.1.102.13	102	102	44d3.ca28.6cc4	Gi1/0/17:102
FE80::F6CF:E2FF:FE43:34C2	102	102	f4cf.e243.34c2	FC00:172:16:254::3

Leaf-03# show l2route evpn mac ip

EVI	ETag	Prod	Mac Address	Host IP
			Next Hop(s)	
101	0	BGP	10b3.d56a.8fc1	10.1.101.1
	V:10101	FC00:172:16:254::3		
101	0	BGP	10b3.d56a.8fc1	FD00:10:1:101::1
	V:10101	FC00:172:16:254::3		
101	0	L2VPN	7c21.0dbd.2741	10.1.101.1
			V1101:0	
101	0	L2VPN	7c21.0dbd.2741	FD00:10:1:101::1
			V1101:0	
101	0	BGP	7c21.0dbd.9541	10.1.101.1
	V:10101	FC00:172:16:254::4		
101	0	BGP	7c21.0dbd.9541	FD00:10:1:101::1
	V:10101	FC00:172:16:254::4		
101	0	BGP	f4cf.e243.34c1	10.1.101.11
	V:10101	FC00:172:16:254::3		
101	0	BGP	f4cf.e243.34c1	FE80::F6CF:E2FF:FE43:34C1
	V:10101	FC00:172:16:254::3		
102	0	BGP	10b3.d56a.8fc3	10.1.102.1
	V:10102	FC00:172:16:254::3		
102	0	BGP	10b3.d56a.8fc3	FD00:10:1:102::1
	V:10102	FC00:172:16:254::3		
102	0	L2VPN	44d3.ca28.6cc2	10.1.102.12
			V1102:0	
102	0	L2VPN	44d3.ca28.6cc4	10.1.102.13
			Gi1/0/17:102	
102	0	L2VPN	7c21.0dbd.274d	10.1.102.1
			V1102:0	

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

102          0 L2VPN 7c21.0dbd.274d           FD00:10:1:102::1
              V1102:0
102          0   BGP 7c21.0dbd.954d           10.1.102.1
              V:10102 FC00:172:16:254::4
102          0   BGP 7c21.0dbd.954d           FD00:10:1:102::1
              V:10102 FC00:172:16:254::4
102          0   BGP f4cf.e243.34c2           FE80::F6CF:E2FF:FE43:34C2
              V:10102 FC00:172:16:254::3

```

To return to the configuration example, click [Example: Configuring BGP EVPN VXLAN with IPv6 Underlay, on page 9](#).

### Outputs to Verify Configuration on Spine 1

```

Spine-01# show ipv6 route
IPv6 Routing Table - default - 21 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
      B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
      I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
      EX - EIGRP external, ND - ND Default, NDp - ND Prefix, DCE - Destination
      NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
      OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
      ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
      ld - LISP dyn-eid, 1a - LISP away, le - LISP extranet-policy
      lp - LISP publications, ls - LISP destinations-summary
C  FC00:172:16:13::/64 [0/0]
    via GigabitEthernet1/0/1, directly connected
L  FC00:172:16:13::1/128 [0/0]
    via GigabitEthernet1/0/1, receive
C  FC00:172:16:14::/64 [0/0]
    via GigabitEthernet1/0/2, directly connected
L  FC00:172:16:14::1/128 [0/0]
    via GigabitEthernet1/0/2, receive
C  FC00:172:16:15::/64 [0/0]
    via GigabitEthernet1/0/3, directly connected
L  FC00:172:16:15::1/128 [0/0]
    via GigabitEthernet1/0/3, receive
O  FC00:172:16:23::/64 [110/2]
    via FE80::12B3:D5FF:FE6A:8FE4, GigabitEthernet1/0/1
O  FC00:172:16:24::/64 [110/2]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
O  FC00:172:16:25::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
LC FC00:172:16:254::1/128 [0/0]
    via Loopback1, receive
O  FC00:172:16:254::2/128 [110/2]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
    via FE80::12B3:D5FF:FE6A:8FE4, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
O  FC00:172:16:254::3/128 [110/1]
    via FE80::12B3:D5FF:FE6A:8FE4, GigabitEthernet1/0/1
O  FC00:172:16:254::4/128 [110/1]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
O  FC00:172:16:254::5/128 [110/1]
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
LC FC00:172:16:255::1/128 [0/0]
    via Loopback0, receive
O  FC00:172:16:255::2/128 [110/2]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
    via FE80::12B3:D5FF:FE6A:8FE4, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
O  FC00:172:16:255::3/128 [110/1]

```

```

        via FE80::12B3:D5FF:FE6A:8FE4, GigabitEthernet1/0/1
O  FC00:172:16:255::4/128 [110/1]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
O  FC00:172:16:255::5/128 [110/1]
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
LC  FC00:172:16:255::255/128 [0/0]
    via Loopback2, receive
L   FF00::/8 [0/0]
    via Null0, receive

Spine-01# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
       C - Connected, L - Local, I - Received Source Specific Host Report,
       P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
       J - Join SPT, Y - Joined MDT-data group,
       y - Sending to MDT-data group
       g - BGP signal originated, G - BGP Signal received,
       N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
       q - BGP Src-Active originated, Q - BGP Src-Active received
       E - Extranet
Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 00:05:14/00:03:17, RP FC00:172:16:255::255, flags: S
  Incoming interface: Tunnel12
  RPF nbr: FC00:172:16:255::255
  Immediate Outgoing interface list:
    GigabitEthernet1/0/3, Forward, 00:05:14/00:03:17

(FC00:172:16:254::3, FF0E:225::101), 00:05:14/00:01:13, flags: ST
  Incoming interface: GigabitEthernet1/0/1
  RPF nbr: FE80::12B3:D5FF:FE6A:8FE4
  Immediate Outgoing interface list:
    GigabitEthernet1/0/3, Forward, 00:05:14/00:03:17
    GigabitEthernet1/0/2, Forward, 00:03:49/00:02:40

(FC00:172:16:254::4, FF0E:225::101), 00:05:06/00:02:04, flags: ST
  Incoming interface: GigabitEthernet1/0/2
  RPF nbr: FE80::7E21:DFF:FEBD:9564
  Immediate Outgoing interface list:
    GigabitEthernet1/0/3, Forward, 00:05:06/00:03:27
    GigabitEthernet1/0/1, Forward, 00:05:06/00:03:23

(FC00:172:16:254::5, FF0E:225::101), 00:04:59/00:03:17, RP FC00:172:16:255::255, flags: SPR
  Incoming interface: Tunnel12
  RPF nbr: FC00:172:16:255::255
  Immediate Outgoing interface list:
    GigabitEthernet1/0/3, Null, 00:04:59/00:03:17

Spine-01# show bgp 12vpn evpn summary
BGP router identifier 172.16.255.1, local AS number 65001
BGP table version is 31, main routing table version 31
30 network entries using 11520 bytes of memory
68 path entries using 15776 bytes of memory
18/16 BGP path/bestpath attribute entries using 5328 bytes of memory
3 BGP rrinfo entries using 120 bytes of memory
15 BGP extended community entries using 800 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 33544 total bytes of memory
BGP activity 30/0 prefixes, 68/0 paths, scan interval 60 secs

```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```
30 networks peaked at 16:39:55 Oct 31 2022 UTC (00:02:12.681 ago)

Neighbor      V      AS MsgRcvd MsgSent   TblVer  InQ OutQ Up/Down State/PfxRcd
FC00:172:16:255::2
               4      65001     28     28       31     0     0 00:05:03      30
FC00:172:16:255::3
               4      65001     16     28       31     0     0 00:05:18      14
FC00:172:16:255::4
               4      65001     14     28       31     0     0 00:05:15      12
FC00:172:16:255::5
               4      65001     14     28       31     0     0 00:05:14      12
```

```
Spine-01# show bgp 12vpn evpn
BGP table version is 31, local router ID is 172.16.255.1
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
               r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
               x best-external, a additional-path, c RIB-compressed,
               t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found
```

Network	Next Hop	Metric	LocPrf	Weight	Path
Route Distinguisher: 172.16.254.3:101					
* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
Route Distinguisher: 172.16.254.3:102					
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?

```

          0   100   0 ?
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      FC00:172:16:254::3
          0   100   0 ?
* >i
      FC00:172:16:254::3
          0   100   0 ?
Route Distinguisher: 172.16.254.4:101
* i [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
      FC00:172:16:254::4
          0   100   0 ?
* >i
      FC00:172:16:254::4
          0   100   0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
      FC00:172:16:254::4
          0   100   0 ?
* >i
      FC00:172:16:254::4
          0   100   0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
      FC00:172:16:254::4
          0   100   0 ?
* >i
      FC00:172:16:254::4
          0   100   0 ?
Route Distinguisher: 172.16.254.4:102
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
      FC00:172:16:254::4
          0   100   0 ?
* >i
      FC00:172:16:254::4
          0   100   0 ?
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
      FC00:172:16:254::4
          0   100   0 ?
* >i
      FC00:172:16:254::4
          0   100   0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
      FC00:172:16:254::4
          0   100   0 ?
* >i
      FC00:172:16:254::4
          0   100   0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::4
          0   100   0 ?
* >i
      FC00:172:16:254::4
          0   100   0 ?
Route Distinguisher: 172.16.254.5:101
* i [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
      FC00:172:16:254::5
          0   100   0 ?
* >i
      FC00:172:16:254::5
          0   100   0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
      FC00:172:16:254::5
          0   100   0 ?
* >i
      FC00:172:16:254::5
          0   100   0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
      FC00:172:16:254::5
          0   100   0 ?
* >i
      FC00:172:16:254::5
          0   100   0 ?
Route Distinguisher: 172.16.254.5:102
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
      FC00:172:16:254::5
          0   100   0 ?
* >i
      FC00:172:16:254::5
          0   100   0 ?

```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

          0   100   0 ?
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
          FC00:172:16:254::5
          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
          FC00:172:16:254::5
          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
          FC00:172:16:254::5
          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
Route Distinguisher: 172.16.254.3:102
* i [3][172.16.254.3:102][0][32][172.16.254.3]/17
          FC00:172:16:254::3
          0   100   0 ?
*>i           FC00:172:16:254::3
          0   100   0 ?
Route Distinguisher: 172.16.254.4:102
* i [3][172.16.254.4:102][0][32][172.16.254.4]/17
          FC00:172:16:254::4
          0   100   0 ?
*>i           FC00:172:16:254::4
          0   100   0 ?
Route Distinguisher: 172.16.254.5:102
* i [3][172.16.254.5:102][0][32][172.16.254.5]/17
          FC00:172:16:254::5
          0   100   0 ?
*>i           FC00:172:16:254::5
          0   100   0 ?
Route Distinguisher: 1:1
* i [5][1:1][0][24][10.1.101.0]/17
          FC00:172:16:254::3
          0   100   0 ?
* i           FC00:172:16:254::4
          0   100   0 ?
*>i           FC00:172:16:254::3
          0   100   0 ?
* i           FC00:172:16:254::5
          0   100   0 ?
* i [5][1:1][0][24][10.1.102.0]/17
          FC00:172:16:254::3
          0   100   0 ?
* i           FC00:172:16:254::4
          0   100   0 ?
*>i           FC00:172:16:254::3
          0   100   0 ?
* i           FC00:172:16:254::5
          0   100   0 ?
* i [5][1:1][0][64][FD00:10:1:101::]/29
          FC00:172:16:254::3
          0   100   0 ?
* i           FC00:172:16:254::4
          0   100   0 ?
*>i           FC00:172:16:254::3
          0   100   0 ?
* i           FC00:172:16:254::5
          0   100   0 ?
* i [5][1:1][0][64][FD00:10:1:102::]/29
          FC00:172:16:254::3
          0   100   0 ?

```

* i	FC00:172:16:254::4	0	100	0 ?
*>i	FC00:172:16:254::3	0	100	0 ?
* i	FC00:172:16:254::5	0	100	0 ?
		0	100	0 ?

```
Spine-01# show ipv6 pim anycast-rp
Anycast RP Peers For FC00:172:16:255::255    Last Register/Register-Stop received
FC00:172:16:254::2 00:05:25/00:05:25
```

To return to the configuration example, click [Example: Configuring BGP EVPN VXLAN with IPv6 Underlay, on page 9](#).

## Outputs to Verify Configuration on Spine 2

```
Spine-02# show ipv6 route
IPv6 Routing Table - default - 21 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
      B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
      I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
      EX - EIGRP external, ND - ND Default, NDP - ND Prefix, DCE - Destination
      NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
      OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
      ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
      ld - LISP dyn-eid, 1A - LISP away, le - LISP extranet-policy
      lp - LISP publications, ls - LISP destinations-summary
O  FC00:172:16:13::/64 [110/2]
  via FE80::12B3:D5FF:FE6A:8FD6, GigabitEthernet1/0/1
O  FC00:172:16:14::/64 [110/2]
  via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
O  FC00:172:16:15::/64 [110/2]
  via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
C  FC00:172:16:23::/64 [0/0]
  via GigabitEthernet1/0/1, directly connected
L  FC00:172:16:23::2/128 [0/0]
  via GigabitEthernet1/0/1, receive
C  FC00:172:16:24::/64 [0/0]
  via GigabitEthernet1/0/2, directly connected
L  FC00:172:16:24::2/128 [0/0]
  via GigabitEthernet1/0/2, receive
C  FC00:172:16:25::/64 [0/0]
  via GigabitEthernet1/0/3, directly connected
L  FC00:172:16:25::2/128 [0/0]
  via GigabitEthernet1/0/3, receive
O  FC00:172:16:254::1/128 [110/2]
  via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
  via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
  via FE80::12B3:D5FF:FE6A:8FD6, GigabitEthernet1/0/1
LC FC00:172:16:254::2/128 [0/0]
  via Loopback1, receive
O  FC00:172:16:254::3/128 [110/1]
  via FE80::12B3:D5FF:FE6A:8FD6, GigabitEthernet1/0/1
O  FC00:172:16:254::4/128 [110/1]
  via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
O  FC00:172:16:254::5/128 [110/1]
  via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
O  FC00:172:16:255::1/128 [110/2]
  via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
  via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
```

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

    via FE80::12B3:D5FF:FE6A:8FD6, GigabitEthernet1/0/1
LC  FC00:172:16:255::2/128 [0/0]
    via Loopback0, receive
O   FC00:172:16:255::3/128 [110/1]
    via FE80::12B3:D5FF:FE6A:8FD6, GigabitEthernet1/0/1
O   FC00:172:16:255::4/128 [110/1]
    via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
O   FC00:172:16:255::5/128 [110/1]
    via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
LC  FC00:172:16:255::255/128 [0/0]
    via Loopback2, receive
L   FF00::/8 [0/0]
    via Null0, receive

```

```

Spine-02# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
       C - Connected, L - Local, I - Received Source Specific Host Report,
       P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
       J - Join SPT, Y - Joined MDT-data group,
       Y - Sending to MDT-data group
       g - BGP signal originated, G - BGP Signal received,
       N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
       q - BGP Src-Active originated, Q - BGP Src-Active received
       E - Extranet
Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 00:05:17/00:03:21, RP FC00:172:16:255::255, flags: S
  Incoming interface: Tunnel2
  RPF nbr: FC00:172:16:255::255
  Immediate Outgoing interface list:
    GigabitEthernet1/0/1, Forward, 00:05:17/00:03:14
    GigabitEthernet1/0/2, Forward, 00:05:15/00:03:21

(FC00:172:16:254::3, FF0E:225::101), 00:05:17/00:02:55, RP FC00:172:16:255::255, flags: SPR
  Incoming interface: Tunnel2
  RPF nbr: FC00:172:16:255::255
  Immediate Outgoing interface list:
    GigabitEthernet1/0/1, Null, 00:05:17/00:03:14
    GigabitEthernet1/0/2, Null, 00:02:24/00:03:21

(FC00:172:16:254::3, FF0E:225::101), 00:04:27/00:02:55, flags: S
  Incoming interface: GigabitEthernet1/0/1
  RPF nbr: FE80::12B3:D5FF:FE6A:8FD6
  Inherited Outgoing interface list:
    GigabitEthernet1/0/2, Forward, 00:05:15/00:03:21

(FC00:172:16:254::4, FF0E:225::101), 00:05:15/00:02:50, RP FC00:172:16:255::255, flags: SPR
  Incoming interface: Tunnel2
  RPF nbr: FC00:172:16:255::255
  Immediate Outgoing interface list:
    GigabitEthernet1/0/2, Null, 00:05:15/00:03:21
    GigabitEthernet1/0/1, Null, 00:05:15/00:03:14

(FC00:172:16:254::4, FF0E:225::101), 00:05:15/00:02:50, flags: S
  Incoming interface: GigabitEthernet1/0/2
  RPF nbr: FE80::7E21:DFF:FEBD:9556
  Inherited Outgoing interface list:
    GigabitEthernet1/0/1, Forward, 00:05:17/00:03:14

```

```
(FC00:172:16:254::5, FF0E:225::101), 00:05:08/00:02:01, flags: ST
  Incoming interface: GigabitEthernet1/0/3
  RPF nbr: FE80::7E21:DFF:FEBD:2756
  Inherited Outgoing interface list:
    GigabitEthernet1/0/1, Forward, 00:05:17/00:03:14
    GigabitEthernet1/0/2, Forward, 00:05:15/00:03:21
```

```
Spine-02# show bgp l2vpn evpn summary
BGP router identifier 172.16.255.2, local AS number 65001
BGP table version is 31, main routing table version 31
30 network entries using 11520 bytes of memory
68 path entries using 15776 bytes of memory
18/16 BGP path/bestpath attribute entries using 5328 bytes of memory
3 BGP rrinfo entries using 120 bytes of memory
15 BGP extended community entries using 800 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 33544 total bytes of memory
BGP activity 30/0 prefixes, 68/0 paths, scan interval 60 secs
30 networks peaked at 16:39:55 Oct 31 2022 UTC (00:02:21.575 ago)
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
FC00:172:16:255::1	4	65001	28	28	31	0	0	00:05:12	30
FC00:172:16:255::3	4	65001	16	28	31	0	0	00:05:16	14
FC00:172:16:255::4	4	65001	14	28	31	0	0	00:05:15	12
FC00:172:16:255::5	4	65001	14	28	31	0	0	00:05:16	12

```
Spine-02# show bgp l2vpn evpn
BGP table version is 31, local router ID is 172.16.255.2
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
              r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
              x best-external, a additional-path, c RIB-compressed,
              t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found
```

Network	Next Hop	Metric	LocPrf	Weight	Path
Route Distinguisher: 172.16.254.3:101					
* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24	FC00:172:16:254::3	0	100	0	?
*>i	FC00:172:16:254::3	0	100	0	?

## Verifying BGP EVPN VXLAN with IPv6 Underlay Configuration

```

* i [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
    FC00:172:16:254::3
        0     100      0 ?
*>i             FC00:172:16:254::3
        0     100      0 ?
Route Distinguisher: 172.16.254.3:102
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
    FC00:172:16:254::3
        0     100      0 ?
*>i             FC00:172:16:254::3
        0     100      0 ?
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
    FC00:172:16:254::3
        0     100      0 ?
*>i             FC00:172:16:254::3
        0     100      0 ?
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*/20]
    FC00:172:16:254::3
        0     100      0 ?
*>i             FC00:172:16:254::3
        0     100      0 ?
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
    FC00:172:16:254::3
        0     100      0 ?
*>i             FC00:172:16:254::3
        0     100      0 ?
Route Distinguisher: 172.16.254.4:101
* i [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*/20]
    FC00:172:16:254::4
        0     100      0 ?
*>i             FC00:172:16:254::4
        0     100      0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
    FC00:172:16:254::4
        0     100      0 ?
*>i             FC00:172:16:254::4
        0     100      0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
    FC00:172:16:254::4
        0     100      0 ?
*>i             FC00:172:16:254::4
        0     100      0 ?
Route Distinguisher: 172.16.254.4:102
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*/20]
    FC00:172:16:254::4
        0     100      0 ?
*>i             FC00:172:16:254::4
        0     100      0 ?
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
    FC00:172:16:254::4
        0     100      0 ?
*>i             FC00:172:16:254::4
        0     100      0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
    FC00:172:16:254::4
        0     100      0 ?
*>i             FC00:172:16:254::4
        0     100      0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
    FC00:172:16:254::4
        0     100      0 ?
*>i             FC00:172:16:254::4
        0     100      0 ?
Route Distinguisher: 172.16.254.5:101

```

```

* i [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
  FC00:172:16:254::5
    0   100   0 ?
*>i           FC00:172:16:254::5
    0   100   0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
  FC00:172:16:254::5
    0   100   0 ?
*>i           FC00:172:16:254::5
    0   100   0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
  FC00:172:16:254::5
    0   100   0 ?
*>i           FC00:172:16:254::5
    0   100   0 ?
Route Distinguisher: 172.16.254.5:102
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
  FC00:172:16:254::5
    0   100   0 ?
*>i           FC00:172:16:254::5
    0   100   0 ?
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
  FC00:172:16:254::5
    0   100   0 ?
*>i           FC00:172:16:254::5
    0   100   0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
  FC00:172:16:254::5
    0   100   0 ?
*>i           FC00:172:16:254::5
    0   100   0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
  FC00:172:16:254::5
    0   100   0 ?
*>i           FC00:172:16:254::5
    0   100   0 ?
Route Distinguisher: 172.16.254.3:102
* i [3][172.16.254.3:102][0][32][172.16.254.3]/17
  FC00:172:16:254::3
    0   100   0 ?
*>i           FC00:172:16:254::3
    0   100   0 ?
Route Distinguisher: 172.16.254.4:102
* i [3][172.16.254.4:102][0][32][172.16.254.4]/17
  FC00:172:16:254::4
    0   100   0 ?
*>i           FC00:172:16:254::4
    0   100   0 ?
Route Distinguisher: 172.16.254.5:102
* i [3][172.16.254.5:102][0][32][172.16.254.5]/17
  FC00:172:16:254::5
    0   100   0 ?
*>i           FC00:172:16:254::5
    0   100   0 ?
Route Distinguisher: 1:1
* i [5][1:1][0][24][10.1.101.0]/17
  FC00:172:16:254::3
    0   100   0 ?
* i           FC00:172:16:254::4
    0   100   0 ?
*>i           FC00:172:16:254::3
    0   100   0 ?
* i           FC00:172:16:254::5
    0   100   0 ?

```

**Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay**

```
* i [5][1:1][0][24][10.1.102.0]/17
      FC00:172:16:254::3
          0   100   0 ?
* i
      FC00:172:16:254::4
          0   100   0 ?
*>i
      FC00:172:16:254::3
          0   100   0 ?
* i
      FC00:172:16:254::5
          0   100   0 ?
* i [5][1:1][0][64][FD00:10:1:101::]/29
      FC00:172:16:254::3
          0   100   0 ?
* i
      FC00:172:16:254::4
          0   100   0 ?
*>i
      FC00:172:16:254::3
          0   100   0 ?
* i
      FC00:172:16:254::5
          0   100   0 ?
* i [5][1:1][0][64][FD00:10:1:102::]/29
      FC00:172:16:254::3
          0   100   0 ?
* i
      FC00:172:16:254::4
          0   100   0 ?
*>i
      FC00:172:16:254::3
          0   100   0 ?
* i
      FC00:172:16:254::5
          0   100   0 ?
```


```
Spine-02# show ipv6 pim anycast-rp
Anycast RP Peers For FC00:172:16:255::255    Last Register/Register-Stop received
FC00:172:16:254::1 00:05:27/00:05:27
```

To return to the configuration example, click [Example: Configuring BGP EVPN VXLAN with IPv6 Underlay, on page 9](#).

**Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay**

This example shows how to configure a BGP EVPN VXLAN fabric with a dual stack (both IPv4 and IPv6) underlay. The following tables provide sample configuration of the VTEPs (Leaf-01, Leaf-02, Leaf-03) and the Spine nodes (Spine-01, Spine-02) in the topology [Figure 4: BGP EVPN VXLAN with a Dual Stack Underlay](#).

Figure 4: BGP EVPN VXLAN with a Dual Stack Underlay



470878

**Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay****Configure the VTEPs**

VTEP 1	VTEP 2	VTEP 3

VTEP 1	VTEP 2	VTEP 3
<pre> Leaf-01# show running-config hostname Leaf-01 ! vrf definition green rd 1:1 ! address-family ipv4 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! address-family ipv6 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! ip routing ! ip multicast-routing ! ipv6 unicast-routing ! l2vpn evpn replication-type static router-id Loopback1 default-gateway advertise ! l2vpn evpn instance 101 vlan-based encapsulation vxlan ! l2vpn evpn instance 102 vlan-based encapsulation vxlan replication-type ingress ! system mtu 9198 ! vlan configuration 101 member evpn-instance 101 vni 10101 vlan configuration 102 member evpn-instance 102 vni 10102 vlan configuration 901 member vni 50901 ! interface Loopback0 ip address 172.16.255.3 255.255.255.255 ip ospf 1 area 0 ! interface Loopback1 ip address 172.16.254.3 </pre>	<pre> Leaf-02# show running-config hostname Leaf-02 ! vrf definition green rd 1:1 ! address-family ipv4 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! address-family ipv6 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! ip routing ! ip multicast-routing ! ipv6 unicast-routing ! l2vpn evpn replication-type static router-id Loopback1 default-gateway advertise ! l2vpn evpn instance 101 vlan-based encapsulation vxlan ! l2vpn evpn instance 102 vlan-based encapsulation vxlan replication-type ingress ! system mtu 9198 ! vlan configuration 101 member evpn-instance 101 vni 10101 vlan configuration 102 member evpn-instance 102 vni 10102 vlan configuration 901 member vni 50901 ! interface Loopback0 ip address 172.16.255.4 255.255.255.255 ip ospf 1 area 0 ipv6 address </pre>	<pre> Leaf-03# show running-config hostname Leaf-03 ! vrf definition green rd 1:1 ! address-family ipv4 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! address-family ipv6 route-target export 1:1 route-target import 1:1 route-target export 1:1 stitching route-target import 1:1 stitching exit-address-family ! ip routing ! ip multicast-routing ! ipv6 unicast-routing ! l2vpn evpn replication-type static router-id Loopback1 default-gateway advertise ! l2vpn evpn instance 101 vlan-based encapsulation vxlan ! l2vpn evpn instance 102 vlan-based encapsulation vxlan replication-type ingress ! system mtu 9198 ! vlan configuration 101 member evpn-instance 101 vni 10101 vlan configuration 102 member evpn-instance 102 vni 10102 vlan configuration 901 member vni 50901 ! interface Loopback0 ip address 172.16.255.5 255.255.255.255 ip ospf 1 area 0 ipv6 address </pre>

**Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay**

VTEP 1	VTEP 2	VTEP 3
<pre> 255.255.255.255 ip pim sparse-mode ip ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ip address 172.16.13.3 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ! interface GigabitEthernet1/0/2 no switchport ip address 172.16.23.3 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ! interface GigabitEthernet1/0/4 switchport access vlan 101 switchport mode access ! interface GigabitEthernet1/0/5 switchport access vlan 102 switchport mode access ! interface Vlan101 vrf forwarding green ip address 10.1.101.1 255.255.255.0 ipv6 address FD00:10:1:101::1/64 ipv6 enable ! interface Vlan102 vrf forwarding green ip address 10.1.102.1 255.255.255.0 ipv6 address FD00:10:1:102::1/64 ipv6 enable ! interface Vlan901 vrf forwarding green ip unnumbered Loopback1 ipv6 enable no autostate ! interface nve1 no ip address source-interface Loopback1 host-reachability protocol bgp member vni 10101 mcast-group 225.0.0.101 member vni 10102 ingress-replication member vni 50901 vrf green ! router ospf 1 router-id 172.16.255.3 </pre>	<pre> FC00:172:16:255::4/128 ipv6 ospf 1 area 0 ! interface Loopback1 ip address 172.16.254.4 255.255.255.255 ip pim sparse-mode ip ospf 1 area 0 ipv6 address FC00:172:16:254::4/128 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ip address 172.16.14.4 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:14::4/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ip address 172.16.24.4 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:24::4/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/11 switchport access vlan 101 switchport mode access ! interface GigabitEthernet1/0/12 switchport access vlan 102 switchport mode access ! interface Vlan101 vrf forwarding green ip address 10.1.101.1 255.255.255.0 ipv6 address FD00:10:1:101::1/64 ipv6 enable ! interface Vlan102 vrf forwarding green ip address 10.1.102.1 255.255.255.0 ipv6 address FD00:10:1:102::1/64 ipv6 enable ! interface Vlan102 vrf forwarding green ip address 10.1.102.1 255.255.255.0 </pre>	<pre> FC00:172:16:255::5/128 ipv6 ospf 1 area 0 ! interface Loopback1 ip address 172.16.254.5 255.255.255.255 ip pim sparse-mode ip ospf 1 area 0 ipv6 address FC00:172:16:254::5/128 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ip address 172.16.15.5 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:15::5/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ip address 172.16.25.5 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:25::5/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/17 switchport access vlan 102 switchport mode access ! interface Vlan101 vrf forwarding green ip address 10.1.101.1 255.255.255.0 ipv6 address FD00:10:1:101::1/64 ipv6 enable ! interface Vlan102 vrf forwarding green ip address 10.1.102.1 255.255.255.0 </pre>

VTEP 1	VTEP 2	VTEP 3
<pre> ! router bgp 65001 bgp router-id 172.16.255.3 bgp log-neighbor-changes neighbor 172.16.255.1 remote-as 65001 neighbor 172.16.255.1 update-source Loopback0 neighbor 172.16.255.2 remote-as 65001 neighbor 172.16.255.2 update-source Loopback0 ! address-family l2vpn evpn neighbor 172.16.255.1 activate neighbor 172.16.255.1 send-community both neighbor 172.16.255.2 activate neighbor 172.16.255.2 send-community both exit-address-family ! address-family ipv4 vrf green advertise l2vpn evpn redistribute connected exit-address-family ! address-family ipv6 vrf green redistribute connected advertise l2vpn evpn exit-address-family ! ip pim rp-address 172.16.255.255 ! end </pre>	<pre> ipv6 address FD00:10:1:102::1/64 ipv6 enable ! interface Vlan901 vrf forwarding green ip unnumbered Loopback1 ipv6 enable no autostate ! interface nve1 no ip address source-interface Loopback1 host-reachability protocol bgp vxlan encapsulation dual-stack prefer-ipv6 underlay-mcast ipv4 member vni 10101 mcast-group 225.0.0.101 FF0E:225::101 member vni 10102 ingress-replication member vni 50901 vrf green ! router ospf 1 router-id 172.16.255.4 ! router bgp 65001 bgp router-id 172.16.255.4 bgp log-neighbor-changes neighbor 172.16.255.1 remote-as 65001 neighbor 172.16.255.1 update-source Loopback0 neighbor 172.16.255.2 remote-as 65001 neighbor 172.16.255.2 update-source Loopback0 neighbor FC00:172:16:255::1 remote-as 65001 neighbor FC00:172:16:255::1 update-source Loopback0 neighbor FC00:172:16:255::2 remote-as 65001 neighbor FC00:172:16:255::2 update-source Loopback0 ! address-family l2vpn evpn neighbor 172.16.255.1 activate neighbor 172.16.255.1 send-community both neighbor 172.16.255.2 activate neighbor 172.16.255.2 send-community both neighbor FC00:172:16:255::1 activate neighbor FC00:172:16:255::1 send-community both neighbor FC00:172:16:255::2 activate neighbor FC00:172:16:255::2 send-community both exit-address-family ! address-family ipv4 vrf green advertise l2vpn evpn redistribute connected exit-address-family ! address-family ipv6 vrf green redistribute connected advertise l2vpn evpn exit-address-family ! ip pim rp-address 172.16.255.255 !</pre>	<pre> ipv6 address FD00:10:1:102::1/64 ipv6 enable ! interface Vlan901 vrf forwarding green ip unnumbered Loopback1 ipv6 enable no autostate ! interface nve1 no ip address source-interface Loopback1 host-reachability protocol bgp vxlan encapsulation dual-stack prefer-ipv6 underlay-mcast ipv4 member vni 10101 mcast-group 225.0.0.101 FF0E:225::101 member vni 10102 ingress-replication member vni 50901 vrf green ! router ospf 1 router-id 172.16.255.5 ! router bgp 65001 bgp router-id 172.16.255.5 bgp log-neighbor-changes neighbor FC00:172:16:255::1 remote-as 65001 neighbor FC00:172:16:255::1 update-source Loopback0 neighbor FC00:172:16:255::2 remote-as 65001 neighbor FC00:172:16:255::2 update-source Loopback0 ! address-family l2vpn evpn neighbor FC00:172:16:255::1 activate neighbor FC00:172:16:255::1 send-community both neighbor FC00:172:16:255::2 activate neighbor FC00:172:16:255::2 send-community both exit-address-family ! address-family ipv4 vrf green advertise l2vpn evpn redistribute connected exit-address-family ! ip pim rp-address 172.16.255.255 !</pre>

**Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay**

VTEP 1	VTEP 2	VTEP 3
	<pre> ! address-family ipv4 vrf green advertise l2vpn evpn redistribute connected exit-address-family ! address-family ipv6 vrf green redistribute connected advertise l2vpn evpn exit-address-family ! ip pim rp-address 172.16.255.255 ! ipv6 router ospf 1 router-id 172.16.255.4 ! ipv6 pim rp-address FC00:172:16:255::255 ! end </pre>	<pre> ipv6 router ospf 1 router-id 172.16.255.5 ! ipv6 pim rp-address FC00:172:16:255::255 ! end </pre>

*Table 3: Configure the Spine Nodes*

Spine 1	Spine 2

**Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay**

Spine 1	Spine 2
<pre> Spine-01# show running-config hostname Spine-01 ! ip routing ! ip multicast-routing ! ipv6 unicast-routing ipv6 multicast-routing ! system mtu 9198 ! interface Loopback0 ip address 172.16.255.1 255.255.255.255 ip ospf 1 area 0 ipv6 address FC00:172:16:255::1/128 ipv6 ospf 1 area 0 ! interface Loopback1 ip address 172.16.254.1 255.255.255.255 ip ospf 1 area 0 ipv6 address FC00:172:16:254::1/128 ipv6 ospf 1 area 0 ! interface Loopback2 ip address 172.16.255.255 255.255.255.255 ip ospf 1 area 0 ipv6 address FC00:172:16:255::255/128 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ip address 172.16.13.1 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:13::1/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ip address 172.16.14.1 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:14::1/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/3 no switchport ip address 172.16.15.1 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:15::1/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point </pre>	<pre> Spine-02# show running-config hostname Spine-02 ! ip routing ! ip multicast-routing ! ipv6 unicast-routing ipv6 multicast-routing ! system mtu 9198 ! interface Loopback0 ip address 172.16.255.2 255.255.255.255 ip ospf 1 area 0 ipv6 address FC00:172:16:255::2/128 ipv6 ospf 1 area 0 ! interface Loopback1 ip address 172.16.254.2 255.255.255.255 ip ospf 1 area 0 ipv6 address FC00:172:16:254::2/128 ipv6 ospf 1 area 0 ! interface Loopback2 ip address 172.16.255.255 255.255.255.255 ip ospf 1 area 0 ipv6 address FC00:172:16:255::255/128 ipv6 ospf 1 area 0 ! interface GigabitEthernet1/0/1 no switchport ip address 172.16.23.2 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:23::2/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/2 no switchport ip address 172.16.24.2 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:24::2/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point ! interface GigabitEthernet1/0/3 no switchport ip address 172.16.25.2 255.255.255.0 ip pim sparse-mode ip ospf network point-to-point ip ospf 1 area 0 ipv6 address FC00:172:16:25::2/64 ipv6 enable ipv6 ospf 1 area 0 ipv6 ospf network point-to-point </pre>

Spine 1	Spine 2
<pre> ! router ospf 1 router-id 172.16.255.1 ! router bgp 65001 bgp router-id 172.16.255.1 bgp log-neighbor-changes neighbor 172.16.255.3 remote-as 65001 neighbor 172.16.255.3 update-source Loopback0 neighbor 172.16.255.4 remote-as 65001 neighbor 172.16.255.4 update-source Loopback0 neighbor FC00:172:16:255::2 remote-as 65001 neighbor FC00:172:16:255::2 update-source Loopback0 neighbor FC00:172:16:255::4 remote-as 65001 neighbor FC00:172:16:255::4 update-source Loopback0 neighbor FC00:172:16:255::5 remote-as 65001 neighbor FC00:172:16:255::5 update-source Loopback0 ! address-family l2vpn evpn neighbor 172.16.255.3 activate neighbor 172.16.255.3 send-community both neighbor 172.16.255.3 route-reflector-client neighbor 172.16.255.4 activate neighbor 172.16.255.4 send-community both neighbor 172.16.255.4 route-reflector-client neighbor FC00:172:16:255::2 activate neighbor FC00:172:16:255::2 send-community both neighbor FC00:172:16:255::2 route-reflector-client neighbor FC00:172:16:255::4 activate neighbor FC00:172:16:255::4 send-community both neighbor FC00:172:16:255::4 route-reflector-client neighbor FC00:172:16:255::5 activate neighbor FC00:172:16:255::5 send-community both neighbor FC00:172:16:255::5 route-reflector-client exit-address-family ! ip pim rp-address 172.16.255.255 ip msdp peer 172.16.254.2 connect-source Loopback1 remote-as 65001 ip msdp cache-sa-state ! ipv6 router ospf 1 router-id 172.16.255.1 ! ipv6 pim rp-address FC00:172:16:255::255 ipv6 pim anycast-rp FC00:172:16:255::255 FC00:172:16:254::2 ! end </pre>	<pre> ! router ospf 1 router-id 172.16.255.2 ! router bgp 65001 bgp router-id 172.16.255.2 bgp log-neighbor-changes neighbor 172.16.255.3 remote-as 65001 neighbor 172.16.255.3 update-source Loopback0 neighbor 172.16.255.4 remote-as 65001 neighbor 172.16.255.4 update-source Loopback0 neighbor FC00:172:16:255::1 remote-as 65001 neighbor FC00:172:16:255::1 update-source Loopback0 neighbor FC00:172:16:255::4 remote-as 65001 neighbor FC00:172:16:255::4 update-source Loopback0 neighbor FC00:172:16:255::5 remote-as 65001 neighbor FC00:172:16:255::5 update-source Loopback0 ! address-family l2vpn evpn neighbor 172.16.255.3 activate neighbor 172.16.255.3 send-community both neighbor 172.16.255.3 route-reflector-client neighbor 172.16.255.4 activate neighbor 172.16.255.4 send-community both neighbor 172.16.255.4 route-reflector-client neighbor FC00:172:16:255::1 activate neighbor FC00:172:16:255::1 send-community both neighbor FC00:172:16:255::1 route-reflector-client neighbor FC00:172:16:255::4 activate neighbor FC00:172:16:255::4 send-community both neighbor FC00:172:16:255::4 route-reflector-client neighbor FC00:172:16:255::5 activate neighbor FC00:172:16:255::5 send-community both neighbor FC00:172:16:255::5 route-reflector-client exit-address-family ! ip pim rp-address 172.16.255.255 ip msdp peer 172.16.254.1 connect-source Loopback1 remote-as 65001 ip msdp cache-sa-state ! ipv6 router ospf 1 router-id 172.16.255.2 ! ipv6 pim rp-address FC00:172:16:255::255 ipv6 pim anycast-rp FC00:172:16:255::255 FC00:172:16:254::1 ! end </pre>

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

The following sections provide sample output of **show** commands to verify the BGP EVPN VXLAN configuration with dual stack underlay.

- [Outputs to Verify Configuration on VTEP 1, on page 56](#)
- [Outputs to Verify Configuration on VTEP 2, on page 61](#)
- [Outputs to Verify Configuration on VTEP 3, on page 69](#)
- [Outputs to Verify Configuration on Spine 1, on page 76](#)
- [Outputs to Verify the Configuration on Spine 2, on page 82](#)

### Outputs to Verify Configuration on VTEP 1

```
Leaf-01# show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
      D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
      N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
      E1 - OSPF external type 1, E2 - OSPF external type 2, m - OMP
      n - NAT, Ni - NAT inside, No - NAT outside, Nd - NAT DIA
      i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
      ia - IS-IS inter area, * - candidate default, U - per-user static route
      H - NHRP, G - NHRP registered, g - NHRP registration summary
      o - ODR, P - periodic downloaded static route, l - LISP
      a - application route
      + - replicated route, % - next hop override, p - overrides from PfR
      & - replicated local route overrides by connected

Gateway of last resort is not set

  172.16.0.0/16 is variably subnetted, 19 subnets, 2 masks
C        172.16.13.0/24 is directly connected, GigabitEthernet1/0/1
L        172.16.13.3/32 is directly connected, GigabitEthernet1/0/1
O        172.16.14.0/24
          [110/2] via 172.16.13.1, 02:27:03, GigabitEthernet1/0/1
O        172.16.15.0/24
          [110/2] via 172.16.13.1, 02:27:03, GigabitEthernet1/0/1
C        172.16.23.0/24 is directly connected, GigabitEthernet1/0/2
L        172.16.23.3/32 is directly connected, GigabitEthernet1/0/2
O        172.16.24.0/24
          [110/2] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
O        172.16.25.0/24
          [110/2] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
O        172.16.254.1/32
          [110/2] via 172.16.13.1, 02:27:03, GigabitEthernet1/0/1
O        172.16.254.2/32
          [110/2] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
C        172.16.254.3/32 is directly connected, Loopback1
O        172.16.254.4/32
          [110/3] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
          [110/3] via 172.16.13.1, 02:26:55, GigabitEthernet1/0/1
O        172.16.254.5/32
          [110/3] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
          [110/3] via 172.16.13.1, 02:26:55, GigabitEthernet1/0/1
O        172.16.255.1/32
          [110/2] via 172.16.13.1, 02:27:03, GigabitEthernet1/0/1
O        172.16.255.2/32
          [110/2] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
C        172.16.255.3/32 is directly connected, Loopback0
```

```

o      172.16.255.4/32
        [110/3] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
        [110/3] via 172.16.13.1, 02:26:55, GigabitEthernet1/0/1
o      172.16.255.5/32
        [110/3] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
        [110/3] via 172.16.13.1, 02:26:55, GigabitEthernet1/0/1
o      172.16.255.255/32
        [110/2] via 172.16.23.2, 02:26:55, GigabitEthernet1/0/2
        [110/2] via 172.16.13.1, 02:27:03, GigabitEthernet1/0/1

```

```

Leaf-01# show ipv6 route
IPv6 Routing Table - default - 1 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
EX - EIGRP external, ND - ND Default, NDp - ND Prefix, DCE - Destination
NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
ld - LISP dyn-eid, 1A - LISP away, le - LISP extranet-policy
lp - LISP publications, ls - LISP destinations-summary
L   FF00::/8 [0/0]
    via Null0, receive

```

```

Leaf-01# show ip mroute
IP Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, C - Connected,
L - Local, P - Pruned, R - RP-bit set, F - Register flag,
T - SPT-bit set, J - Join SPT, M - MSDP created entry, E - Extranet,
X - Proxy Join Timer Running, A - Candidate for MSDP Advertisement,
U - URD, I - Received Source Specific Host Report,
Z - Multicast Tunnel, z - MDT-data group sender,
Y - Joined MDT-data group, y - Sending to MDT-data group,
G - Received BGP C-Mroute, g - Sent BGP C-Mroute,
N - Received BGP Shared-Tree Prune, n - BGP C-Mroute suppressed,
Q - Received BGP S-A Route, q - Sent BGP S-A Route,
V - RD & Vector, v - Vector, p - PIM Joins on route,
x - VxLAN group, c - PFP-SA cache created entry,
* - determined by Assert, # - iif-starg configured on rpf intf,
e - encap-helper tunnel flag, l - LISP decap ref count contributor
Outgoing interface flags: H - Hardware switched, A - Assert winner, p - PIM Join
t - LISP transit group
Timers: Uptime/Expires
Interface state: Interface, Next-Hop or VCD, State/Mode

(*, 224.0.1.40), 02:28:41/00:02:57, RP 172.16.255.255, flags: SJCL
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.23.2
  Outgoing interface list:
    Loopback1, Forward/Sparse, 02:28:39/00:02:23, flags:
      GigabitEthernet1/0/1, Forward/Sparse, 02:26:54/00:02:50, flags:

(*, 225.0.0.101), 02:28:40/stopped, RP 172.16.255.255, flags: SJCFx
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.23.2
  Outgoing interface list:
    Tunnel0, Forward/Sparse-Dense, 02:28:40/stopped, flags:

(172.16.254.5, 225.0.0.101), 01:53:05/00:01:04, flags: JTx
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.23.2
  Outgoing interface list:
    Tunnel0, Forward/Sparse-Dense, 01:53:05/stopped, flags:

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```
(172.16.254.4, 225.0.0.101), 02:20:24/00:01:01, flags: JTx
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.23.2
  Outgoing interface list:
    Tunnel0, Forward/Sparse-Dense, 02:20:24/stopped, flags:

(172.16.254.3, 225.0.0.101), 02:28:09/00:03:22, flags: FTx
  Incoming interface: Loopback1, RPF nbr 0.0.0.0
  Outgoing interface list:
    GigabitEthernet1/0/2, Forward/Sparse, 02:25:53/00:02:32, flags: A
```

```
Leaf-01# show ipv6 mroute
No mroute entries found.
```

```
Leaf-01# show nve peer
'M' - MAC entry download flag  'A' - Adjacency download flag
'4' - IPv4 flag   '6' - IPv6 flag
```

Interface	VNI	Type	Peer-IP	RMAC/Num_RTs	eVNI	state	flags	UP time
nve1	50901	L3CP	172.16.254.5	7c21.0dbd.2748	50901	UP	A/-/4	02:25:57
nve1	50901	L3CP	172.16.254.4	7c21.0dbd.9548	50901	UP	A/-/4	02:25:57
nve1	50901	L3CP	172.16.254.5	7c21.0dbd.2748	50901	UP	A/M/6	02:25:57
nve1	50901	L3CP	172.16.254.4	7c21.0dbd.9548	50901	UP	A/M/6	02:25:57
nve1	10101	L2CP	172.16.254.4	5	10101	UP	N/A	02:25:57
nve1	10101	L2CP	172.16.254.5	5	10101	UP	N/A	02:25:57
nve1	10102	L2CP	172.16.254.4	6	10102	UP	N/A	02:25:57
nve1	10102	L2CP	172.16.254.5	6	10102	UP	N/A	02:25:57

```
Leaf-01# show bgp l2vpn evpn summary
BGP router identifier 172.16.255.3, local AS number 65001
BGP table version is 54, main routing table version 54
50 network entries using 19200 bytes of memory
68 path entries using 15776 bytes of memory
22/22 BGP path/bestpath attribute entries using 6512 bytes of memory
4 BGP rrinfo entries using 160 bytes of memory
16 BGP extended community entries using 864 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 42512 total bytes of memory
BGP activity 62/0 prefixes, 90/6 paths, scan interval 60 secs
50 networks peaked at 15:31:23 Oct 31 2022 UTC (00:00:34.727 ago)
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
172.16.255.1	4	65001	186	174	54	0	0	02:26:54	18
172.16.255.2	4	65001	187	174	54	0	0	02:26:53	18

```
Leaf-01# show bgp l2vpn evpn
BGP table version is 54, local router ID is 172.16.255.3
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
               r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
               x best-external, a additional-path, c RIB-compressed,
               t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found
```

Network	Next Hop	Metric	LocPrf	Weight	Path
Route Distinguisher: 172.16.254.3:101					
*> [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24	0.0.0.0			32768	?
*> [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36					

```

          0.0.0.0           32768 ?
*>i [2][172.16.254.3:101][0][48][44D3CA286CC1][0][*]/20
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][44D3CA286CC1][32][10.1.101.12]/24
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][44D3CA286CC3][0][*]/20
          172.16.254.5       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][44D3CA286CC3][32][10.1.101.13]/24
          172.16.254.5       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][7C210DBD2741][32][10.1.101.1]/24
          172.16.254.5       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
          172.16.254.5       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][7C210DBD9541][32][10.1.101.1]/24
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][7C210DBD9541][32][10.1.101.1]/24
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20
          0.0.0.0           32768 ?
*>i [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
          0.0.0.0           32768 ?
*>i [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
          0.0.0.0           32768 ?
Route Distinguisher: 172.16.254.3:102
*> [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
          0.0.0.0           32768 ?
*> [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
          0.0.0.0           32768 ?
*>i [2][172.16.254.3:102][0][48][44D3CA286CC2][0][*]/20
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:102][0][48][44D3CA286CC4][0][*]/20
          172.16.254.5       0    100      0 ?
*>i [2][172.16.254.3:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
          172.16.254.5       0    100      0 ?
*>i [2][172.16.254.3:102][0][48][7C210DBD274D][32][10.1.102.1]/24
          172.16.254.5       0    100      0 ?
*>i [2][172.16.254.3:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
          172.16.254.5       0    100      0 ?
*>i [2][172.16.254.3:102][0][48][7C210DBD954D][32][10.1.102.1]/24
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20
          0.0.0.0           32768 ?
*>i [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
          0.0.0.0           32768 ?
Route Distinguisher: 172.16.254.4:101
* i [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.4:101][0][48][44D3CA286CC1][32][10.1.101.12]/24
          172.16.254.4       0    100      0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
          172.16.254.4       0    100      0 ?
*>i [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
          172.16.254.4       0    100      0 ?
Route Distinguisher: 172.16.254.4:102
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
          172.16.254.4       0    100      0 ?

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

*>i          172.16.254.4      0    100      0 ?
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
          172.16.254.4      0    100      0 ?
*>i          172.16.254.4      0    100      0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
          172.16.254.4      0    100      0 ?
*>i          172.16.254.4      0    100      0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
          172.16.254.4      0    100      0 ?
*>i          172.16.254.4      0    100      0 ?
Route Distinguisher: 172.16.254.5:101
* i [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
* i [2][172.16.254.5:101][0][48][44D3CA286CC3][32][10.1.101.13]/24
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
Route Distinguisher: 172.16.254.5:102
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
Route Distinguisher: 172.16.254.3:102
*> [3][172.16.254.3:102][0][32][172.16.254.3]/17
          0.0.0.0            32768 ?
*>i [3][172.16.254.3:102][0][32][172.16.254.4]/17
          172.16.254.4      0    100      0 ?
*>i [3][172.16.254.3:102][0][32][172.16.254.5]/17
          172.16.254.5      0    100      0 ?
Route Distinguisher: 172.16.254.4:102
* i [3][172.16.254.4:102][0][32][172.16.254.4]/17
          172.16.254.4      0    100      0 ?
*>i          172.16.254.4      0    100      0 ?
Route Distinguisher: 172.16.254.5:102
* i [3][172.16.254.5:102][0][32][172.16.254.5]/17
          172.16.254.5      0    100      0 ?
*>i          172.16.254.5      0    100      0 ?
Route Distinguisher: 1:1 (default for vrf green)
*> [5][1:1][0][24][10.1.101.0]/17
          0.0.0.0            32768 ?
*> [5][1:1][0][24][10.1.102.0]/17
          0.0.0.0            32768 ?
*> [5][1:1][0][64][FD00:10:1:101::]/29
          ::                  32768 ?
*> [5][1:1][0][64][FD00:10:1:102::]/29
          ::                  32768 ?

```

Leaf-01# show l2vpn evpn mac ip				
IP Address	EVI	VLAN	MAC Address	Next Hop(s)
-----	-----	-----	-----	-----

10.1.101.11	101	101	f4cf.e243.34c1	Gi1/0/4:101
10.1.101.12	101	101	44d3.ca28.6cc1	172.16.254.4
10.1.101.13	101	101	44d3.ca28.6cc3	172.16.254.5
FE80::F6CF:E2FF:FE43:34C1	101	101	f4cf.e243.34c1	Gi1/0/4:101
10.1.102.12	102	102	44d3.ca28.6cc2	172.16.254.4
10.1.102.13	102	102	44d3.ca28.6cc4	172.16.254.5
FE80::F6CF:E2FF:FE43:34C2	102	102	f4cf.e243.34c2	Gi1/0/5:102

```
Leaf-01# show l2route evpn mac ip
      EVI      ETag    Prod      Mac Address          Host IP
                           Next Hop(s)
-----
101        0 L2VPN 10b3.d56a.8fc1           10.1.101.1
                           Vl101:0
101        0 L2VPN 10b3.d56a.8fc1           FD00:10:1:101::1
                           Vl101:0
101        0   BGP 44d3.ca28.6cc1           10.1.101.12
                           V:10101 172.16.254.4
101        0   BGP 44d3.ca28.6cc3           10.1.101.13
                           V:10101 172.16.254.5
101        0   BGP 7c21.0dbd.2741           10.1.101.1
                           V:10101 172.16.254.5
101        0   BGP 7c21.0dbd.2741           FD00:10:1:101::1
                           V:10101 172.16.254.5
101        0   BGP 7c21.0dbd.9541           10.1.101.1
                           V:10101 172.16.254.4
101        0   BGP 7c21.0dbd.9541           FD00:10:1:101::1
                           V:10101 172.16.254.4
101        0 L2VPN f4cf.e243.34c1           10.1.101.11
                           Gi1/0/4:101
101        0 L2VPN f4cf.e243.34c1           FE80::F6CF:E2FF:FE43:34C1
                           Gi1/0/4:101
102        0 L2VPN 10b3.d56a.8fc0           10.1.102.1
                           Vl102:0
102        0 L2VPN 10b3.d56a.8fc0           FD00:10:1:102::1
                           Vl102:0
102        0   BGP 44d3.ca28.6cc2           10.1.102.12
                           V:10102 172.16.254.4
102        0   BGP 44d3.ca28.6cc4           10.1.102.13
                           V:10102 172.16.254.5
102        0   BGP 7c21.0dbd.274d           10.1.102.1
                           V:10102 172.16.254.5
102        0   BGP 7c21.0dbd.274d           FD00:10:1:102::1
                           V:10102 172.16.254.5
102        0   BGP 7c21.0dbd.954d           10.1.102.1
                           V:10102 172.16.254.4
102        0   BGP 7c21.0dbd.954d           FD00:10:1:102::1
                           V:10102 172.16.254.4
102        0 L2VPN f4cf.e243.34c2           FE80::F6CF:E2FF:FE43:34C2
                           Gi1/0/5:102
```

To return to the example configuration, click [Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay, on page 46](#).

### Outputs to Verify Configuration on VTEP 2

```
Leaf-02# show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
      D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2, m - OMP
n - NAT, Ni - NAT inside, No - NAT outside, Nd - NAT DIA
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
H - NHRP, G - NHRP registered, g - NHRP registration summary
o - ODR, P - periodic downloaded static route, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR
& - replicated local route overrides by connected
  
```

Gateway of last resort is not set

```

172.16.0.0/16 is variably subnetted, 19 subnets, 2 masks
O   172.16.13.0/24
    [110/2] via 172.16.14.1, 02:29:55, GigabitEthernet1/0/1
C   172.16.14.0/24 is directly connected, GigabitEthernet1/0/1
L   172.16.14.4/32 is directly connected, GigabitEthernet1/0/1
O   172.16.15.0/24
    [110/2] via 172.16.14.1, 02:29:55, GigabitEthernet1/0/1
O   172.16.23.0/24
    [110/2] via 172.16.24.2, 02:29:52, GigabitEthernet1/0/2
C   172.16.24.0/24 is directly connected, GigabitEthernet1/0/2
L   172.16.24.4/32 is directly connected, GigabitEthernet1/0/2
O   172.16.25.0/24
    [110/2] via 172.16.24.2, 02:29:52, GigabitEthernet1/0/2
O   172.16.254.1/32
    [110/2] via 172.16.14.1, 02:29:55, GigabitEthernet1/0/1
O   172.16.254.2/32
    [110/2] via 172.16.24.2, 02:29:52, GigabitEthernet1/0/2
O   172.16.254.3/32
    [110/3] via 172.16.24.2, 02:29:47, GigabitEthernet1/0/2
    [110/3] via 172.16.14.1, 02:29:55, GigabitEthernet1/0/1
C   172.16.254.4/32 is directly connected, Loopback1
O   172.16.254.5/32
    [110/3] via 172.16.24.2, 02:29:47, GigabitEthernet1/0/2
    [110/3] via 172.16.14.1, 02:29:47, GigabitEthernet1/0/1
O   172.16.255.1/32
    [110/2] via 172.16.14.1, 02:29:55, GigabitEthernet1/0/1
O   172.16.255.2/32
    [110/2] via 172.16.24.2, 02:29:52, GigabitEthernet1/0/2
O   172.16.255.3/32
    [110/3] via 172.16.24.2, 02:29:47, GigabitEthernet1/0/2
    [110/3] via 172.16.14.1, 02:29:55, GigabitEthernet1/0/1
C   172.16.255.4/32 is directly connected, Loopback0
O   172.16.255.5/32
    [110/3] via 172.16.24.2, 02:29:47, GigabitEthernet1/0/2
    [110/3] via 172.16.14.1, 02:29:47, GigabitEthernet1/0/1
O   172.16.255.255/32
    [110/2] via 172.16.24.2, 02:29:52, GigabitEthernet1/0/2
    [110/2] via 172.16.14.1, 02:29:55, GigabitEthernet1/0/1
  
```

```

Leaf-02# show ipv6 route
IPv6 Routing Table - default - 18 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
      B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
      I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
      EX - EIGRP external, ND - ND Default, NDp - ND Prefix, DCE - Destination
      NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
      OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
      ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
      ld - LISP dyn-eid, 1A - LISP away, le - LISP extranet-policy
      lp - LISP publications, ls - LISP destinations-summary
  
```

```

O   FC00:172:16:13::/64 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
C   FC00:172:16:14::/64 [0/0]
    via GigabitEthernet1/0/1, directly connected
L   FC00:172:16:14::4/128 [0/0]
    via GigabitEthernet1/0/1, receive
O   FC00:172:16:15::/64 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
O   FC00:172:16:23::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
C   FC00:172:16:24::/64 [0/0]
    via GigabitEthernet1/0/2, directly connected
L   FC00:172:16:24::4/128 [0/0]
    via GigabitEthernet1/0/2, receive
O   FC00:172:16:25::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
O   FC00:172:16:254::1/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
O   FC00:172:16:254::2/128 [110/1]
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
LC  FC00:172:16:254::4/128 [0/0]
    via Loopback1, receive
O   FC00:172:16:254::5/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
O   FC00:172:16:255::1/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
O   FC00:172:16:255::2/128 [110/1]
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
LC  FC00:172:16:255::4/128 [0/0]
    via Loopback0, receive
O   FC00:172:16:255::5/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
O   FC00:172:16:255::255/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D6, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD6, GigabitEthernet1/0/2
L   FF00::/8 [0/0]
    via Null0, receive

```

```

Leaf-02# show ip mroute
IP Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group, C - Connected,
       L - Local, P - Pruned, R - RP-bit set, F - Register flag,
       T - SPT-bit set, J - Join SPT, M - MSDP created entry, E - Extranet,
       X - Proxy Join Timer Running, A - Candidate for MSDP Advertisement,
       U - URD, I - Received Source Specific Host Report,
       Z - Multicast Tunnel, z - MDT-data group sender,
       Y - Joined MDT-data group, y - Sending to MDT-data group,
       G - Received BGP C-Mroute, g - Sent BGP C-Mroute,
       N - Received BGP Shared-Tree Prune, n - BGP C-Mroute suppressed,
       Q - Received BGP S-A Route, q - Sent BGP S-A Route,
       V - RD & Vector, v - Vector, p - PIM Joins on route,
       x - VxLAN group, c - PFP-SA cache created entry,
       * - determined by Assert, # - iif-starg configured on rpf intf,
       e - encap-helper tunnel flag, l - LISP decap ref count contributor
Outgoing interface flags: H - Hardware switched, A - Assert winner, p - PIM Join
                           t - LISP transit group
Timers: Uptime/Expires
Interface state: Interface, Next-Hop or VCD, State/Mode
(*, 224.0.1.40), 02:30:33/00:02:28, RP 172.16.255.255, flags: SJCL
Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.24.2

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

Outgoing interface list:
  Loopback1, Forward/Sparse, 02:30:32/00:02:28, flags:
(*, 225.0.0.101), 02:30:33/stopped, RP 172.16.255.255, flags: SJCFx
    Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.24.2
    Outgoing interface list:
      Tunnell1, Forward/Sparse-Dense, 02:30:33/stopped, flags:
(172.16.254.3, 225.0.0.101), 02:22:31/00:02:40, flags: JTx
    Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.24.2
    Outgoing interface list:
      Tunnell1, Forward/Sparse-Dense, 02:22:31/stopped, flags:
(172.16.254.5, 225.0.0.101), 02:22:41/00:01:28, flags: JTx
    Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.24.2
    Outgoing interface list:
      Tunnell1, Forward/Sparse-Dense, 02:22:41/stopped, flags:
(172.16.254.4, 225.0.0.101), 02:30:17/00:01:32, flags: FTx
    Incoming interface: Loopback1, RPF nbr 0.0.0.0, Registering
    Outgoing interface list:
      GigabitEthernet1/0/2, Forward/Sparse, 02:29:51/00:03:28, flags: A

Leaf-02# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
       C - Connected, L - Local, I - Received Source Specific Host Report,
       P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
       J - Join SPT, Y - Joined MDT-data group,
       Y - Sending to MDT-data group
       g - BGP signal originated, G - BGP Signal received,
       N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
       q - BGP Src-Active originated, Q - BGP Src-Active received
       E - Extranet
Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 02:30:33/never, RP FC00:172:16:255::255, flags: SCJ
  Incoming interface: GigabitEthernet1/0/2
  RPF nbr: FE80::7E21:DFF:FEBD:2CD6
  Immediate Outgoing interface list:
    Tunnel2, Forward, 02:30:33/never

Leaf-02# show nve peer
'M' - MAC entry download flag  'A' - Adjacency download flag
'4' - IPv4 flag  '6' - IPv6 flag

Interface  VNI      Type Peer-IP          RMAC/Num_RTs   eVNI      state flags UP time
nve1        50901    L3CP 172.16.254.3    10b3.d56a.8fc8 50901    UP  A/-/4 02:28:51
nve1        50901    L3CP FC00:172:16:254::5 \
                                         7c21.0dbd.2748 50901    UP  A/-/4 02:28:51
nve1        50901    L3CP 172.16.254.3    10b3.d56a.8fc8 50901    UP  A/M/6 02:28:51
nve1        50901    L3CP FC00:172:16:254::5 \
                                         7c21.0dbd.2748 50901    UP  A/M/6 02:28:51
nve1        10101    L2CP 172.16.254.3    6           10101    UP  N/A   02:28:51
nve1        10101    L2CP FC00:172:16:254::5 \
                                         5           10101    UP  N/A   02:28:51
nve1        10102    L2CP 172.16.254.3    6           10102    UP  N/A   02:28:51
nve1        10102    L2CP FC00:172:16:254::5 \
                                         6           10102    UP  N/A   02:28:51

```

```
Leaf-02# show bgp l2vpn evpn summary
BGP router identifier 172.16.255.4, local AS number 65001
BGP table version is 76, main routing table version 76
51 network entries using 19584 bytes of memory
124 path entries using 28768 bytes of memory
23/22 BGP path/bestpath attribute entries using 6808 bytes of memory
4 BGP rrinfo entries using 160 bytes of memory
17 BGP extended community entries using 904 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 56224 total bytes of memory
BGP activity 64/0 prefixes, 188/43 paths, scan interval 60 secs
51 networks peaked at 15:31:23 Oct 31 2022 UTC (00:03:28.886 ago)
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
172.16.255.1	4	65001	189	175	76	0	0	02:29:49	23
172.16.255.2	4	65001	189	175	76	0	0	02:29:45	23
FC00:172:16:255::1									
	4	65001	188	172	76	0	0	02:30:00	23
FC00:172:16:255::2									
	4	65001	189	173	76	0	0	02:29:58	23

```
Leaf-02# show bgp l2vpn evpn
BGP table version is 76, local router ID is 172.16.255.4
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
               r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
               x best-external, a additional-path, c RIB-compressed,
               t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found
```

Network	Next Hop	Metric	LocPrf	Weight	Path
Route Distinguisher: 172.16.254.3:101					
* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
*>i	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
*>i	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
*>i	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
*>i [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
*>i	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
Route Distinguisher: 172.16.254.3:102					
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24	172.16.254.3	0	100	0	?
* i	172.16.254.3	0	100	0	?
*>i	172.16.254.3	0	100	0	?

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

* i          172.16.254.3      0    100      0 ?
* i  [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
      172.16.254.3      0    100      0 ?
* i          172.16.254.3      0    100      0 ?
* >i         172.16.254.3      0    100      0 ?
* i          172.16.254.3      0    100      0 ?
* i  [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20
      172.16.254.3      0    100      0 ?
* i          172.16.254.3      0    100      0 ?
* >i         172.16.254.3      0    100      0 ?
* i          172.16.254.3      0    100      0 ?
* >i  [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      172.16.254.3      0    100      0 ?
* i          172.16.254.3      0    100      0 ?
* i          172.16.254.3      0    100      0 ?
* i          172.16.254.3      0    100      0 ?
Route Distinguisher: 172.16.254.4:101
* >i  [2][172.16.254.4:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
      172.16.254.3      0    100      0 ?
* >i  [2][172.16.254.4:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
      172.16.254.3      0    100      0 ?
*>  [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
      0.0.0.0            32768 ?
*>  [2][172.16.254.4:101][0][48][44D3CA286CC1][32][10.1.101.12]/24
      0.0.0.0            32768 ?
*>i  [2][172.16.254.4:101][0][48][44D3CA286CC3][0][*]/20
      FC00:172:16:254::5
      0    100      0 ?
*>i  [2][172.16.254.4:101][0][48][44D3CA286CC3][32][10.1.101.13]/24
      FC00:172:16:254::5
      0    100      0 ?
*>i  [2][172.16.254.4:101][0][48][7C210DBD2741][32][10.1.101.1]/24
      FC00:172:16:254::5
      0    100      0 ?
*>i  [2][172.16.254.4:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
      FC00:172:16:254::5
      0    100      0 ?
*>  [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
      0.0.0.0            32768 ?
*>  [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
      0.0.0.0            32768 ?
*>i  [2][172.16.254.4:101][0][48][F4CFE24334C1][0][*]/20
      172.16.254.3      0    100      0 ?
*>i  [2][172.16.254.4:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
      172.16.254.3      0    100      0 ?
*>i  [2][172.16.254.4:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
      172.16.254.3      0    100      0 ?
Route Distinguisher: 172.16.254.4:102
*>i  [2][172.16.254.4:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
      172.16.254.3      0    100      0 ?
*>i  [2][172.16.254.4:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
      172.16.254.3      0    100      0 ?
*>  [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
      0.0.0.0            32768 ?
*>  [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
      0.0.0.0            32768 ?
*>i  [2][172.16.254.4:102][0][48][44D3CA286CC4][0][*]/20
      FC00:172:16:254::5
      0    100      0 ?
*>i  [2][172.16.254.4:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
      FC00:172:16:254::5
      0    100      0 ?
*>i  [2][172.16.254.4:102][0][48][7C210DBD274D][32][10.1.102.1]/24
      FC00:172:16:254::5
      0    100      0 ?

```

```

          0   100   0 ?
*>i [2][172.16.254.4:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::5   0   100   0 ?
*> [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
      0.0.0.0   32768 ?
*> [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
      0.0.0.0   32768 ?
*>i [2][172.16.254.4:102][0][48][F4CFE24334C2][0][*]/20
      172.16.254.3   0   100   0 ?
*>i [2][172.16.254.4:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      172.16.254.3   0   100   0 ?

Route Distinguisher: 172.16.254.5:101
* i [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
      172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
*>i 172.16.254.5   0   100   0 ?
* i [2][172.16.254.5:101][0][48][44D3CA286CC3][32][10.1.101.13]/24
      172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
*>i 172.16.254.5   0   100   0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
      172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
*>i 172.16.254.5   0   100   0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
      172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
*>i 172.16.254.5   0   100   0 ?

Route Distinguisher: 172.16.254.5:102
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
      172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
*>i 172.16.254.5   0   100   0 ?
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
      172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
*>i 172.16.254.5   0   100   0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
      172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
*>i 172.16.254.5   0   100   0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
      172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
* i 172.16.254.5   0   100   0 ?
*>i 172.16.254.5   0   100   0 ?

Route Distinguisher: 172.16.254.3:102
* i [3][172.16.254.3:102][0][32][172.16.254.3]/17
      172.16.254.3   0   100   0 ?
* i 172.16.254.3   0   100   0 ?
*>i 172.16.254.3   0   100   0 ?
* i 172.16.254.3   0   100   0 ?

Route Distinguisher: 172.16.254.4:102
*>i [3][172.16.254.4:102][0][32][172.16.254.3]/17
      172.16.254.3   0   100   0 ?
*> [3][172.16.254.4:102][0][32][172.16.254.4]/17

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

    0.0.0.0                               32768 ?
*>i [3][172.16.254.4:102][0][32][172.16.254.5]/17
                                         FC00:172:16:254::5
                                         0   100   0 ?
Route Distinguisher: 172.16.254.5:102
* i [3][172.16.254.5:102][0][32][172.16.254.5]/17
                                         172.16.254.5      0   100   0 ?
* i                                         172.16.254.5      0   100   0 ?
* i                                         172.16.254.5      0   100   0 ?
*>i                                         172.16.254.5      0   100   0 ?
Route Distinguisher: 1:1 (default for vrf green)
* i [5][1:1][0][24][10.1.101.0]/17
                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
*>                                         0.0.0.0          0   32768 ?
* i [5][1:1][0][24][10.1.102.0]/17
                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
*>                                         0.0.0.0          0   32768 ?
* i [5][1:1][0][64][FD00:10:1:101::]/29
                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
*>                                         ::              0   32768 ?
* i [5][1:1][0][64][FD00:10:1:102::]/29
                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
* i                                         172.16.254.3      0   100   0 ?
*>                                         ::              0   32768 ?

```

Leaf-02# show l2vpn evpn mac ip

IP Address	EVI	VLAN	MAC Address	Next Hop(s)
10.1.101.11	101	101	f4cf.e243.34c1	172.16.254.3
10.1.101.12	101	101	44d3.ca28.6cc1	Gi1/0/11:101
10.1.101.13	101	101	44d3.ca28.6cc3	FC00:172:16:254::5
FE80::F6CF:E2FF:FE43:34C1	101	101	f4cf.e243.34c1	172.16.254.3
10.1.102.12	102	102	44d3.ca28.6cc2	Gi1/0/12:102
10.1.102.13	102	102	44d3.ca28.6cc4	FC00:172:16:254::5
FE80::F6CF:E2FF:FE43:34C2	102	102	f4cf.e243.34c2	172.16.254.3

Leaf-02# show l2route evpn mac ip

EVI	ETag	Prod	Mac Address	Host IP
			Next Hop(s)	
101	0	BGP 10b3.d56a.8fc1 V:10101 172.16.254.3		10.1.101.1
101	0	BGP 10b3.d56a.8fc1 V:10101 172.16.254.3		FD00:10:1:101::1
101	0	L2VPN 44d3.ca28.6cc1 Gi1/0/11:101		10.1.101.12
101	0	BGP 44d3.ca28.6cc3 V:10101 FC00:172:16:254::5		10.1.101.13
101	0	BGP 7c21.0dbd.2741 V:10101 FC00:172:16:254::5		10.1.101.1
101	0	BGP 7c21.0dbd.2741		FD00:10:1:101::1

```

V:10101 FC00:172:16:254::5
101      0 L2VPN 7c21.0dbd.9541          10.1.101.1
          V1101:0
101      0 L2VPN 7c21.0dbd.9541          FD00:10:1:101::1
          V1101:0
101      0   BGP f4cf.e243.34c1          10.1.101.11
          V:10101 172.16.254.3
101      0   BGP f4cf.e243.34c1          FE80::F6CF:E2FF:FE43:34C1
          V:10101 172.16.254.3
102      0   BGP 10b3.d56a.8fcfd         10.1.102.1
          V:10102 172.16.254.3
102      0   BGP 10b3.d56a.8fcfd         FD00:10:1:102::1
          V:10102 172.16.254.3
102      0 L2VPN 44d3.ca28.6cc2          10.1.102.12
          Gi1/0/12:102
102      0   BGP 44d3.ca28.6cc4          10.1.102.13
          V:10102 FC00:172:16:254::5
102      0   BGP 7c21.0dbd.274d         10.1.102.1
          V:10102 FC00:172:16:254::5
102      0   BGP 7c21.0dbd.274d         FD00:10:1:102::1
          V:10102 FC00:172:16:254::5
102      0 L2VPN 7c21.0dbd.954d          10.1.102.1
          V1102:0
102      0 L2VPN 7c21.0dbd.954d          FD00:10:1:102::1
          V1102:0
102      0   BGP f4cf.e243.34c2          FE80::F6CF:E2FF:FE43:34C2
          V:10102 172.16.254.3

```

To return to the example configuration, click [Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay, on page 46](#).

### Outputs to Verify Configuration on VTEP 3

```

Leaf-03# show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
      D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
      N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
      E1 - OSPF external type 1, E2 - OSPF external type 2, m - OMP
      n - NAT, Ni - NAT inside, No - NAT outside, Nd - NAT DIA
      i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
      ia - IS-IS inter area, * - candidate default, U - per-user static route
      H - NHRP, G - NHRP registered, g - NHRP registration summary
      o - ODR, P - periodic downloaded static route, l - LISP
      a - application route
      + - replicated route, % - next hop override, p - overrides from PfR
      & - replicated local route overrides by connected

```

Gateway of last resort is not set

```

172.16.0.0/16 is variably subnetted, 19 subnets, 2 masks
O    172.16.13.0/24
      [110/2] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1
O    172.16.14.0/24
      [110/2] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1
C    172.16.15.0/24 is directly connected, GigabitEthernet1/0/1
L    172.16.15.5/32 is directly connected, GigabitEthernet1/0/1
O    172.16.23.0/24
      [110/2] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
O    172.16.24.0/24
      [110/2] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
C    172.16.25.0/24 is directly connected, GigabitEthernet1/0/2
L    172.16.25.5/32 is directly connected, GigabitEthernet1/0/2

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

o      172.16.254.1/32
        [110/2] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1
o      172.16.254.2/32
        [110/2] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
o      172.16.254.3/32
        [110/3] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
        [110/3] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1
o      172.16.254.4/32
        [110/3] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
        [110/3] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1
C      172.16.254.5/32 is directly connected, Loopback1
o      172.16.255.1/32
        [110/2] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1
o      172.16.255.2/32
        [110/2] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
o      172.16.255.3/32
        [110/3] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
        [110/3] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1
o      172.16.255.4/32
        [110/3] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
        [110/3] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1
C      172.16.255.5/32 is directly connected, Loopback0
o      172.16.255.255/32
        [110/2] via 172.16.25.2, 02:30:22, GigabitEthernet1/0/2
        [110/2] via 172.16.15.1, 02:30:26, GigabitEthernet1/0/1

```

```

Leaf-03# show ipv6 route
IPv6 Routing Table - default - 18 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
EX - EIGRP external, ND - ND Default, NDp - ND Prefix, DCE - Destination
NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
ld - LISP dyn-eid, IA - LISP away, le - LISP extranet-policy
lp - LISP publications, ls - LISP destinations-summary
o  FC00:172:16:13::/64 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
o  FC00:172:16:14::/64 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
C  FC00:172:16:15::/64 [0/0]
    via GigabitEthernet1/0/1, directly connected
L  FC00:172:16:15::5/128 [0/0]
    via GigabitEthernet1/0/1, receive
o  FC00:172:16:23::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
o  FC00:172:16:24::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
C  FC00:172:16:25::/64 [0/0]
    via GigabitEthernet1/0/2, directly connected
L  FC00:172:16:25::5/128 [0/0]
    via GigabitEthernet1/0/2, receive
o  FC00:172:16:254::1/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
o  FC00:172:16:254::2/128 [110/1]
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
o  FC00:172:16:254::4/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
LC  FC00:172:16:254::5/128 [0/0]
    via Loopback1, receive
o  FC00:172:16:255::1/128 [110/1]

```

```

    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
○ FC00:172:16:255::2/128 [110/1]
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
○ FC00:172:16:255::4/128 [110/2]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
LC FC00:172:16:255::5/128 [0/0]
    via Loopback0, receive
○ FC00:172:16:255::255/128 [110/1]
    via FE80::7E21:DFF:FE92:B2D8, GigabitEthernet1/0/1
    via FE80::7E21:DFF:FEBD:2CD8, GigabitEthernet1/0/2
L FF00::/8 [0/0]
    via Null0, receive

```

```

Leaf-03# show ip mroute
IP Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group, C - Connected,
       L - Local, P - Pruned, R - RP-bit set, F - Register flag,
       T - SPT-bit set, J - Join SPT, M - MSDP created entry, E - Extranet,
       X - Proxy Join Timer Running, A - Candidate for MSDP Advertisement,
       U - URD, I - Received Source Specific Host Report,
       Z - Multicast Tunnel, z - MDT-data group sender,
       Y - Joined MDT-data group, y - Sending to MDT-data group,
       G - Received BGP C-Mroute, g - Sent BGP C-Mroute,
       N - Received BGP Shared-Tree Prune, n - BGP C-Mroute suppressed,
       Q - Received BGP S-A Route, q - Sent BGP S-A Route,
       V - RD & Vector, v - Vector, p - PIM Joins on route,
       x - VxLAN group, c - PFP-SA cache created entry,
       * - determined by Assert, # - iif-starg configured on rpf intf,
       e - encaps-helper tunnel flag, l - LISP decap ref count contributor
Outgoing interface flags: H - Hardware switched, A - Assert winner, p - PIM Join
                           t - LISP transit group
Timers: Uptime/Expires
Interface state: Interface, Next-Hop or VCD, State/Mode

(*, 224.0.1.40), 02:30:48/00:02:16, RP 172.16.255.255, flags: SJCL
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.25.2
  Outgoing interface list:
    Loopback1, Forward/Sparse, 02:30:47/00:02:16, flags:

(*, 225.0.0.101), 02:30:48/stopped, RP 172.16.255.255, flags: SJCFx
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.25.2
  Outgoing interface list:
    Tunnell1, Forward/Sparse-Dense, 02:30:48/stopped, flags:

(172.16.254.3, 225.0.0.101), 02:23:01/00:01:57, flags: JTxD
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.25.2
  Outgoing interface list:
    Tunnell1, Forward/Sparse-Dense, 02:23:01/stopped, flags:

(172.16.254.5, 225.0.0.101), 02:23:11/00:02:03, flags: FTxD
  Incoming interface: Loopback1, RPF nbr 0.0.0.0
  Outgoing interface list:
    GigabitEthernet1/0/2, Forward/Sparse, 02:23:11/00:02:56, flags: A

(172.16.254.4, 225.0.0.101), 02:23:49/00:00:40, flags: JTxD
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.25.2
  Outgoing interface list:
    Tunnell1, Forward/Sparse-Dense, 02:23:49/stopped, flags:

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

Leaf-03# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
       C - Connected, L - Local, I - Received Source Specific Host Report,
       P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
       J - Join SPT, Y - Joined MDT-data group,
       Y - Sending to MDT-data group
       g - BGP signal originated, G - BGP Signal received,
       N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
       q - BGP Src-Active originated, Q - BGP Src-Active received
       E - Extranet
Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 02:30:48/never, RP FC00:172:16:255::255, flags: SCJ
  Incoming interface: GigabitEthernet1/0/1
  RPF nbr: FE80::7E21:DFF:FE92:B2D8
  Immediate Outgoing interface list:
    Tunnel2, Forward, 02:30:48/never

Leaf-03# show nve peer
'M' - MAC entry download flag  'A' - Adjacency download flag
'4' - IPv4 flag   '6' - IPv6 flag



| Interface | VNI   | Type | Peer-IP              | RMAC/Num_RTs   | eVNI  | state | flags | UP       | time |
|-----------|-------|------|----------------------|----------------|-------|-------|-------|----------|------|
| nve1      | 50901 | L3CP | 172.16.254.3         | 10b3.d56a.8fc8 | 50901 | UP    | A/-/4 | 02:29:22 |      |
| nve1      | 50901 | L3CP | FC00:172:16:254::4 \ | 7c21.0dbd.9548 | 50901 | UP    | A/-/4 | 02:29:22 |      |
| nve1      | 50901 | L3CP | 172.16.254.3         | 10b3.d56a.8fc8 | 50901 | UP    | A/M/6 | 02:29:22 |      |
| nve1      | 50901 | L3CP | FC00:172:16:254::4 \ | 7c21.0dbd.9548 | 50901 | UP    | A/M/6 | 02:29:22 |      |
| nve1      | 10101 | L2CP | 172.16.254.3         | 6              | 10101 | UP    | N/A   | 02:29:22 |      |
| nve1      | 10101 | L2CP | FC00:172:16:254::4 \ | 5              | 10101 | UP    | N/A   | 02:29:22 |      |
| nve1      | 10102 | L2CP | 172.16.254.3         | 6              | 10102 | UP    | N/A   | 02:29:22 |      |
| nve1      | 10102 | L2CP | FC00:172:16:254::4 \ | 6              | 10102 | UP    | N/A   | 02:29:22 |      |



Leaf-03# show bgp 12vpn evpn summary
BGP router identifier 172.16.255.5, local AS number 65001
BGP table version is 56, main routing table version 56
51 network entries using 19584 bytes of memory
78 path entries using 18096 bytes of memory
23/22 BGP path/bestpath attribute entries using 6808 bytes of memory
4 BGP rrinfo entries using 160 bytes of memory
17 BGP extended community entries using 904 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 45552 total bytes of memory
BGP activity 64/0 prefixes, 105/6 paths, scan interval 60 secs
51 networks peaked at 15:31:23 Oct 31 2022 UTC (00:03:59.747 ago)



| Neighbor           | V | AS    | MsgRcvd | MsgSent | TblVer | InQ | OutQ | Up/Down  | State/PfxRcd |
|--------------------|---|-------|---------|---------|--------|-----|------|----------|--------------|
| FC00:172:16:255::1 | 4 | 65001 | 191     | 174     | 56     | 0   | 0    | 02:30:32 | 23           |
| FC00:172:16:255::2 | 4 | 65001 | 191     | 174     | 56     | 0   | 0    | 02:30:25 | 23           |



Leaf-03# show bgp 12vpn evpn
BGP table version is 56, local router ID is 172.16.255.5
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
               r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
```

```

        x best-external, a additional-path, c RIB-compressed,
        t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found

      Network          Next Hop            Metric LocPrf Weight Path
Route Distinguisher: 172.16.254.3:101
 * i [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
   172.16.254.3          0     100      0 ?
 *>i
   172.16.254.3          0     100      0 ?
 * i [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
   172.16.254.3          0     100      0 ?
 *>i
   172.16.254.3          0     100      0 ?
 * i [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20
   172.16.254.3          0     100      0 ?
 *>i
   172.16.254.3          0     100      0 ?
 *>i [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
   172.16.254.3          0     100      0 ?
 * i [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
   172.16.254.3          0     100      0 ?
 *>i
   172.16.254.3          0     100      0 ?
Route Distinguisher: 172.16.254.3:102
 * i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
   172.16.254.3          0     100      0 ?
 *>i
   172.16.254.3          0     100      0 ?
 * i [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
   172.16.254.3          0     100      0 ?
 *>i
   172.16.254.3          0     100      0 ?
 * i [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20
   172.16.254.3          0     100      0 ?
 *>i
   172.16.254.3          0     100      0 ?
 *>i [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
   172.16.254.3          0     100      0 ?
 * i [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FD00:10:1:102::1]/36
   172.16.254.3          0     100      0 ?
Route Distinguisher: 172.16.254.4:101
 * i [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
   172.16.254.4          0     100      0 ?
 *>i
   172.16.254.4          0     100      0 ?
 * i [2][172.16.254.4:101][0][48][44D3CA286CC1][32][10.1.101.12]/24
   172.16.254.4          0     100      0 ?
 *>i
   172.16.254.4          0     100      0 ?
 * i [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
   172.16.254.4          0     100      0 ?
 *>i
   172.16.254.4          0     100      0 ?
 * i [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
   172.16.254.4          0     100      0 ?
 *>i
   172.16.254.4          0     100      0 ?
Route Distinguisher: 172.16.254.4:102
 * i [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
   172.16.254.4          0     100      0 ?
 *>i
   172.16.254.4          0     100      0 ?
 * i [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
   172.16.254.4          0     100      0 ?
 *>i
   172.16.254.4          0     100      0 ?
 * i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
   172.16.254.4          0     100      0 ?
 *>i
   172.16.254.4          0     100      0 ?
 * i [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
   172.16.254.4          0     100      0 ?
 *>i
   172.16.254.4          0     100      0 ?
Route Distinguisher: 172.16.254.5:101
 *>i [2][172.16.254.5:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
   172.16.254.3          0     100      0 ?

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

*>i [2][172.16.254.5:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
      172.16.254.3          0    100      0 ?
*>i [2][172.16.254.5:101][0][48][44D3CA286CC1][0][*]/20
      FC00:172:16:254::4
      0    100      0 ?
*>i [2][172.16.254.5:101][0][48][44D3CA286CC1][32][10.1.101.12]/24
      FC00:172:16:254::4
      0    100      0 ?
*> [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
      0.0.0.0                  32768 ?
*> [2][172.16.254.5:101][0][48][44D3CA286CC3][32][10.1.101.13]/24
      0.0.0.0                  32768 ?
*> [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
      0.0.0.0                  32768 ?
*> [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
      0.0.0.0                  32768 ?
*>i [2][172.16.254.5:101][0][48][7C210DBD9541][32][10.1.101.1]/24
      FC00:172:16:254::4
      0    100      0 ?
*>i [2][172.16.254.5:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
      FC00:172:16:254::4
      0    100      0 ?
*>i [2][172.16.254.5:101][0][48][F4CFE24334C1][0][*]/20
      172.16.254.3          0    100      0 ?
*>i [2][172.16.254.5:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
      172.16.254.3          0    100      0 ?
*>i [2][172.16.254.5:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
      172.16.254.3          0    100      0 ?
Route Distinguisher: 172.16.254.5:102
*>i [2][172.16.254.5:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
      172.16.254.3          0    100      0 ?
*>i [2][172.16.254.5:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
      172.16.254.3          0    100      0 ?
*>i [2][172.16.254.5:102][0][48][44D3CA286CC2][0][*]/20
      FC00:172:16:254::4
      0    100      0 ?
*>i [2][172.16.254.5:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
      FC00:172:16:254::4
      0    100      0 ?
*>i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
      0.0.0.0                  32768 ?
*> [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
      0.0.0.0                  32768 ?
*> [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
      0.0.0.0                  32768 ?
*> [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
      0.0.0.0                  32768 ?
*>i [2][172.16.254.5:102][0][48][7C210DBD954D][32][10.1.102.1]/24
      FC00:172:16:254::4
      0    100      0 ?
*>i [2][172.16.254.5:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
      FC00:172:16:254::4
      0    100      0 ?
*>i [2][172.16.254.5:102][0][48][F4CFE24334C2][0][*]/20
      172.16.254.3          0    100      0 ?
*>i [2][172.16.254.5:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
      172.16.254.3          0    100      0 ?
Route Distinguisher: 172.16.254.3:102
* i [3][172.16.254.3:102][0][32][172.16.254.3]/17
      172.16.254.3          0    100      0 ?
*>i           172.16.254.3          0    100      0 ?
Route Distinguisher: 172.16.254.4:102
* i [3][172.16.254.4:102][0][32][172.16.254.4]/17
      172.16.254.4          0    100      0 ?

```

```

*>i          172.16.254.4          0    100    0 ?
Route Distinguisher: 172.16.254.5:102
*>i [3][172.16.254.5:102][0][32][172.16.254.3]/17
          172.16.254.3          0    100    0 ?
*>i [3][172.16.254.5:102][0][32][172.16.254.4]/17
          FC00:172:16:254::4          0    100    0 ?
*          0.0.0.0          32768 ?
Route Distinguisher: 1:1 (default for vrf green)
* i [5][1:1][0][24][10.1.101.0]/17
          172.16.254.3          0    100    0 ?
* i          172.16.254.3          0    100    0 ?
*>          0.0.0.0          32768 ?
* i [5][1:1][0][24][10.1.102.0]/17
          172.16.254.3          0    100    0 ?
* i          172.16.254.3          0    100    0 ?
*>          0.0.0.0          32768 ?
* i [5][1:1][0][64][FD00:10:1:101::]/29
          172.16.254.3          0    100    0 ?
* i          172.16.254.3          0    100    0 ?
*>          ::          32768 ?
* i [5][1:1][0][64][FD00:10:1:102::]/29
          172.16.254.3          0    100    0 ?
* i          172.16.254.3          0    100    0 ?
*>          ::          32768 ?

```

**Leaf-03# show l2vpn evpn mac ip**

IP Address	EVI	VLAN	MAC Address	Next Hop(s)
10.1.101.11	101	101	f4cf.e243.34c1	172.16.254.3
10.1.101.12	101	101	44d3.ca28.6cc1	FC00:172:16:254::4
10.1.101.13	101	101	44d3.ca28.6cc3	Gi1/0/16:101
FE80::F6CF:E2FF:FE43:34C1	101	101	f4cf.e243.34c1	172.16.254.3
10.1.102.12	102	102	44d3.ca28.6cc2	FC00:172:16:254::4
10.1.102.13	102	102	44d3.ca28.6cc4	Gi1/0/17:102
FE80::F6CF:E2FF:FE43:34C2	102	102	f4cf.e243.34c2	172.16.254.3

**Leaf-03# show l2route evpn mac ip**

EVI	ETag	Prod	Mac Address	Host IP
			Next Hop(s)	
101	0	BGP	10b3.d56a.8fc1 V:10101 172.16.254.3	10.1.101.1
101	0	BGP	10b3.d56a.8fc1 V:10101 172.16.254.3	FD00:10:1:101::1
101	0	BGP	44d3.ca28.6cc1 V:10101 FC00:172:16:254::4	10.1.101.12
101	0	L2VPN	44d3.ca28.6cc3 Gi1/0/16:101	10.1.101.13
101	0	L2VPN	7c21.0dbd.2741 V1101:0	10.1.101.1
101	0	L2VPN	7c21.0dbd.2741 V1101:0	FD00:10:1:101::1
101	0	BGP	7c21.0dbd.9541 V:10101 FC00:172:16:254::4	10.1.101.1
101	0	BGP	7c21.0dbd.9541 V:10101 FC00:172:16:254::4	FD00:10:1:101::1
101	0	BGP	f4cf.e243.34c1 V:10101 172.16.254.3	10.1.101.11

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

101      0   BGP f4cf.e243.34c1          FE80::F6CF:E2FF:FE43:34C1
          V:10101 172.16.254.3
102      0   BGP 10b3.d56a.8fcf          10.1.102.1
          V:10102 172.16.254.3
102      0   BGP 10b3.d56a.8fcf          FD00:10:1:102::1
          V:10102 172.16.254.3
102      0   BGP 44d3.ca28.6cc2          10.1.102.12
          V:10102 FC00:172:16:254::4
102      0   L2VPN 44d3.ca28.6cc4         10.1.102.13
          Gi1/0/17:102
102      0   L2VPN 7c21.0dbd.274d         10.1.102.1
          V1102:0
102      0   L2VPN 7c21.0dbd.274d         FD00:10:1:102::1
          V1102:0
102      0   BGP 7c21.0dbd.954d          10.1.102.1
          V:10102 FC00:172:16:254::4
102      0   BGP 7c21.0dbd.954d          FD00:10:1:102::1
          V:10102 FC00:172:16:254::4
102      0   BGP f4cf.e243.34c2          FE80::F6CF:E2FF:FE43:34C2
          V:10102 172.16.254.3

```

To return to the example configuration, click [Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay, on page 46](#).

### Outputs to Verify Configuration on Spine 1

```

Spine-01# show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
      D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
      N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
      E1 - OSPF external type 1, E2 - OSPF external type 2, m - OMP
      n - NAT, Ni - NAT inside, No - NAT outside, Nd - NAT DIA
      i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
      ia - IS-IS inter area, * - candidate default, U - per-user static route
      H - NHRP, G - NHRP registered, g - NHRP registration summary
      o - ODR, P - periodic downloaded static route, l - LISP
      a - application route
      + - replicated route, % - next hop override, p - overrides from PfR
      & - replicated local route overrides by connected

```

Gateway of last resort is not set

```

172.16.0.0/16 is variably subnetted, 20 subnets, 2 masks
C     172.16.13.0/24 is directly connected, GigabitEthernet1/0/1
L     172.16.13.1/32 is directly connected, GigabitEthernet1/0/1
C     172.16.14.0/24 is directly connected, GigabitEthernet1/0/2
L     172.16.14.1/32 is directly connected, GigabitEthernet1/0/2
C     172.16.15.0/24 is directly connected, GigabitEthernet1/0/3
L     172.16.15.1/32 is directly connected, GigabitEthernet1/0/3
O     172.16.23.0/24
          [110/2] via 172.16.13.3, 03:11:49, GigabitEthernet1/0/1
O     172.16.24.0/24
          [110/2] via 172.16.14.4, 03:11:49, GigabitEthernet1/0/2
O     172.16.25.0/24
          [110/2] via 172.16.15.5, 03:11:48, GigabitEthernet1/0/3
C     172.16.254.1/32 is directly connected, Loopback1
O     172.16.254.2/32
          [110/3] via 172.16.15.5, 03:11:39, GigabitEthernet1/0/3
          [110/3] via 172.16.14.4, 03:11:43, GigabitEthernet1/0/2
          [110/3] via 172.16.13.3, 03:11:43, GigabitEthernet1/0/1
O     172.16.254.3/32
          [110/2] via 172.16.13.3, 03:11:49, GigabitEthernet1/0/1
O     172.16.254.4/32

```

```

[110/2] via 172.16.14.4, 03:11:49, GigabitEthernet1/0/2
O   172.16.254.5/32
    [110/2] via 172.16.15.5, 03:11:48, GigabitEthernet1/0/3
C   172.16.255.1/32 is directly connected, Loopback0
O   172.16.255.2/32
    [110/3] via 172.16.15.5, 03:11:39, GigabitEthernet1/0/3
    [110/3] via 172.16.14.4, 03:11:43, GigabitEthernet1/0/2
    [110/3] via 172.16.13.3, 03:11:43, GigabitEthernet1/0/1
O   172.16.255.3/32
    [110/2] via 172.16.13.3, 03:11:49, GigabitEthernet1/0/1
O   172.16.255.4/32
    [110/2] via 172.16.14.4, 03:11:49, GigabitEthernet1/0/2
O   172.16.255.5/32
    [110/2] via 172.16.15.5, 03:11:48, GigabitEthernet1/0/3
C   172.16.255.255/32 is directly connected, Loopback2

```

```

Spine-01# show ipv6 route
IPv6 Routing Table - default - 19 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
      B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
      I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
      EX - EIGRP external, ND - ND Default, NDp - ND Prefix, DCE - Destination
      NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
      OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
      ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
      ld - LISP dyn-eid, 1A - LISP away, le - LISP extranet-policy
      lp - LISP publications, ls - LISP destinations-summary
C   FC00:172:16:13::/64 [0/0]
    via GigabitEthernet1/0/1, directly connected
L   FC00:172:16:13::1/128 [0/0]
    via GigabitEthernet1/0/1, receive
C   FC00:172:16:14::/64 [0/0]
    via GigabitEthernet1/0/2, directly connected
L   FC00:172:16:14::1/128 [0/0]
    via GigabitEthernet1/0/2, receive
C   FC00:172:16:15::/64 [0/0]
    via GigabitEthernet1/0/3, directly connected
L   FC00:172:16:15::1/128 [0/0]
    via GigabitEthernet1/0/3, receive
O   FC00:172:16:23::/64 [110/3]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
O   FC00:172:16:24::/64 [110/2]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
O   FC00:172:16:25::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
LC  FC00:172:16:254::1/128 [0/0]
    via Loopback1, receive
O   FC00:172:16:254::2/128 [110/2]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
O   FC00:172:16:254::4/128 [110/1]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
O   FC00:172:16:254::5/128 [110/1]
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
LC  FC00:172:16:255::1/128 [0/0]
    via Loopback0, receive
O   FC00:172:16:255::2/128 [110/2]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
    via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
O   FC00:172:16:255::4/128 [110/1]
    via FE80::7E21:DFF:FEBD:9564, GigabitEthernet1/0/2
O   FC00:172:16:255::5/128 [110/1]

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

via FE80::7E21:DFF:FEBD:2764, GigabitEthernet1/0/3
LC  FC00:172:16:255::255/128 [0/0]
    via Loopback2, receive
L   FF00::/8 [0/0]
    via Null0, receive

Spine-01# show ip mroute
IP Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group, C - Connected,
       L - Local, P - Pruned, R - RP-bit set, F - Register flag,
       T - SPT-bit set, J - Join SPT, M - MSDP created entry, E - Extranet,
       X - Proxy Join Timer Running, A - Candidate for MSDP Advertisement,
       U - URD, I - Received Source Specific Host Report,
       Z - Multicast Tunnel, z - MDT-data group sender,
       Y - Joined MDT-data group, y - Sending to MDT-data group,
       G - Received BGP C-Mroute, g - Sent BGP C-Mroute,
       N - Received BGP Shared-Tree Prune, n - BGP C-Mroute suppressed,
       Q - Received BGP S-A Route, q - Sent BGP S-A Route,
       V - RD & Vector, v - Vector, p - PIM Joins on route,
       x - VxLAN group, c - PFP-SA cache created entry,
       * - determined by Assert, # - iif-starg configured on rpf intf,
       e - encap-helper tunnel flag, l - LISP decap ref count contributor
Outgoing interface flags: H - Hardware switched, A - Assert winner, p - PIM Join
                           t - LISP transit group
Timers: Uptime/Expires
Interface state: Interface, Next-Hop or VCD, State/Mode

(*, 224.0.1.40), 03:11:59/00:02:07, RP 172.16.255.255, flags: SPL
  Incoming interface: Null, RPF nbr 0.0.0.0
  Outgoing interface list: Null

(*, 225.0.0.101), 00:19:24/stopped, RP 172.16.255.255, flags: SP
  Incoming interface: Null, RPF nbr 0.0.0.0
  Outgoing interface list: Null

(172.16.254.4, 225.0.0.101), 00:01:27/00:01:32, flags: PA
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.14.4
  Outgoing interface list: Null

(172.16.254.5, 225.0.0.101), 00:01:56/00:01:03, flags: PA
  Incoming interface: GigabitEthernet1/0/3, RPF nbr 172.16.15.5
  Outgoing interface list: Null

Spine-01# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
       C - Connected, L - Local, I - Received Source Specific Host Report,
       P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
       J - Join SPT, Y - Joined MDT-data group,
       y - Sending to MDT-data group
       g - BGP signal originated, G - BGP Signal received,
       N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
       q - BGP Src-Active originated, Q - BGP Src-Active received
       E - Extranet
Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 03:11:56/00:02:40, RP FC00:172:16:255::255, flags: S
  Incoming interface: Tunnel2
  RPF nbr: FC00:172:16:255::255
  Immediate Outgoing interface list:

```

```
GigabitEthernet1/0/3, Forward, 03:11:54/00:02:40
```

```
Spine-01# show bgp 12vpn evpn summary
BGP router identifier 172.16.255.1, local AS number 65001
BGP table version is 33, main routing table version 33
32 network entries using 12288 bytes of memory
85 path entries using 19720 bytes of memory
24/22 BGP path/bestpath attribute entries using 7104 bytes of memory
3 BGP rrinfo entries using 120 bytes of memory
17 BGP extended community entries using 920 bytes of memory
0 BGP route-map cache entries using 0 bytes of memory
0 BGP filter-list cache entries using 0 bytes of memory
BGP using 40152 total bytes of memory
BGP activity 32/0 prefixes, 85/0 paths, scan interval 60 secs
32 networks peaked at 15:31:23 Oct 31 2022 UTC (00:45:20.867 ago)
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
172.16.255.3	4	65001	224	236	33	0	0	03:11:40	14
172.16.255.4	4	65001	222	234	33	0	0	03:11:41	13
FC00:172:16:255::2									
	4	65001	233	235	33	0	0	03:11:50	32
FC00:172:16:255::4									
	4	65001	219	234	33	0	0	03:11:52	13
FC00:172:16:255::5									
	4	65001	220	238	33	0	0	03:11:53	13

```
Spine-01# show bgp 12vpn evpn
BGP table version is 33, local router ID is 172.16.255.1
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
              r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
              x best-external, a additional-path, c RIB-compressed,
              t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found
```

Network	Next Hop	Metric	LocPrf	Weight	Path
<b>Route Distinguisher: 172.16.254.3:101</b>					
* i [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24	172.16.254.3	0	100	0	?
*>i 172.16.254.3	0	100	0	?	
<b>*</b> i [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36					
	172.16.254.3	0	100	0	?
*>i 172.16.254.3	0	100	0	?	
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20	172.16.254.3	0	100	0	?
*>i 172.16.254.3	0	100	0	?	
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24	172.16.254.3	0	100	0	?
*>i 172.16.254.3	0	100	0	?	
* i [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36	172.16.254.3	0	100	0	?
*>i 172.16.254.3	0	100	0	?	
<b>Route Distinguisher: 172.16.254.3:102</b>					
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24	172.16.254.3	0	100	0	?
*>i 172.16.254.3	0	100	0	?	
* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36	172.16.254.3	0	100	0	?
*>i 172.16.254.3	0	100	0	?	
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20	172.16.254.3	0	100	0	?
*>i 172.16.254.3	0	100	0	?	
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36	172.16.254.3	0	100	0	?

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

          172.16.254.3      0    100      0 ?
*>i      172.16.254.3      0    100      0 ?
Route Distinguisher: 172.16.254.4:101
 * i [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
 * i [2][172.16.254.4:101][0][48][44D3CA286CC1][32][10.1.101.12]/24
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
 * i [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
 * i [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
 * i [2][172.16.254.4:101][0][48][7C210DBD954D][32][10.1.102.1]/24
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
 * i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
 * i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
 * i [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
Route Distinguisher: 172.16.254.5:101
 * i [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
 * i [2][172.16.254.5:101][0][48][44D3CA286CC3][32][10.1.101.13]/24
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
 * i [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
 * i [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
Route Distinguisher: 172.16.254.5:102
 * i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
 * i [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
 * i [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
 * i [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
Route Distinguisher: 172.16.254.3:102
 * i [3][172.16.254.3:102][0][32][172.16.254.3]/17

```

```

          172.16.254.3      0    100      0 ?
*>i      172.16.254.3      0    100      0 ?
Route Distinguisher: 172.16.254.4:102
 * i [3][172.16.254.4:102][0][32][172.16.254.4]/17
          172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.4      0    100      0 ?
Route Distinguisher: 172.16.254.5:102
 * i [3][172.16.254.5:102][0][32][172.16.254.5]/17
          172.16.254.5      0    100      0 ?
*>i      172.16.254.5      0    100      0 ?
Route Distinguisher: 1:1
 * i [5][1:1][0][24][10.1.101.0]/17
          172.16.254.3      0    100      0 ?
 * i      172.16.254.5      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.3      0    100      0 ?
 * i [5][1:1][0][24][10.1.102.0]/17
          172.16.254.3      0    100      0 ?
 * i      172.16.254.5      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.3      0    100      0 ?
 * i [5][1:1][0][64][FD00:10::1:101::]/29
          172.16.254.3      0    100      0 ?
 * i      172.16.254.5      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.3      0    100      0 ?
 * i [5][1:1][0][64][FD00:10::1:102::]/29
          172.16.254.3      0    100      0 ?
 * i      172.16.254.5      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
 * i      172.16.254.4      0    100      0 ?
*>i      172.16.254.3      0    100      0 ?

```

```

Spine-01# show ip msdp peer
MSDP Peer 172.16.254.2 (?), AS 65001 (configured AS)
Connection status:
  State: Up, Resets: 0, Connection source: Loopback1 (172.16.254.1)
  Uptime(Downtime): 03:11:04, Messages sent/received: 249/260
  Output messages discarded: 0
  Connection and counters cleared 03:12:04 ago
SA Filtering:
  Input (S,G) filter: none, route-map: none
  Input RP filter: none, route-map: none
  Output (S,G) filter: none, route-map: none
  Output RP filter: none, route-map: none
SA-Requests:
  Input filter: none
Peer ttl threshold: 0
SAs learned from this peer: 3
Number of connection transitions to Established state: 1
  Input queue size: 0, Output queue size: 0
MD5 signature protection on MSDP TCP connection: not enabled
Message counters:
  RPF Failure count: 0
  SA Messages in/out: 249/156
  SA Requests in: 0
  SA Responses out: 0
  Data Packets in/out: 36/43

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```
Spine-01# show ip msdp sa-cache
MSDP Source-Active Cache - 3 entries
(172.16.254.3, 225.0.0.101), RP 172.16.255.255, BGP/AS 0, 03:07:36/00:05:34, Peer 172.16.254.2
(172.16.254.4, 225.0.0.101), RP 172.16.255.255, BGP/AS 0, 00:04:37/00:03:42, Peer 172.16.254.2
(172.16.254.5, 225.0.0.101), RP 172.16.255.255, BGP/AS 0, 00:50:54/00:00:50, Peer 172.16.254.2
```

```
Spine-01# show ipv6 pim anycast-rp
Anycast RP Peers For FC00:172:16:255::255      Last Register/Register-Stop received
FC00:172:16:254::2 03:12:04/03:12:04
```

To return to the example configuration, click [Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay, on page 46](#).

### Outputs to Verify the Configuration on Spine 2

```
Spine-02# show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
      D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
      N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
      E1 - OSPF external type 1, E2 - OSPF external type 2, m - OMP
      n - NAT, Ni - NAT inside, No - NAT outside, Nd - NAT DIA
      i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
      ia - IS-IS inter area, * - candidate default, U - per-user static route
      H - NHRP, G - NHRP registered, g - NHRP registration summary
      o - ODR, P - periodic downloaded static route, l - LISP
      a - application route
      + - replicated route, % - next hop override, p - overrides from PfR
      & - replicated local route overrides by connected
```

Gateway of last resort is not set

```
172.16.0.0/16 is variably subnetted, 20 subnets, 2 masks
O     172.16.13.0/24
        [110/2] via 172.16.23.3, 03:12:16, GigabitEthernet1/0/1
O     172.16.14.0/24
        [110/2] via 172.16.24.4, 03:12:17, GigabitEthernet1/0/2
O     172.16.15.0/24
        [110/2] via 172.16.25.5, 03:12:16, GigabitEthernet1/0/3
C     172.16.23.0/24 is directly connected, GigabitEthernet1/0/1
L     172.16.23.2/32 is directly connected, GigabitEthernet1/0/1
C     172.16.24.0/24 is directly connected, GigabitEthernet1/0/2
L     172.16.24.2/32 is directly connected, GigabitEthernet1/0/2
C     172.16.25.0/24 is directly connected, GigabitEthernet1/0/3
L     172.16.25.2/32 is directly connected, GigabitEthernet1/0/3
O     172.16.254.1/32
        [110/3] via 172.16.25.5, 03:12:16, GigabitEthernet1/0/3
        [110/3] via 172.16.24.4, 03:12:17, GigabitEthernet1/0/2
        [110/3] via 172.16.23.3, 03:12:16, GigabitEthernet1/0/1
C     172.16.254.2/32 is directly connected, Loopback1
O     172.16.254.3/32
        [110/2] via 172.16.23.3, 03:12:16, GigabitEthernet1/0/1
O     172.16.254.4/32
        [110/2] via 172.16.24.4, 03:12:17, GigabitEthernet1/0/2
O     172.16.254.5/32
        [110/2] via 172.16.25.5, 03:12:16, GigabitEthernet1/0/3
O     172.16.255.1/32
        [110/3] via 172.16.25.5, 03:12:16, GigabitEthernet1/0/3
```

```

[110/3] via 172.16.24.4, 03:12:17, GigabitEthernet1/0/2
[110/3] via 172.16.23.3, 03:12:16, GigabitEthernet1/0/1
C   172.16.255.2/32 is directly connected, Loopback0
O   172.16.255.3/32
    [110/2] via 172.16.23.3, 03:12:16, GigabitEthernet1/0/1
O   172.16.255.4/32
    [110/2] via 172.16.24.4, 03:12:17, GigabitEthernet1/0/2
O   172.16.255.5/32
    [110/2] via 172.16.25.5, 03:12:16, GigabitEthernet1/0/3
C   172.16.255.255/32 is directly connected, Loopback2

Spine-02# show ipv6 route
IPv6 Routing Table - default - 19 entries
Codes: C - Connected, L - Local, S - Static, U - Per-user Static route
        B - BGP, R - RIP, H - NHRP, I1 - ISIS L1
        I2 - ISIS L2, IA - ISIS interarea, IS - ISIS summary, D - EIGRP
        EX - EIGRP external, ND - ND Default, NDp - ND Prefix, DCE - Destination
        NDr - Redirect, RL - RPL, O - OSPF Intra, OI - OSPF Inter
        OE1 - OSPF ext 1, OE2 - OSPF ext 2, ON1 - OSPF NSSA ext 1
        ON2 - OSPF NSSA ext 2, la - LISP alt, lr - LISP site-registrations
        ld - LISP dyn-eid, 1A - LISP away, le - LISP extranet-policy
        lp - LISP publications, ls - LISP destinations-summary
O   FC00:172:16:13::/64 [110/3]
    via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
    via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
O   FC00:172:16:14::/64 [110/2]
    via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
O   FC00:172:16:15::/64 [110/2]
    via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
C   FC00:172:16:23::/64 [0/0]
    via GigabitEthernet1/0/1, directly connected
L   FC00:172:16:23::2/128 [0/0]
    via GigabitEthernet1/0/1, receive
C   FC00:172:16:24::/64 [0/0]
    via GigabitEthernet1/0/2, directly connected
L   FC00:172:16:24::2/128 [0/0]
    via GigabitEthernet1/0/2, receive
C   FC00:172:16:25::/64 [0/0]
    via GigabitEthernet1/0/3, directly connected
L   FC00:172:16:25::2/128 [0/0]
    via GigabitEthernet1/0/3, receive
O   FC00:172:16:254::1/128 [110/2]
    via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
    via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
LC  FC00:172:16:254::2/128 [0/0]
    via Loopback1, receive
O   FC00:172:16:254::4/128 [110/1]
    via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
O   FC00:172:16:254::5/128 [110/1]
    via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
O   FC00:172:16:255::1/128 [110/2]
    via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
    via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
LC  FC00:172:16:255::2/128 [0/0]
    via Loopback0, receive
O   FC00:172:16:255::4/128 [110/1]
    via FE80::7E21:DFF:FEBD:9556, GigabitEthernet1/0/2
O   FC00:172:16:255::5/128 [110/1]
    via FE80::7E21:DFF:FEBD:2756, GigabitEthernet1/0/3
LC  FC00:172:16:255::255/128 [0/0]
    via Loopback2, receive
L   FF00::/8 [0/0]
    via Null0, receive

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

Spine-02# show ip mroute
IP Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group, C - Connected,
       L - Local, P - Pruned, R - RP-bit set, F - Register flag,
       T - SPT-bit set, J - Join SPT, M - MSDP created entry, E - Extranet,
       X - Proxy Join Timer Running, A - Candidate for MSDP Advertisement,
       U - URD, I - Received Source Specific Host Report,
       Z - Multicast Tunnel, z - MDT-data group sender,
       Y - Joined MDT-data group, y - Sending to MDT-data group,
       G - Received BGP C-Mroute, g - Sent BGP C-Mroute,
       N - Received BGP Shared-Tree Prune, n - BGP C-Mroute suppressed,
       Q - Received BGP S-A Route, q - Sent BGP S-A Route,
       V - RD & Vector, v - Vector, p - PIM Joins on route,
       x - VxLAN group, c - PFP-SA cache created entry,
       * - determined by Assert, # - iif-starg configured on rpf intf,
       e - encap-helper tunnel flag, l - LISP decap ref count contributor
Outgoing interface flags: H - Hardware switched, A - Assert winner, p - PIM Join
                           t - LISP transit group

Timers: Uptime/Expires
Interface state: Interface, Next-Hop or VCD, State/Mode

(*, 224.0.1.40), 03:12:27/00:03:29, RP 172.16.255.255, flags: SJCL
  Incoming interface: Null, RPF nbr 0.0.0.0
  Outgoing interface list:
    GigabitEthernet1/0/3, Forward/Sparse, 03:12:16/00:03:29, flags:
    GigabitEthernet1/0/2, Forward/Sparse, 03:12:16/00:03:17, flags:
    GigabitEthernet1/0/1, Forward/Sparse, 03:12:27/00:03:14, flags:

(*, 225.0.0.101), 03:12:26/00:03:19, RP 172.16.255.255, flags: S
  Incoming interface: Null, RPF nbr 0.0.0.0
  Outgoing interface list:
    GigabitEthernet1/0/1, Forward/Sparse, 03:12:13/00:03:19, flags:
    GigabitEthernet1/0/3, Forward/Sparse, 03:12:16/00:02:39, flags:
    GigabitEthernet1/0/2, Forward/Sparse, 03:12:16/00:02:31, flags:

(172.16.254.3, 225.0.0.101), 03:05:05/00:02:26, flags: TA
  Incoming interface: GigabitEthernet1/0/1, RPF nbr 172.16.23.3
  Outgoing interface list:
    GigabitEthernet1/0/2, Forward/Sparse, 03:05:05/00:02:37, flags:
    GigabitEthernet1/0/3, Forward/Sparse, 03:05:05/00:02:39, flags:

(172.16.254.5, 225.0.0.101), 03:05:06/00:03:09, flags: T
  Incoming interface: GigabitEthernet1/0/3, RPF nbr 172.16.25.5
  Outgoing interface list:
    GigabitEthernet1/0/2, Forward/Sparse, 03:05:06/00:03:23, flags:
    GigabitEthernet1/0/1, Forward/Sparse, 03:05:06/00:03:19, flags:

(172.16.254.4, 225.0.0.101), 03:09:13/00:00:15, flags: T
  Incoming interface: GigabitEthernet1/0/2, RPF nbr 172.16.24.4
  Outgoing interface list:
    GigabitEthernet1/0/3, Forward/Sparse, 03:09:13/00:02:43, flags:
    GigabitEthernet1/0/1, Forward/Sparse, 03:09:13/00:03:19, flags:

```

```

Spine-02# show ipv6 mroute
Multicast Routing Table
Flags: D - Dense, S - Sparse, B - Bidir Group, s - SSM Group,
       C - Connected, L - Local, I - Received Source Specific Host Report,
       P - Pruned, R - RP-bit set, F - Register flag, T - SPT-bit set,
       J - Join SPT, Y - Joined MDT-data group,
       y - Sending to MDT-data group
       g - BGP signal originated, G - BGP Signal received,
       N - BGP Shared-Tree Prune received, n - BGP C-Mroute suppressed,
       q - BGP Src-Active originated, Q - BGP Src-Active received

```

```

E - Extranet
Timers: Uptime/Expires
Interface state: Interface, State

(*, FF0E:225::101), 03:12:23/00:03:11, RP FC00:172:16:255::255, flags: S
  Incoming interface: Tunnel12
  RPF nbr: FC00:172:16:255::255
  Immediate Outgoing interface list:
    GigabitEthernet1/0/2, Forward, 03:12:23/00:03:11

Spine-02# show bgp l2vpn evpn summary
BGP router identifier 172.16.255.2, local AS number 65001
BGP table version is 33, main routing table version 33
 32 network entries using 12288 bytes of memory
 85 path entries using 19720 bytes of memory
 24/22 BGP path/bestpath attribute entries using 7104 bytes of memory
 3 BGP rrinfo entries using 120 bytes of memory
 17 BGP extended community entries using 920 bytes of memory
 0 BGP route-map cache entries using 0 bytes of memory
 0 BGP filter-list cache entries using 0 bytes of memory
BGP using 40152 total bytes of memory
BGP activity 32/0 prefixes, 85/0 paths, scan interval 60 secs
 32 networks peaked at 15:31:23 Oct 31 2022 UTC (00:45:53.775 ago)

Neighbor      V        AS MsgRcvd MsgSent   TblVer  InQ OutQ Up/Down  State/PfxRcd
172.16.255.3  4       65001   224     237      33      0     0 03:12:12    14
172.16.255.4  4       65001   223     235      33      0     0 03:12:10    13
FC00:172:16:255::1
  4       65001   235     234      33      0     0 03:12:22    32
FC00:172:16:255::4
  4       65001   220     236      33      0     0 03:12:22    13
FC00:172:16:255::5
  4       65001   220     237      33      0     0 03:12:19    13

Spine-02# show bgp l2vpn evpn
BGP table version is 33, local router ID is 172.16.255.2
Status codes: s suppressed, d damped, h history, * valid, > best, i - internal,
              r RIB-failure, S Stale, m multipath, b backup-path, f RT-Filter,
              x best-external, a additional-path, c RIB-compressed,
              t secondary path, L long-lived-stale,
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found

      Network          Next Hop           Metric LocPrf Weight Path
Route Distinguisher: 172.16.254.3:101
  * i [2][172.16.254.3:101][0][48][10B3D56A8FC1][32][10.1.101.1]/24
    172.16.254.3          0     100      0 ?
  *>i [2][172.16.254.3:101][0][48][10B3D56A8FC1][128][FD00:10:1:101::1]/36
    172.16.254.3          0     100      0 ?
  *>i [2][172.16.254.3:101][0][48][F4CFE24334C1][0][*]/20
    172.16.254.3          0     100      0 ?
  *>i [2][172.16.254.3:101][0][48][F4CFE24334C1][32][10.1.101.11]/24
    172.16.254.3          0     100      0 ?
  *>i [2][172.16.254.3:101][0][48][F4CFE24334C1][128][FE80::F6CF:E2FF:FE43:34C1]/36
    172.16.254.3          0     100      0 ?
  *>i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
    172.16.254.3          0     100      0 ?
  *>i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
    172.16.254.3          0     100      0 ?

Route Distinguisher: 172.16.254.3:102
  * i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
    172.16.254.3          0     100      0 ?
  *>i [2][172.16.254.3:102][0][48][10B3D56A8FCD][32][10.1.102.1]/24
    172.16.254.3          0     100      0 ?

```

## Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration

```

* i [2][172.16.254.3:102][0][48][10B3D56A8FCD][128][FD00:10:1:102::1]/36
    172.16.254.3          0   100      0 ?
*>i           172.16.254.3          0   100      0 ?
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][0][*]/20
    172.16.254.3          0   100      0 ?
*>i           172.16.254.3          0   100      0 ?
* i [2][172.16.254.3:102][0][48][F4CFE24334C2][128][FE80::F6CF:E2FF:FE43:34C2]/36
    172.16.254.3          0   100      0 ?
*>i           172.16.254.3          0   100      0 ?
Route Distinguisher: 172.16.254.4:101
* i [2][172.16.254.4:101][0][48][44D3CA286CC1][0][*]/20
    172.16.254.4          0   100      0 ?
* i           172.16.254.4          0   100      0 ?
*>i           172.16.254.4          0   100      0 ?
* i [2][172.16.254.4:101][0][48][44D3CA286CC1][32][10.1.101.12]/24
    172.16.254.4          0   100      0 ?
* i           172.16.254.4          0   100      0 ?
*>i           172.16.254.4          0   100      0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][32][10.1.101.1]/24
    172.16.254.4          0   100      0 ?
* i           172.16.254.4          0   100      0 ?
*>i           172.16.254.4          0   100      0 ?
* i [2][172.16.254.4:101][0][48][7C210DBD9541][128][FD00:10:1:101::1]/36
    172.16.254.4          0   100      0 ?
* i           172.16.254.4          0   100      0 ?
*>i           172.16.254.4          0   100      0 ?
Route Distinguisher: 172.16.254.4:102
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][0][*]/20
    172.16.254.4          0   100      0 ?
* i           172.16.254.4          0   100      0 ?
*>i           172.16.254.4          0   100      0 ?
* i [2][172.16.254.4:102][0][48][44D3CA286CC2][32][10.1.102.12]/24
    172.16.254.4          0   100      0 ?
* i           172.16.254.4          0   100      0 ?
*>i           172.16.254.4          0   100      0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][32][10.1.102.1]/24
    172.16.254.4          0   100      0 ?
* i           172.16.254.4          0   100      0 ?
*>i           172.16.254.4          0   100      0 ?
* i [2][172.16.254.4:102][0][48][7C210DBD954D][128][FD00:10:1:102::1]/36
    172.16.254.4          0   100      0 ?
* i           172.16.254.4          0   100      0 ?
*>i           172.16.254.4          0   100      0 ?
Route Distinguisher: 172.16.254.5:101
* i [2][172.16.254.5:101][0][48][44D3CA286CC3][0][*]/20
    172.16.254.5          0   100      0 ?
*>i           172.16.254.5          0   100      0 ?
* i [2][172.16.254.5:101][0][48][44D3CA286CC3][32][10.1.101.13]/24
    172.16.254.5          0   100      0 ?
*>i           172.16.254.5          0   100      0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][32][10.1.101.1]/24
    172.16.254.5          0   100      0 ?
*>i           172.16.254.5          0   100      0 ?
* i [2][172.16.254.5:101][0][48][7C210DBD2741][128][FD00:10:1:101::1]/36
    172.16.254.5          0   100      0 ?
*>i           172.16.254.5          0   100      0 ?
Route Distinguisher: 172.16.254.5:102
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][0][*]/20
    172.16.254.5          0   100      0 ?
*>i           172.16.254.5          0   100      0 ?
* i [2][172.16.254.5:102][0][48][44D3CA286CC4][32][10.1.102.13]/24
    172.16.254.5          0   100      0 ?
*>i           172.16.254.5          0   100      0 ?
* i [2][172.16.254.5:102][0][48][7C210DBD274D][32][10.1.102.1]/24

```

```

          172.16.254.5      0    100    0 ?
*>i      172.16.254.5      0    100    0 ?
* i  [2][172.16.254.5:102][0][48][7C210DBD274D][128][FD00:10:1:102::1]/36
          172.16.254.5      0    100    0 ?
*>i      172.16.254.5      0    100    0 ?
Route Distinguisher: 172.16.254.3:102
* i  [3][172.16.254.3:102][0][32][172.16.254.3]/17
          172.16.254.3      0    100    0 ?
*>i      172.16.254.3      0    100    0 ?
Route Distinguisher: 172.16.254.4:102
* i  [3][172.16.254.4:102][0][32][172.16.254.4]/17
          172.16.254.4      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
*>i      172.16.254.4      0    100    0 ?
Route Distinguisher: 172.16.254.5:102
* i  [3][172.16.254.5:102][0][32][172.16.254.5]/17
          172.16.254.5      0    100    0 ?
*>i      172.16.254.5      0    100    0 ?
Route Distinguisher: 1:1
* i  [5][1:1][0][24][10.1.101.0]/17
          172.16.254.3      0    100    0 ?
* i      172.16.254.5      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
*>i      172.16.254.3      0    100    0 ?
* i  [5][1:1][0][24][10.1.102.0]/17
          172.16.254.3      0    100    0 ?
* i      172.16.254.5      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
*>i      172.16.254.3      0    100    0 ?
* i  [5][1:1][0][64][FD00:10:1:101::]/29
          172.16.254.3      0    100    0 ?
* i      172.16.254.5      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
*>i      172.16.254.3      0    100    0 ?
* i  [5][1:1][0][64][FD00:10:1:102::]/29
          172.16.254.3      0    100    0 ?
* i      172.16.254.5      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
* i      172.16.254.4      0    100    0 ?
*>i      172.16.254.3      0    100    0 ?

```

```

Spine-02# show ip msdp peer
MSDP Peer 172.16.254.1 (?), AS 65001 (configured AS)
Connection status:
  State: Up, Resets: 0, Connection source: Loopback1 (172.16.254.2)
  Uptime(Downtime): 03:11:40, Messages sent/received: 261/250
  Output messages discarded: 0
  Connection and counters cleared 03:12:35 ago
SA Filtering:
  Input (S,G) filter: none, route-map: none
  Input RP filter: none, route-map: none
  Output (S,G) filter: none, route-map: none
  Output RP filter: none, route-map: none
SA-Requests:
  Input filter: none
Peer ttl threshold: 0
SAs learned from this peer: 2
Number of connection transitions to Established state: 1
  Input queue size: 0, Output queue size: 0
MD5 signature protection on MSDP TCP connection: not enabled
Message counters:

```

**Verifying BGP EVPN VXLAN with Dual Stack Underlay Configuration**

```
RPF Failure count: 0
SA Messages in/out: 200/196
SA Requests in: 0
SA Responses out: 0
Data Packets in/out: 37/54
```

```
Spine-02# show ip msdp sa-cache
MSDP Source-Active Cache - 2 entries
(172.16.254.4, 225.0.0.101), RP 172.16.255.255, BGP/AS 0, 01:18:26/00:05:40, Peer 172.16.254.1
(172.16.254.5, 225.0.0.101), RP 172.16.255.255, BGP/AS 0, 00:02:33/00:05:40, Peer 172.16.254.1
```

```
Spine-02# show ipv6 pim anycast-rp
Anycast RP Peers For FC00:172:16:255::255    Last Register/Register-Stop received
FC00:172:16:254::2 03:12:35/03:12:35
```

To return to the example configuration, click [Example: Configuring BGP EVPN VXLAN with Dual Stack Underlay, on page 46](#).