



## Caveats

---

- [Cisco Bug Search Tool](#), on page 1
- [Open Caveats in Cisco IOS XE Cupertino 17.9.x](#), on page 1
- [Resolved Caveats in Cisco IOS XE Cupertino 17.9.5](#), on page 1
- [Resolved Caveats in Cisco IOS XE Cupertino 17.9.4a](#), on page 2
- [Resolved Caveats in Cisco IOS XE Cupertino 17.9.4](#), on page 2
- [Resolved Caveats in Cisco IOS XE Cupertino 17.9.3](#), on page 2
- [Resolved Caveats in Cisco IOS XE Cupertino 17.9.2](#), on page 2
- [Resolved Caveats in Cisco IOS XE Cupertino 17.9.1](#), on page 3

## Cisco Bug Search Tool

The Cisco [Bug Search Tool](#) (BST) allows partners and customers to search for software bugs based on product, release, and keyword, and aggregates key data such as bug details, product, and version. The BST is designed to improve the effectiveness in network risk management and device troubleshooting. The tool has a provision to filter bugs based on credentials to provide external and internal bug views for the search input.

To view the details of a caveat, click on the identifier.

## Open Caveats in Cisco IOS XE Cupertino 17.9.x

Identifier	Headline
<a href="#">CSCwh01883</a>	C9600X-SUP-2: LCs can't boot from Golden region of IOFPGA when Upgrade/Primary region is corrupted

## Resolved Caveats in Cisco IOS XE Cupertino 17.9.5

Identifier	Headline
<a href="#">CSCwi01706</a>	GLC-TE link-down on interop between C9606R [LC-48YL] -- C3560x [Fa0, 100M speed] with AN enabl -day1

Identifier	Headline
<a href="#">CSCwh39191</a>	VULCAN: Incorrect Fan no. & Slot no. in warning syslog for fan failure on Fantray
<a href="#">CSCwe95691</a>	PnP   Cat9k sends DHCP Discover with IP Source address 192.168.1.1 instead of 0.0.0.0
<a href="#">CSCwi10405</a>	[NEAT] CISP installs a static MAC address entry pointing to a wrong interface

## Resolved Caveats in Cisco IOS XE Cupertino 17.9.4a

Identifier	Headline
<a href="#">CSCwh87343</a>	Cisco IOS XE Software Web UI Privilege Escalation Vulnerability For more information, see Security Advisory: <a href="#">cisco-sa-iosxe-webui-privesc-j22SaA4z</a> .

## Resolved Caveats in Cisco IOS XE Cupertino 17.9.4

Identifier	Headline
<a href="#">CSCwe33886</a>	17.9 install oper DB queries returning errors on DB queries to xpath install-oper-hist
<a href="#">CSCwe36743</a>	Segmentation Fault - Crash - SSH - When Changing AAA Group Configs
<a href="#">CSCwe96441</a>	Outgoing Flow control is not available on Cat platforms but it can be configured on cat9500HP

## Resolved Caveats in Cisco IOS XE Cupertino 17.9.3

Identifier	Headline
<a href="#">CSCwb53649</a>	100G: Wrong output for DOM values through snmpwalk

## Resolved Caveats in Cisco IOS XE Cupertino 17.9.2

Identifier	Headline
<a href="#">CSCwb91153</a>	fed_main_event memory leak @ htm_xml_parse_htm_section while running "show sdm.."

# Resolved Caveats in Cisco IOS XE Cupertino 17.9.1

There are no resolved caveats in this release.

