



## CHAPTER 2

# CTRS Delete Commands

---

**Revised: November 2009, OL-19547-01**

This chapter contains Cisco TelePresence Recording Server (CTRS) **delete** commands:

- [delete account](#), page 2-2
- [delete dns addr](#), page 2-3
- [delete process](#), page 2-4
- [delete recording](#), page 2-5



**Note**

---

For information about using the CTRS administration software, refer to the *Cisco TelePresence Recording Server Release 1.6 Administration Guide* at the following URL:

[http://www.cisco.com/en/US/products/ps10341/prod\\_maintenance\\_guides\\_list.html](http://www.cisco.com/en/US/products/ps10341/prod_maintenance_guides_list.html)

---

# delete account

**delete account** *name*

<b>Syntax Description</b>	<i>name</i>	Name of the administrative account to be deleted
---------------------------	-------------	--

<b>Command Modes</b>	Admin
----------------------	-------

<b>Command History</b>	<b>Release</b>	<b>Modifications</b>
	1.6	This command was introduced.

<b>Usage Guidelines</b>	Use this command to delete an administrative account.
-------------------------	---

<b>Examples</b>	admin: <b>delete account admin1</b>
-----------------	-------------------------------------

# delete dns addr

`delete dns addr address`

<b>Syntax Description</b>	<i>address</i>	IP address of the Domain Name System (DNS) server to be deleted
---------------------------	----------------	---

<b>Command Modes</b>	Admin
----------------------	-------

<b>Command History</b>	<b>Release</b>	<b>Modifications</b>
	1.6	This command was introduced.

<b>Usage Guidelines</b>	Use this command to delete the specified Domain Name System (DNS) server from the system.
-------------------------	---

## Examples

```
admin: delete dns addr 1xx.2xx.3xx.4xx
*** W A R N I N G ***
This will cause the system to temporarily lose network connectivity

Do you want to continue ?

Enter "yes" to continue or any other key to abort
yes
executing...
```

# delete process

`delete process pid [force | terminate | crash]`

Syntax Description		
	<i>pid</i>	Process identification number
	<b>force</b>	Stops the process. Use this option only if the <b>delete process pid</b> command does not terminate the process.
	<b>terminate</b>	Tells the operating system to stop the process. Use this option only if the <b>delete process pid force</b> command does not terminate the process.
	<b>crash</b>	Crashes the process with a crash dump

Command Modes	
	Admin

Command History	Release	Modifications
	1.6	This command was introduced.

Usage Guidelines	
	Use this command to delete a process.

Examples	
	admin: <code>delete process 1429</code>

# delete recording

`delete recording recid`

<b>Syntax Description</b>	<i>recid</i>	Recording identification number
---------------------------	--------------	---------------------------------

<b>Command Modes</b>	Admin
----------------------	-------

<b>Command History</b>	<b>Release</b>	<b>Modifications</b>
	1.6	This command was introduced.

<b>Usage Guidelines</b>	Use this command to delete an mp4 file corresponding to its recording identification number.
-------------------------	--

<b>Examples</b>	admin: <code>delete recording 3</code>
-----------------	--

