



## INDEX

### A

#### Audio

- Audio static or no audio on laptop [2-4](#)
- call drops [2-3](#)
- choppy audio during double-talk [2-3](#)
- degraded audio quality [2-3](#)
- DMP audio is playing during a call [2-3](#)
- echo [2-2](#)
  - audio ports [2-2](#)
- echo cancellation [2-3](#)
- environmental issues, acoustics [2-2](#)
- local presentation audio is not playing during a call [2-3](#)
- microphones
  - Second Row Capacity setting in Cisco Unified CM Admin [2-2](#)
- microphone status error [2-2](#)
- reverb [2-2](#)
  - resource starvation [2-2](#)
- sysop message reports pktLoss% during a call [2-4](#)
- system settings [2-3](#)
  - Audio to DMP [2-3](#)
  - Secondary Audio Input Source setting [2-3](#)

### C

#### Call Issues

- call drops due to video DSP reset [3-3](#)
- call drops for non-standard cameras [3-2](#)

#### Call issues

- call drops [3-2](#)
- call drops after audio add-in [3-3](#)
- call drops when video is stopped [3-3](#)

- degraded audio/video quality [3-2](#)
- frozen image [3-2](#)
- high latency [3-2](#)
- multipoint calls are dropped [3-3](#)
- no video for a few minutes [3-2](#)

#### call status [19-2](#)

#### Cameras

- DSP behavior [4-2](#)
- image colors [4-2](#)
- image not positioned correctly [4-2](#)
- no image [4-2](#)
- top-to-bottom switching [4-2](#)

#### Cisco TelePresence Touch 12

##### console

- Live Desk button [19-5](#)

#### cleaning the Touch 12 [19-6](#)

#### Codec

- adding or removing a presentation codec [5-6](#)
- restoring connectivity [5-5](#)

#### Codec Issues

- packet loss or jitters [3-2](#)

#### Codecs

- call drops [5-2](#)
- call drops for non-standard cameras [5-2](#)
- cannot ping primary codec [5-4](#)
- cannot ping the primary codec or the phone from the switch port [5-4](#)
- CDP data is received [5-4](#)
- codec does not boot up [5-2](#)
- connectivity to codec drops [5-5](#)
- CTS does not register [5-2](#)
- CTS reboots by itself without user intervention [5-4](#)
- CTS system lights [5-3](#)

- degraded audio/video quality [5-2](#)
  - DHCP server [5-4](#)
  - display issues [5-3](#)
  - display shows the IP address 192.168.100.2 at codec bootup [5-4](#)
  - duplicate IP address on the network [5-5](#)
  - duplicate VLAN ID [5-4](#)
  - FPGA firmware corruption [5-2](#)
  - frozen video image [5-2](#)
  - kicked out of SSH or web GUI session periodically [5-5](#)
  - no LED activity on network port [5-2](#)
  - packet loss or jitters [5-2](#)
  - phone shows requesting service message [5-4](#)
  - supported cameras [5-2](#)
  - unable to reach the secondary codec [5-4](#)
  - username/password login denied, but SSH access is accepted [5-5](#)
  - video resolution is reduced [5-5](#)
  - web UI shows a red X on secondary codec [5-4](#)
- Commercial Express
- CTMS or CTRS does not install correctly [7-3](#)
  - CTRS does not update licensed capabilities [7-2](#)
  - error message appears during bootup [7-2](#)
  - license not recognized [7-2](#)
  - licensing issues [7-2](#)
  - operating system not found [7-2](#)
  - Status of the virtual machine is stopped [7-3](#)
  - system does not recognize a Cisco application [7-2](#)
  - system performance is slow [7-3](#)
- CTMS
- call quality and packet loss [B-4](#)
  - error messages, ad hoc meeting with secure endpoints [B-2](#)
  - flicker on the segment (screen) [B-4](#)
  - interoperability in Unified CM [B-2](#)
  - LTRP repair [B-2](#)
  - multipoint meeting call drops [B-2](#)
  - packet loss on HD video streams [B-3](#)
  - RMP video streams [B-3](#)
  - scheduled meetings fail to connect [B-2](#)
  - service not available message [B-2](#)
  - unable to connect to ad hoc meetings [B-2](#)
  - unable to connect to static meetings [B-1](#)
  - unable to initiate ad hoc meetings [B-1](#)
- CTMS issues
- multipoint meeting call drops [3-3](#)
- CTS-Manager
- Action Required email [A-6](#)
  - Action Required email error [A-5](#)
  - auto-accept mode [A-2](#)
  - cancelled meeting still shows active in Microsoft Exchange scheduler [A-8](#)
  - changing the hostname or IP address [A-7](#)
  - deleted meeting still appears [A-5](#)
  - deleted meeting still appears in Scheduled Meetings [A-6](#)
  - deleted scheduled meetings still appear [A-7](#)
- email
- mailbox has exceeded its size limit [A-12](#)
  - security certificates are about to expire [A-12](#)
- emails
- no-show meetings [A-11](#)
  - enabling interoperability [A-7](#)
  - enabling JavaScript [A-10](#)
  - enabling safe ActiveX [A-10](#)
  - extra meeting instances [A-7](#)
  - In Progress message [A-2](#)
  - In Use message [A-2](#)
  - JavaScript is not enabled on this browser [A-10](#)
  - java script message [A-10](#)
  - manual-accept mode [A-2](#)
  - Meeting Confirmation email error [A-4](#)
  - meeting does not show up [A-6](#)
  - meeting organizer may receive two emails [A-7](#)
  - meeting scheduling and rooms [A-1](#)
  - meetings scheduled for the same time slot [A-6](#)
  - meetings scheduled past one year [A-7](#)
  - meeting state issues [A-7](#)

- meeting was deleted but still appears on the phone [A-9](#)
  - Metrics Dashboard and Reporting API license [A-11](#)
  - new meetings are not appearing [A-5](#)
  - no clarification email sent for modified meeting [A-6](#)
  - no confirmation email [A-2](#)
  - pending for more information from Exchange message [A-2](#)
  - phone user interface [A-8](#)
  - recurring meeting is started at a local time [A-8](#)
  - room shows a sync error [A-6](#)
  - Scheduled Meeting and Room Issues
    - Room status [A-4](#)
  - scheduled meeting does not appear on phone [A-9](#)
  - scheduled meeting error in new room [A-6](#)
  - scheduled meeting is not listed [A-5](#)
  - scheduled meetings show an error [A-5](#)
  - single meeting with only one room is displayed error [A-4](#)
  - software upgrade issues [A-5](#)
  - standard idle screen displays instead of the meeting list [A-8](#)
  - system upgrade to CTS-Manager 1.7 [A-8](#)
  - WARNING
    - The system is waiting for more information... [A-8](#)
    - Your security settings do not allow ActiveX... [A-10](#)
  - yearly recurring meeting issues [A-6](#)
  - CTS System
    - Administration Web Interface Issues [1-5](#)
    - cannot download logs from web UI [1-4](#)
    - cannot ping primary codec [1-2](#)
    - cannot ping the primary codec or the phone from the switch port [1-2](#)
    - CDP data is received about the codec and the phone [1-2](#)
    - connectivity
      - duplicate IP address on the network [1-3](#)
    - connectivity to codec drops [1-3](#)
    - CPU or resource issues
      - memory leak or system resource exhausted [1-3](#)
    - CTS locks up and access through SSH or GUI gives error [1-3](#)
    - CTS reboots by itself without user intervention [1-3](#)
    - display shows the IP address 192.168.100.2 when codec boots up [1-2](#)
    - false alarms [1-5](#)
    - internal server error message shows on the web UI [1-3](#)
    - kicked out of SSH or web GUI session periodically [1-3](#)
    - login Issues [1-3](#)
    - no DHCP server available on the network [1-2](#)
    - not enough disk space [1-4](#)
    - NTP configuration [1-4](#)
    - peripheral shows red X on Web GUI, sometimes triggering SNMP alarms [1-5](#)
    - phone shows requesting service message [1-2](#)
    - primary codec cannot ping the secondary codec [1-2](#)
    - rebooting Issues
      - kernel panic [1-3](#)
      - unstable power source [1-3](#)
    - SNMP query does not work [1-4](#)
    - system does not pass all six green checks [1-2](#)
    - the GUI denies username/password login, but SSH access is accepted [1-3](#)
    - time does not show correctly on the CTS or phone [1-4](#)
    - unable to reach the secondary codec [1-2](#)
    - VLAN ID switching issues [1-2](#)
    - web UI shows a red X on secondary codec [1-2](#)
  - CTS system
    - Status Details Window
      - microphone, speaker status [1-5](#)
- 
- ## D
- Displays
    - Auxiliary Control Unit [8-5](#)
    - blank screen with solid green LED [8-2](#)
    - color cycle or bluescreen [8-2](#)

color temperature [8-4](#)

CTS 500 shroud light does not turn on automatically [8-4](#)

CTS system lights do not turn off immediately [8-5](#)

display color/brightness is off [8-4](#)

Display cycles through different colors or solid blue in idle state [8-2](#)

Failed to connect to presentation device [8-5](#)

firmware upgrade/downgrade [8-2](#)

flicker [8-3](#)

IDRs [8-3](#)

manufacturing mode [8-2](#)

no image [8-4](#)

unusual display [8-3](#)

distorted video image

- LifeSize Express 220 [20-2](#)

DMP Audio Administration configuration [2-4](#)

Document Camera

- cabling [9-3](#)
- caution pop-up
  - No input received from document camera [9-3](#)
  - No VGA input [9-3](#)
- configuration settings [9-2](#)
- document camera cannot be controlled by the CTS or the phone [9-2](#)
- resolution [9-2](#)
- System Status window shows unexpected Document Camera status [9-2](#)
- unsupported model [9-2](#)
- Web UI shows red X for document camera [9-2](#)

DSP Issues

- Call Drop Issues
  - temporary checksum error [3-2](#)
- Call Drop Issues, Video [3-3](#)
- Call drops due to an audio DSP reset [3-2](#)
- Call drops due to DSP error [3-3](#)

---

## E

Error

Room status [A-4](#)

---

## I

Install and Upgrade

- auto upgrade [10-2](#)
- CLI upgrade [10-3](#)
- codec does not boot up [10-3](#)
- CTS does not upgrade [10-2](#)
- firmware compatibility [10-2](#)
- FPGA firmware [10-3](#)
- no LED activity on network port [10-3](#)
- phone rejects direct firmware upgrade [10-2](#)
- TFTP server [10-2](#)
- unusual icons appear on the main display screen [10-3](#)

---

## L

Live Desk [19-4](#)

---

## M

main display messages

- Call has been dropped because resources are not available. Contact Live Desk for assistance [8-6](#)
- Please touch End Call if your meeting has ended [8-6](#)
- Please wait, remote user on hold [8-6](#)
- Please wait, temporarily at maximum number of callers [8-5](#)
- Please wait, the participant list will be available momentarily [8-6](#)
- Please wait, you are the first meeting participant [8-5](#)
- Please wait for meeting host to join [8-5](#)
- Please wait for meeting to start [8-5](#)
- Unable to join, now at maximum number of callers [8-5](#)
- Unable to join, required feature not available [8-6](#)
- Unable to join secure call, converting to non-secure [8-6](#)

Unable to show the presentation due to capability mismatch [8-6](#)

## Microphones

Administration Web Interface Issues [11-5](#)

cabling [11-4](#)

CTS 3x00

- Second Row Capacity setting in Cisco Unified CM Admin [11-4](#)

echo [11-3](#)

- audio ports [11-3](#)

environmental issues, acoustics [11-3](#)

microphone cable not connected [11-4](#)

microphone errors on the GUI [11-5](#)

microphone icon with red pipe displays [11-4](#)

microphone not connected [11-4](#)

microphone status error [11-4](#)

microphone switches to a segment that has no one talking [11-4](#)

no audio [11-5](#)

no sound registers [11-4](#)

phantom switching [11-4](#)

sound distortion [11-4](#)

sound is muffled [11-4](#)

sound registers at the wrong microphone [11-4](#)

Status Details Window

- microphone, speaker status [11-5](#)

## P

### Passwords

expiration notices [12-4](#)

password change required in 10 days [12-4](#)

resetting in CTS [12-1](#)

resetting in Unified CM [12-6](#)

restoring codec connectivity [12-3](#)

peripheral information [19-3](#)

### Phones

corrupted phone image [13-2](#)

directory number provisioning [13-2](#)

firmware backward compatibility [13-4](#)

MAC address [13-3](#)

MIDlet does not find Authentication Server URL [13-3](#)

MIDlets does not start up [13-3](#)

MIDlet version does not verify after upgrade [13-4](#)

Participant List [13-4](#)

phone does not display the TelePresence idle screen [13-2](#)

phone does not register [13-2, 13-3](#)

phone factory reset [13-4](#)

phone firmware

- reset the phone to the factory image [13-6](#)

phone goes dead [13-4](#)

phone keeps rebooting [13-2](#)

phone not recognized [13-2](#)

phone rejects direct firmware upgrade [13-4](#)

phone resets during an active call [13-3](#)

phone screen shows regular IP phone UI [13-3](#)

Phone Service Name update [13-3](#)

phone softkeys

- configuring Corporate and Personal Directories (Directory) [13-6](#)

- configuring Speed-Dials (Favorites) [13-6](#)

phone UI does not show CTS information, does not refresh [13-2](#)

registration [13-2](#)

Service or Authentication URL configuration [13-2](#)

supported characters [13-3](#)

synchronizing configuration [13-5](#)

TCP connections with the CTS [13-3](#)

unexpected phone power cycle [13-4](#)

upgrade firmware [13-4](#)

phone softkeys

- configuring Corporate and Personal Directories (Directory) [1-5, 1-7](#)

- configuring Speed-Dials (Favorites) [1-5, 1-7](#)

Presentation

- projector overheating [14-3](#)

Presentations

- administration login slow in point-to-point secure calls [14-5](#)
- Audio static or no audio on laptop [14-6](#)
- AV expansion box [14-4](#)
- cabling [14-5](#)
- caution pop-up
  - no input received from document camera [14-5](#)
  - no VGA input [14-5](#)
- color bleeding [14-4](#)
- color issues [14-4](#)
- CTS goes on hold [14-5](#)
- DMP audio input [14-4](#)
- impedance mismatch on the video adapter cable [14-3](#)
- local presentation audio is not playing during a call [14-4](#)
- local presentation from the document camera [14-5](#)
- local presentation not showing as PiP [14-5](#)
- network instability [14-4](#)
- no image, projector bulb [14-6](#)
- non-certified auxiliary display [14-2](#)
- Not Sharing Presentation icon is observed [14-6](#)
- presentation appearance on auxiliary displays [14-2](#)
- presentation audio is not shared for audio only calls [14-4](#)
- presentation fails to display in some resume scenarios [14-5](#)
- presentation image flickers on some laptops [14-3](#)
- presentation lost in the middle of the call [14-4](#)
- presentation sharing text shows as red/yellow [14-4](#)
- projector automatically shuts down [14-3](#)
- Projector Bulb icon on main display [14-6](#)
- projector configuration and cabling [14-3](#)
- projector does not display anything [14-2](#)
- projector not working properly with splitter on A/V expansion box [14-4](#)
- projector or laptop configuration [14-2](#)
- projector push default failure [14-3](#)
- software
  - VSync issues [14-4](#)
- unexpected presentation quality [14-4](#)

## Projectors

- A/V expansion box [15-4](#)
- ACU connection [15-4](#)
- configuration [15-3](#)
- configuration and cabling issues
  - cabling [15-4](#)
  - configuration [15-4](#)
- CTS 3000 and CTS 3200
  - Operation Status
    - ERROR message [15-5](#)
    - failed to connect [15-5](#)
    - projector alarms [15-5](#)
    - XML/RPC failure message [15-5](#)
- overheating [15-4](#)
- projector automatically shuts down [15-4](#)
- projector does not display anything [15-3](#)
- projector icon on CTS screen [15-5](#)
- projector not working properly with splitter on A/V expansion box [15-4](#)
- projector push default failure [15-4](#)
- projector serial port [15-5](#)
- wiring between projector and splitter [15-4](#)

## R

### Registration

- cannot resolve hostname [16-3](#)
- certificates [16-2](#)
  - CTS does not have Manufacturing Installed Certificate (MIC) [16-2](#)
- CTL files [16-2](#)
- CTS cannot download the device config xml file from server [16-3](#)
- CTS does not register with Unified CM [6-7, 16-3](#)
- CTS is configured as secure endpoint, but registration is rejected [16-2](#)
- CTS status shows unregistered or unknown [16-3](#)
- CTS unregisters from time to time [16-3](#)
- CTS was moved to a different Unified CM [16-2](#)
- directory number is not configured [16-3](#)

- profile and provisioning
  - CTS profile is not provisioned properly [16-3](#)
- SIP registration timeout [16-3](#)
- TelePresence unit does not register [16-2](#)
- TFTP
  - port 6970 is blocked [16-3](#)
  - Unified CM or TFTP service [16-3](#)
  - xml configuration file is corrupted [16-3](#)

report a problem [19-3](#)

## Room

- status [A-4](#)

---

## S

### Speakers

- Administration Web Interface Issues [17-2](#)
- cabling [17-2](#)
- no sound [17-2](#)
- sound heard at wrong speaker [17-2](#)
- sound is not synchronized with video [17-2](#)
- Status Details Window
  - microphone, speaker status [17-2](#)

Supported Cisco Unified CM characters [6-9](#)

system information [19-2](#)

### System Messages

- auto upgrade setting is disabled [18-3](#)
- call ended due to 100% packet loss [18-3](#)
- call ended due to incompatible software versions [18-2](#)
- call ended due to network congestion [18-2](#)
- call ended due to packet loss exceeding the 10% threshold [18-3](#)
- Call ended due to remote DSP reset [18-3](#)
- call ended due to video quality configuration mismatch [18-2](#)
- Cannot Continue Troubleshooting [18-4](#)
  - CCA comes back up during troubleshooting [18-4](#)
  - CCA goes down during troubleshooting [18-4](#)
  - CCA in Init failure mode [18-4](#)

codec firmware upgrade is disabled [18-3](#)

### main display

- adjusting to lower video resolution to match available resources [18-2](#)
- local or remote network congestion [18-2](#)

manufacturing installed certification [18-2](#)

### no certificates

- unable to make secure calls [18-2](#)

packet latency reached [18-4](#)

software version incompatible [18-2](#)

unable to detect camera [18-2](#)

video quality configuration mismatch [18-2](#)

video quality downgraded [18-2](#)

warning messages [18-2](#)

system status [19-1](#)

---

## T

tips for using the Touch 12 [19-5](#)

---

## U

### Unified CM Administration

- authentication URL [6-4](#)
- bandwidth [6-2](#)
- Cannot establish TCP connections with the CTS [6-6](#)
- configuring Corporate and Personal Directories (Directory) [6-9](#)
- configuring Speed-Dials (Favorites) [6-9](#)
- CTL file [6-6](#)
- CTS does not register [6-6](#)
- CTS MAC address [6-5](#)
- CTS provisioning [6-7](#)
- CTS status shows unregistered or unknown [6-7](#)
- CTS upgrade [6-4](#)
- device type settings [6-5](#)
- directory number not configured [6-7](#)
- directory number provisioning [6-4](#)
- Display On Time field [6-2](#)

- document camera settings [6-3](#)
- duplex streaming [6-2](#)
- enable presentation devices [6-3](#)
- MAC address [6-6](#)
- MIDLets does not start up [6-5](#)
- MIDLets error messages [6-6](#)
- MLPP alternate party settings [6-9](#)
- multipoint call drops [6-2](#)
- no CTS information on phone [6-4](#)
- NTP settings [6-8](#)
- phone does not display CTS idle screen [6-5](#)
- phone does not register [6-5](#)
- phone registration [6-4](#)
- Phone Service Name field [6-5](#)
- registration
  - CTS moved to a different Unified CM [6-6](#)
- SIP registration [6-7](#)
- SNMP query does not work [6-8](#)
- SNMP settings [6-8](#)
- speed dial and abbreviated dial configuration [6-9](#)
- TFTP port 6970 blocked [6-7](#)
- time does not show correctly on the CTS or phone [6-8](#)
- video quality configuration mismatch [6-8](#)
- video quality settings [6-8](#)
- video resolution [6-8](#)
- XML configuration file [6-7](#)

---

## V

### Video issues

- adjusting to lower video resolution [20-3](#)
- call drops when video is stopped [20-2](#)
- call ended, video quality configuration mismatch [20-3](#)
- degraded audio/video quality [20-2](#)
- distorted image [20-2](#)
- frozen image [20-2](#)
- high latency [20-2](#)
- no video for a few minutes [20-2](#)

- packet loss or jitters [20-2](#)
- video resolution is reduced [20-3](#)

---

## W

### WebEx

- account expiration email [21-5](#)
- Audio add-in
  - Conf softkey, active speaker [21-4](#)
- audio dialback [21-1](#)
- cancelled meetings [21-4](#)
- conference bridge may show the wrong caller [21-4](#)
- CTSMAN Access Code [21-2](#)
- CTS-Manager Confirmation Email [21-2](#)
- email
  - Add WebEx button [21-2](#)
- error codes
  - 501229,SCH,WEBEX\_KEY\_RESERVE\_ERROR [21-2](#)
- making a test call [21-1](#)
- meeting does not start [21-5](#)
- meeting key [21-2](#)
- no audio greeting heard [21-3](#)
- password reset [21-3](#)
- phone screen messages
  - please check your WebEx account [21-6](#)
  - unable to connect to WebEx [21-6](#)
- poor video quality [21-3](#)
- scheduling two or more meeting rooms [21-2](#)
- setting Meeting Center Telepresence Privilege [21-2](#)
- Site Verification Tool [21-2](#)
- unable to hear participants [21-5](#)
- unable to schedule WebEx sessions [21-2](#)
- unable to see data sharing [21-4](#)
- unable to see video [21-4](#)
- video view window cascades in a video loop when presenting [21-3](#)

WebEx meetings

- Troubleshooting, window cascading effect [21-6](#)

WebEx status alerts [21-6](#)

