



CHAPTER 6

CTMS Unset Commands

September 2010

This chapter contains the following Cisco TelePresence Multipoint Switch (CTMS) **unset** CLI commands. For information on how to use CTMS CLI commands, refer to “Using Cisco TelePresence Multipoint Switch CLI Commands” chapter in this manual.

- [unset eventcontrol all](#), page 6-2
- [unset eventcontrol meeting](#), page 6-3
- [unset network dns options](#), page 6-4



Note

For information about using the CTMS Administration software, refer to the *Cisco TelePresence Multipoint Switch Release 1.7 Administration Guide* at the following URL:
http://www.cisco.com/en/US/products/ps7315/prod_maintenance_guides_list.html

unset eventcontrol all

unset eventcontrol all

Syntax Description None

Command Modes Admin

Command History	Release	Modifications
	1.6	This command was first documented.

Usage Guidelines Use this command to unset all system and active meeting event control settings.

Examples admin:unset eventcontrol all

unset eventcontrol meeting

`unset network dns options meeting_id`

Syntax Description	<i>meeting_id</i>	Defaults the wait time before considering a Domain Name System (DNS) query to have failed.
---------------------------	-------------------	--

Command Modes	Admin
----------------------	-------

Command History	Release	Modifications
	1.6	This command was first documented.

Usage Guidelines	Use this command to unset all event control settings for the specified meeting.
-------------------------	---

Examples	<code>admin:unset eventcontrol meeting 12345</code>
-----------------	---

unset network dns options

unset network dns options [**timeout**] [**attempts**] [**rotate**]

Syntax Description

timeout	Defaults the wait time before considering a Domain Name System (DNS) query to have failed.
attempts	Defaults the number of attempts to make before failing.
rotate	Defaults the method for selecting a name server; this affects how loads are distributed across name servers.

Command Modes

Admin

Command History

Release	Modifications
1.5	This command was first documented.

Usage Guidelines

Use this command to unset the Domain Name System (DNS) options. This command causes a temporary loss of network connections.

Examples

```
admin:unset network dns options timeout
      ***  W A R N I N G  ***
This will cause the system to temporarily lose network connectivity

      Do you want to continue ?

Enter "yes" to continue or any other key to abort
yes
executing...
admin:show workingdir
```