



Release Bundle Contents for Cisco Intersight Managed Mode: Infrastructure Firmware 4.2 and Server Firmware 4.2, 5.0, 5.1

First Published: 2022-02-15

Last Modified: 2024-04-23

Revision History

The following table shows the online change history for this document.

Revision Date	Description
April 17, 2024	<p>Moved the following 4.1(3) release-specific sections from <i>Release Bundle Contents for Cisco Intersight Managed Mode: Infrastructure Firmware 4.2 and Server Firmware 4.2, 5.0, 5.1</i> (this document) to <i>Release Bundle Contents for Cisco Intersight Managed Mode: Infrastructure Firmware 4.1 and Server Firmware 4.1</i> :</p> <ul style="list-style-type: none"> • C-Series Server Firmware Bundle for 4.1(3f) • C-Series Server Firmware Bundle for 4.1(3d) • C-Series Server Firmware Bundle for 4.1(3c) • C-Series Server Firmware Bundle for 4.1(3b) • B-Series Server Firmware Bundle for 4.1(3f) • B-Series Server Firmware Bundle for 4.1(3d) • B-Series Server Firmware Bundle for 4.1(3c) • B-Series Server Firmware Bundle for 4.1(3b) <p>This is to consolidate the 4.1 release bundle information.</p>
	<p>Moved the following 4.3.1 release-specific sections from <i>Release Bundle Contents for Cisco Intersight Managed Mode: Infrastructure Firmware 4.2 and Server Firmware 4.2, 5.0, 5.1</i> (this document) to <i>Release Bundle Contents for Cisco Intersight Managed Mode: Infrastructure Firmware 4.3 and Server Firmware 4.3, 5.2</i> :</p> <ul style="list-style-type: none"> • C-Series M7 Server Firmware Bundle for 4.3(1.230138) • C-Series M7 Server Firmware Bundle for 4.3(1.230124) • C-Series M7 Server Firmware Bundle for 4.3(1.230097) <p>This is to consolidate the 4.3 release bundle information.</p>

Revision Date	Description
February 22, 2024	Created release bundles content document for the following: <ul style="list-style-type: none"> • Cisco Intersight Infrastructure Firmware Release 4.2(3j) • Cisco UCS C-Series M5 and M6 Server Firmware Release 4.2(3j) • Cisco UCS B-Series M5 and M6 Server Firmware Release 4.2(3h) • Cisco UCS X-Series M6 Server Firmware Release 5.0(4e)
November 07, 2023	Created release bundles content document for the following: <ul style="list-style-type: none"> • Cisco Intersight Infrastructure Firmware Release 4.2(3i) • Cisco UCS C-Series M5 and M6 Server Firmware Release 4.2(3i) • Cisco UCS B-Series M5 and M6 Serve Firmware Release 4.2(3g)
September 29, 2023	Created release bundles content document for the following: <ul style="list-style-type: none"> • Cisco Intersight Infrastructure Firmware Release 4.2(3h) • Cisco UCS C-Series M5 and M6 Server Firmware Release 4.2(3h) • Cisco UCS B-Series M5 and M6 Serve Firmware Release 4.2(3f)
July 24, 2023	Created release bundles content document for Cisco Intersight Infrastructure Firmware, Release 4.2(3g).
June 08, 2023	Created release bundles content document for Cisco UCS X-Series M7 Server Firmware, Release 5.1(1.230052).
June 06, 2023	Created release bundles content document for Cisco UCS C-Series M7 Server Firmware, Release 4.3(1.230138).

Revision Date	Description
May 17, 2023	Created release bundles content document for Cisco Intersight Infrastructure Firmware, Release 4.2(3e), Cisco UCS C-Series Firmware Release 4.2(3e), and Cisco UCS B-Series Firmware Release 4.2(3d).
April 12, 2023	Created release bundles content document for UCS C-Series M7 Server Firmware, Release 4.3(1.230124).
March 31, 2023	Created release bundles content document for UCS X-Series M7 Server Firmware, Release 5.1(0.230122), Cisco UCS X-Series M6 Server Firmware, Release 5.1(0.230075), Cisco UCS B-Series M5 Server Firmware, Release 5.1(0.230073), and Cisco UCS B-Series M6 Server Firmware, Release 5.1(0.230069).
March 27, 2023	Created release bundles content document for Cisco Intersight Infrastructure Firmware, Release 4.2(3d).
March 17, 2023	Created release bundles content document for Cisco UCS X-Series M7 Server Firmware, Release 5.1(0.230096), Cisco UCS X-Series M6 Server Firmware, Release 5.1(0.230054), Cisco UCS C-Series Server Firmware, Release 4.3(1.230097), Cisco UCS B-Series M5 Server Firmware, Release 5.1(0.230054), and Cisco UCS B-Series M6 Server Firmware, Release 5.1(0.230052).
January 20, 2023	Updated release bundles content document for Cisco Intersight B-Series Server Firmware, Release 4.2(1h), 4.2(2a), 4.2(2b), 4.2(2d), 4.2(2e), and 4.2(3b), Cisco Intersight C-Series Server Firmware, Release 4.2(2f), 4.2(2g), and 4.2(3b) and Cisco Intersight Infrastructure Firmware, Release 4.2(1m) and 4.2(1n).
January 12, 2023	Created release bundles content document for Cisco Intersight Server Firmware, Release 5.0(4a) and Cisco Intersight Infrastructure Firmware, Release 4.2(3c).
November 29, 2022	Created release bundles content document for Cisco Intersight Server Firmware, Release 5.0(2e).
October 06, 2022	Created release bundles content document for Cisco Intersight Infrastructure Firmware, Release 4.2(2c).
September 20, 2022	Created release bundles content document for Cisco Intersight Server Firmware, Release 5.0(2d).
September 01, 2022	Created release bundles content document for Cisco Intersight Server Firmware, Release 5.0(1f).

Revision Date	Description
August 04, 2022	Created release bundles content document for Cisco Intersight Infrastructure Firmware, Release 4.2(2b).
July 21, 2022	Created release bundles content document for Cisco Intersight X-Series Server Firmware, Release 5.0(2b), C-Series Server Firmware, Release 4.2(2b), B-Series Server Firmware, Release 4.2(2a).
June 16, 2022	Created release bundles content document for Cisco Intersight X-Series Server Firmware, Release 5.0(1e).
June 11, 2022	Updated release bundles content document for Cisco Intersight B-Series and C-Series Server Firmware, Release 4.2 and 4.1.
June 03, 2022	Updated release bundles content document for Cisco Intersight X-Series Server Firmware, Release 5.0(1b) and 5.0(1a).
May 26, 2022	Updated release bundles content document for Cisco Intersight Infrastructure Firmware, Release 4.2(1i), 4.2(1h), 4.2(1f), 4.2(1e), and 4.2(1d).
February 15, 2022	Created release bundles content document for Cisco Intersight Infrastructure Firmware, Release 4.2(1l) and for Server Firmware, Release 5.0(1c).

Release Bundle Contents for Intersight Managed Mode Firmware

This document lists the bundle contents for Intersight Managed Mode firmware bundles. Bundle images are available for Infrastructure Firmware for Fabric Interconnects, FEX, and Chassis components and Server Firmware for compute node BIOS, IMC, adapters, drives, and other components.

Cisco Intersight Managed Mode contains the following bundle images:

- **Intersight Infra bundle:** The IMM infrastructure bundle includes:
 - Catalog file
 - Chassis IOM images
 - Power Supply Unit (PSU) images
 - Management Plugin
 - Device Connector Image
 - NXOS System Image
- **Intersight Server bundle:** In case of servers, each of the listed images bundle is specific to a server model. The Server bundle includes:
 - BIOS Firmware

- Board Controller Firmware
- CIMC Firmware
- VIC Firmware
- Storage Controller Firmware
- Disk Firmware
- Catalog
- ISO images
- Device Connector



Note Make sure to review the release notes on Cisco.com for any updates.

Updating Cisco UCS Versions

To update the Cisco UCS firmware, see [Managing Firmware in Intersight Managed Mode](#).

Related Documentation

- [Release Notes and Release Bundles for Cisco Intersight](#)
- [Release Notes for Cisco UCS Manager](#)
- [Release Notes for Cisco UCS Rack Server Software](#)

Cross Version Firmware Support

An IMM Server firmware in a domain is supported with a specific IMM Infrastructure firmware version.

The following table shows the supported Server and Infrastructure firmware combinations within an IMM domain. Any additional Infrastructure firmware restrictions are highlighted as a note in the specific [New Hardware Support](#) section.

X-Series Server Firmware Version	Infrastructure Firmware Version		
	4.2(1)	4.2(2)	4.2(3)
5.1(1)	No	No	Yes
5.1(0)	No	No	Yes
5.0(4)	Yes	Yes	Yes
5.0(2)	Yes	Yes	Yes
5.0(1)	Yes	Yes	Yes

C-Series Server Firmware Version	Infrastructure Firmware Version		
	4.2(1)	4.2(2)	4.2(3)
4.3(1)	Yes	Yes	Yes
4.2(3)	Yes	Yes	Yes
4.2(2)	Yes	Yes	Yes
4.2(1)	Yes	Yes	Yes
4.1(3)	Yes	Yes	Yes

B-Series Server Firmware Version	Infrastructure Firmware Version		
	4.2(1)	4.2(2)	4.2(3)
5.1(0)	Yes	Yes	Yes
4.2(3)	Yes	Yes	Yes
4.2(2)	Yes	Yes	Yes
4.2(1)	Yes	Yes	Yes
4.1(3)	Yes	Yes	Yes

Bundle Images

Intersight Infrastructure Software Bundle

Infra Firmware Bundle for 4.2(3j)

IMM infrastructure firmware bundle 4.2(3j) contains the following images for Cisco UCS 6500 Series Fabric Interconnects :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(3g)	ucs-6400-k9-system.9.3.5.I42.3g.bin
UCS-IOM-2204XP	4.2(3g)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3g)	chassis_soquel.img
UCS-IOM-2304	4.2(3g)	chassis3.img
UCS-IOM-2304V2	4.2(3g)	chassis3.img
UCS-IOM-2408	4.2(3g)	chassis4.img
UCSX-I-9808-25G	4.2(3g)	chassis5.img
UCSX-I-9108-100G	4.2(3g)	chassis5.img

Component	Packaged Version	Firmware Name
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(3j) contains the following images for Cisco UCS 6400 Series Fabric Interconnects:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(3g)	ucs-6400-k9-system.9.3.5.I42.3g.bin
UCS-FI-64108	9.3(5)I42(3g)	ucs-6400-k9-system.9.3.5.I42.3g.bin
UCS-IOM-2204XP	4.2(3g)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3g)	chassis_soquel.img
UCS-IOM-2408	4.2(3g)	chassis4.img
UCSX-I-9808-25G	4.2(3g)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(3i)

IMM infrastructure firmware bundle 4.2(3i) contains the following images for Cisco UCS 6500 Series FI:

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(3f)	ucs-6400-k9-system.9.3.5.I42.3f.bin
UCS-IOM-2204XP	4.2(3f)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3f)	chassis_soquel.img
UCS-IOM-2304	4.2(3f)	chassis3.img
UCS-IOM-2304V2	4.2(3f)	chassis3.img
UCS-IOM-2408	4.2(3f)	chassis4.img
UCSX-I-9808-25G	4.2(3f)	chassis5.img
UCSX-I-9108-100G	4.2(3f)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(3i) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(3f)	ucs-6400-k9-system.9.3.5.I42.3f.bin
UCS-FI-64108	9.3(5)I42(3f)	ucs-6400-k9-system.9.3.5.I42.3f.bin
UCS-IOM-2204XP	4.2(3f)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3f)	chassis_soquel.img
UCS-IOM-2408	4.2(3f)	chassis4.img
UCSX-I-9808-25G	4.2(3f)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(3h)

IMM infrastructure firmware bundle 4.2(3h) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(3f)	ucs-6400-k9-system.9.3.5.I42.3f.bin
UCS-IOM-2204XP	4.2(3f)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3f)	chassis_soquel.img
UCS-IOM-2304	4.2(3f)	chassis3.img
UCS-IOM-2304V2	4.2(3f)	chassis3.img
UCS-IOM-2408	4.2(3f)	chassis4.img
UCSX-I-9808-25G	4.2(3f)	chassis5.img
UCSX-I-9108-100G	4.2(3f)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(3h) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(3f)	ucs-6400-k9-system.9.3.5.I42.3f.bin
UCS-FI-64108	9.3(5)I42(3f)	ucs-6400-k9-system.9.3.5.I42.3f.bin
UCS-IOM-2204XP	4.2(3f)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3f)	chassis_soquel.img

Component	Packaged Version	Firmware Name
UCS-IOM-2408	4.2(3f)	chassis4.img
UCSX-I-9808-25G	4.2(3f)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(3g)

IMM infrastructure firmware bundle 4.2(3g) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(3e)	ucs-6400-k9-system.9.3.5.I42.3e.bin
UCS-IOM-2204XP	4.2(3e)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3e)	chassis_soquel.img
UCS-IOM-2304	4.2(3e)	chassis3.img
UCS-IOM-2304V2	4.2(3e)	chassis3.img
UCS-IOM-2408	4.2(3e)	chassis4.img
UCSX-I-9808-25G	4.2(3e)	chassis5.img
UCSX-I-9108-100G	4.2(3e)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(3g) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(3e)	ucs-6400-k9-system.9.3.5.I42.3e.bin
UCS-FI-64108	9.3(5)I42(3e)	ucs-6400-k9-system.9.3.5.I42.3e.bin
UCS-IOM-2204XP	4.2(3e)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3e)	chassis_soquel.img
UCS-IOM-2408	4.2(3e)	chassis4.img
UCSX-I-9808-25G	4.2(3e)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(3e)

IMM infrastructure firmware bundle 4.2(3e) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(3d)	ucs-6400-k9-system.9.3.5.I42.3d.bin
UCS-IOM-2204XP	4.2(3d)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3d)	chassis_soquel.img
UCS-IOM-2304	4.2(3d)	chassis3.img
UCS-IOM-2304V2	4.2(3d)	chassis3.img
UCS-IOM-2408	4.2(3d)	chassis4.img
UCSX-I-9808-25G	4.2(3d)	chassis5.img
UCSX-I-9108-100G	4.2(3d)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(3e) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(3d)	ucs-6400-k9-system.9.3.5.I42.3d.bin
UCS-FI-64108	9.3(5)I42(3d)	ucs-6400-k9-system.9.3.5.I42.3d.bin
UCS-IOM-2204XP	4.2(3d)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3d)	chassis_soquel.img
UCS-IOM-2408	4.2(3d)	chassis4.img
UCSX-I-9808-25G	4.2(3d)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(3d)

IMM infrastructure firmware bundle 4.2(3d) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(3c)	ucs-6400-k9-system.9.3.5.I42.3c.bin
UCS-IOM-2204XP	4.2(3c)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3c)	chassis_soquel.img

Component	Packaged Version	Firmware Name
UCS-IOM-2304	4.2(3c)	chassis3.img
UCS-IOM-2304V2	4.2(3c)	chassis3.img
UCS-IOM-2408	4.2(3c)	chassis4.img
UCSX-I-9808-25G	4.2(3c)	chassis5.img
UCSX-I-9108-100G	4.2(3c)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(3d) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(3c)	ucs-6400-k9-system.9.3.5.I42.3c.bin
UCS-FI-64108	9.3(5)I42(3c)	ucs-6400-k9-system.9.3.5.I42.3c.bin
UCS-IOM-2204XP	4.2(3c)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3c)	chassis_soquel.img
UCS-IOM-2408	4.2(3c)	chassis4.img
UCSX-I-9808-25G	4.2(3c)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(3c)

IMM infrastructure firmware bundle 4.2(3c) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(3b)	ucs-6400-k9-system.9.3.5.I42.3b.bin
UCS-IOM-2204XP	4.2(3b)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3b)	chassis_soquel.img
UCS-IOM-2304	4.2(3b)	chassis3.img
UCS-IOM-2304V2	4.2(3b)	chassis3.img
UCS-IOM-2408	4.2(3b)	chassis4.img
UCSX-I-9808-25G	4.2(3b)	chassis5.img

Component	Packaged Version	Firmware Name
UCSX-I-9108-100G	4.2(3b)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(3c) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(3b)	ucs-6400-k9-system.9.3.5.I42.3b.bin
UCS-FI-64108	9.3(5)I42(3b)	ucs-6400-k9-system.9.3.5.I42.3b.bin
UCS-IOM-2204XP	4.2(3b)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3b)	chassis_soquel.img
UCS-IOM-2408	4.2(3b)	chassis4.img
UCSX-I-9808-25G	4.2(3b)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(3b)

IMM infrastructure firmware bundle 4.2(3b) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(3b)	ucs-6400-k9-system.9.3.5.I42.3b.bin
UCS-IOM-2204XP	4.2(3b)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3b)	chassis_soquel.img
UCS-IOM-2304	4.2(3b)	chassis3.img
UCS-IOM-2408	4.2(3b)	chassis4.img
UCSX-I-9808-25G	4.2(3b)	chassis5.img
UCSX-I-9808-100G	4.2(3b)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(3b) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(3b)	ucs-6400-k9-system.9.3.5.I42.3b.bin
UCS-FI-64108	9.3(5)I42(3b)	ucs-6400-k9-system.9.3.5.I42.3b.bin
UCS-IOM-2204XP	4.2(3b)	chassis_soquel.img
UCS-IOM-2208XP	4.2(3b)	chassis_soquel.img
UCS-IOM-2408	4.2(3b)	chassis4.img
UCSX-I-9808-25G	4.2(3b)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(2e)

IMM infrastructure firmware bundle 4.2(2e) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(2e)	ucs-6400-k9-system.9.3.5.I42.2e.bin
UCS-IOM-2204XP	4.2(2e)	chassis_soquel.img
UCS-IOM-2208XP	4.2(2e)	chassis_soquel.img
UCS-IOM-2408	4.2(2e)	chassis4.img
UCSX-I-9808-25G	4.2(2e)	chassis5.img
UCSX-I-9808-100G	4.2(2e)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(2e) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(2e)	ucs-6400-k9-system.9.3.5.I42.2e.bin
UCS-FI-64108	9.3(5)I42(2e)	ucs-6400-k9-system.9.3.5.I42.2e.bin
UCS-IOM-2204XP	4.2(2e)	chassis_soquel.img
UCS-IOM-2208XP	4.2(2e)	chassis_soquel.img
UCS-IOM-2408	4.2(2e)	chassis4.img
UCSX-I-9808-25G	4.2(2e)	chassis5.img

Component	Packaged Version	Firmware Name
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(2d)

IMM infrastructure firmware bundle 4.2(2d) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(2d)	ucs-6400-k9-system.9.3.5.I42.2d.bin
UCS-IOM-2204XP	4.2(2d)	chassis_soquel.img
UCS-IOM-2208XP	4.2(2d)	chassis_soquel.img
UCS-IOM-2408	4.2(2d)	chassis4.img
UCSX-I-9808-25G	4.2(2d)	chassis5.img
UCSX-I-9808-100G	4.2(2d)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(2d) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(2d)	ucs-6400-k9-system.9.3.5.I42.2d.bin
UCS-FI-64108	9.3(5)I42(2d)	ucs-6400-k9-system.9.3.5.I42.2d.bin
UCS-IOM-2204XP	4.2(2d)	chassis_soquel.img
UCS-IOM-2208XP	4.2(2d)	chassis_soquel.img
UCS-IOM-2408	4.2(2d)	chassis4.img
UCSX-I-9808-25G	4.2(2d)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(2c)

IMM infrastructure firmware bundle 4.2(2c) contains the following images for Cisco UCS 6500 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(2c)	ucs-6400-k9-system.9.3.5.I42.2c.bin

Component	Packaged Version	Firmware Name
UCS-IOM-2204XP	4.2(2c)	chassis_soquel.img
UCS-IOM-2208XP	4.2(2b)	chassis_soquel.img
UCS-IOM-2408	4.2(2b)	chassis4.img
UCSX-I-9108-25G	4.2(2b)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

IMM infrastructure firmware bundle 4.2(2c) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(2c)	ucs-6400-k9-system.9.3.5.I42.2c.bin
UCS-FI-64108	9.3(5)I42(2c)	ucs-6400-k9-system.9.3.5.I42.2c.bin
UCS-IOM-2204XP	4.2(2c)	chassis_soquel.img
UCS-IOM-2208XP	4.2(2c)	chassis_soquel.img
UCS-IOM-2408	4.2(2c)	chassis4.img
UCSX-I-9108-25G	4.2(2c)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(2b)

IMM infrastructure bundle for 4.2(2b) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6536	9.3(5)I42(2b)	ucs-6400-k9-system.9.3.5.I42.2b.bin
UCS-IOM-2204XP	4.2(2b)	chassis_soquel.img
UCS-IOM-2208XP	4.2(2b)	chassis_soquel.img
UCS-IOM-2408	4.2(2b)	chassis4.img
UCSX-I-9108-25G	4.2(2b)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(2a)

Cisco UCS-FI-6536 support starts with Infrastructure Firmware version 4.2(2b) in 4.2 release series. For more information, see [Infra Firmware Bundle for 4.2\(2b\)](#), on page 16.

IMM infrastructure firmware bundle 4.2(2a) contains the following images for Cisco UCS 6400 Series FI :

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(2a)	ucs-6400-k9-system.9.3.5.I42.2a.bin
UCS-FI-64108	9.3(5)I42(2a)	ucs-6400-k9-system.9.3.5.I42.2a.bin
UCS-IOM-2204XP	4.2(2a)	chassis_soquel.img
UCS-IOM-2208XP	4.2(2a)	chassis_soquel.img
UCS-IOM-2408	4.2(2a)	chassis4.img
UCSX-I-9808-25G	4.2(2a)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(1n)

IMM infrastructure bundle for 4.2(1n) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(1k)	ucs-6400-k9-system.9.3.5.I42.1k.bin
UCS-FI-64108	9.3(5)I42(1k)	ucs-6400-k9-system.9.3.5.I42.1k.bin
UCS-IOM-2204XP	4.2(1k)	chassis_soquel.img
UCS-IOM-2208XP	4.2(1k)	chassis_soquel.img
UCS-IOM-2408	4.2(1k)	chassis4.img
UCSX-I-9808-25G	4.2(1k)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(1m)

IMM infrastructure firmware bundle for 4.2(1m) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(1j)	ucs-6400-k9-system.9.3.5.I42.1j.bin
UCS-FI-64108	9.3(5)I42(1j)	ucs-6400-k9-system.9.3.5.I42.1j.bin

Component	Packaged Version	Firmware Name
UCS-IOM-2204XP	4.2(1j)	chassis_soquel.img
UCS-IOM-2208XP	4.2(1j)	chassis_soquel.img
UCS-IOM-2408	4.2(1j)	chassis4.img
UCSX-I-9808-25G	4.2(1j)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(1l)

IMM infrastructure firmware bundle for 4.2(1l) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5)I42(1i)	ucs-6400-k9-system.9.3.5.I42.1i.bin
UCS-FI-64108	9.3(5)I42(1i)	ucs-6400-k9-system.9.3.5.I42.1i.bin
UCS-IOM-2204XP	4.2(1i)	chassis_soquel.img
UCS-IOM-2208XP	4.2(1i)	chassis_soquel.img
UCS-IOM-2408	4.2(1i)	chassis4.img
UCSX-I-9808-25G	4.2(1i)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(1i)

IMM infrastructure firmware bundle for 4.2(1i) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5) I42 (1g)	ucs-6400-k9-system.9.3.5.I42.1g.bin
UCS-FI-64108	9.3(5) I42 (1g)	ucs-6400-k9-system.9.3.5.I42.1g.bin
UCS-IOM-2204XP	4.2(1g)	chassis_soquel.img
UCS-IOM-2208XP	4.2(1g)	chassis_soquel.img
UCS-IOM-2408	4.2(1g)	chassis4.img
UCSX-I-9808-25G	4.2(1g)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin

Component	Packaged Version	Firmware Name
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(1h)

IMM infrastructure firmware bundle for 4.2(1h) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5) I42 (1f)	ucs-6400-k9-system.9.3.5.I42.1f.bin
UCS-FI-64108	9.3(5) I42 (1f)	ucs-6400-k9-system.9.3.5.I42.1f.bin
UCS-IOM-2204XP	4.2(1f)	chassis_soquel.img
UCS-IOM-2208XP	4.2(1f)	chassis_soquel.img
UCS-IOM-2408	4.2(1f)	chassis4.img
UCSX-I-9808-25G	4.2(1f)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(1f)

IMM infrastructure firmware bundle for 4.2(1f) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5) I42 (1e)	ucs-6400-k9-system.9.3.5.I42.1e.bin
UCS-FI-64108	9.3(5) I42 (1e)	ucs-6400-k9-system.9.3.5.I42.1e.bin
UCS-IOM-2204XP	4.2(1e)	chassis_soquel.img
UCS-IOM-2208XP	4.2(1e)	chassis_soquel.img
UCS-IOM-2408	4.2(1e)	chassis4.img
UCSX-I-9808-25G	4.2(1e)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(1e)

IMM infrastructure firmware bundle for 4.2(1e) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5) I42 (1c)	ucs-6400-k9-system.9.3.5.I42.1c.bin

Component	Packaged Version	Firmware Name
UCS-FI-64108	9.3(5) I42 (1c)	ucs-6400-k9-system.9.3.5.I42.1c.bin
UCS-IOM-2204XP	4.2(1c)	chassis_soquel.img
UCS-IOM-2208XP	4.2(1c)	chassis_soquel.img
UCS-IOM-2408	4.2(1c)	chassis4.img
UCSX-I-9808-25G	4.2(1c)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Infra Firmware Bundle for 4.2(1d)

IMM infrastructure firmware bundle for 4.2(1d) contains the following images:

Component	Packaged Version	Firmware Name
UCS-FI-6454	9.3(5) I42 (1b)	ucs-6400-k9-system.9.3.5.I42.1b.bin
UCS-FI-64108	9.3(5) I42 (1b)	ucs-6400-k9-system.9.3.5.I42.1b.bin
UCS-IOM-2204XP	4.2(1b)	chassis_soquel.img
UCS-IOM-2208XP	4.2(1b)	chassis_soquel.img
UCS-IOM-2408	4.2(1b)	chassis4.img
UCSX-I-9808-25G	4.2(1b)	chassis5.img
UCSB-PSU-2500ACDV	03.00.00	cmc-psuDV-Delta.03.00.00.bin
UCSB-PSU-2500ACDV	05.0b	cmc-psuDV-Emerson.05.0b.bin

Unified Computing System (UCS) X-Series Server Software Bundle

X-Series M7 Server Firmware Bundle for 5.1(1.230052)

X-Series M7 server firmware bundle 5.1(1.230052) contains the following images:

ucs-x410cm7-huu-5.1.1.230052.iso

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.23.0-4782
CIMC	5.1(1.230052)
BIOS	X410M7.5.1.1e.0.0524232049

Component	Packaged Version
Board Controller	7.0
UCSX-V4-PCIME-RETIMER	1.27.0
UBM (Universal Backplane Management Controller PSOC)	0x441
UCSX-X10C-PT4F-CPLD	3.004
UCSX-ME-V5Q50G-RETIMER	1.27.0
UCSX-440P-RETIMER	1.27.0
UCSX-MRV-MEZZ-RETIMER	1.25.0
UCSX-ML-V5D200G	5.3(1.230046)
UCSX-ML-V5Q50G	5.3(1.230046)-48
UCSX-ME-V5Q50G	5.3(1.230046)-48
Device Connector	1.0.11-2833
UCSX-M2-HWRD-FPS (UCSX Front panel with M.2 RAID controller for SATA drives)	2.3.17.1014
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.62.00.4G1710200004401-203414094076200ADG17102000042034140

ucs-x210cm7-huu-5.1.1.230052.iso

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.23.0-4782
CIMC	5.1(1.230052)
BIOS	X210M7.5.1.1d.0.0504230150
Board Controller	15.0
UCSX-V4-PCIME-RETIMER	1.27.0
UBM (Universal Backplane Management Controller PSOC)	0x441
UCSX-X10C-PT4F-CPLD	3.004

Component	Packaged Version
UCSX-ME-V5Q50G-RETIMER	1.27.0
UCSX-440P-RETIMER	1.27.0
UCSX-X10C-GPUFM-CPLD	1.005
UCSX-ML-V5D200G	5.3(1.230046)
UCSX-ML-V5Q50G	5.3(1.230046)-48
UCSX-ME-V5Q50G	5.3(1.230046)-48
Device Connector	1.0.11-2833
UCSX-M2-HWRD-FPS (UCSX Front panel with M.2 RAID controller for SATA drives)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.0
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.62.00.04-G171.0200.00.44-01-20B4140094076200ADG171.0200.00.44-01-20B41400

X-Series M7 Server Firmware Bundle for 5.1(0.230122)

X-Series M7 server firmware bundle 5.1(0.230122) contains the following images:

ucs-x210cm7-huu-5.1.0.230122.iso

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.23.0-4782
CIMC	5.1(0.230122)
BIOS	X210M7.5.1.1b.0.0308231534
Board Controller	14.0
UCSX-V4-PCIME-RETIMER	1.27.0
UBM (Universal Backplane Management Controller PSOC)	0x441
UCSX-X10C-PT4F-CPLD	3.004
UCSX-ME-V5Q50G-RETIMER	1.27.0

Component	Packaged Version
UCSX-440P-RETIMER	1.27.0
UCSX-X10C-GPUFM-CPLD	1.005
UCSX-ML-V5D200G	5.3(1.230037)
UCSX-ML-V5Q50G	5.3(1.230037)-48
UCSX-ME-V5Q50G	5.3(1.230037)-48
Device Connector	1.0.11-2759
UCSX-M2-HWRD-FPS (UCSX Front panel with M.2 RAID controller for SATA drivesr)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	920090.00.04-1001.0230.00.03-6.0792.0090.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.025C.00.03-G133.0200.00.05-5.01,94.025C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.0754.00.01-G171.0200.00.04-4.01,94.0754.00.45-G171.0200.00.04

X-Series M6 Server Firmware Bundle for 5.1(0.230075)

X-Series M6 server firmware bundle 5.1(0.230075) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.23.0-4782
CIMC	5.1(0.230075)
BIOS	X210M6.5.0.4b.0.0130231602
Board Controller	21.0
UCSX-V4-PCIME-RETIMER	1.27.0
UBM (Universal Backplane Management Controller PSOC)	0x441
UCSX-X10C-PT4F-CPLD	3.004
UCSX-V4-Q25GME-RETIMER	1.27.0
UCSX-ME-V5Q50G-RETIMER	1.27.0

Component	Packaged Version
UCSX-440P-RETIMER	1.27.0
UCSX-X10C-GPUFM-CPLD	1.005
UCSX-ML-V5D200G	5.3(1.230037)
UCSX-V4-Q25GML	5.3(1.230037)
UCSX-V4-Q25GME	5.3(1.230037)
UCSX-ML-V5Q50G	5.3(1.230037)-48
UCSX-ME-V5Q50G	5.3(1.230037)-48
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
Device Connector	1.0.11-2759
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01.94.07.54.00.45-G171.0200.00.04

X-Series M7 Server Firmware Bundle for 5.1(0.230096)

X-Series server firmware bundle 5.1(0.230096) contains the following images:

ucs-x210cm7-huu-5.1.0.230096.iso

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.23.0-4782
CIMC	5.1(0.230096)
BIOS	X210M7.5.1.1a.0.0201231806
Board Controller	13.0
UCSX-V4-PCIME-RETIMER	1.27.0

Component	Packaged Version
UBM (Universal Backplane Management Controller PSOC)	0x441
UCSX-X10C-PT4F-CPLD	3.004
UCSX-ME-V5Q50G-RETIMER	1.27.0
UCSX-440P-RETIMER	1.27.0
UCSX-X10C-GPUFM-CPLD	1.005
UCSX-ML-V5D200G	5.3(1.230031)
UCSX-ML-V5Q50G	5.3(1.230031)-48
UCSX-ME-V5Q50G	5.3(1.230031)-48
Device Connector	1.0.11-2611
UCSX-M2-HWRD-FPS (UCSX Front panel with M.2 RAID controller for SATA drivesr)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01,94.07.54.00.45-G171.0200.00.04

X-Series M6 Server Firmware Bundle for 5.1(0.230054)

X-Series server firmware bundle 5.1(0.230054) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.23.0-4782
CIMC	5.1(0.230054)
BIOS	X210M6.5.0.4b.0.0130231602
Board Controller	21.0
UCSX-V4-PCIME-RETIMER	1.27.0
UBM (Universal Backplane Management Controller PSOC)	0x441

Component	Packaged Version
UCSX-X10C-PT4F-CPLD	3.004
UCSX-V4-Q25GME-RETIMER	1.27.0
UCSX-ME-V5Q50G-RETIMER	1.27.0
UCSX-440P-RETIMER	1.27.0
UCSX-X10C-GPUFM-CPLD	1.005
UCSX-ML-V5D200G	5.3(1.230031)
UCSX-V4-Q25GML	5.3(1.230031)
UCSX-V4-Q25GME	5.3(1.230031)
UCSX-ML-V5Q50G	5.3(1.230031)-48
UCSX-ME-V5Q50G	5.3(1.230031)-48
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
Device Connector	1.0.11-2611
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01,94.07.54.00.45-G171.0200.00.04

X-Series M6 Server Firmware Bundle for 5.0(4e)

X-Series M6 server firmware bundle 5.0(4e) contains the following images:

ucs-210cm6-huu-5.0.4e.iso

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-5208
CIMC	5.0(4e)

Component	Packaged Version
BIOS	X210M6.4.3.2e.0.1130231848
Board Controller	23.0
UBM (Universal Backplane Management Controller PSOC)	0x42E
UCSX-V4-D100GML	5.2(3h)
UCSX-ML-V5D200G	5.2(3h)
UCSX-V4-Q25GML	5.2(3h)
UCSX-V4-Q25GM	5.2(3h)
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.62.00.04-G171.0200.00.04-401-20341409-94.07.62.00.0ADG171.0200.00.04-20341409
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

X-Series Server Firmware Bundle for 5.0(4d)

X-Series server firmware bundle 5.0(4d) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-4523
CIMC	5.0(4d)
BIOS	X210M6.4.3.2c.0.0726232000
Board Controller	23.0
UBM (Universal Backplane Management Controller PSOC)	0x42E

Component	Packaged Version
UCSX-V4-D100GML (UCS VIC 142100 2x100G mLOM for X Compute Node)	5.2(3g)
UCSX-ML-V5D200G (Cisco UCS VIC 15231 MLOM)	5.2(3g)
UCSX-V4-Q25GML UCS VIC 14425 4x25G mLOM for X Compute Node	5.2(3g)
UCSX-V4-Q25GME UCS VIC 14825 4x25G mezz for X Compute Node	5.2(3g)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.62.00.04-G171.0200.00.44-01.2034.1400.94-07.62.00.ADG171.0200.00.44-01.2034.1400

X-Series Server Firmware Bundle for 5.0(4b)

X-Series server firmware bundle 5.0(4b) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-4523
CIMC	5.0(4b)
BIOS	X210M6.5.0.4b.0.0130231602
Board Controller	21.0, Retimers 1.27.0
UBM (Universal Backplane Management Controller PSOC)	0x42E

Component	Packaged Version
UCSX-V4-D100GML (UCS VIC 142100 2x100G mLOM for X Compute Node)	5.2(3d)
UCSX-ML-V5D200G (Cisco UCS VIC 15231 MLOM)	5.2(3d)
UCSX-V4-Q25GML UCS VIC 14425 4x25G mLOM for X Compute Node	5.2(3d)
UCSX-V4-Q25GME UCS VIC 14825 4x25G mezz for X Compute Node	5.2(3d)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01.94.07.54.00.45-G171.0200.00.04

X-Series Server Firmware Bundle for 5.0(4a)

X-Series server firmware bundle 5.0(4a) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-4523
CIMC	5.0(4a)
BIOS	X210M6.5.0.4a.0.1031221123
Board Controller	20.0, Retimers 1.19.0
UBM (Universal Backplane Management Controller PSOC)	0x42E

Component	Packaged Version
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for X Compute Node)	5.2(3c)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for X Compute Node)	5.2(3c)
UCSX-V4-D100GML UCS VIC 142100 2x100G mLOM for X Compute Node	5.2(3c)
UCSX-ML-V5D200G Cisco UCS VIC 15231 MLOM	5.2(3c)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01.94.07.54.00.45-G171.0200.00.04

X-Series Server Firmware Bundle for 5.0(2e)

X-Series server firmware bundle 5.0(2e) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-4523
CIMC	5.0(2e)
BIOS	X210M6.5.0.4a.0.1031221123
Board Controller	20.0, Retimers 1.19.0

Component	Packaged Version
UBM (Universal Backplane Management Controller PSOC)	0x42E
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for X Compute Node)	5.2(2e)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for X Compute Node)	5.2(2e)
UCSX-V4-D100GML UCS VIC 142100 2x100G mLOM for X Compute Node	5.2(2e)
UCSX-ML-V5D200G Cisco UCS VIC 15231 MLOM	5.2(2e)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	9200900004-1001.0230.00.03-607920090000F-1001.0230.00.03
UCSC-GPU-A40	94025C0003-G13302000005-50194025C000F-G13302000005
UCSC-GPU-A16	9407540001-G17102000004-4019407540045-G17102000004

X-Series Server Firmware Bundle for 5.0(2d)

X-Series server firmware bundle 5.0(2d) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-4523
CIMC	5.0(2d)
BIOS	X210M6.5.0.2e.0.0806222126

Component	Packaged Version
Board Controller	19.0, Retimers 1.19.0
UBM (Universal Backplane Management Controller PSOC)	0x42E
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for X Compute Node)	5.2(2d)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for X Compute Node)	5.2(2d)
UCSX-V4-D100GML UCS VIC 142100 2x100G mLOM for X Compute Node	5.2(2d)
UCSX-ML-V5D200G Cisco UCS VIC 15231 MLOM	5.2(2d)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-607.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-501.94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01.94.07.54.00.45-G171.0200.00.04

X-Series Server Firmware Bundle for 5.0(2b)

5.0(2b)

X-Series server firmware bundle 5.0(2b) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-4508

Component	Packaged Version
CIMC	5.0(2b)
BIOS	X210M6.5.0.2c.0.0610220829
Board Controller	17.0, Retimers 1.19.0
UBM (Universal Backplane Management Controller PSOC)	0x42E
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for X Compute Node)	5.2(2b)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for X Compute Node)	5.2(2b)
UCSX-V4-D100GML UCS VIC 142100 2x100G mLOM for X Compute Node	5.2(2b)
UCSX-ML-V5D200G (Cisco UCS VIC 15231 MLOM)	5.2(2b)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSX-GPU-T4-MEZZ	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01

X-Series Server Firmware Bundle for 5.0(1f)

5.0(1f)

X-Series server firmware bundle 5.0(1f) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-4523
CIMC	5.0(1f)
BIOS	X210M6.5.0.1i.0.0709221354
Board Controller	18.0
UBM (Universal Backplane Management Controller PSOC)	0x42E
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for X Compute Node)	5.2(1c)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for X Compute Node)	5.2(1c)
UCSX-V4-D100GML UCS VIC 142100 2x100G mLOM for X Compute Node	5.2(1c)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

X-Series Server Firmware Bundle for 5.0(1e)

X-Series server firmware bundle 5.0(1e) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.20.0-4408
CIMC	5.0(1e)
BIOS	X210M6.5.0.1h.0.0418221030
Board Controller	17.0
UBM (Universal Backplane Management Controller PSOC)	0x42E

Component	Packaged Version
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for X Compute Node)	5.2(1c)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for X Compute Node)	5.2(1c)
UCSX-V4-D100GML UCS VIC 142100 2x100G mLOM for X Compute Node	5.2(1c)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

HDD Firmware Update Support

HDD	Model	Latest Firmware
3.8TB 2.5 inch Enterprise value 12G SAS SSD (1X endurance, FIPS)	KPM6WRUG3T84	0103
960GB 2.5 inch Enterprise value 12G SAS SSD (1X endurance, FIPS)	KPM6WRUG960G	0103
1.6TB 2.5 inch Enterprise performance 12G SAS SSD (3X endurance,FIPS)	KPM6WVUG1T60	0103
800GB 2.5 inch Enterprise performance 12G SAS SSD (3X endurance, FIPS)	KPM6WVUG800G	0103
15.3TB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG15T3	0103
1.9TB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG1T92	0103
3.8TB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG3T84	0103

HDD	Model	Latest Firmware
7.6TB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG7T68	0103
960GB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG960G	0103
1.6TB 2.5 inch Enterprise Performance 12G SAS SSD(3X endurance)	KPM6XVUG1T60	0103
3.2TB 2.5 inch Enterprise Performance 12G SAS SSD(3X endurance)	KPM6XVUG3T20	0103
800GB 2.5 inch Enterprise Performance 12G SAS SSD(3X endurance)	KPM6XVUG800G	0103
120GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK120TCC	D0MH077
120GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK120TDT	D3MC000
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TCC	D0MH077
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TDN	D1MH031
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TDT	D3MC000
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TBY	D0MH077
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TDC	D1MH031
1.9TB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK1T9TDN	D1MH031
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TDS	D3MC000
1.9TB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK1T9TDT	D3MC000
240GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK240TCB	D0MH077
240GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK240TDS	D3MC000

HDD	Model	Latest Firmware
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	'MTFDDAK3T8TBY	D0MH447
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TDC	D1MH431
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TDS	D3MC000
3.8TB Enterprise value SATA SSD (1X, SED)	MTFDDAK3T8TDS_SED	D3MC000
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TCB	D0MH077
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TDC	D1MH031
480GB 2.5 inch Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK480TDN	D1MH031
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TDS	D3MC000
480GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK480TDT	D3MC000
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	'MTFDDAK7T6TBY	D0MH847
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TDC	D1MH831
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TDS	D3MC000
7.6TB Enterprise value SATA SSD (1X, SED)	MTFDDAK7T6TDS_SED	D3MC000
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TCB	D0MH077
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TDC	D1MH031
960GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK960TDN	D1MH031
960GB 2.5 inch Enterprise Value 6G SATA SSD'	MTFDDAK960TDS	D3MC000

HDD	Model	Latest Firmware
960GB Enterprise value SATA SSD (1X , SED)	MTFDDAK960TDS_SED	D3MC000
960GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK960TDT	D3MC000
960GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK960TDT	D3MC000
240GB M.2 6G SATA SSD	MTFDDAV240TCB	D0MH077
240GB SATA M.2	MTFDDAV240TDS	D3MC000
960GB M.2 6G SATA SSD	MTFDDAV960TCB	D0MH077
960GB SATA M.2	MTFDDAV960TDS	D3MC000
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7LH1T9HMLT-00003	HXT79F3Q
3.8TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LH3T8HMLT-00003	HXT79F3Q
7.6TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LH7T6HMLA-00003	HXT79F3Q
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LH960HAJR-00003	HXT79F3Q
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7LM1T9HMJP-00003	GXT51F3Q
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7LM1T9HMJP00003	GXT51F3Q
3.8TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM3T8HCJM-00003	GXT33F3Q
3.8TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM3T8HCJM00003	GXT33F3Q
3.8TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM3T8HMLP-00003	GXT51F3Q
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM960HCHP-00003	GXT33F3Q
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM960HCHP00003	GXT33F3Q

HDD	Model	Latest Firmware
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM960HMJP00003	GXT51F3Q
480GB 2.5 inch Enterprise Performance 6Gb SATA SSD	SSDSC2BX480G4K	G201CS01
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB038T7K	SCV1CS08
3.8TB 2. inch Enterprise Value 6G SATA SSD	SSDSC2KB038T8K	XCV1CS04
480GB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB480G7K	SCV1CS08
480GB 2.5inch Enterprise Value 6G SATA SSD	SSDSC2KB480G8K	XCV1CS04
1.9TB 2.5 inch Enterprise performance 6G SATA SSD (3X endurance)	SSDSC2KG019T7K	SCV1CS08
1.9TB 2.5in Enterprise performance 6G SATA SSD(3X endurance)	SSDSC2KG019T8K	XCV1CS04
480GB 2.5 inch Enterprise performance 6GSATA SSD (3X endurance)	SSDSC2KG480G7K	SCV1CS08
480GB 2.5 inch Enterprise performance 6GSATA SSD (3X endurance)	SSDSC2KG480G8K	XCV1CS04
960GB 2.5 inch Enterprise performance 6G SATA SSD (3X endurance)	SSDSC2KG960G7K	SCV1CS08
960GB 2.5 inch Enterprise performance 6GSATA SSD(3X endurance)	SSDSC2KG960G8K	XCV1CS04

X-Series Server Firmware Bundle for 5.0(1c)

X-Series server firmware bundle 5.0(1c) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.15.0-3988

Component	Packaged Version
UCS-NVMEI4-I1920 (1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I3840 (3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I7680 (7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I1600 (1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I3200 (3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I6400 (6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029
UCSB-NVMEXP-I750 (Intel Optane 750GB 2.5 in NVMe based PCIe SSD)	E201CP04
UCSB-NVMEXPB-I375 (Intel Optane 375GB 2.5 in NVMe based PCIe SSD)	E201CP04
CIMC	5.0(1c)
BIOS	X210M6.5.0.1g.0.1121212117
Board Controller	13.0
UBM (Universal Backplane Management Controller PSOC)	0x41F
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for BX Compute Node)	5.2(1b)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for BX Compute Node)	5.2(1b)

Component	Packaged Version
UCSX-V4-D100GML UCS VIC 142100 2x100G mLOM for BX Compute Node	5.2(1b)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

X-Series Server Firmware Bundle for 5.0(1b)

5.0(1b)

X-Series server firmware bundle 5.0(1b) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.15.0-3988
UCS-NVMEI4-I1920 (1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I3840 (3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I7680 (7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I1600 (1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I3200 (3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I6400 (6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029

Component	Packaged Version
UCSB-NVMEXP-I750 (Intel Optane 750GB 2.5 in NVMe based PCIe SSD)	E201CP04
UCSB-NVMEXPB-I375 (Intel Optane 375GB 2.5 in NVMe based PCIe SSD)	E201CP04
CIMC	5.0(1b)
BIOS	X210M6.5.0.1d.0.0816211754
Board Controller	11.0
UBM (Universal Backplane Management Controller PSOC)	0x42A
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for BX Compute Node)	5.2(1b)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for BX Compute Node)	5.2(1b)
UCSX-V4-D100GML UCS VIC 142100 2x100G mLOM for BX Compute Node	5.2(1b)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

X-Series Server Firmware Bundle for 5.0(1a)

5.0(1a)

X-Series server firmware bundle 5.0(1a) contains the following images:

Component	Packaged Version
UCSX-X10C-RAIDF (UCS X10c Compute RAID Controller)	52.15.0-3988

Component	Packaged Version
UCS-NVMEI4-I1920 (1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I3840 (3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I7680 (7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I1600 (1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I3200 (3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029
UCS-NVMEI4-I6400 (6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance)	2CV1C029
UCSB-NVMEXP-I750 (Intel Optane 750GB 2.5 in NVMe based PCIe SSD)	E201CP04
UCSB-NVMEXPB-I375 (Intel Optane 375GB 2.5 in NVMe based PCIe SSD)	E201CP04
CIMC	5.0(1a)
BIOS	X210M6.5.0.1c.0.0629212220
Board Controller	11.0
UBM (Universal Backplane Management Controller PSOC)	0x42A
UCSX-V4-Q25GML (UCS VIC 14425 4x25G mLOM for BX Compute Node)	5.2(1a)
UCSX-V4-Q25GME (UCS VIC 14825 4x25G mezz for BX Compute Node)	5.2(1a)

Component	Packaged Version
UCSX-V4-D100GML (UCS VIC 142100 2x100G mLOM for BX Compute Node)	5.2(1a)
Intel Optane PMem 200 series 128GB	02.02.00.1553
Intel Optane PMem 200 series 256GB	02.02.00.1553
Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

Unified Computing System (UCS) C-Series Server Software Bundle

C-Series Server Firmware Bundle for 4.2(3j)

C-Series server firmware bundle 4.2(3j) contains the following images:

ucs-c220m5-huu-4.2.3j.iso

Component	Packaged Version
CIMC	4.2(3j)
BIOS	C220M5.4.3.2a.0.0613231010
Board_Controller	62.0
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-RAID-M5	51.19.0-4532
3108AB-8i	24.21.0-0156
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F7-1.826.0
UCS VIC 1455	5.2(3h)

Component	Packaged Version
UCS VIC 1495	5.2(3h)
UCS VIC 1457	5.2(3h)
UCS VIC 1497	5.2(3h)
UCS VIC 1385	4.5(3f)
UCS VIC 1387	4.5(3f)
DIMM Intel Optane DC Persistent Memory 128GB, 2666MHz Intel Optane DC Persistent Memory 256GB, 2666MHz Intel Optane DC Persistent Memory 512GB, 2666MHz	01.02.00.5446
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-M4D25GF	14.29.1016
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
HX-PCIE-OFFLOAD-1	1811-2081
I350-mLOM	0x8000E78-1.826.0
X550-LOM	0x800016F7-1.826.0
mswitchp	01080058-22D9

ucs-c220m6-huu-4.2.3j.iso

Component	Packaged Version
UCSC-RAID-M6T	52.20.0-4523
UCSC-9500-8E	20.65.05.00
UCSC-SAS-M6T	20.65.05.00
CIMC	4.2(3j)
BIOS	C220M6.4.3.2e.0.1130231848
Board_Controller	38.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-O-N6CD100GF	22.36.1010
UCSC-O-N6CD25GF	26.36.1010
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
X550-LOM	0x800016FD-1.826.0
UCS VIC 1455	5.2(3h)
UCS VIC 1495	5.2(3h)
UCS VIC 1467	5.2(3h)
UCS VIC 1477	5.2(3h)
UCSC-M-V5Q50G	5.2(3h)
UCSC-M-V5D200G	5.2(3h)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF	14.0.505.12
UCSC-PCIE-BD16GF	14.0.505.11

Component	Packaged Version
HX-PCIE-OFFLOAD-1	1811-2081
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c225m6-huu-4.2.3j.iso

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
CIMC	4.2(3j)
BIOS	C225M6.4.3.2c.0.1130232136
Board_Controller	26.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3h)
UCS VIC 1495	5.2(3h)
UCS VIC 1467	5.2(3h)
UCS VIC 1477	5.2(3h)
UCSC-M-V5Q50G	5.2(3h)
UCSC-M-V5D200G	5.2(3h)
UCS-M2-HWRAID	2.3.17.1014
UCSC-P-B7D32GF	14.0.505.12
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c240m5-huu-4.2.3j.iso

Component	Packaged Version
CIMC	4.2(3j)
BIOS	C240M5.4.3.2a.0.0613231011
Board_Controller	65.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-V340	016.001.001.000.011175-104
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M4D25GF	14.29.1016
I350-mLOM	0x80000E78-1.826.0
X550-LOM	0x800016F9-1.826.0
UCS VIC 1455	5.2(3h)
UCS VIC 1495	5.2(3h)
UCS VIC 1457	5.2(3h)
UCS VIC 1497	5.2(3h)
UCS VIC 1385	4.5(3f)
UCS VIC 1387	4.5(3f)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014

Component	Packaged Version
HX-PCIE-OFFLOAD-1	1811-2081
mswitchp	01080058-24B3
UCSC-RAID-M5	51.19.0-4532
UCSC-RAID-M5HD	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-SAS-M5HD	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-RTX8000	90.02.4E.00.02-G150.0231.00.02
UCSC-GPU-RTX6000	90.02.4E.00.01-G150.0230.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03

ucs-c240m6-huu-4.2.3j.iso

Component	Packaged Version
CIMC	4.2(3j)

Component	Packaged Version
BIOS	C240M6.4.3.2e.0.1130231848
Board_Controller	40.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-B7D32GF	14.0.505.12
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
X550-LOM	0x800016FF-1.826.0
UCS VIC 1455	5.2(3h)
UCS VIC 1495	5.2(3h)
UCS VIC 1467	5.2(3h)
UCS VIC 1477	5.2(3h)
UCSC-M-V5Q50G	5.2(3h)
UCSC-M-V5D200G	5.2(3h)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-O-N6CD100GF	22.36.1010
UCSC-O-N6CD25GF	26.36.1010
UCSC-SAS-M6T	20.65.05.00

Component	Packaged Version
UCSC-9500-8E	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523

ucs-c245m6-huu-4.2.3j.iso

Component	Packaged Version
CIMC	4.2(3j)
BIOS	C245M6.4.3.2c.0.1130232136
Board_Controller	28.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-B7D32GF	14.0.505.12
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3h)
UCS VIC 1495	5.2(3h)
UCS VIC 1467	5.2(3h)
UCS VIC 1477	5.2(3h)
UCSC-M-V5Q50G	5.2(3h)
UCSC-M-V5D200G	5.2(3h)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.025C00.03-G133.0200.00.05-5.01,94.025C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02-G133.0215.00.06

Component	Packaged Version
UCSC-GPU-A16	940762004G17102000044012034140094076200ADG171020000420341400
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-1001.0205.00.02
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6SD	52.20.0-4523

ucs-c480m5-huu-4.2.3j.iso

Component	Packaged Version
CIMC	4.2(3j)
BIOS	C480M5.4.3.2a.0.0613231009
Board_Controller	57.0
SasExpM6 SAS-EXPANDER	65.11.21.00
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-P-M4D25GF	14.0.505.11
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1385	4.5(3f)
UCS VIC 1455	5.2(3h)
UCS VIC 1495	5.2(3h)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.025C.00.03-G133.0200.00.05-5.01,94.025C.00.0F-G133.0200.00.05
X550-LOM	0x800016F5-1.826.

Component	Packaged Version
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
UCSC-RAID-M5HD	51.19.0-4532
UCSC-SAS9460-8i	51.19.0-4532
UCSC-9400-8E	20.00.02.01

C-Series Server Firmware Bundle for 4.2(3i)

C-Series server firmware bundle 4.2(3i) contains the following images:

ucs-c220m5-huu-4.2.3i.iso

Component	Packaged Version
CIMC	4.2(3i)
BIOS	C220M5.4.3.2a.0.0613231010
Board_Controller	62.0
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-RAID-M5	51.19.0-4532
3108AB-8i	24.21.0-0156
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F7-1.826.0
UCS VIC 1455	5.2(3g)
UCS VIC 1495	5.2(3g)

Component	Packaged Version
UCS VIC 1457	5.2(3g)
UCS VIC 1497	5.2(3g)
UCS VIC 1385	4.5(3e)
UCS VIC 1387	4.5(3e)
DIMM Intel Optane DC Persistent Memory 128GB, 2666MHz Intel Optane DC Persistent Memory 256GB, 2666MHz Intel Optane DC Persistent Memory 512GB, 2666MHz	01.02.00.5446
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-M4D25GF	14.29.1016
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
I350-mLOM	0x8000E78-1.826.0
X550-LOM	0x800016F7-1.826.0
mswitchp	01080058-22D9

Component	Packaged Version
UCSC-F-H16003	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122
UCSC-NVMEHW-H7680	KNCCD122
UCSC-NVME-H32003	KNCCD122
UCSC-NVME-H38401	KNCCD122
UCSC-NVME-H64003	KNCCD122
UCSC-NVME-H76801	KNCCD122

ucs-c220m6-huu-4.2.3i

Component	Packaged Version
UCSC-RAID-M6T	52.20.0-4523
UCSC-9500-8E	20.65.05.00
UCSC-SAS-M6T	20.65.05.00
CIMC	4.2(3i)
BIOS	C220M6.4.3.2d.0.0825231000
Board_Controller	38.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-O-N6CD100GF	22.36.1010
UCSC-O-N6CD25GF	26.36.1010
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
X550-LOM	0x800016FD-1.826.0
UCS VIC 1455	5.2(3g)
UCS VIC 1495	5.2(3g)
UCS VIC 1467	5.2(3g)

Component	Packaged Version
UCS VIC 1477	5.2(3g)
UCSC-M-V5Q50G	5.2(3g)
UCSC-M-V5D200G	5.2(3g)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF	14.0.505.12
UCSC-PCIE-BD16GF	14.0.505.11
HX-PCIE-OFFLOAD-1	1811-2081
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c225m6-huu-4.2.3i.iso

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
CIMC	4.2(3i)
BIOS	C225M6.4.3.2b.0.0825232018
Board_Controller	26.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3g)

Component	Packaged Version
UCS VIC 1495	5.2(3g)
UCS VIC 1467	5.2(3g)
UCS VIC 1477	5.2(3g)
UCSC-M-V5Q50G	5.2(3g)
UCSC-M-V5D200G	5.2(3g)
UCS-M2-HWRAID	2.3.17.1014
UCSC-P-B7D32GF	14.0.505.12
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c240m5-huu-4.2.3i.iso

Component	Packaged Version
CIMC	4.2(3i)
BIOS	C240M5.4.3.2a.0.0613231011
Board_Controller	65.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-V340	016.001.001.000.011175-104
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F9-1.826.0
UCS VIC 1455	5.2(3g)

Component	Packaged Version
UCS VIC 1495	5.2(3g)
UCS VIC 1457	5.2(3g)
UCS VIC 1497	5.2(3g)
UCS VIC 1385	4.5(3e)
UCS VIC 1387	4.5(3e)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitchp	01080058-24B3
UCSC-RAID-M5	51.19.0-4532
UCSC-RAID-M5HD	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-SAS-M5HD	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03

Component	Packaged Version
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-RTX8000	90.02.4E.00.02-G150.0231.00.02
UCSC-GPU-RTX6000	90.02.4E.00.01-G150.0230.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-607,92.00.90.00.0F-1001.0230.00.03
UCSC-F-H16003	KNCCD122
UCSC-NVMEHW-H800	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122
UCSC-NVMEHW-H7680	KNCCD122
UCSC-NVME-H32003	KNCCD122
UCSC-NVME-H38401	KNCCD122
UCSC-NVME-H64003	KNCCD122
UCSC-NVME-H76801	KNCCD122

ucs-c240m6-huu-4.2.3i.iso

Component	Packaged Version
CIMC	4.2(3i)
BIOS	C240M6.4.3.2d.0.0825231000
Board_Controller	40.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-B7D32GF	14.0.505.12
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010

Component	Packaged Version
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
X550-LOM	0x800016FF-1.826.0
UCS VIC 1455	5.2(3g)
UCS VIC 1495	5.2(3g)
UCS VIC 1467	5.2(3g)
UCS VIC 1477	5.2(3g)
UCSC-M-V5Q50G	5.2(3g)
UCSC-M-V5D200G	5.2(3g)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-O-N6CD100GF	22.36.1010
UCSC-O-N6CD25GF	26.36.1010
UCSC-SAS-M6T	20.65.05.00
UCSC-9500-8E	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523

ucs-c245m6-huu-4.2.3i.iso

Component	Packaged Version
CIMC	4.2(3i)
BIOS	C245M6.4.3.2b.0.0825232018
Board_Controller	28.0

Component	Packaged Version
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-B7D32GF	14.0.505.12
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3g)
UCS VIC 1495	5.2(3g)
UCS VIC 1467	5.2(3g)
UCS VIC 1477	5.2(3g)
UCSC-M-V5Q50G	5.2(3g)
UCSC-M-V5D200G	5.2(3g)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02-G133.0215.00.06
UCSC-GPU-A16	94.02.00.04-G171.0200.00.44-01-2034.1409.94.07.62.00-ADG171.0200.00.42-034140
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-1001.0205.00.02
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6SD	52.20.0-4523

ucs-c480m5-huu-4.2.3i.iso

Component	Packaged Version
CIMC	4.2(3i)

Component	Packaged Version
BIOS	C480M5.4.3.2a.0.0613231009
Board_Controller	57.0
SasExpM6 SAS-EXPANDER	65.11.21.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3g)
UCS VIC 1495	5.2(3g)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-607,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-501,94.02.5C.00.0F-G133.0200.00.05

C-Series Server Firmware Bundle for 4.2(3h)

C-Series server firmware bundle 4.2(3h) contains the following images:

ucs-c220m5-huu-4.2.3h.iso

Component	Packaged Version
CIMC	4.2(3h.230901)
BIOS	C220M5.4.3.2a.0.0613231010
Board_Controller	62.0
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-RAID-M5	51.19.0-4532
3108AB-8i	24.21.0-0156
UCSC-9400-8E	20.00.02.01

Component	Packaged Version
UCSC-SAS-M5	20.00.02.01
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F7-1.826.0
UCS VIC 1455	5.2(3f)
UCS VIC 1495	5.2(3f)
UCS VIC 1457	5.2(3f)
UCS VIC 1497	5.2(3f)
UCS VIC 1385	4.5(3e)
UCS VIC 1387	4.5(3e)
DIMM Intel Optane DC Persistent Memory 128GB, 2666MHz Intel Optane DC Persistent Memory 256GB, 2666MHz Intel Optane DC Persistent Memory 512GB, 2666MHz	01.02.00.5446
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-M4D25GF	14.29.1016
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07

Component	Packaged Version
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
I350-mLOM	0x8000E78-1.826.0
X550-LOM	0x800016F7-1.826.0
mswitchp	01080058-22D9
UCSC-F-H16003	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122
UCSC-NVMEHW-H7680	KNCCD122
UCSC-NVME-H32003	KNCCD122
UCSC-NVME-H38401	KNCCD122
UCSC-NVME-H64003	KNCCD122
UCSC-NVME-H76801	KNCCD122

ucs-c220m6-huu-4.2.3h

Component	Packaged Version
UCSC-RAID-M6T	52.20.0-4523
UCSC-9500-8E	20.65.05.00
UCSC-SAS-M6T	20.65.05.00
CIMC	4.2(3h)
BIOS	C220M6.4.3.2d.0.0825231000
Board_Controller	38.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-O-N6CD100GF	22.36.1010
UCSC-O-N6CD25GF	26.36.1010

Component	Packaged Version
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
X550-LOM	0x800016FD-1.826.0
UCS VIC 1455	5.2(3f)
UCS VIC 1495	5.2(3f)
UCS VIC 1467	5.2(3f)
UCS VIC 1477	5.2(3f)
UCSC-M-V5Q50G	5.2(3f)
UCSC-M-V5D200G	5.2(3f)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF	14.0.505.12
UCSC-PCIE-BD16GF	14.0.505.11
HX-PCIE-OFFLOAD-1	1811-2081
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c225m6-huu-4.2.3h.iso

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
CIMC	4.2(3h)

Component	Packaged Version
BIOS	C225M6.4.3.2b.0.0825232018
Board_Controller	26.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3f)
UCS VIC 1495	5.2(3f)
UCS VIC 1467	5.2(3f)
UCS VIC 1477	5.2(3f)
UCSC-M-V5Q50G	5.2(3f)
UCSC-M-V5D200G	5.2(3f)
UCS-M2-HWRAID	2.3.17.1014
UCSC-P-B7D32GF	14.0.505.12
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c240m5-huu-4.2.3h.iso

Component	Packaged Version
CIMC	4.2(3h.230901)
BIOS	C240M5.4.3.2a.0.0613231011
Board_Controller	65.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-V340	016.001.001.000.011175-104
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD32GF	14.0.505.11

Component	Packaged Version
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F9-1.826.0
I350-mLOM	0x80000E78-1.826.0
UCS VIC 1455	5.2(3f)
UCS VIC 1495	5.2(3f)
UCS VIC 1457	5.2(3f)
UCS VIC 1497	5.2(3f)
UCS VIC 1385	4.5(3e)
UCS VIC 1387	4.5(3e)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitchp	01080058-24B3
UCSC-RAID-M5	51.19.0-4532
UCSC-RAID-M5HD	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-SAS-M5HD	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18

Component	Packaged Version
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-RTX8000	90.02.4E.00.02-G150.0231.00.02
UCSC-GPU-RTX6000	90.02.4E.00.01-G150.0230.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-F-H16003	KNCCD122
UCSC-NVMEHW-H800	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122
UCSC-NVMEHW-H7680	KNCCD122
UCSC-NVME-H32003	KNCCD122
UCSC-NVME-H38401	KNCCD122
UCSC-NVME-H64003	KNCCD122
UCSC-NVME-H76801	KNCCD122

ucs-c240m6-huu-4.2.3h.iso

Component	Packaged Version
CIMC	4.2(3h)
BIOS	C240M6.4.3.2d.0.0825231000
Board_Controller	40.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-B7D32GF	14.0.505.12
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
X550-LOM	0x800016FF-1.826.0
UCS VIC 1455	5.2(3f)
UCS VIC 1495	5.2(3f)
UCS VIC 1467	5.2(3f)
UCS VIC 1477	5.2(3f)
UCSC-M-V5Q50G	5.2(3f)
UCSC-M-V5D200G	5.2(3f)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-O-N6CD100GF	22.36.1010
UCSC-O-N6CD25GF	26.36.1010

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-9500-8E	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523

ucs-c245m6-huu-4.2.3h.iso

Component	Packaged Version
CIMC	4.2(3h)
BIOS	C245M6.4.3.2b.0.0825232018
Board_Controller	28.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-B7D32GF	14.0.505.12
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3f)
UCS VIC 1495	5.2(3f)
UCS VIC 1467	5.2(3f)
UCS VIC 1477	5.2(3f)
UCSC-M-V5Q50G	5.2(3f)
UCSC-M-V5D200G	5.2(3f)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05

Component	Packaged Version
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02-G133.0215.00.06
UCSC-GPU-A16	94.07.62.00.04-G171.0200.00.04-01-20341400,94.07.62.00.04-G171.0200.00.04-01-20341400
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-1001.0205.00.02
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6SD	52.20.0-4523

ucs-c480m5-huu-4.2.3h.iso

Component	Packaged Version
CIMC	4.2(3h.230901)
BIOS	C480M5.4.3.2a.0.0613231009
Board_Controller	57.0
SasExpM6 SAS-EXPANDER	65.11.21.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3f)
UCS VIC 1495	5.2(3f)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05

C-Series Server Firmware Bundle for 4.2(3e)

C-Series server firmware bundle 4.2(3e) contains the following images:

ucs-c220m5-huu.4.2.3b.iso

Component	Packaged Version
CIMC	4.2(3e)
BIOS	C220M5.4.2.3c.0.0129230853
Board_Controller	61.0
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-RAID-M5	51.19.0-4532
3108AB-8i	24.21.0-0156
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D25GF	16.35.1012
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F7-1.826.0
UCS VIC 1455	5.2(3e)
UCS VIC 1495	5.2(3e)
UCS VIC 1457	5.2(3e)
UCS VIC 1497	5.2(3e)
UCS VIC 1385	4.5(3d)
UCS VIC 1387	4.5(3d)
DIMM Intel Optane DC Persistent Memory 128GB, 2666MHz Intel Optane DC Persistent Memory 256GB, 2666MHz Intel Optane DC Persistent Memory 512GB, 2666MHz	01.02.00.5446
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-M4D25GF	14.29.1016

Component	Packaged Version
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D100GF	16.35.1012
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
I350-mLOM	0x8000E78-1.826.0
X550-LOM	0x800016F7-1.826.0
mswitchp	01080058-22D9
UCSC-F-H16003	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122
UCSC-NVMEHW-H7680	KNCCD122
UCSC-NVME-H32003	KNCCD122
UCSC-NVME-H38401	KNCCD122
UCSC-NVME-H64003	KNCCD122
UCSC-NVME-H76801	KNCCD122

ucs-c220m6-huu-4.2.3e

Component	Packaged Version
UCSC-RAID-M6T	52.20.0-4523

Component	Packaged Version
UCSC-9500-8E	20.65.05.00
UCSC-SAS-M6T	20.65.05.00
CIMC	4.2(3e)
BIOS	C220M6.4.2.3c.0.0420230316
Board_Controller	36.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-O-N6CD100GF	22.36.1010
UCSC-O-N6CD25GF	22.36.1010
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M5D100GF	16.35.1012
X550-LOM	0x800016FD-1.826.0
UCS VIC 1455	5.2(3e)
UCS VIC 1495	5.2(3e)
UCS VIC 1467	5.2(3e)
UCS VIC 1477	5.2(3e)
UCSC-M-V5Q50G	5.2(3e)
UCSC-M-V5D200G	5.2(3e)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF	14.0.505.12
UCSC-PCIE-BD16GF	14.0.505.11
HX-PCIE-OFFLOAD-1	1811-2081

Component	Packaged Version
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c225m6-huu-4.2.3e.iso

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
CIMC	4.2(3e)
BIOS	C225M6.4.2.3e.0.0418231026
Board_Controller	25.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3e)
UCS VIC 1495	5.2(3e)
UCS VIC 1467	5.2(3e)
UCS VIC 1477	5.2(3e)
UCSC-M-V5Q50G	5.2(3e)
UCSC-M-V5D200G	5.2(3e)
UCS-M2-HWRAID	2.3.17.1014
UCSC-P-B7D32GF	14.0.505.12
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c240m5-huu-4.2.3b.iso

Component	Packaged Version
CIMC	4.2(3e)
BIOS	C240M5.4.2.3c.0.0129230852
Board_Controller	64.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-V340	016.001.001.000.011175-104
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD32GF	14.0.505.11
UCSC-PCIE-BS32GF	14.0.505.11
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-P-M5D100GF	16.35.1012
UCSC-P-M5S100GF	16.35.1012
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F9-1.826.0
I350-mLOM	0x80000E78-1.826.0
UCS VIC 1455	5.2(3e)
UCS VIC 1495	5.2(3e)
UCS VIC 1457	5.2(3e)
UCS VIC 1497	5.2(3e)
UCS VIC 1385	4.5(3d)
UCS VIC 1387	4.5(3d)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081

Component	Packaged Version
mswitchp	01080058-24B3
UCSC-RAID-M5	51.19.0-4532
UCSC-RAID-M5HD	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-SAS-M5HD	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-RTX8000	90.02.4E.00.02-G150.0231.00.02
UCSC-GPU-RTX6000	90.02.4E.00.01-G150.0230.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-60792.0090.00.0F-1001.0230.00.03
UCSC-F-H16003	KNCCD122
UCSC-NVMEHW-H800	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122

Component	Packaged Version
UCSC-NVMEHW-H6400	KNCCD122
UCSC-NVMEHW-H7680	KNCCD122
UCSC-NVME-H32003	KNCCD122
UCSC-NVME-H38401	KNCCD122
UCSC-NVME-H64003	KNCCD122
UCSC-NVME-H76801	KNCCD122

ucs-c240m6-huu-4.2.3e.iso

Component	Packaged Version
CIMC	4.2(3e)
BIOS	C240M6.4.2.3c.0.0420230316
Board_Controller	38.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-B7D32GF	14.0.505.12
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M5D100GF	16.34.1012
X550-LOM	0x800016FF-1.826.0
UCS VIC 1455	5.2(3e)
UCS VIC 1495	5.2(3e)
UCS VIC 1467	5.2(3e)
UCS VIC 1477	5.2(3e)
UCSC-M-V5Q50G	5.2(3e)
UCSC-M-V5D200G	5.2(3e)

Component	Packaged Version
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-1001.0205.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.025C.00.03-G133.0200.00.05-5.01,94.025C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.0291.00.03-G133.0215.00.06-6.07,94.0291.00.02-G133.0215.00.06
UCSC-GPU-A16	94.0754.00.01-G171.0200.00.04-4.01,94.0754.00.45-G171.0200.00.04
UCSC-O-N6CD100GF	22.36.1010
UCSC-O-N6CD25GF	22.36.1010
mswitch-1	3.70.0.4F
mswitch-2	3.70.0.4F
mswitch-3	3.70.0.4F
UCSC-SAS-M6T	20.65.05.00
UCSC-SAS-M6HD	20.65.05.00
UCSC-9500-8E	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
UCSC-RAID-M6HD	52.20.0-4523
UCSC-RAID-M6SD	52.20.0-4523

ucs-c245m6-huu-4.2.3e.iso

Component	Packaged Version
CIMC	4.2(3e)
BIOS	C245M6.4.2.3e.0.0418231026
Board_Controller	27.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	14.0.505.11
UCSC-PCIE-B7D32GF	14.0.505.12
UCSC-P-M6CD100GF	22.36.1010
UCSC-P-M6DD100GF	22.36.1010
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M5D100GF	16.35.1012
UCS VIC 1455	5.2(3e)
UCS VIC 1495	5.2(3e)
UCS VIC 1467	5.2(3e)
UCS VIC 1477	5.2(3e)
UCSC-M-V5Q50G	5.2(3e)
UCSC-M-V5D200G	5.2(3e)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02-G133.0215.00.06
UCSC-GPU-A16	94.07.62.00.04-G171.0200.00.401-2034.440.94.07.62.00-ADG171.0200.00.401-2034.440
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-1001.0205.00.02
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6SD	52.20.0-4523

C-Series Server Firmware Bundle for 4.2(3b)

C-Series server firmware bundle 4.2(3b) contains the following images:

ucs-c125-huu-4.2.3b.iso

Component	Packaged Version
CIMC	4.2(3b)
BIOS	C125.4.2.3a.0.1016222242
Board_Controller	25.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M5D25GF	16.34.1002
UCSC-O-M5S100GF	16.28.4000
UCSC-P-M5D100GF	16.34.1002
UCS VIC 1455	5.2(3c)
UCS VIC 1495	5.2(3c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-SAS9460-8i	51.19.0-4532
UCSC-9400-8I	20.00.02.01
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-OCP-QD10GC	08.04.21.03.02:08.52.32
UCSC-OCP-QD25GF	08.04.22.03.02:08.52.32
UCSC-PCIE-QD10GF	08.04.21.02.02:08.52.32
UCSC-NVMEHW-H800	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122

ucs-c220m5-huu.4.2.3b.iso

Component	Packaged Version
CIMC	4.2(2b)

Component	Packaged Version
BIOS	C220M5.4.2.2b.0.0613220203
Board_Controller	61.0
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-RAID-M5	51.19.0-4296
3108AB-8i	24.21.0-0156
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.24.1602
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS VIC 1457	5.2(2b)
UCS VIC 1477	5.2(2b)
UCS VIC 1385	4.5(2b)
UCS VIC 1387	4.5(2b)
DIMM Intel Optane DC Persistent Memory 128GB, 2666MHz Intel Optane DC Persistent Memory 256GB, 2666MHz Intel Optane DC Persistent Memory 512GB, 2666MHz	01.02.00.5446
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-M4D25GF	14.29.1016
UCSC-P-M5D25GF	16.34.1002

Component	Packaged Version
UCSC-P-M5S100GF	16.34.1002
UCSC-P-M5D100GF	16.34.1002
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
I350-mLOM	0x80000E78-1.826.0
X550-LOM	0x800016F7-1.826.0
mswitchp	01080058-22D9

ucs-c220m6-huu-4.2.3b

Component	Packaged Version
UCSC-RAID-M6T	52.20.0-4432
UCSC-9500-8E	20.65.05.00
UCSC-SAS-M6T	20.65.05.00
CIMC	4.2(3b)
BIOS	C220M6.4.2.3a.0.1029220536
Board_Controller	34.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000

Component	Packaged Version
X550-LOM	0x800016FD-1.826.0
UCS VIC 1455	5.2(3c)
UCS VIC 1495	5.2(3c)
UCS VIC 1467	5.2(3c)
UCS VIC 1477	5.2(3c)
UCSC-M-V5Q50G	5.2(3c)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
HX-PCIE-OFFLOAD-1	1811-2081
UCS-M2-HWRAID	2.3.17.1014

ucs-c225m6-huu-4.2.3b.iso

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
CIMC	4.2(3b)
BIOS	C225M6.4.2.3c.0.1104222046
Board_Controller	23.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M5D100GF	16.34.1002
UCSC-P-M6CD100GF	22.34.1002
UCSC-P-M6DD100GF	22.34.1002

Component	Packaged Version
UCS VIC 1455	5.2(3c)
UCS VIC 1495	5.2(3c)
UCS VIC 1467	5.2(3c)
UCS VIC 1477	5.2(3c)
UCSC-M-V5Q50G	5.2(3c)
UCSC-M-V5D200G	5.2(3c)
UCS-M2-HWRAID	2.3.17.1014
UCSC-P-B7D32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05

ucs-c240m5-huu-4.2.3b.iso

Component	Packaged Version
CIMC	4.2(3b)
BIOS	C240M5.4.2.3b.0.1016222221
Board_Controller	63.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-V340	016.001.001.000.011175-104
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-P-M5D100GF	16.34.1002
UCSC-P-M5S100GF	16.34.1002
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F9-1.826.0

Component	Packaged Version
I350-mLOM	0x80000E78-1.826.0
UCS VIC 1455	5.2(3c)
UCS VIC 1495	5.2(3c)
UCS VIC 1457	5.2(3c)
UCS VIC 1497	5.2(3c)
UCS VIC 1385	4.5(3b)
UCS VIC 1387	4.5(3b)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitchp	01080058-24B3
UCSC-RAID-M5	51.19.0-4532
UCSC-RAID-M5HD	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-SAS-M5HD	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08

Component	Packaged Version
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-RTX8000	90.02.4E.00.02-G150.0231.00.02
UCSC-GPU-RTX6000	90.02.4E.00.01-G150.0230.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03

ucs-c240m6-huu-4.2.3b.iso

Component	Packaged Version
CIMC	4.2(3b)
BIOS	C240M6.4.2.3a.0.1029220536
Board_Controller	36.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-B7D32GF	12.8.542.37
UCSC-P-M6CD100GF	22.34.1002
UCSC-P-M6DD100GF	22.34.1002
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M5D100GF	16.34.1002
X550-LOM	0x800016FF-1.826.0
UCS VIC 1455	5.2(3c)
UCS VIC 1495	5.2(3c)
UCS VIC 1467	5.2(3c)
UCS VIC 1477	5.2(3c)
UCSC-M-V5Q50G	5.2(3c)

Component	Packaged Version
UCSC-M-V5D200G	5.2(3c)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-QD16GF	10.01.07
UCSC-P-Q6D32GF	8.03.05
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-607,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100-30	92.00.66.00.03-1001.0205.00.02-607,92.00.66.00.04-1001.0205.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-501,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-607,94.02.91.00.02-G133.0215.00.06
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-401,94.07.54.00.45-G171.0200.00.04
mswitch-1	3.70.0.4F
mswitch-2	3.70.0.4F
mswitch-3	3.70.0.4F
UCSC-SAS-M6T	20.65.05.00
UCSC-SAS-M6HD	20.65.05.00
UCSC-9500-8E	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
UCSC-RAID-M6HD	52.20.0-4523
UCSC-RAID-M6SD	52.20.0-4523

ucs-c245m6-huu-4.2.3b.iso

Component	Packaged Version
CIMC	4.2(3b)

Component	Packaged Version
BIOS	C245M6.4.2.3c.0.1104222046
Board_Controller	25.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-B7D32GF	12.8.542.37
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(3c)
UCS VIC 1495	5.2(3c)
UCS VIC 1467	5.2(3c)
UCS VIC 1477	5.2(3c)
UCSC-M-V5Q50G	5.2(3c)
UCSC-M-V5D200G	5.2(3c)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02-G133.0215.00.06
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01,94.07.54.00.45-G171.0200.00.04
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-1001.0205.00.02
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6SD	52.20.0-4432

ucs-c480m5-huu-4.2.3b.iso

Component	Packaged Version
CIMC	4.2(3b)
BIOS	C480M5.4.2.3b.0.1016222320
Board_Controller	56.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-P-M5D100GF	16.34.1002
UCSC-P-M5S100GF	16.34.1002
UCSC-P-M5D25GF	16.34.1002
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F5-1.826.0
UCS VIC 1455	5.2(3c)
UCS VIC 1495	5.2(3c)
UCS VIC 1385	4.5(3b)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitch-rear	01080058-44E3
mswitch-1	01080058-41A3
mswitch-2	01080058-42A3
mswitch-3	01080058-43A3
PCI-Switch-1	4810B

Component	Packaged Version
PCI-Switch-2	4820B
PCI-Switch-3	4830B
PCI-Switch-4	4840B
UCSC-RAID-M5HD	51.19.0-4532
UCSC-SAS9460-8i	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	10.01.07
UCSC-PCIE-QD16GF	10.01.07
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-SXM2-32GB	88.00.80.00.01-G503.0203.00.04
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05

C-Series Server Firmware Bundle for 4.2(2g)

C-Series server firmware bundle 4.2(2g) contains the following images:

ucs-c125-huu-4.2.2g.iso

Component	Packaged Version
CIMC	4.2(2g)

Component	Packaged Version
BIOS	C125.4.2.2c.0.0801222157
Board_Controller	25.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M5D25GF	16.28.4000
UCSC-O-M5S100GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(2e)
UCS VIC 1495	5.2(2e)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-SAS9460-8i	51.19.0-4532
UCSC-9400-8I	20.00.02.01
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-OCF-QD10GC	08.04.21.03.02:08.52.32
UCSC-OCF-QD25GF	08.04.22.03.02:08.52.32
UCSC-PCIE-QD10GF	08.04.21.02.02:08.52.32
UCSC-NVMEHW-H800	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122

ucs-c220m5-huu.4.2.2g.iso

Component	Packaged Version
CIMC	4.2(2g)
BIOS	C220M5.4.2.2d.0.0808221351
Board_Controller	61.0
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02

Component	Packaged Version
UCSC-RAID-M5	51.19.0-4296
3108AB-8i	24.21.0-0156
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.24.1602
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(2e)
UCS VIC 1495	5.2(2e)
UCS VIC 1457	5.2(2e)
UCS VIC 1477	5.2(2b)
UCS VIC 1385	4.5(2d)
UCS VIC 1387	4.5(2d)
DIMM Intel Optane DC Persistent Memory 128GB, 2666MHz Intel Optane DC Persistent Memory 256GB, 2666MHz Intel Optane DC Persistent Memory 512GB, 2666MHz	01.02.00.5446
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-M4D25GF	14.29.1016
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37

Component	Packaged Version
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
I350-mLOM	0x80000E78-1.826.0
X550-LOM	0x800016F7-1.826.0
mswitchp	01080058-22D9

ucs-c220m6-huu-4.2.2g

Component	Packaged Version
UCSC-RAID-M6T	52.20.0-4432
UCSC-9500-8E	20.65.05.00
UCSC-SAS-M6T	20.65.05.00
CIMC	4.2(2g)
BIOS	C220M6.4.2.3a.0.1029220536
Board_Controller	34.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x800016FD-1.826.0
UCS VIC 1455	5.2(2e)
UCS VIC 1495	5.2(2e)
UCS VIC 1467	5.2(2e)

Component	Packaged Version
UCS VIC 1477	5.2(2e)
UCSC-M-V5Q50G	5.2(2e)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
HX-PCIE-OFFLOAD-1	1811-2081
UCS-M2-HWRAID	2.3.17.1014

ucs-c225m6-huu-4.2.2g.iso

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
CIMC	4.2(2g)
BIOS	C225M6.4.2.2c.0.0731220910
Board_Controller	23.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCS VIC 1455	5.2(2e)
UCS VIC 1495	5.2(2e)
UCS VIC 1467	5.2(2e)
UCS VIC 1477	5.2(2e)

Component	Packaged Version
UCSC-M-V5Q50G	5.2(2e)
UCS-M2-HWRAID	2.3.17.1014
UCSC-P-B7D32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02

ucs-c240m5-huu-4.2.2g.iso

Component	Packaged Version
CIMC	4.2(2g)
BIOS	C240M5.4.2.2d.0.0808221415
Board_Controller	63.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-V340	016.001.001.000.011175-104
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.24.1602
X550-LOM	0x800016F9-1.826.0
I350-mLOM	0x80000E78-1.826.0
UCS VIC 1455	5.2(2e)
UCS VIC 1495	5.2(2e)
UCS VIC 1457	5.2(2e)
UCS VIC 1497	5.2(2e)

Component	Packaged Version
UCS VIC 1385	4.5(2d)
UCS VIC 1387	4.5(2d)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitchp	01080058-24B3
UCSC-RAID-M5	51.19.0-4532
UCSC-RAID-M5HD	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-SAS-M5HD	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-RTX8000	90.02.4E.00.02-G150.0231.00.02

Component	Packaged Version
UCSC-GPU-RTX6000	90.02.4E.00.01-G150.0230.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03

ucs-c240m6-huu-4.2.2g.iso

Component	Packaged Version
CIMC	4.2(2g)
BIOS	C240M6.4.2.3a.0.1029220536
Board_Controller	36.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-B7D32GF	12.8.542.37
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x800016FF-1.826.0
UCS VIC 1455	5.2(2e)
UCS VIC 1495	5.2(2e)
UCS VIC 1467	5.2(2e)
UCS VIC 1477	5.2(2e)
UCSC-M-V5Q50G	5.2(2e)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID	2.3.17.1014

Component	Packaged Version
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07.92.00.66.00.04-1001.0205.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-6.07.94.02.91.00.02-G133.0215.00.06
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01.94.07.54.00.45-G171.0200.00.04
mswitch-1	3.70.0.4F
mswitch-2	3.70.0.4F
mswitch-3	3.70.0.4F
UCSC-SAS-M6T	20.65.05.00
UCSC-SAS-M6HD	20.65.05.00
UCSC-9500-8E	20.65.05.00
UCSC-RAID-M6T	52.20.0-4432
UCSC-RAID-M6HD	52.20.0-4432
UCSC-RAID-M6SD	52.20.0-4432

ucs-c245m6-huu-4.2.2g.iso

Component	Packaged Version
CIMC	4.2(2g)
BIOS	C245M6.4.2.2c.0.0731220910
Board_Controller	25.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-B7D32GF	12.8.542.37

Component	Packaged Version
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(2e)
UCS VIC 1495	5.2(2e)
UCS VIC 1467	5.2(2e)
UCS VIC 1477	5.2(2e)
UCSC-M-V5Q50G	5.2(2e)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-1001.0205.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02-G133.0215.00.06
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01,94.07.54.00.45-G171.0200.00.04
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6SD	52.20.0-4432

ucs-c480m5-huu-4.2.2g.iso

Component	Packaged Version
CIMC	4.2(2g)
BIOS	C480M5.4.2.2d.0.0808221350
Board_Controller	56.0
SasExpM5 SAS-EXPANDER	65.11.21.00

Component	Packaged Version
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F5-1.826.0
UCS VIC 1455	5.2(2e)
UCS VIC 1495	5.2(2e)
UCS VIC 1385	4.5(2d)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitch-rear	01080058-44E3
mswitch-1	01080058-41A3
mswitch-2	01080058-42A3
mswitch-3	01080058-43A3
PCI-Switch-1	4810B
PCI-Switch-2	4820B
PCI-Switch-3	4830B
PCI-Switch-4	4840B
UCSC-RAID-M5HD	51.19.0-4532
UCSC-SAS9460-8i	51.19.0-4532

Component	Packaged Version
UCSC-9400-8E	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-SXM2-32GB	88.00.80.00.01-G503.0203.00.04
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05

C-Series Server Firmware Bundle for 4.2(2f)

C-Series server firmware bundle 4.2(2f) contains the following images:

ucs-c125-huu-4.2.2f.iso

Component	Packaged Version
CIMC	4.2(2f)
BIOS	C125.4.2.2c.0.0801222157
Board_Controller	25.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M5D25GF	16.28.4000
UCSC-O-M5S100GF	16.28.4000

Component	Packaged Version
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(2d)
UCS VIC 1495	5.2(2d)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-SAS9460-8i	51.19.0-4532
UCSC-9400-8I	20.00.02.01
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-OCF-QD10GC	08.04.21.03.02:08.52.32
UCSC-OCF-QD25GF	08.04.22.03.02:08.52.32
UCSC-PCIE-QD10GF	08.04.21.02.02:08.52.32
UCSC-NVMEHW-H800	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122

ucs-c220m5-huu.4.2.2f.iso

Component	Packaged Version
CIMC	4.2(2f)
BIOS	C220M5.4.2.2d.0.0808221351
Board_Controller	61.0
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-RAID-M5	51.19.0-4532
3108AB-8i	24.21.0-0156
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-P-M5D100GF	16.28.4000

Component	Packaged Version
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.24.1602
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(2d)
UCS VIC 1495	5.2(2d)
UCS VIC 1457	5.2(2d)
UCS VIC 1477	5.2(2d)
UCS VIC 1385	4.5(2c)
UCS VIC 1387	4.5(2c)
DIMM Intel Optane DC Persistent Memory 128GB, 2666MHz Intel Optane DC Persistent Memory 256GB, 2666MHz Intel Optane DC Persistent Memory 512GB, 2666MHz	01.02.00.5446
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-M4D25GF	14.29.1016
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
HX-PCIE-OFFLOAD-1	1811-2081

Component	Packaged Version
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
I350-mLOM	0x80000E78-1.826.0
X550-LOM	0x800016F7-1.826.0
mswitchp	01080058-22D9

ucs-c220m6-huu-4.2.2f

Component	Packaged Version
UCSC-RAID-M6T	52.20.0-4432
UCSC-9500-8E	20.65.05.00
UCSC-SAS-M6T	20.65.05.00
CIMC	4.2(2f)
BIOS	C220M6.4.2.2f.0.0806222232
Board_Controller	34.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x800016FD-1.826.0
UCS VIC 1455	5.2(2d)
UCS VIC 1495	5.2(2d)
UCS VIC 1467	5.2(2d)
UCS VIC 1477	5.2(2d)
UCSC-M-V5Q50G	5.2(2d)
UCSC-M-V5D200G	5.2(2d)

Component	Packaged Version
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
HX-PCIE-OFFLOAD-1	1811-2081
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02

ucs-c225m6-huu-4.2.2f.iso

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
CIMC	4.2(2f)
BIOS	C225M6.4.2.2c.0.0731220910
Board_Controller	23.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCS VIC 1455	5.2(2d)
UCS VIC 1495	5.2(2d)
UCS VIC 1467	5.2(2d)
UCS VIC 1477	5.2(2d)

Component	Packaged Version
UCSC-M-V5Q50G	5.2(2d)
UCSC-M-V5D200G	5.2(2d)
UCS-M2-HWRAID	2.3.17.1014
UCSC-P-B7D32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02

ucs-c240m5-huu-4.2.2f.iso

Component	Packaged Version
CIMC	4.2(2f)
BIOS	C240M5.4.2.2d.0.0808221415
Board_Controller	63.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-V340	016.001.001.000.011175-104
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.24.1016
X550-LOM	0x800016F9-1.826.0
I350-mLOM	0x80000E78-1.826.0
UCS VIC 1455	5.2(2d)
UCS VIC 1495	5.2(2d)
UCS VIC 1457	5.2(2d)

Component	Packaged Version
UCS VIC 1497	5.2(2d)
UCS VIC 1385	4.5(2c)
UCS VIC 1387	4.5(2c)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitchp	01080058-24B3
UCSC-RAID-M5	51.19.0-4532
UCSC-RAID-M5HD	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-SAS-M5HD	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02

Component	Packaged Version
UCSC-GPU-RTX8000	90.02.4E.00.02-G150.0231.00.02
UCSC-GPU-RTX6000	90.02.4E.00.01-G150.0230.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.0792.0090.00.0F-1001.0230.00.03

ucs-c240m6-huu-4.2.2f.iso

Component	Packaged Version
CIMC	4.2(2f)
BIOS	C240M6.4.2.2f.0.0806222232
Board_Controller	36.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-B7D32GF	12.8.542.37
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x800016FF-1.826.0
UCS VIC 1455	5.2(2d)
UCS VIC 1495	5.2(2d)
UCS VIC 1467	5.2(2d)
UCS VIC 1477	5.2(2d)
UCSC-M-V5Q50G	5.2(2d)
UCSC-M-V5D200G	5.2(2d)

Component	Packaged Version
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-607,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-607,92.00.66.00.04-1001.0205.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-501,94.02.5C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-607,94.02.91.00.02-G133.0215.00.06
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01,94.07.54.00.45-G171.0200.00.04
mswitch-1	3.70.0.4F
mswitch-2	3.70.0.4F
mswitch-3	3.70.0.4F
UCSC-SAS-M6T	20.65.05.00
UCSC-SAS-M6HD	20.65.05.00
UCSC-9500-8E	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
UCSC-RAID-M6HD	52.20.0-4523
UCSC-RAID-M6SD	52.20.0-4523

ucs-c245m6-huu-4.2.2f.iso

Component	Packaged Version
CIMC	4.2(2f)
BIOS	C245M6.4.2.2c.0.0731220910

Component	Packaged Version
Board_Controller	25.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-B7D32GF	12.8.542.37
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(2d)
UCS VIC 1495	5.2(2d)
UCS VIC 1467	5.2(2d)
UCS VIC 1477	5.2(2d)
UCSC-M-V5Q50G	5.2(2d)
UCSC-M-V5D200G	5.2(2d)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07,92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A30	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-1001.0205.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.025C.00.03-G133.0200.00.05-5.01,94.025C.00.0F-G133.0200.00.05
UCSC-GPU-A10	94.0291.00.03-G133.0215.00.06-6.07,94.0291.00.02-G133.0215.00.06
UCSC-GPU-A16	94.0754.00.01-G171.0200.00.04-4.01,94.0754.00.45-G171.0200.00.04
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6SD	52.20.0-4523

ucs-c480m5-huu-4.2.2f.iso

Component	Packaged Version
CIMC	4.2(2f)
BIOS	C480M5.4.2.2d.0.0808221350
Board_Controller	56.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.29.1016
X550-LOM	0x800016F5-1.826.0
UCS VIC 1455	5.2(2d)
UCS VIC 1495	5.2(2d)
UCS VIC 1385	4.5(2c)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitch-rear	01080058-44E3
mswitch-1	01080058-41A3
mswitch-2	01080058-42A3
mswitch-3	01080058-43A3
PCI-Switch-1	4810B

Component	Packaged Version
PCI-Switch-2	4820B
PCI-Switch-3	4830B
PCI-Switch-4	4840B
UCSC-RAID-M5HD	51.19.0-4532
UCSC-SAS9460-8i	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-SXM2-32GB	88.00.80.00.01-G503.0203.00.04
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A100-80	92.00.90.00.04-1001.0230.00.03-6.07.92.00.90.00.0F-1001.0230.00.03
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01.94.02.5C.00.0F-G133.0200.00.05

C-Series Server Firmware Bundle for 4.2(2b)

C-Series server firmware bundle 4.2(2b) contains the following images:

ucs-c125-huu-4.2.2b.iso

Component	Packaged Version
CIMC	4.2(2b)

Component	Packaged Version
BIOS	C125.4.2.2a.0.0420221350
Board_Controller	25.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M4D25GF	16.28.4000
UCSC-O-M5S100GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-SAS9460-8i	51.19.0-4532
UCSC-9400-8I	20.00.02.01
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-OCF-QD10GC	08.04.21.03.02:08.52.32
UCSC-OCF-QD25GF	08.04.22.03.02:08.52.32
UCSC-PCIE-QD10GF	08.04.21.02.02:08.52.32
UCSC-NVMEHW-H800	KNCCD122
UCSC-NVMEHW-H1600	KNCCD122
UCSC-NVMEHW-H3200	KNCCD122
UCSC-NVMEHW-H6400	KNCCD122

ucs-c220m5-huu.4.2.2b.iso

Component	Packaged Version
CIMC	4.2(2b)
BIOS	C220M5.4.2.2b.0.0613220203
Board_Controller	61.0
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02

Component	Packaged Version
UCSC-RAID-M5	51.19.0-4296
3108AB-8i	24.21.0-0156
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.24.1602
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS VIC 1457	5.2(2b)
UCS VIC 1477	5.2(2b)
UCS VIC 1385	4.5(2b)
UCS VIC 1387	4.5(2b)
DIMM Intel Optane DC Persistent Memory 128GB, 2666MHz Intel Optane DC Persistent Memory 256GB, 2666MHz Intel Optane DC Persistent Memory 512GB, 2666MHz	01.02.00.5446
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-M4D25GF	14.24.1602
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37

Component	Packaged Version
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
HX-PCIE-OFFLOAD-1	1811-2081
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
I350-mLOM	0x80000E78-1.826.0
X550-LOM	0x800016F7-1.826.0
mswitchp	01080058-22D9

ucs-c220m6-huu-4.2.2b

Component	Packaged Version
UCSC-RAID-M6T	52.20.0-4432
UCSC-9500-8E	20.65.05.00
UCSC-SAS-M6T	20.65.05.00
CIMC	4.2(2b)
BIOS	C220M6.4.2.2d.0.0610220138
Board_Controller	34.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x800016FD-1.826.0
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS VIC 1467	5.2(2b)

Component	Packaged Version
UCS VIC 1477	5.2(2b)
UCSC-M-V5Q50G	5.2(2b)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
HX-PCIE-OFFLOAD-1	1811-2081
UCS-M2-HWRAID	2.3.17.1014

ucs-c225m6-huu-4.2.2b.iso

Component	Packaged Version
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6T	52.20.0-4523
CIMC	4.2(2b)
BIOS	C225M6.4.2.2b.0.0509222122
Board_Controller	23.0
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS VIC 1467	5.2(2b)
UCS VIC 1477	5.2(2b)

Component	Packaged Version
UCSC-M-V5Q50G	5.2(2b)
UCS-M2-HWRAID	2.3.17.1014
UCSC-P-B7D32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02

ucs-c240m5-huu-4.2.2b.iso

Component	Packaged Version
CIMC	4.2(2b)
BIOS	C240M5.4.2.2b.0.0613220203
Board_Controller	63.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-V340	016.001.001.000.011175-104
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-P-M5D100GF	16.28.4000
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.24.1602
X550-LOM	0x800016F9-1.826.0
I350-mLOM	0x80000E78-1.826.0
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS VIC 1457	5.2(2b)
UCS VIC 1497	5.2(2b)

Component	Packaged Version
UCS VIC 1385	4.5(2b)
UCS VIC 1387	4.5(2b)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitchp	01080058-24B3
UCSC-RAID-M5	51.19.0-4296
UCSC-RAID-M5HD	51.19.0-4296
UCSC-9400-8E	20.00.02.01
UCSC-SAS-M5	20.00.02.01
UCSC-SAS-M5HD	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
UCSC-GPU-P4	86.04.8C.00.10-G414.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-RTX8000	90.02.4E.00.02-G150.0231.00.02

Component	Packaged Version
UCSC-GPU-RTX6000	90.02.4E.00.01-G150.0230.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04

ucs-c240m6-huu-4.2.2b.iso

Component	Packaged Version
CIMC	4.2(2b)
BIOS	C240M6.4.2.2d.0.0610220138
Board_Controller	36.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-B7D32GF	12.8.542.37
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x800016FF-1.826.0
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS VIC 1467	5.2(2b)
UCS VIC 1477	5.2(2b)
UCSC-M-V5Q50G	5.2(2b)
DIMM Intel Optane PMem 200 series 128GB Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081

Component	Packaged Version
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01
UCSC-GPU-A10	94.02.91.00.03-G133.0215.00.06-6.07
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01
mswitch-1	3.70.0.4F
mswitch-2	3.70.0.4F
mswitch-3	3.70.0.4F
UCSC-SAS-M6T	20.65.05.00
UCSC-SAS-M6HD	20.65.05.00
UCSC-9500-8E	20.65.05.00
UCSC-RAID-M6T	52.20.0-4432
UCSC-RAID-M6HD	52.20.0-4432
UCSC-RAID-M6SD	52.20.0-4432

ucs-c245m6-huu-4.2.2b.iso

Component	Packaged Version
CIMC	4.2(2b)
BIOS	C245M6.4.2.2b.0.0509222122
Board_Controller	25.0
SasExpM6 SAS-EXPANDER	65.16.09.00
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-B7D32GF	12.8.542.37
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000

Component	Packaged Version
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS VIC 1467	5.2(2b)
UCS VIC 1477	5.2(2b)
UCSC-M-V5Q50G	5.2(2b)
UCS-M2-HWRAID	2.3.17.1014
UCSC-PCIE-QD16GF	1.06.09
UCSC-P-Q6D32GF	8.02.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04
UCSC-GPU-A40	94.02.5C.00.03-G133.0200.00.05-5.01
UCSC-GPU-A10	94.02.91.00.03-G133.6-6.07
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01
UCSC-SAS-M6T	20.65.05.00
UCSC-RAID-M6SD	52.20.0-4432

ucs-c480m5-huu-4.2.2b.iso

Component	Packaged Version
CIMC	4.2(2b)
BIOS	C480M5.4.2.2b.0.0613220203
Board_Controller	56.0
SasExpM5 SAS-EXPANDER	65.11.21.00
UCSC-GPU-7150x2	015.049.000.016.007518-113-8747CA-200
UCSC-PCIE-BD16GF	12.8.542.37
UCSC-PCIE-BD32GF	12.8.542.37
UCSC-PCIE-BS32GF	12.8.542.37
UCSC-P-M5D100GF	16.28.4000

Component	Packaged Version
UCSC-P-M5S100GF	16.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M4D25GF	14.24.1602
X550-LOM	0x800016F5-1.826.0
UCS VIC 1455	5.2(2b)
UCS VIC 1495	5.2(2b)
UCS VIC 1385	4.5(2b)
DIMM Intel Optane DC Persistent Memory 128GB Intel Optane DC Persistent Memory 256GB Intel Optane DC Persistent Memory 512GB	01.02.00.5446
UCS-M2-HWRAID	2.3.17.1014
HX-PCIE-OFFLOAD-1	1811-2081
mswitch-rear	01080058-44E3
mswitch-1	01080058-41A3
mswitch-2	01080058-42A3
mswitch-3	01080058-43A3
PCI-Switch-1	4810B
PCI-Switch-2	4820B
PCI-Switch-3	4830B
PCI-Switch-4	4840B
UCSC-RAID-M5HD	51.19.0-4532
UCSC-SAS9460-8i	51.19.0-4532
UCSC-9400-8E	20.00.02.01
UCSC-PCIE-QD40GF	08.04.23.04.03:08.52.18
UCSC-PCIE-QS100GF	08.04.15.03.02:08.52.18
UCSC-PCIE-QD32GF	1.06.09
UCSC-PCIE-QD16GF	1.06.09

Component	Packaged Version
UCSC-PCIE-QD25GF	08.04.22.04.02:08.52.32
UCSC-GPU-M10	F0.47.4E.00.C0-82.07.BC.00.01-2405.0070.00.02
UCSC-GPU-M60	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
UCSC-GPU-P100-12G	86.00.4D.00.03-H400.0202.00.01
UCSC-GPU-P100-16G	86.00.4D.00.01-H400.0201.00.08
UCSC-GPU-P40	86.02.4E.00.01-G610.0200.00.03
V100-PCIE-16GB	88.00.4F.00.04-G500.0200.00.03
V100-SXM2-32GB	88.00.80.00.01-G503.0203.00.04
V100-PCIE-32GB	88.00.7E.00.03-G500.0202.00.02
UCSC-GPU-T4-16	90.04.B4.00.04-G183.0200.00.02
UCSC-GPU-A100	92.00.90.00.08-1001.0200.00.04

C-Series Server Firmware Bundle for 4.2(1i)

C-Series server firmware bundle 4.2(1i) contains the following images:

ucs-c220m6-huu-4.2.1i.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.20.0-4408
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1i)
BIOS	C220M6.4.2.1i.0.0503220729
Board_Controller	32.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004

Component	Packaged Version
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVME2H-I4000 (Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVMEHW-I8000 (Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02

Component	Packaged Version
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081

ucs-c225m6-huu-4.2.1i.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.20.0-4408
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1i)
BIOS	C225M6.4.2.1f.0.0310220849
Board_Controller	23.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47

Component	Packaged Version
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

ucs-c240m6-huu-4.2.1i.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-RAID-M6HD Cisco 12G SAS RAID Controller with 4GB FBWC	52.15.0-3988
UCSC-RAID-M6SD Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
UCSC-SAS-M6HD (Cisco 12G SAS HBA)	16.65.28.00
CIMC	4.2(1i)
BIOS	C240M6.4.2.1i.0.0503220729
Board_Controller	34.0
SasExpM6 SAS-EXPANDER	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.6
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004

Component	Packaged Version
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001519-1.823.2
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.7
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.7
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081
mswitch1 (PCIe-Switch-1)	3.70.0.4F-U6B2

Component	Packaged Version
mswitch2 (PCIe-Switch-2)	3.70.0.4F-U4B2
mswitch3 (PCIe-Switch-3)	3.70.0.4F-U2B2

ucs-c245m6-huu-4.2.1i.iso

Component	Packaged Version
UCSC-RAID-M6SD (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.20.0-4408
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1i)
BIOS	C245M6.4.2.1f.0.0310220849
Board_Controller	25.0
SasExpM6	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.6
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47

Component	Packaged Version
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

C-Series Server Firmware Bundle for 4.2(1g)

C-Series server firmware bundle 4.2(1g) contains the following images:

ucs-c220m6-huu-4.2.1g.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1g)
BIOS	C220M6.4.2.1g.0.1121212157
Board_Controller	32.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)

Component	Packaged Version
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVME2H-I4000 (Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVMEHW-I8000 (Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081

ucs-c225m6-huu-4.2.1g.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1g)
BIOS	C225M6.4.2.1f.0.0310220849
Board_Controller	23.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M5D25GF	UCSC-P-M6CD100GF
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

ucs-c240m6-huu-4.2.1g.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-RAID-M6HD Cisco 12G SAS RAID Controller with 4GB FBWC	52.15.0-3988
UCSC-RAID-M6SD Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
UCSC-SAS-M6HD (Cisco 12G SAS HBA)	16.65.28.00
CIMC	4.2(1g)
BIOS	C240M6.4.2.1g.0.1121212157
Board_Controller	34.0
SasExpM6 SAS-EXPANDER	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001519-1.823.2
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)

Component	Packaged Version
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.7
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.7
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081
mswitch1 (PCIe-Switch-1)	3.70.0.4F-U6B2
mswitch2 (PCIe-Switch-2)	3.70.0.4F-U4B2
mswitch3 (PCIe-Switch-3)	3.70.0.4F-U2B2

ucs-c245m6-huu-4.2.1g.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1g)
BIOS	C245M6.4.2.1f.0.0310220849
Board_Controller	25.0
SasExpM6	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-GPU-A16	94.07.54.00.01-G171.0200.00.04-4.01
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

C-Series Server Firmware Bundle for 4.2(1f)

C-Series server firmware bundle 4.2(1f) contains the following images:

ucs-c220m6-huu-4.2.1f.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1f)
BIOS	C220M6.4.2.1g.0.1121212157
Board_Controller	32.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

Component	Packaged Version
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVME2H-I4000 (Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVMEHW-I8000 (Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081

ucs-c225m6-huu-4.2.1f.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1f)
BIOS	C225M6.4.2.1d.0.1125210327
Board_Controller	23.0

Component	Packaged Version
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

ucs-c240m6-huu-4.2.1f.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-RAID-M6HD Cisco 12G SAS RAID Controller with 4GB FBWC	52.15.0-3988

Component	Packaged Version
UCSC-RAID-M6SD Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
UCSC-SAS-M6HD (Cisco 12G SAS HBA)	16.65.28.00
CIMC	4.2(1f)
BIOS	C240M6.4.2.1g.0.1121212157
Board_Controller	34.0
SasExpM6 SAS-EXPANDER	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553

Component	Packaged Version
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.7
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.7
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081
mswitch1 (PCIe-Switch-1)	3.70.0.4F-U6B2
mswitch2 (PCIe-Switch-2)	3.70.0.4F-U4B2
mswitch3 (PCIe-Switch-3)	3.70.0.4F-U2B2

ucs-c245m6-huu-4.2.1f.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1f)

Component	Packaged Version
BIOS	C245M6.4.2.1d.0.1125210327
Board_Controller	25.0
SasExpM6	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1c)
UCS VIC 1495	5.2(1c)
UCS VIC 1467	5.2(1c)
UCS VIC 1477	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

C-Series Server Firmware Bundle for 4.2(1e)

C-Series server firmware bundle 4.2(1e) contains the following images:

ucs-c220m6-huu-4.2.1e.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988

Component	Packaged Version
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1e)
BIOS	C220M6.4.2.1f.0.0916212235
Board_Controller	32.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(1b)
UCS VIC 1495	5.2(1b)
UCS VIC 1467	5.2(1b)
UCS VIC 1477	5.2(1b)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03

Component	Packaged Version
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVME2H-I4000 (Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVMEHW-I8000 (Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081

ucs-c225m6-huu-4.2.1e.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1e)
BIOS	C225M6.4.2.1c.0.0806211349
Board_Controller	23.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1b)
UCS VIC 1495	5.2(1b)
UCS VIC 1467	5.2(1b)

Component	Packaged Version
UCS VIC 1477	5.2(1b)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

ucs-c240m6-huu-4.2.1e.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-RAID-M6HD Cisco 12G SAS RAID Controller with 4GB FBWC	52.15.0-3988
UCSC-RAID-M6SD Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00

Component	Packaged Version
UCSC-SAS-M6HD (Cisco 12G SAS HBA)	16.65.28.00
CIMC	4.2(1e)
BIOS	C240M6.4.2.1f.0.0916212235
Board_Controller	34.0
SasExpM6 SAS-EXPANDER	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-P-M6CD100GF	22.30.1004
UCSC-P-M6DD100GF	22.30.1004
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(1b)
UCS VIC 1495	5.2(1b)
UCS VIC 1467	5.2(1b)
UCS VIC 1477	5.2(1b)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.7
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.7

Component	Packaged Version
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081
mswitch1 (PCIe-Switch-1)	3.70.0.4F-U6B2
mswitch2 (PCIe-Switch-2)	3.70.0.4F-U4B2
mswitch3 (PCIe-Switch-3)	3.70.0.4F-U2B2

ucs-c245m6-huu-4.2.1e.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1e)
BIOS	C245M6.4.2.1c.0.0806211349
Board_Controller	25.0
SasExpM6	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-P-M5D25GF	16.28.4000

Component	Packaged Version
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1b)
UCS VIC 1495	5.2(1b)
UCS VIC 1467	5.2(1b)
UCS VIC 1477	5.2(1b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.351.47
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.351.47
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

C-Series Server Firmware Bundle for 4.2(1c)

C-Series server firmware bundle 4.2(1c) contains the following images:

ucs-c225m6-huu-4.2.1c.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1c)
BIOS	C225M6.4.2.1c.0.0806211349
Board_Controller	23.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02

Component	Packaged Version
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1b)
UCS VIC 1495	5.2(1b)
UCS VIC 1467	5.2(1b)
UCS VIC 1477	5.2(1b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.340.8
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.340.8
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

ucs-c245m6-huu-4.2.1c.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1c)
BIOS	C245M6.4.2.1c.0.0806211349
Board_Controller	25.0
SasExpM6	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04

Component	Packaged Version
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
UCS VIC 1455	5.2(1b)
UCS VIC 1495	5.2(1b)
UCS VIC 1467	5.2(1b)
UCS VIC 1477	5.2(1b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.340.8
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.340.8
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

C-Series Server Firmware Bundle for 4.2(1b)

C-Series server firmware bundle 4.2(1b) contains the following images:

ucs-c220m6-huu-4.2.1b.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00

Component	Packaged Version
CIMC	4.2(1b)
BIOS	C220M6.4.2.1d.0.0730210924
Board_Controller	32.0
NVIDIA T4 GPU	90.04.96.00.9F-G183.0200.00.02
UCSC-P-M6CD100GF	22.28.4000
UCSC-P-M6DD100GF	22.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(1a)
UCS VIC 1495	5.2(1a)
UCS VIC 1467	5.2(1a)
UCS VIC 1477	5.2(1a)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.340.8
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.340.8
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

Component	Packaged Version
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVME2H-I4000 (Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVMEHW-I8000 (Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081

ucs-c240m6-huu-4.2.1b.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-RAID-M6HD Cisco 12G SAS RAID Controller with 4GB FBWC	52.15.0-3988
UCSC-RAID-M6SD Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
UCSC-SAS-M6HD (Cisco 12G SAS HBA)	16.65.28.00
CIMC	4.2(1b)
BIOS	C240M6.4.2.1d.0.0730210924
Board_Controller	34.0

Component	Packaged Version
SasExpM6 SAS-EXPANDER	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-P-M6CD100GF	22.28.4000
UCSC-P-M6DD100GF	22.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001519-1.823.2
UCS VIC 1455	5.2(1a)
UCS VIC 1495	5.2(1a)
UCS VIC 1467	5.2(1a)
UCS VIC 1477	5.2(1a)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.340.8
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.340.8
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02

Component	Packaged Version
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081
mswitch1 (PCIe-Switch-1)	3.70.0.4F-U6B2
mswitch2 (PCIe-Switch-2)	3.70.0.4F-U4B2
mswitch3 (PCIe-Switch-3)	3.70.0.4F-U2B2

C-Series Server Firmware Bundle for 4.2(1a)

C-Series server firmware bundle 4.2(1a) contains the following images:

ucs-c220m6-huu-4.2.1a.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
CIMC	4.2(1a)
BIOS	C220M6.4.2.1c.0.0526211819
Board_Controller	32.0
NVIDIA T4 GPU	90.04.96.00.01-G183.0200.00.02
UCSC-P-M6CD100GF	22.28.4000
UCSC-P-M6DD100GF	22.28.4000
UCSC-P-M5D25GF	16.28.4000

Component	Packaged Version
UCSC-P-M5D100GF	16.28.4000
X550-LOM	0x80001519-1.823.2
UCS VIC 1455	5.2(1a)
UCS VIC 1495	5.2(1a)
UCS VIC 1467	5.2(1a)
UCS VIC 1477	5.2(1a)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.340.8
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.340.8
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVME2H-I4000 (Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
UCSC-NVMEHW-I8000 (Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02

Component	Packaged Version
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081

ucs-c240m6-huu-4.2.1a.iso

Component	Packaged Version
UCSC-RAID-M6T (Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives))	52.15.0-3988
UCSC-RAID-M6HD Cisco 12G SAS RAID Controller with 4GB FBWC	52.15.0-3988
UCSC-RAID-M6SD Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.15.0-3988
UCSC-9500-8E (Cisco 9500-8e 12G SAS HBA for external JBOD attach)	16.65.28.00
UCSC-SAS-M6T (Cisco 12G SAS HBA (16 Drives))	16.65.28.00
UCSC-SAS-M6HD (Cisco 12G SAS HBA)	16.65.28.00
CIMC	4.2(1a)
BIOS	C240M6.4.2.1c.0.0526211819
Board_Controller	34.0
SasExpM6 SAS-EXPANDER	65.16.07.00
UCSC-GPU-A100	92.00.25.00.08-1001.0200.00.04
UCSC-GPU-A10	94.02.5C.00.04-G133.0215.00.06
UCSC-P-M6CD100GF	22.28.4000
UCSC-P-M6DD100GF	22.28.4000
UCSC-P-M5D25GF	16.28.4000
UCSC-P-M5D100GF	16.28.4000

Component	Packaged Version
X550-LOM	0x80001517-1.823.2
UCS VIC 1455	5.2(1a)
UCS VIC 1495	5.2(1a)
UCS VIC 1467	5.2(1a)
UCS VIC 1477	5.2(1a)
DIMM Intel Optane PMem 200 series 256GB Intel Optane PMem 200 series 512GB	02.02.00.1553
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014
UCSC-P-B7D32GF (Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA)	12.8.340.8
ELXLPE31002 (Emulex LPe31002 Dual-Port 16G FC HBA)	12.8.340.8
QLE2692 (Qlogic QLE2692 dual-port 16G FC HBA)	1.03.03
QLE2772 (Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA)	8.01.02
UCSC-NVME2H-I1000 (Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance)	VDV1CP02
hercules (Hercules PCIe Compression and Cryptographic CPU Offload Card)	1811-2081
mswitch1 (PCIe-Switch-1)	3.70.0.4F-U6B2
mswitch2 (PCIe-Switch-2)	3.70.0.4F-U4B2

Component	Packaged Version
mswitch3 (PCIe-Switch-3)	3.70.0.4F-U2B2

Unified Computing System (UCS) B-Series Server Software Bundle

B-Series Server Firmware Bundle for 4.2(3h)

4.2(3h)

B-Series server firmware bundle 4.2(3h) contains the following images:

ucs-b200m5-huu-4.2.3h.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.0-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.0-0156
CIMC	4.2(3h)
BIOS	B200M5.4.3.2a.0.0613232340
Board_Controller	19.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122

Component	Packaged Version
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3f)
UCSB VIC 1380	4.5(3f)
UCSB VIC 1440	5.2(3h)
UCS VIC 1480 MEZZ	5.2(3h)
UCSB VIC 1495	5.2(3h)
UCSB VIC 1497	5.2(3h)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3f)
UCSB VIC 1387	4.5(3f)
UCSB VIC 1457	5.2(3h)
UCSB VIC 1455	5.2(3h)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.3h.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156
CIMC	4.2(3h)
BIOS	B200M6.4.3.2c.0.0726232000

Component	Packaged Version
Board_Controller	21.0
UCSB-ML-V5Q10G	5.2(3h)
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(3h)
UCS VIC 1480 MEZZ	5.2(3h)
UCSB VIC 1495	5.2(3h)
UCSB VIC 1497	5.2(3h)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3f)
UCSB VIC 1387	4.5(3f)
UCSB VIC 1457	5.2(3h)
UCSB VIC 1455	5.2(3h)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.3h.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.0-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.0-0156
CIMC	4.2(3h)

Component	Packaged Version
BIOS	B480M5.4.3.2a.0.0614230221
Board_Controller	20.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3f)
UCSB VIC 1380	4.5(3f)
UCSB VIC 1440	5.2(3h)
UCS VIC 1480 MEZZ	5.2(3h)
UCSB VIC 1495	5.2(3h)
UCSB VIC 1497	5.2(3h)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)

Component	Packaged Version
UCSB VIC 1385	4.5(3f)
UCSB VIC 1387	4.5(3f)
UCSB VIC 1457	5.2(3h)
UCSB VIC 1455	5.2(3h)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(3g)

4.2(3g)

B-Series server firmware bundle 4.2(3g) contains the following images:

ucs-b200m5-huu-4.2.3g.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.0-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.0-0156
CIMC	4.2(3g)
BIOS	B200M5.4.3.2a.0.0613232340
Board_Controller	19.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122

Component	Packaged Version
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3e)
UCSB VIC 1380	4.5(3e)
UCSB VIC 1440	5.2(3g)
UCS VIC 1480 MEZZ	5.2(3g)
UCSB VIC 1495	5.2(3g)
UCSB VIC 1497	5.2(3g)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3e)
UCSB VIC 1387	4.5(3e)
UCSB VIC 1457	5.2(3g)
UCSB VIC 1455	5.2(3g)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.3g.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156

Component	Packaged Version
CIMC	4.2(3g)
BIOS	B200M6.4.3.2c.0.0726232000
Board_Controller	21.0
UCSB-ML-V5Q10G	5.2(3g)
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(3g)
UCS VIC 1480 MEZZ	5.2(3g)
UCSB VIC 1495	5.2(3g)
UCSB VIC 1497	5.2(3g)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3e)
UCSB VIC 1387	4.5(3e)
UCSB VIC 1457	5.2(3g)
UCSB VIC 1455	5.2(3g)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.3g.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.0-0156

Component	Packaged Version
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.0-0156
CIMC	4.2(3g)
BIOS	B480M5.4.3.2a.0.0614230221
Board_Controller	20.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3e)
UCSB VIC 1380	4.5(3e)
UCSB VIC 1440	5.2(3g)
UCS VIC 1480 MEZZ	5.2(3g)
UCSB VIC 1495	5.2(3g)
UCSB VIC 1497	5.2(3g)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0

Component	Packaged Version
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3e)
UCSB VIC 1387	4.5(3e)
UCSB VIC 1457	5.2(3g)
UCSB VIC 1455	5.2(3g)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(3f)

4.2(3f)

B-Series server firmware bundle 4.2(3f) contains the following images:

ucs-b200m5-huu-4.2.3f.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.0-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.0-0156
CIMC	4.2(3f)
BIOS	B200M5.4.3.2a.0.0613232340
Board_Controller	19.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111

Component	Packaged Version
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3e)
UCSB VIC 1380	4.5(3e)
UCSB VIC 1440	5.2(3f)
UCS VIC 1480 MEZZ	5.2(3f)
UCSB VIC 1495	5.2(3f)
UCSB VIC 1497	5.2(3f)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3e)
UCSB VIC 1387	4.5(3e)
UCSB VIC 1457	5.2(3f)
UCSB VIC 1455	5.2(3f)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.3f.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A

Component	Packaged Version
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156
CIMC	4.2(3f)
BIOS	B200M6.4.3.2c.0.0726232000
Board_Controller	21.0
UCSB-ML-V5Q10G	5.2(3f)
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(3f)
UCS VIC 1480 MEZZ	5.2(3f)
UCSB VIC 1495	5.2(3f)
UCSB VIC 1497	5.2(3f)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3e)
UCSB VIC 1387	4.5(3e)
UCSB VIC 1457	5.2(3f)
UCSB VIC 1455	5.2(3f)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.3f.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(3f)
BIOS	B480M5.4.3.2a.0.0614230221
Board_Controller	20.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3e)
UCSB VIC 1380	4.5(3e)
UCSB VIC 1440	5.2(3f)
UCS VIC 1480 MEZZ	5.2(3f)
UCSB VIC 1495	5.2(3f)
UCSB VIC 1497	5.2(3f)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)

Component	Packaged Version
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3e)
UCSB VIC 1387	4.5(3e)
UCSB VIC 1457	5.2(3f)
UCSB VIC 1455	5.2(3f)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(3d)

4.2(3d)

B-Series server firmware bundle 4.2(3d) contains the following images:

ucs-b200m5-huu-4.2.3d.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.0-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.0-0156
CIMC	4.2(3d)
BIOS	B200M5.4.2.3c.0.0129230927
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.0
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446

Component	Packaged Version
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3d)
UCSB VIC 1380	4.5(3d)
UCSB VIC 1440	5.2(3e)
UCS VIC 1480 MEZZ	5.2(3e)
UCSB VIC 1495	5.2(3e)
UCSB VIC 1497	5.2(3e)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3d)
UCSB VIC 1387	4.5(3d)
UCSB VIC 1457	5.2(3e)
UCSB VIC 1455	5.2(3e)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.3d.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A

Component	Packaged Version
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156
CIMC	4.2(3d)
BIOS	B200M6.4.2.3c.0.0420230316
Board_Controller	20.0
UCSB-ML-V5Q10G	5.2(3e)
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(3e)
UCS VIC 1480 MEZZ	5.2(3e)
UCSB VIC 1495	5.2(3e)
UCSB VIC 1497	5.2(3e)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3d)
UCSB VIC 1387	4.5(3d)
UCSB VIC 1457	5.2(3e)
UCSB VIC 1455	5.2(3e)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.3d.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(3d)
BIOS	B480M5.4.2.3c.0.129230927
Board_Controller	19.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3d)
UCSB VIC 1380	4.5(3d)
UCSB VIC 1440	5.2(3e)
UCS VIC 1480 MEZZ	5.2(3e)
UCSB VIC 1495	5.2(3e)
UCSB VIC 1497	5.2(3e)
UCSB VIC 1225	4.4(1j)

Component	Packaged Version
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3d)
UCSB VIC 1387	4.5(3d)
UCSB VIC 1457	5.2(3d)
UCSB VIC 1455	5.2(3e)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series M6 Server Firmware Bundle for 5.1(0.230069)

B-Series M6 server firmware bundle 5.1.0.230069 contains the following images:

ucs-b200m6-huu-5.1.0.230069.iso

Component	Packaged Version
UCSB-RAID12G-M6 (Cisco FlexStorage 12G SAS RAID Controller)	24.21.1-0156
CIMC	5.1(0.230069)
BIOS	B200M6.4.2.3b.0.0129230927
Board_Controller	20.0
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	02.02.00.1553
Device Connector	1.0.11-2759
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A

Component	Packaged Version
UCSB-NVMEM6W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-ML-V5Q10G	5.3(1.230037)
UCSB VIC 1440	5.3(1.230037)
UCS VIC 1480 MEZZ	5.3(1.230037)
UCSB VIC 1495	5.3(1.230037)
UCSB VIC 1497	5.3(1.230037)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.6(1.230010)
UCSB VIC 1387	4.6(1.230010)
UCSB VIC 1457	5.3(1.230037)
UCSB VIC 1455	5.3(1.230037)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series M5 Server Firmware Bundle for 5.1(0.230073)

B-Series M5 server firmware bundle 5.1.0.230073 contains the following images:

ucs-b200m5-huu-5.1.0.230073.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	5.1(0.230073)

Component	Packaged Version
BIOS	B200M5.4.2.3c.0.0129230927
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
Device Connector	1.0.11-2759
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.6(1.230010)
UCSB VIC 1380	4.6(1.230010)
UCSB VIC 1440	5.3(1.230037)
UCS VIC 1480 MEZZ	5.3(1.230037)
UCSB VIC 1495	5.3(1.230037)
UCSB VIC 1497	5.3(1.230037)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)

Component	Packaged Version
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.6(1.230010)
UCSB VIC 1387	4.6(1.230010)
UCSB VIC 1457	5.3(1.230037)
UCSB VIC 1455	5.3(1.230037)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480-m5-huu-5.1.0.230073.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	5.1(0.230073)
BIOS	B480M5.4.2.3c.0.0129230927
Board_Controller	19.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
Device Connector	1.0.11-2759
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122

Component	Packaged Version
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.6(1.230010)
UCSB VIC 1380	4.6(1.230010)
UCSB VIC 1440	5.3(1.230037)
UCS VIC 1480 MEZZ	5.3(1.230037)
UCSB VIC 1495	5.3(1.230037)
UCSB VIC 1497	5.3(1.230037)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.6(1.230010)
UCSB VIC 1387	4.6(1.230010)
UCSB VIC 1457	5.3(1.230037)
UCSB VIC 1455	5.3(1.230037)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series M6 Server Firmware Bundle for 5.1(0.230052)

B-Series server firmware bundle 5.1.0.230052 contains the following images:

ucs-b200m6-huu-5.1.0.230052.iso

Component	Packaged Version
UCSB-RAID12G-M6 (Cisco FlexStorage 12G SAS RAID Controller)	24.21.1-0156
CIMC	5.1(0.230052)
BIOS	B200M6.4.2.3b.0.0129230927

Component	Packaged Version
Board_Controller	20.0
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	02.02.00.1553
Device Connector	1.0.11-2611
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-ML-V5Q10G	5.3(1.230031)
UCSB VIC 1440	5.3(1.230031)
UCS VIC 1480 MEZZ	5.3(1.230031)
UCSB VIC 1495	5.3(1.230031)
UCSB VIC 1497	5.3(1.230031)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.6(1.230008)
UCSB VIC 1387	4.6(1.230008)
UCSB VIC 1457	5.3(1.230031)
UCSB VIC 1455	5.3(1.230031)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series M5 Server Firmware Bundle for 5.1(0.230054)

B-Series server firmware bundle 5.1.0.230054 contains the following images:

ucs-b200m5-huu-5.1.0.230054.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	5.1(0.230054)
BIOS	B200M5.4.2.3c.0.0129230927
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
Device Connector	1.0.11-2611
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.6(1.230008)
UCSB VIC 1380	4.6(1.230008)
UCSB VIC 1440	5.3(1.230031)
UCS VIC 1480 MEZZ	5.3(1.230031)

Component	Packaged Version
UCSB VIC 1495	5.3(1.230031)
UCSB VIC 1497	5.3(1.230031)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.6(1.230008)
UCSB VIC 1387	4.6(1.230008)
UCSB VIC 1457	5.3(1.230031)
UCSB VIC 1455	5.3(1.230031)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480-m5-huu-5.1.0.230054.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	5.1(0.230054)
BIOS	B480M5.4.2.3c.0.0129230927
Board_Controller	19.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01

Component	Packaged Version
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
Device Connector	1.0.11-2611
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.6(1.230008)
UCSB VIC 1380	4.6(1.230008)
UCSB VIC 1440	5.3(1.230031)
UCS VIC 1480 MEZZ	5.3(1.230031)
UCSB VIC 1495	5.3(1.230031)
UCSB VIC 1497	5.3(1.230031)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.6(1.230008)
UCSB VIC 1387	4.6(1.230008)

Component	Packaged Version
UCSB VIC 1457	5.3(1.230031)
UCSB VIC 1455	5.3(1.230031)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(3b)

4.2(3b)

B-Series server firmware bundle 4.2(3b) contains the following images:

ucs-b200m5-huu-4.2.3b.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(3b)
BIOS	B200M5.4.2.3b.0.1016222220
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122

Component	Packaged Version
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3b)
UCSB VIC 1380	4.5(3b)
UCSB VIC 1440	5.2(3c)
UCS VIC 1480 MEZZ	5.2(3c)
UCSB VIC 1495	5.2(3c)
UCSB VIC 1497	5.2(3c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3b)
UCSB VIC 1387	4.5(3b)
UCSB VIC 1457	5.2(3c)
UCSB VIC 1455	5.2(3c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.3b.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156
CIMC	4.2(3b)
BIOS	B200M6.4.2.3a.0.1029220536

Component	Packaged Version
Board_Controller	20.0
UCSB-ML-V5Q10G	5.2(3c)
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(3c)
UCS VIC 1480 MEZZ	5.2(3c)
UCSB VIC 1495	5.2(3c)
UCSB VIC 1497	5.2(3c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(3b)
UCSB VIC 1387	4.5(3b)
UCSB VIC 1457	5.2(3c)
UCSB VIC 1455	5.2(3c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.3b.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(3b)

Component	Packaged Version
BIOS	B480M5.4.2.3b.0.1016222226
Board_Controller	19.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(3b)
UCSB VIC 1380	4.5(3b)
UCSB VIC 1440	5.2(3c)
UCS VIC 1480 MEZZ	5.2(3c)
UCSB VIC 1495	5.2(3c)
UCSB VIC 1497	5.2(3c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)

Component	Packaged Version
UCSB VIC 1385	4.5(3b)
UCSB VIC 1387	4.5(3b)
UCSB VIC 1457	5.2(3c)
UCSB VIC 1455	5.2(3c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(2e)

B-Series server firmware bundle 4.2(2e) contains the following images:

ucs-b200m5-huu-4.2.2e.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(2e)
BIOS	B200M5.4.2.2d.0.0808221350
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122

Component	Packaged Version
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(2d)
UCSB VIC 1380	4.5(2d)
UCSB VIC 1440	5.2(2e)
UCS VIC 1480 MEZZ	5.2(2e)
UCSB VIC 1495	5.2(2e)
UCSB VIC 1497	5.2(2e)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2d)
UCSB VIC 1387	4.5(2d)
UCSB VIC 1457	5.2(2e)
UCSB VIC 1455	5.2(2e)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.2e.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156
CIMC	4.2(2e)

Component	Packaged Version
BIOS	B200M6.4.2.2f.0.0806222232
Board_Controller	20.0
UCSB-ML-V5Q10G	5.2(2e)
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(2e)
UCS VIC 1480 MEZZ	5.2(2e)
UCSB VIC 1495	5.2(2e)
UCSB VIC 1497	5.2(2e)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2d)
UCSB VIC 1387	4.5(2d)
UCSB VIC 1457	5.2(2e)
UCSB VIC 1455	5.2(2e)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.2e.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156

Component	Packaged Version
CIMC	4.2(2e)
BIOS	B480M5.4.2.2d.0.0808221351
Board_Controller	19.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(2d)
UCSB VIC 1380	4.5(2d)
UCSB VIC 1440	5.2(2e)
UCS VIC 1480 MEZZ	5.2(2e)
UCSB VIC 1495	5.2(2e)
UCSB VIC 1497	5.2(2e)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)

Component	Packaged Version
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2d)
UCSB VIC 1387	4.5(2d)
UCSB VIC 1457	5.2(2e)
UCSB VIC 1455	5.2(2e)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(2d)

B-Series server firmware bundle 4.2(2d) contains the following images:

ucs-b200m5-huu-4.2.2d.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(2d)
BIOS	B200M5.4.2.2d.0.0808221350
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122

Component	Packaged Version
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(2c)
UCSB VIC 1380	4.5(2c)
UCSB VIC 1440	5.2(2d)
UCS VIC 1480 MEZZ	5.2(2d)
UCSB VIC 1495	5.2(2d)
UCSB VIC 1497	5.2(2d)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2c)
UCSB VIC 1387	4.5(2c)
UCSB VIC 1457	5.2(2b)
UCSB VIC 1455	5.2(2b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.2d.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156

Component	Packaged Version
CIMC	4.2(2d)
BIOS	B200M6.4.2.2f.0.0806222232
Board_Controller	19.0
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(2d)
UCS VIC 1480 MEZZ	5.2(2d)
UCSB VIC 1495	5.2(2d)
UCSB VIC 1497	5.2(2d)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2c)
UCSB VIC 1387	4.5(2c)
UCSB VIC 1457	5.2(2d)
UCSB VIC 1455	5.2(2d)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.2d.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156

Component	Packaged Version
CIMC	4.2(2d)
BIOS	B480M5.4.2.2d.0.0808221351
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1340	4.5(2c)
UCSB VIC 1380	4.5(2c)
UCSB VIC 1440	5.2(2d)
UCS VIC 1480 MEZZ	5.2(2d)
UCSB VIC 1495	5.2(2d)
UCSB VIC 1497	5.2(2d)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)

Component	Packaged Version
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2c)
UCSB VIC 1387	4.5(2c)
UCSB VIC 1457	5.2(2d)
UCSB VIC 1455	5.2(2d)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(2b)

B-Series server firmware bundle 4.2(2b) contains the following images:

ucs-b200m5-huu-4.2.2b.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(2b)
BIOS	B200M5.4.2.2b.0.0613220203
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122

Component	Packaged Version
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1440	5.2(2b)
UCS VIC 1480 MEZZ	5.2(2b)
UCSB VIC 1495	5.2(2b)
UCSB VIC 1497	5.2(2b)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2b)
UCSB VIC 1387	4.5(2b)
UCSB VIC 1457	5.2(2b)
UCSB VIC 1455	5.2(2b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.2b.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156
CIMC	4.2(2b)
BIOS	B200M6.4.2.2d.0.0610220138

Component	Packaged Version
Board_Controller	18.0
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(2b)
UCS VIC 1480 MEZZ	5.2(2b)
UCSB VIC 1495	5.2(2b)
UCSB VIC 1497	5.2(2b)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2b)
UCSB VIC 1387	4.5(2b)
UCSB VIC 1457	5.2(2b)
UCSB VIC 1455	5.2(2b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.2b.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(2b)
BIOS	B480M5.4.2.2b.0.0613220203

Component	Packaged Version
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1440	5.2(2b)
UCS VIC 1480 MEZZ	5.2(2b)
UCSB VIC 1495	5.2(2b)
UCSB VIC 1497	5.2(2b)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2b)
UCSB VIC 1387	4.5(2b)
UCSB VIC 1457	5.2(2b)

Component	Packaged Version
UCSB VIC 1455	5.2(2b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(2a)

B-Series server firmware bundle 4.2(2a) contains the following images:

ucs-b200m5-huu-4.2.2a

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(2a)
BIOS	B200M5.4.2.2b.0.0613220203
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1440	5.2(2b)

Component	Packaged Version
UCS VIC 1480 MEZZ	5.2(2b)
UCSB VIC 1495	5.2(2b)
UCSB VIC 1497	5.2(2b)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2b)
UCSB VIC 1387	4.5(2b)
UCSB VIC 1457	5.2(2b)
UCSB VIC 1455	5.2(2b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.2a.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0156
CIMC	4.2(2a)
BIOS	B200M6.4.2.2d.0.0610220138
Board_Controller	18.0

Component	Packaged Version
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(2b)
UCS VIC 1480 MEZZ	5.2(2b)
UCSB VIC 1495	5.2(2b)
UCSB VIC 1497	5.2(2b)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2b)
UCSB VIC 1387	4.5(2b)
UCSB VIC 1457	5.2(2b)
UCSB VIC 1455	5.2(2b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.2a.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.21.1-0156
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.21.1-0156
CIMC	4.2(2a)
BIOS	B480M5.4.2.2b.0.0613220203
Board_Controller	18.0

Component	Packaged Version
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5446
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD122
UCSB-NVMEHW-H1600	KNCCD122
UCSB-NVMEHW-H3200	KNCCD122
UCSB-NVMEHW-H6400	KNCCD122
UCSB-NVMEHW-H7680	KNCCD122
UCSB VIC 1440	5.2(2b)
UCS VIC 1480 MEZZ	5.2(2b)
UCSB VIC 1495	5.2(2b)
UCSB VIC 1497	5.2(2b)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(2b)
UCSB VIC 1387	4.5(2b)
UCSB VIC 1457	5.2(2b)
UCSB VIC 1455	5.2(2b)

Component	Packaged Version
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(1h)

B-Series server firmware bundle 4.2(1h) contains the following images:

ucs-b200m5-huu-4.2.1h.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1h)
BIOS	B200M5.4.1.3i.0.0713210713
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)

Component	Packaged Version
UCSB VIC 1495	5.2(1c)
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1c)
UCSB VIC 1387	4.5(1c)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.1h.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0148
CIMC	4.2(1h)
BIOS	B200M6.4.2.1i.0.0503220729
Board_Controller	18.0
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553

Component	Packaged Version
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)
UCSB VIC 1495	5.2(1c)
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1c)
UCSB VIC 1387	4.5(1c)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.1h.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1h)
BIOS	B480M5.4.1.3i.0.0713210713
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01

Component	Packaged Version
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)
UCSB VIC 1495	5.2(1c)
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1c)
UCSB VIC 1387	4.5(1c)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(1f)

B-Series server firmware bundle 4.2(1f) contains the following images:

ucs-b200m5-huu-4.2.1f.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1f)
BIOS	B200M5.4.1.3i.0.0713210713
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)
UCSB VIC 1495	5.2(1c)
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)

Component	Packaged Version
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1c)
UCSB VIC 1387	4.5(1c)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.1f.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0148
CIMC	4.2(1f)
BIOS	B200M6.4.2.1i.0.0503220729
Board_Controller	18.0
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)
UCSB VIC 1495	5.2(1c)

Component	Packaged Version
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1c)
UCSB VIC 1387	4.5(1c)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.1f.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1f)
BIOS	B480M5.4.1.3i.0.0713210713
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444

Component	Packaged Version
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)
UCSB VIC 1495	5.2(1c)
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1b)
UCSB VIC 1387	4.5(1b)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(1e)

B-Series server firmware bundle 4.2(1e) contains the following images:

ucs-b200m5-huu-4.2.1e.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1e)
BIOS	B200M5.4.1.3i.0.0713210713
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)
UCSB VIC 1495	5.2(1c)
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0

Component	Packaged Version
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1b)
UCSB VIC 1387	4.5(1b)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.1e.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0148
CIMC	4.2(1e)
BIOS	B200M6.4.2.1g.0.1121212157
Board_Controller	17.0
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256B (ES2)) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)
UCSB VIC 1495	5.2(1c)
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)

Component	Packaged Version
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1b)
UCSB VIC 1387	4.5(1b)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.1e.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1e)
BIOS	B480M5.4.1.3i.0.0713210713
Board_Controller	18.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111

Component	Packaged Version
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1c)
UCS VIC 1480 MEZZ	5.2(1c)
UCSB VIC 1495	5.2(1c)
UCSB VIC 1497	5.2(1c)
UCSB VIC 1225	4.4(1j)
UCSB VIC 1225T	4.4(1j)
UCSB VIC 1285	4.4(1j)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1j)
UCSB VIC 1227T	4.4(1j)
UCSB VIC 1385	4.5(1b)
UCSB VIC 1387	4.5(1b)
UCSB VIC 1457	5.2(1c)
UCSB VIC 1455	5.2(1c)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(1c)

B-Series server firmware bundle 4.2(1c) contains the following images:

ucs-b200m5-huu-4.2.1c.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456

Component	Packaged Version
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1c)
BIOS	B200M5.4.1.3i.0.0713210713
Board_Controller	16.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1b)
UCS VIC 1480 MEZZ	5.2(1b)
UCSB VIC 1495	5.2(1b)
UCSB VIC 1497	5.2(1b)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)

Component	Packaged Version
UCSB VIC 1385	4.5(1a)
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1b)
UCSB VIC 1455	5.2(1b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.1c.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0148
CIMC	4.2(1c)
BIOS	B200M6.4.2.1f.0.0916212235
Board_Controller	14.0
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(1b)
UCS VIC 1480 MEZZ	5.2(1b)
UCSB VIC 1495	5.2(1b)
UCSB VIC 1497	5.2(1b)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)
UCSB VIC 1285	1.0

Component	Packaged Version
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)
UCSB VIC 1385	4.5(1a)
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1b)
UCSB VIC 1455	5.2(1b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.1c.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1c)
BIOS	B480M5.4.1.3i.0.0713210713
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111

Component	Packaged Version
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1b)
UCS VIC 1480 MEZZ	5.2(1b)
UCSB VIC 1495	5.2(1b)
UCSB VIC 1497	5.2(1b)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)
UCSB VIC 1385	4.5(1a)
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1b)
UCSB VIC 1455	5.2(1b)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(1b)

B-Series server firmware bundle 4.2(1b) contains the following images:

ucs-b200m5-huu-4.2.1b.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1b)
BIOS	B200M5.4.1.3i.0.0713210713

Component	Packaged Version
Board_Controller	16.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1a)
UCS VIC 1480 MEZZ	5.2(1a)
UCSB VIC 1495	5.2(1a)
UCSB VIC 1497	5.2(1a)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)
UCSB VIC 1385	4.5(1a)
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1a)

Component	Packaged Version
UCSB VIC 1455	5.2(1a)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.1b.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0148
CIMC	4.2(1b)
BIOS	B200M6.4.2.1d.0.0730210924
Board_Controller	12.0
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(1a)
UCS VIC 1480 MEZZ	5.2(1a)
UCSB VIC 1495	5.2(1a)
UCSB VIC 1497	5.2(1a)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)
UCSB VIC 1385	4.5(1a)

Component	Packaged Version
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1a)
UCSB VIC 1455	5.2(1a)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.1b.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1b)
BIOS	B480M5.4.1.3i.0.0713210713
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1a)

Component	Packaged Version
UCS VIC 1480 MEZZ	5.2(1a)
UCSB VIC 1495	5.2(1a)
UCSB VIC 1497	5.2(1a)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)
UCSB VIC 1385	4.5(1a)
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1a)
UCSB VIC 1455	5.2(1a)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

B-Series Server Firmware Bundle for 4.2(1a)

B-Series server firmware bundle 4.2(1a) contains the following images:

ucs-b200m5-huu-4.2.1a.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1a)
BIOS	B200M5.4.1.3f.0.0502211359
Board_Controller	16.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01

Component	Packaged Version
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1a)
UCS VIC 1480 MEZZ	5.2(1a)
UCSB VIC 1495	5.2(1a)
UCSB VIC 1497	5.2(1a)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)
UCSB VIC 1385	4.5(1a)
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1a)
UCSB VIC 1455	5.2(1a)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b200m6-huu-4.2.1a.iso

Component	Packaged Version
UCSB-NVMEM6-W1920	R121000A
UCSB-NVMEM6-W3800	R121000A
UCSB-NVMEM6-W800	R121000A
UCSB-NVMEM6-W6400	R121000A
UCSB-RAID12G-M6	24.21.0-0148
CIMC	4.2(1a)
BIOS	B200M6.4.2.1c.0.0526211819
Board_Controller	11.0
DIMM (Intel Optane PMem 200 series 128GB) (Intel Optane PMem 200 series 256GB) (Intel Optane PMem 200 series 512GB)	02.02.00.1553
UCSB VIC 1440	5.2(1a)
UCS VIC 1480 MEZZ	5.2(1a)
UCSB VIC 1495	5.2(1a)
UCSB VIC 1497	5.2(1a)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)
UCSB VIC 1385	4.5(1a)
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1a)
UCSB VIC 1455	5.2(1a)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014

ucs-b480m5-huu-4.2.1a.iso

Component	Packaged Version
UCSB-MRAID12G (12G SAS/SATA RAID Controller)	24.12.1-0456
UCSB-MRAID12G-HE 12G SAS/SATA RAID Controller w/2GB FBWC	24.12.1-0456
CIMC	4.2(1a)
BIOS	B480M5.4.1.3f.0.0502211335
Board_Controller	17.0
UCSB-GPU-P6	86.04.68.00.01-G418.0200.00.01
DIMM (Intel Optane DC Persistent Memory, 128GB, 2666MHz) (Intel Optane DC Persistent Memory, 256GB, 2666MHz) (Intel Optane DC Persistent Memory, 512GB, 2666MHz)	01.02.00.5444
UCSB-F-H-5607	KNCCD111
UCSB-F-H-32003	KNCCD111
UCSB-NVMEHW-H800	KNCCD111
UCSB-NVMEHW-H1600	KNCCD111
UCSB-NVMEHW-H3200	KNCCD111
UCSB-NVMEHW-H6400	KNCCD111
UCSB-NVMEHW-H7680	KNCCD111
UCSB VIC 1440	5.2(1a)
UCS VIC 1480 MEZZ	5.2(1a)
UCSB VIC 1495	5.2(1a)
UCSB VIC 1497	5.2(1a)
UCSB VIC 1225	4.4(1i)
UCSB VIC 1225T	4.4(1i)
UCSB VIC 1285	4.4(1i)

Component	Packaged Version
UCSB VIC 1285	1.0
UCSB VIC 1227	4.4(1i)
UCSB VIC 1227T	4.4(1i)
UCSB VIC 1385	4.5(1a)
UCSB VIC 1387	4.5(1a)
UCSB VIC 1457	5.2(1a)
UCSB VIC 1455	5.2(1a)
UCS-M2-HWRAID (Cisco Boot optimized M.2 Raid controller)	2.3.17.1014