



Firmware Files for Release 3.1(2)

This chapter includes the following section:

- [Firmware Files for Release 3.1\(2\), on page 1](#)

Firmware Files for Release 3.1(2)

This chapter includes the following section:

- [Firmware Files for Release 3.1\(2i\), on page 1](#)
- [Firmware Files for Release 3.1\(2g\), on page 9](#)
- [Firmware Files for Release 3.1\(2d\), on page 14](#)
- [Firmware Files for Release 3.1\(2c\), on page 21](#)
- [Firmware Files for Release 3.1\(2b\), on page 29](#)

Firmware Files for Release 3.1(2i)

Table 1: Files in ucs-c240m5-huu-3.1.2i.iso

Server	Type	Component	Version
C240 M5		Cisco IMC	3.1(2i)
		BIOS	3.1.2c.0
		SAS Expander	65.02.13.00-65.02.13.00
		UCS VIC 1385	4.2(2b)
		UCS VIC 1387	4.2(2b)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x80000730-1.810.8

	AMD	AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		Cisco(R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)

		Cisco(R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
	LSI		
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.32
		Cisco 12G Modular SAS HBA (max 26 drives)	00.00.00.32
	NVIDIA		
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02
		Nvidia M60 PG402-060	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08
		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
		Nvidia P4 PCIe PG414-200 PASCAL PASSIVE 8GB PCIe Card	86.04.55.00.01-G414.0200.00.03
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100

		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 2: Files in ucs-c220m5-huu-3.1.2i.iso

Server	Type	Component	Version
C220 M5		Cisco IMC	3.1(2i)
		BIOS	3.1.2c.0
		UCS VIC 1385	4.2(2b)
		UCS VIC 1387	4.2(2b)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x8000072F-1.810.8
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27

		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X710 T4 adapter	0x800031CA-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	
		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
	LSI		
		Cisco 12G SAS Modular Raid Controller	24.12.1-0203-3
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726

		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.32
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 3: Files in ucs-c480m5-huu-3.1.2i.iso

Server	Type	Component	Version
C480 M5		Cisco IMC	3.1(2i)
		BIOS	3.1.2c.0
		UCS VIC 1385	4.2(2b)
		SAS-EXPANDER	65.02.13.00-65.02.13.00
	LOM		
		Intel x550 LOM	0x80000732-1.810.8
	AMD		

		AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		LSI	
		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		QLOGIC	
		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)

		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		NVIDIA	
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02
		Nvidia M60 PG402-060	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08
		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100

		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Firmware Files for Release 3.1(2g)

Table 4: Files in ucs-c240m5-huu-3.1.2g.iso

Server	Type	Component	Version
C240 M5		Cisco IMC	3.1(2g)
		BIOS	3.1.2b.0
		SAS Expander	65.02.13.00-65.02.13.00
		UCS VIC 1385	4.2(2b)
		UCS VIC 1387	4.2(2b)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x80000730-1.810.8
	AMD	AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8

		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		Cisco(R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco(R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
	LSI		
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.32
		Cisco 12G Modular SAS HBA (max 26 drives)	00.00.00.32
	NVIDIA		
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02

		Nvidia M60 PG402-060	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08
		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
		Nvidia P4 PCIe PG414-200 PASCAL PASSIVE 8GB PCIe Card	86.04.55.00.01-G414.0200.00.03
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 5: Files in ucs-c220m5-huu-3.1.2g.iso

Server	Type	Component	Version
--------	------	-----------	---------

C220 M5		Cisco IMC	3.1(2g)
		BIOS	3.1.2b.0
		UCS VIC 1385	4.2(2b)
		UCS VIC 1387	4.2(2b)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x8000072F-1.810.8
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X710 T4 adapter	0x800031CA-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	

		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
	LSI		
		Cisco 12G SAS Modular Raid Controller	24.12.1-0203-3
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.32
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100

		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Firmware Files for Release 3.1(2d)**Table 6: Files in ucs-c240m5-huu-3.1.2d.iso**

Server	Type	Component	Version
C240 M5		Cisco IMC	3.1(2d)
		BIOS	3.1.2b.0
		SAS Expander	65.02.13.00-65.02.13.00
		UCS VIC 1385	4.2(2b)
		UCS VIC 1387	4.2(2b)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x80000730-1.810.8
	AMD	AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8

		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		Cisco(R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco(R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
	LSI		
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.32
		Cisco 12G Modular SAS HBA (max 26 drives)	00.00.00.32
	NVIDIA		
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02

		Nvidia M60 PG402-060	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08
		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
		Nvidia P4 PCIe PG414-200 PASCAL PASSIVE 8GB PCIe Card	86.04.55.00.01-G414.0200.00.03
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 7: Files in ucs-c220m5-huu-3.1.2d.iso

Server	Type	Component	Version
--------	------	-----------	---------

C220 M5		Cisco IMC	3.1(2d)
		BIOS	3.1.2b.0
		UCS VIC 1385	4.2(2b)
		UCS VIC 1387	4.2(2b)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x8000072F-1.810.8
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X710 T4 adapter	0x800031CA-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	

		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
	LSI		
		Cisco 12G SAS Modular Raid Controller	24.12.1-0203-3
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.32
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100

		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 8: Files in ucs-c480m5-huu-3.1.2d.iso

Server	Type	Component	Version
C480 M5		Cisco IMC	3.1(2d)
		BIOS	3.1.2b.0
		UCS VIC 1385	4.2(2b)
		SAS-EXPANDER	65.02.13.00-65.02.13.00
	LOM		
		Intel x550 LOM	0x80000732-1.810.8
	AMD		
		AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8

		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		LSI	
		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		QLOGIC	
		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		NVIDIA	
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02
		Nvidia M60 PG402-060	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08
		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
	PCIESSD		

		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Firmware Files for Release 3.1(2c)

Table 9: Files in ucs-c240m5-huu-3.1.2c.iso

Server	Type	Component	Version
C240 M5		Cisco IMC	3.1(2c)
		BIOS	3.1.2b.0
		SAS Expander	65.02.13.00-65.02.13.00
		UCS VIC 1385	4.2(2b)
		UCS VIC 1387	4.2(2b)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x80000730-1.810.8
	AMD	AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102

	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		Cisco(R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco(R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05

	LSI		
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.32
		Cisco 12G Modular SAS HBA (max 26 drives)	00.00.00.32
	NVIDIA		
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02
		Nvidia M60 PG402-060	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08
		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
		Nvidia P4 PCIe PG414-200 PASCAL PASSIVE 8GB PCIe Card	86.04.55.00.01-G414.0200.00.03
	PCIESSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100

		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 10: Files in ucs-c220m5-huu-3.1.2c.iso

Server	Type	Component	Version
C220 M5		Cisco IMC	3.1(2c)
		BIOS	3.1.2b.0
		UCS VIC 1385	4.2(2b)
		UCS VIC 1387	4.2(2b)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x8000072F-1.810.8
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	

		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X710 T4 adapter	0x800031CA-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	
		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
	LSI		
		Cisco 12G SAS Modular Raid Controller	24.12.1-0203-3
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.32
	PCIESSD		

		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 11: Files in ucs-c480m5-huu-3.1.2c.iso

Server	Type	Component	Version
C480 M5		Cisco IMC	3.1(2c)
		BIOS	3.1.2b.0
		UCS VIC 1385	4.2(2b)
		SAS-EXPANDER	65.02.13.00-65.02.13.00
	LOM		
		Intel x550 LOM	0x80000732-1.810.8
	AMD		
		AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102
	PCI Adapters		
		EMULEX	

		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		LSI	
		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		QLOGIC	
		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63

		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		NVIDIA	
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02
		Nvidia M60 PG402-060	F0.47.40.00.C0-84.04.9F.00.13-G402.0060.00.04
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08
		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
	PCIESSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Firmware Files for Release 3.1(2b)**Table 12: Files in ucs-c240m5-huu-3.1.2b.iso**

Server	Type	Component	Version
C240 M5		Cisco IMC	3.1(2b)
		BIOS	3.1.2a.0
		SAS Expander	65.02.13.00-65.02.13.00
		UCS VIC 1385	4.2(2a)
		UCS VIC 1387	4.2(2a)
	LOM		
		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x80000730-1.810.8
	AMD	AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8

		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		Cisco(R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco(R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
	LSI		
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.29
		Cisco 12G Modular SAS HBA (max 26 drives)	00.00.00.29
	NVIDIA		
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08

		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
		Nvidia P4 PCIe PG414-200 PASCAL PASSIVE 8GB PCIe Card	86.04.55.00.01-G414.0200.00.03
	PCISSD		
		HGST SN260 HHL AIC 1.6TB	KNCCP100
		HGST SN260 HHL AIC 3.2TB	KNCCP100
		HGST SN260 HHL AIC 3.8TB	KNCCP100
		HGST SN260 HHL AIC 6.4TB	KNCCP100
		HGST SN260 HHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 13: Files in ucs-c220m5-huu-3.1.2b.iso

Server	Type	Component	Version
C220 M5		Cisco IMC	3.1(2b)
		BIOS	3.1.2a.0
		UCS VIC 1385	4.2(2a)
		UCS VIC 1387	4.2(2a)
	LOM		

		Intel I350 mLOM	0x80000E78-1.810.8
		Intel X550 LOM	0x8000072F-1.810.8
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X710 T4 adapter	0x800031CA-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		QLOGIC	
		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63

		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
	LSI		
		Cisco 12G SAS Modular Raid Controller	24.12.1-0203-3
		Cisco 12G Modular Raid Controller with 2GB cache	50.1.0-0726
		Cisco 12G Modular SAS HBA (max 16 drives)	00.00.00.29
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100
		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100

Table 14: Files in ucs-c480m5-huu-3.1.2b.iso

Server	Type	Component	Version
C480 M5		Cisco IMC	3.1(2b)

		BIOS	3.1.2a.0
		UCS VIC 1385	4.2(2a)
		SAS-EXPANDER	65.02.13.00-65.02.13.00
	LOM		
		Intel x550 LOM	0x80000E78-1.810.8
	AMD		
		AMD FirePro S7150x2	015.049.000.016.007518-113-8747CA-102
	PCI Adapters		
		EMULEX	
		Emulex LPe31002 Dual-Port 16G FC HBA	11.2.156.27
		Emulex LPe32000 Single-port 32G FC HBA	11.2.156.27
		Emulex LPe32002 Dual-port 32G FC HBA	11.2.156.27
		INTEL	
		Intel I350 quad port adapter	0x80000E85-1.810.8
		Intel X520 dual port adapter	0x800008A4-1.810.8
		Intel X550-T2 adapter	0x8000072D-1.810.8
		Intel X710-DA2 adapter	0x80002A3C-1.810.8
		Intel X710-DA4 adapter	0x80002B50-1.810.8
		Intel X710-T4 adapter	0x800031CA-1.810.8
		Intel XL710 adapter	0x80002BC0-1.810.8
		LSI	

		Cisco 12G Modular Raid Controller with 4GB cache	50.1.0-0726
		QLOGIC	
		Cisco (R) FastLinQ QL41212H 25GbE adapter	08.04.22.00.04 (8.21.0.0)
		Cisco (R) FastLinQ QL45412H 40GbE adapter	08.04.23.00.05
		Qlogic QLE2692 16Gb dual Port FC HBA	8.05.44-63
		Qlogic QLE2742 dual-port 32G FC HBA	8.05.44-63
		NVIDIA	
		Nvidia M10 P2405-070	F0.47.4E.00.C0-82.07.AB.00.12-2405.0070.00.02
		Nvidia P100 12GB PH400-202	86.00.41.00.07-H400.0202.00.01
		Nvidia P100 16GB P2H400-201	86.00.41.00.06-H400.0201.00.08
		Nvidia P40 PASCAL PASSIVE 250W FF 3.0 24GB	86.02.23.00.01-G610.0200.00.03
	PCISSD		
		HGST SN260 HHHL AIC 1.6TB	KNCCP100
		HGST SN260 HHHL AIC 3.2TB	KNCCP100
		HGST SN260 HHHL AIC 3.8TB	KNCCP100
		HGST SN260 HHHL AIC 6.4TB	KNCCP100
		HGST SN260 HHHL AIC 7.7TB	KNCCP100

		HGST SN200 1.6TB 2.5 in SSD	KNCCP100
		HGST SN200 3.2TB 2.5 in SSD	KNCCP100
		HGST SN200 6.4TB 2.5 in SSD	KNCCP100
		HGST SN200 7.7TB 2.5 in SSD	KNCCP100
		HGST SN200 800GB 2.5 in SSD	KNCCP100