



Cisco UCS Director Orchestration Guide, Release 6.5

First Published: 2017-07-11

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <http://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2017 Cisco Systems, Inc. All rights reserved.



CONTENTS

Preface

Preface ix

Audience ix

Conventions ix

Related Documentation xi

Documentation Feedback xi

Obtaining Documentation and Submitting a Service Request xi

CHAPTER 1

New and Changed Information 1

New and Changed Information 1

CHAPTER 2

Overview 3

Cisco UCS Director Orchestrator 3

Going Further 3

Common Icons 4

CHAPTER 3

Orchestration Concepts 7

Introduction to UCS Director Orchestration 7

Tasks 8

Workflows 8

Service Requests 8

Input and Output 8

Workflow Validation 10

Workflow Versioning 10

Approvals 10

Rollback 10

Libraries and Catalogs 11

Activities 11

Managing the Workflow Lifecycle 12

CHAPTER 4

Creating Workflows 15

- Viewing the Task Library 15
- The Workflow Designer 16
- Creating a Workflow 17
 - Defining a Workflow 18
 - Defining Workflow Input and Output 19
 - Admin Input Filters 22
 - Configuring a Task in a Workflow 24
 - Connecting a Task to a Workflow 27
 - Validating a Workflow 28
- Example: Creating a Workflow 29
- Resolving Workflow Validation Issues 31
- Changing Flow of Control in Workflows 32
 - Looping in Workflows 32
 - Example: Looping in a Workflow 34
 - Adding an If-Then Branch to a Workflow 36
 - Using Conditional Branching in a Workflow 37
- Creating Approvals 39
- Locking Resources 41
- File Uploads 43
 - Permanently Uploading an Admin-Selected File 44
 - Temporarily Uploading a User-Selected File 45

CHAPTER 5

Executing Workflows 47

- Workflow Execution 47
- Executing a Workflow 48
- Example: Executing a Workflow 48
- Creating a Workflow Trigger 49
- Example: Creating a Trigger to Execute a Workflow 52
- Scheduling a Service Request 54
- Example: Scheduling Workflow Execution 56
- Using VM Action Policies 56

CHAPTER 6**Using Service Requests 59**

Viewing Service Requests 59

Viewing Service Request Input and Output 60

Rolling Back a Service Request 60

Resubmitting a Service Request 61

Approving and Denying Service Requests 62

Deleting Service Requests 63

CHAPTER 7**Managing Workflows 65**

Workflow Editing 65

Renaming Workflows 66

Reordering Inputs 66

Deleting Workflow Inputs 67

Renaming Workflow Inputs 67

Changing Input Optional or Required Status 68

Editing a Task in an Existing Workflow 69

Opening Workflow Designer from a Header Search 71

Deleting a Workflow 72

Deleting Multiple Workflows 72

Exporting and Importing Cisco UCS Director Artifacts 72

Exporting Workflows, Custom Tasks, Script Modules, and Activities 73

Importing Workflows, Custom Tasks, Script Modules, and Activities 74

Workflow Templates 75

Exporting Workflows as Templates 76

Importing a Workflow Template 76

Creating a Workflow from a Template 77

Predefined Templates 77

Workflow Version History 79

Creating a New Version of a Workflow 79

Choosing the Default Version of a Workflow 80

Managing Versions of a Compound Task 81

Cloning a Workflow 83

Saving a Picture of a Workflow 83

CHAPTER 8**Customizing Workflow Components 85**

- Creating a Compound Task 85
 - Example: Creating a Compound Task 86
- Creating Custom Approvals 87
- Creating Custom Inputs 88
- Orchestration Global Variables 89
 - Orchestration Variables 89
 - Input and Output System Variables 90
 - Service Request Global Variables 90
 - Virtual Machine System Variables 90
 - User-Defined Global Variables 91
 - Creating Global Variables 91
 - Cloning Global Variables 91
 - Editing Global Variables 92
 - Deleting Global Variables 93
- VM Annotations 93
- List of VM Macros and VM Annotations 93

CHAPTER 9**Using Activities 97**

- Activities 97
- Creating an Activity 98
- Associating an Activity with a Workflow 99
- Adding an Activity to a Workflow 100
- Importing and Exporting Activities 102
- Deleting an Activity 102

CHAPTER 10**Using Script Modules 103**

- Using Script Modules 103
- Adding Script Modules 104
- Adding Libraries 104
 - Accessing Libraries 105
- Jar Files 106
 - Adding Jar Files 106
- Lists of Values 106

Adding a List of Values	106
Editing a List of Values	108
Deleting a List of Values	109
Tabular Reports	109
Adding a Tabular Report	109
Editing a Tabular Report	112
Deleting a Tabular Report	112
Context Mapping	112
Enabling Metadata	113
Adding a Context Mapping	113
Editing a Context Mapping	116
Deleting a Context Mapping	116
Importing and Exporting Script Modules	116



Preface

- [Audience, page ix](#)
- [Conventions, page ix](#)
- [Related Documentation, page xi](#)
- [Documentation Feedback, page xi](#)
- [Obtaining Documentation and Submitting a Service Request, page xi](#)

Audience

This guide is intended primarily for data center administrators who use Cisco UCS Director and who have responsibilities and expertise in one or more of the following:

- Server administration
- Storage administration
- Network administration
- Network security
- Virtualization and virtual machines

Conventions

Text Type	Indication
GUI elements	GUI elements such as tab titles, area names, and field labels appear in this font . Main titles such as window, dialog box, and wizard titles appear in this font .
Document titles	Document titles appear in <i>this font</i> .
TUI elements	In a Text-based User Interface, text the system displays appears in <code>this font</code> .

Text Type	Indication
System output	Terminal sessions and information that the system displays appear in <i>this font</i> .
CLI commands	CLI command keywords appear in this font . Variables in a CLI command appear in <i>this font</i> .
[]	Elements in square brackets are optional.
{x y z}	Required alternative keywords are grouped in braces and separated by vertical bars.
[x y z]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A nonquoted set of characters. Do not use quotation marks around the string or the string will include the quotation marks.
< >	Nonprinting characters such as passwords are in angle brackets.
[]	Default responses to system prompts are in square brackets.
!, #	An exclamation point (!) or a pound sign (#) at the beginning of a line of code indicates a comment line.

**Note**

Means *reader take note*. Notes contain helpful suggestions or references to material not covered in the document.

**Caution**

Means *reader be careful*. In this situation, you might perform an action that could result in equipment damage or loss of data.

**Tip**

Means *the following information will help you solve a problem*. The tips information might not be troubleshooting or even an action, but could be useful information, similar to a Timesaver.

**Timesaver**

Means *the described action saves time*. You can save time by performing the action described in the paragraph.

**Warning****IMPORTANT SAFETY INSTRUCTIONS**

This warning symbol means danger. You are in a situation that could cause bodily injury. Before you work on any equipment, be aware of the hazards involved with electrical circuitry and be familiar with standard practices for preventing accidents. Use the statement number provided at the end of each warning to locate its translation in the translated safety warnings that accompanied this device.

SAVE THESE INSTRUCTIONS

Related Documentation

Cisco UCS Director Documentation Roadmap

For a complete list of Cisco UCS Director documentation, see the *Cisco UCS Director Documentation Roadmap* available at the following URL: http://www.cisco.com/en/US/docs/unified_computing/ucs/ucs-director/doc-roadmap/b_UCSDirectorDocRoadmap.html.

Cisco UCS Documentation Roadmaps

For a complete list of all B-Series documentation, see the *Cisco UCS B-Series Servers Documentation Roadmap* available at the following URL: <http://www.cisco.com/go/unifiedcomputing/b-series-doc>.

For a complete list of all C-Series documentation, see the *Cisco UCS C-Series Servers Documentation Roadmap* available at the following URL: <http://www.cisco.com/go/unifiedcomputing/c-series-doc>.

**Note**

The *Cisco UCS B-Series Servers Documentation Roadmap* includes links to documentation for Cisco UCS Manager and Cisco UCS Central. The *Cisco UCS C-Series Servers Documentation Roadmap* includes links to documentation for Cisco Integrated Management Controller.

Documentation Feedback

To provide technical feedback on this document, or to report an error or omission, please send your comments to ucs-director-docfeedback@cisco.com. We appreciate your feedback.

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see [What's New in Cisco Product Documentation](#).

To receive new and revised Cisco technical content directly to your desktop, you can subscribe to the [What's New in Cisco Product Documentation RSS feed](#). RSS feeds are a free service.



New and Changed Information

This chapter contains the following sections:

- [New and Changed Information, page 1](#)

New and Changed Information

The following table provides an overview of the significant changes to this guide for this current release. The table does not provide an exhaustive list of all changes made to this guide or of all new features in this release.

New and Changed Information for Release 6.5

Feature	Description	Where Documented
Schedule multiple instances of the same workflow.	You can schedule the same workflow to execute multiple times. Previously, only one schedule could exist per workflow.	Scheduling a Service Request, on page 54
Upload files.	You can upload files to the Cisco UCS Director appliance using a workflow task with a special input type, <i>fileUpload</i> .	File Uploads, on page 43
Define global variables.	You can define global variables for use in Orchestration task inputs.	User-Defined Global Variables, on page 91

Feature	Description	Where Documented
New Workflow Designer features.	<p>Several new features make navigating in the Workflow Designer easier:</p> <ul style="list-style-type: none"> • - Zoom controls to reduce and enlarge your view of the workflow • - A Fit to Window action that scales the workflow to your screen with a single click • - A Navigator to pan the view window within the work area <p>The Workflow Designer now also displays counts of conditional, custom, and total tasks.</p>	The Workflow Designer, on page 16
Header-based search for workflows.	You can search for and open a workflow from anywhere in Cisco UCS Director.	Opening Workflow Designer from a Header Search, on page 71
Resource locking	You can lock and unlock resources in a workflow using special tasks that acquire and release named semaphores.	Locking Resources, on page 41



Overview

This chapter contains the following sections:

- [Cisco UCS Director Orchestrator](#), page 3
- [Going Further](#), page 3
- [Common Icons](#), page 4

Cisco UCS Director Orchestrator

The Cisco UCS Director Orchestrator (also called the Cisco UCS Director Orchestration Engine, or just Orchestration) enables IT administrators to automate cloud deployment and provisioning and to standardize IT services.

At the scale of cloud computing, manually performing actions such as creating VMs and provisioning networks is prohibitively time-consuming. In Cisco UCS Director, these actions, or *tasks*, are executable elements that can be run from the GUI. Cisco UCS Director Orchestrator further automates these complex tasks by organizing them into *workflows*.

Orchestrator works by executing a series of scripted actions called *tasks*. Each task performs one action. By connecting tasks so that the input of one task is the output of a previous task, you build up a *workflow* to automate administrative processes such as creating VMs, provisioning bare metal servers, setting up storage, compute, and network resources, and many others.

Going Further












The following documentation describes how to go further with Cisco UCS Director Orchestrator by using advanced scripting capabilities not covered in this basic guide to Orchestration.








- For a description of scripting technologies available in Cisco UCS Director and help choosing the right solution for your application, see the [Cisco UCS Director API Customization and Integration Guide](#).
- For an introduction to developing custom tasks, see the [Cisco UCS Director Custom Task Getting Started Guide](#).
- For examples of scripts that can be used to customize tasks, see the [Cisco UCS Director CloupiasScript Cookbook](#).

For more information about installing, configuring, and administering Cisco UCS Director, see the guides available at the [Cisco UCS Director Product Support Home website](#).

Common Icons

The following table provides information about the common icons used in the user interface. You can see the name of an icon when you hover over it with your mouse. Some icons may have a different name, depending upon the context in which they're used.

Icon	Name	Description
	Search	Search is available on the header and on individual screens. Click Search on the header to find a report in the user interface. Click Search on an individual screen to find one or more items in the report.
	Alert	Alert is available on the header. Click Alert to view your diagnostic system messages.
	User	User is available on the header. Click User to access your profile, log out, or access the classic view of the user interface.
	Export	Export is available on individual screens. Click Export to export the content of the report that is visible on the screen.
	Import	Import is available on individual screens. Click Import to import a file.
	Refresh	Refresh is available on individual screens. Click Refresh to refresh the data that is visible on the screen.
	View Details	View Details is available on individual screens. Click View Details to see details about the selected row in the table.
	Table View	Table view is available for your application containers and catalogs. Click Table View to view your application containers or catalogs in a table with details about each application container or catalog displayed.
	Tile View	Tile view is available for your catalogs and application containers. Tile View to view your catalogs and application containers in a tiled view of icons. With this view, you must click on an icon to see details about that catalog item or application container.
	Create	Create is available on individual screens. Click Create to create a new object, such as a VM disk.
	Add	Add is available on individual screens. Click Add to add an item to an existing object, such as adding a catalog item to an existing catalog folder. The name of this icon may also include the item that you want to add, such as Add Catalog .

Icon	Name	Description
	Expand a list of values	<p>Lists of values are available in forms when you must select one (single select) or more (multi select) items, for example IP addresses or VMs.</p> <p>Tip A <i>multi-select</i> list displays a check box in the upper left corner of the table next to the first column label. Click this check box to select all items in the table.</p> <p>The item label appears to the right of the Expand icon. Click the Expand icon to display the list, then select an item or items.</p> <p>Once an item is selected, its value appears in parentheses to the right of the Expand icon and label.</p>
	Collapse a list of values	Once a list of values is expanded, the Expand icon changes to a Collapse icon. Click the Collapse icon to hide the list of values, for example to see what is beneath the list.
	Edit	Edit is available on individual screens. Click Edit to modify an existing object, such as a catalog item or a VM disk.
	Delete	Delete is available on individual screens. Click Delete to delete an object, such as a catalog item or a VM disk.
	Custom Actions	This icon represents additional tasks that do not have an associated icon. It also represents the default icon available in the user interface.
	Favorites	Adds a page to the Favorites menu. You can use this option to view frequently accessed pages more quickly.
	Filter	Provides filtering parameters on the page.



Orchestration Concepts

This chapter contains the following sections:

- [Introduction to UCS Director Orchestration, page 7](#)
- [Tasks, page 8](#)
- [Workflows, page 8](#)
- [Service Requests, page 8](#)
- [Input and Output, page 8](#)
- [Workflow Validation, page 10](#)
- [Workflow Versioning, page 10](#)
- [Approvals, page 10](#)
- [Rollback, page 10](#)
- [Libraries and Catalogs, page 11](#)
- [Activities, page 11](#)
- [Managing the Workflow Lifecycle, page 12](#)

Introduction to UCS Director Orchestration

The concepts described in this chapter are essential to understanding and using Cisco UCS Director Orchestrator. Even if you are familiar with orchestration in general, review this chapter for concepts specific to Cisco UCS Director.

We recommend that you become familiar with the functionality available in Cisco UCS Director before using Cisco UCS Director Orchestrator. If you are unfamiliar with Cisco UCS Director, a thorough introduction is available in the *Cisco UCS Director Fundamentals Guide*.

Tasks

A task is the atomic unit of work in Cisco UCS Director Orchestrator. A task is a single action or operation with inputs and outputs (except in rare cases where the task operation does not require inputs or outputs). A task cannot be decomposed into smaller operations (exception: a compound task is made up of atomic tasks; see [Creating a Compound Task, on page 85](#). But for now, think of a task as an indivisible unit of orchestration work).

Cisco UCS Director has a task library containing hundreds of predefined tasks that cover most of the actions an administrator must perform using Orchestration. In cases where there is no suitable predefined task, you can create custom tasks; see the [Cisco UCS Director Custom Task Getting Started Guide](#).

Some examples of predefined tasks are:

- SSH Command task - Execute a command in a secure shell (SSH) session.
- Collect Inventory Task - Gathers information about available devices.
- Create New User - Add a user to the system.
- New VM Provision - Create a new VM (hypervisor-specific).

Workflows

A workflow is a series of tasks arranged to automate a complex operation. The simplest possible workflow contains a single task, but workflows can contain any number of tasks.

Workflows are the heart of the Cisco UCS Director Orchestrator; they enable you to automate processes of any level of complexity on your physical and virtual infrastructure.

You build workflows using the **Workflow Designer**, a drag-and-drop interface. In the **Workflow Designer**, you arrange tasks in sequence and define inputs and outputs to those tasks. Outputs from earlier tasks are available to use as inputs to any subsequent task.

Looping and conditional branching can be implemented using special flow-of-control tasks.

Service Requests

Service Requests are closely related to workflows. You create service requests by running workflows; a service request is generated every time you execute a workflow in Cisco UCS Director. A service request is a process under the control of Cisco UCS Director.

You can schedule a workflow for later execution, and Cisco UCS Director stores details of completed service requests. Thus a service request can have one of several states depending on its execution status: it can be scheduled, running, blocked (for example, awaiting an approval; see [Approvals, on page 10](#)), completed, or failed (a service request can fail when one of its component tasks fails to execute properly; see [Rollback, on page 10](#) and [Resubmitting a Service Request, on page 61](#)).

Input and Output

Both tasks and workflows can have any number of input and output variables (*inputs* and *outputs*).

Any task or workflow input can be either mandatory or optional. A task or workflow cannot run without all of its mandatory inputs. You define whether an input is mandatory or optional when you create the task or workflow.

Input and Output Types

There are many input types defined in Cisco UCS Director representing a broad selection of categorical, numeric, and text parameters. For example, some existing data types are:

- Generic Text Input (the least restricted input type)
- IPv4 Address
- OS Type
- Memory Size Selector

You choose existing input types from a list that displays a name, type, and category for each variable. The list can be filtered to make finding a given data type manageable.

If none of the existing data types serves your need in a particular application, it is possible to create custom data types by defining restrictions on existing data types.

Connecting Inputs and Outputs

When you construct workflows, you connect an output of one task to the input of another task. For example, consider the following two tasks:

- 1 A *Create User* task that produces a *user ID* as an output.
- 2 An *Add User to Group* task that takes a *group ID* and a *user ID* as input.

In this instance, you would position Task 1 before Task 2, feeding the *user ID* output of Task 1 to the *user ID* input of Task 2.

A workflow's inputs and outputs connect to the inputs and outputs of one or more of its tasks.

User and Administrator Inputs

Administrator inputs (*admin inputs*) are default values specified at the time a workflow is defined. When defining the workflow the administrator can also allow users to override a default value.

Workflow *user inputs* are inputs with values specified by a human user at runtime. User inputs can have default values. A user has the option of accepting a default input or overriding it. If the input is mandatory and no default value is specified, the user must input a value.

Instead of dictating a specific input value, an administrator can place restrictions on a user input value when creating a workflow. For example, an admin can restrict the values of an IP address input to a certain range. In this case the IP address is still a user input, but with a restricted range of allowable values.

Some workflows must have admin inputs defined for all of their mandatory inputs. This is the case when workflows are run without human intervention—For example, when a system is configured to run a scheduled workflow at a specific time.

Workflow Validation

Orchestrator provides a mechanism for validating the flow of data from one task to the next in a workflow. Workflow validation checks the data bindings and connections between tasks. Some common issues detected during validation are:

- Missing mandatory values—A required value is not supplied to a task.
- Mapping mismatch—A connected task input/output pair do not have the same data type.
- Missing inputs—This can happen especially after an import or upgrade.
- Task handler not found—An underlying class required to run the task is missing. This message appears if you try to use an unlicensed feature, or if you try to validate a workflow template.

Orchestrator supplies a wizard-based issue resolver. When you validate a workflow, the wizard presents a list of issues along with suggestions for fixing those issues. Some issues require additional information or input from you. Other issues are quick fixes that are resolved for you.

Workflow Versioning

All Orchestrator workflows have a version history. With the version history, you can revert a workflow to an earlier version or create a new version.

The *default* version of a workflow is the one that appears on the **Workflows** page. You can set any version in the workflow's history to be the default workflow. When you modify a workflow, you modify only the default version; other versions are unchanged.

Workflows are deleted on a version basis. That is, you can delete one or more versions of a workflow without affecting the remaining versions.

Approvals

An approval is a "gate" task that requires the intervention of a Cisco UCS Director user to allow a workflow to run to completion. This user is typically an administrator who has go-or-no-go authority over the workflow process. See [Approving and Denying Service Requests](#), on page 62.

You can create *custom approvals* that allow users to enter input values when they approve a workflow. For example, you can create a custom approval to enable an IT administrator to approve provisioning of a VM, then specify the memory size of the VM before the workflow creates the VM. See [Creating Custom Approvals](#), on page 87.

Rollback

Workflows can be "rolled back" to a state identical or similar to the state before the workflow was executed. You can do this, for example, to remove virtual components that were created in error.

The term "rollback" often implies that a process is transactional, especially in systems using relational technology. However, it is important to know that workflows are *not* transactional in a relational database sense. Instead, rollbacks work like this:

- Each task consists of two scripts. One script performs the work that the task was designed for. The other is a rollback script designed to "undo" the task. For example, if a task creates a VM, the rollback script deletes the VM.
- When you run a workflow, the scripts of the tasks in that workflow are executed in the order indicated by the workflow.
- When you roll back a workflow, the task rollback scripts are run in the reverse of the order they are run during normal workflow execution.
- A request to roll back a workflow creates a new service request, unconnected to the original service request.
- State information can be saved and used to roll back a task. For example, if you run a task to resize a VM, the pretask size can be saved to enable a rollback. This state persistence is a feature of the API that is used to write tasks; see the *Cisco UCS Director Custom Task* documentation for details.
- Tasks are atomic; workflows are not. You can roll back a workflow starting with any task in the workflow, but you cannot partially roll back a task.
- It is possible for a workflow to partially succeed; that is, for some but not all of its tasks to execute. Similarly, it is possible for a rollback to completely or partially fail; that is, that some or all of the rollback scripts could fail to execute.
- It is possible for a task to be written with a defective rollback script, or without a rollback script altogether. (Omitting the rollback script is not recommended.)

See [Rolling Back a Service Request](#), on page 60 for instructions on how to roll back a workflow.

Libraries and Catalogs

Libraries and catalogs are collections of predefined tasks and workflows, respectively, from which you can build workflows specific to your needs. For example, you can:

- Copy a predefined workflow that performs a process you require and modify it with parameters particular to your installation.
- Copy a predefined workflow that performs a process similar but not identical to your needs and modify it by adding, modifying, or removing tasks.
- Build a workflow to suit your unique needs entirely from predefined tasks.

Activities

An activity is a placeholder for a type of workflow—A kind of generic front-end that abstracts workflows from their implementation details. You can create an activity for a generic task then associate one or more workflows with the activity to actually perform the required work.

For example, consider a situation in which you need to create two different types of datastore—Say a NetApp datastore and an EMC datastore. You can define one activity called "Create Datastore," then associate both workflows with it. The activity matches input conditions at runtime to determine which storage type is being used, and then run the correct workflow.

In addition, an activity can be used as a workflow task, providing more flexibility to perform context-dependent activities within workflows.

Activities are described in [Activities, on page 97](#).

Managing the Workflow Lifecycle

Workflow management consists of the organization, storing, updating, creation, and deletion of catalogs of workflows. Cisco UCS Director provides a complete set of actions to enable workflow management.

Operations used to manage workflows are described in the following table, with references to their respective task descriptions in this guide.

Operation	Description
Add a Workflow	Create a workflow from scratch. See Creating a Workflow, on page 17 .
Add a Workflow to a Catalog	Create a catalog of workflows for subscribers, for example application administrators. See the Cisco UCS Director Administration Guide for information about publishing and managing catalogs.
Add and Arrange Tasks in a Workflow	Use the Workflow Designer . See Configuring a Task in a Workflow, on page 24 and Connecting a Task to a Workflow, on page 27 .
Choose a Workflow Version	Choose the active version of a workflow. The active version is called the <i>default</i> version and appears on the Workflows page. See Choosing the Default Version of a Workflow, on page 80 .
Clone a Workflow	Create a renamed copy of a workflow. The copy has a new version history. See Cloning a Workflow, on page 83 .
Create a New Version of a Workflow	Workflows have a version history. You can use any version of a workflow from its history at any time. See Creating a New Version of a Workflow, on page 79 .
Delete a Workflow	Remove one or more versions, or all versions, of a workflow from Cisco UCS Director. See Deleting a Workflow, on page 72 .
Edit a Workflow	Modify the name, location, inputs, and outputs of a workflow (but not the tasks). See Workflow Editing, on page 65 .
Execute a Workflow	Create a service request immediately from the selected workflow. See Executing a Workflow, on page 48 .

Operation	Description
Export a Workflow	Save a workflow in a format that can be loaded in another Cisco UCS Director appliance. See Exporting Workflows, Custom Tasks, Script Modules, and Activities , on page 73.
Export a Workflow as a Template	Export the selected workflow as a template in XML-based format. See Exporting Workflows as Templates , on page 76.
Import a Workflow	Load a workflow created elsewhere into Cisco UCS Director. See Importing Workflows, Custom Tasks, Script Modules, and Activities , on page 74.
Lock or Unlock a Workflow	Lock a workflow to prevent any modifications. Once locked, the workflow cannot be deleted or edited.
Move a Workflow	Move a workflow to a new directory. See Workflow Editing , on page 65.
Validate a Workflow	Analyze the workflow to determine that the task inputs and outputs are properly connected. See Validating a Workflow , on page 28.
View an Entire Workflow	View the entire structure of a workflow, in which you can pan a magnified section to view details. See Saving a Picture of a Workflow , on page 83.



Creating Workflows

This chapter contains the following sections:

- [Viewing the Task Library, page 15](#)
- [The Workflow Designer, page 16](#)
- [Creating a Workflow, page 17](#)
- [Example: Creating a Workflow, page 29](#)
- [Resolving Workflow Validation Issues, page 31](#)
- [Changing Flow of Control in Workflows, page 32](#)
- [Locking Resources, page 41](#)
- [File Uploads, page 43](#)

Viewing the Task Library

Cisco UCS Director contains web-based documentation on all predefined tasks. To view the documentation, do the following:

-
- | | |
|---------------|--|
| Step 1 | Choose Orchestration . |
| Step 2 | On the Orchestration page, click Workflows . |
| Step 3 | Click Task Library . |
| Step 4 | Check Regenerate document to include new tasks and tasks created using Cisco UCS DirectorOpen Automation. |
| Step 5 | Click Submit .
The Orchestration Task Library appears in your default web browser. |
| Note | There are over 2000 entries. You can use your browser's search function to find a particular task. |
| Step 6 | Click an entry to see detailed information about a task. |
-

The Workflow Designer

The **Workflow Designer** is a graphical tool for building workflows. In the **Workflow Designer**, you add and arrange tasks to build up a workflow. Following is a brief description of the parts of the **Workflow Designer**.

To bring up the **Workflow Designer**:

- 1 Select a workflow from the **Workflow** report or create a new workflow. See [Defining a Workflow](#), on page 18.
- 2 From the **More Actions** drop-down list, choose **Workflow Designer**.

On the **Workflow Designer** screen, observe the following components:

Work Area

The large area with grid lines is the **Work Area** where you add, arrange, and connect tasks to build a workflow. Depending on your zoom settings, the **Work Area** might show only a portion of the current workflow.

Workflow Title

Across the top of the **Workflow Designer** are the name of the workflow and the **Close Window (X)** control.

Action Menu

Across the top of the **Work Area** from the left are controls to **Edit**, **Create a New Version**, **Validate**, **Execute** the workflow in the **Workflow Designer**, and **Export as Image** (export the workflow diagram as a graphic image file). On the right is a count of the tasks in the workflows. The count does not include the default **Start**, **Completed (Success)**, or **Completed (Failed)** tasks. Conditional flow-of-control tasks (**Conditional Task** and **If Else**), compound tasks, and custom tasks are also broken out separately.



Tip Hover over a task count icon to display a list of the tasks names.

Available Tasks

To the left of the **Work Area** is the **Available Tasks** directory. This directory structure contains every available orchestration task, including both built-in and custom tasks. Type in the **Search for ...** field to quickly find a named task. The available tasks narrow to tasks containing your search text as you type.

To add a task to a workflow, drag-and-drop the task from the **Available Tasks** directory to the **Work Area**.

Documentation for the last selected task is displayed at the bottom of the **Available Tasks** area. Click **Read More ...** at the end of the documentation to bring up the selected task in the **Task Library** in your browser. See [Viewing the Task Library](#), on page 15.

View Controls

In the upper right corner of the **Work Area** are the **View Controls**. From top to bottom, the **View Controls** are:

Auto Layout

Click to automatically arrange the tasks in the Work Area in a vertical stack with consistent spacing and alignment.

Compact View Mode

Click to toggle the height of the tasks (one line of text or two) and simultaneously activate **Auto Layout**.

Fit to Window

Click to rescale the entire workflow diagram to fit in the **Work Area**. Depending on the size of the workflow, this might enlarge or reduce the diagram.

Zoom

Use the zoom controls to change the size of the displayed workflow:

- + Zoom in
- - Zoom out

Show / Hide Navigator

Click to toggle the **Navigator** view on and off. The **Navigator** is a map of the entire workflow in the lower right corner of the **Work Area**. The **Navigator** shows the portion of the workflow visible in the **Work Area** framed in a blue border. You can pan over the entire workflow to bring different parts of the workflow into the visible **Work Area**. Use the **Navigator** to examine large workflows at a scale at which text is legible.

Creating a Workflow

Creating a workflow can be broken down into five overall steps:

- 1 Define the workflow. To define a workflow, you name the workflow and select a few other details.
- 2 Define the workflow inputs and outputs. You specify which input parameters the workflow requires to execute, and what output results from its execution.
- 3 Once the workflow inputs and outputs are defined, use the **Workflow Designer** to add a workflow task to the workflow.
- 4 Still in the Workflow Designer, connect the task into the workflow. Repeat these two steps, defining and adding a task, until you have incorporated all the tasks needed for the workflow to carry out its function.
- 5 Validate the workflow. Validating a workflow ensures that there are no errors in connecting task inputs and outputs.

These five steps are described in the following sections.

Defining a Workflow

To define a workflow, do the following:

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Click **Add (+)**.
- Step 4** In the **Add Workflow Details** screen, complete the following fields:

Name	Description
Workflow Name	The workflow name. Note Workflow names cannot contain the following characters: \"/%&'*,./:;<=>?^
Version	Displays which version of the workflow you are creating or editing.
Description	A description of the workflow. (Optional.)
Workflow Context	The workflow context. Cisco UCS Director Orchestrator supports the following options: <ul style="list-style-type: none"> • Any—Enables you to use the workflow in any context. • Selected VM—Enables you to execute the workflow only when you choose a VM.
Save as Compound Task	Check Save as Compound Task to save this version of the workflow as a compound task. See Creating a Compound Task , on page 85.
Publish Task outputs as Compound Task outputs	Publish Task outputs as Compound Task outputs appears if you check Save as Compound Task . Check Publish Task outputs as Compound Task outputs to expose all the task outputs as outputs of the compound task. Leaving it unchecked suppresses the outputs of the included tasks so that the compound task exposes only the workflow outputs.
Always execute during System initialization	Check Always execute during System initialization to execute the workflow as part of the startup sequence when Cisco UCS Director is initialized. Note Because the workflow is executed before the Cisco UCS Director GUI starts, workflows that require user input cannot be executed at system startup.

Name	Description
Place in New Folder	Create a new folder in which to place the workflow. If you check Place in New Folder , the Select Folder drop-down list becomes a text field. Type the name of the new folder.
Select Folder	The folder in which to place the workflow.
Notify status of execution to initiating user	<p>Email the result status to the user who invoked the workflow. If checked, you can notify more users by entering their email addresses in the Additional User(s) to send Email Notification field.</p> <p>The result status for the workflow can be one of the following:</p> <ul style="list-style-type: none"> • Completed status • Failed execution status • Cancelled execution status <p>Leave Notify status of execution to initiating user unchecked to use an email policy.</p>
Email policy	<p>Instead of specifying email recipients individually, you can use an orchestration notification email policy. Default policies exist to notify:</p> <ul style="list-style-type: none"> • The user that starts execution of the workflow • The user and the user's group • The user's group and that group's administrator <p>You can define your own policies as well by navigating to Administration > System > Orchestration Policy and selecting Add. Policies you create are available in the Email policy drop-down list.</p>

What to Do Next

Click **Next** to define input and output for the workflow.

Defining Workflow Input and Output

You can define a set of inputs for a workflow. You can assign values for these inputs or restrict the values available to users at runtime. You can also choose whether to allow the user to change the administrator values at runtime.

To define workflow inputs and outputs, complete the following steps.

Before You Begin

Define the workflow in the **Workflow Add Details** screen as described in the previous topic.

Step 1

You can define any number of inputs for a workflow.

Rather than define inputs for a workflow, you can instead associate the workflow with an activity and use the activity's inputs as the workflow's inputs. See [Activities](#), on page 97.

- To associate the workflow with an activity:
 - 1 Check **Associate to Activity**.
 - 2 In the **Activity** drop-down list, choose the activity with which to associate the workflow. The activity's inputs populate the input list.
 - 3 Skip the rest of this step.
- To define inputs for the workflow without an activity, continue with this step:

- a) On the **Workflow User Inputs** screen, click **Add (+)**.
- b) On the **Add Entry To** screen, complete the following fields:

Name	Description
Input Label	The name or label of the input parameter.
Input Description	A description of the input parameter.
Optional	Make the input parameter optional (not mandatory) at the time of workflow execution.
Input Type	Click to choose the data type of the input parameter. Note Reduce the number of input types by typing a match string in the filter field at the top of the list. Note If you later edit a workflow, the Input Type field is not editable.
Validate	Appears after you select a data type. Click Validate to continue.
Multiline/Multiple Value Input	The effect of this option depends on the input type. This option is available only for the Generic Text input type. Check the box to allow the user or administrator to enter multiple lines for the input value. Note You cannot map a multiline workflow input to a single-line task input. When creating or editing a task, no multiline workflow inputs appear in the User Input drop-down list on the User Input Mapping page.

Name	Description
Input Field Size	This list appears if you choose Multiline Input . Choose a size for the text area that is displayed to enter the input value.
Value Restrictions	Depending on the input type that you have chosen, one or more of the following are available: <ul style="list-style-type: none"> • Admin Input—Check to populate inputs with default values. User input is then optional at run time. • Admin Input Filter—Check to define a rule-based filter to restrict available input values. User input is required at run time from the restricted range of values. See Admin Input Filters, on page 22. • Admin Input List—Check to define an item-by-item list of available input values. User input is required at run time from the admin-selected list of values.
Admin Input	Available when you check Admin Input . Click Select to choose one or more admin input values.
Override Admin Input Value	Available when you check Admin Input . Check Override Admin Input Value to enable the user to replace the administrator value at runtime. Leaving unchecked hides the user's input control for this value at runtime.
Input Filter Criteria	Available when you click Admin Input Filter . Type a filter expression to limit the values available at run time. See Admin Input Filters , on page 22.
Admin Input Value	Available when you click Admin Input Filter . Displayed for reference—Use the column headings as attribute names in your filter expression.
Select	Available when you click Admin Input List . Click Select , then choose a value or values. All chosen values are available as user input choices at run time.

- c) If necessary, add more inputs by repeating the previous two substeps.

Step 2

Click **Next**.

Step 3

To enter outputs for the workflow, do the following.

- In the **Workflow User Outputs** screen, click **Add (+)**.
- On the **Add Entry To** screen, complete the following fields:

Name	Description
Output Label	The name or label of the output parameter.

Name	Description
Output Description	A description of the output parameter.
Optional	Make the output parameter optional (not mandatory) at the time of workflow execution.
Type	The data type of the output parameter. During the editing and saving of a workflow task, the Type field is no longer editable.

c) If needed, add more outputs by repeating the previous two substeps.

Step 4

Click **Submit**.

The new workflow opens in the **Workflow Designer**.

What to Do Next

Add tasks to the workflow using the **Workflow Designer**. See [Configuring a Task in a Workflow](#), on page 24.

Admin Input Filters

When you create a workflow, you can limit the set of entries from a table or list of values seen by the user at run time. You do this by either choosing the values explicitly using an **Admin Input List**, or by using a filter expression (**Admin Input Filter**). This section describes the syntax for writing admin input filters.

There are two types of data in Cisco UCS Director Orchestrator that you can filter:

- Tabular data—A table with two or more columns. You filter the columns to choose the rows to display.
- Lists of values (LOVs)—A list of items, all of the same type. You filter the values in the list.

In addition, some inputs are numeric, for example, disk storage sizes. You must include units when you filter numeric inputs.

Filtering Tabular Data

To filter a tabular input, the input filter criteria have this form:

```
column_label operator expression [ AND column_label operator expression ]
```

where the elements of the expression are defined as follows:

Field	Entry
<i>column_label</i>	The label at the top of the column to be filtered. Type the name exactly as it appears. The label is case-sensitive and must include any spaces or special characters. Do not enclose the label in quotes.

Field	Entry
operator	<p>One of:</p> <ul style="list-style-type: none"> • EQUALS • NOT_EQUALS • CONTAINS • NOT_CONTAINS • IS_SUBSET • NOT_SUBSET <p>The operator name is case-sensitive; it must be all uppercase.</p> <p>IS_SUBSET and NOT_SUBSET are operators for list type inputs.</p>
[] (brackets)	<p>The brackets denote that the enclosed expression is optional and can be repeated. Do not include the brackets themselves in the filter criteria expression.</p>
AND	<p>Indicates extra criteria to be met. If one or more AND criteria are appended, all of them must be met to match a record.</p> <p>The criteria are applied serially. All records that meet the first criterion are subjected to the second criterion, then those results to the third, and so on.</p> <p>No operators besides AND can be used to append extra criteria. In particular, OR cannot be used. In other words, more criteria can be used only to narrow the search further, not to expand it.</p>
<i>expression</i>	<p>The syntax for <i>expression</i> is:</p> <pre>match_expression [OR match_expression]</pre>
OR	<p>Indicates a union of any of the specified <i>match_expressions</i>. In other words, only one of the <i>match_expressions</i> has meet the criterion for that part of the expression to be true.</p>
<i>match_expression</i>	<p>A simple regular expression that uses a subset of standard wildcard search characters and escape characters. The full POSIX regular expression syntax is not supported.</p> <p>You can match literal values provided they do not contain regex special characters or that you escape the special characters.</p> <p>For more information about regular expressions, consult any regular expression reference on the Internet; there are many.</p> <p>If <i>match_expression</i> is enclosed in quotes, a case-sensitive comparison is made, if applicable.</p>

Following is an example of a table-type filter:

```
Cloud CONTAINS vcenter21 OR vcenter98 AND Power Status EQUALS off OR unknown
```

The expression `Cloud CONTAINS vcenter21 OR vcenter98` matches names containing `vcenter21` and `vcenter98`, such as `vcenter211` and `TESTvcenter98`. If you are interested only in `vcenter21` and `vcenter98`, a better expression is `Cloud EQUALS vcenter21 OR vcenter98`.

Filtering Lists of Values

LOV types are lists of single values. To filter an LOV you therefore omit the column name and the AND operator. The top-level search syntax is:

```
operator match_expression [ OR match_expression ]
```

The elements of the syntax are as described for tabular data, with the exception that `IS_SUBSET` and `NOT_SUBSET` operators are not permitted.

For example, if the power status values from the tabular data example were in an LOV, the search would look like this:

```
EQUALS off OR unknown
```

Filtering Numeric Data

Certain numeric data such as disk size, LUN size, and volume size are specified with units--megabytes (MB), gigabytes (GB), or terabytes (TB). If the units are given in a table column, the units are part of the column label and must be included in your criteria; for example:

```
LUN Size (GB) EQUALS 10.0
```

Numeric expressions in filter criteria are regex matches and not numerical comparisons. For example, consider this filter criterion:

```
LUN Size (GB) EQUALS 10
```

The expression does *not* match records with LUN size given as `10.0`.

Configuring a Task in a Workflow

Cisco UCS Director Orchestrator contains predefined tasks that you can use to create workflows. These tasks are organized in folders based on their functionality and can be accessed in the left panel of the **Workflow Designer** interface.

Documentation for a selected predefined task appears at the bottom of the task list in the **Workflow Designer**. To expand the documentation and open the entire **Task Library** in your browser, click **Read More ...** at the bottom left of the **Workflow Designer**. See [Viewing the Task Library](#), on page 15.



Note

Cisco UCS Director Orchestrator's predefined tasks cover many if not most of the common operations required in a typical environment. For operations not represented in the predefined tasks, you can create custom tasks. See the [Cisco UCS Director Custom Task Getting Started Guide](#).

To configure a predefined task for use in a workflow, do the following:

Before You Begin

Define a workflow and its inputs and outputs as described in the previous sections.

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Choose a workflow.
- Step 4** Click **Workflow Designer**. The Cisco UCS Director Orchestrator **Workflow Designer** screen appears.
- Step 5** On the left side of the **Workflow Designer**, choose a category from the **Available Tasks** area by expanding folders in the task hierarchy.
- Step 6** Drag and drop your chosen task onto the **Workflow Designer** work area on the right side of the screen.
- Step 7** On the **Task Information** screen, complete the following fields:

Name	Description
Task Name	A name for this instance of the task. You can accept the automatically generated default or enter your own name for the task.
Task Category	The category (also the folder name) in which the task appears. Cannot be changed.
Task Type	The type (or generic name) of the task. Cannot be changed.
Comment	An optional comment about this use of the task in this workflow.
Retry Execution	Check Retry Execution to retry the task if it fails. The Retry Count and Retry Frequency controls appear. Retry Execution is disabled for a workflow executed in a previous release of Cisco UCS Director. This is true even if retry is enabled for the workflow.
Disable Rollback	Check Disable Rollback to disable the task's rollback script. If you check this box, the task is unchecked in the Rollback Service Request dialog and cannot be rolled back; see Rolling Back a Service Request , on page 60. If the task does not support rollback, checking Disable Rollback has no effect.
Retry Count	The number of times (up to 5) to retry the task on failure. The retry count is also assigned to the task's rollback. When a task is rolled back, the same number of retries are attempted as with the original script. Rollback settings apply only for workflows executed with retry options in the current release of Cisco UCS Director.

Name	Description
Retry Frequency	A comma-separated list of integers specifying how many seconds to wait between retries. For example, if you selected a retry count of three, enter 1, 10, 60 to retry after one, 10, or 60 seconds, respectively.

Step 8 Click **Next**.

Step 9 On the **User Input Mapping** screen, complete the following fields:

Name	Description
Manage Workflow User Inputs	Click Manage Workflow User Inputs to add to or edit the workflow user inputs.
Task Input	Each task input is displayed as a heading on the remainder of this page. The input is labeled (Mandatory) if it required.
Map to User Input	Check Map to User Input to populate the task input from a workflow user input at runtime.
User Input	<p>This drop-down list appears if you check Map to User Input. Select the workflow user input to map to the task input.</p> <p>Note You cannot map a multiline workflow input to a single-line task input. The multiline workflow input does not appear in the User Input drop-down when creating or editing a task. See Defining Workflow Input and Output, on page 19.</p>

Step 10 Click **Next**.

Step 11 Any task input that was not mapped to a user input cannot be entered at runtime. Instead, specify the input value now. On the **Task Inputs** screen, complete the following fields:

Name	Description
Task Input	Each task input that was not mapped to a user input on the previous page is displayed with an appropriate input control (text field, drop-down list, and so on). Use the input controls to specify the value. Optional inputs can be left blank.

Step 12 Click **Next**.

Step 13 On the **User Output Mapping** screen, complete the following fields:

Name	Description
Task Output	Each task output is displayed as a heading on this page. The output is labeled (Mandatory) if it required.
Map to User Output	Check Map to User Output to populate a workflow user output from the task output at runtime.
User Output	This drop-down list appears if you check Map to User Output . Select the workflow user output to map to the task output.

Step 14

Click **Submit**.

If this is the first task configured in this workflow, the **Workflow Designer** automatically connects it to the default tasks. If the task is not the first, you must connect it manually.

What to Do Next

Connect the task to the workflow.

Connecting a Task to a Workflow

To be part of a workflow, a task must be connected to other tasks. You can insert a task anywhere in a workflow by dragging and dropping the flow arrows between tasks.

There are three default tasks in every workflow: **Start**, **Completed (Success)**, and **Completed (Failed)**. When you add the first task to a workflow, it automatically connects to the default tasks.

Before You Begin

You have created a task in the **Workflow Designer**. The task is in the **Workflow Designer** work area but is not yet part of the workflow.

Step 1

Connect a task from the existing workflow to the new task. To connect the tasks:

- The existing task is already connected to a different task, perhaps the **Completed (Success)** task. Mouse over the connecting line.
Two large arrowheads and a red **x** icon appear superimposed on the line.
- Mouse over the arrowhead attached to the top of the **Completed (Success)** task (or other task that your source task is connected to).
- Click and hold your left mouse button.
- Drag the cursor to the input (the colored square at the top) of the task to which you are connecting and release the mouse button. The colored arrow now connects the source task to your new task, indicating the flow of operation from one task to the other.

Note Alternatively, you can click inside the task for a dialog box containing choices for both **On Success** and **On Failure** results. Click the arrow next to either choice for a menu of tasks that you can connect to. Choose a task, and the connection is made automatically with no drag-and-drop.

Note Typically you connect a task's **On Success** result to the next task, and connect the **On Failure** result to the **Completed (Failed)** task. There are exceptions, however. For example, you could insert a task to do cleanup or error handling, in which case you would connect **On Failure** to the cleanup task.

The **Workflow Designer** does not permit you to connect a task's **On Success** drop-down to the **Completed (Failed)** task.

Note To remove a connection between tasks, mouse over the connection line until the red **x** icon appears over the connecting line, then click the icon.

Step 2 Similarly, drag and drop from the **On Success** connector of the new task to **Completed (Success)** or to another existing task in the workflow.

Step 3 Drag and drop from the **On failure** connector of the new task to **Completed (Failed)** or to another existing task in the workflow.

The task is connected into the workflow.



Note Click **Auto Layout** at the top right of the **Workflow Designer** to arrange the workflow tasks in the work area with uniform spacing and alignment.



Note To delete a task from the workflow, mouse over the workflow and click the red **Delete (X)** icon that appears.

What to Do Next

Add more tasks if necessary to complete the workflow. When you are finished, validate the workflow. See [Validating a Workflow](#), on page 28.

Validating a Workflow

Validating a workflow ensures that the inputs and outputs of its component tasks are connected with no major errors. You can validate a workflow without leaving the **Workflow Designer**.

Before You Begin

Open a workflow in the **Workflow Designer**.

Click the **Validate Workflow** button.

Task connection errors are displayed in red above the affected tasks. If no errors are detected, a success message appears.

What to Do Next

If connection errors are displayed in the **Workflow Designer**, use the **Workflow Validation** tool to resolve the issues. See [Resolving Workflow Validation Issues](#), on page 31.

Example: Creating a Workflow

This simple example walks you through the creation of a workflow that power cycles (turns off and back on) a VM.

Before You Begin

You have a virtual machine (VM) in Cisco UCS Director.

Step 1

Define the workflow. Do the following:

- Choose **Orchestration**.
- On the **Orchestration** page, click **Workflows**.
- Click **Add**.
- Complete the fields on the **Add Workflow Details** screen as follows:

Field	Entry
Workflow Name	Type PowerCycleVM.
Description	Type Shut down and restart a VM.
Workflow Context list	Select Any .
Save as Compound Task	Leave this unchecked.
Always execute during System initialization	Leave this unchecked.
Place in New Folder	Check Place in New Folder .
Folder Name	Type
Notify status of execution to initiating user	Leave this unchecked.
Email policy	Choose No email .
Version Label text field	Leave the default value, 0 .

- Click **Next**.

Step 2

Define an input to specify the name of the VM. Do the following:

- In the **Workflow User Inputs** screen, click **Add (+)** at the top of the list of values.
- Complete the fields on the **Add Entry To** screen as follows:

Field	Entry
Input Label	Type VM Name.
Input Description	Type VM Name.
Optional	Leave this unchecked.
Input Type	Click Select The Select screen comes up.

- c) On the **Select** screen, type vm selector in the search box.
- d) Check the VM Selector entry.
- e) Click **Select**.
- f) Define an administrator (fixed) value for the VM name by completing the next set of fields as follows:

Field	Entry
Admin Input	Check Admin Input .
Admin Input Filter and Admin Input List	Admin Input Filter and Admin Input List disappear when you check Admin Input . Both of these enable the administrator to filter the choices available to the user when the workflow is run. Instead, for this example, the Admin Input Value supplies a single fixed value at runtime.
Override Admin Input Value	Leaving Override Admin Input Value unchecked hides the user's input control for this value at runtime. For this example, leave it unchecked.
Admin Input Value	Click Select to choose a value for the administrator input. The Select list comes up. Click to select an existing VM instance, then click Select .

- g) Click **Next**.

Step 3

Do not define an output. Click **Submit**.
The **Workflow Designer** appears.

Step 4

Add a task to power off the VM by doing the following:

- a) In the **Available Tasks** search field, type power.
The **Available Tasks** area now displays only tasks containing the string *power*.
- b) From the **Generic VM Tasks** folder, drag and drop the **VM Power Action** icon into the work area.
The **Add Task** screen appears.
- c) On the **Task Information** screen, type *Power Off 1* in the **Task Name** field.
- d) Click **Next**.
- e) On the **User Input Mapping** screen, complete these fields:

Field	Entry
Map to User Input	Check Map to User Input . You use this screen to map workflow inputs to task inputs.
User Input	Since there is only one user input of the correct type (or of any type, in this case), the user input name that you created (<i>VM Name</i>) is already selected in the drop-down list.

- f) Click **Next**.
- g) In the **Task Inputs** screen's **VM Action** drop-down list, select **Power OFF**.
- h) Click **Next**.
- i) Click **Submit**.
The task is automatically connected in the new workflow.

Step 5 Add a task to power on the VM. The procedure is similar to the previous step, with the following differences:

- On the **Task Information** screen, type Power On 1 in the **Task Name** text field.
- In the **Task Inputs** screen's **VM Action** drop-down list, select **Power ON**.
Note You could create this workflow with a single **Reboot** task rather than powering off and back on. However, for purposes of this example go ahead and create the workflow with the two power management tasks.
- When you click **Submit**, the task does not automatically connect to the existing workflow. Instead, connect it by hand:
 - 1 Mouse over the lower left corner of the **Power Off 1** task and click the red **x** icon to delete the **Power Off 1 On Success** connection.
 - 2 Mouse over the lower left corner of the **Power Off 1** task again. The **On Success** cursor appears.
 - 3 Drag and drop the **On Success** arrow to the input connector at the top of the **Power On 1** task.
 - 4 Using the same drag and drop technique, connect the **Power On 1 On Success** arrow to the **Completed (Success)** task.
 - 5 Similarly, connect the **Power On 1 > On Failure** drop-down to the **Completed (Failed)** task.

Step 6 Validate the workflow by clicking **Validate Workflow**.
The system displays the message *This workflow is valid*, confirming that the workflow and task inputs and outputs are connected properly.

Step 7 Click the **Close Screen** control in the upper right to leave the **Workflow Designer**.

Resolving Workflow Validation Issues

Cisco UCS Director supplies a wizard-based tool to aid you in troubleshooting workflow validation errors.

Before You Begin

A workflow has failed validation in the **Workflow Designer**.

-
- | | |
|---------------|--|
| Step 1 | Choose Orchestration . |
| Step 2 | On the Orchestration page, click Workflows . |
| Step 3 | Choose the workflow that failed validation. |
| Step 4 | Click Validate Workflow . |
| Step 5 | In the Workflow Validation dialog box, double click the description under Resolution . |
| Step 6 | In the Validation Errors dialog box, view the summary for the issue detected. Complete the remaining prompts to resolve the validation error. |
-

Changing Flow of Control in Workflows

Normally, a workflow executes as a linear series of tasks. However, Cisco UCS Director Orchestrator provides tasks that enable changes to the flow of control within a workflow. The following sections describe how to create these flow-of-control constructs:

- Loops.
- If-then branches.
- Conditional switches with an arbitrary number of branches.

**Note**

Conditional tasks, including **Conditional Task** and **If Else**, are denoted in the **Workflow Designer** with a diamond icon in their upper left corner. See [The Workflow Designer, on page 16](#).

Looping in Workflows

You can create a loop to perform a selected series of tasks multiple times. A loop can be configured to iterate one of two ways:

- By count—Iterate a specified number of times.
- By item—Iterate over a list of items.

Before You Begin

Open a workflow in which you want to include a loop in the **Workflow Designer**.

Step 1 In **Available Tasks** area in the **Workflow Designer**, open the **Procedural Tasks** folder.

Step 2 Drag the **Start Loop** task into the **Workflow Designer** work area.

Step 3 In the **Add Task** screen, complete the following fields:

Name	Description
Task Name	The name of the task.
Comment	Comments for the task.
Retry Execution	Check Retry Execution to retry later if the task fails.
Retry count	Choose the number of retry attempts.
Retry Frequency	Choose the duration between retry attempts.

Step 4 Click **Next**.

Step 5 In the **User Input Mapping** screen, click **Next**.

Step 6 In the **Task Inputs** screen, complete the following fields:

Name	Description
List based iteration	Check List based iteration to perform the loop tasks on every item in a list. The following two fields appear.
Input for list-based iteration	Choose a list of input values for the list-based iteration.
User Input to assign iterated values	The user input for the list-based iteration. Create a workflow input with the same type as your list elements and map it to the Start Loop task here.
Count based iteration check box	Check Count based iteration to perform loop tasks based on a count. The following field appears.
Number of times to loop	The number of times to perform the loop.

- Step 7** On the **User Output Mapping** screen, click **Submit**.
- Step 8** From the **Available Tasks** area, drag the tasks that you want as part of the loop into the work area of the **Workflow Designer**.
- Step 9** Create links between the task icons in the loop using the **On Success** connector.
- Step 10** Create a link between the **Start** task icon (or whichever task is immediately before the loop) and the **Start Loop** task icon.
- Step 11** In the **Available Tasks** area in the **Workflow Designer**, click the **Procedural Tasks** folder.
- Step 12** Drag the **End Loop** task into the **Workflow Designer work area**.
- Step 13** Complete the remaining screens in the **Add Task (End Loop)** wizard.
- Step 14** Click **Submit**.
- Step 15** Connect the **On Success** connector of the last task in the loop to the **End Loop** task icon.
- Step 16** In the **End Loop** task icon, connect the **On Success** connector to **Completed (Success)** or to another task to execute after the loop.
- Step 17** In the **End Loop** task icon, connect the **On Failure** connection to the **Completed (Failed)** (or another task) task icon.

Example: Looping in a Workflow

This example demonstrates how to repeat workflow tasks for elements in a list. You will modify the PowerCycleVM workflow to restart a list of VMs instead of a single VM.

Before You Begin

Create the example workflow as described in [Example: Creating a Workflow](#), on page 29.

- Step 1** Open the PowerCycleVM workflow.
- Choose **Orchestration**.
 - On the **Orchestration** page, click **Workflows**.
 - Locate and select the PowerCycleVM workflow you created in [Example: Creating a Workflow](#), on page 29.
 - Click on **Workflow Designer**.

- Step 2** Add the **Start Loop** task to the workflow.
- From the **Available Tasks** in the **Procedural Tasks** folder, drag and drop **Start Loop** onto the work area.
 - On the **Task Information** screen, complete the following fields:

Field	Entry
Task Name	Type StartVMLoop.
Comment	Type Loop through a list of VMs.
Task Details	Make a note of the message under Task Details regarding the task output <i>START_LOOP_OUTPUT</i> .

- c) Click **Next**.
- d) Replace the workflow input to accept a list of VMs.
On the **User Input Mapping** screen, click **Manage Workflow User Inputs**.
- e) Click the **Add** icon.
- f) In the **Add Entry To** dialog, complete the following fields:

Field	Entry
Input Label	Type VM Names.
Input Description	Type List of VMs to restart.
Optional	Leave Optional unchecked.
Input Type	Click Input Type to access the Select list. Locate and select the user input type multiVM . Click Select .
Value Restrictions	Check Admin Input . Click Select . Choose several VMs , then click Select .

- g) Click **Submit**.
 - h) On the **User Input Mapping** page, under the **Input for list based iteration** heading, check **Map to User Input**.
The **User Input** list appears.
 - i) In the **User Input** list, select VM Names.
 - j) Click **Next**.
 - k) Check **List based iteration**.
The **User input to assign iterated values** list appears.
- Note** This field is a feature of the **Start Loop** task. Since the output variable `START_LOOP_OUTPUT` is of type **generic text**, it cannot (usually) be mapped to the input of the tasks inside the loop. Instead, the **Start Loop** task assigns each item of the input list to the variable as it iterates.
- l) Select VM Name in the **User input to assign iterated values** list.
Note There is nothing special about the **VM Name** workflow input variable; you are reusing it since you no longer need it as input to the workflow. (The workflow input is now **VM Names**, which is a list of VMs.)
 - m) Click **Next**.
 - n) There is no output mapping, so click **Submit** to save the task.
 - o) Drag and drop to connect the **Start** task to the **StartVMLoop** task.
The **Workflow Designer** connects the **StartVMLoop** > **On Success** dropdown to the **Power Off 1** task (because it was the previous target of the **Start** task).
 - p) Drag and drop to connect the **StartVMLoop** > **On failure** dropdown to the **Completed (Failed)** task.

Step 3

The **End Loop** task is just a placeholder with no inputs or outputs. To add the **End Loop** task to the workflow, do the following:

- a) Drag and drop the **End Loop** task from the **Procedural Task** folder onto the work area.
- b) On the Task Information screen, complete the following fields:

Field	Entry
Task Name	Type EndVMLoop.
Comment	Type End of VM loop.

- c) Click **Next**.
- d) On the **User Input Mapping** screen, click **Next**.
- e) On the **Task Inputs** screen, click **Next**.
- f) On the **User Output Mapping** screen, click **Next**.
- g) Drag and drop to connect the **Power On 1** task to the **EndVMLoop** task.
- h) Drag and drop to connect the **EndVMLoop > On failure** dropdown to the **Completed (Failed)** task.

Step 4 Click **Close** to close the **Workflow Designer**.

What to Do Next

Execute the task to restart the VMs specified in the workflow.

Adding an If-Then Branch to a Workflow

You can create a two-way branch in a workflow using an if-then construct.

Before You Begin

You have a workflow open in the **Workflow Designer**.

Step 1 In the **Available Tasks** area of the **Workflow Designer**, open the **Procedural Tasks** folder.

Step 2 Drag the **If Else** task into the **Workflow Designer** work area.

Step 3 On the **Add Task** screen, complete the following fields:

Name	Description
Task Name	The name of the task.
Comment field	Comments for the task.
Retry Execution	Check Retry Execution to retry later if the task fails.
Retry count	Choose the number of retry attempts.
Retry Frequency	Choose the period between retry attempts.

Step 4 Click **Next**.

Step 5 On the **User Input Mapping** screen, click **Next**.

Step 6 On the **Task Inputs** screen, complete the following fields:

Name	Description
Specify the condition	<p>Enter the condition evaluated to determine the course of the workflow. The flow of control depends on whether the condition evaluates to True or to False.</p> <p>The conditions that you define must contain only the following operators: ==, !=, <, <=, >, >=, , &&, contains, startsWith, endsWith</p> <p>Following are some example conditions:</p> <ul style="list-style-type: none"> <code>TaskName.OUTPUT_ATTRIBUTE_NAME == "2"</code> <code>WORKFLOW_USERINPUT_LABEL_NAME contains "xyz"</code> <code>TaskName.OUTPUT_ATTRIBUTE_NAME == WORKFLOW_USERINPUT_LABEL_NAME WORKFLOW_USERINPUT_LABEL_NAME != "123"</code>

Step 7 On the **User Output Mapping** screen, click **Submit**.

Step 8 In the **If-Else** task icon, click and drag the **True** connector and the **False** connector to other task icons.

Step 9 In the **If-Else** task icon, click and drag the **On Failure** connector to the **Completed (Failed)** task icon (or another task icon).

Note Do not confuse the **False** and **On Failure** connectors. The **False** connector defines the path if the condition statement evaluates to false. The **On Failure** connector defines the path for failure of the task, for example if the task cannot evaluate the condition statement.

Using Conditional Branching in a Workflow

You can create a multiple-path branch in a workflow using a conditional construct. A single conditional task can have any number of branches.

Before You Begin

You have a workflow open in the **Workflow Designer**.

Step 1 In the **Available Tasks** area of the **Workflow Designer**, expand the **Procedural Tasks** folder.

Step 2 Drag the **Conditional** task into **Workflow Designer** work area.

Step 3 In the **Add Task** screen, complete the following fields:

Name	Description
Task Name	The name of the task.
Comment	Comments for the task.
Retry Execution	Check Retry Execution to retry later if the task fails.
Retry count	Choose the number of retry attempts.
Retry Frequency	Choose the duration between retry attempts.

Step 4 Click **Next**.

Step 5 In the **User Input Mapping** screen, click **Next**.

Step 6 In the **Task Inputs** screen, add a condition statement for each execution path of the workflow. For example, if your workflow has three possible execution paths, add three entries into the conditions table, one entry for each condition. Click the default entry in the table to specify the condition when the workflow takes the default execution path.

Note The condition statements do not have to be mutually exclusive. At run time, the statements are evaluated in the order they are listed. Execution continues with the path of the first statement to evaluate to True.

Step 7 In the **Add Entry to** screen, complete the following fields:

Name	Description
Label field	The label for the condition
Condition field	<p>Enter the condition to be evaluated to determine the course of the workflow. The conditions that you define must contain the following operators:</p> <p>==, !=, <, <=, >, >=, , &&, contains, startsWith, endsWith</p> <p>Following are some examples that you can use while specifying conditions:</p> <ul style="list-style-type: none"> • TaskName.OUTPUT ATTRIBUTE NAME=="2" • WORKFLOW USERINPUT LABEL NAME contains "xyz" • TaskName.OUTPUT ATTRIBUTE NAME == WORKFLOW USERINPUT LABEL NAME WORKFLOW USERINPUT LABEL NAME != "123"

Click **Submit**.

- Step 8** In the **User Output Mapping** screen, click **Submit**.
- Step 9** From the **Available Tasks** area, click and drag the tasks that you want to add to the various execution paths of the workflow.
- Step 10** Create a link between the **Start** task icon (or whichever task is immediately before the branch) and the **Conditional task** icon.
- Step 11** For each condition in the conditional task, create a link between the connector in the **Conditional Task** icon to the next task for the condition's execution path. For example, link the **default** connector in the **Conditional task** icon to the task you want to execute if none of the other conditions are met.
- Step 12** Link the **On failure** connector to the **Completed (Failed)** (or another task) task icon.

Creating Approvals

To require approval of a user, you add an approval task to the workflow.

Before You Begin

Open a workflow in the **Workflow Designer**.

- Step 1** In the **Workflow Designer Available Tasks** window, open **Cloupia Tasks > General Tasks**.
- Step 2** Drag the **User Approval** task onto the work area.
- Step 3** Configure the task. See [Configuring a Task in a Workflow](#), on page 24. Complete the following fields:

Name	Description
Task Name	The task name.
Comment	A comment about the approval task (Optional.)
Retry Execution	Leave this unchecked. If the administrator rejects the approval, the workflow stops with the approval task in a failed state. If you enable execution retries, the workflow presents the administrator with an approval multiple times. This is probably not the behavior you want from the workflow.

Step 4 Click **Next**.

Step 5 In the **User Input Mappings** click **Next**. You define all the task inputs in the **Task Inputs** window.

Step 6 In the Task Inputs window, complete the following fields:.

Step 7

Name	Description
User ID list	From the User ID list, choose one or more users whose approval is required to execute this workflow. Then click Submit .
Approval required from all the users	Check Approval required from all the users if running the workflow requires the approval of all the selected users. Leave unchecked if approval of any one of the selected users is sufficient.
Number of approval request Reminders	Enter the number of times to remind the user to approve this workflow. Entering 0 causes the reminder to be sent until the workflow approval has been approved or rejected.
Reminder Interval (Hours)	Enter the number of hours between approval reminders.
Use Approval Email Template	Check Use Approval Email Template to select a template for the approval emails. Leave unchecked to use a default Approval template.
Select Email Template	Visible if Use Approval Email Template is checked. Select an email template to use. You can add, delete, and update email templates. See Working with Email Templates in the Cisco UCS Director Administration Guide . Note The Select Email Template list contains all the email templates, including those for email tasks other than approvals. If a selected email template causes an error when the workflow runs, the task uses the default Approval template instead.
Subject	Visible if Use Approval Email Template is checked. The email subject line is displayed. You can edit this text.
Body	Visible if Use Approval Email Template is checked. The HTML text to output the email body text is displayed. You can edit this text.
Use Approval Email Template for Rollback	Check Use Approval email template during Rollback to select a template for emails requesting approval for rollback of the workflow. Leave unchecked to use a default Approval template.

Name	Description
Select Email Template	<p>Visible if Use Approval Email Template during Rollback is checked. Select an email template to use.</p> <p>You can add, delete, and update email templates. See Working with Email Templates in the Cisco UCS Director Administration Guide.</p> <p>Note The Select Email Template list contains all the email templates, including those for email tasks other than approvals. If a selected email template causes an error when the workflow runs, the task uses the default Approval template instead.</p>
Subject	<p>Visible if Use Approval Email Template during Rollback is checked. The email subject line is displayed. You can edit this text.</p>
Body	<p>Visible if Use Approval Email Template during Rollback is checked. The HTML text to output the email body text is displayed. You can edit this text.</p>
Reset to Default	<p>Visible beneath the Body text area in either of Use Approval Email Template or Use Approval Email Template for Rollback. Reset to Default has two effects:</p> <ul style="list-style-type: none"> • It immediately discards any changes you have made to the Subject and Body text and restores the selected template to its system default. • It ensures that the system supplied version of the selected template is used for the approval email in the workflow you are editing. <p>To save edits to a template, make changes in the Subject or Body text areas and be careful <i>not</i> to check Reset to Default.</p>

Step 8 Click Next.

Step 9 In the **User Output Mapping** window, click **Submit**.

Locking Resources

You can lock a named resource to prevent other tasks from accessing that resource. To lock a resource, you acquire a lock on a resource name in a workflow and release the lock later in the same workflow. While the

workflow holds the lock, other service requests (Workflows) block until the workflow that is currently holding the resource lock releases the lock.

**Note**

The resource name is a generic character string with no programmatic connection to the resource being accessed. The **Acquire Lock on a Named Resource** task blocks workflow execution based only on the name of the resource that you specify. For purposes of locking, you can name a resource anything, but we recommend that you use the name of the resource as shown in Cisco UCS Director. The name is unique, can be looked up easily, and is difficult to mistakenly assign to the wrong resource.

A workflow (within a single service request) can acquire a lock multiple times (this is called *reentrant locking*). If a workflow task has acquired a lock, then a successive attempt by any task in the workflow to acquire the same lock also succeeds. A lock acquired multiple times within a workflow must be released the same number of times before the resource name is free.

A compound task (see [Creating a Compound Task, on page 85](#)) always succeeds in acquiring a lock if that lock is already held by its parent workflow.

Before You Begin

Open a workflow containing a reference to a resource that you want to lock.

- Step 1** In the **Available Tasks** area in the **Workflow Designer**, open the **Procedural Tasks** folder.
- Step 2** Drag the **Acquire Lock on a Named Resource** task into the **Workflow Designer** work area.
- Step 3** In the **Add Task** screen, complete the following fields:

Name	Description
Task Name	The name of the task.
Comment	Comments for the task.
Retry Execution	There is no need to check Retry Execution when acquiring a lock. The task blocks until the named resource is available. If the named resource is not locked, the task acquires a lock on the name, regardless of whether the resource actually exists.
Retry count	Not needed. See Retry Execution .
Retry Frequency	Not needed. See Retry Execution .

- Step 4** Click **Next**.
- Step 5** On the **User Input Mapping** screen, click **Next**.
- Step 6** On the **Task Inputs** screen, enter the name of the resource you want to lock.

Note The resource lock is based only on the name of the resource, which is a generic character string. It is vital that the name be exactly the same everywhere that the resource is referenced. The **Acquire Lock on a Named Resource** task does not have any connection to the resource being accessed; it simply controls access to the resource name that you specify. Therefore, misspelling the resource name in the **Acquire Lock on a Named Resource** task, for example, fails to lock the intended resource.

- Step 7** On the **User Output Mapping** screen, click **Submit**.
- Step 8** Create a link between the task immediately before the resource lock and the **Acquire Lock on a Named Resource** task icon.
- Step 9** From the **Available Tasks** area, drag the task that you want within the duration of the resource lock into the work area of the **Workflow Designer**.
- Step 10** Complete the **Add Task** wizard for the new task.
- Step 11** Link the task within the lock duration into the workflow using the **On Success** connector.
- Step 12** Repeat steps 9 to 11 if there are more tasks that you want to include in the duration of the resource lock.
- Step 13** In the **Available Tasks** area in the **Workflow Designer**, click the **Procedural Tasks** folder.
- Step 14** Drag the **Release Lock on a Named Resource** task into the **Workflow Designer** work area.
- Note** When a service request ends, whether successful or not, its workflow automatically releases all locks held by the service request. We recommend that you nonetheless explicitly release all locks as soon as they are no longer needed.
- Step 15** Complete the **Task Information** screen as you did in step 3.
- Step 16** Click past the **User Input Mapping** screen.
- Step 17** On the **Task Inputs** screen, enter the name of the locked resource.
- Step 18** Click **Next**.
- Step 19** Click **Submit**.
- Step 20** Connect the **On Success** connector of the last task added to the workflow to the **Release Lock on a Named Resource** task icon.
- Step 21** In the **Release Lock on a Named Resource** task icon, connect the **On Success** connector to the next task in the workflow.
- Step 22** In the **Release Lock on a Named Resource** task icon, connect the **On Failure** connection to the **Completed (Failed)** (or another task) task icon.

File Uploads

You can upload files to Cisco UCS Director. The file is made available to the workflow task. To upload a file, you set an input to the File Upload input type.



Note

Cisco UCS Director does not perform any validation of the contents of the file nor performs scans for viruses and malware. Extreme caution must be exercised to prevent virus infected files from being uploaded.

The file to upload must meet the following specifications:

- The file size is less than 100 MB.
- The file is in zip format.

If a task has a user input of type File Upload, then either a File Upload or Generic Text input can be mapped to it.

Uploaded files should not be deleted by tasks because the file may be used in other workflows or in subsequent tasks within the same workflow.

The behavior of the system with respect to the file is different depending on the source of the input:

Administrator Input or Task Input

To upload the file at design time, that is, when you create the workflow, define an administrator input or a task input of type File Upload. Files uploaded at design time are stored permanently on the Cisco UCS Director instance and are available to be read by any task.

User Input or User Override of Admin Input

To upload the file at the time that the service request is run, define a user input or enable a user to override an administrator input. Files uploaded at runtime are deleted when the workflow's service request ends. The file is available only to the workflow containing task that uploaded the file.

Permanently Uploading an Admin-Selected File

To upload a file to Cisco UCS Director and make it available in a workflow, follow these steps:

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Add a new workflow. See [Creating a Workflow](#), on page 17.
 - Step 4** Complete the fields on the **Add Workflow Details** page. See [Defining a Workflow](#), on page 18
 - Step 5** On the **Add User Input** page, add a new input. See [Defining Workflow Input and Output](#), on page 19. Define an input as follows:
 - a) At the top of the **Workflow User Inputs** table, click **Add**.
 - b) Enter an **Input Label**.
 - c) Enter a **Description** of the input (optional).
 - d) Check **Optional** if the input is not required.
 - e) Choose fileUpload as the input type.
 - f) If the system requests that you validate the input, click **Validate**.
 - g) Click **Admin Input**.
 - h) In the File area, add a file to upload by doing one of the following:
 - Drag a file from your desktop to the **File** area.
 - Click **Select a File** and use the file browser to select a file.
 - i) To enable a user to select a different file at runtime, click **Override Admin Input Value**. The filename appears at the top of the **File** area.
 - j) Click **Submit**.
 - k) Enter other inputs for the workflow, if any, and click **Next**.

Note The file must be a zipped (.zip) file. The zip file can contain any number of files with a total size of less than 100 MB. The filenames are then concatenated (file1;file2;file) and made available to the task. If your zip file contains multiple sub-directories, the directory structure will be flattened when the file is uploaded.

Step 6 On the **Add User Outputs** page, define the workflow's outputs if necessary. See [Defining Workflow Input and Output, on page 19](#).

What to Do Next

Continue to construct your workflow. See [Connecting a Task to a Workflow, on page 27](#). The value of the workflow `File Upload` input that you defined is the path to the file on Cisco UCS Director. The pathname provided on Cisco UCS Director is a directory path ending in your filename combined with a date and time stamp. You can access the file from within any workflow using that path name.

If the zip file contains more than one file, the value of the *File Upload* input is a semicolon-separated list of the filenames.

Temporarily Uploading a User-Selected File

To give a workflow access to a file that is selected by a user at runtime, follow these steps:

Step 1 Choose **Orchestration**.

Step 2 On the **Orchestration** page, click **Workflows**.

Step 3 Add a new workflow. See [Creating a Workflow, on page 17](#).

Step 4 Complete the fields on the **Add Workflow Details** page. See [Defining a Workflow, on page 18](#).

Step 5 On the **Add User Input** page, add a new input. See [Defining Workflow Input and Output, on page 19](#). Define an input as follows:

- a) At the top of the **Workflow User Inputs** table, click **Add**.
- b) Enter an **Input Label**.
- c) Enter a **Description** of the input (optional).
- d) Check **Optional** if the input is not required.
- e) Choose fileUpload as the input type.
- f) *Do not* click **Admin Input**.
- g) If the system requests that you validate the input, click **Validate**.
- h) Click **Submit**.
- i) Enter other inputs for the workflow, if any, and click **Next**.

Step 6 On the **Add User Outputs** page, define the workflow's outputs if necessary. See [Defining Workflow Input and Output, on page 19](#).

Note The file must be a zipped (.zip) file. The zip file can contain any number of files with a total size of less than 100 MB. The filenames are then concatenated (file1;file2;file) and made available to the task. If your zip file contains multiple sub-directories, the directory structure will be flattened when the file is uploaded.

What to Do Next

Continue to construct your workflow. See [Connecting a Task to a Workflow, on page 27](#). At runtime, a user must specify a filepath to upload from their workstation. The file is uploaded to Cisco UCS Director and the workflow input becomes the local pathname of the file, assigned in the same manner as if it were an admin input. See [Permanently Uploading an Admin-Selected File, on page 44](#). The workflow can then access the file until the service request ends. When the service request ends, the file is deleted from Cisco UCS Director.



Executing Workflows

This chapter contains the following sections:

- [Workflow Execution, page 47](#)
- [Executing a Workflow, page 48](#)
- [Example: Executing a Workflow, page 48](#)
- [Creating a Workflow Trigger, page 49](#)
- [Example: Creating a Trigger to Execute a Workflow, page 52](#)
- [Scheduling a Service Request, page 54](#)
- [Example: Scheduling Workflow Execution, page 56](#)
- [Using VM Action Policies , page 56](#)

Workflow Execution

When you execute a workflow, a service request is created. You can execute a workflow directly, schedule a workflow to run later, or create a trigger to run a workflow when certain conditions are met. You can also create a policy to execute workflows on VMs.

Each of these options is briefly outlined here.

- *Execute a Workflow Directly* - You can execute a selected workflow immediately. Navigate to **Policies > Orchestration > Workflows** or open the **Workflow Designer**, then choose **Execute Now**.
- *Schedule a Service Request to be Executed Later* - You can schedule execution of a selected workflow. Navigate to **Policies > Orchestration > Workflows**, then choose **Schedule**.
- *Trigger Conditional Workflow Execution* - You can create a trigger to execute a workflow when a set of conditions is met. Navigate to **Policies > Orchestration > Workflows**, then choose **Triggers**.
- *Create an Action Policy* - You can create a policy to execute workflows on VMs within a virtual data center (vDC). Navigate to **Policies > Orchestration > Workflows**, choose **User VM Action Policy**, then add the policy to a virtual data center (vDC).

Detailed instructions and examples are given in the following sections.

Executing a Workflow

You can execute a workflow immediately from either the **Workflows** page or the **Workflow Designer**.

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Choose the workflow you want to execute by navigating to it on the **Workflows** page (it might be in a directory or subdirectory).
Optionally, open the workflow in the **Workflow Designer** by clicking **Workflow Designer**.
- Step 4** Click **Execute Workflow**.
Note If you are in the **Workflow Designer**, **Execute Workflow** is near the upper right of the window.
- Step 5** On the **Executing Workflow** screen, choose the version of the workflow you want to run.
- Step 6** Also on the **Executing Workflow** screen, complete the user input fields for the workflow.
The input fields show the workflow inputs that you are allowed to change as a user.
If an input is mandatory and has no default input, you must provide a user input.
Note Workflow inputs can be defined with values (admin inputs) that cannot be overridden at runtime. Admin inputs are not displayed in the **Executing Workflow** dialog.
- Step 7** Click **Submit**.
The **Service Request Submit Status** screen appears.
-

What to Do Next

On the **Service Request Submit Status** screen, click **Show Detail Status** to see the progress of the service request.

Example: Executing a Workflow

This example demonstrates executing a workflow directly.

Before You Begin

Create the example workflow as described in [Example: Creating a Workflow](#), on page 29.

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Locate and select the PowerCycleVM workflow you created in [Example: Creating a Workflow](#), on page 29.
- Step 4** On the **Executing Workflow** screen, click **Submit**.
- Step 5** On the **Service Request Submit Status** screen, click **Show Detail Status**.
- Step 6** On the **Service Request** screen, click **Workflow Status**.

On the status page is a graphic of the service request's progress.

Step 7

Click **Log** to view the service request log.

Note Click **Refresh** to view the latest updates to the log.

What to Do Next

Click **Workflow Status** and record the **Request ID** from the report. You can view the status of a service request by ID at any time. See [Viewing Service Requests](#), on page 59.

Click **Close** to leave the **Service Request** screen.

Creating a Workflow Trigger

You can define a trigger to execute a workflow when specific conditions are met. These conditions are typically the states of various system components. When you enable a trigger, Cisco UCS Director monitors the system state and when the trigger conditions are met executes the workflow you specify.

To create a workflow trigger, follow these steps:

Step 1

Choose **Orchestration**.

Step 2

On the **Orchestration** page, click **Triggers**.

Step 3

Click **Add**.

Step 4

On the **Add Trigger: Trigger Information** screen, complete the following fields:

Name	Description
Trigger Name	A unique name for the trigger.
Is Enabled	Enables the trigger. (You can create and save a trigger, then enable it later.)
Description	A description of the trigger.
Frequency	<p>The period between checks for the trigger rule. The choices for this period span three minutes to one month.</p> <p>Note Internally, Cisco UCS Director polls for triggers every two minutes. Therefore, the actual period might be up to two minutes longer than specified. This can be significant for small trigger periods.</p> <p>For example, with Frequency set to three minutes, the trigger might activate up to three + two = five minutes after the trigger condition is satisfied.</p>

Name	Description
Trigger Type	<p>Choose the trigger type:</p> <ul style="list-style-type: none"> • Stateful—The last trigger state is recorded and actions are executed when there is a change in the trigger state. (The trigger state is Active when the trigger conditions are met, and Clear otherwise.) You choose workflows for both trigger state transitions: one for when the trigger state changes from Active to Clear, and one for when the trigger state changes from Clear to Active. The trigger state is checked at the frequency specified in the Frequency drop-down list. • Stateless—The trigger is executed anytime the trigger conditions are met, at a frequency specified in the Frequency drop-down list.

During execution of a triggered service request, additional requests by the same trigger are ignored. Only after the triggered service request has completed does the next polling event, as defined by the Frequency parameter, trigger another service request.

For example: Stateful Trigger T has a Frequency parameter of 5 minutes. T polls parameter P at time 13:00 and finds that P meets the trigger criterion, so T executes a service request SR that runs for 8 minutes. At 13:05, T polls again but, because SR is still running, T does not execute another service request, regardless of the state of P. At 13:08, SR ends. When T polls again at 13:10, it executes a new service request if the criterion for P is met.

Step 5 Click **Next**.

Step 6 Specify the trigger conditions.

- On the **Add Trigger: Specify Conditions** screen, do the following:
Expand the **Conditions** list.
- In the **Add Entry to Monitor** dialog box, complete the following fields:

Name	Description
Type of Object to Monitor	Choose which type of object to monitor with this condition.
Object	Choose the particular object to monitor. Entries in this list vary depending on the type of object. You might need to specify additional information (a pod, for example) to filter for the object.
Parameter	Choose an operational parameter to monitor. Entries in this list vary depending on the object.
Operation	Choose the relational operation for the trigger comparison. Entries in this list vary depending on the possible states of the parameter.

Name	Description
Value	Choose the value with which to compare the parameter. When the relation defined by Parameter, Operation, and Value is true, the trigger state is Active; otherwise, the trigger state is Clear.

- c) Click **Submit**.
- d) Repeat the previous two steps to add more trigger conditions.
- e) Choose one of the two options in the **Trigger When** drop-down list:
 - Choose **All Condition(s) Satisfied** to specify that the trigger state is true only when all of the trigger conditions are met.
 - Choose **Any Condition(s) Satisfied** to specify that the trigger state is true if one or more of the trigger conditions are met.

Step 7 Click **Next**.

Step 8 On the **Add Trigger: Specify Workflow** screen, choose the workflow or workflows to execute on the trigger:

- a) In the **Select Workflow** drop-down list under **When Trigger State Becomes Active**, choose a workflow. This workflow is executed:
 - Whenever the trigger state is Active (polled at a frequency specified in the **Frequency** drop-down list), if the trigger is stateless.
 - If and only if the trigger state has changed from Clear to Active since last checked one period ago (as specified in the **Frequency** drop-down list), if the trigger is stateful.
- b) If you chose the stateful trigger type, in the **Select Workflow** drop-down list under **When Trigger State Becomes Clear**, choose a workflow. This workflow is executed if and only if the trigger state has changed from Active to Clear since last checked one period ago (as specified in the **Frequency** drop-down list).

Step 9 Click **Next**.

Step 10 On the **Add Trigger: Specify Workflow Inputs** screen, enter all the required inputs for the workflow, and any needed optional inputs.

Note You must enter all inputs that are needed by the workflow. There is no opportunity for user input in a triggered workflow.

Step 11 Click **Submit**.

What to Do Next

You can enable or disable a trigger by selecting the trigger on the **Policies > Orchestration > Triggers** screen and checking or unchecking **Is Enabled**.

Example: Creating a Trigger to Execute a Workflow

This example demonstrates creating a trigger to execute a workflow when a set of conditions are met.

Step 1

Create a workflow with a single task as follows:

a) Create the workflow as described in the following table.

Name	Description
Workflow Name	Type <i>VM Power Event Notify</i> .
Description	Type <i>Sends an email when a VM changes power state</i> .
Workflow Context	Choose <i>Any</i> .
Select Folder	Choose <i>Orchestration Examples</i> .

b) Create an input as described in the following table:

Name	Description
Input Label	Type <i>Admin Emails</i> .
Input Description	Type <i>Email addresses to send power event notifications</i> .
Optional	Leave unchecked.
Input Type	Choose <i>email_address_list</i> .
Value Restrictions	Do not check Admin Input .

c) Do not define any user outputs.

d) In the **Workflow Designer**, add a **Send Email** task to the workflow.

e) Complete the task information as described in the following table:

Name	Description
Task Information screen	
Task Name	Type <i>VMPowerEventEmail</i> .
User Input Mapping screen	
Email Addresses (Mandatory)	Check Map to User Input .
Task Inputs screen	

Name	Description
Subject	This is the subject line of the notification email. Type <i>VM power event notification</i> .
Body	This is the body of the notification email. Type <i>One of the following VMs has had a power -on or power-off event: (list the VMs in your VMPowerCycle workflow)</i> .
Value Restrictions	Do not check Admin Input .

f) On the **User Output Mapping** page, do not map any outputs.

g) Validate the workflow, then exit the **Workflow Designer**.

Step 2 Click **Triggers**.

Step 3 Choose **Add**.

Step 4 On the **Trigger Information** screen, complete the following fields:

Name	Description
Trigger Name	Type <i>VMPowerEvent</i> .
Is Enabled	Leave this checked.
Description	Type <i>Executes VMPowerEventEmail when a power-on or power-off occurs on a monitored VM</i> .
Frequency	To test the trigger, you want a short time between polls. Choose <i>3 minutes</i> .
Trigger Type	Choose <i>Stateful</i> . This causes the trigger to activate when a condition changes between polls.

Step 5 On the **Specify Conditions** screen, add some conditions.

a) Expand the **Conditions** list and add a condition using the following values:

Name	Description
Type of Object to Monitor	Choose <i>VM</i> .
Object	Choose a VM to be monitored.
Parameter	Choose <i>Power Status</i> .
Operation	Choose <i>Equals</i> .
Value	Choose <i>ON</i> .

- b) Repeat the last step to add more VMs to be monitored. Each VM has its own condition.
- c) In the **Trigger When** drop-down list, select **Any Condition(s) Satisfied**.

Step 6

On the Specify Workflow screen, complete the fields using the following values:

Name	Description
Maximum Invocations	For demo purposes, choose <i>20</i> . You might choose <i>Unlimited</i> in an actual production application.
When Trigger State Becomes Active	<p>In the Select Workflow drop-down list, choose <i>VMPowerEventNotify</i>. The trigger executes this workflow when any of your monitored VMs changes from <i>OFF</i> to <i>ON</i> as defined on the Specify Conditions page.</p> <p>Note Items appear by serially assigned ID number in the drop-down list, so your workflow is at the bottom of list.</p>
When Trigger State Becomes Clear	In the Select Workflow drop-down list, choose <i>VMPowerEventNotify</i> . The trigger executes this workflow when any of your monitored VMs changes from <i>ON</i> to <i>OFF</i> as defined on the Specify Conditions screen.

What to Do Next

Test the trigger by turning on or off one of the monitored VMs. Make sure that the VM's state remains changed for at least three minutes. The trigger polls the state, so any change that is not visible at the time of polling (on and back off during the three minute wait interval, for example) does not activate the trigger.

Scheduling a Service Request

You can schedule execution of a workflow for a specific time.

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** On the **Workflows** screen, choose the workflow that you want to schedule.
- Step 4** Click **Schedule**.
- Step 5** On the **Schedule Workflow** screen, complete the following fields:

Name	Description
Recurrence Type	<p>Whether and at what frequency you want the workflow execution to recur. Choose one of the following:</p> <ul style="list-style-type: none"> • No End—Execute the workflow repeatedly without end at intervals defined by Frequency Type and Frequency Interval, starting at Start Time. • Only once—Execute the workflow only once, at Start Time. • Fixed Number of Times—Execute the workflow a number of times specified by Repeat Count at intervals defined by Frequency Type and Frequency Interval, starting at Start Time. • End by Date—Execute the workflow until the defined end time at intervals defined by Frequency Type and Frequency Interval, starting at Start Time.
Start Time	The time at which to start the workflow execution (or the first of a series of recurring executions).
Frequency Type	The unit of the recurrence frequency interval. Choose hourly, daily, weekly, or monthly.
Frequency Interval	Choose the interval at which the workflow needs to be executed for the frequency that you chose. For example, if the Frequency Interval is four and the Frequency Type is daily, the workflow is executed every four days.
User ID (optional)	The user ID to run the workflow. The service request runs with the permissions of this user ID.

Note You must provide inputs with the workflow. Scheduled workflows do not accept user inputs.

Note The same workflow can be run from any number of workflow schedules.

What to Do Next

Click **Workflow Schedules** to view scheduled workflows.

On the **Workflow Schedules** screen, you can modify a scheduled workflow by choosing a workflow and clicking the **Edit** button. The **Modify Workflow Schedule** screen appears. Modify the fields described in the previous steps. The **Modify Workflow Schedule** screen is identical to the **Schedule Workflow** screen.

Example: Scheduling Workflow Execution

This example demonstrates how to schedule a workflow for later execution.

Before You Begin

Create the example workflow as described in [Example: Creating a Workflow](#), on page 29.

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Choose the *VMPowerCycle* workflow.
- Step 4** Click **Schedule**.
- Step 5** On the **Schedule Workflow** dialog, complete the following:

Name	Description
Recurrence Type	Choose <i>Only once</i> . You might choose other values in an actual production application.
Start Time	Choose today's date and set a time a few minutes later than your current time.
Use ID	Type the administrator ID you are signed in as.

- Step 6** Click **Submit**.

What to Do Next

Click the **Workflow Schedules** tab. The scheduled workflow is listed.

Check the service request queue at the time you specified in the Start Time control. See [Viewing Service Requests](#), on page 59. A service request is generated for the workflow you specified.

Using VM Action Policies

You can create a user VM action policy to apply to virtual data centers (VDCs). The policy contains workflows that can be run on VMs within that VDC.



Note

Only one VM action policy can be assigned per VDC.

To create a VM action policy, do the following:

Step 1 Choose **Orchestration**.

Step 2 On the **Orchestration** page, click **User VM Action Policy**.

Step 3 Click **Add**.

Step 4 On the **Add Policy: Create New Policy** screen, complete the following:

Name	Description
Policy Name	The policy name.
Policy Description	A description of the policy.
Select No of Actions	The number of actions defined by the policy. One action specifies a single workflow.

Step 5 Click **Next**.

Step 6 For each **VM Action** on the **Add Policy: Add VM Actions** screen, complete the following:

Name	Description
Action Label	The label for the VM action. The action is available when you select a VM that is part of a virtual data center (VDC) to which the action policy is applied.
Workflow	The workflow represented by this action.
Authorized User Types	The user types authorized to run the policy workflows.

Step 7 Click **Submit**.

What to Do Next

After you create a User VM Action policy, as an administrator, you can choose this policy when you create a VDC. All VMs that belong to the VDC can then use the workflows specified in the action policy.



Using Service Requests

This chapter contains the following sections:

- [Viewing Service Requests, page 59](#)
- [Rolling Back a Service Request, page 60](#)
- [Resubmitting a Service Request, page 61](#)
- [Approving and Denying Service Requests, page 62](#)
- [Deleting Service Requests, page 63](#)

Viewing Service Requests

You can view details of a service request, including its progress through the workflow, the service request log, objects created by the service request, and input and output of the service request workflow. To view service request details:

-
- | | |
|---------------|--|
| Step 1 | Choose Organizations > Service Requests . |
| Step 2 | On the Service Requests page, click Service Requests . |
| Step 3 | Choose a service request. |
| Step 4 | Click View Details . The Service Request Status screen appears. |
| Step 5 | Choose among different aspects of the service request to examine: <ul style="list-style-type: none">• Workflow Status—Which tasks have succeeded or failed, and which task (if any) is currently running.• Log—Debug, information, warning, and error messages generated by the workflow tasks.• Objects Created and Modified—Details about objects created by the workflow, including the owning tenant, the account, and other information. |

- **Input/Output**—Input and output of each workflow task. See [Viewing Service Request Input and Output](#), on page 60.

Step 6 Click **Close**.

Viewing Service Request Input and Output

The **Input/Output** screen in the **Service Request** dialog displays a list of the values for each task in the workflow at the time of approval. There are four types of input or output that may be visible:

- Administrator input.
- Task input.
- Task output.
- Mapped input or output. In the case of a mapped input (or output), the name of the corresponding source (or target) output (or input) is shown in the **Input/Output** column. For example, a task input mapped to the EMAIL_ADDRESSES output from task SendEmail_94 would display SendEmail_94.EMAIL_ADDRESSES in the **Input/Output** column.



Note

The input and output values for a service request are viewable even if the underlying workflow has been deleted. However, in this case the input values cannot be edited.

Step 1 Choose **Organizations > Service Requests**.

Step 2 On the **Service Requests** page, click **Service Requests**.

Step 3 Click a service request. The **Input/Output** table appears.

Step 4 Click **Input/Output**. The input and output values of all the tasks in a workflow are accessible from this screen. The types of outputs appear in the **Input/Output** column.

Step 5 Click an arrow next to a folder icon in the left column to expand a task. The type, name, and value of each of the task's inputs and outputs are displayed in the table.

Rolling Back a Service Request

You can undo all or part of an executed workflow by using the Service Request Rollback feature. See [Rollback](#), on page 10.

You can roll back most workflow tasks that executed successfully. Exceptions:

- Some tasks are designed such that they cannot be rolled back.

- Rollback can be disabled for a task within a particular workflow. See the following discussion.

Any changes made by tasks that are not selected for rollback (for example, creating virtual resources) are not undone (for example, the virtual resources are not removed). If you choose to roll back an entire successful service request, all its workflow tasks are rolled back (with the previously listed exceptions).

**Note**

You can roll back a service request even if the underlying workflow has been deleted.

-
- Step 1** Choose **Organizations > Service Requests**.
- Step 2** On the **Service Requests** page, click **Service Requests**.
- Step 3** Choose the service request that corresponds to the workflow that needs to be rolled back.
- Step 4** (Optional) View the assets affected by the workflow. To view the workflow assets:
- Click **View Details**.
 - Click **Objects Created and Modified**.
The list shows all the objects created or modified by the workflow.
 - Click **Close**.
- Step 5** Click **Rollback Request**.
- Step 6** Initially, all tasks that can be rolled back are checked. Uncheck any tasks that you do not want to roll back. Tasks for which rollback has been disabled (see [Configuring a Task in a Workflow, on page 24](#)) are unchecked. Checking these tasks to request their rollback results in an error when you submit the workflow rollback. If this happens, uncheck any tasks with disabled rollbacks and submit the workflow rollback again.
- You can roll back subtasks at any level in the workflow's hierarchy of compound tasks. The **Task Name** column in the **Rollback Service Request** dialog displays the ancestry of each listed task.
- Step 7** Click **Submit**.
-

What to Do Next

Rollback workflows start with **Rollback** in the **Catalog/Workflow Name** column of the **Service Requests** page. Right-click a rollback service request and choose **View Details** to examine its status.

Resubmitting a Service Request

You can resubmit all or part of a failed or cancelled service request.

-
- Step 1** Choose **Organizations > Service Requests**.
- Step 2** On the **Service Requests** page, click **Service Requests**.
- Step 3** Click a failed or cancelled service request.
- Step 4** (Optional) Change user input values for the workflow before resubmitting the service request. You must have administrator privileges to change user inputs before resubmitting a workflow.

Note Only user workflow inputs can be changed. Admin inputs and task inputs cannot be changed before resubmitting.

To change the input values:

- a) Click **View Details**.
- b) Click **Input/Output**.
- c) Enter new values for any of the inputs.
- d) Click **Close**.

Step 5 Click **Resubmit Request**. The **Resubmit Service Request** dialog appears.

Step 6 Select a subtask from the **Resubmit Step** drop-down menu. The workflow will be resubmitted beginning with this task. You can select any task up to and including the subtask that caused the workflow to fail.

Note You can select nested compound tasks at any depth for the resubmitted task.

Step 7 (Optional) If all approvals succeeded before the workflow failed, bypass the approval tasks by checking **Skip approvals if already approved**.

Step 8 Click **Submit**.

Approving and Denying Service Requests

A workflow can include an approval task that requires a user, usually an administrator or someone with budget authority, to approve the workflow before it completes. To deal with workflows requiring your approval, do the following:

Before You Begin

A service request has been submitted with an Approval task that requires approval of a user ID that you own.

Step 1 Choose **Organizations > My Approvals**.

Step 2 On the **My Approvals** screen, choose an approval with status Pending in the **My Approval Status** column.

Step 3 (Optional). To view the service request details, click **View Details**.

Step 4 Choose what to do with the request:

- To approve the service request and allow the workflow to resume execution, click **Approve**.
- To deny the request but leave it in your approvals list in a rejected state, click **Reject**.

Note If you reject an approval, the workflow continues with the On failure path from the approval task. The On failure path can be used, for example, to execute an email task to notify a user that the approval was rejected. Or, it can execute another approval task, giving a different user an opportunity to approve the task.
- To deny the request and remove it from your approvals list, click **Cancel Request**. The workflow stops in a failed state at the approval task.

If you selected **Approve** or **Reject**, the **Service Request** screen appears. Continue to the next step.

If you selected **Cancel Request**, the **Cancel Service Request** dialog appears. Skip the next step.

Step 5

(Optional). Enter a comment in the **Comment** field of the **Service Request** screen.

Step 6

Click the button corresponding to your chosen action (**Accept**, **Reject**, or **Cancel Request**) to complete the action.

What to Do Next

To see the status of any workflow in your approval list, click **View Details**.

To see the status of a workflow that you cancelled or a workflow not in your approval list, choose **Organizations > Service Requests** from the main menu.

Deleting Service Requests

You can delete archived service requests from Cisco UCS Director. The deleted service requests are removed permanently from Cisco UCS Director.

You can enter archived service requests to delete in one of two ways:

- By selecting the service requests on the **Archived Service Requests** screen and clicking **Delete Requests**.
- By clicking **Purge Requests** and entering the IDs of the archived service requests.

Both methods result in the permanent removal of the specified service requests. The only difference is the method of data entry.

You can delete only archived service requests. For information about archiving service requests, see the current release of the [Cisco UCS Director Administration Guide](#). Because active service requests cannot be archived, you cannot delete service requests that are in progress, or that contain child service requests that are in progress.

You also cannot delete a service request that has a rollback that is in progress or that has failed. For example, say that you submit a rollback for service request (SR) 100 that generates a rollback service request SR 101. You cannot delete SR 100 while SR 101 is in progress. Furthermore, you cannot delete SR 100 if SR 101 fails.

To delete service requests, do the following:

Step 1

Choose **Organizations > Service Requests**.

Step 2

On the **Service Requests** page, click **Archived Service Requests**.

Step 3

You can either enter service request IDs using the keyboard or choose service requests from the **Archived Service Requests** report.

To enter service request IDs, skip to the next step. To choose service requests instead, do the following:

- Choose all the service requests that you want to delete.

Note Select multiple items as you would in any other application on your system. For example, in Windows, hold down the **Ctrl** key to choose more items or **Shift** to choose a range of items.

When you choose one or more service requests, the **Delete Request** icon appears.

- Click **Delete Request**.

- c) On the **Delete Request** screen, click **Delete**.

Step 4

To enter service requests, do the following:

- a) Click **Purge Requests**.
 - b) In **SR IDs** on the **Delete Request** screen, enter the IDs of the service requests that you want to delete . Use hyphens to indicate ranges of IDs and commas to separate ranges or individual IDs; for example: 101-111, 113, 116-118.
 - c) Click **Delete**.
-



Managing Workflows

This chapter contains the following sections:

- [Workflow Editing, page 65](#)
- [Exporting and Importing Cisco UCS Director Artifacts, page 72](#)
- [Workflow Version History, page 79](#)
- [Cloning a Workflow, page 83](#)
- [Saving a Picture of a Workflow, page 83](#)

Workflow Editing

You can edit many features of an existing workflow. You can:

- Rename a workflow
- Reorder inputs
- Delete inputs
- Rename inputs
- Change an input from optional to mandatory (but not the reverse)
- Edit tasks in the workflow
- Delete tasks from a workflow

You can also:

- Delete any or all versions of a single workflow
- Delete the default version or all versions of multiple workflows at one time

The following sections describe these procedures.

**Note**

To modify a predefined workflow, we recommend that you create a new version of that workflow before making the changes. If you modify a default predefined workflow, you can affect what happens in Cisco UCS Director when you click an action button. Actions that you take in Cisco UCS Director, such as creating or modifying a VM, use the default predefined workflows.

For example, when you click the **Create** button on the **HyperConverged > Datastore** page, Cisco UCS Director runs the default Create HyperFlex Datastore workflow and creates a service request for the action.

Renaming Workflows

You can rename any workflow in UCS Director. Exception: you cannot rename a compound task.

**Note**

All versions of the workflow are renamed.

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Choose the workflow that you want to rename.
 - Step 4** Click **Edit**.
 - Step 5** In **Workflow Name** on the **Edit Workflow** screen, enter the new name for the workflow.
 - Step 6** Click **Next**.
 - Step 7** On the **Add User Inputs** screen, click **Next**.
 - Step 8** On the **Add User Outputs** screen, click **Submit**.
-

Reordering Inputs

After creating a workflow, you can change the order in which workflow user inputs are processed when the workflow is executed.

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Click **Edit**.
 - Step 4** On the **Edit Workflow Details** screen, click **Next**.
 - Step 5** On the **Edit User Inputs** screen, choose an input.
 - Step 6** Click the **Up Arrow** icon or **Down Arrow** icon to move the input up or down in the input order. Alternatively, you can drag and drop an input to a different place in the list.

- Step 7** Click **Next**.
- Step 8** On the **Edit Workflow Outputs** screen, click **Submit**.
-

Deleting Workflow Inputs

You can delete one or more inputs while editing an existing workflow.

**Note**

You can also delete inputs in a cloned workflow.

Alternatively, while editing a task, you can navigate to the **Edit Workflow Inputs** screen by clicking **Manage Workflow User Inputs** on the **User Input Mapping** page.

To delete inputs from a workflow, do the following:

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Choose the workflow you want to edit.
- Step 4** Click **Edit**.
- Step 5** Click **Next**.
- Step 6** In the **Workflow User Inputs** list on the **Edit User Inputs** screen, choose the inputs that you want to delete. To select multiple inputs from the list, hold down the <Shift> key (for a range of items) or <Ctrl> key (to select individual items).
- Step 7** Click **Delete (X)**.
- Step 8** On the **Delete Entry** screen, click **Submit**.
-

What to Do Next

Click **Next** to move to the **Edit User Outputs** screen, then click **Submit**.

Renaming Workflow Inputs

You can rename inputs while editing an existing workflow.

Alternatively, while editing a task, you can navigate to the **Edit Workflow Inputs** screen by clicking **Manage Workflow User Inputs** on the **User Input Mapping** page.

To rename inputs from an opened workflow, do the following:

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Choose the workflow you want to edit.
 - Step 4** Click **Edit**.
 - Step 5** Click **Next**.
 - Step 6** In the **Workflow User Inputs** list on the **Edit User Inputs** screen, choose the input that you want to edit.
 - Step 7** Click **Edit**.
 - Step 8** On the **Edit Entry** screen, replace the **Input Label**.
 - Step 9** Click **Submit**.
 - Step 10** To edit another input, repeat the previous four steps.
-

What to Do Next

Click **Next** to move to the **Edit User Outputs** page, then click **Submit**.

Changing Input Optional or Required Status

You can change the optionality (optional or required status) of workflow inputs.



Note

You cannot map an optional workflow input to a mandatory task input. Similarly, you cannot change an input from mandatory to optional if it is mapped to a mandatory task input.

Before You Begin

Select the workflow you want to edit and choose the **Edit** action.

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Choose the workflow you want to edit.
 - Step 4** Click **Edit**.
 - Step 5** Click **Next**.
 - Step 6** In the **Workflow User Inputs** list on the **Edit User Inputs** screen, choose the input that you want to edit.
 - Step 7** Click **Edit**.
 - Step 8** On the **Edit Entry** screen, check or uncheck **Optional** to make the input optional or required, respectively, at the time of execution.
- Note** You cannot make a workflow user input optional if it is mapped to a mandatory task input.

Step 9 Click **Submit**.

What to Do Next

Click **Next** to move to the **Edit User Outputs** screen, then click **Submit**.

Editing a Task in an Existing Workflow

You can edit a task in an existing workflow. The change is local to the workflow and version containing the edited task. For example, if you edit task A in version 0 of workflow X, the task remains unchanged in workflow Y and in version 1 of workflow X.

Step 1 Choose **Orchestration**.

Step 2 On the **Orchestration** page, click **Workflows**.

Step 3 In the Workflow report, click the workflow you want to edit.

Step 4 Click **Workflow Designer**.

Step 5 In the workflow display, double-click the task that you want to edit.
The **Edit Task** screen appears.

Step 6 On the **Task Information** screen, the following fields are available:

Name	Description
Task Name	You cannot change the name of the task.
Task Category	You cannot change the task category.
Task Type	You cannot change the task type.
Comment	You can change or add to the comment.
Retry Execution	You can check or uncheck Retry Execution . If Retry Execution is checked, Retry Count and Retry Frequency controls appear.
Disable Rollback	You can check or uncheck Disable Rollback . If Disable Rollback is checked, the task is unchecked in the Rollback Service Request screen and cannot be rolled back; see Rolling Back a Service Request , on page 60. If the task does not support rollback, checking Disable Rollback has no effect.
Retry Count	The number of times (up to 5) to retry the task on failure.

Name	Description
Retry Frequency	A comma-separated list of integers specifying how many seconds to wait between retries. For example, if you selected a retry count of three, enter 1, 10, 60 to retry after one, 10, and 60 seconds, respectively.

Step 7 Click **Next**.

Step 8 On the **User Input Mappings** screen, you can edit the following fields:

Name	Description
Manage Workflow User Inputs	Click Manage Workflow User Inputs to add to or edit the workflow user inputs.
Task Input	Each task input is displayed as a heading on the remainder of this page. The input is labeled (Mandatory) if it is required.
Map to User Input	Check Map to User Input to populate the task input from a workflow user input at runtime.
User Input	This drop-down list appears if you check Map to User Input . Select the workflow user input to map to the task input.

Step 9 Click **Next**.

Step 10 On the **Task Input** screen, you can edit the following fields:

Name	Description
(input label)	Each task input that was not mapped to a user input on the previous page is displayed with an appropriate input control (text field, drop-down list, and so on). Use the input controls to specify the value. Optional inputs can be left blank.

Step 11 On the **User Output Mapping** screen, you can edit the following fields:

Name	Description
Task Output	Each task output is displayed as a heading on this page. The output is labeled (Mandatory) if it is required. The output heading labels are assigned automatically and cannot be modified.

Name	Description
Map to User Output	Check Map to User Output to populate a workflow user output from the task output at runtime.
User Output	This drop-down list appears if you check Map to User Output . Select the workflow user output to map to the task output.

Step 12 Click **Submit**.

Opening Workflow Designer from a Header Search

You can use the search field in the Cisco UCS Director header to find and select a workflow from anywhere in Cisco UCS Director. You can then open the workflow in the **Workflow Designer**.

To find and edit a workflow from the Cisco UCS Director header:

Before You Begin

You have previously created a workflow that you want to edit immediately from any page in Cisco UCS Director.

-
- Step 1** In the header bar of Cisco UCS Director, click the **Search** icon.
The **Search Category** drop-down list and **Search** field are displayed.
- Step 2** Select Workflow from the **Search Category** drop-down list.
- Step 3** Begin entering the name of the workflow you want to open.
Once there are three or more letters in the **Search** field, a drop-down list of workflow name matches appears.
- Step 4** Finish entering the workflow name or select the workflow name from the drop-down list.
-

The workflow opens in the **Workflow Designer**.

What to Do Next

Modify the workflow just as you would if you had selected the workflow from the **Orchestration > Workflow** page. When you are done, Cisco UCS Director returns to the page you were on when you opened the **Workflow Designer**.

Deleting a Workflow

You can delete any or all versions of a workflow.

-
- | | |
|---------------|--|
| Step 1 | Choose Orchestration . |
| Step 2 | On the Orchestration page, click Workflows . |
| Step 3 | Choose the workflow you want to delete. |
| Step 4 | Click Delete . |
| Step 5 | On the Delete Workflow(s) screen, choose the versions that you want to delete. To choose all versions for deletion, check the box at the top of the list. |
| Step 6 | Click the Delete button. |
-

Deleting Multiple Workflows

You can delete more than one workflow at a time.

-
- | | |
|---------------|--|
| Step 1 | Choose Orchestration . |
| Step 2 | On the Orchestration page, click Workflows . |
| Step 3 | Choose all the workflow you want to delete.
Note Select multiple items as you would in any other application on your system. For example, in Windows, hold down the Ctrl key to choose more items or Shift to choose a range of items. |
| Step 4 | Click Delete All . |
| Step 5 | On the Delete Workflow screen, check Delete All Versions if you want to delete all versions of the selected workflows. Otherwise only the default version is deleted. |
| Step 6 | Click Delete . |
-

Exporting and Importing Cisco UCS Director Artifacts

You can export and import workflows, custom tasks, script modules, and activities in Cisco UCS Director. This is useful if, for example, you want to:

- Move or copy workflows or other entities to different Cisco UCS Director instances.
- Back up or store entities.
- Use templates to standardize workflows.

Exporting and Importing Artifact Files

Cisco UCS Director artifacts are exported from and imported to Cisco UCS Director in a single package. The you exported or imported file has a `.wfdx` extension and is an XML file containing a serialized representation of the objects. The file contains at least one of the following:

- One or more workflows
- One or more custom tasks
- One or more script modules
- One or more activities

For example, you might import a file that contains only a single custom task; or a file that contains several workflows, a script module, and a few activities; and so on.

Exporting and Importing Workflows as Templates

You can export and import workflows as templates.

When you export a template, all of the tasks within the workflow are retained. When you create a new workflow using a template, task inputs that have been mapped to workflow inputs cannot be modified. However, you can modify inputs which have not been mapped.

Exporting Workflows, Custom Tasks, Script Modules, and Activities

To export artifacts from Cisco UCS Director, do the following:

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Click **Export**.
- Step 4** On the **Select Workflows** screen, choose the workflows that you want to export.
- Step 5** Click **Next**.
- Step 6** On the **Select Custom Tasks** screen, choose the custom tasks that you want to export.
- Step 7** Click **Next**.
- Step 8** On the **Export: Select Script Modules** screen, choose the script modules that you want to export.
- Step 9** Click **Next**.
- Step 10** On the **Export: Select Activities** screen, choose the activities that you want to export.
- Step 11** Click **Next**.
- Step 12** On the **Export: Confirmation** screen, complete the following fields:

Name	Description
Exported By	Your name or a note on who is responsible for the export.
Comments	Comments about this export.
Exported File Name	The name of the file on your local system. Type only the base filename; the file type extension (<code>.wfdx</code>) is appended automatically.

Step 13 Click **Export**.

You are prompted to save the file.

Importing Workflows, Custom Tasks, Script Modules, and Activities

To import artifacts into Cisco UCS Director, do the following:

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Click **Import**.
- Step 4** On the **Import** screen, click **Select a File**.
- Step 5** On the **Choose File to Upload** screen, choose the file to be imported. Cisco UCS Director import and export files have a `.wfdx` file extension.
- Step 6** Click **Open**.
When the file is uploaded, the **File Upload** screen displays `File ready for use`.
- Step 7** Click **Next**.
The **Import** screen displays a list of Cisco UCS Director objects contained in the uploaded file.
- Step 8** (Optional) Specify how objects are handled if they duplicate names already in the workflow folder. On the **Import** screen, complete the following fields:

Name	Description
Workflows	Choose from the following options to specify how identically named workflows are handled: <ul style="list-style-type: none"> • Replace—Replace the existing workflow with the imported workflow. • Keep Both—Import the workflow as a new version. • Skip—Do not import the workflow.
Custom Tasks	Choose from the following options to specify how identically named custom tasks are handled: <ul style="list-style-type: none"> • Replace • Keep Both • Skip

Name	Description
Script Modules	Choose from the following options to specify how identically named script modules are handled: <ul style="list-style-type: none"> • Replace • Keep Both • Skip
Activities	Choose from the following options to specify how identically named activities are handled: <ul style="list-style-type: none"> • Replace • Keep Both • Skip
Import Workflows to Folder	Check Import Workflows to Folder to import the workflows. If you do not check Import Workflows to Folder and if no existing version of a workflow exists, that workflow is not imported.
Select Folder	Choose a folder into which to import the workflows. If you chose [New Folder..] in the drop-down list, the New Folder field appears.
New Folder	Enter the name of the new folder to create as your import folder.

Step 9 Click **Import**.

Workflow Templates

A workflow template is like an outline of a workflow. It contains placeholders for all the tasks in the workflow, but is not executable.

A workflow template is useful when you want to import a workflow to a different Cisco UCS Director instance, especially if the workflow is large or contains custom tasks.

A workflow template contains the following elements:

- Task names. Only the names are exported; the tasks themselves must exist in the Cisco UCS Director environment in order to execute.
- Workflow structure (connections between tasks).
- Input names.

A workflow template does not contain these elements:

- Custom tasks. Since only task names are exported in a template, you must import custom tasks in the new Cisco UCS Director environment in order for them to execute.
- Admin input values. Since the elements referred to by input values are unlikely to exist in the new Cisco UCS Director environment, input values must be redefined.
- Custom workflow input values. As with admin input values, workflow input values must be redefined.

Exporting Workflows as Templates

You can export a workflow as a template. To export a workflow as a template:

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Choose the workflow you want to export.
- Step 4** Click **Export As Template**.
- Step 5** On the **Export as Template** screen, complete the following fields:

Name	Description
Template Name	The name for the template.
Description	A description of the template.

- Step 6** Click **Submit**.
You are prompted to save the template to your system.
- Note** The template is saved under a system-generated filename. The template name you assign is for display in Cisco UCS Director only.

Importing a Workflow Template

To import a workflow template:

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Workflows**.
- Step 3** Click **Import**.
- Step 4** On the **Import** screen, click **Upload**.
- Step 5** On the **File Upload** screen, click **Click and select a file from your computer**.
- Step 6** Select the template file. Cisco UCS Director template files have a `.wft` file extension.

When the file is uploaded, the **File Upload** dialog displays `File ready for use`.

Step 7 Dismiss the **File Upload** dialog.

Step 8 On the **Import Template** screen, click **Submit**.

The template appears on the **Workflow Templates** page.

Creating a Workflow from a Template

Step 1 Choose **Orchestration**.

Step 2 On the **Orchestration** page, click **Workflow Templates**.

Step 3 Choose a template.

Step 4 Click **Create Workflow**.

Step 5 On the **Overview** screen, complete the following fields:

Name	Description
Name	The name of the workflow to be created.
Description	An optional description for the workflow.

Step 6 Click **Next**.

Step 7 Click through the remaining screens of the **Create Workflow from Template** wizard. You can change any editable task-specific inputs that appear.

Step 8 Click **Submit**.

The workflow is created in the **Template Workflows** folder on the **Workflows** page.

What to Do Next

Open the workflow in the **Workflow Designer** and configure it to work in its new environment.

Predefined Templates

Cisco UCS Director installs with the following predefined templates. The templates are available, along with any user-imported templates, on the **Policies > Orchestration > Workflow Templates** screen.

Name	Purpose	Description
Customer Onboarding	Customer onboarding in a secure multitenancy setting	<p>The workflow does the following:</p> <ul style="list-style-type: none"> • Creates a virtual data center (VDC) • Generates a VLAN from the selected VLAN policy • Creates a VLAN on the selected Cisco Nexus 5000 Series switches • Creates a port profile on selected Nexus 1000v Series switches • Creates a VLAN interface • Creates flexible volume • Creates and establishes a vFiler on the controller • Mounts the storage as a data store on a selected host node
Deploy ESXi Host	Deployment of a new blade as an ESXi Host on a VMware (vCenter) account	<p>The workflow does the following:</p> <ul style="list-style-type: none"> • Creates a service profile • Associates the service profile to a selected server • Configures SAN zones on a Cisco Nexus 5000 Series switch • Establishes a PXE boot • Monitors PXE booting and registers the host with a selected VMware (vCenter) account
Deploy ESXi Host with ONTAP	Deployment of a new blade as an ESXi Host on a VMware (vCenter) account.	<p>Workflow does the following:</p> <ul style="list-style-type: none"> • Creates a service profile • Associates the service profile to a selected server • Configures SAN zones on a Cisco Nexus 5000 Series switch • Establishes a PXE boot • Monitors PXE booting and registers the host with a selected VMware (vCenter) account

Name	Purpose	Description
Deploy ESXi Host of Local Storage (without a Cisco Nexus 1000v Series switch)	Deployment of a new blade as an ESXi local storage host (without using a Cisco Nexus 1000v Series switch) on a VMware (vCenter) account	<p>The workflow does the following:</p> <ul style="list-style-type: none"> • Creates a service profile • Associates the service profile to a selected server • Configures SAN Zones on a Cisco Nexus 5000 Series switch • Establishes a PXE boot • Monitors PXE booting and registers the host with a selected VMware (vCenter) account
Attach VLAN to Storage Controller	Attaching a NetApp storage controller's Ethernet ports to a new VLAN	<p>The workflow does the following:</p> <ul style="list-style-type: none"> • Generates a VLAN from the selected VLAN policy • Creates a VLAN on the selected devices • Creates a VLAN interface • Creates a vFiler on the controller

Workflow Version History

Cisco UCS Director provides a set of features for managing versions of a workflow. See [Workflow Versioning, on page 10](#).

The following sections discuss how to manage workflow versions.

Creating a New Version of a Workflow

You can create a new version of a workflow. You can then modify the new version without changing the old version.

Before You Begin

You have an existing workflow that you want to modify.

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Choose the workflow to duplicate.
 - Step 4** Click **Create New Version**.
 - Step 5** On the **Create New Version** screen, complete the following fields:

Name	Description
Version Label	The label for the version. The default label for a new workflow is zero, so consider labeling new versions numerically starting from one.
Description	A description for the version.

Step 6 Click **Submit**.
The new version opens in the **Workflow Designer**.

Step 7 In **Workflow Designer**, complete your changes for the workflow.

Step 8 Click **Close**.

If the **Manage Versions** settings specify **Set latest version as default**, the new version becomes the default version. The **Workflows** report displays the new version of the workflow under the **Version** column.

If the **Manage Version** settings specify **Set selected version as default**, the new version is created but the default version does not change. See [Choosing the Default Version of a Workflow](#), on page 80.

Choosing the Default Version of a Workflow

- Step 1** Choose **Orchestration**.
Step 2 On the **Orchestration** page, click **Workflows**.
Step 3 From the **More Actions** drop-down list, choose **Manage Versions**.
Step 4 On the **Manage Versions** screen, complete the following fields:

Name	Description
Show latest version	Check Show latest version to set the default version of a workflow to be the last version that was created. The default version of a workflow is displayed in the Workflows page. If you create a new version of a workflow, the new version becomes the default. For example, if the latest version of a workflow is X.0, the Version Label column in the Workflows page displays X.0. If you then create a version X.1, the Version Label column displays X.1.
Set default version	Check Set default version to set the default version of a workflow to be the version that you select. The default version of a workflow is displayed in the Workflows page. If you create a new version of a workflow, your selected version remains the default. For example, if the latest version of a workflow is X.0, the Version Label column in the Workflows page displays X.0. If you then create a version X.1, the Version Label column remains X.0.
Version	If you chose Set default version , check one version from the list to be the default version.

Step 5 Click **Submit**.

Managing Versions of a Compound Task

When you update a compound task, the new version of the compound task replaces the old one in all workflows that use the compound task.

However, it is possible for some versions of a workflow to be compound tasks while other versions of the same workflow are not. Normally, the behavior of a workflow is defined by the workflow's default version, but this is sometimes not the case with compound tasks.

If the default version of a workflow is not a compound task, then when the workflow is called as a compound task the system uses the most recent version of the workflow that is defined as a compound task. This can be confusing. The following example illustrates this behavior.

Before You Begin

- 1 Create a compound task called *CT*. Note that in the Workflow tab, the Version Label for *CT* is shown as 0. We will refer to this version of *CT* as *CTv0*.
- 2 Include the compound task in a workflow called *WF*.
- 3 Validate the workflow *WF*. Validation should pass.

Step 1 Save *CTv0* as a normal (non-compound-task) workflow:

- a) Choose **Orchestration**.
- b) On the **Orchestration** page, click **Workflows**.
- c) Choose the compound task workflow *CTv0*.
- d) Click **Edit Workflow**.
- e) Uncheck **Save as Compound Task**.
- f) Click through to the **Edit User Outputs** screen and click **Submit**.

Step 2 In the **Workflow Designer**, validate *WF*.

- a) On the **Orchestration** page, click **Workflows**.
- b) Choose the workflow *WF*.
- c) Click **Workflow Designer**.
- d) On the **Workflow Designer** page, click **Validate Workflow**.

Validation fails with the message The task "Compound add user" does not exist anymore.

Step 3 Create a new version of *CT* (*CTv1*).

- a) On the **Orchestration** page, click **Workflows**.
- b) Choose the workflow *CTv0*.
- c) Click **Create New Version**.
- d) On the **Create New Version** screen, enter the required fields:

- Version Label - Something recognizable, for example v1.
- Description - Any description.

- Click **Submit**.
- When the **Workflow Designer** comes up, click **Close**.
- Click **Edit**.
- Verify that for *CTv1*, **Save as Compound Task** is unchecked.
- Close the **Edit Workflow** page.

Step 4 Validate *WF* again, as in Step 2.
Validation fails with the message The task "Compound add user" does not exist anymore.

Step 5 Make *CTv1* a compound task.

- On the **Orchestration** page, click **Workflows**.
- Choose the workflow *CT*.
- Click **Edit Workflow**.
- Check **Save as Compound Task**.
- Click through to the **Edit User Outputs** page and click **Submit**.

Step 6 Validate *WF* again.
Validation is successful.

Step 7 Change the default version of *CT* back to *CTv0*.

- On the **Orchestration** page, click **Workflows**.
- Choose the workflow *CT*.
- Click **Manage Versions**.
- On the **Manage Versions** screen, uncheck **Set Latest Version as Default**.
- Check **Set Selected Version as Default**.
- In the table, check *CTv0*.
- Click **Submit**.

In the **Workflows** tab, **Version Label** is now *0*, indicating that *CTv0* is the default version of *CT*.

Step 8 Validate *WF* again.
Validation is successful. Note that *WF* is using *CTv1* as the compound task, even though *CTv0* is the default. Be aware that this can cause confusion if you have more than one version of a workflow that is used as a compound task.

Cloning a Workflow

You can clone a workflow. The cloned workflow is identical to the original workflow. You can edit the new workflow immediately. You might do this, for example, to create a workflow that is similar to the original workflow but which has different inputs. The new workflow has a new, separate version history.

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Select the workflow you want to clone.
 - Step 4** Click **Clone**.
The **Clone Workflow** screen comes up.
 - Step 5** Edit the workflow details, inputs, and outputs. See [Creating a Workflow, on page 17](#). You must enter a new name for the workflow.
 - Step 6** Click **Next** to proceed to the **Workflow User Inputs** screen.
 - Step 7** Edit the workflow user inputs.
-

Saving a Picture of a Workflow

You can create a graphics image of a workflow. To capture an image, do the following:

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Choose a workflow.
 - Step 4** Click **Workflow Designer**.
 - Step 5** From the **Workflow Designer Action Menu** click the **Export as Image** icon.
The entire workflow is converted to a .png file and displayed in a new browser window.
 - Step 6** You can save the image using your browser.
-



Customizing Workflow Components

This chapter contains the following sections:

- [Creating a Compound Task, page 85](#)
- [Creating Custom Approvals, page 87](#)
- [Creating Custom Inputs, page 88](#)
- [Orchestration Global Variables, page 89](#)

Creating a Compound Task

A compound task is a workflow that functions as a single task. A compound task, like any other task, is atomic: its component tasks are hidden.

You create a compound task by saving a workflow as a compound task when you create or edit the workflow. Do this, for example, if you find yourself building the same series of tasks into several different workflows.

You can define a simple workflow and save it as a compound task, then define another workflow that incorporates the compound task. You can use this pattern to define increasingly complex workflows.

To save an existing workflow as a compound task, do the following:

**Note**

To create a new compound task from scratch, see [Creating a Workflow, on page 17](#).

-
- Step 1** Choose **Orchestration**.
 - Step 2** On the **Orchestration** page, click **Workflows**.
 - Step 3** Select a workflow to save as a compound task.
 - Step 4** Click **Edit**.
 - Step 5** Check **Save as Compound Task**.
 - Step 6** If you want all of the workflow's task outputs available as output of the compound task, click **Publish Task outputs as Compound Task outputs**.
 - Step 7** Click **Next**.
 - Step 8** On the **Add User Inputs** screen, click **Next**.
 - Step 9** On the **Add User Outputs** screen, click **Submit**.
-

The new compound task is available in the **Compound Task** folder when you open the **Workflow Designer**.

Example: Creating a Compound Task

This example demonstrates repeating a workflow task for elements in a list.

Before You Begin

Create the example workflow as described in [Example: Creating a Workflow, on page 29](#).

-
- Step 1** Navigate to **Policies > Orchestration**.
 - Step 2** Click the **Workflows** tab.
 - Step 3** Locate and select the PowerCycleVM workflow you created in [Example: Creating a Workflow, on page 29](#).
 - Step 4** Click **Edit**.
 - Step 5** In the **Edit Workflow Details** window, check the **Save as Compound Task** check box.
Note None of the tasks has an output, so ignore the **Publish Task Outputs as Compound Task outputs** check box. The workflow has nothing to do with system startup of Cisco UCS Director, so ignore also the **Always execute during System initialization** check box.
 - Step 6** Click through to the **Edit Workflow Output** page.
 - Step 7** Click **Submit**.
-

What to Do Next

Include the custom task in other workflows. For example, you can put this task before the Completed (Failed) task of workflows that modify to remotely hosted VMs. Then, the VM restarts if a modification fails.

Creating Custom Approvals

You can create custom approval tasks that allow approvers to enter input values at the time of workflow execution.

Step 1 Choose **Orchestration**.

Step 2 On the **Orchestration** page, click **Custom Approval Tasks**.

Step 3 Click **Add**.

Step 4 On the **Add Inputs** screen, complete the following fields:

Name	Description
Approval Task Name	The name of the approval task as it appears in the Workflow Designer.
Approval Task Description	A description of the approval task (optional).

Step 5 Click **Add Input Field**.

Step 6 Under the **User Input** heading for the new input field, complete the following fields:

Name	Description
Input Label	The label for the input (supplied by the approver of the task).
Input Description	A description of the input.
Input Type	A drop-down list containing the data type of the input.
Optional Input	If Optional Input is checked, the administrator must provide a default value for the input. The approver is not required to provide input.

Step 7 Repeat the previous two steps to add as many inputs as needed.

Step 8 Click **Submit**.

What to Do Next

You can now include the custom task in a workflow.

Creating Custom Inputs

You can create custom input types to use as workflow inputs. Custom input types are based on an existing input type. They are defined by filter criteria or by a selection set that further narrows the possible values of the input.

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Custom Workflow Inputs**.
- Step 3** Click **Add**.
- Step 4** On the **Add Custom Workflow Input** screen, complete the following fields:

Name	Description
Custom Input Type Name	The input name.
Input Type	clicking this button brings up a list of existing input types. From the list, choose an input type on which to base your input type.
Filter	<p>Depending on your choice of input type, one or more of the following filter types is available:</p> <ul style="list-style-type: none"> • Input Filter—A text field. Type a text filter string. • Input List—A list of values (LOV). Choose which existing values are valid instances for this input. • Input LOV—Define a list of allowable name-value pairs for the input. <p>Note The Label field and Value field descriptions should match.</p> <ul style="list-style-type: none"> • Input Range—A text field. Type a range of valid character values. • Validated Input—Choose a validator type from the table.

- Step 5** Click (+) **Add**.
- Step 6** Click **Submit**.

The new input type is added to the **Custom Workflow Types** page. The new input type is available for selection when defining workflow and task inputs.

Orchestration Global Variables

Global variables are variables that you can use within Cisco UCS Director Orchestrator to expose several types of variable system information in two places:

- In task input variables inside a workflow, where you can access such information as:
 - Workflow inputs and task outputs
 - Service request IDs
 - VM information such as ID, name, IP address, and power state
- In VM names, where you can access such information as:
 - User information such as group and user IDs
 - Configuration information such as catalog and system profile
 - Deployment information such as cloud name and location

You can also define your own global variables and make them available in workflows.

Orchestration Variables

Global variables are variables that can be accessed by any workflow task during workflow execution. When you create a Cisco UCS Director workflow, you can use variables in any of the workflow's task, user, or admin input values. An input field can contain any combination of text and variables. During execution of the workflow, Cisco UCS Director Orchestrator substitutes the variables' values into each task's inputs before executing the task.

Variables from the following four categories are available:

Input and Output System Variables

Input and output variables are simply the inputs and outputs of a workflow at runtime. These inputs and outputs can be captured and used to build inputs to tasks in the workflow.

Service Request Global Variables

Service request global variables provide information about the service request containing the current running workflow.

Virtual Machine Global Variables

For workflows executed in the context of a Virtual Machine (VM), VM global variables contain information about the VM.

User-Defined Global Variables

You can create user-defined global variables that are available to any task in any service request. Unlike system-supplied variables, user-defined global variables can be modified and deleted.

The following sections describe the various types of variables.

Input and Output System Variables

Any workflow-level input or previous task output can be used as a variable in a subsequent task. For example, consider a workflow that has two inputs labeled *Enter Disk Size* and *Max Snapshots*. Suppose that the workflow has two tasks with IDs *task1* and *task2* (arranged so that *task1* executes first). Any input values to *task1* or *task2* that takes free-form input can use the following two variables:

- `${Enter Disk Size}`
- `${Max Snapshots}`



Note

System variables consist of a dollar sign (\$) followed by the variable name in curly braces ({}). A workflow level input can be used as a variable by including the label associated with the user input in the variable definition.

Also the second task, *task2*, can use the output of *task1*. If *task1* has two output variables, *OUTPUT_VOLUME_NAME* and *OUTPUT_VOLUME_SIZE*, then *task2* can use the following variables to capture their values in its inputs:

- `${task1.OUTPUT_VOLUME_NAME}`
- `${task1.OUTPUT_VOLUME_SIZE}`



Note

The variable name for a task output is the task name, followed by a period, followed by the task output name: `${taskName.outputName}`.

Service Request Global Variables

In addition to workflow inputs and task outputs, the following variables representing service requests are available:

- `${SR_ID}`—The ID of the current service request
- `${PARENT_SR_ID}`—The ID of the service request that is the parent of the current service request. (Available only if the current service request has a parent.)

For the full list of VM system variables, see [List of VM Macros and VM Annotations, on page 93](#).

Virtual Machine System Variables

For workflows that are executed in the context of a VM, more VM system variables are available. VM system variables cannot be used in a non-VM context workflow.

For the full list of VM system variables, see [List of VM Macros and VM Annotations, on page 93](#).

User-Defined Global Variables

You can create, clone, modify, and delete global variables. Global variables are available to any task in any workflow in Cisco UCS Director.

User-defined global variables can be used only in generic text input types.

**Note**

It is possible to delete a user-defined global variable that is used by a task in an existing workflow. When such a workflow is run, any task with a missing global variable runs without resolving the variable and might cause unanticipated results. It is up to administrators to ensure that service requests do not contain deleted global variables.

Creating Global Variables

To create a global variable, do the following:

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Global Variables**.
- Step 3** Click (+) **Add**.
- Step 4** On the **Add Global Variable** screen, complete the following fields:
- In the **Name** field, enter a unique name for the global variable.
 - In the **Description** field, enter a description of the global variable (optional).
 - In the **Value** field, enter a value for the global variable. This is the text that is inserted when the global variable is used in a task.

User-defined global variables have the following restrictions:

- A global variable **Name** may not contain any of the following 19 characters: "%&'*,./:;<=>?^| } {
- A global variable **Description** or **Value** may contain any character.
- A global variable **Name**, **Description**, or **Value** may contain spaces, but may not start or end with a space. Space characters are stripped from the beginning and end of a name, value, or description.
- A global variable **Value** may contain only static text. Global variable values containing other global variables (nested global variables) are not evaluated at runtime.
- Global variables are usable only in generic text type inputs.

- Step 5** Click **Submit**.
-

Cloning Global Variables

To clone a global variable, do the following:

Before You Begin

You have created a global variable. See [Creating Global Variables, on page 91](#).

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Global Variables**.
- Step 3** Choose the global variable you want to clone. You can choose a system-defined or a user-defined global variable.
- Step 4** Click **Clone**.
- Step 5** On the **Clone Global Variable** screen, complete the following fields:
- In the **Name** field, enter a unique name for the global variable. You must change the global variable's name.
 - In the **Description** field, enter a description of the global variable (optional).
 - In the **Value** field, enter a value for the global variable. This is the text that is inserted when the global variable is used in a task.
- User-defined global variables have the following restrictions:
- A global variable **Name** may not contain any of the following 19 characters: "%&'*+,./:;<=>?^| } {
 - A global variable **Description** or **Value** may contain any character.
 - A global variable **Name**, **Description**, or **Value** may contain spaces, but may not start or end with a space. Space characters are stripped from the beginning and end of a name, value, or description.
 - A global variable **Value** may contain only static text. Global variable values containing other global variables are not evaluated at runtime.
 - Global variables are usable only in generic text type inputs.
- Step 6** Click **Submit**.
-

Editing Global Variables

To modify a global variable, do the following:

Before You Begin

You have created a global variable. See [Creating Global Variables, on page 91](#).

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Global Variables**.
- Step 3** From the **User Defined** folder, choose the global variable you want to edit.
- Step 4** Click **Edit**.
- Step 5** On the **Edit Global Variable** screen, complete the following fields:
- You cannot change the **Name** field of an existing global variable.
 - In the **Description** field, change or add a description of the global variable (optional).

- c) In the **Value** field, change the value for the global variable. This is the text that is inserted when the global variable is used in a task.

User-defined global variables have the following restrictions:

- A global variable **Name** may not contain any of the following 19 characters: "%&'*,. /:;<=>?^| } {
A global variable **Description** or **Value** may contain any character.
- A global variable **Name**, **Description**, or **Value** may contain spaces, but may not start or end with a space. Space characters are stripped from the beginning and end of a name, value, or description.
- A global variable **Value** may contain only static text. Global variable values containing other global variables are not evaluated at runtime.
- Global variables are usable only in generic text type inputs.

Step 6 Click **Submit**.

Deleting Global Variables

To delete a global variable, do the following:

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Global Variables**.
- Step 3** From the **User Defined** folder, choose the global variable you want to delete.
- Step 4** Click **Delete**.
- Step 5** On the **Delete Global Variable** screen, click **Delete**.
-

VM Annotations

VM annotations represent information about a VM. You add these variables to a VMware system policy if you choose to define VM annotations in that policy. The output from these variables displays in the Annotations field of the VM in VMware vCenter.

For the full list of VM annotations, see [List of VM Macros and VM Annotations](#), on page 93.

List of VM Macros and VM Annotations

The syntax that you use for VM macros can be different from the syntax used for VM annotations. In addition, more variables are available for VM macros than for VM annotations. The following table shows the correct syntax for VM macros and for VM annotations. If a cell contains N/A, the variable is not available in that context.

For information about the variables that you can use in the **VM Name Template** and **VM Host Name Template** fields of the system policy, see the [Cisco UCS Director Administration Guide](#).

**Note**

This table does not include a complete list of Cloupiascript macros. For information on using Cloupiascript macros, see the [Cisco UCS Director Cloupiascript Cookbook](#).

Variable	VM Macros for Orchestration Workflows	VM Annotations for System Policies
VM name	<code>\${VM_NAME}</code>	<code>\${VMNAME}</code>
VM IP address	<code>\${VM_IPADDRESS}</code>	N/A
VM state (can be either <i>on</i> or <i>off</i>)	<code>\${VM_STATE}</code>	N/A
VM state details (can be either <i>power-on</i> or <i>power-off</i>)	<code>\${VM_STATE_DETAILS}</code>	N/A
ESX server or host node that hosts the VM	<code>\${VM_PARENT}</code>	N/A
Cloud used for VM provisioning	<code>\${VM_CLOUD}</code>	<code>\${CLOUD_NAME}</code>
Type of cloud	N/A	<code>\${CLOUD_TYPE}</code>
VM hostname	<code>\${VM_HOSTNAME}</code>	N/A
Short VM hostname	<code>\${VM_HOSTNAME_SHORT}</code>	N/A
VM hostname and domain	<code>\${VM_HOSTNAME_DOMAIN}</code>	N/A
Name of the group to which the VM belongs	<code>\${VM_GROUP_NAME}</code>	<code>\${GROUP_NAME}</code>
Full name of the group	N/A	<code>\${FULL_GROUP_NAME}</code>
ID of the group	<code>\${VM_GROUP_ID}</code>	N/A
Name of the parent group, if one exists	N/A	<code>\${GROUP_PARENT}</code>
ID of the catalog used to provision the VM	<code>\${VM_CATALOG_ID}</code>	N/A
Name of the catalog used to provision the VM	N/A	<code>\${CATALOG_NAME}</code>
VM ID	<code>\${VM_ID}</code>	N/A

Variable	VM Macros for Orchestration Workflows	VM Annotations for System Policies
Service request ID for the VM	<code>\${M_SR_ID}</code>	<code>\${SR_ID}</code>
Comments from the user who requested the VM	<code>\${VM_COMMENTS}</code>	<code>\${COMMENTS}</code>
Virtual data center name	<code>\${VM_VDC_NAME}</code>	N/A
Virtual data center ID	<code>\${VM_VDC_ID}</code>	N/A
Type of VM	<code>\${VM_TYPE}</code>	N/A
Scheduled termination of the VM	<code>\${VM_SCHED_TERM}</code>	N/A
Location specified in the account	N/A	<code>\${LOCATION}</code>
Cost center for the VM	N/A	<code>\${COST_CENTER}</code>
Current time in milliseconds converted to a unique ID for the VM	N/A	<code>\${UNIQUE_ID}</code>
User who requested the VM	N/A	<code>\${USER}</code>
Full name of the user who requested the VM	N/A	<code>\${FULL_USER_NAME}</code>
Appcode from the catalog	N/A	<code>\${APPCODE}</code>
Name of the system policy associated with the application category	N/A	<code>\${PROFILE_NAME}</code>
Name of the user who initiated the request	N/A	<code>\${INITIATING_USER}</code>
Simple name of the user who initiated the request	N/A	<code>\${INITIATING_USER_SIMPLE_NAME}</code>
Email address of the user who submitted the request	N/A	<code>\${SUBMITTER_EMAIL}</code>
The ID of the user who submitted the request	N/A	<code>\${SUBMITTER_USERID}</code>
First name of the user who submitted the request	N/A	<code>\${SUBMITTER_FIRSTNAME}</code>

Variable	VM Macros for Orchestration Workflows	VM Annotations for System Policies
Last name of the user who submitted the request	N/A	<code>\${SUBMITTER_LASTNAME}</code>
The role of the user who submitted the request	N/A	<code>\${SUBMITTER_ROLE}</code>
Name of the group to which the user who submitted the request belongs	N/A	<code>\${SUBMITTER_GROUPNAME}</code>
The ID of the group to which the user who submitted the request belongs	N/A	<code>\${SUBMITTER_GROUPID}</code>



Using Activities

This chapter contains the following sections:

- [Activities, page 97](#)
- [Creating an Activity, page 98](#)
- [Associating an Activity with a Workflow, page 99](#)
- [Adding an Activity to a Workflow, page 100](#)
- [Importing and Exporting Activities, page 102](#)
- [Deleting an Activity, page 102](#)

Activities

Activities provide a layer of abstraction to workflow input variables. The abstraction helps you to efficiently execute any administration scenario (such as tenant onboarding or application deployment) by separating the specification of a workflow from its actual implementation. Using activities, you can do the following:

- Define the input properties for a workflow and associate those properties with one or more workflows. Then, depending upon a matching condition, the activity triggers the correct workflow.
- Use an activity as a workflow task, making the task usable in multiple similar but differently implemented use case scenarios.
- An activity can be either triggered programmatically or by providing inputs dynamically.

Creating an Activity

You create an activity by defining inputs and outputs. To create an activity:

Step 1 Choose **Orchestration**.

Step 2 On the **Orchestration** page, click **Activities**.

Step 3 Click **Add**.

Step 4 On the **Add Activity** screen, complete the following fields:

Name	Description
Name	The activity name.
Label	A display label for the activity.
Description field	A description of the activity.

Step 5 Click **Next**.

Step 6 On the **Add User Inputs** screen, click (+) **Add** to add workflow input properties.

a) On the **Add Entry to Input Fields** screen, complete the following fields:

Name	Description
Input Name	The name of the activity workflow input.
Input Label	The label for the activity workflow input.
Optional	Check Optional to make the input optional during workflow execution.
Input Type	Click Select . Choose the input type.

b) Click **Submit**.

Step 7 Click **Next**.

Step 8 On the **Add User Outputs** screen, click the (+) **Add** to add workflow output properties.

a) On the **Add Entry to Output Fields** screen, complete the following fields:

Name	Description
Output Name	The name of the activity workflow output.
Output Label	A display label for the activity workflow output.
Output Type	Click Select . Choose the output type.

b) Click **Submit**.

Step 9 Click **Submit**.

Associating an Activity with a Workflow

You can associate an activity with one or more workflows to run the activity as part of the workflow. The associated activity is displayed as a custom workflow task in the `System Activity Tasks` folder of the Workflow Designer.

Before You Begin

You have an activity and at least one workflow that is to include the activity. For more information about how to create an activity, see [Creating an Activity](#), on page 98.

Step 1 Choose **Orchestration**.

Step 2 On the **Orchestration** page, click **Workflows**.

Step 3 Click **Add Workflow**.

Step 4 On the **Add Workflow** screen, complete the following fields:

Name	Description
Workflow Name	The workflow name. Note Workflow names cannot contain the following characters: \, ", %, &, ', *, +, ,, ., /, :, ;, <, =, >, ?, ^, .
Description	A description of the workflow.
Workflow Context	Choose the context in which the workflow can be used. Orchestrator supports the following options: <ul style="list-style-type: none"> • Any—Enables you to use the workflow in any context. • Selected VM—Enables you to execute the workflow only when you choose a VM.
Save as Compound Task	Check Save as Compound Task to define the workflow as a compound task.
Place in New Folder	Check Place in New Folder to assign the workflow to a new folder. The Folder Name field replaces the Select Folder drop-down list. Type a name for the new folder.

Name	Description
Select Folder	Choose the folder into which you want to place the workflow.
Notify status of execution to initiating user	<p>Check Notify status of execution to initiating user to notify the user through email of the execution status of the workflow. If checked, enter the additional email addresses in the Additional User(s) to send Email Notification field. The execution status for the workflow can be one of the following:</p> <ul style="list-style-type: none"> • Completed status • Failed execution status • Cancelled execution status

Step 5 Click **Next**.

Step 6 On the **Add User Inputs** screen, check **Associate to Activity**.

Step 7 From the **Activity** drop-down list, choose an activity.
The user input table is updated based on the selected activity.

Step 8 Click **Next**.
On the **Add User Outputs** screen, the user outputs are displayed based on the selected activity.

Step 9 Click **Submit**.
A workflow is created and is available in the **Workflows** report.

Adding an Activity to a Workflow

An activity that is associated with one or more workflows is displayed as a custom workflow task in the **System Activity Tasks** folder of the Workflow Designer. Drag-and-drop the selected activity onto the **Workflow Designer** work area to add it to a workflow. Define the condition for controlling execution of workflows associated with an activity in the **Context Input** table of the workflow.

Before You Begin

Associate an activity with a workflow so that the activity is displayed as a custom workflow task in the **System Activity Tasks** folder of the **Workflow Designer**. For more information about how to associate an activity with a workflow, see [Creating an Activity](#), on page 98.

Open the workflow in the **Workflow Designer**.

Step 1 Choose the activity from the **System Activity Tasks** folder.

Step 2 Drag-and-drop the selected activity onto the **Workflow Designer** work area.
The **Add Task** page appears.

Step 3 In the **Task Information** screen, complete the following fields:

Name	Description
Task Name	The name of the task.
Task Category	The name of the task category (preselected information).
Task Type	The name of the type of task (preselected information).
Comments	Enter more task information.
Retry Execution	Check Retry Execution to retry a task (later) if the task fails. This feature is useful when the state of a resource is not available and a retrial of the task depends on the state.
Retry Count	Choose the number of retry attempts.
Retry Frequency	Choose the duration between retry attempts. The workflow remains on the failed task until the task succeeds or until it fails Retry Frequency number of times. It then proceeds to the next task or completion of the workflow.

Step 4 Click **Next**.

The **User Input Mapping** screen displays the inputs that are defined for the activity.

Step 5 Check **Map to User Input** to use the corresponding input in the workflow.

Step 6 In the **Context Input** table, click (+) **Add** to add a contextual input:

a) In the **Add Entry to Input Fields** dialog box, complete the following fields:

Name	Description
User Inputs	Choose an input to which to apply the condition.
Minimum Condition list	Choose the condition that you want to apply to the input.
Value	The value set for the condition.
Associated Workflow list	Choose a workflow to execute when the input satisfies the selected condition.

b) Click **Next**.

Step 7 Click **Revalidate** to validate the current values.

Step 8 Click **Next**.
The **User Output Mapping** screen displays the outputs that are defined for the activity.

Step 9 Check **Map to User Output** to use the corresponding output in the workflow.

Step 10 Click **Submit**.

Importing and Exporting Activities

You can import and export activities using the **Import** and **Export** actions you use to import and export workflows, custom tasks, and script modules.

To import an activity, see [Importing Workflows, Custom Tasks, Script Modules, and Activities](#), on page 74.

To export an activity, see [Exporting Workflows, Custom Tasks, Script Modules, and Activities](#), on page 73.

Deleting an Activity

You can delete an activity.

Step 1 Choose **Orchestration**.

Step 2 On the **Orchestration** page, click **Activities**.

Step 3 Select the activity to delete.

Step 4 Click **Delete**.
The **Activity** screen appears to confirm deletion of the activity.

Step 5 Click **Delete**.



Using Script Modules

This chapter contains the following sections:

- [Using Script Modules, page 103](#)
- [Adding Script Modules, page 104](#)
- [Adding Libraries, page 104](#)
- [Jar Files, page 106](#)
- [Lists of Values, page 106](#)
- [Tabular Reports, page 109](#)
- [Context Mapping, page 112](#)
- [Importing and Exporting Script Modules, page 116](#)

Using Script Modules

A script module is essentially a container for custom scripts, jar files, and input controls. The contents of script modules enable you to perform customized actions such as adding library scripts that can be integrated with custom workflow tasks. You can export a script module and import it to a different appliance. Registered scripts in the imported module are available in the new appliance.

The following table describes the actions you can perform using script modules:

Task	See
Adding script modules	Adding Script Modules, on page 104
Adding libraries	Adding Libraries, on page 104
Adding jars	Adding Jar Files, on page 106
Adding Lists of Values (LOVs)	Lists of Values, on page 106
Adding Tabular Reports	Tabular Reports, on page 109

Task	See
Adding Context Mappings	Context Mapping, on page 112
Exporting script modules	Exporting Workflows, Custom Tasks, Script Modules, and Activities, on page 73
Importing script modules	Importing Workflows, Custom Tasks, Script Modules, and Activities, on page 74

Adding Script Modules

To create a new script module, do the following:

-
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Script Module**.
- Step 3** Click **Add**.
- Step 4** On the **Modules Information** screen, complete the following:

Name	Description
Module Name	The name for the script module.
Module Description field (optional but recommended)	A description of the script module.

- Step 5** Click **Submit**.
-

Adding Libraries

To add a task library, do the following:

Before You Begin

A script module is required before you can add a library. See [Adding Script Modules, on page 104](#)

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Script Module**.
- Step 3** In the **Script Module** pane, double-click the script module to which you want to add the library.
- Step 4** On the **Script Module** screen, click **Library**.
- Step 5** Click **Add**.
- Step 6** On the **Library Information** screen, complete the following:

Name	Description
Name	The name for the script module.
Description	A description for the script module.
Script	Add library scripts in this area.

- Step 7** Click **Submit**.

Accessing Libraries

You can access libraries in the followings ways:

Invoke a Library from Another Library

Use the following syntax to invoke a library from another library:

```
loadLibrary("Module Name>/<Library Name>")
```

For example:

```
ImportPackage(java.lang);

function test1(){
    logger.addInfo("test1");
    loadLibrary("Test_Module/testlib1");
}
test1();
```

Invoke a Library from a Custom Task

When you create a custom workflow task, you can use the syntax shown in this example to invoke a library. Refer to the [Cisco UCS Director Custom Task Getting Started Guide](#) for more information on using custom tasks, including how to invoke a library from a custom task.

Jar Files

You can register `.jar` files with a script module. Using the script module, you can then invoke the contents of the `.jar` file (its classes, methods, and resources) from a library or a custom task.

Adding Jar Files

To add a `.jar` file to a script module, do the following:

-
- | | |
|---------------|---|
| Step 1 | Choose Orchestration . |
| Step 2 | On the Orchestration page, click Script Module . |
| Step 3 | On the Script Modules screen, double-click the script module to which you want to add the jar files. |
| Step 4 | Click Jars . |
| Step 5 | Click Add . |
| Step 6 | On the Add Jar screen, click Browse . |
| Step 7 | Select the <code>.jar</code> file to upload from your local folder. |
| Step 8 | Click Submit . |
-

Lists of Values

A list of values (LOV) is a searchable list that is callable from the Cisco UCS Director GUI or as a task or workflow input. For example, when you choose a data type for a task or workflow input, the choices are presented in an LOV.

You can create an LOV to provide your own set of values for a task or workflow input, and store the LOV in a script module.

Adding a List of Values

To create a list of values (LOV), do the following.

Before You Begin

Create a **Script Module**.

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Script Module**.
- Step 3** On the **Script Module** screen, double-click the script module you want to use.
- Step 4** Click **LOVs**.
- Step 5** Click **Add**.
- Step 6** On the **LOV Information** screen, complete the following:

Name	Description
Name	The name of the LOV.
Description	A description of the LOV (optional).
Script	<p>Contains the template code for the LOV provider registration. Provide your own implementation by modifying the <code>getDataProvider()</code> method as described in the next step.</p> <p>Note Edit only the script lines described in the following steps. Do <i>not</i> edit the <code>createLOV()</code>, <code>registerLOV()</code>, or <code>registerGlobalInputs()</code> methods. Doing so could cause the LOV to fail to work.</p>

- Step 7** In the Script text box, add name-value pairs to your list as follows:

- a) Locate the `getDataProvider()` function. The function appears as follows:
- ```
function getDataProvider(){
 var lovRegistry = LOVProviderRegistry.getInstance();
 var lovProvider = new com.cloupia.service.cIM.inframgr.forms.wizard.LOVProviderIf({
 getLOVs : function(session) {
 //provide your own implementation for Lovprovider
 var formlovs = [];
 // modify the following lines to add your name-value pairs:
 var formlov = new FormLOVPair("Flex","1");
 formlovs[0] = formlov;
 var formlov = new FormLOVPair("Generic","2");
 formlovs[1] = formlov;
 //
 return formlovs;
 }
 });
 return lovProvider;
}
```

b) Modify the highlighted text to define your own name-value pairs.

**Step 8** Click **Submit**.

## Editing a List of Values

To edit an existing list of values (LOV), do the following:

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Script Module**.
- Step 3** On the **Script Module** screen, double-click the script module that contains the LOV you want to edit.
- Step 4** Click **LOVs**.
- Step 5** Choose the LOV you want to edit.
- Step 6** Click **Edit**.
- Step 7** Edit the LOV fields as described in the following table:

| Name               | Description                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Name</b>        | Displays the name of the LOV.<br><b>Note</b> You cannot change the name of an existing LOV.                                                                                                                                                                                                                                                                                                                  |
| <b>Description</b> | A description of the LOV.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Script</b>      | Edit the template code for the LOV provider registration. Provide your own implementation by modifying the <code>getDataProvider()</code> method as described in <a href="#">Adding a List of Values</a> , on page 106.<br><b>Note</b> Do not edit the <code>createLOV()</code> , <code>registerLOV()</code> , or <code>registerGlobalInputs()</code> methods. Doing so could cause the LOV to fail to work. |

**Step 8** Click **Submit**.



## Deleting a List of Values

### Before You Begin

Remove references to this list of values (LOV) from all custom tasks and workflows.

- 
- Step 1** On the menu bar, choose **Policies > Orchestration**.
  - Step 2** Click the **Script Module** tab.
  - Step 3** In the **Script Module** pane, double-click the script module that contains the LOV you want to delete.
  - Step 4** Click the **LOVs** tab.
  - Step 5** Choose the LOV you want to delete.
  - Step 6** Click **Delete**.
  - Step 7** Click **Submit**.
- 

## Tabular Reports

A tabular report is a columnar list that is callable from the Cisco UCS Director GUI or as a task or workflow input. For example, when you choose a workflow in the **Workflow** tab, the choices are presented in tabular report.

You can create a tabular report to provide your own predefined set of values for a task or workflow input. You can store the tabular report in a script module.

## Adding a Tabular Report

### Before You Begin

Create a Script Module.

- 
- Step 1** On the menu bar, choose **Policies > Orchestration**.
  - Step 2** Click the **Script Module** tab.
  - Step 3** In the **Script Module** pane, double-click the script module you want to use.
  - Step 4** Click the **Tabular Reports** tab.
  - Step 5** Click the Add (+) button.
  - Step 6** In the **Tabular Report Information** dialog box, complete the following:

| Name                      | Description                     |
|---------------------------|---------------------------------|
| Tabular Report Name field | The name of the tabular report. |

| Name                              | Description                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Description</b> field          | A description of the LOV (optional).                                                                                                                                                                                                                                                                                                                                               |
| <b>Column Entries</b> list        | Click + ( <b>Add</b> ) and complete the following fields:                                                                                                                                                                                                                                                                                                                          |
| <b>Column Name</b> text box       | The name of the column.                                                                                                                                                                                                                                                                                                                                                            |
| <b>Column Type</b> drop-down list | The data type of the column entries. The options are: <ul style="list-style-type: none"> <li>• Text</li> <li>• Integer</li> <li>• Long</li> <li>• Double</li> </ul>                                                                                                                                                                                                                |
| <b>Column Entries</b> check box   | Choose a check box to add an option to a column. The options are: <ul style="list-style-type: none"> <li>• <b>Management column</b> check box—Must be checked for exactly one column entry.</li> <li>• <b>Display column</b> check box—Must be checked for exactly one column entry.</li> <li>• <b>Hide the Field</b> check box—Check this option for any column entry.</li> </ul> |

**Step 7** Click **Submit**.

**Step 8** Repeat the previous two steps for every column you want to create.

**Step 9** **Show Script** check box—Check this check box to see and edit the **Script** text area.  
The column-creation script in the **Script** text area is automatically generated when you create columns.  
A record consists of a row with one value for each column. Edit the **Script** text area to create records.

**Note** Do not edit or delete anything before `//START OF YOUR IMPLEMENTATION` and after `//END OF YOUR IMPLEMENTATION` in the **Script** text area.

a) Create **Record Entries**:

Create a value for each **Column Entry** defined in the **Tabular Report**. Create these values in the section of the script between the lines `//START OF YOUR IMPLEMENTATION.` and `//END OF YOUR IMPLEMENTATION..` Use the correct function depending on the **Column Type** of the **Column Entry**, as shown in the following list.

- Text—`model.addTextValue("value");`
- Integer—`model.addNumberValue(42);`
- Long—`model.addLongNumberValue(1000);`
- Double—`model.addDoubleValue(8.6);`

Separate the **Record Entry** function calls using `model.completedRow();`.

**Step 10** Click **Submit**.**Example: Creating Record Entries for Column Entries**

Suppose that you created two **Column Entries** for your tabular report. The first column entry has a column name of `Name` and column type of `Text`. The second column entry has a column name of `Department` and a column type of `Long`. Once you create the column entries in your tabular report, the system generates function calls in the script to create these columns, as follows:

```
function implementationForTabularReport(report)
{
 var model = new TabularReportInternalModel();
 model.addTextColumn("Name","Name");
 model.addNumberColumn("Department","Department");
 model.completedHeader();
 //START OF YOUR IMPLEMENTATION.
```

```

//END OF YOUR IMPLEMENTATION.
model.updateReport(report);
}
function getSelectionColumnId(){
 return "1";
}
function getDisplayColumnId(){
 return "0";
}
```

A section in the middle of the script begins with `//START OF YOUR IMPLEMENTATION.` and ends with `//END OF YOUR IMPLEMENTATION.` Create record entries between these two lines. Record entries assign values to the column entries.

The following example assigns a text value of "Smith" to the column with column name `Name` and a long number value of 40 to the column with column name `Department`. The function call `model.completedRow();` indicates the end of this record entry.

```
function implementationForTabularReport(report)
{
 var model = new TabularReportInternalModel();
 model.addTextColumn("Name","Name");
 model.addLongNumberColumn("Department","Department");
 model.completedHeader();
 //START OF YOUR IMPLEMENTATION.

 model.addTextValue("Smith");
 model.addLongNumberValue(40);
 model.completedRow();

 //END OF YOUR IMPLEMENTATION.
 model.updateReport(report);
}
function getSelectionColumnId(){
 return "1";
}
function getDisplayColumnId(){
 return "0";
}
```

## Editing a Tabular Report

- 
- Step 1** On the menu bar, choose **Policies > Orchestration**.
- Step 2** Click the **Script Module** tab.
- Step 3** In the **Script Module** pane, double-click the script module for which you want to edit a tabular report.
- Step 4** Choose the **Tabular Report** tab.
- Step 5** Choose the name of the tabular report you want to edit and click **Edit**.
- Step 6** In the **Edit** dialog box, edit the fields you want to change.
- Note** You can change the **Column Type** drop-down list values of a Management column or of a Display column. To uncheck the **Column Type** check box for a Management column or for a Display column, delete the existing **Column Entry** and create a new one.
- Step 7** Click **Submit**.
- 

## Deleting a Tabular Report

### Before You Begin

Remove references to the tabular report from all custom workflow tasks.

- 
- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Script Module**.
- Step 3** On the **Script Module** screen, double-click the script module that contains the tabular report you want to delete.
- Step 4** Choose **Tabular Report**.
- Step 5** Select the name of the tabular report you want to delete.
- Step 6** Click **Delete**.
- Step 7** Click **Submit**.
- 

## Context Mapping

A context workflow mapping consists of an action label mapped to a workflow on a page, such that clicking on the action label triggers the workflow.

**Note**

Strictly speaking, context mapping is not part of orchestration—It's a modification to the Cisco UCS Director user interface (UI). It is included here because it is a useful application of script modules.

The **Context Mapping** module allows you to dynamically add a context workflow mapping. In this way, you can customize the Cisco UCS Director UI by creating an action label for a page and assigning a workflow to that action label.

Creating a context mapping requires knowing the name of the page to which you are adding the action label. The name, and other metadata, of a page are displayed in an **Information** dialog that is available when you enable the **Developer Menu** in Cisco UCS Director.

Enable metadata as described in the next section before you begin to create a context mapping.

## Enabling Metadata

To access report metadata, first enable the **Developer Menu**.

**Note**

The term *report* in *Report Metadata* refers to a page in the Cisco UCS Director user interface.

To enable the **Developer Menu**, do the following:

- 
- Step 1** In Cisco UCS Director, hover the mouse over the user icon at the top right corner and choose **Edit My Profile** from the drop-down list.
- Step 2** On the **Edit My Profile** page, click **Show Advanced Settings**.
- Step 3** Check **Enable Developer Menu (requires re-login)**.  
The **REST API Browser** is activated in the **Orchestration** page, and the **Report Metadata** option becomes available in the report views.
- Tip** The **Advanced** area displays the REST API Access Key code for the account.
- Step 4** Click **Close**.
- 

### What to Do Next

View report metadata, including the report name, by clicking **Report Metadata** in any report.

## Adding a Context Mapping

### Before You Begin

- Create a **Script Module**. See [Using Script Modules](#), on page 103.

- Identify the page which is to use the action label. Use the report metadata to find the name of this page; see [Enabling Metadata, on page 113](#). You use this page name when you create a **Context Mapping**.

- Step 1** Choose **Orchestration**.
- Step 2** On the **Orchestration** page, click **Script Module**.
- Step 3** On the **Script Module** page, double-click the script module you want to use.
- Step 4** Click **Context Mapping**.
- Step 5** Click **Add**.
- Step 6** On the **Add Context Mapper** screen, complete the following:

| Name                        | Description                                                                                                                                                                                                                               |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Name</b>                 | Enter a unique name for the context mapping. The system creates a context workflow mapping that has the same name.                                                                                                                        |
| <b>Report Name</b>          | Enter the name of the report (page) to which to add the action label. This name is the <i>reportName</i> field from the <b>Report Metadata</b> of the report.                                                                             |
| <b>Select Tabular Field</b> | Click <b>Select</b> to display the <b>Select</b> screen. Check the tabular field you want to use.                                                                                                                                         |
| <b>Description</b>          | A description of the context mapping.                                                                                                                                                                                                     |
| <b>Script</b>               | <p>The script that creates the context workflow mapping and associates it with an existing report.</p> <p><b>Note</b> The system updates the script with the information you enter in the fields. You do not need to edit the script.</p> |

- Step 7** Click **Submit**.  
The **Status** column displays Success or Fail.
- Step 8** If the result was **Fail**, edit the **Context Mapping** to ensure that the correct **Report Name** and **Tabular Field** have been entered, then click **Submit** again.
- Step 9** If the result was **Success** then, from the menu bar, choose **Policies > Orchestration**.
- Step 10** Click **Context Workflow Mapping**.  
The **Context Mapping** you created is listed in the **Mapping Name** column.
- Step 11** Click the context workflow mapping you created.
- Step 12** Click **Edit**.
- Step 13** On the **Edit Workflow Mappings** screen, click **Add Workflow**.
- Step 14** On the **Workflow 1** screen, complete the following:

| Name                         | Description                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Selection Required</b>    | <p>If you check <b>Selection Required</b>, the <b>Workflow</b> drop-down list no longer has any values available. To make the workflow visible in the workflow drop-down list, execute <b>Context Workflow Mapping</b> on the <b>Workflow Designer</b> screen.</p> <p>If you do not check this box, provide information for the remaining fields.</p> |
| <b>Report Name</b>           | Enter the name of the report (page) to add the action label to. This name is the <i>reportName</i> field from the <b>Report Metadata</b> of the report.                                                                                                                                                                                               |
| <b>Action Label</b>          | Enter the name of the action label to connect to the workflow. It be a unique name.                                                                                                                                                                                                                                                                   |
| <b>Workflow</b>              | <p>Select the workflow to be executed when the user clicks the action label in the report.</p> <p>If you checked <b>Selection Required</b>, a new workflow is created. If you did not check <b>Selection Required</b>, choose a workflow listed in this drop-down list.</p>                                                                           |
| <b>Selection Required</b>    | <p>The script that creates the context workflow mapping and associates it with an existing report.</p> <p><b>Note</b> The system updates the script with the information you enter in the fields. You do not need to edit the script.</p>                                                                                                             |
| <b>Authorized User Types</b> | <p>On the <b>Select Items</b> screen, click the each of the user types you authorize. Your choices are:</p> <ul style="list-style-type: none"> <li>• Service End-User</li> <li>• Group Admin</li> <li>• System Admin</li> <li>• Operator/Other Administrator</li> </ul>                                                                               |

To add an additional **Workflow** step to this **Context Workflow Mapping**, click the **Add Workflow** button and complete the fields.

To delete a **Workflow** step from this **Context Workflow Mapping**, click **Delete Field** below the workflow you want to delete.

### Step 15

If you are satisfied with your workflow mappings, click **Submit**.  
In the mapped report, the **Action Label** that you defined appears.

## Editing a Context Mapping

To edit a context mapping, do the following:

- 
- |               |                                                                                                                                                                                                                                            |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Step 1</b> | Choose <b>Orchestration</b> .                                                                                                                                                                                                              |
| <b>Step 2</b> | On the <b>Orchestration</b> page, click <b>Script Module</b> .                                                                                                                                                                             |
| <b>Step 3</b> | On the <b>Script Module</b> page, double-click the script module containing the context mapping you want to edit.                                                                                                                          |
| <b>Step 4</b> | Choose <b>Context Mapping</b> .                                                                                                                                                                                                            |
| <b>Step 5</b> | Choose the name of the context mapping you want to edit.                                                                                                                                                                                   |
| <b>Step 6</b> | Click <b>Edit</b> .                                                                                                                                                                                                                        |
| <b>Step 7</b> | On the <b>Edit Context Mapper</b> screen, edit the fields you want to change.<br>You cannot edit the <b>Name</b> field.<br><br>Select a value for <b>Tabular Fields</b> . This selection is required; the previous value does not persist. |
| <b>Step 8</b> | Click <b>Submit</b> .                                                                                                                                                                                                                      |
- 

## Deleting a Context Mapping

To delete a context mapping, use the following procedure.

### Before You Begin

Remove references to the **Context Mapping** from all **Workflows** and reports.

- 
- |               |                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Step 1</b> | Choose <b>Orchestration</b> .                                                                                          |
| <b>Step 2</b> | On the <b>Orchestration</b> page, click <b>Script Module</b> .                                                         |
| <b>Step 3</b> | On the <b>Script Module</b> page, double-click the script module that contains the context mapping you want to delete. |
| <b>Step 4</b> | Choose <b>Context Mapping</b> .                                                                                        |
| <b>Step 5</b> | Choose the name of the context mapping you want to delete.                                                             |
| <b>Step 6</b> | Click <b>Delete</b> .<br>A popup appears to confirm the deletion.                                                      |
| <b>Step 7</b> | Click <b>Submit</b> .                                                                                                  |
- 

## Importing and Exporting Script Modules

You can import and export script modules using the **Import** and **Export** actions you use to import and export workflows, custom tasks, and activities.



To import a script module, see [Importing Workflows, Custom Tasks, Script Modules, and Activities](#), on page 74.

To export a script module, see [Exporting Workflows, Custom Tasks, Script Modules, and Activities](#), on page 73.

