



Configuring Trusted Points

This chapter includes the following sections:

- [Trusted Points, page 1](#)
- [Configuring Trusted Points, page 1](#)

Trusted Points

When setting up LDAP over Secure Sockets Layer (SSL) protocol for Cisco VNMC user authentication, you need to create a trusted point for each LDAP server. The certificate in the trust point can be any one of the following:

- The certificate of the certificate authority (CA) that issued the LDAP server certificate.
- If the certificate authorities (CAs) are organized in a hierarchy, the certificate of any of the CAs in the hierarchy.
- The certificate of the LDAP server.

Configuring Trusted Points

Creating a Trusted Point

Procedure

- Step 1** In the **Navigation** pane, click the **Administration** tab.
- Step 2** In the **Navigation** pane, click the **Access Control** subtab.
- Step 3** In the **Navigation** pane, click the **Trusted Point** node.
- Step 4** In the **Work** pane, click the **Create Trusted Point** link.
- Step 5** In the **Create Trusted Point** dialog box, complete the following fields:

Name	Description
Name field	<p>The name of the trusted point.</p> <p>This name can be between 1 and 32 identifier characters. You can use alphanumeric characters including hyphen, underscore, dot, and colon. You cannot change this name after it is saved.</p> <p>Note You cannot change this name after the object has been created.</p>
Certificate Chain field	<p>The certificate information for this trusted point.</p> <p>This description can be between 1 and 256 identifier characters. You can use alphanumeric characters including hyphens, underscore, dot, and colon. You cannot change this description after it is saved.</p>

Step 6 Click **OK**.

Editing a Trusted Point

Procedure

- Step 1** In the **Navigation** pane, click the **Administration** tab.
 - Step 2** In the **Navigation** pane, click the **Access Control** subtab.
 - Step 3** In the **Navigation** pane, click the **Trusted Point** node.
 - Step 4** In the **Work** pane, click the *Trusted Point_name* you want to edit.
 - Step 5** Click the **Edit** link.
 - Step 6** In the **Edit** dialog box, modify the certificate chain as appropriate.
 - Step 7** Click **OK**.
-

Deleting a Trusted Point

Procedure

- Step 1** In the **Navigation** pane, click the **Administration** tab.
 - Step 2** In the **Navigation** pane, click the **Access Control** subtab.
 - Step 3** In the **Navigation** pane, click the **Trusted Point** node.
 - Step 4** In the **Work** pane, click the trusted point you want to delete.
 - Step 5** Click the **Delete** link.
 - Step 6** In the **Confirm** dialog box, click **OK**.
-

