



## DMP User Permissions (Authorization)

---

Revised: May 4, 2015  
OL-15762-05

- [Concepts, page 16-1](#)
- [Procedures, page 16-3](#)



Audience

---

**We prepared this material with specific expectations of you.**

- ✓ You want to manage access rights precisely for particular uses of particular DMPs.
- 

### Concepts

- [Overview, page 16-1](#)
- [Scenarios That Illustrate Typical User Permissions, page 16-1](#)

### Overview

After you assign users to the “Digital Signage Users” group in the Administration module at Administration > Users, you can manage their access rights and permission levels in the Network and Endpoints module at Network and Endpoints > Settings > User Accounts.

You can restrict the permissions that you grant to particular user accounts in DMM. For example, you might grant a user the permission to use only the advanced tasks that you choose or to deploy presentations to only the DMPs that you choose.



Note

---

**Each Cisco Cast user must have at least read-only permission to the “Cast” application, which pertains to the electronic program guide.**

---

### Scenarios That Illustrate Typical User Permissions

We provide four simple user permission sets that you can assign to users with a click.

- [Scenario A: Basic Administrator Permissions, page 16-2](#)
- [Scenario B: Basic Network and Endpoint Permissions, page 16-2](#)

- [Scenario C: Basic Content Permissions, page 16-2](#)
- [Scenario D: Basic Reporting Permissions, page 16-3](#)

## Scenario A: Basic Administrator Permissions

Check the **Administrator** check box at Network and Endpoints > Settings > User Accounts to grant a selected user the authority to use all four DMM modules.

<b>Administrator</b> Provides access to all modules	<input checked="" type="checkbox"/>
--	-------------------------------------

## Scenario B: Basic Network and Endpoint Permissions

Check the **Network** check box at Network and Endpoints > Settings > User Accounts to grant a selected user the authority to manage your digital signage network equipment and settings.

<b>Network</b> <input checked="" type="checkbox"/> Enable people to manage DMPs and DMP groups, configure system settings, and run emergencies.
--

Alternatively, you can use the Network toggle (  ) to reveal more granular permissions.

<b>Network</b> <input checked="" type="checkbox"/> Enable people to manage DMPs and DMP groups, configure system settings, and run emergencies.					
	<b>All</b>	<b>Create</b>	<b>Read</b>	<b>Write</b>	<b>Delete</b>
<b>Rights to manage All DMP Groups</b> <a href="#">View the DMP hierarchy</a> to set permissions for specific DMP groups	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## Scenario C: Basic Content Permissions

Check the **Content** check box at Network and Endpoints > Settings > User Accounts to grant a selected user the authority to manage your content.

<b>Content</b> <input checked="" type="checkbox"/> Enable people to work with Media Library, Channels and Cast. To enable someone to schedule and publish channels, grant them access to Publishing and Application Types.
---


Alternatively, you can use the Content toggle (  ) to reveal more granular permissions.

<b>Content</b> <input checked="" type="checkbox"/> Enable people to work with Media Library, Channels and Cast. To enable someone to schedule and publish channels, grant them access to Publishing and Application Types.					
	<b>All</b>	<b>Create</b>	<b>Read</b>	<b>Write</b>	<b>Delete</b>
<b>Rights to manage All Assets</b> <a href="#">Select Specific Asset Categories</a> to set permissions for specific asset categories	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Rights to manage All Applications</b> <a href="#">Select Specific Application Types</a> to set permissions for specific applications	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Rights to publish to All DMP Groups</b> <a href="#">View the DMP hierarchy</a> to set permissions for specific DMP groups	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## Scenario D: Basic Reporting Permissions

Check the **Reports** check box at Network and Endpoints > Settings > User Accounts to grant a selected user the authority to manage your proof-of-play reports.



Alternatively, you can use the Reports toggle (  ) to reveal more granular permissions.



## Procedures

- [Configure User Rights and Permissions, page 16-3](#)

## Configure User Rights and Permissions

### Before You Begin

- To see and use the Settings tab, you must be logged in an administrator.

### Procedure

**Step 1** Click **Network and Endpoints** on the Home page.



**Step 2** Choose **Settings > User Accounts**.

**Step 3** Click a username to highlight it in the Users list.

We then show you this user's currently assigned permissions.

**Step 4** Choose options to increase or reduce any of the user's permissions.

**Step 5** Click **Submit**.

**Step 6** Stop. You have completed this procedure.

