



# Readme for Cisco Unity Connection Release 15 Service Update 2

---

**First Published:** 2024-10-01

**Last Modified:** 2025-03-11

## Release Note for Cisco Unity Connection Release 15 Service Update 2

This release note contains installation and support information for Cisco Unity Connection Release 15 Service Update 2.

### Contents

- [Requirements](#)
- [Version and Description](#)
- [New and Changed Support or Functionality](#)
- [Related Documentation](#)
- [Installation Information](#)
- [Reverting to the Unity Connection Version on the Inactive Partition](#)
- [Caveat Information](#)
- [Obtaining Documentation and Submitting a Service Request](#)
- [Cisco Product Security Overview](#)

### Requirements

- [System Requirements](#)
- [Compatibility Information](#)
- [Determining the Software Version](#)

### System Requirements

*System Requirements for Cisco Unity Connection Release 15SU2* is available at [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/15/requirements/b\\_15cucsysreqs.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/15/requirements/b_15cucsysreqs.html).

### Compatibility Information

The *Compatibility Matrix for Cisco Unity Connection* lists the most recent version combinations qualified to use for Cisco Unity Connection, and Unity Connection and with Cisco Business Edition (where applicable) at

[http://www.cisco.com/en/US/products/ps6509/products\\_device\\_support\\_tables\\_list.html](http://www.cisco.com/en/US/products/ps6509/products_device_support_tables_list.html).

## Determining the Software Version

This section contains procedures for determining the version in use for the following software:

- [Determine Version of Cisco Unity Connection Application](#)
- [Determine Version of Cisco Personal Communications Assistant Application](#)
- [Determine Version of Cisco Unified Communications Operating System](#)

### Determine Version of Cisco Unity Connection Application

This section contains two procedures. Use the applicable procedure, depending on whether you want to use Unity Connection Administration or a command-line interface (CLI) session to determine the version.

#### Using Cisco Unity Connection Administration

##### Procedure

---

In Cisco Unity Connection Administration, in the upper-right corner below the Navigation list, select **About**. The Unity Connection version is displayed below “Cisco Unity Connection Administration.”

---

#### Using the Command-Line Interface

##### Procedure

- 
- Step 1** Start a command-line interface (CLI) session. (For more information, see Cisco Unified Operating System Administration Help.)
- Step 2** Run the **show cuc version** command.
- 

### Determine Version of Cisco Personal Communications Assistant Application

#### Using Cisco Personal Communications Assistant Application

##### Procedure

- 
- Step 1** Sign in to the Cisco PCA.
- Step 2** On the Cisco PCA Home page, select **About** in the upper right corner to display Cisco Unity Connection version.
- Step 3** The Cisco PCA version is the same as the Unity Connection version.
- 

### Determine Version of Cisco Unified Communications Operating System

Use the applicable procedure.

## Using Cisco Unified Operating System Administration

### Procedure

---

In Cisco Unified Operating System Administration, the System Version is displayed below “Cisco Unified Operating System Administration” in the blue banner on the page that appears after you sign in.

---

## Using the Command-Line Interface

### Procedure

- 
- Step 1** Start a command-line interface (CLI) session. (For more information, see Cisco Unified Operating System Administration Help.)
- Step 2** Run the **show version active** command.
- 

## Version and Description

Cisco Unity Connection 15SU2 is a cumulative update that incorporates all of the fixes and changes to Cisco Unity Connection version 15 — including the operating system and components shared by Cisco Unity Connection and Cisco Unified CM. It also incorporates additional changes that are specific to this service update.

To determine the full version number of the Cisco Unified Communications Operating System that is currently installed on the active partition, run the CLI **show version active** command.

Full version numbers include the build number (for example, 15.0.1.12900-43), the software versions listed on the download pages on Cisco.com are abbreviated version numbers (for example, 15SU2).

Do not refer to version numbers in any of the administration user interfaces because those versions apply to the interfaces themselves, not to the version installed on the active partition.

## New and Changed Support or Functionality

This section contains all new and changed support or functionality for release 15SU2 and later.



---

**Note** The new locales for Unity Connection 15SU2 have been released and available on Download Software site at <https://software.cisco.com/download/home/282421576/type>.

---

## Speechview Transcription using Cisco Webex In House Transcription

Cisco Unity Connection supports the Speechview functionality with a third party transcription service, which converts the voice message to text and the transcribed text is sent to the user along with the voice message. With Release 15SU2 and later, Unity Connection uses the **Cisco Webex in-house transcription service** for transcription of voice messages.



**Note** Thirdparty transcription service will be EOL by Decemeber 30,2024. Hence customers are advised to upgrade to 15SU2 or later releases. For more information see [Field Notice: FN74144 - Cisco Unity Connection SpeechView Transcription Service Will Stop Working after December 30, 2024 - Software Upgrade Recommended - Cisco](#)

For more information, see chapter "SpeechView Cisco Webex in-house Transcription Service" of the System Administration Guide guide available at [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/15/administration/guide/b\\_15cucsag.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/15/administration/guide/b_15cucsag.html)

## Securing Transport Layer (TLS 1.3)

Cisco Unity Connection uses Transport Layer Security(TLS) protocol for signaling and client server communication. With Release of Cisco Unity Connection 15SU2, TLS version 1.3 is supported. TLS 1.3 version is faster and more secure than older version of TLS. One of the key improvements in TLS 1.3 is the reduction in handshake latency. It significantly enhances the performance of time-sensitive applications. Moreover, TS 1.3 also reduces round-trip times (RTT), by further optimizing the connection establishment process. TLS 1.3 has dropped support for older and less secure cryptographic algorithms.



**Note** TLS 1.3 is not supported for below Interfaces:

- Cisco Unity Tools
- Cisco Smart Software Licensing (CSSM)
- Voice Mail for Outlook (VMO)
- Chrome Extension for Gmail
- Microsoft Exchange Server
- Microsoft Office 365
- Microsoft Outlook

For more information about the TLS 1.3 support, see the "TLS 1.3 (Applicable to Release 15 SU2 or later)" section in [IP Communications Required by Cisco Unity Connection](#) chapter of the *Security Guide for Cisco Unity Connection Release 15* present at [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/15/security/b\\_15cucsecx.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/15/security/b_15cucsecx.html)

## Related Documentation

### Documentation for Cisco Unity Connection

For descriptions and URLs of Cisco Unity Connection documentation on Cisco.com, see the *Documentation Guide for Cisco Unity Connection Release 15SU2*. The document is shipped with Unity Connection and is available at [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/15/requirements/b\\_15cucsysreqs.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/15/requirements/b_15cucsysreqs.html).

### Documentation for Cisco Unified Communications Manager Business Edition

For descriptions and URLs of Cisco Unified Communications Manager Business Edition documentation on Cisco.com, see the applicable version of Cisco Business Edition at <https://www.cisco.com/c/en/us/support/unified-communications/index.html>.

## Installation Information

For instructions on downloading the service update, see the "Downloading Cisco Unity Connection Release 15 Service Update 2 Software" section.

For instructions on installing the service update on Cisco Unity Connection, see the "Upgrading Cisco Unity Connection" chapter of the *Install, Upgrade, and Maintenance Guide for Cisco Unity Connection Release 15* at [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/15/install\\_upgrade/guide/b\\_15cuciumg/b\\_15cuciumg\\_chapter\\_010.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/15/install_upgrade/guide/b_15cuciumg/b_15cuciumg_chapter_010.html).



---

**Note**

- If you are performing an upgrade from a FIPS enabled Cisco Unity Connection release to Cisco Unity Connection 15SU2, make sure to follow the steps for regenerating certificates before using any pre-existing telephony integrations. To learn how to regenerate certificates, see the [Regenerating Certificates for FIPS](#) section of the "FIPS Compliance in Cisco Unity Connection" chapter of the *Security Guide for Cisco Unity Connection Release 15SU2* at [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/15/security/guide/b\\_15cucsecx.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/15/security/guide/b_15cucsecx.html)
  - In FIPS mode, it is mandatory to upgrade all nodes in the Networking to Release 15 SU2 or later to ensure smooth operation and avoid replication issues.
- 

## Downloading Cisco Unity Connection Release 15 Service Update 2 Software



---

**Note**

The service update files can be used to upgrade Cisco Unity Connection. The files can be downloaded from the Unity Connection downloads page.

---

**Caution**

With restricted and unrestricted versions of Cisco Unity Connection software now available, download software carefully. Upgrading a restricted version to an unrestricted version is supported, but future upgrades are then limited to unrestricted versions. Upgrading an unrestricted version to a restricted version is not supported. For more information on restricted and unrestricted versions of Unity Connection software, see the Downloading a VMware OVA Template for a Unity Connection 15 Virtual Machine of the *Release Notes for Cisco Unity Connection Release 15SU2* at <http://www.cisco.com/c/en/us/support/unified-communications/unity-connection/products-release-notes-list.html>.

## Downloading Cisco Unity Connection Release 15 Service Update 2 Software

### Procedure

**Step 1** Sign in to a computer with a high-speed Internet Unity Connection, and go to the Voice and Unified Communications Downloads page at <http://www.cisco.com/cisco/software/navigator.html?mdfid=280082558>.

**Note**

To access the software download page, you must be signed in to Cisco.com as a registered user.

**Step 2** In the tree control on the Downloads page, expand **Products> Unified Communications> Unified Communications Applications> Messaging> Unity Connection**, and select **Unity Connection Version 15SU2**.

**Step 3** On the Select a Software Type page, select **Cisco Unity Connection Updates**.

**Step 4** On the Select a Release page, select **15 SU2**, and the download buttons appear on the right side of the page.

**Step 5** Confirm that the computer you are using has sufficient hard-disk space for the downloaded files. (The download descriptions include file sizes.)

**Step 6** Select the applicable download, then follow the on-screen prompts to complete the download, making note of the MD5 value.

|                             |  |
|-----------------------------|--|
| <b>Restricted version</b>   | UCSInstall_CUC_15.0.1.12900-43.sgn.iso       |
| <b>Unrestricted version</b> | UCSInstall_CUC_UNRST_15.0.1.12900-43.sgn.iso |

**Note**

The VOS version for above mentioned ISO is 15.0.1.12900-234.

**Step 7** Use a checksum generator to confirm that the MD5 checksum matches the checksum that is listed on Cisco.com. If the values do not match, the downloaded files are damaged.

**Caution**

Do not attempt to use a damaged file to install software, or the results will be unpredictable. If the MD5 values do not match, download the file again until the value for the downloaded file matches the value listed on Cisco.com.

Free checksum tools are available on the Internet, for example, the Microsoft File Checksum Integrity Verifier utility. The utility is described in Microsoft Knowledge Base article 841290, *Availability and Description of the File Checksum Integrity Verifier Utility*. The KB article also includes a link for downloading the utility.

**Step 8** If you are installing from a DVD, burn the DVD, noting the following considerations:

- Choose the option to burn a disc image, not the option to copy files. Burning a disc image will extract the thousands of files from the .iso file and write them to a DVD, which is necessary for the files to be accessible for the installation.
- Use the Joliet file system, which accommodates filenames up to 64 characters long.
- If the disc-burning application that you are using includes an option to verify the contents of the burned disc, choose that option. This causes the application to compare the contents of the burned disc with the source files.

**Step 9** Confirm that the DVD contains a large number of directories and files.

**Step 10** Delete unnecessary files from the hard disk to free disk space, including the .iso file that you downloaded.

---

## Reverting to the Unity Connection Version on the Inactive Partition

See the “[Rollback of Unity Connection](#)” section of the “Upgrading Cisco Unity Connection” chapter of the *Install, Upgrade, and Maintenance Guide for Cisco Unity Connection Release 15SU2* at [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/15/install\\_upgrade/guide/b\\_15cuciumg.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/15/install_upgrade/guide/b_15cuciumg.html).

If a Unity Connection cluster is configured, revert to the previous version on the publisher server first, then on the subscriber server.

## Caveat Information

You can find the latest caveat information for Unity Connection version 15SU2 by using Bug Toolkit, an Online tool available for customers to query defects according to their own needs.

Bug Toolkit is available at <https://bst.cloudapps.cisco.com/bugsearch/>. Fill in your query parameters by using the custom settings in the Advanced Settings option.



---

**Note** To access Bug Toolkit, you must be logged on to Cisco.com as a registered user.

---

This section contains the following caveat information:

- [Open Caveats—Unity Connection Release 15SU2, on page 7](#)
- [Resolved Caveats—Unity Connection Release 15SU2, on page 8](#)
- [Related Caveats—Cisco Unified Communications Manager 15SU2 Components that are Used by Unity Connection 15SU2, on page 9](#)

## Open Caveats—Unity Connection Release 15SU2

Click a link in the Caveat Number column to view the latest information on the caveat in Bug Toolkit. (Caveats are listed in order by severity, then by component, then by caveat number.)

**Table 1: Unity Connection Release 15SU2 Open Caveats**

| Caveat Number                          | Component | Severity | Description   |
|--|-----------|----------|---|
| <a href="#">CSCwn42420<sup>1</sup></a> | messaging | 2        | Google Workspace Sync not working with direct connection after upgrading to 15su2         |
| <a href="#">CSCwk75669</a>             | messaging | 3        | "Connection Google Workspace Sync Service" (CuGSuiteSy+) is using high CPU than expected. |
| <a href="#">CSCwo12114</a>             | messaging | 3        | SMTP relay/um messaging is not working post 15SU2 Upgrade                                 |

<sup>1</sup> Note :

The COP file for fix of this CDET is available at :

[Software Download - Cisco Systems.](#)

## Resolved Caveats—Unity Connection Release 15SU2

Click a link in the Caveat Number column to view the latest information on the caveat in Bug Toolkit. (Caveats are listed in order by severity, then by component, then by caveat number.)

**Table 2: Unity Connection Release 15SU2 Resolved Caveats**

| Caveat Number              | Component | Severity | Description   |
|----------------------------|-----------|----------|---|
| <a href="#">CSCwk63494</a> | core      | 3        | Evaluation of Cisco Unity Connection for OpenSSH regreSSHion  |
| <a href="#">CSCwm46543</a> | setup     | 3        | Unable to send voicemail message marked secure through TUI / Web Inbox in https networking          |
| <a href="#">CSCwk31084</a> | config    | 3        | CUC Incorrect Swap Error reported with "ciscocm.cuc_preUpgradeCheck-005.cop.sha512" cop file        |
| <a href="#">CSCwm11004</a> | core      | 3        | Tomcat core dump generated when Metaspac is full  |
| <a href="#">CSCwj85245</a> | telephony | 3        | UDP socket not getting created leading to SIP Trunks being down after upgrading to v15              |
| <a href="#">CSCwj72969</a> | setup     | 3        | Upgrade 14SU3 to 15 SU1 Subscriber node switch version failing                                      |
| <a href="#">CSCwk76764</a> | utilities | 3        | Security flaw in Cisco Unity Redirector tool allowing negotiation on weak TLS protocol.             |
| <a href="#">CSCwk63447</a> | setup     | 3        | CUC Dataexport fails on Blue Screen stuck indefinitely when exporting data from 11.5 to 15          |
| <a href="#">CSCwk41352</a> | database  | 3        | CUC DB table service entries created on subscriber removed after switch-version from 12.5.x to 15.x |
| <a href="#">CSCwj56788</a> | database  | 3        | Tomcat REST actions do not get updated to tbl_messageactivity in UnityRptDB                         |
| <a href="#">CSCwj69324</a> | inbox     | 3        | Unity Inbox doesn't have webapp specific configurable timeout leading session limit error           |



| Caveat Number              | Component      | Severity | Description  |
|----------------------------|----------------|----------|--|
| <a href="#">CSCwb82664</a> | utilities      | 3        | UC : Use ExternalEwsUrl for SOAP AutoDiscovery with Client Credential Flow                           |
| <a href="#">CSCwm62687</a> | core           | 3        | Debug Symbols installation failed with conflict error  |
| <a href="#">CSCwm38487</a> | speechview     | 3        | Speechview Test button throws Incorrect Error about Webex in-house transcription service not healthy |
| <a href="#">CSCwh78412</a> | core           | 3        | Legacy secure call not working in "Authenticated" mode   |
| <a href="#">CSCwk20670</a> | admin          | 3        | Vulnerabilities in haproxy - multiple versions CVE-2023-40225  |
| <a href="#">CSCwk74953</a> | serviceability | 3        | In ESM mode, RU and M2 Migration fails involving 12.5 SU8 and 12.5 SU9 as destination version        |

## Related Caveats—Cisco Unified Communications Manager 15SU2 Components that are Used by Unity Connection 15SU2

Table 3: Cisco Unified CM 15SU2 Components that are used by Unity Connection 15SU2 below describes the Cisco Unified Communications Manager components that are used by Cisco Unity Connection.

Caveat information for the Cisco Unified CM components is available in the following documents:

- *ReadMe for Cisco Unified Communications Manager Release 15SU2* on the download page for 15SU2 (start at <https://software.cisco.com/download/home/280082558>).

**Table 3: Cisco Unified CM 15SU2 Components that are used by Unity Connection 15SU2**

| Cisco Unified CM Component | Description   |
|----------------------------|---|
| backup-restore             | Backup and restore utilities  |
| ccm-serviceability         | ccm-serviceability Cisco Unified Serviceability web interface   |
| cdp                        | Cisco Discovery Protocol Drivers  |
| cli                        | Command-line interface (CLI)  |
| cmui                       | Certain elements in the Unity Connection web interfaces (such as search tables and splash screens)                      |
| cpi-afg                    | Cisco Unified Communications Answer File Generator  |
| cpi-appinstall             | Installation and upgrades   |
| cpi-cert-mgmt              | Certificate management  |
| cpi-diagnose               | Automated diagnostics system  |
| cpi-os                     | Cisco Unified Communications Operating System   |
| cpi-platform-api           | Abstraction layer between the Cisco Unified Communications Operating System and the applications hosted on the platform |
| cpi-security               | Security for connections to the server  |
| cpi-service-mgr            | Service Manager (ServM)   |

| Cisco Unified CM Component | Description   |
|----------------------------|---|
| cpi-vendor                 | External vendor issues                                      |
| cuc-tomcat                 | Apache Tomcat and third-party software                      |
| database                   | Installation and access to the configuration database (IDS) |
| database-ids               | IDS database patches  |
| ims                        | Identity Management System (IMS)                            |
| rtmt                       | Real-Time Monitoring Tool (RTMT)                            |

## Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly What's New in Cisco Product Documentation, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the What's New in Cisco Product Documentation as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS Version 2.0.

## Cisco Product Security Overview

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Delivery of Cisco cryptographic products does not imply third-party authority to import, export, distribute or use encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws. By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

Further information regarding U.S. export regulations may be found at

<https://research.ucdavis.edu/wp-content/uploads/Export-Control-Overview-of-Regulations.pdf>

