



## INDEX

---

### A

#### AAR

*See* automated alternate routing (AAR)

access, restricting with partitions [6-21](#)

#### access control

##### MLPP numbering plan

example (figure) [35-25](#)

explained [35-25](#)

##### precedence patterns

example (figure) [35-25](#)

explained [35-25](#)

#### access lists

configuration [14-36](#)

configuration settings (table) [14-36](#)

member details configuration settings (table) [14-38](#)

#### ad hoc conference

interactions with logical partitioning [32-27](#)

adjunct licensing [30-9](#)

#### agent call

barging or monitoring [34-12](#)

alert, call pickup [6-21](#)

#### alternate party diversion (APD)

example (figure) [35-14](#)

explained [35-13](#)

#### announcements

blocked precedence [35-23](#)

blocked precedence (figure) [35-23](#)

busy station [35-24](#)

MLPP [35-21](#)

unauthorized precedence [35-22](#)

unauthorized precedence (figure) [35-23](#)

#### annunciator

IPv6 [29-17](#)

#### application dial rules

configuring for Web Dialer [17-11](#)

#### application users

configuring for Web Dialer [17-9](#)

assisted directed call park [5-29](#)

#### audio sources

configuring [36-18](#)

creating for MOH [36-12](#)

for MOH [36-12](#)

managing for MOH [36-13](#)

multicast [36-13](#)

storing for MOH [36-12](#)

unicast [36-13](#)

#### auto call pickup

described [6-17](#)

interactions with Cisco Unified Mobility [14-28](#)

#### automated alternate routing (AAR)

MLPP interaction [35-32](#)

---

### B

#### bandwidth

insufficient with AAR for MLPP [35-32](#)

#### Barge

interactions with logical partitioning [32-34](#)

#### barge

activating with built-in conference bridge [1-16](#)

built-in and shared conference bridge differences (table) [1-6](#)

configuration checklist (table) [1-2](#)

configuring [1-17](#)

described [1-6](#)

- installing and activating [1-16](#)
  - interactions and restrictions [1-12](#)
  - intercom usage [28-6](#)
  - overview [1-1](#)
  - party entrance tone [1-9](#)
  - PLAR support [1-13](#)
  - related topics [1-17](#)
  - service parameters [1-17](#)
  - softkey [1-8](#)
  - system requirements [1-11](#)
- BIB call information and call display** [34-58](#)
- BLF**
- configuring for directed call park [5-27](#)
  - directed call park configuration settings [5-27](#)
- BLF/SpeedDial**
- buttons [37-20](#)
  - configuration settings (table) [5-27, 37-21](#)
  - configuring [37-20](#)
- built-in bridge**
- See* [BIB](#)
- built-in conference bridge, barge** [1-16](#)
- busy lamp field call pickup**
- configuration checklist (table) [6-7](#)
  - described [6-16](#)
  - example [6-17](#)
- 
- C**
- Call Back**
- additional information for Call Back notification with phones that are running SIP [2-8](#)
  - configuration checklist [2-1](#)
  - description [2-3](#)
  - interactions and restrictions [2-7](#)
  - interactions with Call Forward, iDivert, and Voice-Mail System features [2-8](#)
  - overview [2-1](#)
  - setting service parameters [2-12](#)
  - softkey template [2-9](#)
  - suspend/resume functionality [2-5](#)
  - system requirements [2-6](#)
  - understanding [2-3](#)
- call classification configuration settings (table)** [23-8](#)
- call control discovery** [3-1](#)
- call display restrictions**
- configuration checklist (table) [4-1](#)
  - configuring [4-6](#)
  - configuring in translation pattern [28-26](#)
  - configuring phones for [4-8](#)
  - enabling [4-3](#)
  - interactions
    - call park [4-5](#)
    - conference [4-6](#)
    - conference list [4-6](#)
    - extension mobility [4-6](#)
    - listed [4-5](#)
    - voice mail [4-6](#)
  - introduction [4-2](#)
  - overview [4-1, 4-3](#)
  - related topics [4-14](#)
  - sample call flow (figure) [4-13](#)
  - sample configurations
    - calling search spaces [4-10](#)
    - call park [4-13](#)
    - devices [4-10](#)
    - gateways [4-10](#)
    - listed [4-9](#)
    - translation patterns [4-11](#)
  - scenarios [4-4](#)
  - service parameter for connected number display [4-14](#)
  - system requirements [4-4](#)
  - translation patterns for [4-7](#)
  - with Cisco Extension Mobility [9-15](#)
- called digits transformation (figure)** [31-12](#)
- called party**
- transformations
    - and local route groups [31-11](#)
- call forward**

- MLPP interaction [35-30](#)
- call forwarding
  - interactions with logical partitioning [32-23](#)
- calling party normalization
  - activating [8-15](#)
  - BAT support [8-12](#)
  - Call Detail Record support [8-12](#)
  - calling party number type [8-17](#)
  - calling party transformation CSS [8-25](#)
  - CAR support [8-12](#)
  - Cisco Extension Mobility support [8-13](#)
  - Cisco Unified Communications Manager Assistant support [8-12](#)
  - Cisco Unity Connection support [8-12](#)
  - Cisco Unity support [8-12](#)
  - configuration checklist [8-1](#)
  - configuring [8-15](#)
  - device mobility support [8-13](#)
  - forwarding calls [8-11](#)
  - globalizing described [8-5](#)
  - information for end users [8-26](#)
  - installing [8-15](#)
  - interactions [8-11](#)
  - localizing, described [8-7](#)
  - mapping global number to local variant [8-9](#)
  - phone support [8-10](#)
  - related topics [8-27](#)
  - restrictions [8-14](#)
  - service parameters [8-15](#)
  - system requirements [8-10](#)
  - transferring calls [8-11](#)
- calling party transformation patterns [8-7](#)
- calling search spaces
  - Cisco Unified Communications Manager Assistant
    - configuration tips [11-22](#)
  - configure display in drop-down list box [28-36](#)
  - partition limitations [28-18](#)
  - SUBSCRIBE (for Presence) [37-11, 37-14](#)
- call monitoring
  - See* monitoring
- call park
  - configuration checklist (table) [5-2](#)
  - configuration settings (table) [5-14](#)
  - configuring [5-11](#)
  - configuring a number [5-13, 5-24](#)
  - deleting a number [5-15](#)
  - directed
    - via DTMF with Cisco Unified Mobility [14-15](#)
  - example with MOH [36-8](#)
  - finding a number [5-11](#)
  - installing and activating [5-10](#)
  - interactions [5-8](#)
  - interactions with logical partitioning [32-30](#)
  - interaction with call display restrictions [4-5](#)
  - introduction [5-4](#)
  - overview [5-1](#)
  - restrictions [5-10](#)
  - setting service parameters [5-11](#)
  - system requirements [5-7](#)
  - usage example [5-5](#)
- call pickup
  - activating [6-25](#)
  - auto
    - described [6-17](#)
    - interactions with Cisco Unified Mobility [14-28](#)
  - busy [6-18](#)
  - busy lamp field
    - configuration checklist (table) [6-7](#)
    - described [6-16](#)
  - call pickup group
    - assigning to a directory number [6-33](#)
    - defining a pickup group for other group pickup [6-33](#)
  - configuration checklist (table) [6-1](#)
  - configuring [6-26](#)
  - directed
    - configuration checklist (table) [6-5](#)
    - described [6-12](#)

- examples [6-13](#)
  - group call pickup
    - described [6-11](#)
  - installing [6-25](#)
  - interactions
    - call accounting [6-24](#)
    - calling search space [6-24](#)
    - dependency records [6-25](#)
    - listed [6-24](#)
    - partitions [6-24](#)
    - route plan report [6-24](#)
    - time of day [6-24](#)
  - interactions and restrictions [6-23](#)
  - interactions with logical partitioning [32-29](#)
  - introducing [6-10](#)
  - no answer [6-18](#)
  - no bandwidth [6-18](#)
  - notification [6-21](#)
  - other group
    - configuration checklist (table) [6-3](#)
    - described [6-12](#)
  - overview [6-1](#)
  - phone feature described [6-11](#)
  - related topics [6-34](#)
  - restricting access [6-21](#)
  - restrictions
    - listed [6-25](#)
  - service parameters [6-26](#)
  - system requirements [6-22](#)
  - using with partitions [6-21](#)
- call pickup group
- configuration settings (table) [6-29](#)
  - configuring [6-27, 6-28](#)
  - deleting [6-32](#)
  - finding [6-27](#)
- call preservation
- with intercom [28-6](#)
  - with MLPP [35-32](#)
- call recording
- See* recording
- call throttling
- introduction [7-1](#)
  - related topics [7-3](#)
  - troubleshooting [7-2](#)
- call transfer
- interactions with logical partitioning [32-24](#)
  - MLPP interaction [35-31](#)
- call waiting
- MLPP interaction [35-31](#)
- cBarge
- activating with shared conference bridge [1-16](#)
  - interactions with logical partitioning [32-34](#)
  - party entrance tone [1-9](#)
  - PLAR support [1-13](#)
  - softkey [1-9](#)
- CDR
- recording for precedence calls [35-30](#)
- CEF
- See* Cisco Extended Functions
- channel nonpreemptable [35-17](#)
- Cisco Customer Response Platform
- components [13-5](#)
- Cisco Extended Functions
- activating for QRT [38-22](#)
  - DB Change Notifier [38-6](#)
  - DBL library [38-5](#)
  - multiple applications in a cluster [38-8](#)
  - QBEHelper [38-5](#)
  - redundancy manager [38-6](#)
  - screen helper and dictionary [38-5](#)
  - SDI Trace and Alarm [38-6](#)
  - service architecture [38-4](#)
  - service architecture (figure) [38-5](#)
  - service dependency [38-7](#)
  - service dependency (figure) [38-7](#)
  - service parameters for QRT [38-24](#)
- Cisco Extension Mobility
- adding the Cisco Extension Mobility service [9-19](#)

- configuration checklist (table) [9-1](#)
- configuration example [9-18](#)
- configuration guidelines [9-17](#)
- configuring [9-17](#)
- creating a default device profile for each Cisco Unified IP Phone type [9-26](#)
- creating the device profile for a user [9-28](#)
- description [9-6](#)
- device profiles
  - default [9-6](#)
  - understanding [9-5](#)
  - user [9-6](#)
- equivalency [9-11](#)
- illustrated (figure) [9-7](#)
- information for users [9-35](#)
- installing [9-17](#)
- interactions
  - bulk administration tool [9-14](#)
  - call display restrictions [9-15](#)
  - Cisco Unified Communications Manager Assistant [9-15](#)
  - intercom [9-15](#)
  - IPv6 [9-16](#)
  - listed [9-14](#)
  - Presence [37-11](#)
  - Pv6 [29-17](#)
  - services that are running on the same server [9-14](#)
- interactions and restrictions [9-14](#)
- interactions with logical partitioning [32-31](#)
- intercom interactions [28-7](#)
- introducing [9-5](#)
- login and logout behavior [9-8](#)
- login call flow [9-9](#)
- logout call flow [9-10](#)
- overview [9-1](#)
- related topics [9-35](#)
- restrictions [9-16](#)
- setting service parameters (table) [9-20](#)
- subscribing phones [9-32](#)
- system requirements [9-13](#)
- user device profile, associating [9-31](#)
- using [9-35](#)
- Cisco Extension Mobility Cross Cluster
  - See* Extension Mobility Cross Cluster
- Cisco IPMA
  - See* Cisco Unified Communications Manager Assistant
- Cisco IP Manager Assistant service
  - understanding [11-7, 12-6](#)
- Cisco Mobile clients [16-1](#)
- Cisco Unified Communications Manager
  - IPv6 [29-18](#)
  - MOH servers [36-10](#)
- Cisco Unified Communications Manager Assistant
  - architecture overview [11-6, 12-5](#)
  - assistant console dialog options [11-43, 12-30](#)
  - assistant console interface [11-9, 12-7](#)
  - assistant interfaces [11-10, 12-8](#)
  - bulk administration tool [11-13, 12-11](#)
  - calling party normalization [11-14, 12-11](#)
  - calling search space and partitions, configuration tips [11-22](#)
  - Cisco Unified IP Phone interface [11-10, 12-8](#)
  - Cisco Unified IP Phone Services, configuration tips [11-29](#)
  - configuration checklist for proxy line support (table) [11-2](#)
  - configuration checklist with shared line support (table) [12-2](#)
  - configuration wizard for proxy line [11-19](#)
  - configuring assistant phones, tips [11-31](#)
  - configuring assistant proxy and incoming intercom lines [11-38](#)
  - configuring manager and assigning assistant for proxy line [11-34](#)
  - configuring manager and assigning assistant for shared line [12-22](#)
  - configuring manager phones, tips [11-30](#)
  - configuring manager primary and incoming intercom lines [11-34, 12-22](#)

- configuring shared and incoming intercom lines for assistant [12-25](#)
- database access architecture, understanding [11-10, 12-8](#)
- deleting assistant information [11-39, 12-27](#)
- deleting manager information [11-36, 12-24](#)
- dial rules configuration [11-41, 12-28](#)
- extension mobility [11-14, 12-12](#)
- installing and activating [11-17, 12-15](#)
- installing the assistant console application [12-29](#)
- interactions [11-13](#)
- intercom [11-16, 12-14](#)
- intercom usage [28-6](#)
- IPMASecureSysUser [11-28, 12-19](#)
- IPv6 [11-14, 12-12](#)
- manager and assistant configuration [12-21](#)
- manager and assistant phone configuration [11-29, 12-19](#)
- manager assistant administration interface [11-11, 12-9](#)
- manager configuration [11-43, 12-31](#)
- manager interfaces [11-10, 12-8](#)
- message waiting indicator [11-16](#)
- more information [12-31](#)
- multilevel precedence and preemption [11-15](#)
- Multilevel Precedence and Preemption (MLPP) [12-13](#)
- phones, configuration tips [11-33, 12-21](#)
- providing information to managers and assistants [11-41, 12-28](#)
- reporting tools [11-14, 12-12](#)
- restrictions [11-13, 11-16, 12-14](#)
- route point configuration tips [11-23](#)
- scalability [11-27, 12-18](#)
- security [11-28, 12-19](#)
- setting service parameters [11-24, 12-16](#)
- softkeys [11-11, 12-9](#)
- starting the Cisco IP Manager Assistant service [11-29, 12-19](#)
- supported devices [11-12, 12-10](#)
- system configuration with proxy line [11-18](#)
- system requirements for proxy line support [11-12](#)
- system requirements for shared line support [12-10](#)
- time-of-day routing [11-16](#)
- updating assistant information [11-40, 12-27](#)
- updating manager information [11-37, 12-24](#)
- with proxy line support [11-1](#)
- with shared line support [12-1](#)
- Cisco Unified Communications Manager Auto-Attendant
  - Cisco Unified Communications Manager and the CRS engine [13-6](#)
  - components [13-5](#)
  - configuration checklist (table) [13-2](#)
  - description [13-1](#)
  - installing [13-6](#)
  - managing [13-6](#)
  - overview [13-4](#)
  - understanding [13-3](#)
- Cisco Unified IP Phones
  - subscribing to Cisco Extension Mobility [9-32](#)
- Cisco Unified IP Phone Services
  - Cisco Unified Communications Manager Assistant configuration tips [11-29](#)
- Cisco Unified Mobile Communicator and Cisco Unified Mobility
  - configuration checklist (table) [15-8](#)
  - configuration details [15-9](#)
  - described [15-7](#)
  - integration overview [15-1](#)
- Cisco Unified Mobility
  - access list configuration [14-36](#)
  - access list configuration settings (table) [14-36](#)
  - access list member detail configuration settings (table) [14-38](#)
  - associating a DN with a remote destination profile [14-43](#)
  - benefits [14-7](#)
  - Cisco Unified Mobile Communicator described [15-7](#)
  - configuration checklist (table) [14-2](#)
  - configuring [14-35](#)
  - configuring directory number for MVA [14-48](#)

- configuring softkeys [14-61](#)
- definitions (table) [14-5](#)
- delayed anchoring [15-15](#)
- described [14-1](#)
- desktop call pickup [14-10](#)
- dial-via-office forward [15-11](#)
- directed call park via DTMF [14-15](#)
- feature benefits [14-7](#)
- handoff mobility configuration
  - settings (table) [14-57](#)
- intelligent session control [14-17](#)
- interactions
  - auto call pickup [14-28](#)
  - intelligent session control with session handoff [14-29](#)
  - licensing [14-29](#)
  - listed [14-28](#)
  - local route groups [14-29, 31-15](#)
  - number of supported calls [14-30](#)
- interactions and limitations [14-27, 15-18](#)
- interactions with logical partitioning [32-32](#)
- introducing [14-4, 15-4](#)
- IPv6 [29-19](#)
- limitations
  - listed [14-30](#)
- list of features [14-6](#)
- midcall enterprise feature support using DTMF [14-12](#)
- migrating from Cisco Unified MobilityManager [14-35](#)
- mobile connect [14-8](#)
- mobile voice access [14-11](#)
- mobile voice access configuration settings (table) [14-49](#)
- mobility enterprise feature configuration
  - settings (table) [14-56](#)
- mobility profile configuration
  - settings (table) [14-58](#)
- related topics [14-62, 15-20](#)
- remote destination configuration settings (table) [14-44](#)
- remote destination profile
  - configuring [14-39](#)
- remote destination profile configuration settings (table) [14-39](#)
- remote destinations
  - configuring [14-43](#)
- send call to mobile phone [14-10](#)
- SIP URI dialing [14-16](#)
- system requirements [14-34](#)
- time-of-day access
  - configuration checklist (table) [14-13](#)
  - described [14-12](#)
  - important notes [14-14](#)
- two-stage dialing [14-12](#)
- use case scenarios
  - dial-via-office forward [15-13, 15-16](#)
  - dial-via-office reverse callback [15-16](#)
  - directed call park via DTMF [14-23](#)
  - intelligent session control [14-24](#)
  - listed [14-21, 15-15](#)
  - mobile connect [14-21](#)
  - mobile voice access [14-22](#)
  - time-of-day access [14-22](#)
- with Cisco Unified Mobile Communicator
  - overview [15-1](#)
  - restrictions [15-18](#)
- with Cisco Unified Mobility Advantage
  - Cisco Unified Mobile Communicator configuration checklist (table) [15-8](#)
  - Cisco Unified Mobile Communicator configuration details [15-9](#)
  - configuration checklist (table) [15-2](#)
  - configuring [15-19](#)
  - definitions (table) [15-5](#)
  - dial-via-office reverse callback [15-10](#)
  - introducing [15-4](#)
  - list of features [15-5](#)
  - overview [15-1](#)
  - restrictions [15-18](#)
  - system requirements [15-19](#)

- Cisco Unified Mobility Advantage
    - integration overview [15-1](#)
  - Cisco Unified MobilityManager
    - migrating to Cisco Unified Mobility [14-35](#)
  - Cisco Unity
    - IPv6 [29-17](#)
  - Cisco Unity Connection
    - IPv6 [29-17](#)
  - Cisco Web Dialer
    - IPv6 [29-18](#)
    - See* Web Dialer
  - client matter codes
    - BAT usage [18-5](#)
    - CAR usage [18-6](#)
    - configuration settings (table) [18-7](#)
    - CTI, JTAPI, and TAPI usage [18-6](#)
    - described [18-2](#)
    - enabling for route patterns [18-8](#)
    - installation [18-6](#)
    - interactions [18-4](#)
    - requirements [18-6](#)
    - restrictions [18-4](#)
    - system requirements [18-6](#)
    - user information [18-11](#)
  - codecs
    - for monitoring and recording calls (figure) [34-56](#)
  - code yellow state [7-1](#)
  - common network facility preemption
    - example (figure) [35-18](#)
    - example with retry timer Trr (figure) [35-19](#)
    - explained [35-17](#)
  - conference list
    - interaction with call display restrictions [4-6](#)
  - conferences
    - IPv6 [29-18](#)
  - CTI
    - event delivery for monitoring and recording (figure) [34-59](#)
    - interactions with logical partitioning [32-36](#)
    - intercom interactions [28-6](#)
    - requirements for monitoring and recording [34-59](#)
    - securing TLS connection [38-8](#)
  - CTI route points
    - Cisco Unified Communications Manager Assistant configuration tips [11-23](#)
  - Customer Response Solutions, installing [13-6](#)
  - custom phone rings
    - creating [19-3](#)
    - customizing files [19-2](#)
    - introduction [19-1](#)
    - overview [19-1](#)
    - PCM file requirements [19-3](#)
- 
- D**
- database scalability [36-10](#)
  - default device profiles
    - creating for each Cisco Unified IP Phone type [9-26](#)
  - delayed anchoring
    - with Cisco Unified Mobility [15-15](#)
  - deny handling
    - for logical partitioning [32-18](#)
  - device mobility
    - and calling party normalization [8-13, 20-8](#)
    - and IPv4 [20-8](#)
    - and IPv6 [20-8](#)
    - configuration checklist [20-2](#)
    - configuration tips [20-11](#)
    - configuring [20-10](#)
    - enabling/disabling [20-12](#)
    - feature interactions [20-8](#)
    - feature restrictions [20-8](#)
    - installing [20-10](#)
    - introducing [20-3](#)
    - IPv6 [29-18](#)
    - more information [20-21](#)
    - network considerations [20-7](#)
    - operations [20-3](#)



- overview [20-1](#)
- system requirements [20-9](#)
- viewing roaming parameters [20-21](#)
- device mobility groups
  - configuration settings (table) [20-17](#)
  - configuring [20-16](#)
  - deleting [20-17](#)
  - finding [20-15](#)
- device mobility info
  - configuration settings (table) [20-19](#)
  - configuring [20-19](#)
  - deleting [20-20](#)
  - finding [20-18](#)
- device profiles
  - and Cisco Extension Mobility [9-5](#)
  - creating for a Cisco Extension Mobility user [9-28](#)
  - default for Cisco Extension Mobility [9-6](#)
  - for a Cisco Extension Mobility user [9-31](#)
  - user for Cisco Extension Mobility [9-6](#)
- DHCP
  - IPv6 [29-10](#)
- dial-via-office forward
  - with Cisco Unified Mobility [15-11](#)
- dial-via-office reverse callback
  - with Cisco Unified Mobility [15-10](#)
- directed call park
  - BLF configuration settings [5-27](#)
  - configuration checklist (table) [5-3](#)
  - configuration settings (table) [5-26](#)
  - configuring BLF/Directed Call Park buttons [5-27](#)
  - deleting a number [5-29](#)
  - finding a number [5-23](#)
  - installing and activating [5-23](#)
  - interactions [5-20](#)
  - interactions with logical partitioning [32-30](#)
  - introduction [5-19](#)
  - overview [5-1](#)
  - restrictions [5-22](#)
  - setting service parameters [5-23](#)
  - synchronizing configuration to applicable devices [5-28](#)
  - system requirements [5-20](#)
  - usage example [5-19](#)
  - via DTMF
    - with Cisco Unified Mobility [14-15](#)
- directed call pickup
  - basic completion (figure) [6-13](#)
  - basic setup (figure) [6-13](#)
  - configuration checklist (table) [6-5](#)
  - described [6-12, 6-13](#)
  - multiple-calls completion (figure) [6-16](#)
  - multiple-calls setup (figure) [6-16](#)
  - rejection (figure) [6-14, 6-15](#)
- directory number
  - assigning a call pickup group [6-33](#)
- directory numbers
  - calling search space list [28-36](#)
  - for intercom
    - configuration overview [28-29](#)
- DND
  - adding to common phone profiles [21-11](#)
  - architecture overview [21-3](#)
  - configuration checklist [21-1](#)
  - configuring [21-7](#)
  - described [21-1](#)
  - device parameters (table) [21-9](#)
  - feature key [21-9](#)
  - hardware requirements [21-4](#)
  - high priority call with DND ringer off enabled on a shared line (figure) [21-15](#)
  - incoming call alert settings [21-2](#)
  - installing and activating [21-7](#)
  - interactions
    - callback [21-6](#)
    - extension mobility [21-7](#)
    - hold reversion and intercom [21-6](#)
    - hunt list [21-6](#)
    - listed [21-5](#)

- MLPP and CER [21-6](#)
  - park reversion [21-5](#)
  - pickup [21-6](#)
  - pickup notification [21-6](#)
  - intercom usage [28-6](#)
  - introduction [21-2](#)
  - normal priority call with DND ringer off enabled on a nonshared line (figure) [21-13](#)
  - normal priority call with DND ringer off enabled on a shared line (figure) [21-14](#)
  - related topics [21-18](#)
  - restrictions [21-7](#)
  - service parameters [21-8](#)
  - softkeys [21-8](#)
  - software requirements [21-3](#)
  - status notification for SCCP [21-3](#)
  - status notification for SIP devices [21-3](#)
  - system requirements [21-3](#)
  - troubleshooting [21-16](#)
  - troubleshooting errors (table) [21-17](#)
  - usage examples [21-12](#)
  - using [21-11, 21-12](#)
- DNS
- IPv6 [29-11](#)
- domains, MLPP
- identifier for MLPP [35-9](#)
- do not disturb
- See* DND
- DSCP
- mapping to call precedence [35-32](#)
- 
- E**
- EMCC
- See* Extension Mobility Cross Cluster
- end users
- adding to standard end users group for Web Dialer [17-12](#)
- enterprise feature access
- by two-stage dialing [14-55](#)
  - H.323 configuration
    - options [14-50](#)
  - enterprise parameters
    - logical partitioning [32-10](#)
    - MLPP [35-42](#)
    - Presence [37-13](#)
  - extension mobility
    - interaction with call display restrictions [4-6](#)
- Extension Mobility Cross Cluster
- activating [10-41](#)
  - configuration checklist [10-2](#)
  - configuring [10-42](#)
  - EMCC feature configuration
    - settings [10-42](#)
  - information for end users [10-50](#)
  - installing [10-41](#)
  - interactions [10-39](#)
  - introduction [10-1](#)
  - overview [10-13](#)
  - related topics [10-54](#)
  - restrictions [10-39](#)
  - system requirements [10-38](#)
  - troubleshooting [10-50](#)
- external call control [22-1](#)
- external call transfer restrictions
- activating [23-6](#)
  - blocking external call from transferring to external party (figure) [23-5](#)
  - block offnet to offnet transfer service parameter [23-7](#)
  - call classification configuration settings (table) [23-8](#)
  - call classification service parameter [23-7](#)
  - configuration checklist (table) [23-1](#)
  - configuring [23-6](#)
  - gateway configuration [23-8](#)
  - installing [23-6](#)
  - interactions [23-5](#)
  - introducing [23-2](#)
  - overview [23-1](#)

- related topics [23-9](#)
- restrictions [23-5, 23-6](#)
- route pattern configuration [23-9](#)
- service parameters [23-7](#)
- system requirements [23-5](#)
- transferring external calls to an external party (figure) [23-4](#)
- trunk configuration [23-8](#)

## F

### features

- barge [1-1](#)
- call display restrictions [4-1](#)
- call park [5-1](#)
- Cisco Extension Mobility
  - bulk administration tool [9-14](#)
- Cisco Unified Communications Manager Assistant
  - assistant console interface [11-9, 12-7](#)
  - assistant interfaces [11-10, 12-8](#)
  - bulk administration tool [11-13, 12-11](#)
  - calling party normalization [11-14, 12-11](#)
  - calling search space and partitions [11-22](#)
  - Cisco Unified IP Phone interface [11-10, 12-8](#)
  - Cisco Unified IP Phone Services [11-29](#)
  - configuration checklist for proxy line support (table) [11-2](#)
  - extension mobility [11-14, 12-12](#)
  - intercom [11-16, 12-14](#)
  - manager assistant administration interface [11-11, 12-9](#)
  - manager interfaces [11-10, 12-8](#)
  - message waiting indicator [11-16](#)
  - multilevel precedence and preemption [11-15](#)
  - Multilevel Precedence and Preemption (MLPP) [12-13](#)
  - phones [11-33, 12-21](#)
  - reporting tools [11-14, 12-12](#)
  - route point [11-23](#)
  - softkeys [11-11, 12-9](#)

- time-of-day routing [11-16](#)
- understanding architecture [11-6, 12-5](#)
- understanding database access architecture [11-10](#)
- understanding database and directory access architecture [12-8](#)
- device mobility [20-1](#)
- directed call park [5-1](#)
- external call transfer restrictions [23-1](#)
- hold reversion [25-1](#)
- immediate divert [27-1](#)
- malicious call ID (MCID) [33-2](#)
- Multilevel Precedence and Preemption (MLPP)
  - using with Cisco Unified Communications Manager Assistant [12-13](#)
- Presence [37-1, 37-4](#)
- privacy [1-1](#)
- QRT [38-1, 38-16](#)
- single sign on [39-1](#)
- Web Dialer [17-1](#)

feature safe

- for Cisco Extension Mobility [9-11](#)

file format, Ringlist.xml [19-2](#)

firewalls and one-way media (figure) [34-57](#)

fixed audio source

- configuration settings (table) [36-25](#)
- configuring [36-23, 36-24](#)
- deleting [36-24](#)

forced authorization codes

- BAT usage [18-5](#)
- CAR usage [18-6](#)
- configuration settings (table) [18-9](#)
- CTI, JTAPI, and TAPI usage [18-6](#)
- described [18-3](#)
- enabling for route patterns [18-10](#)
- installation [18-6](#)
- interactions [18-4](#)
- requirements [18-6](#)
- restrictions [18-4](#)
- system requirements [18-6](#)

- user information [18-11](#)
- forward
  - dial-via-office with Cisco Unified Mobility [15-11](#)
- forwarding
  - local route groups [31-14](#)

## G

- gateways
  - IPv6 [29-12](#)
- geolocation filters
  - configuration checklist (table) [24-3](#)
  - configuration settings (table) [24-20](#)
  - configuring [24-17, 24-18](#)
  - deleting [24-19](#)
  - examples (table) [24-17](#)
  - finding [24-17](#)
  - introducing [24-1, 24-16](#)
  - logical partitioning use [32-8](#)
  - related topics [24-25](#)
- geolocations
  - and route lists [24-8](#)
  - and shared lines [24-8](#)
  - characteristics [24-6](#)
  - configuration checklist (table) [24-1](#)
  - configuration settings (table) [24-12](#)
  - configuring [24-10, 24-11](#)
  - deleting [24-12](#)
  - examples [24-8](#)
  - examples (table) [24-8](#)
  - finding [24-10](#)
  - identifiers [24-8](#)
    - logical partitioning usage [32-10](#)
  - interactions [24-9](#)
  - intercluster trunk error handling with location conveyance [24-23](#)
  - introducing [24-1, 24-5](#)
  - location conveyance feature interactions [24-23](#)

- logical partitioning feature interactions with midcall change [32-20](#)
- logical partitioning handling [32-20](#)
- logical partitioning use [32-8](#)
- overview [24-6](#)
- related topics [24-25](#)
- SIP trunk error handling with location conveyance [24-22](#)
- source information [24-7](#)
- globalizing calling party number
  - activating [8-15](#)
  - BAT support [8-12](#)
  - Call Detail Record support [8-12](#)
  - calling party number type [8-17](#)
  - CAR support [8-12](#)
  - Cisco Extension Mobility support [8-13](#)
  - Cisco Unified Communications Manager Assistant support [8-12](#)
  - Cisco Unity Connection support [8-12](#)
  - Cisco Unity support [8-12](#)
  - configuration checklist [8-1](#)
  - configuring [8-15](#)
  - described [8-5](#)
  - device mobility support [8-13](#)
  - example [8-5](#)
  - forwarding [8-11](#)
  - gateway support [8-6](#)
  - information for end users [8-26](#)
  - installing [8-15](#)
  - interactions [8-11](#)
  - mapping global number to local variant [8-9](#)
  - phone support [8-10](#)
  - related topics [8-27](#)
  - restrictions [8-14](#)
  - service parameters [8-15](#)
  - system requirements [8-10](#)
  - transferring [8-11](#)
- group call pickup
  - configuration checklist (table) [6-1](#)
  - described [6-11](#)

---

**H**

## H.323

IPv6 [29-18](#)

## H.323 gateway

configuring for enterprise feature access

options [14-50](#)

configuring for system remote access

no hairpinning [14-50](#)using hairpinning [14-53](#)

## hold reversion

alerting operations (table) [25-4](#)call focus operations [25-5](#)call focus priority [25-12](#)configuration checklist (table) [25-1](#)configuration tips [25-12](#)configuring [25-11](#)configuring call focus priority [25-13](#)configuring call reversion timer settings [25-14](#)description [25-3](#)examples [25-3](#), [25-6](#)installing [25-11](#)

## interactions

call park [25-9](#)CTI applications [25-10](#)listed [25-9](#)MLPP [25-10](#)music on hold [25-9](#)introducing [25-2](#)more information [25-16](#)overview [25-1](#)providing information to users [25-15](#)restrictions [25-10](#)retrieving reverted calls [25-5](#)supported devices [25-8](#)system requirements [25-8](#)timer deactivation [25-6](#)timers [25-12](#)troubleshooting [25-15](#)

## Hotline

activating [26-7](#)call and receive settings [26-4](#)call screening [26-4](#)using calling party number routing [26-5](#)using CSS and partitions [26-4](#)configuration checklist (table) [26-1](#)configuration settings in Cisco Unified CM Administration (table) [26-9](#)enterprise parameters (table) [26-7](#)installing [26-7](#)overview [26-3](#)related topics [26-12](#)service parameters (table) [26-7](#)system requirements [26-6](#)

## hotline

supported devices [26-6](#)

## hunt pilots

interactions with logical partitioning [32-35](#)


---

**I**  
 immediate divert
call-processing requirements [27-4](#)configuration checklist (table) [27-1](#)configuring [27-10](#)installing and activating [27-10](#)

## interactions

call detail records [27-8](#)call forward [27-8](#)conference [27-8](#)hunt list [27-8](#)listed [27-8](#)MLPP [27-8](#)interactions and restrictions [27-7](#)introducing [27-2](#)overview [27-1](#)phone display messages [27-5](#)related topics [27-11](#)

- requirements for incoming calls [27-4](#)
- requirements for outgoing calls [27-5](#)
- restrictions [27-9](#)
- scenarios [27-6, 27-7](#)
- setting service parameters [27-10](#)
- softkey requirements [27-4](#)
- system requirements [27-3](#)
- using [27-5](#)
- indication enabled [35-12](#)
- insufficient bandwidth, AAR for MLPP [35-32](#)
- intercluster trunks
  - configuration requirement for logical partitioning [32-21](#)
  - location conveyance [24-22](#)
  - logical partitioning interaction with geolocation conveyance [32-19](#)
- intercom
  - and IPv4 [28-7](#)
  - and IPv6 [28-7](#)
  - barge usage [28-6](#)
  - calling search spaces
    - configuration overview [28-15](#)
    - configuration settings (table) [28-17](#)
    - configuring [28-16](#)
    - deleting [28-19](#)
    - finding [28-15](#)
  - call preservation [28-6](#)
  - Cisco Extension Mobility interactions [28-7](#)
  - Cisco Unified Communications Manager Assistant [11-16](#)
  - Cisco Unified Communications Manager Assistant usage [28-6](#)
  - configuration checklist (table) [28-1](#)
  - configuring [28-8](#)
  - CTI interactions [28-6](#)
  - described [28-1](#)
  - directory numbers
    - configuration overview [28-28, 28-29](#)
    - configuration settings (table) [28-31](#)
    - configuring [28-30](#)
    - finding [28-29](#)
    - DND usage [28-6](#)
    - installing and activating [28-7](#)
    - interactions [28-5](#)
    - IP phones supported [28-4](#)
    - IPv6 [29-19](#)
    - overview [28-2](#)
    - partitions
      - calling search space limitations (table) [28-13](#)
      - configuration settings (table) [28-11](#)
      - configuring [28-10](#)
      - deleting [28-14](#)
      - finding [28-9](#)
    - restrictions [28-5](#)
    - SRST usage [28-6](#)
    - system requirements [28-4](#)
    - translation patterns
      - configuration overview [28-20](#)
      - configuration settings (table) [28-22](#)
      - configuring [28-21](#)
      - deleting [28-28](#)
      - finding [28-20](#)
    - using [28-38](#)
    - with Cisco Extension Mobility [9-15](#)
- intercom directory numbers
  - synchronizing configuration to applicable devices [28-37](#)
- intercom partitions
  - synchronizing configuration to applicable devices [28-13](#)
- IPMA, Cisco
  - See* Cisco Unified Communications Manager Assistant
- IPv6
  - activating [29-21](#)
  - additional Cisco documentation [29-32](#)
  - annunciator [29-17](#)
  - call admission control [29-6](#)
  - call detail records [29-17](#)
  - call processing [29-6](#)

Cisco Certificate Authority Proxy Function [29-17](#)  
 Cisco Extension Mobility [29-17](#)  
 Cisco Unified Communications Manager Assistant [29-18](#)  
 Cisco Unified Communications Manager server [29-6](#)  
 Cisco Unified IP Phones [29-8](#)  
 Cisco Unified Mobility [29-19](#)  
 Cisco Unity [29-17](#)  
 Cisco Unity Connection [29-17](#)  
 Cisco Web Dialer [29-18](#)  
 CLI commands [29-21](#)  
 conferences [29-18](#)  
 configuration checklist (table) [29-2](#)  
 configuration settings in Cisco Unified CM Administration (table) [29-27](#)  
 CTI [29-5](#)  
 device mobility [29-18](#)  
 DHCPv6 [29-10](#)  
 DNS [29-11](#)  
 DSCP [29-18](#)  
 enterprise parameters (table) [29-25](#)  
 Ethernet IPv6 configuration settings (table) [29-21](#)  
 gateways [29-12](#)  
 H.323 devices [29-18](#)  
 installing [29-21](#)  
 interactions [3-16, 29-16](#)  
 intercom [29-19](#)  
 media termination points (MTP) [29-12](#)  
 monitoring and recording [29-19](#)  
 music on hold [29-19](#)  
 overview [3-5, 22-5, 29-5](#)  
 phone web browser [29-20](#)  
 Quality Report Tool (QRT) [29-19](#)  
 Real-Time Monitoring Tool (RTMT) [29-18](#)  
 related topics [3-47, 29-32](#)  
 restrictions [3-16, 29-16](#)  
 RSVP [29-19](#)  
 SDL [29-19](#)  
 service parameters (table) [29-25](#)

SIP Phones [29-19](#)  
 SIP trunks [29-13](#)  
 system requirements [29-16](#)  
 T.38 Fax [29-20](#)  
 TFTP server [29-15](#)  
 transfer [29-20](#)  
 troubleshooting [29-32](#)  
 video [29-20](#)

---

## J

join  
     interactions with logical partitioning [32-27](#)  
 join across lines  
     interactions with logical partitioning [32-27](#)

---

## L

license capabilities assignment  
     configuration settings (table) [30-18](#)  
     configuring for multiple users [30-20](#)  
     configuring for one user [30-20](#)  
     finding [30-19](#)  
 licensing  
     adjunct devices [30-9](#)  
     alarms [30-21](#)  
     applications [30-9](#)  
     calculations [30-12](#)  
     Cisco IP Communicator [30-9](#)  
     Cisco Unified Mobile Communicator [30-10](#)  
     Cisco Unified Mobility [30-9](#)  
     interactions with Cisco Unified Mobility [14-29](#)  
 license file  
     obtaining [30-13](#)  
     sample license files [30-6](#)  
     uploading [30-16](#)  
 license unit report  
     generating [30-17](#)

- more information [30-22](#)
- obtaining a software feature license [30-15](#)
- overview [30-1](#)
- phones [30-8](#)
- starting a license manager service [30-15](#)
- status notification [30-21](#)
- lines, interaction with MLPP [35-30](#)
- localizing calling party number
  - activating [8-15](#)
  - BAT support [8-12](#)
  - Call Detail Record support [8-12](#)
  - calling party transformation CSS [8-25](#)
  - calling party transformations patterns [8-7](#)
  - CAR support [8-12](#)
  - Cisco Extension Mobility support [8-13](#)
  - Cisco Unified Communications Manager Assistant support [8-12](#)
  - Cisco Unity Connection support [8-12](#)
  - Cisco Unity support [8-12](#)
  - configuration checklist [8-1](#)
  - configuring [8-15](#)
  - described [8-7](#)
  - device mobility support [8-13](#)
  - example [8-8](#)
  - forwarding [8-11](#)
  - information for end users [8-26](#)
  - installing [8-15](#)
  - interactions [8-11](#)
  - mapping global number to local variant [8-9](#)
  - phone support [8-10](#)
  - related topics [8-27](#)
  - restrictions [8-14](#)
  - system requirements [8-10](#)
  - transferring [8-11](#)
- local offnet access
  - managing in a centralized mode (figure) [31-6](#)
- local route groups
  - and called party transformations [31-11](#)
  - and Cisco Unified Mobility [31-15](#)
  - and forwarding [31-14](#)
  - and route plan report [31-14](#)
  - and supplementary services [31-14](#)
  - binding a provisioned route group [31-4](#)
  - called digits transformation (figure) [31-12](#)
  - described [31-4](#)
  - installing and activating [31-15](#)
  - interactions [31-13](#)
  - interactions and restrictions [31-13](#)
  - interactions with Cisco Unified Mobility [14-29](#)
  - introduction [31-3](#)
  - mixed route list restrictions [31-15](#)
  - overview [31-1](#)
  - provisioning local offnet access with (figure) [31-8](#)
  - provisioning local offnet access without (figure) [31-7](#)
  - provisioning TEHO with (figure) [31-11](#)
  - provisioning TEHO without (figure) [31-10](#)
  - restrictions [31-15](#)
  - routing with [31-5](#)
  - simple local routing [31-6](#)
  - supported devices [31-13](#)
  - system requirements [31-13](#)
  - with TEHO [31-9](#)
- location conveyance
  - across intercluster trunks [24-22](#)
  - across SIP trunks [24-22](#)
  - configuration [24-25](#)
  - configuration checklist (table) [24-4](#)
  - example PIDF-LO [24-24](#)
  - feature interactions with midcall geolocation change [24-23](#)
  - handling a received geolocation [24-23](#)
  - intercluster trunk error handling for geolocation information [24-23](#)
  - introducing [24-1, 24-21](#)
  - related topics [24-25](#)
  - SIP trunk error handling for geolocation information [24-22](#)
- logical partitioning
  - allow and deny policies [32-6](#)



- architecture overview [32-8](#)
- configuration checklist (table) [32-1](#)
- configuration upon upgrade [32-47](#)
- configuring [32-39](#)
- deny handling [32-18](#)
- described [32-1](#)
- device types and associated Cisco Unified CM devices (table) [32-5](#)
- enterprise parameters [32-10](#)
- feature interactions with midcall geolocation change [32-20](#)
- geolocation configuration [32-39](#)
- geolocation filter configuration [32-39](#)
- geolocation identifiers
  - usage [32-10](#)
- geolocation usage for shared lines and route lists [32-10](#)
- handling for basic call [32-19](#)
- handling received geolocation [32-20](#)
- identifiers [32-5](#)
- interactions
  - ad hoc conference, join, join across lines [32-27](#)
  - Barge, cBarge, Remote Resume [32-34](#)
  - call forwarding [32-23](#)
  - call park and directed call park [32-30](#)
  - call pickup [32-29](#)
  - call transfer [32-24](#)
  - Cisco Extension Mobility [32-31](#)
  - Cisco Unified Mobility [32-32](#)
  - CTI handling [32-36](#)
  - hunt pilots [32-35](#)
  - listed [32-22](#)
  - meet-me conference [32-28](#)
  - route lists [32-35](#)
  - shared lines [32-33](#)
- interaction with dynamic SIP trunks [32-21](#)
- interaction with geolocation conveyance across SIP and intercluster trunks [32-19](#)
- introducing [32-4](#)
- limitations [32-37](#)
- LPPolicyManager [32-13](#)
- LPSession infrastructure [32-18](#)
- policies
  - described [32-11](#)
  - example [32-11](#)
- policy
  - configuration settings (table) [32-43](#)
  - configuring [32-41](#)
  - deleting record [32-42](#)
  - finding [32-40](#)
- policy checking [32-18](#)
- policy configuration [32-40](#)
- policy matching [32-17](#)
- policy search algorithm
  - example (table) [32-16](#)
  - explained [32-15](#)
- policy tree
  - described [32-13](#)
  - example (figure) [32-13](#)
- related topics [32-47](#)
- SIP or intercluster trunk configuration requirement [32-21](#)
- system requirements [32-22](#)
- TRAI regulations
  - applicability [32-6](#)
  - history [32-7](#)
- troubleshooting [32-47](#)
- use of geolocations and geolocation filters [32-8](#)
- login call flow
  - Cisco Extension Mobility [9-9](#)
- logout call flow
  - Cisco Extension Mobility [9-10](#)
- LPPolicyManager
  - and logical partitioning [32-13](#)
- LPSession infrastructure
  - for logical partitioning [32-18](#)

## M

### malicious call ID

- adding a softkey template [33-8, 33-9](#)
- configuration checklist (table) [33-1](#)
- configuring alarms [33-7](#)
- explained [33-2](#)
- feature code [33-3](#)
- giving MCID to users [33-8, 33-10](#)
- installing [33-6](#)
- interactions
  - alarms [33-5](#)
  - call detail records [33-5](#)
  - conference calls [33-5](#)
  - extension mobility [33-5](#)
  - listed [33-5](#)
- overview [33-2](#)
- related topics [33-11](#)
- removing MCID feature [33-9](#)
- restrictions [33-6](#)
- services [33-1, 33-3](#)
- setting service parameters [33-7](#)
- system requirements [33-3](#)
- troubleshooting [33-10](#)
- using [33-3](#)

### malicious call identification

- supported devices [33-4](#)

### malicious call identification (MCID)

*See* malicious call ID

### max list box enterprise parameter

- calling search space [28-36](#)

### meet-me conference

- interactions with logical partitioning [32-28](#)

### MGCP

- and MLPP [35-32](#)

### MLPP

- activating [35-41](#)
- announcements
  - blocked precedence [35-23](#)

- blocked precedence (figure) [35-23](#)

- busy station [35-24](#)

- explained [35-21](#)

- unauthorized precedence [35-22](#)

- unauthorized precedence (figure) [35-23](#)

### automated alternate routing (AAR) [35-32](#)

### call forward [35-30](#)

### call preservation [35-32](#)

### call transfer [35-31](#)

### call waiting [35-31](#)

### CDR recording [35-30](#)

### configuration checklist (table) [35-1](#)

### described [35-1](#)

### domain [35-9](#)

### enterprise parameters [35-42](#)

### hierarchical configuration [35-29](#)

### indication [35-12](#)

### installing [35-41](#)

### interactions [35-39](#)

### introducing [35-3](#)

### line feature interaction [35-30](#)

### mapping to DSCP [35-32](#)

### MGCP [35-32](#)

### numbering plan

- example (figure) [35-25](#)

- explained [35-25](#)

### precedence

- alternate party diversion (APD) [35-13](#)

- alternate party diversion example (figure) [35-14](#)

- call setup [35-12](#)

- explained [35-5](#)

- patterns [35-11](#)

### precedence patterns

- example (figure) [35-25](#)

- explained [35-25](#)

### preemption

- common network facility [35-17](#)

- common network facility example (figure) [35-18](#)

- common network facility example with retry timer Trr (figure) [35-19](#)
  - details [35-15](#)
  - enabled [35-15](#)
  - explained [35-8](#)
  - receiving [35-15](#)
  - user access [35-15](#)
  - user access channel nonpreemptable [35-17](#)
  - user access example (figure) [35-16](#)
- PRI [35-32](#)
- restrictions [35-39, 35-40](#)
- service parameter [35-29](#)
- shared lines [35-31](#)
- supplementary services
  - call forwarding [35-34](#)
  - call pickup [35-36](#)
  - call transfer [35-35](#)
  - hunt pilots and hunt lists [35-36](#)
  - multiple appearance lines [35-33](#)
  - overview [35-33](#)
  - three-way calling [35-35](#)
- terminology [35-4](#)
- trunk selection
  - example (figure) [35-28](#)
  - explained [35-26](#)
- mobile connect
  - and MLPP [14-27, 15-18](#)
  - feature interactions [14-27, 15-18](#)
  - overview [14-4](#)
  - related topics [14-62, 15-20](#)
  - restrictions [14-27, 15-18](#)
- mobile voice access
  - configuration settings (table) [14-49](#)
  - directory number [14-48](#)
  - overview [14-4, 15-4](#)
  - related topics [14-62, 15-20](#)
- mobility softkeys
  - configuring [14-61](#)
- modifying files [19-2](#)
- MOH
  - See* music on hold (MOH)
- monitoring
  - adding user for application (figure) [34-64](#)
  - adding user to groups (figure) [34-65](#)
  - agent call [34-12](#)
  - agent cannot control a monitoring call (figure) [34-10](#)
  - agent conferences in the supervisor (figure) [34-14](#)
  - agent in a conference (figure) [34-13](#)
  - architecture (figure) [34-4](#)
  - BIB [34-58](#)
  - call characteristics [34-55](#)
  - call information [34-58](#)
  - call preservation [34-58](#)
  - codec for calls (figure) [34-56](#)
  - configuration checklist (table) [34-1](#)
  - configuring [34-63](#)
  - configuring calling search spaces (figure) [34-67](#)
  - configuring tones (figure) [34-66](#)
  - CTI event delivery (figure) [34-59](#)
  - CTI requirements [34-59](#)
  - described [34-1](#)
  - firewalls (figure) [34-57](#)
  - hardware requirements [34-60](#)
  - interactions listed [34-60](#)
  - interactions with CTI and JTAPI/TSP applications [34-60](#)
  - interactions with other features [34-61](#)
  - introducing [34-2, 34-8](#)
  - invocation of a session [34-8](#)
  - IPv6 [29-19](#)
  - limitations
    - listed [34-61](#)
  - multiple sessions (figure) [34-12](#)
  - notification tones [34-55](#)
  - one-way media [34-57](#)
  - one-way media (figure) [34-57](#)
  - play tone behavior [34-55](#)
  - related topics [34-75](#)

- restrictions
    - security [34-62](#)
    - with intercom [34-62](#)
  - service parameters [34-74](#)
  - session (figure) [34-9](#)
  - session flow (figure) [34-8](#)
  - simultaneous with recording (figure) [34-54](#)
  - streaming through the agent IP phone (figure) [34-6](#)
  - supervisor conferences in another supervisor (figure) [34-15](#)
  - supervisor transfers the monitoring call (figure) [34-10](#)
  - supported devices [1-11, 20-9, 21-4, 34-6](#)
  - system requirements [34-59](#)
  - terminology [34-3](#)
  - turn on IP phone BIB to allow (figure) [34-64](#)
- MTP
- IPv6 [29-12](#)
- multicast
- audio sources for MOH [36-13](#)
  - configuration checklist (table) [36-3](#)
  - explained [36-13](#)
- multilevel precedence and preemption
- See* MLPP
  - supported devices [35-38](#)
  - system requirements [35-38](#)
- music on hold
- IPv6 [29-19](#)
- music on hold (MOH)
- audio files
    - deleting [36-35](#)
    - displaying [36-33](#)
    - managing [36-33](#)
    - uploading [36-34](#)
  - audio sources
    - configuration settings (table) [36-21](#)
    - configuring [36-18, 36-20](#)
    - deleting [36-21](#)
    - explained [36-12](#)
    - finding [36-19](#)
  - call park example [36-8](#)
  - characteristics [36-6](#)
  - configuration checklist (table) [36-1](#)
  - creating audio sources [36-12](#)
  - database scalability [36-10](#)
  - definitions [36-4](#)
  - described [36-1](#)
  - failover and fallback [36-18](#)
  - features
    - manageability [36-10](#)
    - server manageability [36-9](#)
    - server redundancy [36-9](#)
    - server scalability [36-9](#)
  - fixed audio source
    - configuration settings (table) [36-25](#)
    - configuring [36-24](#)
    - deleting [36-24](#)
    - described [36-23](#)
  - functionality [36-7](#)
  - list of topics [36-1](#)
  - managing audio sources [36-13](#)
  - monitoring performance
    - overview (table) [36-4](#)
    - service states [36-36](#)
  - requirements and limits [36-16](#)
  - server configuration settings (table) [36-28](#)
  - servers
    - characteristics [36-8](#)
    - configuring [36-25, 36-27](#)
    - database requirements [36-10](#)
    - explained [36-11](#)
    - finding [36-26](#)
    - manageability [36-9](#)
    - perfmon counters [36-36](#)
    - redundancy [36-9](#)
    - resetting [36-27](#)
    - scalability [36-9](#)
    - synchronizing configuration [36-28](#)
  - storing audio sources [36-12](#)

supported features [36-8](#)  
 transfer hold example [36-8](#)  
 understanding [36-4](#)  
 user hold example [36-8](#)

---

## N

nonpreemptable user access channel [35-17](#)  
 notification tones for monitoring and recording [34-55](#)  
 numbering plan  
     MLPP (figure) [35-25](#)  
     MLPP access control [35-25](#)

---

## O

other group pickup  
     configuration checklist (table) [6-3](#)  
     described [6-12](#)

---

## P

parameters, service  
     CDR [33-7](#)  
 park monitoring [5-16](#)  
     directory number configuration window [5-18](#)  
     setting service parameters [5-16](#)  
 partitions  
     restricting access [6-21](#)  
     using call pickup [6-21](#)  
     Web Dialer support [17-11](#)  
 party entrance tone  
     barge, cBarge, single button barge [1-9](#)  
 PCM file requirements for custom ring types [19-3](#)  
 perfmon counters  
     counter descriptions (table) [36-36](#)  
     using to view MOH servers [36-36](#)  
 phones  
     and call display restrictions [4-8](#)

custom rings  
     creating [19-1, 19-3](#)  
     overview [19-1](#)  
     PCM file requirements [19-3](#)  
 interaction with Presence [37-5](#)  
 IPv6 and web browser [29-20](#)  
 licensing [30-8](#)

physical locations  
     configuration settings (table) [20-14](#)  
     configuring [20-13](#)  
     deleting [20-15](#)  
     finding [20-12](#)

### PIDF-LO

example [24-24](#)

### PLAR

for barge, cBarge, and single button barge [1-13](#)

### policies

logical partitioning  
     described [32-11](#)  
     example [32-11](#)

### policy

checking  
     for logical partitioning [32-18](#)  
 configuration for logical partitioning [32-40](#)  
 logical partitioning  
     configuration settings (table) [32-43](#)  
     configuring [32-41](#)  
     deleting record [32-42](#)  
     finding [32-40](#)  
     matching [32-17](#)  
     variations in policy configuration (table) [32-16](#)

### policy search algorithm

for logical partitioning  
     example (table) [32-16](#)  
     explained [32-15](#)

### policy tree

for logical partitioning [32-13](#)  
 logical partitioning (figure) [32-13](#)

### precedence

- alternate party diversion (APD)
    - example (figure) [35-14](#)
    - explained [35-13](#)
  - blocked [35-23](#)
  - blocked (figure) [35-23](#)
  - busy station [35-24](#)
  - call setup [35-12](#)
  - CDR recording [35-30](#)
  - explained [35-5](#)
  - patterns
    - access control [35-25](#)
    - MLPP (figure) [35-25](#)
    - setup [35-11](#)
  - unauthorized [35-22](#)
  - unauthorized (figure) [35-23](#)
  - preemption
    - common network facility [35-17](#)
    - common network facility example (figure) [35-18](#)
    - common network facility example with retry timer Trr (figure) [35-19](#)
    - details [35-15](#)
    - enabled [35-15](#)
    - explained [35-8](#)
    - receiving [35-15](#)
    - user access [35-15](#)
    - user access channel nonpreemptable [35-17](#)
    - user access example (figure) [35-16](#)
  - Presence
    - authorization [37-9](#)
    - BLF/SpeedDial
      - buttons, configuring [37-20](#)
      - configuration settings (table) [5-27, 37-21](#)
      - configuring [37-20](#)
    - configuration checklist (table) [37-1](#)
    - feature interactions and restrictions [37-12](#)
    - groups
      - applying [37-18](#)
      - configuration example [37-8](#)
      - configuration settings (table) [37-17](#)
      - explained [37-7](#)
      - interaction examples [37-9](#)
    - interaction with Cisco Extension Mobility [37-11](#)
    - interaction with phones and trunks [37-5](#)
    - interaction with route lists [37-6](#)
    - more information [37-22](#)
    - overview [37-1, 37-4](#)
    - request examples [37-5](#)
    - SUBSCRIBE calling search space [37-11, 37-14](#)
    - tips for presence group and presence authorization [37-19](#)
  - PRI and MLPP [35-32](#)
  - privacy
    - activating [1-16](#)
    - configuration checklist (table) [1-4](#)
    - configuring [1-17](#)
    - described [1-10](#)
    - installing and activating [1-16](#)
    - interactions and restrictions [1-12](#)
    - overview [1-1](#)
    - related topics [1-17](#)
    - service parameters [1-17](#)
    - system requirements [1-11](#)
  - privacy on hold
    - activating [1-16](#)
    - configuration checklist (table) [1-4](#)
    - configuring [1-17](#)
    - described [1-10](#)
    - installing and activating [1-16](#)
    - interactions and restrictions [1-12](#)
    - related topics [1-17](#)
    - service parameters [1-17](#)
    - system requirements [1-11](#)
  - proxy user, creating for Web Dialer [17-12](#)
- 
- ## Q
- QRT
    - activating [38-15](#)

- activating CEF service [38-22](#)
- adding softkey template to phones [38-20](#)
- alarms and traces [38-22](#)
- architecture overview [38-4](#)
- can't make calls (figure) [38-14](#)
- can't make calls (table) [38-14](#)
- Cisco Extended Functions service [38-7](#)
- components [38-3](#)
- configuration checklist (table) [38-2](#)
- configuring [38-16](#)
- configuring softkey template in common device configuration [38-19](#)
- creating softkey template [38-17](#)
- description [38-3](#)
- extended menu choices [38-10](#)
- information to users [38-30](#)
- installing [38-15](#)
- interactions [38-15](#)
- IP phone support [38-6](#)
- IPv6 [29-19](#)
- overview [38-1](#)
- phone configuration (figure) [38-21](#)
- phone interface (figure) [38-11](#)
- phone interface display (figure) [38-10](#)
- phone recently rebooted (table) [38-13](#)
- problem categories (table) [38-11](#)
- problems with last call (table) [38-13](#)
- problem with phone that recently rebooted (figure) [38-14](#)
- QRT Viewer [38-25](#)
- reason codes (table) [38-11](#)
- related topics [38-32](#)
- reporting problem with current call (figure) [38-12](#)
- reporting problem with last call (figure) [38-13](#)
- reports
  - described [38-26](#)
  - fields by supported category [38-28](#)
- restrictions [38-15](#)
- securing signaling connections [38-8](#)

- serviceability features [38-21](#)
- setting service parameters [38-24](#)
- softkey [38-17](#)
- softkey layout configuration (figure) [38-19](#)
- softkey template configuration window (figure) [38-17](#)
- softkey template configuration window after copy (figure) [38-18](#)
- system requirements [38-6](#)
- troubleshooting [38-30](#)
- user interface [38-9](#)
- using [38-9](#)
- voice quality feedback (figure) [38-10](#)

Quality Report Tool (QRT)

*See* QRT

---

## R

- recording
  - adding user for application (figure) [34-64](#)
  - adding user to groups (figure) [34-65](#)
  - agent conference (figure) [34-52](#)
  - application-invoked [34-17](#)
  - application-invoked (figure) [34-49](#)
  - architecture (figure) [34-4](#)
  - automatic [34-17](#)
  - automatic (figure) [34-19](#)
  - barged call (figure) [34-52](#)
  - BIB [34-58](#)
  - call characteristics [34-55](#)
  - call display [34-58](#)
  - call information [34-58](#)
  - call preservation [34-58](#)
  - calls do not survive agent hold (figure) [34-50](#)
  - codec for calls (figure) [34-56](#)
  - configuration checklist (figure) [34-1](#)
  - configuring [34-63](#)
  - configuring calling search spaces (figure) [34-67](#)
  - configuring tones (figure) [34-66](#)

- creating a route pattern for the recorder (figure) [34-72](#)
  - creating recorder redundancy (figure) [34-73](#)
  - creating SIP trunk that points to the recorder (figure) [34-71](#)
  - CTI event delivery (figure) [34-59](#)
  - CTI requirements [34-59](#)
  - described [34-1](#)
  - enabling for a line appearance (figure) [34-68](#)
  - firewalls (figure) [34-57](#)
  - hardware requirements [34-60](#)
  - interactions listed [34-60](#)
  - interactions with CTI and JTAPI/TSP applications [34-60](#)
  - interactions with other features [34-61](#)
  - introducing [34-2](#), [34-16](#)
  - IPv6 [29-19](#)
  - limitations listed [34-61](#)
  - limiting codec usage [34-56](#)
  - modes [34-17](#)
  - notification tones [34-55](#)
  - one-way media [34-57](#)
  - one-way media (figure) [34-57](#)
  - overview (figure) [34-3](#)
  - play tone behavior [34-55](#)
  - profiles
    - creating (figure) [34-69](#)
  - recorder as SIP trunk device [34-18](#)
  - related topics [34-75](#)
  - restrictions
    - security [34-62](#)
    - with intercom [34-62](#)
  - service parameters [34-74](#)
  - simultaneous with monitoring (figure) [34-54](#)
  - streaming through the agent IP phone (figure) [34-6](#)
  - supported devices [1-11](#), [20-9](#), [21-4](#), [34-6](#)
  - system requirements [34-59](#)
  - terminology [34-3](#)
  - turn on IP phone BIB to allow (figure) [34-64](#)
- Redirector servlet
- configuring [17-11](#)
  - redundancy
    - creating for recorders (figure) [34-73](#)
    - MOH servers [36-9](#)
    - Web Dialer [17-3](#)
  - remote destination profiles
    - associating a directory number [14-43](#)
    - configuration [14-39](#)
    - configuration settings (table) [14-39](#)
  - remote destinations
    - configuration settings (table) [14-44](#)
    - configuring [14-43](#)
    - intelligent session control [14-17](#)
  - Remote Resume
    - interactions with logical partitioning [32-34](#)
  - requirements
    - Call Back [2-6](#)
    - Cisco Extension Mobility [9-13](#)
    - Cisco Unified Mobility [14-34](#)
      - with Cisco Unified Mobility Advantage [15-19](#)
    - device mobility [20-9](#)
    - hold reversion [25-8](#)
  - retry timer Trr example (figure) [35-19](#)
  - reverse callback
    - dial-via-office with Cisco Unified Mobility [15-10](#)
  - reverted calls [25-5](#)
  - Ringlist.xml file format [19-2](#)
  - route groups
    - binding to a local route group [31-4](#)
    - local
      - and called party transformations [31-11](#)
      - and forwarding [31-14](#)
      - and route plan report [31-14](#)
      - and supplementary services [31-14](#)
      - binding a provisioned route group [31-4](#)
      - called digits transformation (figure) [31-12](#)
      - described [31-4](#)
      - installing and activating [31-15](#)
      - interactions [31-13](#)



- introduction [31-3](#)
- mixed route list restrictions [31-15](#)
- provisioning local offnet access with (figure) [31-8](#)
- provisioning local offnet access without (figure) [31-7](#)
- provisioning TEHO with (figure) [31-11](#)
- provisioning TEHO without (figure) [31-10](#)
- restrictions [31-15](#)
- routing with [31-5](#)
- supported devices [31-13](#)
- system requirements [31-13](#)

route lists

- and geolocations [24-8](#)
- interactions with logical partitioning [32-35](#)
- interaction with Presence [37-6](#)
- logical partitioning geolocation usage [32-10](#)

route patterns

- creating for the recorder (figure) [34-72](#)

route plan report

- and local route groups [31-14](#)

routing

- simple with local route groups [31-6](#)

RSVP

- IPv6 [29-19](#)

---

## S

SAF [3-1](#)

SCCP

- status notification for DND [21-3](#)

security

- Cisco Unified Communications Manager Assistant [11-28, 12-19](#)

- IPMASecureSysUser [11-28, 12-19](#)

- Presence authorization [37-9](#)

- with monitoring feature [34-62](#)

- with recording feature [34-62](#)

service parameters

barge [1-17](#)

CDR [33-7](#)

external call transfer restrictions [23-7](#)

for call pickup [6-26](#)

for Cisco Extension Mobility (table) [9-20](#)

for monitoring and recording [34-74](#)

for recording and monitoring (figure) [34-67](#)

MLPP [35-29](#)

Presence [37-13](#)

privacy [1-17](#)

privacy on hold [1-17](#)

Web Dialer [17-6](#)

services

- adding the Cisco Extension Mobility service [9-19](#)

- supplementary for MLPP [35-33](#)

shared conference bridges and cBarge [1-16](#)

shared lines

- and geolocations [24-8](#)

- interactions with logical partitioning [32-33](#)

- logical partitioning geolocation usage [32-10](#)

- MLPP interaction [35-31](#)

single button barge

- party entrance tone [1-9](#)

- PLAR support [1-13](#)

single sign on

- CLI commands [39-5](#)

- configuration checklist (table) [39-1](#)

- configuring [39-3](#)

- configuring client browsers [39-4](#)

- configuring FireFox [39-5](#)

- configuring Internet Explorer [39-5](#)

- configuring OpenAM [39-3](#)

- configuring Windows single sign on with Active Directory and OpenAM [39-4](#)

- described [39-2](#)

- importing OpenAM certificates [39-4](#)

- installing and activating [39-3](#)

- overview [39-1](#)

- related topics [39-7](#)

- system requirements [39-2](#)
- utils sso disable CLI command [39-6](#)
- utils sso enable CLI command [39-5](#)
- utils sso status CLI command [39-7](#)

## SIP

- DND status notification [21-3](#)
- recorder as SIP trunk device [34-18](#)
- trunks
  - creating to point to the recorder (figure) [34-71](#)
  - URI dialing with Cisco Unified Mobility [14-16](#)

## SIP trunks

- configuration requirement for logical partitioning [32-21](#)
- interactions with logical partitioning [32-21](#)
- IPv6 [29-13](#)
- location conveyance [24-22](#)
- logical partitioning interaction with geolocation conveyance [32-19](#)

## softkeys

- barge [1-8](#)
- cBarge [1-9](#)
- configuring mobility [14-61](#)
- templates for MCID [33-8, 33-9](#)

## SRST

- intercom usage [28-6](#)

## supplementary services

- call forwarding [35-34](#)
- call pickup [35-36](#)
- call transfer [35-35](#)
- hunt pilots and hunt lists [35-36](#)
- multiple appearance lines [35-33](#)
- overview [35-33](#)
- three-way calling [35-35](#)

## system remote access

- H.323 configuration
  - no hairpinning [14-50](#)
  - using hairpinning [14-53](#)

## system requirements

- call pickup [6-22](#)

---

## T

### T.38 Fax

- IPv6 [29-20](#)

### tail end hop off (TEHO)

- and local route groups [31-9](#)

### TEHO

- and local route groups [31-9](#)

### templates, softkey

- MCID [33-8, 33-9](#)

### TFTP

- IPv6 [29-15](#)

### time-of-day access

- with Cisco Unified Mobility
  - configuration checklist (table) [14-13](#)
  - described [14-12](#)
  - important notes [14-14](#)

### TLS, securing connection to CTI [38-8](#)

### trace settings, Web Dialer [17-14](#)

### transfer

- external call transfer restrictions [23-1](#)
- IPv6 [29-20](#)

### transfer hold, example with MOH [36-8](#)

### transformations

- called party with local route groups [31-11](#)

### translation patterns

- for call display restrictions [4-7](#)

### Trr retry timer preemption example (figure) [35-19](#)

### trunks

- interaction with Presence [37-5](#)
- IPv6 and SIP trunks [29-13](#)
- selection for MLPP
  - example (figure) [35-28](#)
  - explained [35-26](#)

---

## U

### unicast

- audio sources for MOH [36-13](#)

explained [36-13](#)

## URI

dialing with Cisco Unified Mobility [14-16](#)

user hold, example with MOH [36-8](#)

Webdialer [17-2, 17-6](#)

system requirements [17-4](#)

trace settings [17-14](#)

---

## V

### video

IPv6 [29-20](#)

### voice mail

interaction with call display restrictions [4-6](#)

---

## W

### Web Dialer

activating [17-5](#)

adding users to standard Cisco Unified Communications Manager end users group [17-12](#)

configuration checklist (table) [17-1](#)

configuring [17-6](#)

configuring application dial rules [17-11](#)

configuring for local language [17-10](#)

configuring Redirector servlet [17-11](#)

creating a proxy user [17-12](#)

installing [17-5](#)

interactions [17-4](#)

interactions and restrictions [17-4](#)

introducing [17-2](#)

locale settings in Microsoft Internet Explorer (figure) [17-10](#)

overview [17-1](#)

partition support [17-11](#)

redundancy [17-3](#)

related topics [17-14](#)

restrictions [17-5](#)

secure TLS connection [17-9](#)

service parameters [17-6](#)

### servlet

Redirector [17-3](#)

