



Working with Client Matter Codes and Forced Authorization Codes

Forced Authorization Codes (FAC) and Client Matter Codes (CMC) allow you to manage call access and accounting. CMC assists with call accounting and billing for billable clients, while Forced Authorization Codes regulate the types of calls that certain users can place.

Client Matter Codes force the user to enter a code to specify that the call relates to a specific client matter. You can assign client matter codes to customers, students, or other populations for call accounting and billing purposes. The Forced Authorization Codes feature forces the user to enter a valid authorization code before the call completes.

The CMC and FAC features require that you make changes to route patterns and update your dial plan documents to reflect that you enabled or disabled FAC and/or CMC for each route pattern.

This chapter contains information on the following topics:

- [CMC and FAC Configuration Checklist, page 53-1](#)
- [Important BAT Considerations, page 53-2](#)
- [Creating a CSV File by Using BAT.xlt, page 53-3](#)
- [Using a Text Editor to Create the CSV Data File for Client Matter Codes and Forced Authorization Codes, page 53-4](#)
- [Editing an Existing CMC or FAC CSV File, page 53-4](#)
- [Deleting Code Settings, page 54-1](#)
- [CMC and FAC CSV File Settings, page 53-5](#)
- [Using BAT to Update the CUCM Database, page 53-6](#)

CMC and FAC Configuration Checklist

[Table 53-1](#) provides steps in the order in which you should use Cisco Unified Communications Manager Bulk Administration (BAT) to implement CMC and FAC. For more information about related procedures, see the “[Related Topics](#)” section on [page 53-7](#).

Table 53-1 Cisco CMC and FAC Configuration Checklist

Configuration Steps		Related Procedures and Topics
Step 1	Review important BAT information and general information about the CMC and FAC features.	<ul style="list-style-type: none"> • Important BAT Considerations, page 53-2 • <i>Cisco Unified Communications Manager Features and Services Guide</i>
Step 2	Create a CSV file for CMC or FAC and enter the CMC and FAC configuration information.	<ul style="list-style-type: none"> • Creating a CSV File by Using BAT.xlt, page 53-3 • Using a Text Editor to Create the CSV Data File for Client Matter Codes and Forced Authorization Codes, page 53-4 • CMC and FAC CSV File Settings, page 53-5
Step 3	To update the Cisco Unified Communications Manager database, insert the CSV file in BAT.	<ul style="list-style-type: none"> • Using BAT to Update the CUCM Database, page 53-6 • BAT Settings for Updating the Cisco Unified Communications Manager Database, page 53-7
Step 4	Enable FAC or CMC by adding or updating route patterns in Cisco Unified Communications Manager Administration.	<ul style="list-style-type: none"> • <i>Cisco Unified Communications Manager Administration Guide</i> • <i>Cisco Unified Communications Manager Features and Services Guide</i>
Step 5	Update your dial plan documents or keep a printout of the BAT CSV file with your dial plan documents.	Refer to your dial plan documents.
Step 6	Provide all necessary information, for example, codes, to users and explain how the features work.	<i>Cisco Unified Communications Manager Features and Services Guide</i>

Important BAT Considerations

Before you use BAT to configure CMC or FAC, review the following information:

- Create separate CSV files for CMC and FAC. Do not mix the two features in a single CSV file.
- When you add CMC or FAC settings for the first time, you can create a CSV file through BAT.xlt or create a custom text-based CSV file.
- To update, delete, or add more CMC or FAC settings (not first time), you can edit an existing CSV file or create a custom text-based CSV file.
- In the file/spreadsheet, do not enter two or more codes (and corresponding settings) on a single line. Designate a single line for each code (and corresponding setting). For example, use the following format when you enter codes for Forced Authorization Codes:

(Authorization Code, Authorization Code Name, Authorization Level)

1234,John Smith,20

1235,Lisa Mendez,10

5551,Debbie Dunn,30

- Deleting information from a file and leaving the information blank does not remove the information from the Cisco Unified Communications Manager database; in other words, a blank value does not overwrite an existing value in the database. Updating the values overwrites the existing value in the database.
- Make sure that you upload the appropriate CSV files to the first node of the Cisco Unified Communications Manager server. For more information, see the [“Uploading a File” section on page 2-3](#).
- Any time that you create or change a CSV file, you must insert the CSV file in BAT, as described in [“Using BAT to Update the CUCM Database” section on page 53-6](#).

Creating a CSV File by Using BAT.xlt

To create a CSV file for CMC or FAC by using BAT.xlt, perform the following procedure:

Procedure

-
- Step 1** The BAT.xlt file exists on the first node of the Cisco Unified Communications Manager server; however, you normally do not have Microsoft Excel installed on the server. In that case, you must copy the file from the first node and move it to the local machine, which must have Microsoft Excel installed.
- Step 2** Download **BAT.xlt** file from the server. See the [“Downloading a File” section on page 2-2](#) to a local machine where Microsoft Excel is installed.
- Step 3** In Microsoft Excel, open **BAT.xlt**. When prompted, click **Enable Macros**.



Tip Remember that you must create two separate CSV files, one for CMC and one for FAC.

- Step 4** Click one of the following tabs:
- **Insert CMC**—If you are creating a CMC CSV file
 - **Insert FAC**—If you are creating a FAC CSV file
- Step 5** Use [Table 53-2](#) to enter CMC or FAC settings in the columns.
- Step 6** Repeat [Step 5](#) until you enter all codes.
- Step 7** To transfer the Excel spreadsheet format to a CSV file, click **Export to BAT Format**.
The system automatically saves CSV files to C:\XlsDatafiles on the local machine. Click **Browse** to choose a different location.
- Step 8** Upload the CSV files to the first node of the Cisco Unified Communications Manager server. For more information, see [“Uploading a File” section on page 2-3](#).
- Step 9** You must add the CSV file to BAT. To insert the CSV file in BAT, see the [“Using BAT to Update the CUCM Database” section on page 53-6](#).
-

Additional Topics

See the [“Related Topics” section on page 53-7](#).

Using a Text Editor to Create the CSV Data File for Client Matter Codes and Forced Authorization Codes

You can create the CSV data file by using lines of ASCII text with values separated by commas. The comma separated values (CSV) file provides textual information in tabular form. For more information about text-based CSV files for client matter codes and forced authorization codes, see the [“Creating a Custom Text-Based CSV Files for Client Matter Codes and Forced Authorized Codes”](#) section on page A-20.

Additional Topics

See the [“Related Topics”](#) section on page 53-7.

Editing an Existing CMC or FAC CSV File

You update existing codes by manually updating an existing CSV file in Notepad or by creating a new file in Notepad.

Perform the following procedure:

Procedure

Step 1 To edit an existing CSV file where you previously inserted codes, download the CSV files from the first node of the Cisco Unified Communications Manager server. For more information, see [“Uploading a File”](#) section on page 2-3.

Step 2 In Notepad, open and edit the existing CSV file; delete existing settings, add new codes, or update existing settings by using the text-based representation in [Table 53-2](#).

If you are updating a CMC CSV file, for example, you may enter 5555,Acme Toys, where 5555 equals the mandatory client matter code, and Acme Toys equals the description.

If you are updating a FAC CSV file, for example, you may enter 1234,John Smith,20, where 1234 equals the forced authorization code, John Smith equals the authorization code name, and 20 equals the authorization level.



Caution

If you add new codes at the same time that you update them, make sure that you enter all required information. You can change any part of an existing record, but you must include the code; for example, the forced authorization code or client matter code. Deleting information and leaving it blank does not remove the information from the database; a blank value does not overwrite an existing value in the database, but, updating the value, for example, to Acme Toys, Inc. or John L. Smith from the preceding examples, overwrites the existing value in the database.

Step 3 Upload the CSV files to the first node of the Cisco Unified Communications Manager server. For more information, see [“Uploading a File”](#) section on page 2-3.

Step 4 You must add the CSV file to BAT. To insert the CSV file in BAT, see the [“Using BAT to Update the CUCM Database”](#) section on page 53-6.

Additional Topics

See the “[Related Topics](#)” section on page 53-7.

CMC and FAC CSV File Settings

Use [Table 53-2](#) in conjunction with the following sections:

- [Creating a CSV File by Using BAT.xlt](#), page 53-3
- [Using a Text Editor to Create the CSV Data File for Client Matter Codes and Forced Authorization Codes](#), page 53-4
- [Editing an Existing CMC or FAC CSV File](#), page 53-4
- [Deleting Code Settings](#), page 54-1

For more information about related procedures, see the “[Related Topics](#)” section on page 53-7.

Table 53-2 Configuration Settings for CMC and FAC

Setting/Column	Description
For CMC CSV file	
Client Matter Code	Enter a unique code of no more than 16 digits that the user will enter when placing a call. The client matter code displays in the CDRs for calls that use this code.
Description	This optional field helps you associate a client code with a client. The description can include up to 50 characters in any language, but it cannot include double-quotes ("), percentage sign (%), ampersand (&), back-slash (\), or angle brackets (<>).
For FAC CSV File	
Authorization Code	Enter a unique authorization code that is no more than 16 digits. The user enters this code when the user places a call through a FAC-enabled route pattern.

Table 53-2 Configuration Settings for CMC and FAC

Setting/Column	Description
Authorization Code Name	<p>Enter a unique name that is no more than 50 characters. The authorization code name ties the authorization code to a specific user or group of users; this name displays in the CDRs for calls that use this code.</p> <p>Tip If you plan to assign an authorization code to every user in the system, make sure that the code name includes an identifier for the user, such as the user name or another unique, non-sensitive identifier; for example, an email alias or employee/student number. Do not use identifiers such as a social security number because the authorization code name writes to CDRs, which are not secure.</p>
Authorization Level	<p>Enter a three-digit authorization level that exists within the range of 0 to 255; the default equals 0. The level that you assign to the authorization code determines whether the user can route calls through FAC-enabled route patterns. To successfully route a call, the user authorization level must equal or be greater than the authorization level that is specified for the route pattern for the call.</p>

Using BAT to Update the CUCM Database

To update the Cisco Unified Communications Manager database, you must insert the CMC or FAC CSV file in BAT. To update the database, perform the following procedure:

Before You Begin

Before you can update Cisco Unified Communications Manager, you must create or edit a CMC or FAC CSV file.

Procedure

-
- Step 1** In Cisco Unified Communications Manager Administration, choose one of the following options, depending on whether you use a CMC or FAC CSV file:
- For CMC—**Bulk Administration > Client Matter Codes > Insert Client Matter Codes**
 - For FAC—**Bulk Administration > Forced Authorization Codes > Insert Forced Authorization Codes**
- Step 2** In the File Name drop-down list box, choose the CSV file that contains the updated codes.



Tip To view the contents of the file that you want to insert, click **View File**.

- Step 3** If you are updating an existing list of codes, check the Override the existing configuration check box, as described in [Table 53-3](#).
- Step 4** In the Job Information area, enter the Job description.
- Step 5** Click the Run Immediately radio button to generate a report immediately or, click Run Later to generate reports at a later time.
- Step 6** Click **Submit** to create a job for inserting FAC and CMC.
- For more information on jobs, see the [Chapter 82, “Scheduling Jobs.”](#)
- For information on log files, see [“BAT Log Files” section on page 83-3](#).

Additional Topics

See the [“Related Topics” section on page 53-7](#).

BAT Settings for Updating the Cisco Unified Communications Manager Database

Use [Table 53-3](#) in conjunction with the [“Using BAT to Update the CUCM Database” section on page 53-6](#). For more information about related procedures, see the [“Related Topics” section on page 53-7](#).

Table 53-3 Settings in BAT for Inserting CSV Files

Setting in BAT	Description
File Name	From the drop-down list box, choose the CMC or FAC file that you want to insert.
Override the existing configuration	This check box applies if you are updating code for existing settings. Checking this check box overwrites the existing authorization code name (FAC), authorization level (FAC), or description (CMC) with the information that is contained in the file that you want to insert (existing authorization and client matter codes do not change). If you do not check the check box, an error, which writes to the log file, indicates that the authorization or client matter code already exists; therefore, no updates occur.

Related Topics

- [CMC and FAC Configuration Checklist, page 53-1](#)
- [Important BAT Considerations, page 53-2](#)
- [Creating a CSV File by Using BAT.xlt, page 53-3](#)
- [Using a Text Editor to Create the CSV Data File for Client Matter Codes and Forced Authorization Codes, page 53-4](#)
- [Editing an Existing CMC or FAC CSV File, page 53-4](#)

- [Deleting Code Settings, page 54-1](#)
- [CMC and FAC CSV File Settings, page 53-5](#)
- [Using BAT to Update the CUCM Database, page 53-6](#)
- [BAT Settings for Updating the Cisco Unified Communications Manager Database, page 53-7](#)
- [“Creating a Custom Text-Based CSV Files for Client Matter Codes and Forced Authorized Codes” section on page A-20](#)