



CHAPTER 3

Administrative XML Operations by Release

Table 3-1 lists new, changed, and deprecated Administrative XML (AXL) operations by release. It also lists operations that are under consideration or review (UCR). Operation details can be found in Chapter 2, “Administrative XML Programming”.

Table legend:

- —Supported
- —Not supported
- —Modified

For information on the changes under consideration for future release, see [Changes Under Consideration For Future Release](#), page 3-19.

Operations By Release

Table 3-1 lists new, changed, and deprecated Administrative XML (AXL) operations by release.

Table 3-1 Operations by Release

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
AARGroup	addAARGroup								
	getAARGroup								
	listAarGroup								
	removeAARGroup								
	updateAARGroup								
AARGroupByName	listAARGroupByName								
AARGroupMatrix	updateAARGroupMatrix								
AllProcessNodes	listAllProcessNodes								
ApplicationToSoftkeyTemplate	addApplicationToSoftkeyTemplate								

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	removeApplicationToSoftkeyTemplate	✗	✗	✗	✓	✓	✓	✓	✓
ApplicationUser	addApplicationUser	✗	✗	✗	✗	✗	✓	✓	✓
	getApplicationUser	✗	✗	✗	✗	✗	✓	✓	✓
	removeApplicationUser	✗	✗	✗	✗	✗	✓	✓	✓
	updateApplicationUser	✗	✗	✗	✗	✗	✓	✓	✓
AppUser	addAppUser	✗	✗	✗	✗	✗	✗	✗	✓
	getAppUser	✗	✗	✗	✗	✗	✗	✗	✓
	listAppUser	✗	✗	✗	✗	✗	✗	✗	✓
	removeAppUser	✗	✗	✗	✗	✗	✗	✗	✓
	updateAppUser	✓	✓	✓	ⓘ	✓	✓	✓	✓
AttendantConsoleHuntGroup	addAttendantConsoleHuntGroup	✓	✓	✓	✓	✓	✓	✓	✓
	getAttendantConsoleHuntGroup	✓	✓	✓	✓	✓	✓	✓	✓
	removeAttendantConsoleHuntGroup	✓	✓	✓	✓	✓	✓	✓	✓
	updateAttendantConsoleHuntGroup	ⓘ	✓	✓	✓	✓	✓	✓	✓
AttendantConsoleUser	addAttendantConsoleUser	✓	✓	✓	✓	✓	✓	✓	✓
	getAttendantConsoleUser	✓	✓	✓	✓	✓	✓	✓	✓
	listAttendantConsoleUser	✗	✗	✗	✗	✗	✗	✗	✓
	removeAttendantConsoleUser	✓	✓	✓	✓	✓	✓	✓	✓
	updateAttendantConsoleUser	✓	✓	✓	✓	✓	✓	✓	✓
AuthenticateUser	doAuthenticateUser	✓	✓	✓	✓	✓	✓	✓	✓
CalledPartyTransformationPattern	addCalledPartyTransformationPattern	✗	✗	✗	✗	✗	✓	✓	✓
	getCalledPartyTransformationPattern	✗	✗	✗	✗	✗	✓	✓	✓
	listCalledPartyTransformationPattern	✗	✗	✗	✗	✗	✗	✗	✓
	removeCalledPartyTransformationPattern	✗	✗	✗	✗	✗	✓	✓	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	updateCalledPartyTransformationPattern								
CallerFilter	addCallerFilterList								
	getCallerFilterList								
	listCallerFilterList								
	removeCallerFilterList								
	updateCallerFilterList								
CallingPartyTransformationPattern	addCallingPartyTransformationPattern								
	getCallingPartyTransformationPattern								
	listCallingPartyTransformationPattern								
	removeCallingPartyTransformationPattern								
	updateCallingPartyTransformationPattern								
CallIntercept	addCallIntercept								
	getCallIntercept								
	listCallIntercept								
	removeCallIntercept								
	updateCallIntercept								
CallManager	addCallManager								
	getCallManager								
	listCallManager								
	removeCallManager								
	updateCallManager								
CallManagerGroup	addCallManagerGroup								
	getCallManagerGroup								
	listCallManagerGroup								
	removeCallManagerGroup								

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	updateCallManagerGroup	✓	✓	✓	✓	✓	✓	✓	✓
CallPark	addCallPark	ⓘ	✓	✓	✓	✓	✓	ⓘ	✓
	getCallPark	✓	✓	✓	✓	✓	✓	ⓘ	✓
	listCallPark	✗	✗	✗	✗	✗	✗	✗	✓
	removeCallPark	✓	✓	✓	✓	✓	✓	✓	✓
	updateCallPark	✓	✓	✓	✓	✓	✓	ⓘ	✓
CallPickupGroup	addCallPickupGroup	✓	✓	✓	ⓘ	✓	✓	✓	✓
	getCallPickupGroup	✓	✓	✓	ⓘ	✓	✓	✓	✓
	listCallPickupGroup	✗	✗	✗	✗	✗	✗	✗	✓
	removeCallPickupGroup	✓	✓	✓	✓	✓	✓	✓	✓
	updateCallPickupGroup	✓	✓	✓	ⓘ	✓	✓	✓	✓
CcdAdvertisingService	addCcdAdvertisingService	✗	✗	✗	✗	✗	✗	✗	✓
	getCcdAdvertisingService	✗	✗	✗	✗	✗	✗	✗	✓
	listCcdAdvertisingService	✗	✗	✗	✗	✗	✗	✗	✓
	removeCcdAdvertisingService	✗	✗	✗	✗	✗	✗	✗	✓
	updateCcdAdvertisingService	✗	✗	✗	✗	✗	✗	✗	✓
CcdHostedDN	addCcdHostedDN	✗	✗	✗	✗	✗	✗	✗	✓
	getCcdHostedDN	✗	✗	✗	✗	✗	✗	✗	✓
	listCcdHostedDN	✗	✗	✗	✗	✗	✗	✗	✓
	removeCcdHostedDN	✗	✗	✗	✗	✗	✗	✗	✓
	updateCcdHostedDN	✗	✗	✗	✗	✗	✗	✗	✓
CcdHostedDNGroup	addCcdHostedDNGroup	✗	✗	✗	✗	✗	✗	✗	✓
	getCcdHostedDNGroup	✗	✗	✗	✗	✗	✗	✗	✓
	listCcdHostedDNGroup	✗	✗	✗	✗	✗	✗	✗	✓
	removeCcdHostedDNGroup	✗	✗	✗	✗	✗	✗	✗	✓
	updateCcdHostedDNGroup	✗	✗	✗	✗	✗	✗	✗	✓
CcdRequestingService	addCcdRequestingService	✗	✗	✗	✗	✗	✗	✗	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	getCcdRequestingService	✗	✗	✗	✗	✗	✗	✗	✓
	listCcdRequestingService	✗	✗	✗	✗	✗	✗	✗	✓
	removeCcdRequestingService	✗	✗	✗	✗	✗	✗	✗	✓
	updateCcdRequestingService	✗	✗	✗	✗	✗	✗	✗	✓
CCMVersion	getCCMVersion	✗	✗	✗	✓	✓	✓	✓	✓
CiscoCatalyst600024PortFXSGateway	addCiscoCatalyst600024PortFXSGateway	✗	✗	✗	✗	✗	✗	✗	✓
	getCiscoCatalyst600024PortFXSGateway	✗	✗	✗	✗	✗	✗	✗	✓
	listCiscoCatalyst600024PortFXSGateway	✗	✗	✗	✗	✗	✗	✗	✓
	removeCiscoCatalyst600024PortFXSGateway	✗	✗	✗	✗	✗	✗	✗	✓
	updateCiscoCatalyst600024PortFXSGateway	✗	✗	✗	✗	✗	✗	✗	✓
CiscoCatalyst6000E1VoIPGateway	addCiscoCatalyst6000E1VoIPGateway	✗	✗	✗	✗	✗	✗	✗	✓
	getCiscoCatalyst6000E1VoIPGateway	✗	✗	✗	✗	✗	✗	✗	✓
	listCiscoCatalyst6000E1VoIPGateway	✗	✗	✗	✗	✗	✗	✗	✓
	removeCiscoCatalyst6000E1VoIPGateway	✗	✗	✗	✗	✗	✗	✗	✓
	updateCiscoCatalyst6000E1VoIPGateway	✗	✗	✗	✗	✗	✗	✗	✓
CiscoCatalyst6000T1VoIPGatewayPri	addCiscoCatalyst6000T1VoIPGatewayPri	✗	✗	✗	✗	✗	✗	✗	✓
	getCiscoCatalyst6000T1VoIPGatewayPri	✗	✗	✗	✗	✗	✗	✗	✓
	listCiscoCatalyst6000T1VoIPGatewayPri	✗	✗	✗	✗	✗	✗	✗	✓
	removeCiscoCatalyst6000T1VoIPGatewayPri	✗	✗	✗	✗	✗	✗	✗	✓
	updateCiscoCatalyst6000T1VoIPGatewayPri	✗	✗	✗	✗	✗	✗	✗	✓
CiscoCatalyst6000T1VoIPGatewayT1	addCiscoCatalyst6000T1VoIPGatewayT1	✗	✗	✗	✗	✗	✗	✗	✓
	getCiscoCatalyst6000T1VoIPGatewayT1	✗	✗	✗	✗	✗	✗	✗	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	listCiscoCatalyst6000T1VoIPGatewayT1	✗	✗	✗	✗	✗	✗	✗	✓
	removeCiscoCatalyst6000T1VoIPGatewayT1	✗	✗	✗	✗	✗	✗	✗	✓
	updateCiscoCatalyst6000T1VoIPGatewayT1	✗	✗	✗	✗	✗	✗	✗	✓
CMCInfo	addCMCInfo	✓	✓	✓	✓	✓	✓	✓	i
	getCMCInfo	✓	✓	✓	✓	✓	✓	✓	i
	listCmcInfo	✗	✗	✗	✗	✗	✗	✗	✓
	removeCMCInfo	✓	✓	✓	✓	✓	✓	✓	i
	updateCMCInfo	✓	✓	✓	✓	✓	✓	✓	i
CommonDeviceConfig	addCommonDeviceConfig	✗	✗	✗	✓	✓	i	i	✓
	getCommonDeviceConfig	✗	✗	✗	✓	✓	i	i	✓
	listCommonDeviceConfig	✗	✗	✗	✗	✗	✗	✗	✓
	removeCommonDeviceConfig	✗	✗	✗	✓	✓	✓	✓	✓
	updateCommonDeviceConfig	✗	✗	✗	✓	✓	i	i	✓
CommonPhoneConfig	addCommonPhoneConfig	✗	✗	✗	✗	✗	✗	✓	✓
	getCommonPhoneConfig	✗	✗	✗	✗	✗	✗	✓	✓
	listCommonPhoneConfig	✗	✗	✗	✗	✗	✗	✗	✓
	removeCommonPhoneConfig	✗	✗	✗	✗	✗	✗	✓	✓
	updateCommonPhoneConfig	✗	✗	✗	✗	✗	✗	✓	✓
ConferenceBridge	addConferenceBridge	✓	✓	✓	i	✓	i	✓	✓
	getConferenceBridge	✓	✓	✓	i	✓	i	✓	✓
	listConferenceBridge	✗	✗	✗	✗	✗	✗	✗	✓
	removeConferenceBridge	✓	✓	✓	✓	✓	✓	✓	✓
	updateConferenceBridge	i	✓	✓	i	✓	i	✓	✓
createAutogeneratedProfile	createAutogeneratedProfile	✓	✓	✓	✓	✓	✓	✓	✓
CredentialPolicy	addCredentialPolicy	✗	✗	✗	✓	✓	✓	✓	✓
	getCredentialPolicy	✗	✗	✗	✓	✓	✓	✓	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	listCredentialPolicy	✗	✗	✗	✗	✗	✗	✗	✓
	removeCredentialPolicy	✗	✗	✗	✓	✓	✓	✓	✓
	updateCredentialPolicy	✗	✗	✗	✓	✓	✓	✓	✓
CSS	addCSS	✓	✓	✓	i	✓	✓	✓	i
	getCSS	✓	✓	✓	i	✓	✓	✓	i
	listCss	✗	✗	✗	✗	✗	✗	✗	✓
	removeCSS	✓	✓	✓	✓	✓	✓	✓	i
	updateCSS	✓	✓	✓	i	✓	✓	✓	i
CSSByName	listCSSByName	✓	✓	✓	✓	✓	✓	✓	✗
CTIRoutePoint	addCTIRoutePoint	✓	✓	✓	✓	✓	i	✓	✓
	getCTIRoutePoint	✓	✓	✓	✓	✓	i	✓	✓
	removeCTIRoutePoint	✓	✓	✓	✓	✓	✓	✓	✓
	updateCTIRoutePoint	✓	✓	✓	✓	✓	i	✓	✓
DDI	addDDI	✗	✗	✗	✗	✗	✗	✗	✓
	getDDI	✓	✓	✓	✓	✓	✓	✓	✓
	removeDDI	✗	✗	✗	✗	✗	✗	✗	✓
	updateDDI	✗	✗	✗	✗	✗	✗	✗	✓
DeviceByNameAndClass	listDeviceByNameAndClass	✓	✓	✓	✓	✓	✓	✓	✓
DeviceLogin	doDeviceLogin	✓	✓	✓	✓	✓	✓	✓	✓
DeviceLogout	doDeviceLogout	i	✓	✓	✓	✓	✓	✓	✓
DeviceMobility	addDeviceMobility	✗	✗	✗	✓	✓	✓	✓	✓
	getDeviceMobility	✗	✗	✗	✓	✓	✓	✓	✓
	removeDeviceMobility	✗	✗	✗	✓	✓	✓	✓	✓
	updateDeviceMobility	✗	✗	✗	✓	✓	✓	✓	✓
DeviceMobilityGroup	addDeviceMobilityGroup	✗	✗	✗	✓	✓	✓	✓	✓
	getDeviceMobilityGroup	✗	✗	✗	✓	✓	✓	✓	✓
	removeDeviceMobilityGroup	✗	✗	✗	✓	✓	✓	✓	✓
	updateDeviceMobilityGroup	✗	✗	✗	✓	✓	✓	✓	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
DevicePool	addDevicePool								
	getDevicePool								
	removeDevicePool								
	updateDevicePool								
DevicePoolByName	listDevicePoolByName								
DeviceProfile	addDeviceProfile								
	getDeviceProfile								
	removeDeviceProfile								
	updateDeviceProfile								
DeviceReset	doDeviceReset								
DialPlan	addDialPlan								
	getDialPlan								
	removeDialPlan								
	updateDialPlan								
DialPlanTag	addDialPlanTag								
	getDialPlanTag								
	removeDialPlanTag								
	updateDialPlanTag								
DirectedCallPark	addDirectedCallPark								
	getDirectedCallPark								
	removeDirectedCallPark								
	updateDirectedCallPark								
FACInfo	addFACInfo								
	getFACInfo								
	removeFACInfo								
	updateFACInfo								
Gatekeeper	addGatekeeper								
	getGatekeeper								

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	removeGatekeeper	✓	✓	✓	✓	✓	✓	✓	✓
	updateGatekeeper	✓	✓	✓	✓	✓	✓	✓	✓
GatekeeperByName	listGatekeeperByName	✓	✓	✓	✓	✓	✓	✓	✓
GatewayEndpoint	addGatewayEndpoint	ⓘ	✓	✓	ⓘ	✓	ⓘ	ⓘ	✓
	getGatewayEndpoint	ⓘ	✓	✓	ⓘ	✓	ⓘ	ⓘ	✓
	removeGatewayEndpoint	✓	✓	✓	✓	✓	✓	✓	✓
	updateGatewayEndpoint	ⓘ	✓	✓	ⓘ	✓	ⓘ	ⓘ	✓
GeoLocation	addGeoLocation	✗	✗	✗	✗	✗	✗	✓	✓
	getGeoLocation	✗	✗	✗	✗	✗	✗	✓	✓
	removeGeoLocation	✗	✗	✗	✗	✗	✗	✓	✓
	updateGeoLocation	✗	✗	✗	✗	✗	✗	✓	✓
GeoLocationAttributeRule	addGeoLocationAttributeRule	✗	✗	✗	✗	✗	✗	✓	✓
	getGeoLocationAttributeRule	✗	✗	✗	✗	✗	✗	✓	✓
	removeGeoLocationAttributeRule	✗	✗	✗	✗	✗	✗	✓	✓
	updateGeoLocationAttributeRule	✗	✗	✗	✗	✗	✗	✓	✓
GeoLocationFilter	addGeoLocationFilter	✗	✗	✗	✗	✗	✗	✓	✓
	getGeoLocationFilter	✗	✗	✗	✗	✗	✗	✓	✓
	removeGeoLocationFilter	✗	✗	✗	✗	✗	✗	✓	✓
	updateGeoLocationFilter	✗	✗	✗	✗	✗	✗	✓	✓
GeoLocationPolicy	addGeoLocationPolicy	✗	✗	✗	✗	✗	✗	✓	✓
	getGeoLocationPolicy	✗	✗	✗	✗	✗	✗	✓	✓
	removeGeoLocationPolicy	✗	✗	✗	✗	✗	✗	✓	✓
	updateGeoLocationPolicy	✗	✗	✗	✗	✗	✗	✓	✓
GeoLocationPolicyMatrix	addGeoLocationPolicyMatrix	✗	✗	✗	✗	✗	✗	✓	✓
	getGeoLocationPolicyMatrix	✗	✗	✗	✗	✗	✗	✓	✓
	removeGeoLocationPolicyMatrix	✗	✗	✗	✗	✗	✗	✓	✓
	updateGeoLocationPolicyMatrix	✗	✗	✗	✗	✗	✗	✓	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
H323Gateway	addH323Gateway								
	getH323Gateway								
	removeH323Gateway								
	updateH323Gateway								
H323Phone	addH323Phone								
	getH323Phone								
	removeH323Phone								
	updateH323Phone								
H323Trunk	addH323Trunk								
	getH323Trunk								
	removeH323Trunk								
	updateH323Trunk								
Hunt	addHuntList								
	getHuntList								
	removeHuntList								
	updateHuntList								
HuntPilot	addHuntPilot								
	getHuntPilot								
	removeHuntPilot								
	updateHuntPilot								
IVRUserLocale	addIVRUserLocale								
	getIVRUserLocale								
	removeIVRUserLocale								
	updateIVRUserLocale								
LicenseCapabilities	getLicenseCapabilities								
	updateLicenseCapabilities								
Line	addLine								
	getLine								

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	removeLine	✓	✓	✓	✓	✓	✓	✓	✓
	updateLine	ⓘ	✓	✓	ⓘ	ⓘ	✓	ⓘ	✓
LineGroup	addLineGroup	ⓘ	✓	✓	✓	✓	✓	✓	✓
	getLineGroup	ⓘ	✓	✓	✓	✓	✓	✓	✓
	removeLineGroup	ⓘ	✓	✓	✓	✓	✓	✓	✓
	updateLineGroup	ⓘ	✓	✓	✓	✓	✓	✓	✓
Location	addLocation	✓	✓	✓	✓	✓	✓	✓	✓
	getLocation	✓	✓	✓	✓	✓	✓	✓	✓
	removeLocation	✓	✓	✓	✓	✓	✓	✓	✓
	updateLocation	✓	✓	✓	✓	✓	✓	✓	✓
LocationByName	listLocationByName	✓	✓	✓	✓	✓	✓	✓	✓
MediaResourceList	addMediaResourceList	✓	✓	✓	✓	✓	✓	✓	✓
	getMediaResourceList	✓	✓	✓	✓	✓	✓	✓	✓
	removeMediaResourceList	✓	✓	✓	✓	✓	✓	✓	✓
	updateMediaResourceList	✓	✓	✓	✓	✓	✓	✓	✓
MediaResourceByName	listMediaResourceListByName	✓	✓	✓	✓	✓	✓	✓	✓
MediaResourceGroup	addMediaResourceGroup	✓	✓	✓	✓	✓	✓	✓	✓
	getMediaResourceGroup	✓	✓	✓	✓	✓	✓	✓	✓
	removeMediaResourceGroup	✓	✓	✓	✓	✓	✓	✓	✓
	updateMediaResourceGroup	✓	✓	✓	✓	✓	✓	✓	✓
MediaResourceGroupByName	listMediaResourceGroupByName	✓	✓	✓	✓	✓	✓	✓	✓
MeetMe	addMeetMe	✗	✗	✗	✓	✓	✓	✓	✓
	getMeetMe	✗	✗	✗	✓	✓	✓	✓	✓
	removeMeetMe	✗	✗	✗	✓	✓	✓	✓	✓
	updateMeetMe	✗	✗	✗	✓	✓	✓	✓	✓
MGCP	addMGCP	✓	✓	✓	ⓘ	✓	✓	ⓘ	✓
	getMGCP	✓	✓	✓	ⓘ	✓	✓	ⓘ	✓
	removeMGCP	✓	✓	✓	✓	✓	✓	✓	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	updateMGCP								
MGCP Endpoint	addMGCP Endpoint								
	removeMGCP Endpoint								
MGCP Subunit	addMGCP Subunit								
	removeMGCP Subunit								
MGCP Unit	addMGCP Unit								
	removeMGCP Unit								
MobileSmartClientProfile	getMobileSmartClientProfile								
MobileVoiceAccess	addMobileVoiceAccess								
	getMobileVoiceAccess								
	removeMobileVoiceAccess								
	updateMobileVoiceAccess								
Mobility	addMobility								
	getMobility								
	removeMobility								
	updateMobility								
MOHAudioSource	getMOHAudioSource								
	removeMOHAudioSource								
	updateMOHAudioSource								
MOHAudioSourceByName	listMOHAudioSourceByName								
MOHServer	addMOHServer								
	getMOHServer								
	removeMOHServer								
	updateMOHServer								
NumDevices	getNumDevices								
Phone	addPhone								
	getPhone								
	removePhone								

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	updatePhone								
PhoneByDescription	listPhoneByDescription								
PhoneByName	listPhoneByName								
PhoneTemplate	addPhoneTemplate								
	getPhoneTemplate								
	removePhoneTemplate								
	updatePhoneTemplate								
PhoneTemplateByName	listPhoneTemplateByName								
PhysicalLocation	addPhysicalLocation								
	getPhysicalLocation								
	removePhysicalLocation								
	updatePhysicalLocation								
PilotPoint	addPilotPoint								
	getPilotPoint								
	removePilotPoint								
	updatePilotPoint								
ProcessNode	addProcessNode								
	getProcessNode								
	removeProcessNode								
	updateProcessNode								
ProcessNodesByService	listProcessNodesByService								
ProcessNodeService	getProcessNodeService								
	updateProcessNodeService								
RecordingProfile	addRecordingProfile								
	getRecordingProfile								
	removeRecordingProfile								
	updateRecordingProfile								
Region	addRegion								

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	getRegion	✓	✓	✓	i	✓	✓	✓	✓
	removeRegion	✓	✓	✓	✓	✓	✓	✓	✓
	updateRegion	✓	✓	✓	i	✓	✓	✓	✓
RegionMatrix	updateRegionMatrix	✓	✓	✓	i	✓	✓	✓	✓
RemoteDestination	addRemoteDestination	✗	✗	✗	✓	✓	i	✓	✓
	getRemoteDestination	✗	✗	✗	✓	✓	i	✓	✓
	removeRemoteDestination	✗	✗	✗	✓	✓	✓	✓	✓
	updateRemoteDestination	✗	✗	✗	✓	✓	i	✓	✓
RemoteDestinationProfile	addRemoteDestinationProfile	✗	✗	✗	✓	✓	i	✓	✓
	getRemoteDestinationProfile	✗	✗	✗	✓	✓	i	✓	✓
	removeRemoteDestinationProfile	✗	✗	✗	✓	✓	✓	✓	✓
	updateRemoteDestinationProfile	✗	✗	✗	✓	✓	i	✓	✓
ResourcePriorityDefaultNamespace	getResourcePriorityDefaultNamespace	✗	✗	✗	✗	✗	✓	✓	✓
	updateResourcePriorityDefaultNamespace	✗	✗	✗	✗	✗	✓	✓	✓
ResourcePriorityNamespace	addResourcePriorityNamespace	✗	✗	✗	✗	✗	✓	✓	✓
	getResourcePriorityNamespace	✗	✗	✗	✗	✗	✓	✓	✓
	removeResourcePriorityNamespace	✗	✗	✗	✗	✗	✓	✓	✓
	updateResourcePriorityNamespace	✗	✗	✗	✗	✗	✓	✓	✓
ResourcePriorityNamespaceList	addResourcePriorityNamespaceList	✗	✗	✗	✗	✗	✓	✓	✓
	getResourcePriorityNamespaceList	✗	✗	✗	✗	✗	✓	✓	✓
	removeResourcePriorityNamespaceList	✗	✗	✗	✗	✗	✓	✓	✓
	updateResourcePriorityNamespaceList	✗	✗	✗	✗	✗	✓	✓	✓
RouteList	addRouteList	✓	✓	✓	✓	✓	i	✓	✓
	getRouteList	✓	✓	✓	✓	✓	i	✓	✓
	removeRouteList	✓	✓	✓	✓	✓	✓	✓	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	updateRouteList	✓	✓	✓	✓	✓	ⓘ	✓	✓
RouteFilter	addRouteFilter	✓	✓	✓	✓	✓	✓	✓	✓
	getRouteFilter	✓	✓	✓	✓	✓	✓	✓	✓
	removeRouteFilter	✓	✓	✓	✓	✓	✓	✓	✓
	updateRouteFilter	✓	✓	✓	✓	✓	✓	✓	✓
RouteGroup	addRouteGroup	✓	✓	✓	✓	✓	✓	✓	✓
	getRouteGroup	✓	✓	✓	✓	✓	✓	✓	✓
	removeRouteGroup	✓	✓	✓	✓	✓	✓	✓	✓
	updateRouteGroup	✓	✓	✓	✓	✓	✓	✓	✓
RoutePartition	addRoutePartition	✓	✓	✓	ⓘ	✓	✓	✓	✓
	getRoutePartition	✓	✓	✓	ⓘ	✓	✓	✓	✓
	removeRoutePartition	✓	✓	✓	✓	✓	✓	✓	✓
	updateRoutePartition	✓	✓	✓	ⓘ	✓	✓	✓	✓
RoutePartitionByName	listRoutePartitionByName	✓	✓	✓	✓	✓	✓	✓	✓
RoutePattern	addRoutePattern	ⓘ	✓	✓	✓	✓	ⓘ	ⓘ	✓
	getRoutePattern	✓	✓	✓	✓	✓	ⓘ	ⓘ	✓
	removeRoutePattern	✓	✓	✓	✓	✓	✓	✓	✓
	updateRoutePattern	ⓘ	✓	✓	✓	✓	ⓘ	ⓘ	✓
RoutePlanByType	listRoutePlanByType	✓	✓	✓	✓	✓	✓	✓	✓
ServiceParameter	getServiceParameter	✓	✓	✓	✓	✓	✓	✓	✓
	updateServiceParameter	ⓘ	✓	✓	✓	✓	✓	✓	✓
ServiceParameters	listServiceParameters	✓	✓	✓	✓	✓	✓	✓	✓
SIPProfile	addSIPProfile	✗	✗	✗	✗	✗	✓	ⓘ	✓
	getSIPProfile	✗	✗	✗	✗	✗	✓	ⓘ	✓
	removeSIPProfile	✗	✗	✗	✗	✗	✓	✓	✓
	updateSIPProfile	✗	✗	✗	✗	✗	✓	ⓘ	✓
SIPRealm	addSIPRealm	✗	✓	✓	✓	✓	✓	✓	✓
	getSIPRealm	✗	✓	✓	✓	✓	✓	✓	✓

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	removeSIPRealm								
	updateSIPRealm								
SIPTrunk	addSIPTrunk								
	getSIPTrunk								
	removeSIPTrunk								
	updateSIPTrunk								
SIPTrunkSecurityProfile	addSIPTrunkSecurityProfile								
	getSIPTrunkSecurityProfile								
	removeSIPTrunkSecurityProfile								
	updateSIPTrunkSecurityProfile								
SoftKeySet	getSoftKeySet								
	updateSoftKeySet								
SoftKeyTemplate	addSoftKeyTemplate								
	getSoftKeyTemplate								
	removeSoftKeyTemplate								
	updateSoftKeyTemplate								
SQL	executeSQLUpdate								
SQLQuery	executeSQLQuery								
TimePeriod	addTimePeriod								
	getTimePeriod								
	removeTimePeriod								
	updateTimePeriod								
TimeSchedule	addTimeSchedule								
	getTimeSchedule								
	removeTimeSchedule								
	updateTimeSchedule								
TODAccess	addTODAccess								
	getTODAccess								

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	removeTODAccess								
	updateTODAccess								
Transcoder	addTranscoder								
	getTranscoder								
	removeTranscoder								
	updateTranscoder								
TransformationPattern	addTransformationPattern								
	getTransformationPattern								
	removeTransformationPattern								
	updateTransformationPattern								
TransPattern	addTransPattern								
	getTransPattern								
	removeTransPattern								
	updateTransPattern								
User	addUser								
	getUser								
	removeUser								
	updateUser								
UserByName	listUserByName								
UserGroup	addUserGroup								
	getUserGroup								
	removeUserGroup								
	updateUserGroup								
VG224	addVG224								
	getVG224								
	removeVG224								
	updateVG224								
VoiceMailPilot	addVoiceMailPilot								

Table 3-1 Operations by Release (continued)

APIs	Operations	5.0 d	5.1	5.1(2)	6.0	6.1	7.0	7.1(2)	UCR
	getVoiceMailPilot	✓	✓	✓	✓	✓	✓	✓	✓
	removeVoiceMailPilot	✓	✓	✓	✓	✓	✓	✓	✓
	updateVoiceMailPilot	✓	✓	✓	✓	✓	✓	✓	✓
VoiceMailPort	addVoiceMailPort	✓	✓	✓	ⓘ	✓	ⓘ	✓	✓
	getVoiceMailPort	✓	✓	✓	ⓘ	✓	ⓘ	✓	✓
	removeVoiceMailPort	✓	✓	✓	✓	✓	✓	✓	✓
	updateVoiceMailPort	✓	✓	✓	ⓘ	✓	ⓘ	✓	✓
VoiceMailProfile	addVoiceMailProfile	✓	✓	✓	✓	✓	✓	✓	✓
	getVoiceMailProfile	✓	✓	✓	✓	✓	✓	✓	✓
	removeVoiceMailProfile	✓	✓	✓	✓	✓	✓	✓	✓
	updateVoiceMailProfile	✓	✓	✓	✓	✓	✓	✓	✓
VoiceMailProfileByName	listVoiceMailProfileByName	✓	✓	✓	✓	✓	✓	✓	✓

Changes Under Consideration For Future Release

The following APIs are planned to undergo changes in future release. Click on the API name for more information.

AARGroup	addApplicationToSoftKeyTemplate	addCallManager
AppUser	AttendantConsoleHuntGroup	AttendantConsoleUser
CalledPartyTransformationPattern	CMCInfo	CommonPhoneConfig
ConferenceBridge	CSS	CTIRoutePoint
DevicePool	DeviceProfile	DHCP Server
DHCPSubnet	DirectedCallPark	FACInfo
GatewayEndpoint	getDDI	getSoftKeySet
H323Gateway	H323Phone	H323Trunk
HuntPilot	IVRUserLocale	Line
LineGroup	listAARGroupByName	listAllProcessNodes
listCSSByName	listDeviceByNameAndClass	listDeviceByServiceName
listDevicePoolByName	listGatekeeperByName	listLocationByName
listMediaResourceGroupByName	listMOHAudioSourceByName	listPhoneByName
listPhoneByDescription	listProcessNodeByService	listRoutePlanByName
listRoutePartitionByName	listServiceParameters	listUserByName
listVoiceMailProfileByName	MGCP	MobileSmartClientProfile
MOHServer	Phone	PhoneTemplate
PilotPoint	ProcessNode	RecordingProfile
RemoteDestinationProfile	removeCallManager	RouteGroup
RoutePattern	ServiceParameter	SIPProfile
SIPRealm	SIPRoutePattern	SIPTrunk
SIPTrunkSecurityProfile	TODAccess	Transcoder
TransformationPattern	TransPattern	updateAARGroupMatrix
updateResourcePriorityDefaultNamespace	updateSoftKeySet	User
VG224	VoiceMailPilot	VoiceMailProfile

For details on changes under consideration for future release, see [Table 3-2](#)

Table 3-2 AXL API Method Changes Under Consideration for Future Releases

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
AARGroup	AarGroup This change is applicable to add, update, get, list, and remove operations.	AARGroup	aarGroup
addApplicationToSoftKeyTemplate	No change in API name	newApplication	applicationToSoftKeyTemplate
addCallManager	This API is removed. Addition of server automatically adds the CallManager.		
AppUser	No change in API name	applicationUser	appUser
AttendantConsoleHuntGroup	No change in API name	huntGroup	attendConsoleHuntGroup
AttendantConsoleUser	No change in API name	pilotUser	attendantConsoleUser
CalledPartyTransformationPattern	No change in API name	pattern	calledPartyTransformationPattern
CMCInfo	CmcInfo This change is applicable to add, update, get, list, and remove operations.	No change in elements	
CommonPhoneConfig	No change in API name	CommonPhoneConfig	commonPhoneConfig
ConferenceBridge	No change in API name	device	conferenceBridge
CSS	Css This change is applicable to add, update, get, list, and remove operations.	callingSearchSpace	css
CTIRoutePoint	CtiRoutePoint This change is applicable to add, update, get, list, and remove operations.	aarNeighborhood	This element is removed.
		automatedAlternateRoutingCSS	This element is removed.
		commonPhoneConfigName	This element is removed.
		geoLocationFilterName	This element is removed.
		loadInformation	This element is removed.
		mlppDomainId	This element is removed.
		mlppIndicationStatus	This element is removed.
		networkLocation	This element is removed.
		preemption	This element is removed.
		retryVideoCallAsAudio	This element is removed.
		routePoint	ctiRoutePoint

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		securityProfileName	This element is removed.
		sendGeoLocation	This element is removed.
		sipProfileName	This element is removed.
		traceFlag	This element is removed.
		versionStamp	This element is removed.
DevicePool	No change in API name	automatedAlternateRoutingCSSName	automatedAlternateRoutingCssName
		cdpnTransformationCSSName	cdpnTransformationCssName
		cgpnTransformationCSSName	cgpnTransformationCssName
		cgpnTransformationInternationalCSSName	callingPartyInternationalTransformationCssName
		cgpnTransformationNationalCSSName	callingPartyNationalTransformationCssName
		cgpnTransformationSubscriberCSSName	callingPartySubscriberTransformationCssName
		cgpnTransformationUnknownCSSName	callingPartyUnknownTransformationCssName
		internationalPrefix	callingPartyInternationalPrefix
		internationalStripDigits	callingPartyInternationalStripDigits
		mobilityCSSName	mobilityCssName
		nationalPrefix	callingPartyNationalPrefix
		nationalStripDigits	callingPartyNationalStripDigits
		subscriberPrefix	callingPartySubscriberPrefix
		subscriberStripDigits	callingPartySubscriberStripDigits
		unknownPrefix	callingPartyUnknownPrefix
		unknownStripDigits	callingPartyUnknownStripDigits
		useDevicePoolCdpnTransformationCSSName	useDevicePoolCdpnTransformationCssName
		useDevicePoolCgpnTransformationCSSName	useDevicePoolCgpnTransformationCssName
DeviceProfile	No change in API name	aarNeighborhood	This element is removed.
		aarNeighborhoodName	This element is removed.
		allowCtiControlFlag	This element is removed.
		associatedPC	This element is removed.
		authenticationMode	This element is removed.

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		authenticationString	This element is removed.
		authenticationURL	This element is removed.
		automatedAlternateRoutingCSS	This element is removed.
		automatedAlternateRoutingCSS Name	This element is removed.
		builtInBridge	This element is removed.
		callInfoPrivacyStatus	This element is removed.
		callingSearchSpace	This element is removed.
		callingSearchSpaceName	This element is removed.
		certificateOperation	This element is removed.
		certificateStatus	This element is removed.
		cgnTransformationCSS	This element is removed.
		cgnTransformationCSSName	This element is removed.
		commonDeviceConfig	This element is removed.
		commonDeviceConfigName	This element is removed.
		commonPhoneConfig	This element is removed.
		commonPhoneConfigName	This element is removed.
		currentConfig	This element is removed.
		deviceMobilityMode	This element is removed.
		devicePool	This element is removed.
		devicePoolName	This element is removed.
		dialRules	This element is removed.
		dialRulesName	This element is removed.
		digestUser	This element is removed.
		directoryURL	This element is removed.
		geoLocation	This element is removed.
		geoLocationFilter	This element is removed.
		geoLocationFilterName	This element is removed.
		geoLocationName	This element is removed.
		hlogStatus	This element is removed.
		idleTimeOut	This element is removed.
		idleURL	This element is removed.
		informationURL	This element is removed.
		isActive	This element is removed.
		isDualMode	This element is removed.

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		isProtected	This element is removed.
		keySize	This element is removed.
		loadInformation	This element is removed.
		location	This element is removed.
		locationName	This element is removed.
		medialResourceListName	This element is removed.
		mediaResourceList	This element is removed.
		mobileSmartClientProfile	This element is removed.
		mobileSmartClientProfileName	This element is removed.
		mobilityUser	This element is removed.
		mobilityUserIdName	This element is removed.
		mtpPreferredCodec	This element is removed.
		mtpRequired	This element is removed.
		networkLocale	This element is removed.
		networkMOHAudioSourceId	This element is removed.
		packetCaptureDuration	This element is removed.
		packetCaptureMode	This element is removed.
		phoneLoadName	This element is removed.
		phoneServiceDisplay	This element is removed.
		phoneSuite	This element is removed.
		presenceGroup	This element is removed.
		presenceGroupName	This element is removed.
		primaryPhone	This element is removed.
		primaryPhoneNumber	This element is removed.
		profile	deviceProfile
		proxyURL	This element is removed.
		remoteDevice	This element is removed.
		requireDTMFReception	This element is removed.
		rerouteCallingSearchSpace	This element is removed.
		rerouteCallingSearchSpaceName	This element is removed.
		retryVideoCallAsAudio	This element is removed.
		RFC2833Disabled	This element is removed.
		ringSettingBusyBLFAudibleAlert	This element is removed.
		ringSettingIdleBLFAudibleAlert	This element is removed.

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		securityProfile	This element is removed.
		securityProfileName	This element is removed.
		sendGeoLocation	This element is removed.
		services	This element is removed.
		servicesUrl	This element is removed.
		sipProfile	This element is removed.
		sipProfileName	This element is removed.
		softKeyTemplate	This element is removed.
		softKeyTemplateName	This element is removed.
		sshPwd	This element is removed.
		sshUser	This element is removed.
		subscribeCallingSearchSpace	This element is removed.
		subscribeCallingSearchSpaceName	This element is removed.
		unattendedPort	This element is removed.
		upgradeFinishTime	This element is removed.
		useDevicePoolCgpnTransformationCSSName	This element is removed.
		userHoldMOHAudioSourceId	userHoldMohAudioSourceId
		useTrustedRelayPoint	This element is removed.
DHCPsServer	DhcpServer This change is applicable to add, update, get, list, and remove operations.	bootstrapServeripAddress	bootstrapServerIpAddress
		DHCPsServer	dhcpServer
		primaryDNSipAddress	primaryDnsIpAddress
		primaryTFTPServeripAddress	primaryTftpServerIpAddress
		secondaryDNSipAddress	secondaryDnsIpAddress
		secondaryTFTPServeripAddress	secondaryTftpServeripAddress
DHCPSubnet	DhcpSubnet This change is applicable to add, update, get, list, and remove operations.	bootstrapServerIPAddress	bootstrapServerIpAddress
		DHCPSubnet	dhcpSubnet
		domainName	domainName
		primaryDNSIPAddress	primaryDnsIpAddress
		primaryEndIPAddress	primaryEndIpAddress

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		primaryRouterIPAddress	primaryRouterIpAddress
		primaryStartIPAddress	primaryStartIpAddress
		primaryTFTPServerIPAddress	primaryTftpServerIpAddress
		secondaryDNSIPAddress	secondaryDnsIpAddress
		secondaryEndIPAddress	secondaryEndIpAddress
		secondaryRouterIPAddress	secondaryRouterIpAddress
		secondaryStartIPAddress	secondaryStartIpAddress
		secondaryTFTPServerIPAddress	secondaryTftpServerIpAddress
		subnetIPAddress	subnetIpAddress
		subnetMask	subnetMask
		tftpServerName	tftpServerName
DirectedCallPark	No change in API name	revertCSSName	revertCssName
FACInfo	FacInfo This change is applicable to add, update, get, list, and remove operations.	No change in elements.	
GatewayEndpoint	This API is removed. The support for endpoints is given separately for each type of endpoint.		
getDDI	getDdi This change is valid only for get operation.	No change in elements.	
getSoftKeySet	This API is removed.		
H323Gateway	No change in API name	ASN1ROSEOIDEncoding	asn1RoseOidEncoding
		automatedAlternateRoutingCSSName	automatedAlternateRoutingCssName
		calledPartyIENumberType	calledPartyIeNumberType
		callerIdDN	callerIdDn
		callingPartyIENumberType	callingPartyIeNumberType
		cdpnTransformationCSSName	cdpnTransformationCssName
		cgpnTransformationCSSName	cgpnTransformationCssName
		cgpnTransformationInternationalCSSName	callingPartyInternationalTransformationCssName
		cgpnTransformationNationalCSSName	callingPartyNationalTransformationCssName
		cgpnTransformationSubscriberCSSName	callingPartySubscriberTransformationCssName

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		cgpnTransformationUnknownCSSName	callingPartyUnknownTransformationCssName
		commonPhoneConfig	This element is removed.
		commonPhoneConfigName	This element is removed.
		gateway	h323Gateway
		internationalPrefix	callingPartyInternationalPrefix
		internationalStripDigits	callingPartyInternationalStripDigits
		licensedCapacity	This element is removed.
		mlppIndicationStatus	This element is removed.
		mtpPreferredCodec	This element is removed.
		nationalPrefix	callingPartyNationalPrefix
		nationalStripDigits	callingPartyNationalStripDigits
		networkMOHAudioSourceId	This element is removed.
		preemption	This element is removed.
		prefixDN	prefixDn
		QSIGVariant	qsigVariant
		securityProfile	This element is removed.
		securityProfileName	This element is removed.
		sendGeoLocation	This element is removed.
		significantDigits	sigDigits
		sipProfile	This element is removed.
		sipProfileName	This element is removed.
		subscribeCallingSearchSpace	This element is removed.
		subscribeCallingSearchSpaceName	This element is removed.
		subscriberPrefix	callingPartySubscriberPrefix
		subscriberStripDigits	callingPartySubscriberStripDigits
		unattendedPort	This element is removed.
		unknownPrefix	callingPartyUnknownPrefix
		unknownStripDigits	callingPartyUnknownStripDigits
		useDevicePoolCdpnTransformationCSSName	useDevicePoolCdpnTransformationCssName
		useDevicePoolCgpnTransformationCSSName	useDevicePoolCgpnTransformationCssName

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		userMOHAudioSourceId	This element is removed.
		versionStamp	This element is removed.
H323Phone	No change in API name	automatedAlternateRoutingCSSName	automatedAlternateRoutingCssName
		callerIdDN	callerIdDn
		cdpnTransformationCSS	This element is removed.
		cdpnTransformationCSSName	This element is removed.
		cgpnTransformationCSSName	cgpnTransformationCssName
		cgpnTransformationInternationalCSS	This element is removed.
		cgpnTransformationInternationalCSSName	This element is removed.
		cgpnTransformationNationalCSS	This element is removed.
		cgpnTransformationNationalCSSName	This element is removed.
		cgpnTransformationSubscriberCSS	This element is removed.
		cgpnTransformationSubscriberCSSName	This element is removed.
		cgpnTransformationUnknownCSS	This element is removed.
		cgpnTransformationUnknownCSSName	This element is removed.
		codecForOutboundFastStart	This element is removed.
		enableInboundFastStart	This element is removed.
		enableOutboundFastStart	This element is removed.
		loadInformation	This element is removed.
		mlppIndicationStatus	This element is removed.
		networkMOHAudioSourceId	This element is removed.
		packetCaptureDuration	This element is removed.
		packetCaptureMode	This element is removed.
		phone	h323Phone
		preemption	This element is removed.
		securityProfile	This element is removed.
		securityProfileName	This element is removed.
		sendGeoLocation	This element is removed.
		sipProfile	This element is removed.

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		sipProfileName	This element is removed.
		useDevicePoolCdpnTransformCSS	This element is removed.
		useDevicePoolCgpnTransformationCSSName	useDevicePoolCgpnTransformationCssName
		userMOHAudioSourceId	This element is removed.
		vendorConfig	This element is removed.
		versionStamp	This element is removed.
H323Trunk	No change in API name	ASN1ROSEOIDEncoding	asn1RoseOidEncoding
		automatedAlternateRoutingCSS	This element is removed.
		automatedAlternateRoutingCSSName	This element is removed.
		calledPartyIENumberType	calledPartyIeNumberType
		callingPartyIENumberType	callingPartyIeNumberType
		cdpnTransformationCSSName	cdpnTransformationCssName
		cgpnTransformationCSSName	cgpnTransformationCssName
		cgpnTransformationInternationalCSSName	callingPartyInternationalTransformationCssName
		cgpnTransformationNationalCSSName	callingPartyNationalTransformationCssName
		cgpnTransformationSubscriberCSSName	callingPartySubscriberTransformationCssName
		cgpnTransformationUnknownCSSName	callingPartyUnknownTransformationCssName
		commonPhoneConfig	This element is removed.
		commonPhoneConfigName	This element is removed.
		internationalStripDigits	callingPartyInternationalStripDigits
		licensedCapacity	This element is removed.
		loadInformation	This element is removed.
		mtpPreferredCodec	This element is removed.
		nationalStripDigits	callingPartyNationalStripDigits
		networkMOHAudioSourceId	This element is removed.
		prefixDN	prefixDn
		QSIGVariant	qsigVariant
		redirectInboundNumberIE	redirectInboundNumberIe
		redirectOutboundNumberIE	redirectOutboundNumberIe

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		securityProfile	This element is removed.
		securityProfileName	This element is removed.
		significantDigits	sigDigits
		sipProfile	This element is removed.
		sipProfileName	This element is removed.
		subscriberStripDigits	callingPartySubscriberStripDigits
		trunk	h323Trunk
		unknownStripDigits	callingPartyUnknownStripDigits
		useDevicePoolCdpnTransformationCSSName	useDevicePoolCdpnTransformationCssName
		useDevicePoolCgpnTransformationCSSName	useDevicePoolCgpnTransformationCssName
		userMOHAudioSourceId	This element is removed.
		versionStamp	This element is removed.
HuntPilot	No change in API name	allowDeviceOverride	This element is removed.
		destination	The destination element is removed, but huntListName which was a part of this tag is retained.
		dialPlanWizardGenId	This element is removed.
		ForwardHuntBusy	forwardHuntBusy
		ForwardHuntNoAnswer	forwardHuntNoAnswer
		messageWaiting	This element is removed.
		networkLocation	This element is removed.
		ParkMonForwardNoRetrieveCSSName	This element is removed.
		ParkMonForwardNoRetrieveDN	There is a new tag parkMonForwardNoRetrieve and destination and callingSearchSpace are parts of this tag. This tag is removed since it is not applicable for HuntPilot
		pattern	huntPilot
		supportOverlapSending	This element is removed.

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
IVRUserLocale	IvrUserLocale This change is applicable to add, update, get, list, and remove operations.		
Line	No change in API name	cfaCSSPolicy	cfaCssPolicy
		directoryNumber	line
		networkMOHAudioSourceId	networkMohAudioSourceId
		parkMonForwardNoRetrieveCSSName	parkMonForwardNoRetrieveCssName
		parkMonForwardNoRetrieveDN	parkMonForwardNoRetrieveDn
		parkMonForwardNoRetrieveIntCSSName	parkMonForwardNoRetrieveIntCssName
		parkMonForwardNoRetrieveIntDN	parkMonForwardNoRetrieveIntDn
		parkMonForwardNoRetrieveIntVMEnabled	parkMonForwardNoRetrieveIntVmEnabled
		parkMonForwardNoRetrieveVMEnabled	parkMonForwardNoRetrieveVmEnabled
		ParkMonReversionTimer	parkMonReversionTimer
		shareLineAppearanceCSSName	shareLineAppearanceCssName
		userMOHAudioSourceId	userMohAudioSourceId
LineGroup		dnPatternAndPartition	directoryNumber
listAARGroupByName	listAarGroup List can be used to return all possible tags for this API	No change in elements.	
listAllProcessNodes	listProcessNode List can be used to return all possible tags for this API	No change in elements.	
listCSSByName	listCcss List can be used to return all possible tags for this API	No change in elements.	
listDeviceByNameAndClass	This API is removed.		
listDeviceByServiceName	This API is removed.		
listDevicePoolByName	listDevicePool List can be used to return all possible tags for this API	No change in elements.	

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
listGatekeeperByName	listGatekeeper List can be used to return all possible tags for this API	No change in elements.	
listLocationByName	listLocation List can be used to return all possible tags for this API	No change in elements.	
listMediaResourceGroupByName	listMediaResourceGroup List can be used to return all possible tags for this API	No change in elements.	
listMOHAudioSourceByName	listMohAudioSource List can be used to return all possible tags for this API	No change in elements.	
listPhoneByName	listPhone List can be used to return all possible tags for this API	No change in elements.	
listPhoneByDescription	listPhone List can be used to return all possible tags for this API	No change in elements.	
listProcessNodeByService	This API is removed.		
listRoutePlanByName	listRoutePlan List can be used to return all possible tags for this API	No change in elements.	
listRoutePartitionByName	listRoutePartition List can be used to return all possible tags for this API	No change in elements.	
listServiceParameters	This API is removed.		
listUserByName	listUser List can be used to return all possible tags for this API	No change in elements.	
listVoiceMailProfileByName	listVoiceMailProfile List can be used to return all possible tags for this API	No change in elements.	
MGCP	This API is removed. The support for this is given through Gateway, GatewayUnits and GatewaySubunits handlers.		
MobileSmartClientProfile	No change in API name	enableCFAUri	enableCfaUri
		enableSNRUri	enableSnrUri

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
MOHServer	No change in API name	baseMulticastIpAddress	baseMulticastIpAddress
		multicastIncrementOnIP	multicastIncrementOnIp
Phone	No change in API name	associatedPC	This element is removed.
		authenticationURL	authenticationUrl
		automatedAlternateRoutingCSSName	automatedAlternateRoutingCssName
		cdpnTransformationCSSName	cdpnTransformationCssName
		cgpnTransformationCSSName	cgpnTransformationCssName
		currentConfig->userHoldMOHAudioSourceId	currentConfig->userHoldMohAudioSourceId
		device	phone
		directedCallParkDNAndPartition	directedCallParkDnAndPartition
		directoryURL	directoryUrl
		displayASCII	displayAscii
		idleURL	idleUrl
		informationURL	informationUrl
		lineId	This element is removed.
		lineLabel	This element is removed.
		messagesURL	messagesUrl
		networkHoldMOHAudioSourceId	networkHoldMohAudioSourceId
		ownerUserId	ownerUserName
		proxyServerURL	proxyServerUrl
		requireDTMFReception	requireDtmfReception
		RFC2833Disabled	rfc2833Disabled
		ringSettingBusyBLFAudibleAlert	ringSettingBusyBlfAudibleAlert
		ringSettingIdleBLFAudibleAlert	ringSettingIdleBlfAudibleAlert
		servicesURL	servicesUrl
		sshUser	sshUserId
		useDevicePoolCdpnTransformationCSSName	useDevicePoolCdpnTransformationCssName
		useDevicePoolCgpnTransformationCSSName	useDevicePoolCgpnTransformationCssName
		userHoldMOHAudioSourceId	userHoldMohAudioSourceId

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
PhoneTemplate	PhoneButtonTemplate This change is applicable to add, update, get, list, and remove operations.	No change in elements.	
PilotPoint	No change in API name	callingSearchSpace	This element is removed.
		callingSearchSpaceName	This element is removed.
		pilotNumber	This element is removed.
		routePartition	This element is removed.
		routePartitionName	This element is removed.
ProcessNode	No change in API name	IPv6Name	ipv6Name
RecordingProfile	No change in API name	recordingCSSName	recordingCssName
RemoteDestinationProfile	No change in API name	cgpnTransformationCSSName	cgpnTransformationCssName
		networkHoldMOHAudioSourceId	networkHoldMohAudioSourceId
		useDevicePoolCgpnTransformCSS	useDevicePoolCgpnTransformCss
		userHoldMOHAudioSourceId	userHoldMohAudioSourceId
removeCallManager	This API is removed. Removing server automatically removes the Unified CM.		
RouteGroup	No change in API name	device	This element is removed.
		deviceId	This element is removed.
RoutePattern	No change in API name	isdnNSFInfoElement	isdnNsfInfoElement
		messageWaiting	This element is removed.
ServiceParameter	No change in API name	primaryData	This element is removed.
SIPProfile	SipProfile This change is applicable to add, update, get, list, and remove operations.	abbreviatedDialURI	abbreviatedDialUri
		callForwardURI	callForwardUri
		callpickupGroupURI	callpickupGroupUri
		callpickupListURI	callpickupListUri
		callpickupURI	callpickupUri
		enableVAD	enableVad
		meetmeServiceURI	meetmeServiceUri

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
SIPRealm	SipRealm This change is applicable to add, update, get, list, and remove operations.	No change	
SIPRoutePattern	No change in API name	destination	This tag has been removed. sipTrunkName was a part of destination tag. Hence this tag has been made a part of the routePattern
SIPRoutePattern	No change in API name	dnOrPatternIPv6	dnOrPatternIpv6
		pattern	routePattern
SIPTrunk	SipTrunk This change is applicable to add, update, get, list, and remove operations.	acceptInboundRdnis	acceptInboundRDNIS
SIPTrunk	No change in API name	acceptOutboundRdnis	acceptOutboundRDNIS
		automatedAlternateRoutingCSSName	automatedAlternateRoutingCssName
		callerIdDN	callerIdDn
		cdpnTransformationCSSName	cdpnTransformationCssName
		cgpnTransformationCSSName	cgpnTransformationCssName
		cgpnTransformationUnknownCSSName	callingPartyUnknownTransformationCssName
		commonPhoneConfig	This element is removed.
		commonPhoneConfigName	This element is removed.
		destAddrIsSRV	destAddrIsSrv
		destinationAddressIPv6	destinationAddressIpv6
		dtmfSignalingMethod	DTMFSignalingMethod
		licensedCapacity	This element is removed.
		networkHoldMOHAudioSourceId	networkHoldMohAudioSourceId
		prefixDN	prefixDn
		trunk	sipTrunk
		unknownPrefix	callingPartyUnknownPrefix
		unknownStripDigits	callingPartyUnknownStripDigits
		useDevicePoolCdpnTransformCSS	useDevicePoolCdpnTransformC ss

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		useDevicePoolCgpnTransformCSS	useDevicePoolCgpnTransformCSS
		userHoldMOHAudioSourceId	userHoldMohAudioSourceId
SIPTrunkSecurityProfile	No change	SIPTrunkSecurityProfile	sipTrunkSecurityProfile
TODAccess	TodAccess This change is applicable to add, update, get, list, and remove operations.	TODAccess	todAccess
Transcoder	No change in API name	device	transcoder
TransformationPattern	CalledPartyTransformationPattern This change is applicable to add, update, get, list, and remove operations.		
TransPattern	No change in API name	networkLocation	This element is removed.
		pattern	transPattern
updateAARGroupMatrix	updateAarGroupMatrix This is applicable only to update operation.	No change in elements.	
updateResourcePriorityDefaultNamespace	This API is removed.		
updateSoftKeySet	This API is removed.		
User	No change in API name	associatedAccessLists	This element is removed.
		associatedPC	associatedPc
		enableCTI	enableCti
		extension	This element is removed.
		ipccExtension	This element is removed.
VG224	Vg224 This change is applicable to add, update, get, list, and remove operations.	endPoints	This tag has been removed. Endpoints for VG224 have to be added through addGatewayEndpointAnalogAccess
VoiceMailPilot	No change in API name	CSSName	cssName
		automatedAlternateRoutingCSSName	automatedAlternateRoutingCssName
		cgpnTransformationCSS	This element is removed.
		cgpnTransformationCSSName	This element is removed.
		commonPhoneConfig	This element is removed.
		commonPhoneConfigName	This element is removed.

Table 3-2 AXL API Method Changes Under Consideration for Future Releases (continued)

API Name		Corresponding Element Changes	
7.1(2)	UCR	7.1(2)	UCR
		geoLocationFilterName	This element is removed.
		line	This tag is removed and the tags related to line are provided as a part of voiceMailPort
		loadInformation	This element is removed.
		networkHoldMOHAudioSourceId	This element is removed.
		networkLocation	This element is removed.
		retryVideoCallAsAudio	This element is removed.
		securityProfile	This element is removed.
		securityProfileName	This element is removed.
		sendGeoLocation	This element is removed.
		sipProfile	This element is removed.
		sipProfileName	This element is removed.
		userHoldMOHAudioSourceId	This element is removed.
		vendorConfig	This element is removed.
		versionStamp	This element is removed.
VoiceMailProfile	No change in API name.	description	This element is removed.
		isDefault	This element is removed.