



## INDEX

---

### A

accessing dialed number analyzer [2-1](#)

alternate matches [3-57](#)

analysis

    simple analysis using DNA [3-4](#)

    understanding output [3-31](#)

    using gateways [3-9](#)

    using multiple analyzer [3-25](#)

    using phones [3-5](#)

    using trunks [3-21](#)

analysis output [1-3](#)

    directory number information [3-56](#)

    route list information [3-55](#)

    route pattern information [3-54](#)

    translation pattern information [3-53](#)

    understanding call flow details [3-53](#)

    understanding results summary [3-51](#)

analysis results

    examples [3-31](#)

analysis using gateways

    choosing Analog Access Gateways [3-17](#)

    choosing Cisco IOS H.323 Gateways [3-16](#)

    choosing Cisco IOS MGCP Gateways [3-12](#)

    choosing Cisco IOS SCCP gateways [3-12](#)

    choosing Cisco VG248 Phone Gateways [3-18](#)

    choosing gateway endpoints [3-11](#)

    choosing non-IOS MGCP Gateways [3-14](#)

    entering analysis input [3-11](#)

    finding a gateway [3-10](#)

    performing analysis [3-20](#)

analysis using multiple analyzer

    analyzing the uploaded csv file [3-30](#)

    deleting uploaded csv files [3-30](#)

    performing analysis [3-25](#)

    uploading input files [3-29](#)

    using DNA template to create csv file [3-25](#)

    using text-based editor to create csv file [3-26](#)

        multiple analyzer csv file format [3-27](#)

    viewing csv file content [3-29](#)

analysis using phones

    choosing a phone line [3-7](#)

    finding a phone [3-6](#)

    performing analysis [3-8](#)

analysis using trunks

    choosing SIP trunks [3-23](#)

    finding a trunk [3-21](#)

    performing analysis [3-23](#)

    selecting a trunk [3-23](#)

analyzing the uploaded csv file [3-30](#)

audience [i-v](#)

---

### C

call flow details [3-53](#)

choosing a phone line [3-7](#)

choosing gateway endpoints [3-11](#)

conventions [i-vi](#)

---

### D

database synchronization

    disabling [3-2](#)

    with Cisco Unified CallManager [3-2](#)

deleting uploaded csv files [3-30](#)

dialed number analyzer

- accessibility compliance [1-2](#)
- accessing [2-1](#)
- analysis [1-2](#)
- analysis output [1-3](#)
- analyze using gateways [3-9](#)
- analyze using phones [3-5](#)
- analyzing Cisco Unified CallManager dial plan configuration [3-1](#)
- database synchronization [3-2](#)
- dialing patterns [1-3](#)
- digit discard instructions [1-3](#)
- features [1-1](#)
- introduction [1-1](#)
- logging on [2-1](#)
- logging out [2-3](#)
- more information [1-3](#)
- performing simple analysis [3-4](#)
- starting the DNA service [2-2](#)
- stopping the DNA service [2-3](#)
- trace configuration files [3-59](#)
- using multiple analyzer for analysis [3-25](#)
- using trunks for analysis [3-21](#)
- viewing output files [3-59](#)
- dialing patterns
  - dumping [3-58](#)
- digit discard instructions
  - dumping [3-58](#)
- document
  - audience [i-v](#)
  - conventions [i-vi](#)
  - organization [i-vi](#)
  - purpose [i-v](#)
- documentation
  - related [i-vi](#)
- dumping dialing patterns [3-58](#)
- dumping digit discard instructions [3-58](#)

---

## E

- examples [3-31](#)

---

## F

- features [1-1](#)
- finding a gateway [3-10](#)
- finding a phone [3-6](#)
- finding a trunk [3-21](#)

---

## L

- learned patterns [3-3](#)
- logging on to dialed number analyzer [2-1](#)
- logging out from dialed number analyzer [2-3](#)

---

## O

- organization [i-vi](#)
- output files, viewing [3-59](#)

---

## P

- performing analysis using a trunk [3-23](#)
- performing analysis using gateways [3-20](#)
- performing analysis using multiple analyzer [3-25](#)
- performing analysis using phones [3-8](#)
- preface [i-v](#)
- purpose [i-v](#)

---

## R

- related documentation [i-vi](#)
- results summary [3-51](#)

---

**S**

- selecting a trunk [3-23](#)
- simple analysis using DNA [3-4](#)
- starting the DNA service [2-2](#)

---

**T**

- text-based editor to create to create csv file [3-26](#)
- trace configuration files
  - viewing [3-59](#)

---

**U**

- understanding analysis output
  - alternate matches [3-57](#)
- uploading input files [3-29](#)
- using DNA template to create csv file [3-25](#)

---

**V**

- viewing analysis output files [3-59](#)
- viewing csv file content [3-29](#)
- viewing trace configuration files [3-59](#)

