

External Server Component Configuration for SIP Federation

This section provides information on the External Server Component Configuration for SIP Federation.

• Microsoft Component Configuration for SIP Federation, on page 1

Microsoft Component Configuration for SIP Federation

The following tables provide a brief checklist to configure federation on the Microsoft OCS and Access Edge servers. For detailed instructions on setting up and deploying the OCS server and the Access Edge server, refer to the Microsoft documentation.

Table 1: Configuration Tasks for Microsoft Components - OCS Server

Task	Procedure		
Enable Global Federation Setting	1. In the global forest branch in the left pane, choose Properties > Global Properties > Federation .		
	2. Check the Enable Federation and Public IM Connectivity check box.		
	3. Enter the FQDN and the port number for the internal interface of the Access Edge server.		
Configure the Access Edge server address	1. In the global forest branch in the left pane, choose Properties > Global Properties > Edge Servers .		
	2. In the Access Edge and Web Conferencing Edge Servers window, click Add.		
	3. Enter the FQDN for the internal interface of the Access Edge server.		
Enable Each Front End Federation Setting	You need to enable the federation setting for each front-end server that is federating:		
	1. In the front-end server branch in the left pane, choose Properties > Front End Properties > Federation .		
	2. Check the Enable Federation and Public IM Connectivity check box.		

Task	Procedure			
Check your users are enabled for MOC and for Federation	 Choose the Users tab and check that your users are enabled for MOC. If your user is not present in this list, you need to enable the user for MOC in Microsoft Active Directory. You also need to enable the user for Public IM Connectivity in Microsoft Active Directory. Refer to the Microsoft Active Directory documentation at the following URL: http://technet2.microsoft.com/windowsserver/en/technologies/featured/ad/default.mspx 			
Configure the security certificates	 You need to configure security certificates between the OCS server and the Access Edge server. A CA server is required to perform this procedure. Please refer to the Microsoft documentation for details on configuring security certificates between these servers. 			

Table 2: Configuration Tasks for Microsoft Components - Access Edge Server

Task	Procedure
Configure DNS	In the Microsoft enterprise deployment, you need to configure an external SRV record for all Access Edge Servers that points to _sipfederationtlstcp.domain, over port 5061, where domain is the name of the SIP domain of your organization. This SRV should point to the external FQDN of the Access Edge server.

Task	Procedure			
Configure IM and Presence Service as an IM Provider	1.	On the external Access Edge server, choose Start > Administrative Tools > Computer Management .		
	2.	In the left pane, right-click Microsoft Office Communications Server 2007 .		
	3.	Choose the IM Provider tab.		
	4.	Click Add.		
	5.	Check the Allow the IM service provider check box.		
	6.	Define the IM service provider name, for example, the IM and Presence Service node.		
	7.	Define the network address of the IM service provider, in this case the public FQDN of the IM and Presence Service node.		
	8.	Ensure that the IM service provider is not marked as "public".		
	9.	Click the filtering option Allow all communications from this provider option.		
	10.	Click OK .		
	In the IM and Presence Service enterprise deployment, you need to configure a DNS SRV record for each IM and Presence Service domain. The DNS SRV record should point to _sipfederationtlstcp.IM and Presence_domain over port 5061, where IM and Presence _domain is the name of the IM and Presence Service domain. This DNS SRV should point to the public FQDN of the IM and Presence Service node.			
Check the Access Method Settings		Iin the console tree, right-click on Microsoft Office Communications Server 2007.		
	2. (2. Choose Properties > Access Methods.		
	3. (Check the Federation check box.		
	4. Check the Allow discovery check box if you are using DNS			

Task	Procedure				
Configure Access Edge to use TLSv1	1.	To open the Local Security Policy, choose Start > Administrative Tools > Local Security Policy .			
		Note	If you are configuring this on a domain controller, the path is Start > Administrative Tools > Domain Controller Security Policy .		
	2.	Options. 3. Double-click the FIPS security setting in the details pane.			
	3.				
	4.				
	5.	Click OK.			
		Note	There is a known issue with remote desktop to the Access Edge server with FIPS enabled on Windows XP. Refer to Unable to Remote Desktop to Access Edge for a resolution to this issue.		
Configure the security certificates		You need to configure security certificates between the OCS server and the Access Edge server.			
		• A CA server is required to perform this procedure.			
	Please refer to the Microsoft documentation for details on confi security certificates between these servers.				